


Standard: Part 15E Test Site: 966 Chamber

Polarization: Horizontal

Test Mode: 802.11be EHT40 5670 MHz

Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5662.915	106.42	1.55	107.97	68.20	39.77	peak
2	5725.000	48.92	1.78	50.70	68.20	-17.50	peak
3	5736.430	52.62	1.89	54.51	68.20	-13.69	peak

Standard: Part 15E Test Site: 966 Chamber

Polarization: Vertical


Test Mode: 802.11be EHT40 5670 MHz

Remark:



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5660.740	111.56	1.56	113.12	68.20	44.92	peak
2	5725.000	49.00	1.78	50.78	68.20	-17.42	peak
3	5761.080	52.45	2.06	54.51	68.20	-13.69	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 5710 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 5710 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5446.250	51.14	1.71	52.85	74.00	-21.15	peak
2	5460.000	49.08	1.75	50.83	74.00	-23.17	peak
3	5461.875	51.15	1.75	52.90	68.20	-15.30	peak
4	5470.000	49.73	1.77	51.50	68.20	-16.70	peak
5*	5703.125	105.68	1.57	107.25	68.20	39.05	peak
6	5850.000	50.27	2.29	52.56	68.20	-15.64	peak
7	5860.000	51.42	2.31	53.73	68.20	-14.47	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 5710 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 5710 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5418.125	51.18	1.51	52.69	74.00	-21.31	peak
2	5460.000	49.43	1.75	51.18	74.00	-22.82	peak
3	5465.625	50.70	1.76	52.46	68.20	-15.74	peak
4	5470.000	48.39	1.77	50.16	68.20	-18.04	peak
5*	5703.125	108.61	1.57	110.18	68.20	41.98	peak
6	5850.000	50.37	2.29	52.66	68.20	-15.54	peak
7	5883.750	51.05	2.36	53.41	68.20	-14.79	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 5755 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 5755 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5610.125	51.05	1.65	52.70	68.20	-15.50	peak
2	5650.000	48.89	1.56	50.45	68.20	-17.75	peak
3	5700.000	50.12	1.54	51.66	105.20	-53.54	peak
4	5720.000	49.17	1.74	50.91	110.80	-59.89	peak
5	5725.000	52.56	1.78	54.34	122.20	-67.86	peak
6	5758.250	104.16	2.06	106.22	131.20	-24.98	peak
7	5850.000	50.10	2.29	52.39	122.20	-69.81	peak
8	5855.000	48.60	2.31	50.91	110.80	-59.89	peak
9	5875.000	49.32	2.34	51.66	105.20	-53.54	peak
10	5925.000	49.47	2.23	51.70	68.20	-16.50	peak
11*	5956.250	51.00	2.07	53.07	68.20	-15.13	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 5755 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 5755 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5628.875	52.60	1.60	54.20	68.20	-14.00	peak
2	5650.000	50.41	1.56	51.97	68.20	-16.23	peak
3	5700.000	49.90	1.54	51.44	105.20	-53.76	peak
4	5720.000	52.01	1.74	53.75	110.80	-57.05	peak
5	5725.000	54.81	1.78	56.59	122.20	-65.61	peak
6	5768.750	107.78	2.10	109.88	131.20	-21.32	peak
7	5850.000	50.96	2.29	53.25	122.20	-68.95	peak
8	5855.000	51.67	2.31	53.98	110.80	-56.82	peak
9	5875.000	49.82	2.34	52.16	105.20	-53.04	peak
10	5925.000	49.69	2.23	51.92	68.20	-16.28	peak
11	5945.000	51.54	2.10	53.64	68.20	-14.56	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 5795 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 5795 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5605.625	51.64	1.66	53.30	68.20	-14.90	peak
2	5650.000	48.99	1.56	50.55	68.20	-17.65	peak
3	5700.000	50.12	1.54	51.66	105.20	-53.54	peak
4	5720.000	50.36	1.74	52.10	110.80	-58.70	peak
5	5725.000	50.34	1.78	52.12	122.20	-70.08	peak
6	5777.000	103.74	2.13	105.87	131.20	-25.33	peak
7	5850.000	49.43	2.29	51.72	122.20	-70.48	peak
8	5855.000	49.37	2.31	51.68	110.80	-59.12	peak
9	5875.000	49.34	2.34	51.68	105.20	-53.52	peak
10	5925.000	48.91	2.23	51.14	68.20	-17.06	peak
11	5953.625	50.85	2.08	52.93	68.20	-15.27	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 5795 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 5795 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5615.750	51.51	1.63	53.14	68.20	-15.06	peak
2	5650.000	50.44	1.56	52.00	68.20	-16.20	peak
3	5700.000	50.12	1.54	51.66	105.20	-53.54	peak
4	5720.000	50.30	1.74	52.04	110.80	-58.76	peak
5	5725.000	49.81	1.78	51.59	122.20	-70.61	peak
6	5783.375	108.70	2.14	110.84	131.20	-20.36	peak
7	5850.000	49.09	2.29	51.38	122.20	-70.82	peak
8	5855.000	49.78	2.31	52.09	110.80	-58.71	peak
9	5875.000	49.25	2.34	51.59	105.20	-53.61	peak
10	5925.000	48.93	2.23	51.16	68.20	-17.04	peak
11*	5933.375	51.27	2.17	53.44	68.20	-14.76	peak

Standard: Part 15E Test Site: 966 Chamber

Polarization: Horizontal


Test Mode: 802.11be EHT80 5210 MHz

Remark:



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5139.160	53.87	1.39	55.26	74.00	-18.74	peak
2	5150.000	52.65	1.38	54.03	74.00	-19.97	peak
3*	5184.000	107.51	1.22	108.73	68.20	40.53	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5141.440	55.50	1.39	56.89	74.00	-17.11	peak
2	5150.000	52.71	1.38	54.09	74.00	-19.91	peak
3*	5225.040	105.97	0.97	106.94	68.20	38.74	peak

Standard: Part 15E Test Site: 966 Chamber

Polarization: Horizontal

Test Mode: 802.11be EHT80 5290 MHz

Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5264.160	107.85	0.76	108.61	68.20	40.41	peak
2	5350.000	51.18	1.02	52.20	74.00	-21.80	peak
3	5369.280	55.29	1.17	56.46	74.00	-17.54	peak

Standard: Part 15E Test Site: 966 Chamber

Polarization: Vertical

Test Mode: 802.11be EHT80 5290 MHz

Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5284.560	107.10	0.70	107.80	68.20	39.60	peak
2	5350.000	51.78	1.02	52.80	74.00	-21.20	peak
3	5363.520	53.69	1.11	54.80	74.00	-19.20	peak

Standard: Part 15E Test Site: 966 Chamber

Polarization: Horizontal

Test Mode: 802.11be EHT80 5530 MHz

Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5456.800	51.84	1.75	53.59	74.00	-20.41	peak
2	5460.000	50.16	1.75	51.91	74.00	-22.09	peak
3	5467.120	52.70	1.76	54.46	68.20	-13.74	peak
4	5470.000	51.21	1.77	52.98	68.20	-15.22	peak
5*	5556.880	103.31	1.77	105.08	68.20	36.88	peak

Standard: Part 15E Test Site: 966 Chamber

Polarization: Vertical


Test Mode: 802.11be EHT80 5530 MHz

Remark:



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5450.800	53.06	1.74	54.80	74.00	-19.20	peak
2	5460.000	52.05	1.75	53.80	74.00	-20.20	peak
3	5468.320	53.55	1.76	55.31	68.20	-12.89	peak
4	5470.000	51.50	1.77	53.27	68.20	-14.93	peak
5*	5497.840	108.44	1.80	110.24	68.20	42.04	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT80 5610 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT80 5610 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5371.250	51.81	1.18	52.99	74.00	-21.01	peak
2	5460.000	49.44	1.75	51.19	74.00	-22.81	peak
3	5462.200	50.29	1.75	52.04	68.20	-16.16	peak
4	5470.000	48.60	1.77	50.37	68.20	-17.83	peak
5*	5586.725	104.21	1.70	105.91	68.20	37.71	peak
6	5725.000	49.88	1.78	51.66	68.20	-16.54	peak
7	5736.750	52.07	1.90	53.97	68.20	-14.23	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT80 5610 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT80 5610 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5409.500	52.36	1.45	53.81	74.00	-20.19	peak
2	5460.000	49.47	1.75	51.22	74.00	-22.78	peak
3	5460.925	53.11	1.75	54.86	68.20	-13.34	peak
4	5470.000	49.90	1.77	51.67	68.20	-16.53	peak
5*	5615.625	107.51	1.63	109.14	68.20	40.94	peak
6	5725.000	50.05	1.78	51.83	68.20	-16.37	peak
7	5744.825	52.44	1.98	54.42	68.20	-13.78	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT80 5690 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT80 5690 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5437.500	52.85	1.64	54.49	74.00	-19.51	peak
2	5460.000	49.95	1.75	51.70	74.00	-22.30	peak
3	5465.625	51.02	1.76	52.78	68.20	-15.42	peak
4	5470.000	50.51	1.77	52.28	68.20	-15.92	peak
5*	5685.625	102.48	1.54	104.02	68.20	35.82	peak
6	5850.000	49.74	2.29	52.03	68.20	-16.17	peak
7	5970.625	51.45	2.10	53.55	68.20	-14.65	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT80 5690 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT80 5690 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5403.750	52.76	1.40	54.16	74.00	-19.84	peak
2	5460.000	51.44	1.75	53.19	74.00	-20.81	peak
3	5461.875	50.70	1.75	52.45	68.20	-15.75	peak
4	5470.000	49.26	1.77	51.03	68.20	-17.17	peak
5*	5680.000	106.43	1.55	107.98	68.20	39.78	peak
6	5850.000	50.47	2.29	52.76	68.20	-15.44	peak
7	5888.750	51.71	2.36	54.07	68.20	-14.13	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT80 5775 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT80 5775 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5603.750	51.73	1.65	53.38	68.20	-14.82	peak
2	5650.000	49.76	1.56	51.32	68.20	-16.88	peak
3	5700.000	52.31	1.54	53.85	105.20	-51.35	peak
4	5720.000	57.36	1.74	59.10	110.80	-51.70	peak
5	5725.000	61.35	1.78	63.13	122.20	-59.07	peak
6	5753.000	102.35	2.03	104.38	131.20	-26.82	peak
7	5850.000	49.08	2.29	51.37	122.20	-70.83	peak
8	5855.000	49.00	2.31	51.31	110.80	-59.49	peak
9	5875.000	49.53	2.34	51.87	105.20	-53.33	peak
10	5925.000	49.83	2.23	52.06	68.20	-16.14	peak
11	5969.000	51.17	2.10	53.27	68.20	-14.93	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT80 5775 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT80 5775 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5605.625	52.74	1.66	54.40	68.20	-13.80	peak
2	5650.000	51.12	1.56	52.68	68.20	-15.52	peak
3	5700.000	50.91	1.54	52.45	105.20	-52.75	peak
4	5720.000	57.32	1.74	59.06	110.80	-51.74	peak
5	5725.000	70.61	1.78	72.39	122.20	-49.81	peak
6	5810.750	105.73	2.22	107.95	131.20	-23.25	peak
7	5850.000	49.54	2.29	51.83	122.20	-70.37	peak
8	5855.000	49.62	2.31	51.93	110.80	-58.87	peak
9	5875.000	50.35	2.34	52.69	105.20	-52.51	peak
10	5925.000	47.78	2.23	50.01	68.20	-18.19	peak
11	5942.000	51.39	2.12	53.51	68.20	-14.69	peak

Standard: Part 15E Test Site: 966 Chamber

Polarization: Horizontal

Test Mode: 802.11be EHT160 5250 MHz

Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5139.360	58.63	1.39	60.02	74.00	-13.98	peak
2	5150.000	54.73	1.38	56.11	74.00	-17.89	peak
3*	5184.480	107.22	1.21	108.43	68.20	40.23	peak
4	5350.000	52.01	1.02	53.03	74.00	-20.97	peak
5	5377.440	54.27	1.21	55.48	74.00	-18.52	peak

Standard: Part 15E Test Site: 966 Chamber

Polarization: Vertical


Test Mode: 802.11be EHT160 5250 MHz

Remark:



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5117.280	57.46	1.41	58.87	74.00	-15.13	peak
2	5150.000	55.02	1.38	56.40	74.00	-17.60	peak
3*	5185.440	105.65	1.21	106.86	68.20	38.66	peak
4	5350.000	51.88	1.02	52.90	74.00	-21.10	peak
5	5407.200	55.67	1.43	57.10	74.00	-16.90	peak


Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT160 5570 MHz		
Remark:			



Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT160 5570 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5436.275	54.73	1.64	56.37	74.00	-17.63	peak
2	5460.000	50.57	1.75	52.32	74.00	-21.68	peak
3	5468.150	52.15	1.76	53.91	68.20	-14.29	peak
4	5470.000	50.43	1.77	52.20	68.20	-16.00	peak
5*	5495.350	104.80	1.80	106.60	68.20	38.40	peak
6	5725.000	50.20	1.78	51.98	68.20	-16.22	peak
7	5749.075	51.70	2.02	53.72	68.20	-14.48	peak

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT160 5570 MHz		
Remark:			




Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT160 5570 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5446.475	57.20	1.71	58.91	74.00	-15.09	peak
2	5460.000	52.07	1.75	53.82	74.00	-20.18	peak
3	5462.625	54.64	1.75	56.39	68.20	-11.81	peak
4	5470.000	52.71	1.77	54.48	68.20	-13.72	peak
5*	5642.825	105.83	1.56	107.39	68.20	39.19	peak
6	5725.000	50.40	1.78	52.18	68.20	-16.02	peak
7	5746.100	53.36	1.99	55.35	68.20	-12.85	peak

Average

Standard: Part 15E Test Site: 966 Chamber
Polarization: Horizontal
Test Mode: 802.11ac VHT20 5180 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5145.240	43.74	1.38	45.12	54.00	-8.88	AVG
2	5150.000	43.35	1.38	44.73	54.00	-9.27	AVG

Standard: Part 15E Test Site: 966 Chamber

Polarization: Vertical


Test Mode: 802.11ac VHT20 5180 MHz

Remark:



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5146.760	44.79	1.39	46.18	54.00	-7.82	AVG
2	5150.000	44.17	1.38	45.55	54.00	-8.45	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5141.440	43.83	1.39	45.22	54.00	-8.78	AVG
2	5150.000	42.96	1.38	44.34	54.00	-9.66	AVG

Standard: Part 15E Test Site: 966 Chamber

Polarization: Vertical


Test Mode: 802.11ac VHT20 5200 MHz

Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5146.000	44.47	1.39	45.86	54.00	-8.14	AVG
2	5150.000	44.18	1.38	45.56	54.00	-8.44	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5142.960	41.68	1.38	43.06	54.00	-10.94	AVG
2	5150.000	41.61	1.38	42.99	54.00	-11.01	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11ac VHT20 5240 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5145.240	42.15	1.38	43.53	54.00	-10.47	AVG
2	5150.000	41.92	1.38	43.30	54.00	-10.70	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5260 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	39.94	1.02	40.96	54.00	-13.04	AVG
2*	5455.200	39.86	1.75	41.61	54.00	-12.39	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11ac VHT20 5260 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	40.58	1.02	41.60	54.00	-12.40	AVG
2*	5452.320	40.98	1.75	42.73	54.00	-11.27	AVG

Standard: Part 15E Test Site: 966 Chamber

Polarization: Horizontal


Test Mode: 802.11ac VHT20 5280 MHz

Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	40.01	1.02	41.03	54.00	-12.97	AVG
2*	5358.720	40.08	1.08	41.16	54.00	-12.84	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	40.54	1.02	41.56	54.00	-12.44	AVG
2*	5357.040	40.77	1.07	41.84	54.00	-12.16	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	41.20	1.02	42.22	54.00	-11.78	AVG
2*	5352.240	41.34	1.03	42.37	54.00	-11.63	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11ac VHT20 5320 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	41.99	1.02	43.01	54.00	-10.99	AVG
2*	5367.360	42.20	1.14	43.34	54.00	-10.66	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.720	40.33	1.75	42.08	54.00	-11.92	AVG
2	5460.000	40.04	1.75	41.79	54.00	-12.21	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5457.040	41.23	1.75	42.98	54.00	-11.02	AVG
2	5460.000	41.18	1.75	42.93	54.00	-11.07	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Horizontal
Test Mode: 802.11ac VHT20 5560 MHz
Remark:



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5450.800	39.28	1.74	41.02	54.00	-12.98	AVG
2	5460.000	39.01	1.75	40.76	54.00	-13.24	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11ac VHT20 5560 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5456.560	39.86	1.75	41.61	54.00	-12.39	AVG
2	5460.000	39.59	1.75	41.34	54.00	-12.66	AVG

Standard: Part 15E Test Site: 966 Chamber

Polarization: Horizontal


Test Mode: 802.11ac VHT20 5720 MHz

Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5445.625	42.20	1.70	43.90	54.00	-10.10	AVG
2	5460.000	41.88	1.75	43.63	54.00	-10.37	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5442.500	42.71	1.68	44.39	54.00	-9.61	AVG
2	5460.000	41.51	1.75	43.26	54.00	-10.74	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Horizontal
Test Mode: 802.11ac VHT40 5190 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.520	44.14	1.38	45.52	54.00	-8.48	AVG
2*	5150.000	44.15	1.38	45.53	54.00	-8.47	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11ac VHT40 5190 MHz
Remark:



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.760	44.19	1.39	45.58	54.00	-8.42	AVG
2*	5150.000	45.21	1.38	46.59	54.00	-7.41	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5127.000	42.77	1.40	44.17	54.00	-9.83	AVG
2	5150.000	42.17	1.38	43.55	54.00	-10.45	AVG

Standard: Part 15E Test Site: 966 Chamber

Polarization: Vertical


Test Mode: 802.11ac VHT40 5230 MHz

Remark:



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5128.520	42.56	1.39	43.95	54.00	-10.05	AVG
2	5150.000	41.98	1.38	43.36	54.00	-10.64	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	41.28	1.02	42.30	54.00	-11.70	AVG
2*	5366.640	41.29	1.14	42.43	54.00	-11.57	AVG

Standard: Part 15E Test Site: 966 Chamber

Polarization: Vertical


Test Mode: 802.11ac VHT40 5270 MHz

Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	41.50	1.02	42.52	54.00	-11.48	AVG
2*	5363.280	41.94	1.11	43.05	54.00	-10.95	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Horizontal
Test Mode: 802.11ac VHT40 5310 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	42.03	1.02	43.05	54.00	-10.95	AVG
2*	5351.280	42.09	1.03	43.12	54.00	-10.88	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11ac VHT40 5310 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	43.01	1.02	44.03	54.00	-9.97	AVG
2*	5351.040	43.09	1.03	44.12	54.00	-9.88	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5451.760	40.07	1.75	41.82	54.00	-12.18	AVG
2	5460.000	39.88	1.75	41.63	54.00	-12.37	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.000	41.34	1.75	43.09	54.00	-10.91	AVG
2	5460.000	41.33	1.75	43.08	54.00	-10.92	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5455.120	39.94	1.75	41.69	54.00	-12.31	AVG
2	5460.000	39.63	1.75	41.38	54.00	-12.62	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5457.760	40.85	1.75	42.60	54.00	-11.40	AVG
2	5460.000	40.73	1.75	42.48	54.00	-11.52	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5710 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5452.500	39.34	1.75	41.09	54.00	-12.91	AVG
2	5460.000	39.26	1.75	41.01	54.00	-12.99	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5455.625	39.73	1.75	41.48	54.00	-12.52	AVG
2	5460.000	39.59	1.75	41.34	54.00	-12.66	AVG

Standard: Part 15E Test Site: 966 Chamber

Polarization: Horizontal


Test Mode: 802.11ac VHT80 5210 MHz

Remark:



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5144.480	45.39	1.38	46.77	54.00	-7.23	AVG
2*	5150.000	45.66	1.38	47.04	54.00	-6.96	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11ac VHT80 5210 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.760	44.59	1.39	45.98	54.00	-8.02	AVG
2*	5150.000	44.78	1.38	46.16	54.00	-7.84	AVG

Standard: Part 15E Test Site: 966 Chamber

Polarization: Horizontal


Test Mode: 802.11ac VHT80 5290 MHz

Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	46.41	1.02	47.43	54.00	-6.57	AVG
2	5351.040	45.91	1.03	46.94	54.00	-7.06	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11ac VHT80 5290 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	45.94	1.02	46.96	54.00	-7.04	AVG
2	5351.280	44.93	1.03	45.96	54.00	-8.04	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5454.400	42.38	1.75	44.13	54.00	-9.87	AVG
2	5460.000	42.29	1.75	44.04	54.00	-9.96	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.280	45.84	1.75	47.59	54.00	-6.41	AVG
2*	5460.000	46.23	1.75	47.98	54.00	-6.02	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Horizontal
Test Mode: 802.11ac VHT80 5610 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5456.250	39.55	1.75	41.30	54.00	-12.70	AVG
2	5460.000	39.38	1.75	41.13	54.00	-12.87	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5456.250	40.33	1.75	42.08	54.00	-11.92	AVG
2	5460.000	40.31	1.75	42.06	54.00	-11.94	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5438.750	39.56	1.66	41.22	54.00	-12.78	AVG
2	5460.000	39.27	1.75	41.02	54.00	-12.98	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11ac VHT80 5690 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5427.500	40.47	1.58	42.05	54.00	-11.95	AVG
2	5460.000	39.92	1.75	41.67	54.00	-12.33	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Horizontal
Test Mode: 802.11ac VHT160 5250 MHz
Remark:



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5140.320	49.80	1.39	51.19	54.00	-2.81	AVG
2	5150.000	49.54	1.38	50.92	54.00	-3.08	AVG
3	5350.000	43.01	1.02	44.03	54.00	-9.97	AVG
4	5357.280	42.74	1.07	43.81	54.00	-10.19	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT160 5250 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5118.240	48.33	1.41	49.74	54.00	-4.26	AVG
2	5150.000	47.99	1.38	49.37	54.00	-4.63	AVG
3	5350.000	44.12	1.02	45.14	54.00	-8.86	AVG
4	5450.400	43.47	1.74	45.21	54.00	-8.79	AVG

Standard: Part 15E Test Site: 966 Chamber

Polarization: Horizontal


Test Mode: 802.11ac VHT160 5570 MHz

Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5454.550	43.54	1.75	45.29	54.00	-8.71	AVG
2	5460.000	42.98	1.75	44.73	54.00	-9.27	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT160 5570 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.375	48.79	1.75	50.54	54.00	-3.46	AVG
2	5460.000	48.25	1.75	50.00	54.00	-4.00	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Horizontal
Test Mode: 802.11be EHT20 5180 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	4891.400	43.27	0.35	43.62	54.00	-10.38	AVG
2	5150.000	41.14	1.38	42.52	54.00	-11.48	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5144.480	40.93	1.38	42.31	54.00	-11.69	AVG
2	5150.000	40.85	1.38	42.23	54.00	-11.77	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 5200 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5147.520	42.34	1.38	43.72	54.00	-10.28	AVG
2	5150.000	42.17	1.38	43.55	54.00	-10.45	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11be EHT20 5200 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5143.720	42.34	1.38	43.72	54.00	-10.28	AVG
2	5150.000	41.90	1.38	43.28	54.00	-10.72	AVG

Standard: Part 15E Test Site: 966 Chamber

Polarization: Horizontal


Test Mode: 802.11be EHT20 5240 MHz

Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5134.600	41.39	1.39	42.78	54.00	-11.22	AVG
2	5150.000	41.02	1.38	42.40	54.00	-11.60	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11be EHT20 5240 MHz
Remark:



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5119.400	41.54	1.41	42.95	54.00	-11.05	AVG
2	5150.000	40.83	1.38	42.21	54.00	-11.79	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	39.55	1.02	40.57	54.00	-13.43	AVG
2*	5454.240	39.45	1.75	41.20	54.00	-12.80	AVG

Standard: Part 15E Test Site: 966 Chamber

Polarization: Vertical


Test Mode: 802.11be EHT20 5260 MHz

Remark:



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	39.78	1.02	40.80	54.00	-13.20	AVG
2*	5452.320	40.23	1.75	41.98	54.00	-12.02	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	39.84	1.02	40.86	54.00	-13.14	AVG
2*	5451.840	39.41	1.75	41.16	54.00	-12.84	AVG

Standard: Part 15E Test Site: 966 Chamber

Polarization: Vertical


Test Mode: 802.11be EHT20 5280 MHz

Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	40.08	1.02	41.10	54.00	-12.90	AVG
2*	5454.960	40.16	1.75	41.91	54.00	-12.09	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	41.87	1.02	42.89	54.00	-11.11	AVG
2*	5354.640	41.95	1.06	43.01	54.00	-10.99	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	42.86	1.02	43.88	54.00	-10.12	AVG
2*	5355.600	43.10	1.06	44.16	54.00	-9.84	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5450.320	40.51	1.74	42.25	54.00	-11.75	AVG
2	5460.000	40.44	1.75	42.19	54.00	-11.81	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11be EHT20 5500 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.480	41.85	1.75	43.60	54.00	-10.40	AVG
2	5460.000	41.74	1.75	43.49	54.00	-10.51	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Horizontal
Test Mode: 802.11be EHT20 5560 MHz
Remark:



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5440.240	39.42	1.67	41.09	54.00	-12.91	AVG
2	5460.000	39.12	1.75	40.87	54.00	-13.13	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11be EHT20 5560 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5453.200	40.03	1.75	41.78	54.00	-12.22	AVG
2*	5460.000	40.05	1.75	41.80	54.00	-12.20	AVG

Standard: Part 15E Test Site: 966 Chamber

Polarization: Horizontal

Test Mode: 802.11be EHT20 5720 MHz

Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.750	39.18	1.75	40.93	54.00	-13.07	AVG
2	5460.000	38.99	1.75	40.74	54.00	-13.26	AVG

Standard: Part 15E Test Site: 966 Chamber

Polarization: Vertical


Test Mode: 802.11be EHT20 5720 MHz

Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5447.500	39.47	1.72	41.19	54.00	-12.81	AVG
2*	5460.000	39.49	1.75	41.24	54.00	-12.76	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.280	42.40	1.38	43.78	54.00	-10.22	AVG
2*	5150.000	42.97	1.38	44.35	54.00	-9.65	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11be EHT40 5190 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.760	42.19	1.39	43.58	54.00	-10.42	AVG
2*	5150.000	43.02	1.38	44.40	54.00	-9.60	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5146.760	42.05	1.39	43.44	54.00	-10.56	AVG
2	5150.000	41.50	1.38	42.88	54.00	-11.12	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11be EHT40 5230 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5130.040	41.79	1.39	43.18	54.00	-10.82	AVG
2	5150.000	41.70	1.38	43.08	54.00	-10.92	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	40.38	1.02	41.40	54.00	-12.60	AVG
2*	5372.880	40.35	1.19	41.54	54.00	-12.46	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11be EHT40 5270 MHz
Remark:



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	40.87	1.02	41.89	54.00	-12.11	AVG
2*	5366.880	41.25	1.14	42.39	54.00	-11.61	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	42.15	1.02	43.17	54.00	-10.83	AVG
2	5352.000	42.01	1.03	43.04	54.00	-10.96	AVG

Standard: Part 15E Test Site: 966 Chamber

Polarization: Vertical


Test Mode: 802.11be EHT40 5310 MHz

Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	42.62	1.02	43.64	54.00	-10.36	AVG
2	5351.520	42.18	1.03	43.21	54.00	-10.79	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.240	40.15	1.75	41.90	54.00	-12.10	AVG
2	5460.000	39.92	1.75	41.67	54.00	-12.33	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.480	41.07	1.75	42.82	54.00	-11.18	AVG
2	5460.000	40.98	1.75	42.73	54.00	-11.27	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5452.960	39.90	1.75	41.65	54.00	-12.35	AVG
2	5460.000	39.60	1.75	41.35	54.00	-12.65	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11be EHT40 5550 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5457.520	40.95	1.75	42.70	54.00	-11.30	AVG
2	5460.000	40.56	1.75	42.31	54.00	-11.69	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5456.875	39.32	1.75	41.07	54.00	-12.93	AVG
2	5460.000	39.10	1.75	40.85	54.00	-13.15	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5451.875	39.65	1.75	41.40	54.00	-12.60	AVG
2	5460.000	39.42	1.75	41.17	54.00	-12.83	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5137.640	45.31	1.39	46.70	54.00	-7.30	AVG
2	5150.000	44.29	1.38	45.67	54.00	-8.33	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11be EHT80 5210 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5138.400	44.09	1.39	45.48	54.00	-8.52	AVG
2*	5150.000	44.75	1.38	46.13	54.00	-7.87	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT80 5290 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	43.08	1.02	44.10	54.00	-9.90	AVG
2	5350.800	42.97	1.02	43.99	54.00	-10.01	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11be EHT80 5290 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	42.94	1.02	43.96	54.00	-10.04	AVG
2*	5350.800	42.99	1.02	44.01	54.00	-9.99	AVG

Standard: Part 15E Test Site: 966 Chamber

Polarization: Horizontal


Test Mode: 802.11be EHT80 5530 MHz

Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5450.560	40.78	1.74	42.52	54.00	-11.48	AVG
2	5460.000	40.72	1.75	42.47	54.00	-11.53	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.960	43.11	1.75	44.86	54.00	-9.14	AVG
2	5460.000	42.87	1.75	44.62	54.00	-9.38	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5457.950	40.02	1.75	41.77	54.00	-12.23	AVG
2	5460.000	39.74	1.75	41.49	54.00	-12.51	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11be EHT80 5610 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5457.525	40.95	1.75	42.70	54.00	-11.30	AVG
2	5460.000	40.81	1.75	42.56	54.00	-11.44	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.125	39.94	1.75	41.69	54.00	-12.31	AVG
2	5460.000	39.65	1.75	41.40	54.00	-12.60	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5456.875	40.42	1.75	42.17	54.00	-11.83	AVG
2*	5460.000	40.44	1.75	42.19	54.00	-11.81	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Horizontal
Test Mode: 802.11be EHT160 5250 MHz
Remark:



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5118.240	48.49	1.41	49.90	54.00	-4.10	AVG
2	5150.000	46.40	1.38	47.78	54.00	-6.22	AVG
3	5350.000	42.76	1.02	43.78	54.00	-10.22	AVG
4	5358.240	42.90	1.08	43.98	54.00	-10.02	AVG

Standard: Part 15E Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11be EHT160 5250 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5118.240	48.53	1.41	49.94	54.00	-4.06	AVG
2	5150.000	47.09	1.38	48.47	54.00	-5.53	AVG
3	5350.000	42.59	1.02	43.61	54.00	-10.39	AVG
4	5439.840	44.55	1.67	46.22	54.00	-7.78	AVG

Standard: Part 15E Test Site: 966 Chamber

Polarization: Horizontal


Test Mode: 802.11be EHT160 5570 MHz

Remark:



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5431.175	44.49	1.61	46.10	54.00	-7.90	AVG
2	5460.000	41.38	1.75	43.13	54.00	-10.87	AVG

Standard:	Part 15E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT160 5570 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5426.500	47.95	1.57	49.52	54.00	-4.48	AVG
2	5460.000	45.23	1.75	46.98	54.00	-7.02	AVG