



Test Mode:	802.11g-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1110.00	65.58	41.78	-23.80	74.00	32.22	150	157	PK	Horizontal	PASS
2	1186.00	65.70	42.20	-23.50	74.00	31.80	150	231	PK	Horizontal	PASS
3	1766.00	69.94	50.17	-19.77	74.00	23.83	150	91	PK	Horizontal	PASS
4	2371.00	63.43	46.97	-16.46	74.00	27.03	150	132	PK	Horizontal	PASS
5	2768.00	55.65	40.47	-15.18	74.00	33.53	150	338	PK	Horizontal	PASS
6	4876.00	63.84	57.27	-6.57	74.00	16.73	150	0	PK	Horizontal	PASS
7	1110.00	56.04	32.24	-23.80	54.00	21.76	150	157	AV	Horizontal	PASS
8	1185.00	54.76	31.25	-23.51	54.00	22.75	150	143	AV	Horizontal	PASS
9	1766.00	64.98	45.21	-19.77	54.00	8.79	150	297	AV	Horizontal	PASS
10	2372.00	53.16	36.71	-16.45	54.00	17.29	150	124	AV	Horizontal	PASS
11	2533.00	50.08	34.37	-15.71	54.00	19.63	150	128	AV	Horizontal	PASS
12	4876.00	53.24	46.67	-6.57	54.00	7.33	150	5	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1059.00	65.16	42.22	-22.94	74.00	31.78	150	120	PK	Vertical	PASS
2	1182.00	65.24	42.71	-22.53	74.00	31.29	150	44	PK	Vertical	PASS
3	1769.00	66.87	47.71	-19.16	74.00	26.29	150	360	PK	Vertical	PASS
4	2367.00	66.01	49.42	-16.59	74.00	24.58	150	169	PK	Vertical	PASS
5	3561.00	56.70	45.60	-11.10	74.00	28.40	150	128	PK	Vertical	PASS
6	4876.00	60.03	52.86	-7.17	74.00	21.14	150	117	PK	Vertical	PASS
7	1073.00	55.40	32.50	-22.90	54.00	21.50	150	62	AV	Vertical	PASS
8	1184.00	54.64	32.12	-22.52	54.00	21.88	150	249	AV	Vertical	PASS
9	1769.00	59.70	40.54	-19.16	54.00	13.46	150	360	AV	Vertical	PASS
10	2379.00	54.03	37.49	-16.54	54.00	16.51	150	208	AV	Vertical	PASS
11	3555.00	45.80	34.65	-11.15	54.00	19.35	150	120	AV	Vertical	PASS
12	4875.00	50.49	43.32	-7.17	54.00	10.68	150	172	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1115.00	64.44	40.66	-23.78	74.00	33.34	150	0	PK	Horizontal	PASS
2	1184.00	66.99	43.48	-23.51	74.00	30.52	150	183	PK	Horizontal	PASS
3	1766.00	69.37	49.60	-19.77	74.00	24.40	150	183	PK	Horizontal	PASS
4	2160.00	58.74	41.35	-17.39	74.00	32.65	150	345	PK	Horizontal	PASS
5	2371.00	64.72	48.26	-16.46	74.00	25.74	150	136	PK	Horizontal	PASS
6	4926.00	63.16	56.79	-6.37	74.00	17.21	150	1	PK	Horizontal	PASS
7	1111.00	55.60	31.80	-23.80	54.00	22.20	150	183	AV	Horizontal	PASS
8	1184.00	54.96	31.45	-23.51	54.00	22.55	150	183	AV	Horizontal	PASS
9	1766.00	65.22	45.45	-19.77	54.00	8.55	150	183	AV	Horizontal	PASS
10	2193.00	48.92	31.68	-17.24	54.00	22.32	150	338	AV	Horizontal	PASS
11	2371.00	53.97	37.51	-16.46	54.00	16.49	150	136	AV	Horizontal	PASS
12	4922.00	52.32	45.93	-6.39	54.00	8.07	150	7	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1075.00	67.55	44.66	-22.89	74.00	29.34	150	110	PK	Vertical	PASS
2	1186.00	65.57	43.05	-22.52	74.00	30.95	150	299	PK	Vertical	PASS
3	1771.00	66.28	47.14	-19.14	74.00	26.86	150	0	PK	Vertical	PASS
4	2367.00	67.55	50.96	-16.59	74.00	23.04	150	215	PK	Vertical	PASS
5	3559.00	60.23	49.11	-11.12	74.00	24.89	150	110	PK	Vertical	PASS
6	4921.00	61.35	54.32	-7.03	74.00	19.68	150	172	PK	Vertical	PASS
7	1104.00	56.75	33.97	-22.78	54.00	20.03	150	76	AV	Vertical	PASS
8	1183.00	55.62	33.09	-22.53	54.00	20.91	150	274	AV	Vertical	PASS
9	1770.00	62.03	42.87	-19.16	54.00	11.13	150	0	AV	Vertical	PASS
10	2370.00	52.79	36.21	-16.58	54.00	17.79	150	167	AV	Vertical	PASS
11	3547.00	46.01	34.80	-11.21	54.00	19.20	150	142	AV	Vertical	PASS
12	4924.00	50.83	43.80	-7.03	54.00	10.20	150	178	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1118.00	65.35	41.58	-23.77	74.00	32.42	150	158	PK	Horizontal	PASS
2	1183.00	66.92	43.40	-23.52	74.00	30.60	150	360	PK	Horizontal	PASS
3	1766.00	63.85	44.08	-19.77	74.00	29.92	150	290	PK	Horizontal	PASS
4	2368.00	64.89	48.41	-16.48	74.00	25.59	150	128	PK	Horizontal	PASS
5	3970.00	54.27	45.48	-8.79	74.00	28.52	150	69	PK	Horizontal	PASS
6	4819.00	56.31	49.58	-6.73	74.00	24.42	150	22	PK	Horizontal	PASS
7	1107.00	55.23	31.42	-23.81	54.00	22.58	150	124	AV	Horizontal	PASS
8	1187.00	54.01	30.51	-23.50	54.00	23.49	150	18	AV	Horizontal	PASS
9	1766.00	58.76	38.99	-19.77	54.00	15.01	150	290	AV	Horizontal	PASS
10	2387.00	55.35	38.98	-16.37	54.00	15.02	150	320	AV	Horizontal	PASS
11	3983.00	44.11	35.42	-8.69	54.00	18.58	150	265	AV	Horizontal	PASS
12	4824.00	47.29	40.57	-6.72	54.00	13.43	150	29	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1092.00	65.71	42.88	-22.83	74.00	31.12	150	272	PK	Vertical	PASS
2	1185.00	65.21	42.69	-22.52	74.00	31.31	150	58	PK	Vertical	PASS
3	1783.00	68.65	49.60	-19.05	74.00	24.40	150	279	PK	Vertical	PASS
4	2373.00	65.41	48.84	-16.57	74.00	25.16	150	205	PK	Vertical	PASS
5	3560.00	56.06	44.96	-11.10	74.00	29.04	150	109	PK	Vertical	PASS
6	4826.00	58.85	51.58	-7.27	74.00	22.42	150	154	PK	Vertical	PASS
7	1108.00	56.13	33.35	-22.78	54.00	20.65	150	284	AV	Vertical	PASS
8	1187.00	54.33	31.82	-22.51	54.00	22.18	150	49	AV	Vertical	PASS
9	1783.00	64.81	45.76	-19.05	54.00	8.24	150	28	AV	Vertical	PASS
10	2365.00	56.31	39.71	-16.60	54.00	14.29	150	161	AV	Vertical	PASS
11	2557.00	53.68	37.80	-15.88	54.00	16.20	150	49	AV	Vertical	PASS
12	4824.00	51.29	44.01	-7.28	54.00	9.99	150	158	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1104.00	64.43	40.61	-23.82	74.00	33.39	150	171	PK	Horizontal	PASS
2	1186.00	65.10	41.60	-23.50	74.00	32.40	150	342	PK	Horizontal	PASS
3	1766.00	66.84	47.07	-19.77	74.00	26.93	150	174	PK	Horizontal	PASS
4	2364.00	63.91	47.41	-16.50	74.00	26.59	150	31	PK	Horizontal	PASS
5	2761.00	58.75	43.57	-15.18	74.00	30.43	150	0	PK	Horizontal	PASS
6	4876.00	60.48	53.91	-6.57	74.00	20.09	150	2	PK	Horizontal	PASS
7	1067.00	54.90	30.92	-23.98	54.00	23.08	150	190	AV	Horizontal	PASS
8	1184.00	55.43	31.92	-23.51	54.00	22.08	150	141	AV	Horizontal	PASS
9	1766.00	61.28	41.51	-19.77	54.00	12.49	150	174	AV	Horizontal	PASS
10	2365.00	54.48	37.99	-16.49	54.00	16.01	150	320	AV	Horizontal	PASS
11	2574.00	50.44	34.84	-15.60	54.00	19.16	150	352	AV	Horizontal	PASS
12	4875.00	49.45	42.88	-6.57	54.00	11.12	150	13	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1068.00	64.42	41.50	-22.92	74.00	32.50	150	217	PK	Vertical	PASS
2	1183.00	65.63	43.10	-22.53	74.00	30.90	150	44	PK	Vertical	PASS
3	1783.00	69.09	50.04	-19.05	74.00	23.96	150	168	PK	Vertical	PASS
4	2370.00	65.54	48.96	-16.58	74.00	25.04	150	161	PK	Vertical	PASS
5	3561.00	58.64	47.54	-11.10	74.00	26.46	150	121	PK	Vertical	PASS
6	4873.00	59.38	52.20	-7.18	74.00	21.80	150	161	PK	Vertical	PASS
7	1059.00	55.04	32.10	-22.94	54.00	21.90	150	140	AV	Vertical	PASS
8	1187.00	54.23	31.72	-22.51	54.00	22.28	150	28	AV	Vertical	PASS
9	1783.00	62.34	43.29	-19.05	54.00	10.71	150	168	AV	Vertical	PASS
10	2370.00	55.52	38.94	-16.58	54.00	15.06	150	191	AV	Vertical	PASS
11	3555.00	45.61	34.46	-11.15	54.00	19.54	150	103	AV	Vertical	PASS
12	4874.00	52.29	45.11	-7.18	54.00	8.89	150	158	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1183.00	65.16	41.64	-23.52	74.00	32.36	150	2	PK	Horizontal	PASS
2	1766.00	62.97	43.20	-19.77	74.00	30.80	150	115	PK	Horizontal	PASS
3	2161.00	58.30	40.92	-17.38	74.00	33.08	150	339	PK	Horizontal	PASS
4	2367.00	64.21	47.73	-16.48	74.00	26.27	150	46	PK	Horizontal	PASS
5	2503.00	58.37	42.57	-15.80	74.00	31.43	150	318	PK	Horizontal	PASS
6	4923.00	60.45	54.06	-6.39	74.00	19.94	150	19	PK	Horizontal	PASS
7	1076.00	54.38	30.44	-23.94	54.00	23.56	150	200	AV	Horizontal	PASS
8	1182.00	54.05	30.53	-23.52	54.00	23.47	150	200	AV	Horizontal	PASS
9	1766.00	57.74	37.97	-19.77	54.00	16.03	150	115	AV	Horizontal	PASS
10	2171.00	48.88	31.54	-17.34	54.00	22.46	150	339	AV	Horizontal	PASS
11	2366.00	54.08	37.60	-16.48	54.00	16.40	150	141	AV	Horizontal	PASS
12	4924.00	50.95	44.56	-6.39	54.00	9.44	150	11	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1110.00	66.73	43.96	-22.77	74.00	30.04	150	94	PK	Vertical	PASS
2	1977.00	61.25	43.31	-17.94	74.00	30.69	150	132	PK	Vertical	PASS
3	2368.00	66.12	49.53	-16.59	74.00	24.47	150	172	PK	Vertical	PASS
4	2768.00	58.11	42.90	-15.21	74.00	31.10	150	21	PK	Vertical	PASS
5	3553.00	58.85	47.69	-11.16	74.00	26.31	150	75	PK	Vertical	PASS
6	4924.00	58.39	51.36	-7.03	74.00	22.64	150	162	PK	Vertical	PASS
7	1111.00	58.00	35.23	-22.77	54.00	18.77	150	84	AV	Vertical	PASS
8	1975.00	46.54	28.58	-17.96	54.00	25.42	150	304	AV	Vertical	PASS
9	2365.00	53.57	36.97	-16.60	54.00	17.03	150	183	AV	Vertical	PASS
10	2766.00	44.87	29.66	-15.21	54.00	24.34	150	188	AV	Vertical	PASS
11	3546.00	45.90	34.68	-11.22	54.00	19.32	150	143	AV	Vertical	PASS
12	4924.00	50.02	42.99	-7.03	54.00	11.01	150	158	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g-CDD	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1114.00	66.53	42.74	-23.79	74.00	31.26	150	143	PK	Horizontal	PASS
2	1184.00	64.05	40.54	-23.51	74.00	33.46	150	146	PK	Horizontal	PASS
3	1766.00	67.09	47.32	-19.77	74.00	26.68	150	342	PK	Horizontal	PASS
4	2181.00	58.63	41.33	-17.30	74.00	32.67	150	331	PK	Horizontal	PASS
5	2373.00	67.60	51.16	-16.44	74.00	22.84	150	121	PK	Horizontal	PASS
6	4825.00	54.84	48.13	-6.71	74.00	25.87	150	1	PK	Horizontal	PASS
7	1110.00	55.80	32.00	-23.80	54.00	22.00	150	176	AV	Horizontal	PASS
8	1183.00	53.78	30.26	-23.52	54.00	23.74	150	342	AV	Horizontal	PASS
9	1766.00	60.88	41.11	-19.77	54.00	12.89	150	235	AV	Horizontal	PASS
10	2160.00	49.38	31.99	-17.39	54.00	22.01	150	327	AV	Horizontal	PASS
11	2374.00	55.77	39.33	-16.44	54.00	14.67	150	129	AV	Horizontal	PASS
12	4824.00	46.25	39.53	-6.72	54.00	14.47	150	253	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1064.00	65.31	42.38	-22.93	74.00	31.62	150	221	PK	Vertical	PASS
2	1186.00	65.50	42.98	-22.52	74.00	31.02	150	55	PK	Vertical	PASS
3	1771.00	65.96	46.82	-19.14	74.00	27.18	150	292	PK	Vertical	PASS
4	2371.00	68.18	51.60	-16.58	74.00	22.40	150	136	PK	Vertical	PASS
5	3559.00	56.58	45.46	-11.12	74.00	28.54	150	115	PK	Vertical	PASS
6	4824.00	54.84	47.56	-7.28	74.00	26.44	150	155	PK	Vertical	PASS
7	1064.00	55.37	32.44	-22.93	54.00	21.56	150	221	AV	Vertical	PASS
8	1186.00	55.36	32.84	-22.52	54.00	21.16	150	55	AV	Vertical	PASS
9	1771.00	61.24	42.10	-19.14	54.00	11.90	150	295	AV	Vertical	PASS
10	2372.00	55.59	39.02	-16.57	54.00	14.98	150	166	AV	Vertical	PASS
11	3560.00	48.02	36.92	-11.10	54.00	17.08	150	115	AV	Vertical	PASS
12	4824.00	49.12	41.84	-7.28	54.00	12.16	150	207	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g-CDD	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1115.00	66.53	42.75	-23.78	74.00	31.25	150	0	PK	Horizontal	PASS
2	1766.00	64.68	44.91	-19.77	74.00	29.09	150	287	PK	Horizontal	PASS
3	2200.00	60.02	42.81	-17.21	74.00	31.19	150	335	PK	Horizontal	PASS
4	2370.00	68.93	52.47	-16.46	74.00	21.53	150	134	PK	Horizontal	PASS
5	2763.00	60.17	45.00	-15.17	74.00	29.00	150	360	PK	Horizontal	PASS
6	4874.00	54.92	48.34	-6.58	74.00	25.66	150	0	PK	Horizontal	PASS
7	1108.00	56.83	33.02	-23.81	54.00	20.98	150	155	AV	Horizontal	PASS
8	1184.00	53.55	30.04	-23.51	54.00	23.96	150	200	AV	Horizontal	PASS
9	1767.00	57.94	38.18	-19.76	54.00	15.82	150	112	AV	Horizontal	PASS
10	2160.00	50.58	33.19	-17.39	54.00	20.81	150	342	AV	Horizontal	PASS
11	2368.00	56.92	40.44	-16.48	54.00	13.56	150	127	AV	Horizontal	PASS
12	4874.00	46.24	39.66	-6.58	54.00	14.34	150	248	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) $\text{Margin} = \text{Limit} - \text{Level}$




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1094.00	67.52	44.70	-22.82	74.00	29.30	150	98	PK	Vertical	PASS
2	1183.00	64.59	42.06	-22.53	74.00	31.94	150	237	PK	Vertical	PASS
3	1771.00	77.38	58.24	-19.14	74.00	15.76	150	266	PK	Vertical	PASS
4	2364.00	66.55	49.94	-16.61	74.00	24.06	150	163	PK	Vertical	PASS
5	3560.00	57.10	46.00	-11.10	74.00	28.00	150	84	PK	Vertical	PASS
6	5531.00	55.42	49.53	-5.89	74.00	24.47	150	338	PK	Vertical	PASS
7	1108.00	58.29	35.51	-22.78	54.00	18.49	150	91	AV	Vertical	PASS
8	1769.00	70.40	51.24	-19.16	54.00	2.76	150	251	AV	Vertical	PASS
9	2364.00	56.32	39.71	-16.61	54.00	14.29	150	156	AV	Vertical	PASS
10	2880.00	47.82	33.07	-14.75	54.00	20.93	150	193	AV	Vertical	PASS
11	3564.00	45.92	34.85	-11.07	54.00	19.15	150	120	AV	Vertical	PASS
12	4874.00	49.36	42.18	-7.18	54.00	11.82	150	218	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g-CDD	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1185.00	64.07	40.56	-23.51	74.00	33.44	150	210	PK	Horizontal	PASS
2	1751.00	64.30	44.41	-19.89	74.00	29.59	150	290	PK	Horizontal	PASS
3	1974.00	59.59	41.20	-18.39	74.00	32.80	150	345	PK	Horizontal	PASS
4	2369.00	67.03	50.57	-16.46	74.00	23.43	150	28	PK	Horizontal	PASS
5	2762.00	55.93	40.75	-15.18	74.00	33.25	150	0	PK	Horizontal	PASS
6	4522.00	54.02	46.81	-7.21	74.00	27.19	150	249	PK	Horizontal	PASS
7	1182.00	54.48	30.96	-23.52	54.00	23.04	150	173	AV	Horizontal	PASS
8	1751.00	58.23	38.34	-19.89	54.00	15.66	150	290	AV	Horizontal	PASS
9	1977.00	46.02	27.66	-18.36	54.00	26.34	150	1	AV	Horizontal	PASS
10	2369.00	56.09	39.63	-16.46	54.00	14.37	150	131	AV	Horizontal	PASS
11	2880.00	46.99	32.16	-14.83	54.00	21.84	150	360	AV	Horizontal	PASS
12	4546.00	44.35	37.20	-7.15	54.00	16.80	150	5	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1184.00	66.23	43.71	-22.52	74.00	30.29	150	289	PK	Vertical	PASS
2	1746.00	63.00	43.66	-19.34	74.00	30.34	150	182	PK	Vertical	PASS
3	2364.00	67.37	50.76	-16.61	74.00	23.24	150	189	PK	Vertical	PASS
4	2768.00	57.11	41.90	-15.21	74.00	32.10	150	182	PK	Vertical	PASS
5	3547.00	58.71	47.50	-11.21	74.00	26.50	150	84	PK	Vertical	PASS
6	4924.00	55.49	48.46	-7.03	74.00	25.54	150	221	PK	Vertical	PASS
7	1109.00	56.85	34.08	-22.77	54.00	19.92	150	94	AV	Vertical	PASS
8	1746.00	56.86	37.52	-19.34	54.00	16.48	150	178	AV	Vertical	PASS
9	2372.00	56.29	39.72	-16.57	54.00	14.28	150	182	AV	Vertical	PASS
10	2880.00	48.46	33.71	-14.75	54.00	20.29	150	189	AV	Vertical	PASS
11	3556.00	48.51	37.38	-11.13	54.00	16.62	150	106	AV	Vertical	PASS
12	4924.00	49.34	42.31	-7.03	54.00	11.69	150	218	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1075.60	66.02	42.08	-23.94	74.00	31.92	150	220	PK	Horizontal	PASS
2	1185.40	61.68	38.17	-23.51	74.00	35.83	150	150	PK	Horizontal	PASS
3	2364.40	63.71	47.21	-16.50	74.00	26.79	150	336	PK	Horizontal	PASS
4	3325.60	53.37	40.34	-13.03	74.00	33.66	150	360	PK	Horizontal	PASS
5	4821.40	54.16	47.44	-6.72	74.00	26.56	150	98	PK	Horizontal	PASS
6	5883.40	55.03	49.93	-5.10	74.00	24.07	150	80	PK	Horizontal	PASS
7	1072.00	55.32	31.36	-23.96	54.00	22.64	150	176	AV	Horizontal	PASS
8	1187.20	52.17	28.67	-23.50	54.00	25.33	150	242	AV	Horizontal	PASS
9	2380.60	53.36	36.95	-16.41	54.00	17.05	150	293	AV	Horizontal	PASS
10	3422.80	43.72	31.03	-12.69	54.00	22.97	150	359	AV	Horizontal	PASS
11	4825.00	44.57	37.86	-6.71	54.00	16.14	150	282	AV	Horizontal	PASS
12	5876.20	44.96	39.84	-5.12	54.00	14.16	150	301	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1072.00	63.94	41.04	-22.90	74.00	32.96	150	254	PK	Vertical	PASS
2	1185.40	66.60	44.08	-22.52	74.00	29.92	150	269	PK	Vertical	PASS
3	2369.80	65.15	48.57	-16.58	74.00	25.43	150	182	PK	Vertical	PASS
4	3554.20	55.39	44.24	-11.15	74.00	29.76	150	339	PK	Vertical	PASS
5	4821.40	54.63	47.35	-7.28	74.00	26.65	150	232	PK	Vertical	PASS
6	5536.00	54.50	48.61	-5.89	74.00	25.39	150	325	PK	Vertical	PASS
7	1070.20	54.09	31.18	-22.91	54.00	22.82	150	332	AV	Vertical	PASS
8	1185.40	55.11	32.59	-22.52	54.00	21.41	150	269	AV	Vertical	PASS
9	2360.80	54.38	37.76	-16.62	54.00	16.24	150	182	AV	Vertical	PASS
10	3597.40	44.40	33.58	-10.82	54.00	20.42	150	53	AV	Vertical	PASS
11	4823.20	46.25	38.97	-7.28	54.00	15.03	150	296	AV	Vertical	PASS
12	5633.20	44.02	38.25	-5.77	54.00	15.75	150	1	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1183.60	64.00	40.48	-23.52	74.00	33.52	150	133	PK	Horizontal	PASS
2	1977.40	54.11	35.75	-18.36	74.00	38.25	150	121	PK	Horizontal	PASS
3	3205.00	54.29	40.71	-13.58	74.00	33.29	150	270	PK	Horizontal	PASS
4	4438.00	54.13	46.72	-7.41	74.00	27.28	150	270	PK	Horizontal	PASS
5	4871.80	54.28	47.70	-6.58	74.00	26.30	150	109	PK	Horizontal	PASS
6	5741.20	55.26	49.77	-5.49	74.00	24.23	150	254	PK	Horizontal	PASS
7	1183.60	52.73	29.21	-23.52	54.00	24.79	150	221	AV	Horizontal	PASS
8	1977.40	43.68	25.32	-18.36	54.00	28.68	150	113	AV	Horizontal	PASS
9	3237.40	43.92	30.50	-13.42	54.00	23.50	150	345	AV	Horizontal	PASS
10	4472.20	44.23	36.89	-7.34	54.00	17.11	150	270	AV	Horizontal	PASS
11	4873.60	45.58	39.00	-6.58	54.00	15.00	150	312	AV	Horizontal	PASS
12	5789.80	44.73	39.41	-5.32	54.00	14.59	150	53	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1068.40	62.72	39.80	-22.92	74.00	34.20	150	267	PK	Vertical	PASS
2	1183.60	63.84	41.31	-22.53	74.00	32.69	150	115	PK	Vertical	PASS
3	1973.80	58.61	40.64	-17.97	74.00	33.36	150	65	PK	Vertical	PASS
4	3559.60	57.07	45.95	-11.12	74.00	28.05	150	129	PK	Vertical	PASS
5	4873.60	54.37	47.19	-7.18	74.00	26.81	150	194	PK	Vertical	PASS
6	5534.20	54.55	48.66	-5.89	74.00	25.34	150	324	PK	Vertical	PASS
7	1061.20	53.54	30.60	-22.94	54.00	23.40	150	260	AV	Vertical	PASS
8	1187.20	52.77	30.26	-22.51	54.00	23.74	150	277	AV	Vertical	PASS
9	1979.20	46.57	28.64	-17.93	54.00	25.36	150	73	AV	Vertical	PASS
10	3554.20	44.77	33.62	-11.15	54.00	20.38	150	73	AV	Vertical	PASS
11	4873.60	47.46	40.28	-7.18	54.00	13.72	150	201	AV	Vertical	PASS
12	5624.20	44.19	38.40	-5.79	54.00	15.60	150	19	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1106.20	64.55	40.74	-23.81	74.00	33.26	150	160	PK	Horizontal	PASS
2	1181.80	64.45	40.93	-23.52	74.00	33.07	150	235	PK	Horizontal	PASS
3	1973.80	58.76	40.37	-18.39	74.00	33.63	150	115	PK	Horizontal	PASS
4	2612.80	61.27	45.79	-15.48	74.00	28.21	150	261	PK	Horizontal	PASS
5	3948.40	53.91	44.97	-8.94	74.00	29.03	150	129	PK	Horizontal	PASS
6	5496.40	54.02	48.09	-5.93	74.00	25.91	150	299	PK	Horizontal	PASS
7	1106.20	55.49	31.68	-23.81	54.00	22.32	150	160	AV	Horizontal	PASS
8	1185.40	53.76	30.25	-23.51	54.00	23.75	150	6	AV	Horizontal	PASS
9	1975.60	45.40	27.02	-18.38	54.00	26.98	150	122	AV	Horizontal	PASS
10	2612.80	51.51	36.03	-15.48	54.00	17.97	150	261	AV	Horizontal	PASS
11	4015.00	44.03	35.53	-8.50	54.00	18.47	150	129	AV	Horizontal	PASS
12	5564.80	44.37	38.52	-5.85	54.00	15.48	150	254	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1064.80	62.33	39.40	-22.93	74.00	34.60	150	360	PK	Vertical	PASS
2	1185.40	64.60	42.08	-22.52	74.00	31.92	150	168	PK	Vertical	PASS
3	1973.80	56.59	38.62	-17.97	74.00	35.38	150	78	PK	Vertical	PASS
4	3412.00	53.78	41.74	-12.04	74.00	32.26	150	354	PK	Vertical	PASS
5	4924.00	55.30	48.27	-7.03	74.00	25.73	150	248	PK	Vertical	PASS
6	5545.00	54.08	48.20	-5.88	74.00	25.80	150	141	PK	Vertical	PASS
7	1063.00	53.73	30.79	-22.94	54.00	23.21	150	360	AV	Vertical	PASS
8	1187.20	53.46	30.95	-22.51	54.00	23.05	150	168	AV	Vertical	PASS
9	1975.60	45.25	27.29	-17.96	54.00	26.71	150	72	AV	Vertical	PASS
10	3563.20	44.80	33.71	-11.09	54.00	20.29	150	292	AV	Vertical	PASS
11	4924.00	48.24	41.21	-7.03	54.00	12.79	150	190	AV	Vertical	PASS
12	5694.40	45.38	39.70	-5.68	54.00	14.30	150	292	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1057.60	64.02	40.00	-24.02	74.00	34.00	150	174	PK	Horizontal	PASS
2	1187.20	64.27	40.77	-23.50	74.00	33.23	150	214	PK	Horizontal	PASS
3	1774.00	56.85	37.14	-19.71	74.00	36.86	150	81	PK	Horizontal	PASS
4	3079.00	54.09	39.90	-14.19	74.00	34.10	150	193	PK	Horizontal	PASS
5	4412.80	53.86	46.39	-7.47	74.00	27.61	150	287	PK	Horizontal	PASS
6	5854.60	54.39	49.22	-5.17	74.00	24.78	150	323	PK	Horizontal	PASS
7	1054.00	54.98	30.95	-24.03	54.00	23.05	150	174	AV	Horizontal	PASS
8	1185.40	53.26	29.75	-23.51	54.00	24.25	150	214	AV	Horizontal	PASS
9	1770.40	44.19	24.46	-19.73	54.00	29.54	150	134	AV	Horizontal	PASS
10	3133.00	43.20	29.27	-13.93	54.00	24.73	150	242	AV	Horizontal	PASS
11	4312.00	45.17	37.57	-7.60	54.00	16.43	150	358	AV	Horizontal	PASS
12	5820.40	45.35	40.12	-5.23	54.00	13.88	150	323	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1187.20	63.88	41.37	-22.51	74.00	32.63	150	65	PK	Vertical	PASS
2	1977.40	58.58	40.64	-17.94	74.00	33.36	150	91	PK	Vertical	PASS
3	2612.80	61.51	45.84	-15.67	74.00	28.16	150	155	PK	Vertical	PASS
4	3939.40	55.57	46.94	-8.63	74.00	27.06	150	225	PK	Vertical	PASS
5	4823.20	55.10	47.82	-7.28	74.00	26.18	150	342	PK	Vertical	PASS
6	5528.80	54.15	48.25	-5.90	74.00	25.75	150	38	PK	Vertical	PASS
7	1187.20	53.57	31.06	-22.51	54.00	22.94	150	60	AV	Vertical	PASS
8	1977.40	46.95	29.01	-17.94	54.00	24.99	150	91	AV	Vertical	PASS
9	2612.80	54.18	38.51	-15.67	54.00	15.49	150	155	AV	Vertical	PASS
10	3953.80	43.84	35.29	-8.55	54.00	18.71	150	60	AV	Vertical	PASS
11	4823.20	46.08	38.80	-7.28	54.00	15.20	150	142	AV	Vertical	PASS
12	5588.20	44.24	38.40	-5.84	54.00	15.60	150	5	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1066.60	66.15	42.17	-23.98	74.00	31.83	150	169	PK	Horizontal	PASS
2	1185.40	64.91	41.40	-23.51	74.00	32.60	150	224	PK	Horizontal	PASS
3	1973.80	55.51	37.12	-18.39	74.00	36.88	150	107	PK	Horizontal	PASS
4	3293.20	53.47	40.31	-13.16	74.00	33.69	150	360	PK	Horizontal	PASS
5	4211.20	53.37	45.42	-7.95	74.00	28.58	150	260	PK	Horizontal	PASS
6	5690.80	54.50	48.85	-5.65	74.00	25.15	150	25	PK	Horizontal	PASS
7	1066.60	57.62	33.64	-23.98	54.00	20.36	150	169	AV	Horizontal	PASS
8	1183.60	54.50	30.98	-23.52	54.00	23.02	150	224	AV	Horizontal	PASS
9	1970.20	44.85	26.43	-18.42	54.00	27.57	150	119	AV	Horizontal	PASS
10	3318.40	43.77	30.71	-13.06	54.00	23.29	150	358	AV	Horizontal	PASS
11	4258.00	44.20	36.43	-7.77	54.00	17.57	150	33	AV	Horizontal	PASS
12	5806.00	45.46	40.19	-5.27	54.00	13.81	150	334	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1070.20	62.80	39.89	-22.91	74.00	34.11	150	56	PK	Vertical	PASS
2	1185.40	63.31	40.79	-22.52	74.00	33.21	150	260	PK	Vertical	PASS
3	1973.80	59.17	41.20	-17.97	74.00	32.80	150	91	PK	Vertical	PASS
4	3545.20	54.21	42.99	-11.22	74.00	31.01	150	84	PK	Vertical	PASS
5	4873.60	55.76	48.58	-7.18	74.00	25.42	150	143	PK	Vertical	PASS
6	5536.00	54.59	48.70	-5.89	74.00	25.30	150	326	PK	Vertical	PASS
7	1072.00	53.34	30.44	-22.90	54.00	23.56	150	91	AV	Vertical	PASS
8	1187.20	52.26	29.75	-22.51	54.00	24.25	150	56	AV	Vertical	PASS
9	1973.80	46.64	28.67	-17.97	54.00	25.33	150	91	AV	Vertical	PASS
10	3545.20	44.85	33.63	-11.22	54.00	20.37	150	106	AV	Vertical	PASS
11	4873.60	47.59	40.41	-7.18	54.00	13.59	150	201	AV	Vertical	PASS
12	5523.40	44.42	38.51	-5.91	54.00	15.49	150	47	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1073.80	65.26	41.31	-23.95	74.00	32.69	150	177	PK	Horizontal	PASS
2	1181.80	63.42	39.90	-23.52	74.00	34.10	150	168	PK	Horizontal	PASS
3	2170.00	58.29	40.95	-17.34	74.00	33.05	150	14	PK	Horizontal	PASS
4	3507.40	53.83	41.53	-12.30	74.00	32.47	150	360	PK	Horizontal	PASS
5	4411.00	53.53	46.05	-7.48	74.00	27.95	150	119	PK	Horizontal	PASS
6	5780.80	54.94	49.59	-5.35	74.00	24.41	150	0	PK	Horizontal	PASS
7	1070.20	56.45	32.48	-23.97	54.00	21.52	150	177	AV	Horizontal	PASS
8	1183.60	52.52	29.00	-23.52	54.00	25.00	150	119	AV	Horizontal	PASS
9	2197.00	48.75	31.52	-17.23	54.00	22.48	150	6	AV	Horizontal	PASS
10	3525.40	44.09	31.94	-12.15	54.00	22.06	150	54	AV	Horizontal	PASS
11	4546.00	43.77	36.62	-7.15	54.00	17.38	150	81	AV	Horizontal	PASS
12	5885.20	45.16	40.06	-5.10	54.00	13.94	150	42	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1050.40	63.06	40.08	-22.98	74.00	33.92	150	281	PK	Vertical	PASS
2	1187.20	65.27	42.76	-22.51	74.00	31.24	150	222	PK	Vertical	PASS
3	1977.40	55.94	38.00	-17.94	74.00	36.00	150	94	PK	Vertical	PASS
4	3559.60	54.01	42.89	-11.12	74.00	31.11	150	108	PK	Vertical	PASS
5	3959.20	55.37	46.85	-8.52	74.00	27.15	150	228	PK	Vertical	PASS
6	4924.00	54.87	47.84	-7.03	74.00	26.16	150	152	PK	Vertical	PASS
7	1072.00	54.68	31.78	-22.90	54.00	22.22	150	57	AV	Vertical	PASS
8	1187.20	55.56	33.05	-22.51	54.00	20.95	150	222	AV	Vertical	PASS
9	1977.40	46.02	28.08	-17.94	54.00	25.92	150	94	AV	Vertical	PASS
10	3559.60	45.76	34.64	-11.12	54.00	19.36	150	108	AV	Vertical	PASS
11	4112.20	44.43	36.52	-7.91	54.00	17.48	150	222	AV	Vertical	PASS
12	4924.00	47.68	40.65	-7.03	54.00	13.35	150	206	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1075.60	64.80	40.86	-23.94	74.00	33.14	150	188	PK	Horizontal	PASS
2	1181.80	64.02	40.50	-23.52	74.00	33.50	150	154	PK	Horizontal	PASS
3	1972.00	58.50	40.09	-18.41	74.00	33.91	150	125	PK	Horizontal	PASS
4	3206.80	53.90	40.34	-13.56	74.00	33.66	150	214	PK	Horizontal	PASS
5	4045.60	54.87	46.52	-8.35	74.00	27.48	150	5	PK	Horizontal	PASS
6	5716.00	53.93	48.35	-5.58	74.00	25.65	150	0	PK	Horizontal	PASS
7	1070.20	56.08	32.11	-23.97	54.00	21.89	150	188	AV	Horizontal	PASS
8	1181.80	51.94	28.42	-23.52	54.00	25.58	150	161	AV	Horizontal	PASS
9	1972.00	47.15	28.74	-18.41	54.00	25.26	150	125	AV	Horizontal	PASS
10	3125.80	44.42	30.45	-13.97	54.00	23.55	150	62	AV	Horizontal	PASS
11	3986.20	44.37	35.70	-8.67	54.00	18.30	150	360	AV	Horizontal	PASS
12	5771.80	44.85	39.47	-5.38	54.00	14.53	150	282	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1075.60	62.21	39.32	-22.89	74.00	34.68	150	217	PK	Vertical	PASS
2	1183.60	64.72	42.19	-22.53	74.00	31.81	150	360	PK	Vertical	PASS
3	1977.40	58.73	40.79	-17.94	74.00	33.21	150	95	PK	Vertical	PASS
4	3548.80	53.89	42.70	-11.19	74.00	31.30	150	95	PK	Vertical	PASS
5	4823.20	54.08	46.80	-7.28	74.00	27.20	150	134	PK	Vertical	PASS
6	5523.40	54.67	48.76	-5.91	74.00	25.24	150	334	PK	Vertical	PASS
7	1070.20	53.12	30.21	-22.91	54.00	23.79	150	209	AV	Vertical	PASS
8	1183.60	54.34	31.81	-22.53	54.00	22.19	150	360	AV	Vertical	PASS
9	1977.40	47.44	29.50	-17.94	54.00	24.50	150	88	AV	Vertical	PASS
10	3565.00	44.71	33.64	-11.07	54.00	20.36	150	76	AV	Vertical	PASS
11	4823.20	46.05	38.77	-7.28	54.00	15.23	150	360	AV	Vertical	PASS
12	5539.60	44.10	38.21	-5.89	54.00	15.79	150	141	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1073.80	66.89	42.94	-23.95	74.00	31.06	150	173	PK	Horizontal	PASS
2	1185.40	63.69	40.18	-23.51	74.00	33.82	150	238	PK	Horizontal	PASS
3	1970.20	54.42	36.00	-18.42	74.00	38.00	150	117	PK	Horizontal	PASS
4	3345.40	53.80	40.84	-12.96	74.00	33.16	150	111	PK	Horizontal	PASS
5	4873.60	53.96	47.38	-6.58	74.00	26.62	150	160	PK	Horizontal	PASS
6	5802.40	54.30	49.02	-5.28	74.00	24.98	150	2	PK	Horizontal	PASS
7	1075.60	56.42	32.48	-23.94	54.00	21.52	150	180	AV	Horizontal	PASS
8	1183.60	54.39	30.87	-23.52	54.00	23.13	150	154	AV	Horizontal	PASS
9	1975.60	42.93	24.55	-18.38	54.00	29.45	150	105	AV	Horizontal	PASS
10	3392.20	43.62	30.81	-12.81	54.00	23.19	150	180	AV	Horizontal	PASS
11	4873.60	45.07	38.49	-6.58	54.00	15.51	150	160	AV	Horizontal	PASS
12	5896.00	45.34	40.26	-5.08	54.00	13.74	150	173	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1073.80	64.79	41.90	-22.89	74.00	32.10	150	59	PK	Vertical	PASS
2	1183.60	61.37	38.84	-22.53	74.00	35.16	150	59	PK	Vertical	PASS
3	1977.40	58.24	40.30	-17.94	74.00	33.70	150	93	PK	Vertical	PASS
4	3552.40	55.03	43.87	-11.16	74.00	30.13	150	78	PK	Vertical	PASS
5	4873.60	55.04	47.86	-7.18	74.00	26.14	150	205	PK	Vertical	PASS
6	5939.20	54.68	49.58	-5.10	74.00	24.42	150	310	PK	Vertical	PASS
7	1073.80	53.29	30.40	-22.89	54.00	23.60	150	59	AV	Vertical	PASS
8	1181.80	51.34	28.81	-22.53	54.00	25.19	150	258	AV	Vertical	PASS
9	1977.40	46.76	28.82	-17.94	54.00	25.18	150	93	AV	Vertical	PASS
10	3638.80	43.71	33.04	-10.67	54.00	20.96	150	317	AV	Vertical	PASS
11	4873.60	47.50	40.32	-7.18	54.00	13.68	150	205	AV	Vertical	PASS
12	5788.00	45.39	40.01	-5.38	54.00	13.99	150	352	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1066.60	65.01	41.03	-23.98	74.00	32.97	150	183	PK	Horizontal	PASS
2	1181.80	65.55	42.03	-23.52	74.00	31.97	150	156	PK	Horizontal	PASS
3	1972.00	53.75	35.34	-18.41	74.00	38.66	150	122	PK	Horizontal	PASS
4	3739.60	54.04	43.33	-10.71	74.00	30.67	150	198	PK	Horizontal	PASS
5	4924.00	53.12	46.73	-6.39	74.00	27.27	150	36	PK	Horizontal	PASS
6	5807.80	54.56	49.30	-5.26	74.00	24.70	150	336	PK	Horizontal	PASS
7	1070.20	56.13	32.16	-23.97	54.00	21.84	150	183	AV	Horizontal	PASS
8	1181.80	53.76	30.24	-23.52	54.00	23.76	150	142	AV	Horizontal	PASS
9	1970.20	44.40	25.98	-18.42	54.00	28.02	150	109	AV	Horizontal	PASS
10	3763.00	43.69	33.19	-10.50	54.00	20.81	150	210	AV	Horizontal	PASS
11	4924.00	45.50	39.11	-6.39	54.00	14.89	150	240	AV	Horizontal	PASS
12	5901.40	45.07	40.00	-5.07	54.00	14.00	150	248	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1185.40	64.32	41.80	-22.52	74.00	32.20	150	209	PK	Vertical	PASS
2	1977.40	60.35	42.41	-17.94	74.00	31.59	150	82	PK	Vertical	PASS
3	2585.80	63.79	48.01	-15.78	74.00	25.99	150	236	PK	Vertical	PASS
4	3556.00	58.36	47.23	-11.13	74.00	26.77	150	111	PK	Vertical	PASS
5	4924.00	55.14	48.11	-7.03	74.00	25.89	150	196	PK	Vertical	PASS
6	5924.80	54.33	49.21	-5.12	74.00	24.79	150	229	PK	Vertical	PASS
7	1185.40	53.19	30.67	-22.52	54.00	23.33	150	209	AV	Vertical	PASS
8	1977.40	45.59	27.65	-17.94	54.00	26.35	150	82	AV	Vertical	PASS
9	2585.80	55.74	39.96	-15.78	54.00	14.04	150	229	AV	Vertical	PASS
10	3547.00	45.90	34.69	-11.21	54.00	19.31	150	82	AV	Vertical	PASS
11	4924.00	47.64	40.61	-7.03	54.00	13.39	150	202	AV	Vertical	PASS
12	5888.80	45.39	40.22	-5.17	54.00	13.78	150	162	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	03	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1079.20	63.95	40.02	-23.93	74.00	33.98	150	182	PK	Horizontal	PASS
2	1183.60	64.40	40.88	-23.52	74.00	33.12	150	17	PK	Horizontal	PASS
3	1970.20	53.87	35.45	-18.42	74.00	38.55	150	117	PK	Horizontal	PASS
4	3937.60	54.13	45.13	-9.00	74.00	28.87	150	47	PK	Horizontal	PASS
5	4846.60	54.81	48.15	-6.66	74.00	25.85	150	104	PK	Horizontal	PASS
6	5777.20	54.40	49.04	-5.36	74.00	24.96	150	294	PK	Horizontal	PASS
7	1111.60	55.21	31.41	-23.80	54.00	22.59	150	189	AV	Horizontal	PASS
8	1181.80	53.98	30.46	-23.52	54.00	23.54	150	153	AV	Horizontal	PASS
9	1970.20	46.13	27.71	-18.42	54.00	26.29	150	117	AV	Horizontal	PASS
10	3995.20	44.47	35.85	-8.62	54.00	18.15	150	203	AV	Horizontal	PASS
11	4843.00	44.28	37.61	-6.67	54.00	16.39	150	234	AV	Horizontal	PASS
12	5807.80	45.72	40.46	-5.26	54.00	13.54	150	282	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1064.80	61.97	39.04	-22.93	74.00	34.96	150	52	PK	Vertical	PASS
2	1181.80	63.40	40.87	-22.53	74.00	33.13	150	208	PK	Vertical	PASS
3	1973.80	57.24	39.27	-17.97	74.00	34.73	150	69	PK	Vertical	PASS
4	3559.60	53.18	42.06	-11.12	74.00	31.94	150	224	PK	Vertical	PASS
5	4232.80	54.24	46.39	-7.85	74.00	27.61	150	75	PK	Vertical	PASS
6	5543.20	53.63	47.75	-5.88	74.00	26.25	150	325	PK	Vertical	PASS
7	1070.20	53.76	30.85	-22.91	54.00	23.15	150	45	AV	Vertical	PASS
8	1187.20	53.75	31.24	-22.51	54.00	22.76	150	275	AV	Vertical	PASS
9	1977.40	47.68	29.74	-17.94	54.00	24.26	150	69	AV	Vertical	PASS
10	3550.60	45.27	34.09	-11.18	54.00	19.91	150	99	AV	Vertical	PASS
11	4312.00	44.04	36.37	-7.67	54.00	17.63	150	345	AV	Vertical	PASS
12	5555.80	44.50	38.63	-5.87	54.00	15.37	150	61	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1073.80	66.17	42.22	-23.95	74.00	31.78	150	176	PK	Horizontal	PASS
2	1183.60	66.79	43.27	-23.52	74.00	30.73	150	134	PK	Horizontal	PASS
3	1970.20	53.23	34.81	-18.42	74.00	39.19	150	155	PK	Horizontal	PASS
4	3608.20	53.99	42.53	-11.46	74.00	31.47	150	90	PK	Horizontal	PASS
5	4873.60	53.90	47.32	-6.58	74.00	26.68	150	90	PK	Horizontal	PASS
6	5519.80	54.27	48.37	-5.90	74.00	25.63	150	119	PK	Horizontal	PASS
7	1063.00	54.73	30.73	-24.00	54.00	23.27	150	176	AV	Horizontal	PASS
8	1183.60	55.99	32.47	-23.52	54.00	21.53	150	235	AV	Horizontal	PASS
9	1972.00	43.88	25.47	-18.41	54.00	28.53	150	128	AV	Horizontal	PASS
10	3653.20	43.57	32.31	-11.26	54.00	21.69	150	0	AV	Horizontal	PASS
11	4873.60	44.72	38.14	-6.58	54.00	15.86	150	148	AV	Horizontal	PASS
12	5656.60	44.92	39.22	-5.70	54.00	14.78	150	281	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1061.20	62.71	39.77	-22.94	74.00	34.23	150	272	PK	Vertical	PASS
2	1185.40	63.19	40.67	-22.52	74.00	33.33	150	22	PK	Vertical	PASS
3	1979.20	56.34	38.41	-17.93	74.00	35.59	150	78	PK	Vertical	PASS
4	3554.20	54.60	43.45	-11.15	74.00	30.55	150	28	PK	Vertical	PASS
5	4873.60	55.28	48.10	-7.18	74.00	25.90	150	136	PK	Vertical	PASS
6	5872.60	55.11	49.90	-5.21	74.00	24.10	150	141	PK	Vertical	PASS
7	1068.40	53.07	30.15	-22.92	54.00	23.85	150	22	AV	Vertical	PASS
8	1185.40	52.90	30.38	-22.52	54.00	23.62	150	22	AV	Vertical	PASS
9	1970.20	46.61	28.62	-17.99	54.00	25.38	150	84	AV	Vertical	PASS
10	3554.20	44.38	33.23	-11.15	54.00	20.77	150	307	AV	Vertical	PASS
11	4873.60	46.95	39.77	-7.18	54.00	14.23	150	199	AV	Vertical	PASS
12	5811.40	45.47	40.15	-5.32	54.00	13.85	150	245	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	09	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1070.20	66.14	42.17	-23.97	74.00	31.83	150	185	PK	Horizontal	PASS
2	1108.00	66.55	42.74	-23.81	74.00	31.26	150	212	PK	Horizontal	PASS
3	1973.80	55.52	37.13	-18.39	74.00	36.87	150	106	PK	Horizontal	PASS
4	3518.20	53.64	41.43	-12.21	74.00	32.57	150	19	PK	Horizontal	PASS
5	4218.40	53.39	45.47	-7.92	74.00	28.53	150	0	PK	Horizontal	PASS
6	5530.60	54.40	48.51	-5.89	74.00	25.49	150	112	PK	Horizontal	PASS
7	1070.20	55.47	31.50	-23.97	54.00	22.50	150	170	AV	Horizontal	PASS
8	1108.00	57.69	33.88	-23.81	54.00	20.12	150	218	AV	Horizontal	PASS
9	1977.40	43.67	25.31	-18.36	54.00	28.69	150	106	AV	Horizontal	PASS
10	3502.00	43.64	31.29	-12.35	54.00	22.71	150	360	AV	Horizontal	PASS
11	4191.40	44.41	36.41	-8.00	54.00	17.59	150	346	AV	Horizontal	PASS
12	5660.20	44.68	38.98	-5.70	54.00	15.02	150	56	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1104.40	62.82	40.04	-22.78	74.00	33.96	150	54	PK	Vertical	PASS
2	1185.40	65.32	42.80	-22.52	74.00	31.20	150	60	PK	Vertical	PASS
3	1975.60	56.32	38.36	-17.96	74.00	35.64	150	121	PK	Vertical	PASS
4	3552.40	53.70	42.54	-11.16	74.00	31.46	150	73	PK	Vertical	PASS
5	4904.20	55.60	48.50	-7.10	74.00	25.50	150	352	PK	Vertical	PASS
6	5734.00	53.77	48.21	-5.56	74.00	25.79	150	179	PK	Vertical	PASS
7	1102.60	53.17	30.38	-22.79	54.00	23.62	150	60	AV	Vertical	PASS
8	1185.40	54.77	32.25	-22.52	54.00	21.75	150	60	AV	Vertical	PASS
9	1970.20	46.90	28.91	-17.99	54.00	25.09	150	80	AV	Vertical	PASS
10	3561.40	45.37	34.27	-11.10	54.00	19.73	150	298	AV	Vertical	PASS
11	4904.20	47.12	40.02	-7.10	54.00	13.98	150	199	AV	Vertical	PASS
12	5791.60	46.27	40.90	-5.37	54.00	13.10	150	154	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	03	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1066.60	64.37	40.39	-23.98	74.00	33.61	150	178	PK	Horizontal	PASS
2	1181.80	63.19	39.67	-23.52	74.00	34.33	150	213	PK	Horizontal	PASS
3	1793.80	54.18	34.64	-19.54	74.00	39.36	150	213	PK	Horizontal	PASS
4	3280.60	53.95	40.73	-13.22	74.00	33.27	150	185	PK	Horizontal	PASS
5	4160.80	54.32	46.29	-8.03	74.00	27.71	150	311	PK	Horizontal	PASS
6	5663.80	54.13	48.44	-5.69	74.00	25.56	150	0	PK	Horizontal	PASS
7	1072.00	55.31	31.35	-23.96	54.00	22.65	150	158	AV	Horizontal	PASS
8	1185.40	52.62	29.11	-23.51	54.00	24.89	150	165	AV	Horizontal	PASS
9	1822.60	43.57	24.19	-19.38	54.00	29.81	150	65	AV	Horizontal	PASS
10	3370.60	43.50	30.62	-12.88	54.00	23.38	150	347	AV	Horizontal	PASS
11	4322.80	44.18	36.59	-7.59	54.00	17.41	150	326	AV	Horizontal	PASS
12	5717.80	44.99	39.42	-5.57	54.00	14.58	150	58	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1070.20	61.63	38.72	-22.91	74.00	35.28	150	60	PK	Vertical	PASS
2	1185.40	63.88	41.36	-22.52	74.00	32.64	150	6	PK	Vertical	PASS
3	1973.80	55.02	37.05	-17.97	74.00	36.95	150	276	PK	Vertical	PASS
4	3559.60	55.01	43.89	-11.12	74.00	30.11	150	113	PK	Vertical	PASS
5	4843.00	55.02	47.78	-7.24	74.00	26.22	150	143	PK	Vertical	PASS
6	5537.80	54.22	48.33	-5.89	74.00	25.67	150	328	PK	Vertical	PASS
7	1068.40	52.80	29.88	-22.92	54.00	24.12	150	92	AV	Vertical	PASS
8	1185.40	52.35	29.83	-22.52	54.00	24.17	150	47	AV	Vertical	PASS
9	1972.00	45.82	27.83	-17.99	54.00	26.17	150	86	AV	Vertical	PASS
10	3559.60	44.52	33.40	-11.12	54.00	20.60	150	106	AV	Vertical	PASS
11	4844.80	45.29	38.05	-7.24	54.00	15.95	150	199	AV	Vertical	PASS
12	5563.00	44.03	38.17	-5.86	54.00	15.83	150	179	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1070.20	65.06	41.09	-23.97	74.00	32.91	150	167	PK	Horizontal	PASS
2	1185.40	65.50	41.99	-23.51	74.00	32.01	150	161	PK	Horizontal	PASS
3	2886.40	53.45	38.64	-14.81	74.00	35.36	150	48	PK	Horizontal	PASS
4	3955.60	53.77	44.89	-8.88	74.00	29.11	150	123	PK	Horizontal	PASS
5	4789.00	53.35	46.53	-6.82	74.00	27.47	150	94	PK	Horizontal	PASS
6	5843.80	54.07	48.89	-5.18	74.00	25.11	150	0	PK	Horizontal	PASS
7	1070.20	56.22	32.25	-23.97	54.00	21.75	150	173	AV	Horizontal	PASS
8	1185.40	52.78	29.27	-23.51	54.00	24.73	150	151	AV	Horizontal	PASS
9	2879.20	45.12	30.29	-14.83	54.00	23.71	150	23	AV	Horizontal	PASS
10	3980.80	44.16	35.45	-8.71	54.00	18.55	150	237	AV	Horizontal	PASS
11	4873.60	44.58	38.00	-6.58	54.00	16.00	150	60	AV	Horizontal	PASS
12	5888.80	45.31	40.22	-5.09	54.00	13.78	150	167	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1073.80	63.26	40.37	-22.89	74.00	33.63	150	47	PK	Vertical	PASS
2	1183.60	64.72	42.19	-22.53	74.00	31.81	150	264	PK	Vertical	PASS
3	1977.40	58.94	41.00	-17.94	74.00	33.00	150	83	PK	Vertical	PASS
4	3547.00	56.04	44.83	-11.21	74.00	29.17	150	110	PK	Vertical	PASS
5	4873.60	54.82	47.64	-7.18	74.00	26.36	150	203	PK	Vertical	PASS
6	5573.80	53.64	47.79	-5.85	74.00	26.21	150	347	PK	Vertical	PASS
7	1068.40	53.70	30.78	-22.92	54.00	23.22	150	47	AV	Vertical	PASS
8	1187.20	52.58	30.07	-22.51	54.00	23.93	150	229	AV	Vertical	PASS
9	1977.40	49.59	31.65	-17.94	54.00	22.35	150	83	AV	Vertical	PASS
10	3559.60	44.92	33.80	-11.12	54.00	20.20	150	110	AV	Vertical	PASS
11	4873.60	46.93	39.75	-7.18	54.00	14.25	150	197	AV	Vertical	PASS
12	5618.80	44.40	38.61	-5.79	54.00	15.39	150	34	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level

Test Mode:	802.11n-HT40-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	09	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1072.00	63.94	39.98	-23.96	74.00	34.02	150	158	PK	Horizontal	PASS
2	1181.80	67.35	43.83	-23.52	74.00	30.17	150	158	PK	Horizontal	PASS
3	2522.80	67.26	51.52	-15.74	74.00	22.48	150	180	PK	Horizontal	PASS
4	4168.00	53.47	45.45	-8.02	74.00	28.55	150	237	PK	Horizontal	PASS
5	5132.80	53.36	47.23	-6.13	74.00	26.77	150	1	PK	Horizontal	PASS
6	5896.00	54.49	49.41	-5.08	74.00	24.59	150	8	PK	Horizontal	PASS
7	1072.00	56.22	32.26	-23.96	54.00	21.74	150	165	AV	Horizontal	PASS
8	1185.40	55.96	32.45	-23.51	54.00	21.55	150	165	AV	Horizontal	PASS
9	2521.00	57.84	42.10	-15.74	54.00	11.90	150	180	AV	Horizontal	PASS
10	4214.80	44.16	36.22	-7.94	54.00	17.78	150	0	AV	Horizontal	PASS
11	5174.20	44.23	38.03	-6.20	54.00	15.97	150	36	AV	Horizontal	PASS
12	5811.40	45.22	39.96	-5.26	54.00	14.04	150	334	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level