





Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1068.40	59.81	36.89	-22.92	74.00	37.11	150	84	PK	Vertical	PASS
2	1185.40	62.15	39.63	-22.52	74.00	34.37	150	57	PK	Vertical	PASS
3	1975.60	55.42	37.46	-17.96	74.00	36.54	150	109	PK	Vertical	PASS
4	3559.60	58.38	47.26	-11.12	74.00	26.74	150	305	PK	Vertical	PASS
5	4873.60	55.09	47.91	-7.18	74.00	26.09	150	136	PK	Vertical	PASS
6	5843.80	54.34	49.09	-5.25	74.00	24.91	150	360	PK	Vertical	PASS
7	1066.60	51.00	28.08	-22.92	54.00	25.92	150	21	AV	Vertical	PASS
8	1185.40	51.55	29.03	-22.52	54.00	24.97	150	50	AV	Vertical	PASS
9	1966.60	47.35	29.33	-18.02	54.00	24.67	150	90	AV	Vertical	PASS
10	3565.00	44.43	33.36	-11.07	54.00	20.64	150	305	AV	Vertical	PASS
11	4873.60	46.62	39.44	-7.18	54.00	14.56	150	204	AV	Vertical	PASS
12	5879.80	45.88	40.69	-5.19	54.00	13.31	150	136	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	03	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1102.60	64.31	40.48	-23.83	74.00	33.52	150	213	PK	Horizontal	PASS
2	1185.40	65.16	41.65	-23.51	74.00	32.35	150	229	PK	Horizontal	PASS
3	1972.00	57.48	39.07	-18.41	74.00	34.93	150	109	PK	Horizontal	PASS
4	2940.40	53.10	38.43	-14.67	74.00	35.57	150	329	PK	Horizontal	PASS
5	4101.40	53.73	45.64	-8.09	74.00	28.36	150	182	PK	Horizontal	PASS
6	5336.20	54.14	48.02	-6.12	74.00	25.98	150	100	PK	Horizontal	PASS
7	1108.00	55.25	31.44	-23.81	54.00	22.56	150	191	AV	Horizontal	PASS
8	1183.60	53.74	30.22	-23.52	54.00	23.78	150	229	AV	Horizontal	PASS
9	1970.20	45.80	27.38	-18.42	54.00	26.62	150	109	AV	Horizontal	PASS
10	2879.20	44.54	29.71	-14.83	54.00	24.29	150	38	AV	Horizontal	PASS
11	4099.60	44.23	36.14	-8.09	54.00	17.86	150	13	AV	Horizontal	PASS
12	5383.00	43.61	37.62	-5.99	54.00	16.38	150	229	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1185.40	64.48	41.96	-22.52	74.00	32.04	150	28	PK	Vertical	PASS
2	1979.20	57.95	40.02	-17.93	74.00	33.98	150	64	PK	Vertical	PASS
3	2603.80	57.71	42.00	-15.71	74.00	32.00	150	49	PK	Vertical	PASS
4	3957.40	55.13	46.60	-8.53	74.00	27.40	150	235	PK	Vertical	PASS
5	4843.00	54.64	47.40	-7.24	74.00	26.60	150	360	PK	Vertical	PASS
6	5516.20	54.40	48.49	-5.91	74.00	25.51	150	324	PK	Vertical	PASS
7	1183.60	52.94	30.41	-22.53	54.00	23.59	150	71	AV	Vertical	PASS
8	1977.40	45.46	27.52	-17.94	54.00	26.48	150	112	AV	Vertical	PASS
9	2603.80	49.52	33.81	-15.71	54.00	20.19	150	49	AV	Vertical	PASS
10	3952.00	44.10	35.55	-8.55	54.00	18.45	150	331	AV	Vertical	PASS
11	4843.00	45.20	37.96	-7.24	54.00	16.04	150	202	AV	Vertical	PASS
12	5645.80	44.57	38.82	-5.75	54.00	15.18	150	324	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1183.60	63.78	40.26	-23.52	74.00	33.74	150	158	PK	Horizontal	PASS
2	1970.20	54.40	35.98	-18.42	74.00	38.02	150	111	PK	Horizontal	PASS
3	2612.80	60.20	44.72	-15.48	74.00	29.28	150	93	PK	Horizontal	PASS
4	3871.00	53.84	44.32	-9.52	74.00	29.68	150	208	PK	Horizontal	PASS
5	4873.60	53.64	47.06	-6.58	74.00	26.94	150	230	PK	Horizontal	PASS
6	5813.20	54.15	48.90	-5.25	74.00	25.10	150	354	PK	Horizontal	PASS
7	1183.60	53.84	30.32	-23.52	54.00	23.68	150	152	AV	Horizontal	PASS
8	1970.20	44.03	25.61	-18.42	54.00	28.39	150	111	AV	Horizontal	PASS
9	2612.80	51.61	36.13	-15.48	54.00	17.87	150	100	AV	Horizontal	PASS
10	3914.20	43.71	34.55	-9.16	54.00	19.45	150	301	AV	Horizontal	PASS
11	4933.00	44.31	37.97	-6.34	54.00	16.03	150	314	AV	Horizontal	PASS
12	5897.80	45.26	40.19	-5.07	54.00	13.81	150	275	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1185.40	63.76	41.24	-22.52	74.00	32.76	150	36	PK	Vertical	PASS
2	1979.20	57.08	39.15	-17.93	74.00	34.85	150	74	PK	Vertical	PASS
3	2612.80	57.70	42.03	-15.67	74.00	31.97	150	251	PK	Vertical	PASS
4	3559.60	58.23	47.11	-11.12	74.00	26.89	150	95	PK	Vertical	PASS
5	4873.60	54.88	47.70	-7.18	74.00	26.30	150	199	PK	Vertical	PASS
6	5766.40	54.70	49.25	-5.45	74.00	24.75	150	307	PK	Vertical	PASS
7	1187.20	53.67	31.16	-22.51	54.00	22.84	150	359	AV	Vertical	PASS
8	1972.00	47.22	29.23	-17.99	54.00	24.77	150	74	AV	Vertical	PASS
9	2611.00	46.96	31.27	-15.69	54.00	22.73	150	62	AV	Vertical	PASS
10	3559.60	45.77	34.65	-11.12	54.00	19.35	150	88	AV	Vertical	PASS
11	4873.60	47.14	39.96	-7.18	54.00	14.04	150	199	AV	Vertical	PASS
12	5800.60	45.25	39.91	-5.34	54.00	14.09	150	360	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	09	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1070.20	63.56	39.59	-23.97	74.00	34.41	150	172	PK	Horizontal	PASS
2	1185.40	63.75	40.24	-23.51	74.00	33.76	150	153	PK	Horizontal	PASS
3	2159.20	58.00	40.61	-17.39	74.00	33.39	150	360	PK	Horizontal	PASS
4	2373.40	65.45	49.01	-16.44	74.00	24.99	150	172	PK	Horizontal	PASS
5	4540.60	53.14	45.98	-7.16	74.00	28.02	150	349	PK	Horizontal	PASS
6	5843.80	54.68	49.50	-5.18	74.00	24.50	150	192	PK	Horizontal	PASS
7	1064.80	54.96	30.97	-23.99	54.00	23.03	150	178	AV	Horizontal	PASS
8	1181.80	52.87	29.35	-23.52	54.00	24.65	150	153	AV	Horizontal	PASS
9	2159.20	49.08	31.69	-17.39	54.00	22.31	150	0	AV	Horizontal	PASS
10	2369.80	56.05	39.59	-16.46	54.00	14.41	150	256	AV	Horizontal	PASS
11	4466.80	44.00	36.65	-7.35	54.00	17.35	150	302	AV	Horizontal	PASS
12	5903.20	45.84	40.77	-5.07	54.00	13.23	150	16	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1183.60	63.43	40.90	-22.53	74.00	33.10	150	359	PK	Vertical	PASS
2	1975.60	59.19	41.23	-17.96	74.00	32.77	150	89	PK	Vertical	PASS
3	2375.20	66.05	49.50	-16.55	74.00	24.50	150	184	PK	Vertical	PASS
4	2517.40	63.33	47.30	-16.03	74.00	26.70	150	337	PK	Vertical	PASS
5	4904.20	54.73	47.63	-7.10	74.00	26.37	150	200	PK	Vertical	PASS
6	5656.60	54.34	48.60	-5.74	74.00	25.40	150	122	PK	Vertical	PASS
7	1185.40	53.84	31.32	-22.52	54.00	22.68	150	206	AV	Vertical	PASS
8	1975.60	46.44	28.48	-17.96	54.00	25.52	150	84	AV	Vertical	PASS
9	2377.00	55.77	39.22	-16.55	54.00	14.78	150	175	AV	Vertical	PASS
10	2517.40	57.16	41.13	-16.03	54.00	12.87	150	337	AV	Vertical	PASS
11	4904.20	47.42	40.32	-7.10	54.00	13.68	150	136	AV	Vertical	PASS
12	5806.00	45.48	40.15	-5.33	54.00	13.85	150	252	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1073.80	64.18	40.23	-23.95	74.00	33.77	150	167	PK	Horizontal	PASS
2	1185.40	64.85	41.34	-23.51	74.00	32.66	150	228	PK	Horizontal	PASS
3	1972.00	54.22	35.81	-18.41	74.00	38.19	150	106	PK	Horizontal	PASS
4	3367.00	53.10	40.21	-12.89	74.00	33.79	150	30	PK	Horizontal	PASS
5	4668.40	53.14	46.13	-7.01	74.00	27.87	150	360	PK	Horizontal	PASS
6	5147.20	53.99	47.83	-6.16	74.00	26.17	150	67	PK	Horizontal	PASS
7	1070.20	54.87	30.90	-23.97	54.00	23.10	150	187	AV	Horizontal	PASS
8	1183.60	53.35	29.83	-23.52	54.00	24.17	150	228	AV	Horizontal	PASS
9	1975.60	43.88	25.50	-18.38	54.00	28.50	150	119	AV	Horizontal	PASS
10	3408.40	43.89	31.14	-12.75	54.00	22.86	150	276	AV	Horizontal	PASS
11	4825.00	44.40	37.69	-6.71	54.00	16.31	150	143	AV	Horizontal	PASS
12	5141.80	44.30	38.15	-6.15	54.00	15.85	150	136	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1075.60	61.55	38.66	-22.89	74.00	35.34	150	51	PK	Vertical	PASS
2	1183.60	63.45	40.92	-22.53	74.00	33.08	150	0	PK	Vertical	PASS
3	1975.60	56.44	38.48	-17.96	74.00	35.52	150	79	PK	Vertical	PASS
4	3572.20	56.57	45.56	-11.01	74.00	28.44	150	302	PK	Vertical	PASS
5	4823.20	54.17	46.89	-7.28	74.00	27.11	150	199	PK	Vertical	PASS
6	5534.20	53.98	48.09	-5.89	74.00	25.91	150	320	PK	Vertical	PASS
7	1079.20	52.77	29.90	-22.87	54.00	24.10	150	51	AV	Vertical	PASS
8	1187.20	53.11	30.60	-22.51	54.00	23.40	150	67	AV	Vertical	PASS
9	1973.80	45.56	27.59	-17.97	54.00	26.41	150	109	AV	Vertical	PASS
10	3545.20	45.16	33.94	-11.22	54.00	20.06	150	86	AV	Vertical	PASS
11	4823.20	45.87	38.59	-7.28	54.00	15.41	150	214	AV	Vertical	PASS
12	5651.20	44.59	38.85	-5.74	54.00	15.15	150	67	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1075.60	65.39	41.45	-23.94	74.00	32.55	150	177	PK	Horizontal	PASS
2	1181.80	66.25	42.73	-23.52	74.00	31.27	150	158	PK	Horizontal	PASS
3	2191.60	57.85	40.60	-17.25	74.00	33.40	150	307	PK	Horizontal	PASS
4	3505.60	53.69	41.37	-12.32	74.00	32.63	150	237	PK	Horizontal	PASS
5	4265.20	54.68	46.94	-7.74	74.00	27.06	150	315	PK	Horizontal	PASS
6	5140.00	53.56	47.41	-6.15	74.00	26.59	150	360	PK	Horizontal	PASS
7	1068.40	57.01	33.03	-23.98	54.00	20.97	150	164	AV	Horizontal	PASS
8	1181.80	54.67	31.15	-23.52	54.00	22.85	150	158	AV	Horizontal	PASS
9	2242.00	47.63	30.57	-17.06	54.00	23.43	150	307	AV	Horizontal	PASS
10	3581.20	43.42	31.75	-11.67	54.00	22.25	150	45	AV	Horizontal	PASS
11	4425.40	44.16	36.72	-7.44	54.00	17.28	150	51	AV	Horizontal	PASS
12	5078.80	44.45	38.39	-6.06	54.00	15.61	150	51	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1066.60	62.17	39.25	-22.92	74.00	34.75	150	53	PK	Vertical	PASS
2	1181.80	65.03	42.50	-22.53	74.00	31.50	150	59	PK	Vertical	PASS
3	1972.00	57.43	39.44	-17.99	74.00	34.56	150	94	PK	Vertical	PASS
4	3556.00	57.13	46.00	-11.13	74.00	28.00	150	108	PK	Vertical	PASS
5	4873.60	55.67	48.49	-7.18	74.00	25.51	150	256	PK	Vertical	PASS
6	5516.20	54.07	48.16	-5.91	74.00	25.84	150	327	PK	Vertical	PASS
7	1063.00	52.06	29.12	-22.94	54.00	24.88	150	100	AV	Vertical	PASS
8	1187.20	52.95	30.44	-22.51	54.00	23.56	150	162	AV	Vertical	PASS
9	1972.00	46.64	28.65	-17.99	54.00	25.35	150	100	AV	Vertical	PASS
10	3547.00	44.92	33.71	-11.21	54.00	20.29	150	108	AV	Vertical	PASS
11	4873.60	46.47	39.29	-7.18	54.00	14.71	150	210	AV	Vertical	PASS
12	5615.20	44.22	38.42	-5.80	54.00	15.58	150	1	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1072.00	65.60	41.64	-23.96	74.00	32.36	150	172	PK	Horizontal	PASS
2	1181.80	62.71	39.19	-23.52	74.00	34.81	150	168	PK	Horizontal	PASS
3	1975.60	56.23	37.85	-18.38	74.00	36.15	150	119	PK	Horizontal	PASS
4	3403.00	53.75	40.99	-12.76	74.00	33.01	150	261	PK	Horizontal	PASS
5	4164.40	53.90	45.87	-8.03	74.00	28.13	150	296	PK	Horizontal	PASS
6	5134.60	54.06	47.93	-6.13	74.00	26.07	150	332	PK	Horizontal	PASS
7	1070.20	56.06	32.09	-23.97	54.00	21.91	150	160	AV	Horizontal	PASS
8	1183.60	53.63	30.11	-23.52	54.00	23.89	150	139	AV	Horizontal	PASS
9	1975.60	45.68	27.30	-18.38	54.00	26.70	150	119	AV	Horizontal	PASS
10	3347.20	44.22	31.26	-12.96	54.00	22.74	150	296	AV	Horizontal	PASS
11	4124.80	44.29	36.22	-8.07	54.00	17.78	150	200	AV	Horizontal	PASS
12	5069.80	44.02	37.96	-6.06	54.00	16.04	150	254	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1106.20	63.52	40.74	-22.78	74.00	33.26	150	54	PK	Vertical	PASS
2	1185.40	64.33	41.81	-22.52	74.00	32.19	150	226	PK	Vertical	PASS
3	1972.00	56.13	38.14	-17.99	74.00	35.86	150	103	PK	Vertical	PASS
4	3545.20	55.95	44.73	-11.22	74.00	29.27	150	111	PK	Vertical	PASS
5	4924.00	54.96	47.93	-7.03	74.00	26.07	150	9	PK	Vertical	PASS
6	5536.00	54.59	48.70	-5.89	74.00	25.30	150	141	PK	Vertical	PASS
7	1106.20	54.15	31.37	-22.78	54.00	22.63	150	54	AV	Vertical	PASS
8	1183.60	53.48	30.95	-22.53	54.00	23.05	150	173	AV	Vertical	PASS
9	1973.80	46.05	28.08	-17.97	54.00	25.92	150	111	AV	Vertical	PASS
10	3545.20	46.00	34.78	-11.22	54.00	19.22	150	111	AV	Vertical	PASS
11	4924.00	47.20	40.17	-7.03	54.00	13.83	150	204	AV	Vertical	PASS
12	5647.60	44.48	38.73	-5.75	54.00	15.27	150	103	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1068.40	65.03	41.05	-23.98	74.00	32.95	150	180	PK	Horizontal	PASS
2	1181.80	62.45	38.93	-23.52	74.00	35.07	150	166	PK	Horizontal	PASS
3	1772.20	57.33	37.61	-19.72	74.00	36.39	150	144	PK	Horizontal	PASS
4	3131.20	53.54	39.60	-13.94	74.00	34.40	150	30	PK	Horizontal	PASS
5	4250.80	53.86	46.06	-7.80	74.00	27.94	150	334	PK	Horizontal	PASS
6	5073.40	53.64	47.58	-6.06	74.00	26.42	150	300	PK	Horizontal	PASS
7	1066.60	56.41	32.43	-23.98	54.00	21.57	150	180	AV	Horizontal	PASS
8	1185.40	52.39	28.88	-23.51	54.00	25.12	150	166	AV	Horizontal	PASS
9	1810.00	43.41	23.97	-19.44	54.00	30.03	150	349	AV	Horizontal	PASS
10	3176.20	43.64	29.92	-13.72	54.00	24.08	150	256	AV	Horizontal	PASS
11	4223.80	44.35	36.45	-7.90	54.00	17.55	150	226	AV	Horizontal	PASS
12	5091.40	43.87	37.80	-6.07	54.00	16.20	150	349	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1082.80	62.87	40.01	-22.86	74.00	33.99	150	59	PK	Vertical	PASS
2	1185.40	63.75	41.23	-22.52	74.00	32.77	150	202	PK	Vertical	PASS
3	1973.80	56.67	38.70	-17.97	74.00	35.30	150	104	PK	Vertical	PASS
4	3547.00	55.88	44.67	-11.21	74.00	29.33	150	272	PK	Vertical	PASS
5	3998.80	54.54	46.26	-8.28	74.00	27.74	150	0	PK	Vertical	PASS
6	4823.20	54.97	47.69	-7.28	74.00	26.31	150	148	PK	Vertical	PASS
7	1104.40	52.77	29.99	-22.78	54.00	24.01	150	86	AV	Vertical	PASS
8	1183.60	54.38	31.85	-22.53	54.00	22.15	150	26	AV	Vertical	PASS
9	1970.20	46.50	28.51	-17.99	54.00	25.49	150	86	AV	Vertical	PASS
10	3669.40	43.73	33.17	-10.56	54.00	20.83	150	136	AV	Vertical	PASS
11	4065.40	43.92	35.89	-8.03	54.00	18.11	150	202	AV	Vertical	PASS
12	4823.20	46.54	39.26	-7.28	54.00	14.74	150	148	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1109.80	65.04	41.24	-23.80	74.00	32.76	150	176	PK	Horizontal	PASS
2	1183.60	62.68	39.16	-23.52	74.00	34.84	150	162	PK	Horizontal	PASS
3	1977.40	53.16	34.80	-18.36	74.00	39.20	150	343	PK	Horizontal	PASS
4	3122.20	53.41	39.43	-13.98	74.00	34.57	150	156	PK	Horizontal	PASS
5	4106.80	54.37	46.29	-8.08	74.00	27.71	150	150	PK	Horizontal	PASS
6	5640.40	54.36	48.63	-5.73	74.00	25.37	150	5	PK	Horizontal	PASS
7	1073.80	56.27	32.32	-23.95	54.00	21.68	150	162	AV	Horizontal	PASS
8	1183.60	54.57	31.05	-23.52	54.00	22.95	150	162	AV	Horizontal	PASS
9	1970.20	43.96	25.54	-18.42	54.00	28.46	150	103	AV	Horizontal	PASS
10	3145.60	43.79	29.92	-13.87	54.00	24.08	150	214	AV	Horizontal	PASS
11	3979.00	44.71	35.98	-8.73	54.00	18.02	150	42	AV	Horizontal	PASS
12	5667.40	44.49	38.80	-5.69	54.00	15.20	150	103	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1073.80	62.11	39.22	-22.89	74.00	34.78	150	50	PK	Vertical	PASS
2	1192.60	63.08	40.59	-22.49	74.00	33.41	150	217	PK	Vertical	PASS
3	1986.40	55.25	37.38	-17.87	74.00	36.62	150	92	PK	Vertical	PASS
4	3545.20	53.59	42.37	-11.22	74.00	31.63	150	63	PK	Vertical	PASS
5	4873.60	55.20	48.02	-7.18	74.00	25.98	150	136	PK	Vertical	PASS
6	5786.20	55.66	50.27	-5.39	74.00	23.73	150	197	PK	Vertical	PASS
7	1073.80	55.18	32.29	-22.89	54.00	21.71	150	50	AV	Vertical	PASS
8	1181.80	52.61	30.08	-22.53	54.00	23.92	150	210	AV	Vertical	PASS
9	1979.20	44.82	26.89	-17.93	54.00	27.11	150	78	AV	Vertical	PASS
10	3547.00	44.54	33.33	-11.21	54.00	20.67	150	124	AV	Vertical	PASS
11	4873.60	47.42	40.24	-7.18	54.00	13.76	150	197	AV	Vertical	PASS
12	5924.80	45.54	40.42	-5.12	54.00	13.58	150	1	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1070.20	64.46	40.49	-23.97	74.00	33.51	150	186	PK	Horizontal	PASS
2	1183.60	62.56	39.04	-23.52	74.00	34.96	150	167	PK	Horizontal	PASS
3	1975.60	53.86	35.48	-18.38	74.00	38.52	150	100	PK	Horizontal	PASS
4	3422.80	53.35	40.66	-12.69	74.00	33.34	150	192	PK	Horizontal	PASS
5	4366.00	53.93	46.40	-7.53	74.00	27.60	150	358	PK	Horizontal	PASS
6	5712.40	54.04	48.45	-5.59	74.00	25.55	150	263	PK	Horizontal	PASS
7	1072.00	55.30	31.34	-23.96	54.00	22.66	150	160	AV	Horizontal	PASS
8	1185.40	52.77	29.26	-23.51	54.00	24.74	150	141	AV	Horizontal	PASS
9	2008.00	42.83	24.71	-18.12	54.00	29.29	150	360	AV	Horizontal	PASS
10	3435.40	44.04	31.40	-12.64	54.00	22.60	150	34	AV	Horizontal	PASS
11	4349.80	43.98	36.42	-7.56	54.00	17.58	150	41	AV	Horizontal	PASS
12	5914.00	45.81	40.76	-5.05	54.00	13.24	150	303	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1104.40	61.84	39.06	-22.78	74.00	34.94	150	66	PK	Vertical	PASS
2	1183.60	62.06	39.53	-22.53	74.00	34.47	150	177	PK	Vertical	PASS
3	1975.60	57.88	39.92	-17.96	74.00	34.08	150	81	PK	Vertical	PASS
4	3559.60	54.95	43.83	-11.12	74.00	30.17	150	115	PK	Vertical	PASS
5	4924.00	54.32	47.29	-7.03	74.00	26.71	150	192	PK	Vertical	PASS
6	5521.60	54.18	48.27	-5.91	74.00	25.73	150	319	PK	Vertical	PASS
7	1070.20	53.76	30.85	-22.91	54.00	23.15	150	53	AV	Vertical	PASS
8	1185.40	51.55	29.03	-22.52	54.00	24.97	150	228	AV	Vertical	PASS
9	1973.80	46.33	28.36	-17.97	54.00	25.64	150	88	AV	Vertical	PASS
10	3559.60	46.11	34.99	-11.12	54.00	19.01	150	115	AV	Vertical	PASS
11	4924.00	47.94	40.91	-7.03	54.00	13.09	150	200	AV	Vertical	PASS
12	5620.60	44.72	38.93	-5.79	54.00	15.07	150	254	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1117.00	65.54	41.77	-23.77	74.00	32.23	150	189	PK	Horizontal	PASS
2	1181.80	63.88	40.36	-23.52	74.00	33.64	150	242	PK	Horizontal	PASS
3	1979.20	56.18	37.84	-18.34	74.00	36.16	150	123	PK	Horizontal	PASS
4	3977.20	53.94	45.21	-8.73	74.00	28.79	150	44	PK	Horizontal	PASS
5	4825.00	54.28	47.57	-6.71	74.00	26.43	150	110	PK	Horizontal	PASS
6	5852.80	54.74	49.57	-5.17	74.00	24.43	150	315	PK	Horizontal	PASS
7	1063.00	57.57	33.57	-24.00	54.00	20.43	150	182	AV	Horizontal	PASS
8	1183.60	53.54	30.02	-23.52	54.00	23.98	150	242	AV	Horizontal	PASS
9	1970.20	46.58	28.16	-18.42	54.00	25.84	150	123	AV	Horizontal	PASS
10	4072.60	44.17	35.94	-8.23	54.00	18.06	150	341	AV	Horizontal	PASS
11	4828.60	44.28	37.57	-6.71	54.00	16.43	150	96	AV	Horizontal	PASS
12	5899.60	45.45	40.38	-5.07	54.00	13.62	150	74	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1068.40	63.79	40.87	-22.92	74.00	33.13	150	58	PK	Vertical	PASS
2	1183.60	64.75	42.22	-22.53	74.00	31.78	150	223	PK	Vertical	PASS
3	1979.20	58.68	40.75	-17.93	74.00	33.25	150	104	PK	Vertical	PASS
4	3559.60	56.82	45.70	-11.12	74.00	28.30	150	104	PK	Vertical	PASS
5	3950.20	55.06	46.49	-8.57	74.00	27.51	150	58	PK	Vertical	PASS
6	4823.20	54.68	47.40	-7.28	74.00	26.60	150	142	PK	Vertical	PASS
7	1070.20	53.64	30.73	-22.91	54.00	23.27	150	97	AV	Vertical	PASS
8	1183.60	54.18	31.65	-22.53	54.00	22.35	150	218	AV	Vertical	PASS
9	1975.60	47.36	29.40	-17.96	54.00	24.60	150	77	AV	Vertical	PASS
10	3547.00	45.58	34.37	-11.21	54.00	19.63	150	111	AV	Vertical	PASS
11	3957.40	44.35	35.82	-8.53	54.00	18.18	150	210	AV	Vertical	PASS
12	4823.20	45.89	38.61	-7.28	54.00	15.39	150	203	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1075.60	66.21	42.27	-23.94	74.00	31.73	150	165	PK	Horizontal	PASS
2	1185.40	64.05	40.54	-23.51	74.00	33.46	150	11	PK	Horizontal	PASS
3	1975.60	55.87	37.49	-18.38	74.00	36.51	150	111	PK	Horizontal	PASS
4	4106.80	53.91	45.83	-8.08	74.00	28.17	150	323	PK	Horizontal	PASS
5	4958.20	53.45	47.23	-6.22	74.00	26.77	150	92	PK	Horizontal	PASS
6	5883.40	54.83	49.73	-5.10	74.00	24.27	150	20	PK	Horizontal	PASS
7	1064.80	55.81	31.82	-23.99	54.00	22.18	150	173	AV	Horizontal	PASS
8	1185.40	53.18	29.67	-23.51	54.00	24.33	150	228	AV	Horizontal	PASS
9	1975.60	44.93	26.55	-18.38	54.00	27.45	150	111	AV	Horizontal	PASS
10	4135.60	44.74	36.69	-8.05	54.00	17.31	150	311	AV	Horizontal	PASS
11	4873.60	44.87	38.29	-6.58	54.00	15.71	150	165	AV	Horizontal	PASS
12	5951.80	45.51	40.52	-4.99	54.00	13.48	150	192	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1106.20	63.87	41.09	-22.78	74.00	32.91	150	267	PK	Vertical	PASS
2	1181.80	64.08	41.55	-22.53	74.00	32.45	150	190	PK	Vertical	PASS
3	1972.00	56.22	38.23	-17.99	74.00	35.77	150	116	PK	Vertical	PASS
4	3298.60	55.81	43.24	-12.57	74.00	30.76	150	0	PK	Vertical	PASS
5	4873.60	54.91	47.73	-7.18	74.00	26.27	150	274	PK	Vertical	PASS
6	5872.60	55.04	49.83	-5.21	74.00	24.17	150	198	PK	Vertical	PASS
7	1106.20	53.96	31.18	-22.78	54.00	22.82	150	267	AV	Vertical	PASS
8	1187.20	52.26	29.75	-22.51	54.00	24.25	150	360	AV	Vertical	PASS
9	1972.00	45.48	27.49	-17.99	54.00	26.51	150	116	AV	Vertical	PASS
10	3282.40	43.86	31.20	-12.66	54.00	22.80	150	165	AV	Vertical	PASS
11	4873.60	47.06	39.88	-7.18	54.00	14.12	150	198	AV	Vertical	PASS
12	5901.40	45.51	40.36	-5.15	54.00	13.64	150	186	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1106.20	65.19	41.38	-23.81	74.00	32.62	150	182	PK	Horizontal	PASS
2	1181.80	64.84	41.32	-23.52	74.00	32.68	150	131	PK	Horizontal	PASS
3	3505.60	53.83	41.51	-12.32	74.00	32.49	150	261	PK	Horizontal	PASS
4	4121.20	54.07	46.00	-8.07	74.00	28.00	150	217	PK	Horizontal	PASS
5	4924.00	54.38	47.99	-6.39	74.00	26.01	150	242	PK	Horizontal	PASS
6	5883.40	54.84	49.74	-5.10	74.00	24.26	150	248	PK	Horizontal	PASS
7	1106.20	55.84	32.03	-23.81	54.00	21.97	150	188	AV	Horizontal	PASS
8	1185.40	53.27	29.76	-23.51	54.00	24.24	150	139	AV	Horizontal	PASS
9	3520.00	43.70	31.50	-12.20	54.00	22.50	150	248	AV	Horizontal	PASS
10	4240.00	44.14	36.30	-7.84	54.00	17.70	150	224	AV	Horizontal	PASS
11	4924.00	45.46	39.07	-6.39	54.00	14.93	150	242	AV	Horizontal	PASS
12	5903.20	45.30	40.23	-5.07	54.00	13.77	150	230	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1072.00	63.32	40.42	-22.90	74.00	33.58	150	41	PK	Vertical	PASS
2	1975.60	57.72	39.76	-17.96	74.00	34.24	150	90	PK	Vertical	PASS
3	2521.00	66.39	50.37	-16.02	74.00	23.63	150	254	PK	Vertical	PASS
4	3556.00	56.60	45.47	-11.13	74.00	28.53	150	134	PK	Vertical	PASS
5	4924.00	55.34	48.31	-7.03	74.00	25.69	150	336	PK	Vertical	PASS
6	5874.40	55.14	49.94	-5.20	74.00	24.06	150	297	PK	Vertical	PASS
7	1068.40	54.05	31.13	-22.92	54.00	22.87	150	47	AV	Vertical	PASS
8	1975.60	47.26	29.30	-17.96	54.00	24.70	150	83	AV	Vertical	PASS
9	2521.00	58.23	42.21	-16.02	54.00	11.79	150	227	AV	Vertical	PASS
10	3586.60	43.64	32.74	-10.90	54.00	21.26	150	324	AV	Vertical	PASS
11	4924.00	47.82	40.79	-7.03	54.00	13.21	150	199	AV	Vertical	PASS
12	5901.40	45.51	40.36	-5.15	54.00	13.64	150	174	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE40-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	03	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1073.80	65.49	41.54	-23.95	74.00	32.46	150	168	PK	Horizontal	PASS
2	1183.60	66.50	42.98	-23.52	74.00	31.02	150	147	PK	Horizontal	PASS
3	1973.80	55.70	37.31	-18.39	74.00	36.69	150	116	PK	Horizontal	PASS
4	3399.40	53.43	40.65	-12.78	74.00	33.35	150	360	PK	Horizontal	PASS
5	4157.20	54.09	46.06	-8.03	74.00	27.94	150	283	PK	Horizontal	PASS
6	5615.20	53.80	48.02	-5.78	74.00	25.98	150	14	PK	Horizontal	PASS
7	1068.40	56.03	32.05	-23.98	54.00	21.95	150	168	AV	Horizontal	PASS
8	1183.60	55.00	31.48	-23.52	54.00	22.52	150	147	AV	Horizontal	PASS
9	1970.20	45.59	27.17	-18.42	54.00	26.83	150	122	AV	Horizontal	PASS
10	3440.80	43.67	31.06	-12.61	54.00	22.94	150	0	AV	Horizontal	PASS
11	4220.20	44.80	36.89	-7.91	54.00	17.11	150	334	AV	Horizontal	PASS
12	5775.40	45.34	39.97	-5.37	54.00	14.03	150	327	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1063.00	62.76	39.82	-22.94	74.00	34.18	150	341	PK	Vertical	PASS
2	1181.80	63.55	41.02	-22.53	74.00	32.98	150	55	PK	Vertical	PASS
3	1979.20	58.91	40.98	-17.93	74.00	33.02	150	93	PK	Vertical	PASS
4	3547.00	54.69	43.48	-11.21	74.00	30.52	150	237	PK	Vertical	PASS
5	4844.80	54.98	47.74	-7.24	74.00	26.26	150	212	PK	Vertical	PASS
6	5782.60	54.23	48.83	-5.40	74.00	25.17	150	142	PK	Vertical	PASS
7	1061.20	53.89	30.95	-22.94	54.00	23.05	150	55	AV	Vertical	PASS
8	1183.60	52.59	30.06	-22.53	54.00	23.94	150	224	AV	Vertical	PASS
9	1972.00	46.55	28.56	-17.99	54.00	25.44	150	100	AV	Vertical	PASS
10	3557.80	44.56	33.43	-11.13	54.00	20.57	150	286	AV	Vertical	PASS
11	4844.80	45.01	37.77	-7.24	54.00	16.23	150	204	AV	Vertical	PASS
12	5793.40	45.04	39.68	-5.36	54.00	14.32	150	189	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE40-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1106.20	64.75	40.94	-23.81	74.00	33.06	150	206	PK	Horizontal	PASS
2	1183.60	66.25	42.73	-23.52	74.00	31.27	150	165	PK	Horizontal	PASS
3	1973.80	55.21	36.82	-18.39	74.00	37.18	150	116	PK	Horizontal	PASS
4	3435.40	53.97	41.33	-12.64	74.00	32.67	150	232	PK	Horizontal	PASS
5	4283.20	53.88	46.20	-7.68	74.00	27.80	150	0	PK	Horizontal	PASS
6	5456.80	53.85	47.91	-5.94	74.00	26.09	150	33	PK	Horizontal	PASS
7	1106.20	55.61	31.80	-23.81	54.00	22.20	150	206	AV	Horizontal	PASS
8	1183.60	53.41	29.89	-23.52	54.00	24.11	150	146	AV	Horizontal	PASS
9	1970.20	44.88	26.46	-18.42	54.00	27.54	150	116	AV	Horizontal	PASS
10	3518.20	43.79	31.58	-12.21	54.00	22.42	150	199	AV	Horizontal	PASS
11	4294.00	44.13	36.49	-7.64	54.00	17.51	150	80	AV	Horizontal	PASS
12	5579.20	44.13	38.30	-5.83	54.00	15.70	150	274	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1106.20	62.57	39.79	-22.78	74.00	34.21	150	215	PK	Vertical	PASS
2	1187.20	62.51	40.00	-22.51	74.00	34.00	150	45	PK	Vertical	PASS
3	1972.00	56.55	38.56	-17.99	74.00	35.44	150	100	PK	Vertical	PASS
4	3547.00	53.78	42.57	-11.21	74.00	31.43	150	91	PK	Vertical	PASS
5	4873.60	54.29	47.11	-7.18	74.00	26.89	150	202	PK	Vertical	PASS
6	5523.40	54.43	48.52	-5.91	74.00	25.48	150	147	PK	Vertical	PASS
7	1106.20	53.65	30.87	-22.78	54.00	23.13	150	215	AV	Vertical	PASS
8	1185.40	52.28	29.76	-22.52	54.00	24.24	150	189	AV	Vertical	PASS
9	1972.00	45.34	27.35	-17.99	54.00	26.65	150	100	AV	Vertical	PASS
10	3552.40	45.54	34.38	-11.16	54.00	19.62	150	91	AV	Vertical	PASS
11	4873.60	46.54	39.36	-7.18	54.00	14.64	150	202	AV	Vertical	PASS
12	5595.40	44.22	38.40	-5.82	54.00	15.60	150	126	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE40-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	09	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1115.20	66.29	42.51	-23.78	74.00	31.49	150	211	PK	Horizontal	PASS
2	1185.40	65.92	42.41	-23.51	74.00	31.59	150	15	PK	Horizontal	PASS
3	1970.20	55.43	37.01	-18.42	74.00	36.99	150	109	PK	Horizontal	PASS
4	3350.80	53.46	40.51	-12.95	74.00	33.49	150	29	PK	Horizontal	PASS
5	4321.00	53.73	46.14	-7.59	74.00	27.86	150	75	PK	Horizontal	PASS
6	5595.40	53.96	48.16	-5.80	74.00	25.84	150	333	PK	Horizontal	PASS
7	1104.40	54.53	30.71	-23.82	54.00	23.29	150	183	AV	Horizontal	PASS
8	1181.80	54.39	30.87	-23.52	54.00	23.13	150	161	AV	Horizontal	PASS
9	1970.20	46.08	27.66	-18.42	54.00	26.34	150	109	AV	Horizontal	PASS
10	3374.20	43.82	30.95	-12.87	54.00	23.05	150	360	AV	Horizontal	PASS
11	4418.20	43.85	36.39	-7.46	54.00	17.61	150	204	AV	Horizontal	PASS
12	5748.40	44.87	39.41	-5.46	54.00	14.59	150	147	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1109.80	63.72	40.95	-22.77	74.00	33.05	150	54	PK	Vertical	PASS
2	1181.80	63.10	40.57	-22.53	74.00	33.43	150	292	PK	Vertical	PASS
3	1973.80	55.47	37.50	-17.97	74.00	36.50	150	103	PK	Vertical	PASS
4	3500.20	53.32	41.75	-11.57	74.00	32.25	150	360	PK	Vertical	PASS
5	4904.20	54.64	47.54	-7.10	74.00	26.46	150	141	PK	Vertical	PASS
6	5539.60	54.20	48.31	-5.89	74.00	25.69	150	46	PK	Vertical	PASS
7	1073.80	53.50	30.61	-22.89	54.00	23.39	150	54	AV	Vertical	PASS
8	1183.60	52.01	29.48	-22.53	54.00	24.52	150	241	AV	Vertical	PASS
9	1972.00	45.20	27.21	-17.99	54.00	26.79	150	110	AV	Vertical	PASS
10	3512.80	43.71	32.24	-11.47	54.00	21.76	150	184	AV	Vertical	PASS
11	4904.20	47.40	40.30	-7.10	54.00	13.70	150	199	AV	Vertical	PASS
12	5631.40	44.82	39.05	-5.77	54.00	14.95	150	32	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE40-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	03	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1072.00	65.41	41.45	-23.96	74.00	32.55	150	170	PK	Horizontal	PASS
2	1181.80	66.14	42.62	-23.52	74.00	31.38	150	144	PK	Horizontal	PASS
3	1977.40	57.80	39.44	-18.36	74.00	34.56	150	112	PK	Horizontal	PASS
4	3116.80	53.96	39.95	-14.01	74.00	34.05	150	112	PK	Horizontal	PASS
5	4110.40	53.05	44.97	-8.08	74.00	29.03	150	0	PK	Horizontal	PASS
6	5782.60	54.11	48.77	-5.34	74.00	25.23	150	345	PK	Horizontal	PASS
7	1072.00	56.35	32.39	-23.96	54.00	21.61	150	176	AV	Horizontal	PASS
8	1185.40	53.75	30.24	-23.51	54.00	23.76	150	245	AV	Horizontal	PASS
9	1977.40	45.84	27.48	-18.36	54.00	26.52	150	112	AV	Horizontal	PASS
10	3152.80	44.35	30.52	-13.83	54.00	23.48	150	59	AV	Horizontal	PASS
11	4117.60	44.48	36.41	-8.07	54.00	17.59	150	150	AV	Horizontal	PASS
12	5851.00	45.08	39.91	-5.17	54.00	14.09	150	112	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1068.40	63.23	40.31	-22.92	74.00	33.69	150	67	PK	Vertical	PASS
2	1185.40	64.81	42.29	-22.52	74.00	31.71	150	17	PK	Vertical	PASS
3	1977.40	57.68	39.74	-17.94	74.00	34.26	150	45	PK	Vertical	PASS
4	3552.40	54.89	43.73	-11.16	74.00	30.27	150	104	PK	Vertical	PASS
5	4844.80	54.33	47.09	-7.24	74.00	26.91	150	282	PK	Vertical	PASS
6	5797.00	54.83	49.48	-5.35	74.00	24.52	150	250	PK	Vertical	PASS
7	1068.40	53.79	30.87	-22.92	54.00	23.13	150	60	AV	Vertical	PASS
8	1183.60	53.11	30.58	-22.53	54.00	23.42	150	270	AV	Vertical	PASS
9	1977.40	47.59	29.65	-17.94	54.00	24.35	150	75	AV	Vertical	PASS
10	3557.80	45.55	34.42	-11.13	54.00	19.58	150	111	AV	Vertical	PASS
11	4844.80	44.93	37.69	-7.24	54.00	16.31	150	192	AV	Vertical	PASS
12	5905.00	45.28	40.13	-5.15	54.00	13.87	150	250	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE40-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1068.40	65.43	41.45	-23.98	74.00	32.55	150	180	PK	Horizontal	PASS
2	1183.60	63.95	40.43	-23.52	74.00	33.57	150	165	PK	Horizontal	PASS
3	2182.60	57.30	40.02	-17.28	74.00	33.98	150	0	PK	Horizontal	PASS
4	3183.40	53.44	39.76	-13.68	74.00	34.24	150	3	PK	Horizontal	PASS
5	4231.00	53.38	45.51	-7.87	74.00	28.49	150	3	PK	Horizontal	PASS
6	5161.60	54.17	47.99	-6.18	74.00	26.01	150	217	PK	Horizontal	PASS
7	1068.40	57.40	33.42	-23.98	54.00	20.58	150	180	AV	Horizontal	PASS
8	1185.40	53.13	29.62	-23.51	54.00	24.38	150	130	AV	Horizontal	PASS
9	2180.80	48.87	31.57	-17.30	54.00	22.43	150	3	AV	Horizontal	PASS
10	3266.20	44.09	30.81	-13.28	54.00	23.19	150	75	AV	Horizontal	PASS
11	4236.40	44.37	36.52	-7.85	54.00	17.48	150	0	AV	Horizontal	PASS
12	5167.00	43.79	37.60	-6.19	54.00	16.40	150	326	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1108.00	62.69	39.91	-22.78	74.00	34.09	150	44	PK	Vertical	PASS
2	1181.80	64.82	42.29	-22.53	74.00	31.71	150	6	PK	Vertical	PASS
3	1979.20	57.42	39.49	-17.93	74.00	34.51	150	101	PK	Vertical	PASS
4	3563.20	56.72	45.63	-11.09	74.00	28.37	150	224	PK	Vertical	PASS
5	4873.60	54.71	47.53	-7.18	74.00	26.47	150	204	PK	Vertical	PASS
6	5825.80	54.42	49.13	-5.29	74.00	24.87	150	63	PK	Vertical	PASS
7	1111.60	52.77	30.01	-22.76	54.00	23.99	150	224	AV	Vertical	PASS
8	1185.40	55.01	32.49	-22.52	54.00	21.51	150	57	AV	Vertical	PASS
9	1970.20	46.14	28.15	-17.99	54.00	25.85	150	101	AV	Vertical	PASS
10	3559.60	45.52	34.40	-11.12	54.00	19.60	150	70	AV	Vertical	PASS
11	4873.60	46.90	39.72	-7.18	54.00	14.28	150	204	AV	Vertical	PASS
12	5840.20	46.13	40.86	-5.27	54.00	13.14	150	248	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE40-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	09	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1072.00	65.98	42.02	-23.96	74.00	31.98	150	176	PK	Horizontal	PASS
2	1181.80	65.34	41.82	-23.52	74.00	32.18	150	163	PK	Horizontal	PASS
3	1973.80	53.36	34.97	-18.39	74.00	39.03	150	163	PK	Horizontal	PASS
4	3093.40	53.45	39.33	-14.12	74.00	34.67	150	123	PK	Horizontal	PASS
5	4126.60	54.24	46.18	-8.06	74.00	27.82	150	259	PK	Horizontal	PASS
6	5849.20	55.37	50.19	-5.18	74.00	23.81	150	272	PK	Horizontal	PASS
7	1068.40	55.63	31.65	-23.98	54.00	22.35	150	183	AV	Horizontal	PASS
8	1181.80	55.72	32.20	-23.52	54.00	21.80	150	163	AV	Horizontal	PASS
9	1961.20	43.34	24.84	-18.50	54.00	29.16	150	104	AV	Horizontal	PASS
10	3181.60	43.48	29.79	-13.69	54.00	24.21	150	131	AV	Horizontal	PASS
11	4076.20	44.68	36.48	-8.20	54.00	17.52	150	272	AV	Horizontal	PASS
12	5885.20	45.39	40.29	-5.10	54.00	13.71	150	163	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1073.80	62.64	39.75	-22.89	74.00	34.25	150	62	PK	Vertical	PASS
2	1180.00	64.27	41.73	-22.54	74.00	32.27	150	245	PK	Vertical	PASS
3	1972.00	58.42	40.43	-17.99	74.00	33.57	150	107	PK	Vertical	PASS
4	3563.20	55.98	44.89	-11.09	74.00	29.11	150	299	PK	Vertical	PASS
5	4666.60	54.42	46.98	-7.44	74.00	27.02	150	82	PK	Vertical	PASS
6	5831.20	55.43	50.15	-5.28	74.00	23.85	150	334	PK	Vertical	PASS
7	1073.80	54.50	31.61	-22.89	54.00	22.39	150	62	AV	Vertical	PASS
8	1185.40	54.02	31.50	-22.52	54.00	22.50	150	343	AV	Vertical	PASS
9	1979.20	46.96	29.03	-17.93	54.00	24.97	150	101	AV	Vertical	PASS
10	3548.80	44.97	33.78	-11.19	54.00	20.22	150	82	AV	Vertical	PASS
11	4904.20	47.22	40.12	-7.10	54.00	13.88	150	195	AV	Vertical	PASS
12	5888.80	45.69	40.52	-5.17	54.00	13.48	150	306	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE40-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	03	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1102.60	63.12	39.29	-23.83	74.00	34.71	150	183	PK	Horizontal	PASS
2	1183.60	64.20	40.68	-23.52	74.00	33.32	150	183	PK	Horizontal	PASS
3	1972.00	56.70	38.29	-18.41	74.00	35.71	150	118	PK	Horizontal	PASS
4	3316.60	52.99	39.93	-13.06	74.00	34.07	150	54	PK	Horizontal	PASS
5	4321.00	53.22	45.63	-7.59	74.00	28.37	150	201	PK	Horizontal	PASS
6	5838.40	53.87	48.67	-5.20	74.00	25.33	150	88	PK	Horizontal	PASS
7	1075.60	54.99	31.05	-23.94	54.00	22.95	150	168	AV	Horizontal	PASS
8	1183.60	52.98	29.46	-23.52	54.00	24.54	150	243	AV	Horizontal	PASS
9	1972.00	46.01	27.60	-18.41	54.00	26.40	150	126	AV	Horizontal	PASS
10	3431.80	43.59	30.94	-12.65	54.00	23.06	150	349	AV	Horizontal	PASS
11	4218.40	44.62	36.70	-7.92	54.00	17.30	150	154	AV	Horizontal	PASS
12	5973.40	45.59	40.64	-4.95	54.00	13.36	150	94	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1102.60	62.81	40.02	-22.79	74.00	33.98	150	221	PK	Vertical	PASS
2	1183.60	64.75	42.22	-22.53	74.00	31.78	150	82	PK	Vertical	PASS
3	1972.00	56.64	38.65	-17.99	74.00	35.35	150	95	PK	Vertical	PASS
4	3556.00	54.64	43.51	-11.13	74.00	30.49	150	295	PK	Vertical	PASS
5	4843.00	55.15	47.91	-7.24	74.00	26.09	150	200	PK	Vertical	PASS
6	5669.20	54.49	48.77	-5.72	74.00	25.23	150	180	PK	Vertical	PASS
7	1066.60	53.36	30.44	-22.92	54.00	23.56	150	58	AV	Vertical	PASS
8	1181.80	53.84	31.31	-22.53	54.00	22.69	150	22	AV	Vertical	PASS
9	1993.60	45.16	27.35	-17.81	54.00	26.65	150	95	AV	Vertical	PASS
10	3559.60	45.11	33.99	-11.12	54.00	20.01	150	117	AV	Vertical	PASS
11	4844.80	45.06	37.82	-7.24	54.00	16.18	150	152	AV	Vertical	PASS
12	5761.00	44.80	39.33	-5.47	54.00	14.67	150	22	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE40-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1070.20	64.04	40.07	-23.97	74.00	33.93	150	152	PK	Horizontal	PASS
2	1185.40	65.81	42.30	-23.51	74.00	31.70	150	164	PK	Horizontal	PASS
3	1781.20	58.27	38.63	-19.64	74.00	35.37	150	132	PK	Horizontal	PASS
4	3421.00	53.81	41.12	-12.69	74.00	32.88	150	31	PK	Horizontal	PASS
5	4490.20	53.99	46.69	-7.30	74.00	27.31	150	327	PK	Horizontal	PASS
6	5824.00	54.33	49.10	-5.23	74.00	24.90	150	6	PK	Horizontal	PASS
7	1064.80	55.13	31.14	-23.99	54.00	22.86	150	185	AV	Horizontal	PASS
8	1185.40	56.22	32.71	-23.51	54.00	21.29	150	164	AV	Horizontal	PASS
9	1801.00	44.02	24.55	-19.47	54.00	29.45	150	0	AV	Horizontal	PASS
10	3529.00	43.66	31.54	-12.12	54.00	22.46	150	44	AV	Horizontal	PASS
11	4448.80	44.05	36.66	-7.39	54.00	17.34	150	31	AV	Horizontal	PASS
12	5881.60	45.06	39.96	-5.10	54.00	14.04	150	137	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1185.40	67.25	44.73	-22.52	74.00	29.27	150	260	PK	Vertical	PASS
2	1977.40	62.18	44.24	-17.94	74.00	29.76	150	112	PK	Vertical	PASS
3	2517.40	71.49	55.46	-16.03	74.00	18.54	150	141	PK	Vertical	PASS
4	2612.80	66.00	50.33	-15.67	74.00	23.67	150	294	PK	Vertical	PASS
5	4321.00	54.45	46.78	-7.67	74.00	27.22	150	91	PK	Vertical	PASS
6	5521.60	55.22	49.31	-5.91	74.00	24.69	150	155	PK	Vertical	PASS
7	1185.40	53.67	31.15	-22.52	54.00	22.85	150	360	AV	Vertical	PASS
8	1979.20	46.41	28.48	-17.93	54.00	25.52	150	91	AV	Vertical	PASS
9	2517.40	65.95	49.92	-16.03	54.00	4.08	150	141	AV	Vertical	PASS
10	2612.80	56.49	40.82	-15.67	54.00	13.18	150	287	AV	Vertical	PASS
11	4312.00	44.88	37.21	-7.67	54.00	16.79	150	344	AV	Vertical	PASS
12	5485.60	44.17	38.22	-5.95	54.00	15.78	150	28	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE40-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	09	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1075.60	65.11	41.17	-23.94	74.00	32.83	150	188	PK	Horizontal	PASS
2	1181.80	67.33	43.81	-23.52	74.00	30.19	150	149	PK	Horizontal	PASS
3	1975.60	58.40	40.02	-18.38	74.00	33.98	150	105	PK	Horizontal	PASS
4	3554.20	53.39	41.50	-11.89	74.00	32.50	150	162	PK	Horizontal	PASS
5	4459.60	53.46	46.09	-7.37	74.00	27.91	150	252	PK	Horizontal	PASS
6	5372.20	53.74	47.71	-6.03	74.00	26.29	150	162	PK	Horizontal	PASS
7	1070.20	55.93	31.96	-23.97	54.00	22.04	150	188	AV	Horizontal	PASS
8	1183.60	53.80	30.28	-23.52	54.00	23.72	150	170	AV	Horizontal	PASS
9	1972.00	46.62	28.21	-18.41	54.00	25.79	150	111	AV	Horizontal	PASS
10	3631.60	44.02	32.66	-11.36	54.00	21.34	150	252	AV	Horizontal	PASS
11	4324.60	44.28	36.69	-7.59	54.00	17.31	150	349	AV	Horizontal	PASS
12	5388.40	43.87	37.88	-5.99	54.00	16.12	150	111	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level



Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1055.80	61.80	38.84	-22.96	74.00	35.16	150	27	PK	Vertical	PASS
2	1183.60	63.78	41.25	-22.53	74.00	32.75	150	27	PK	Vertical	PASS
3	2612.80	65.11	49.44	-15.67	74.00	24.56	150	350	PK	Vertical	PASS
4	3556.00	60.53	49.40	-11.13	74.00	24.60	150	114	PK	Vertical	PASS
5	4904.20	54.84	47.74	-7.10	74.00	26.26	150	134	PK	Vertical	PASS
6	5766.40	54.53	49.08	-5.45	74.00	24.92	150	82	PK	Vertical	PASS
7	1070.20	52.50	29.59	-22.91	54.00	24.41	150	51	AV	Vertical	PASS
8	1183.60	53.35	30.82	-22.53	54.00	23.18	150	350	AV	Vertical	PASS
9	2612.80	53.23	37.56	-15.67	54.00	16.44	150	350	AV	Vertical	PASS
10	3556.00	48.02	36.89	-11.13	54.00	17.11	150	114	AV	Vertical	PASS
11	4904.20	47.63	40.53	-7.10	54.00	13.47	150	198	AV	Vertical	PASS
12	5800.60	44.81	39.47	-5.34	54.00	14.53	150	107	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level

6GHz-18GHz

Test Mode:	802.11b-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	01	Test Engineer:	Stone Zhang




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6184.50	46.41	42.09	-4.32	74.00	31.91	150	303	PK	Horizontal	PASS
2	8152.50	49.10	47.85	-1.25	74.00	26.15	150	126	PK	Horizontal	PASS
3	9220.50	44.67	43.50	-1.17	74.00	30.50	150	157	PK	Horizontal	PASS
4	12439.50	42.21	44.56	2.35	74.00	29.44	150	264	PK	Horizontal	PASS
5	16002.00	40.39	50.14	9.75	74.00	23.86	150	142	PK	Horizontal	PASS
6	17931.00	38.16	52.38	14.22	74.00	21.62	150	66	PK	Horizontal	PASS
7	6325.50	38.37	34.01	-4.36	54.00	19.99	150	353	AV	Horizontal	PASS
8	8152.50	43.36	42.11	-1.25	54.00	11.89	150	123	AV	Horizontal	PASS
9	9418.50	35.02	34.43	-0.59	54.00	19.57	150	184	AV	Horizontal	PASS
10	12555.00	34.31	36.65	2.34	54.00	17.35	150	54	AV	Horizontal	PASS
11	15921.00	32.26	42.04	9.78	54.00	11.96	150	360	AV	Horizontal	PASS
12	17589.00	31.02	44.90	13.88	54.00	9.10	150	138	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	8152.50	54.56	53.31	-1.25	74.00	20.69	150	122	PK	Vertical	PASS
2	8287.50	46.76	45.56	-1.20	74.00	28.44	150	65	PK	Vertical	PASS
3	9648.00	44.90	44.35	-0.55	74.00	29.65	150	72	PK	Vertical	PASS
4	13200.00	41.89	44.86	2.97	74.00	29.14	150	11	PK	Vertical	PASS
5	15943.50	40.71	50.00	9.29	74.00	24.00	150	338	PK	Vertical	PASS
6	17617.50	38.51	52.90	14.39	74.00	21.10	150	1	PK	Vertical	PASS
7	8152.50	49.00	47.75	-1.25	54.00	6.25	150	115	AV	Vertical	PASS
8	8287.50	41.03	39.83	-1.20	54.00	14.17	150	65	AV	Vertical	PASS
9	9648.00	37.53	36.98	-0.55	54.00	17.02	150	72	AV	Vertical	PASS
10	13188.00	33.18	36.09	2.91	54.00	17.91	150	49	AV	Vertical	PASS
11	15960.00	32.06	41.34	9.28	54.00	12.66	150	330	AV	Vertical	PASS
12	17647.50	30.11	44.33	14.22	54.00	9.67	150	142	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level