





Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6250.50	45.44	41.33	-4.11	74.00	32.67	150	0	PK	Vertical	PASS
2	8152.50	52.23	50.98	-1.25	74.00	23.02	150	118	PK	Vertical	PASS
3	10360.50	42.67	43.16	0.49	74.00	30.84	150	210	PK	Vertical	PASS
4	12463.50	41.46	43.94	2.48	74.00	30.06	150	203	PK	Vertical	PASS
5	15894.00	39.65	48.84	9.19	74.00	25.16	150	229	PK	Vertical	PASS
6	17602.50	38.02	52.51	14.49	74.00	21.49	150	248	PK	Vertical	PASS
7	6186.00	37.19	32.92	-4.27	54.00	21.08	150	84	AV	Vertical	PASS
8	8152.50	46.39	45.14	-1.25	54.00	8.86	150	118	AV	Vertical	PASS
9	10477.50	32.92	33.95	1.03	54.00	20.05	150	180	AV	Vertical	PASS
10	12406.50	33.15	35.53	2.38	54.00	18.47	150	225	AV	Vertical	PASS
11	15930.00	31.40	40.69	9.29	54.00	13.31	150	60	AV	Vertical	PASS
12	17613.00	29.61	44.03	14.42	54.00	9.97	150	140	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6216.00	46.33	42.04	-4.29	74.00	31.96	150	21	PK	Horizontal	PASS
2	8152.50	48.58	47.33	-1.25	74.00	26.67	150	126	PK	Horizontal	PASS
3	10273.50	43.25	43.27	0.02	74.00	30.73	150	160	PK	Horizontal	PASS
4	13258.50	42.67	45.65	2.98	74.00	28.35	150	278	PK	Horizontal	PASS
5	15985.50	40.35	50.13	9.78	74.00	23.87	150	27	PK	Horizontal	PASS
6	17625.00	38.62	52.45	13.83	74.00	21.55	150	222	PK	Horizontal	PASS
7	6217.50	38.13	33.84	-4.29	54.00	20.16	150	360	AV	Horizontal	PASS
8	8152.50	42.57	41.32	-1.25	54.00	12.68	150	118	AV	Horizontal	PASS
9	10197.00	34.71	34.66	-0.05	54.00	19.34	150	338	AV	Horizontal	PASS
10	13266.00	34.35	37.26	2.91	54.00	16.74	150	291	AV	Horizontal	PASS
11	15942.00	32.15	41.93	9.78	54.00	12.07	150	84	AV	Horizontal	PASS
12	17617.50	30.54	44.41	13.87	54.00	9.59	150	126	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6157.50	46.16	41.88	-4.28	74.00	32.12	150	129	PK	Vertical	PASS
2	8152.50	56.05	54.80	-1.25	74.00	19.20	150	129	PK	Vertical	PASS
3	9648.00	45.10	44.55	-0.55	74.00	29.45	150	266	PK	Vertical	PASS
4	14410.50	41.95	47.46	5.51	74.00	26.54	150	54	PK	Vertical	PASS
5	16506.00	40.78	50.09	9.31	74.00	23.91	150	348	PK	Vertical	PASS
6	17617.50	39.50	53.89	14.39	74.00	20.11	150	254	PK	Vertical	PASS
7	6231.00	37.90	33.72	-4.18	54.00	20.28	150	142	AV	Vertical	PASS
8	8152.50	50.56	49.31	-1.25	54.00	4.69	150	129	AV	Vertical	PASS
9	9648.00	38.37	37.82	-0.55	54.00	16.18	150	81	AV	Vertical	PASS
10	14389.50	34.05	39.63	5.58	54.00	14.37	150	348	AV	Vertical	PASS
11	16402.50	32.58	42.29	9.71	54.00	11.71	150	81	AV	Vertical	PASS
12	17592.00	30.41	44.83	14.42	54.00	9.17	150	245	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6417.00	47.30	42.14	-5.16	74.00	31.86	150	131	PK	Horizontal	PASS
2	8152.50	48.34	47.09	-1.25	74.00	26.91	150	117	PK	Horizontal	PASS
3	10048.50	43.49	43.46	-0.03	74.00	30.54	150	281	PK	Horizontal	PASS
4	13192.50	42.01	45.41	3.40	74.00	28.59	150	224	PK	Horizontal	PASS
5	15984.00	40.58	50.36	9.78	74.00	23.64	150	62	PK	Horizontal	PASS
6	17527.50	39.08	52.38	13.30	74.00	21.62	150	267	PK	Horizontal	PASS
7	6135.00	38.16	33.86	-4.30	54.00	20.14	150	309	AV	Horizontal	PASS
8	8152.50	42.54	41.29	-1.25	54.00	12.71	150	124	AV	Horizontal	PASS
9	10068.00	35.37	35.33	-0.04	54.00	18.67	150	324	AV	Horizontal	PASS
10	13126.50	33.96	36.99	3.03	54.00	17.01	150	348	AV	Horizontal	PASS
11	15945.00	31.99	41.77	9.78	54.00	12.23	150	301	AV	Horizontal	PASS
12	17890.50	29.87	44.24	14.37	54.00	9.76	150	360	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6240.00	46.70	42.55	-4.15	74.00	31.45	150	266	PK	Vertical	PASS
2	8152.50	56.17	54.92	-1.25	74.00	19.08	150	127	PK	Vertical	PASS
3	10722.00	43.32	44.02	0.70	74.00	29.98	150	168	PK	Vertical	PASS
4	13224.00	43.10	45.87	2.77	74.00	28.13	150	111	PK	Vertical	PASS
5	15126.00	43.39	49.12	5.73	74.00	24.88	150	13	PK	Vertical	PASS
6	17583.00	38.73	53.07	14.34	74.00	20.93	150	281	PK	Vertical	PASS
7	6157.50	38.39	34.11	-4.28	54.00	19.89	150	194	AV	Vertical	PASS
8	8152.50	50.42	49.17	-1.25	54.00	4.83	150	118	AV	Vertical	PASS
9	10687.50	34.71	35.44	0.73	54.00	18.56	150	295	AV	Vertical	PASS
10	13183.50	34.01	36.89	2.88	54.00	17.11	150	228	AV	Vertical	PASS
11	15312.00	32.88	39.91	7.03	54.00	14.09	150	105	AV	Vertical	PASS
12	17901.00	30.09	45.08	14.99	54.00	8.92	150	118	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6106.50	46.68	42.40	-4.28	74.00	31.60	150	47	PK	Horizontal	PASS
2	8152.50	48.40	47.15	-1.25	74.00	26.85	150	130	PK	Horizontal	PASS
3	10285.50	43.21	43.25	0.04	74.00	30.75	150	11	PK	Horizontal	PASS
4	12378.00	43.39	45.52	2.13	74.00	28.48	150	92	PK	Horizontal	PASS
5	15918.00	41.05	50.83	9.78	74.00	23.17	150	137	PK	Horizontal	PASS
6	17655.00	38.70	52.34	13.64	74.00	21.66	150	92	PK	Horizontal	PASS
7	6222.00	38.16	33.88	-4.28	54.00	20.12	150	360	AV	Horizontal	PASS
8	8152.50	42.48	41.23	-1.25	54.00	12.77	150	130	AV	Horizontal	PASS
9	10309.50	35.14	35.20	0.06	54.00	18.80	150	353	AV	Horizontal	PASS
10	12495.00	34.43	36.87	2.44	54.00	17.13	150	150	AV	Horizontal	PASS
11	15949.50	32.26	42.04	9.78	54.00	11.96	150	297	AV	Horizontal	PASS
12	17638.50	30.30	44.04	13.74	54.00	9.96	150	322	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6435.00	46.79	41.85	-4.94	74.00	32.15	150	0	PK	Vertical	PASS
2	8152.50	56.50	55.25	-1.25	74.00	18.75	150	131	PK	Vertical	PASS
3	9648.00	45.50	44.95	-0.55	74.00	29.05	150	81	PK	Vertical	PASS
4	12229.50	43.80	45.56	1.76	74.00	28.44	150	146	PK	Vertical	PASS
5	14371.50	43.09	48.62	5.53	74.00	25.38	150	131	PK	Vertical	PASS
6	17680.50	38.90	52.92	14.02	74.00	21.08	150	243	PK	Vertical	PASS
7	6312.00	37.41	33.34	-4.07	54.00	20.66	150	302	AV	Vertical	PASS
8	8152.50	50.69	49.44	-1.25	54.00	4.56	150	131	AV	Vertical	PASS
9	9648.00	39.36	38.81	-0.55	54.00	15.19	150	81	AV	Vertical	PASS
10	12229.50	35.32	37.08	1.76	54.00	16.92	150	146	AV	Vertical	PASS
11	14430.00	33.43	38.75	5.32	54.00	15.25	150	72	AV	Vertical	PASS
12	17673.00	31.15	45.22	14.07	54.00	8.78	150	26	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	03	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6138.00	46.72	42.42	-4.30	74.00	31.58	150	269	PK	Horizontal	PASS
2	8152.50	47.18	45.93	-1.25	74.00	28.07	150	124	PK	Horizontal	PASS
3	9793.50	43.59	43.29	-0.30	74.00	30.71	150	330	PK	Horizontal	PASS
4	12522.00	42.54	44.94	2.40	74.00	29.06	150	0	PK	Horizontal	PASS
5	15283.50	41.63	48.64	7.01	74.00	25.36	150	269	PK	Horizontal	PASS
6	17478.00	38.96	51.92	12.96	74.00	22.08	150	334	PK	Horizontal	PASS
7	6127.50	38.25	33.96	-4.29	54.00	20.04	150	29	AV	Horizontal	PASS
8	8152.50	40.49	39.24	-1.25	54.00	14.76	150	129	AV	Horizontal	PASS
9	10015.50	34.65	34.63	-0.02	54.00	19.37	150	129	AV	Horizontal	PASS
10	12549.00	33.67	36.02	2.35	54.00	17.98	150	79	AV	Horizontal	PASS
11	15336.00	32.58	39.72	7.14	54.00	14.28	150	253	AV	Horizontal	PASS
12	17652.00	29.80	43.46	13.66	54.00	10.54	150	238	AV	Horizontal	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6319.50	45.88	41.74	-4.14	74.00	32.26	150	150	PK	Vertical	PASS
2	8152.50	54.35	53.10	-1.25	74.00	20.90	150	136	PK	Vertical	PASS
3	10063.50	43.01	43.45	0.44	74.00	30.55	150	212	PK	Vertical	PASS
4	13698.00	41.62	44.88	3.26	74.00	29.12	150	237	PK	Vertical	PASS
5	15784.50	42.50	49.77	7.27	74.00	24.23	150	136	PK	Vertical	PASS
6	17788.50	39.10	53.49	14.39	74.00	20.51	150	330	PK	Vertical	PASS
7	6310.50	38.07	34.01	-4.06	54.00	19.99	150	357	AV	Vertical	PASS
8	8152.50	48.84	47.59	-1.25	54.00	6.41	150	125	AV	Vertical	PASS
9	10093.50	35.12	35.54	0.42	54.00	18.46	150	360	AV	Vertical	PASS
10	13735.50	33.19	36.54	3.35	54.00	17.46	150	33	AV	Vertical	PASS
11	15886.50	32.18	41.23	9.05	54.00	12.77	150	125	AV	Vertical	PASS
12	17934.00	29.69	44.48	14.79	54.00	9.52	150	23	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6112.50	46.26	41.97	-4.29	74.00	32.03	150	267	PK	Horizontal	PASS
2	8152.50	46.38	45.13	-1.25	74.00	28.87	150	128	PK	Horizontal	PASS
3	10495.50	42.47	43.31	0.84	74.00	30.69	150	255	PK	Horizontal	PASS
4	12528.00	42.86	45.26	2.40	74.00	28.74	150	189	PK	Horizontal	PASS
5	15943.50	40.89	50.67	9.78	74.00	23.33	150	128	PK	Horizontal	PASS
6	17631.00	38.87	52.66	13.79	74.00	21.34	150	321	PK	Horizontal	PASS
7	6147.00	38.12	33.82	-4.30	54.00	20.18	150	261	AV	Horizontal	PASS
8	8152.50	40.32	39.07	-1.25	54.00	14.93	150	133	AV	Horizontal	PASS
9	10510.50	33.71	34.56	0.85	54.00	19.44	150	72	AV	Horizontal	PASS
10	12592.50	33.69	35.95	2.26	54.00	18.05	150	17	AV	Horizontal	PASS
11	15925.50	31.94	41.72	9.78	54.00	12.28	150	307	AV	Horizontal	PASS
12	17565.00	29.98	43.63	13.65	54.00	10.37	150	360	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6213.00	46.10	41.87	-4.23	74.00	32.13	150	193	PK	Vertical	PASS
2	8152.50	54.34	53.09	-1.25	74.00	20.91	150	132	PK	Vertical	PASS
3	10897.50	43.14	44.23	1.09	74.00	29.77	150	107	PK	Vertical	PASS
4	14410.50	40.85	46.36	5.51	74.00	27.64	150	227	PK	Vertical	PASS
5	16396.50	40.27	49.97	9.70	74.00	24.03	150	286	PK	Vertical	PASS
6	17923.50	38.45	53.31	14.86	74.00	20.69	150	107	PK	Vertical	PASS
7	6207.00	37.46	33.22	-4.24	54.00	20.78	150	355	AV	Vertical	PASS
8	8152.50	48.73	47.48	-1.25	54.00	6.52	150	132	AV	Vertical	PASS
9	10915.50	33.88	35.03	1.15	54.00	18.97	150	168	AV	Vertical	PASS
10	14358.00	32.38	37.87	5.49	54.00	16.13	150	253	AV	Vertical	PASS
11	16419.00	32.09	41.74	9.65	54.00	12.26	150	253	AV	Vertical	PASS
12	17958.00	30.38	45.02	14.64	54.00	8.98	150	21	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	09	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6153.00	46.39	42.08	-4.31	74.00	31.92	150	315	PK	Horizontal	PASS
2	8152.50	47.89	46.64	-1.25	74.00	27.36	150	127	PK	Horizontal	PASS
3	10297.50	43.31	43.36	0.05	74.00	30.64	150	230	PK	Horizontal	PASS
4	13219.50	41.68	44.98	3.30	74.00	29.02	150	6	PK	Horizontal	PASS
5	15981.00	41.70	51.48	9.78	74.00	22.52	150	52	PK	Horizontal	PASS
6	17914.50	38.27	52.60	14.33	74.00	21.40	150	359	PK	Horizontal	PASS
7	6114.00	38.08	33.79	-4.29	54.00	20.21	150	62	AV	Horizontal	PASS
8	8152.50	41.00	39.75	-1.25	54.00	14.25	150	131	AV	Horizontal	PASS
9	10297.50	34.02	34.07	0.05	54.00	19.93	150	219	AV	Horizontal	PASS
10	13281.00	33.64	36.43	2.79	54.00	17.57	150	305	AV	Horizontal	PASS
11	16002.00	32.35	42.10	9.75	54.00	11.90	150	116	AV	Horizontal	PASS
12	17784.00	30.24	44.05	13.81	54.00	9.95	150	158	AV	Horizontal	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6130.50	46.21	41.91	-4.30	74.00	32.09	150	104	PK	Vertical	PASS
2	8152.50	54.68	53.43	-1.25	74.00	20.57	150	129	PK	Vertical	PASS
3	10498.50	42.87	44.03	1.16	74.00	29.97	150	284	PK	Vertical	PASS
4	13735.50	41.58	44.93	3.35	74.00	29.07	150	233	PK	Vertical	PASS
5	15964.50	40.45	49.73	9.28	74.00	24.27	150	360	PK	Vertical	PASS
6	17785.50	38.83	53.22	14.39	74.00	20.78	150	109	PK	Vertical	PASS
7	6111.00	37.80	33.50	-4.30	54.00	20.50	150	150	AV	Vertical	PASS
8	8152.50	49.22	47.97	-1.25	54.00	6.03	150	135	AV	Vertical	PASS
9	10498.50	33.71	34.87	1.16	54.00	19.13	150	350	AV	Vertical	PASS
10	13816.50	33.34	36.94	3.60	54.00	17.06	150	174	AV	Vertical	PASS
11	15970.50	32.36	41.65	9.29	54.00	12.35	150	251	AV	Vertical	PASS
12	17644.50	30.30	44.54	14.24	54.00	9.46	150	10	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	03	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6316.50	46.16	41.89	-4.27	74.00	32.11	150	85	PK	Horizontal	PASS
2	8152.50	46.60	45.35	-1.25	74.00	28.65	150	119	PK	Horizontal	PASS
3	10515.00	42.17	43.02	0.85	74.00	30.98	150	134	PK	Horizontal	PASS
4	13237.50	41.60	44.75	3.15	74.00	29.25	150	104	PK	Horizontal	PASS
5	15976.50	40.50	50.28	9.78	74.00	23.72	150	23	PK	Horizontal	PASS
6	17572.50	38.39	52.11	13.72	74.00	21.89	150	79	PK	Horizontal	PASS
7	6273.00	37.33	33.17	-4.16	54.00	20.83	150	53	AV	Horizontal	PASS
8	8152.50	40.57	39.32	-1.25	54.00	14.68	150	129	AV	Horizontal	PASS
9	10509.00	33.91	34.76	0.85	54.00	19.24	150	235	AV	Horizontal	PASS
10	13201.50	33.39	36.83	3.44	54.00	17.17	150	0	AV	Horizontal	PASS
11	16014.00	32.25	41.81	9.56	54.00	12.19	150	360	AV	Horizontal	PASS
12	17590.50	30.12	44.01	13.89	54.00	9.99	150	350	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6154.50	47.10	42.81	-4.29	74.00	31.19	150	172	PK	Vertical	PASS
2	8152.50	54.74	53.49	-1.25	74.00	20.51	150	132	PK	Vertical	PASS
3	10045.50	43.31	43.76	0.45	74.00	30.24	150	343	PK	Vertical	PASS
4	12370.50	42.08	44.23	2.15	74.00	29.77	150	88	PK	Vertical	PASS
5	15415.50	41.52	48.19	6.67	74.00	25.81	150	118	PK	Vertical	PASS
6	17610.00	38.37	52.81	14.44	74.00	21.19	150	186	PK	Vertical	PASS
7	6244.50	38.00	33.87	-4.13	54.00	20.13	150	360	AV	Vertical	PASS
8	8152.50	49.28	48.03	-1.25	54.00	5.97	150	128	AV	Vertical	PASS
9	10039.50	34.34	34.79	0.45	54.00	19.21	150	73	AV	Vertical	PASS
10	12468.00	33.50	35.99	2.49	54.00	18.01	150	0	AV	Vertical	PASS
11	15316.50	32.69	39.69	7.00	54.00	14.31	150	73	AV	Vertical	PASS
12	17625.00	30.16	44.51	14.35	54.00	9.49	150	197	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6262.50	46.14	41.95	-4.19	74.00	32.05	150	224	PK	Horizontal	PASS
2	8152.50	46.76	45.51	-1.25	74.00	28.49	150	131	PK	Horizontal	PASS
3	10525.50	42.38	43.22	0.84	74.00	30.78	150	278	PK	Horizontal	PASS
4	13212.00	42.26	45.61	3.35	74.00	28.39	150	273	PK	Horizontal	PASS
5	15972.00	40.61	50.39	9.78	74.00	23.61	150	68	PK	Horizontal	PASS
6	17619.00	38.16	52.02	13.86	74.00	21.98	150	278	PK	Horizontal	PASS
7	6268.50	37.47	33.30	-4.17	54.00	20.70	150	73	AV	Horizontal	PASS
8	8152.50	40.33	39.08	-1.25	54.00	14.92	150	131	AV	Horizontal	PASS
9	10492.50	34.10	34.92	0.82	54.00	19.08	150	321	AV	Horizontal	PASS
10	13201.50	32.80	36.24	3.44	54.00	17.76	150	244	AV	Horizontal	PASS
11	15985.50	32.89	42.67	9.78	54.00	11.33	150	68	AV	Horizontal	PASS
12	17868.00	30.25	44.50	14.25	54.00	9.50	150	165	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6322.50	45.81	41.64	-4.17	74.00	32.36	150	73	PK	Vertical	PASS
2	8152.50	55.23	53.98	-1.25	74.00	20.02	150	132	PK	Vertical	PASS
3	10864.50	42.77	43.74	0.97	74.00	30.26	150	95	PK	Vertical	PASS
4	14442.00	42.10	47.30	5.20	74.00	26.70	150	29	PK	Vertical	PASS
5	15936.00	41.24	50.54	9.30	74.00	23.46	150	177	PK	Vertical	PASS
6	17625.00	39.27	53.62	14.35	74.00	20.38	150	206	PK	Vertical	PASS
7	6210.00	38.30	34.06	-4.24	54.00	19.94	150	38	AV	Vertical	PASS
8	8152.50	49.60	48.35	-1.25	54.00	5.65	150	132	AV	Vertical	PASS
9	10938.00	34.13	35.35	1.22	54.00	18.65	150	221	AV	Vertical	PASS
10	14353.50	32.85	38.32	5.47	54.00	15.68	150	128	AV	Vertical	PASS
11	15976.50	32.20	41.48	9.28	54.00	12.52	150	212	AV	Vertical	PASS
12	17584.50	29.62	43.97	14.35	54.00	10.03	150	226	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	09	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6063.00	47.45	42.94	-4.51	74.00	31.06	150	130	PK	Horizontal	PASS
2	8152.50	46.68	45.43	-1.25	74.00	28.57	150	130	PK	Horizontal	PASS
3	10521.00	42.51	43.35	0.84	74.00	30.65	150	97	PK	Horizontal	PASS
4	13581.00	41.87	45.00	3.13	74.00	29.00	150	219	PK	Horizontal	PASS
5	15943.50	40.63	50.41	9.78	74.00	23.59	150	82	PK	Horizontal	PASS
6	17577.00	39.03	52.79	13.76	74.00	21.21	150	54	PK	Horizontal	PASS
7	6153.00	37.78	33.47	-4.31	54.00	20.53	150	0	AV	Horizontal	PASS
8	8152.50	40.51	39.26	-1.25	54.00	14.74	150	137	AV	Horizontal	PASS
9	10497.00	33.68	34.53	0.85	54.00	19.47	150	0	AV	Horizontal	PASS
10	13729.50	33.37	36.57	3.20	54.00	17.43	150	30	AV	Horizontal	PASS
11	15942.00	31.74	41.52	9.78	54.00	12.48	150	259	AV	Horizontal	PASS
12	17635.50	30.12	43.89	13.77	54.00	10.11	150	321	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7498.50	46.11	43.09	-3.02	74.00	30.91	150	109	PK	Vertical	PASS
2	8152.50	55.14	53.89	-1.25	74.00	20.11	150	138	PK	Vertical	PASS
3	9808.50	44.28	44.34	0.06	74.00	29.66	150	91	PK	Vertical	PASS
4	13216.50	41.83	44.66	2.83	74.00	29.34	150	202	PK	Vertical	PASS
5	15999.00	40.74	50.02	9.28	74.00	23.98	150	138	PK	Vertical	PASS
6	17569.50	38.54	52.75	14.21	74.00	21.25	150	182	PK	Vertical	PASS
7	7413.00	36.08	33.31	-2.77	54.00	20.69	150	91	AV	Vertical	PASS
8	8152.50	49.33	48.08	-1.25	54.00	5.92	150	134	AV	Vertical	PASS
9	9808.50	35.93	35.99	0.06	54.00	18.01	150	81	AV	Vertical	PASS
10	13231.50	33.50	36.20	2.70	54.00	17.80	150	212	AV	Vertical	PASS
11	15982.50	31.71	41.00	9.29	54.00	13.00	150	153	AV	Vertical	PASS
12	17632.50	30.05	44.36	14.31	54.00	9.64	150	57	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	03	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6081.00	47.17	42.77	-4.40	74.00	31.23	150	32	PK	Horizontal	PASS
2	8152.50	47.84	46.59	-1.25	74.00	27.41	150	122	PK	Horizontal	PASS
3	9796.50	43.80	43.53	-0.27	74.00	30.47	150	204	PK	Horizontal	PASS
4	11605.50	43.42	44.87	1.45	74.00	29.13	150	252	PK	Horizontal	PASS
5	15336.00	41.91	49.05	7.14	74.00	24.95	150	359	PK	Horizontal	PASS
6	17589.00	38.85	52.73	13.88	74.00	21.27	150	0	PK	Horizontal	PASS
7	6132.00	38.25	33.95	-4.30	54.00	20.05	150	360	AV	Horizontal	PASS
8	8152.50	41.47	40.22	-1.25	54.00	13.78	150	122	AV	Horizontal	PASS
9	10042.50	34.66	34.62	-0.04	54.00	19.38	150	14	AV	Horizontal	PASS
10	11590.50	33.97	35.27	1.30	54.00	18.73	150	360	AV	Horizontal	PASS
11	15511.50	32.37	39.89	7.52	54.00	14.11	150	232	AV	Horizontal	PASS
12	17610.00	30.48	44.40	13.92	54.00	9.60	150	183	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6097.50	46.59	42.27	-4.32	74.00	31.73	150	54	PK	Vertical	PASS
2	8152.50	55.52	54.27	-1.25	74.00	19.73	150	131	PK	Vertical	PASS
3	9687.00	45.32	44.42	-0.90	74.00	29.58	150	81	PK	Vertical	PASS
4	12598.50	42.64	44.89	2.25	74.00	29.11	150	60	PK	Vertical	PASS
5	14812.50	42.53	48.08	5.55	74.00	25.92	150	146	PK	Vertical	PASS
6	17626.50	39.71	54.05	14.34	74.00	19.95	150	196	PK	Vertical	PASS
7	6127.50	37.92	33.63	-4.29	54.00	20.37	150	54	AV	Vertical	PASS
8	8152.50	50.00	48.75	-1.25	54.00	5.25	150	131	AV	Vertical	PASS
9	9687.00	37.13	36.23	-0.90	54.00	17.77	150	81	AV	Vertical	PASS
10	12441.00	33.91	36.36	2.45	54.00	17.64	150	230	AV	Vertical	PASS
11	14751.00	33.93	39.54	5.61	54.00	14.46	150	257	AV	Vertical	PASS
12	17610.00	30.02	44.46	14.44	54.00	9.54	150	54	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6052.50	47.98	43.40	-4.58	74.00	30.60	150	266	PK	Horizontal	PASS
2	8152.50	48.53	47.28	-1.25	74.00	26.72	150	135	PK	Horizontal	PASS
3	9483.00	44.90	44.82	-0.08	74.00	29.18	150	168	PK	Horizontal	PASS
4	13204.50	42.08	45.49	3.41	74.00	28.51	150	20	PK	Horizontal	PASS
5	15991.50	40.27	50.05	9.78	74.00	23.95	150	318	PK	Horizontal	PASS
6	17899.50	38.45	52.87	14.42	74.00	21.13	150	5	PK	Horizontal	PASS
7	6160.50	37.86	33.55	-4.31	54.00	20.45	150	174	AV	Horizontal	PASS
8	8152.50	42.11	40.86	-1.25	54.00	13.14	150	129	AV	Horizontal	PASS
9	9457.50	35.27	34.99	-0.28	54.00	19.01	150	318	AV	Horizontal	PASS
10	13194.00	33.50	36.92	3.42	54.00	17.08	150	183	AV	Horizontal	PASS
11	15978.00	32.10	41.88	9.78	54.00	12.12	150	162	AV	Horizontal	PASS
12	17950.50	30.64	44.74	14.10	54.00	9.26	150	40	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6079.50	46.63	42.18	-4.45	74.00	31.82	150	170	PK	Vertical	PASS
2	8152.50	55.96	54.71	-1.25	74.00	19.29	150	134	PK	Vertical	PASS
3	9687.00	44.65	43.75	-0.90	74.00	30.25	150	69	PK	Vertical	PASS
4	12231.00	43.09	44.84	1.75	74.00	29.16	150	176	PK	Vertical	PASS
5	14361.00	41.48	46.97	5.49	74.00	27.03	150	216	PK	Vertical	PASS
6	17595.00	39.05	53.50	14.45	74.00	20.50	150	2	PK	Vertical	PASS
7	6067.50	38.79	34.26	-4.53	54.00	19.74	150	82	AV	Vertical	PASS
8	8152.50	50.04	48.79	-1.25	54.00	5.21	150	134	AV	Vertical	PASS
9	9688.50	36.96	36.04	-0.92	54.00	17.96	150	77	AV	Vertical	PASS
10	12229.50	35.23	36.99	1.76	54.00	17.01	150	147	AV	Vertical	PASS
11	14406.00	33.32	38.87	5.55	54.00	15.13	150	355	AV	Vertical	PASS
12	17632.50	30.37	44.68	14.31	54.00	9.32	150	127	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	09	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6259.50	45.92	41.73	-4.19	74.00	32.27	150	132	PK	Horizontal	PASS
2	8152.50	47.56	46.31	-1.25	74.00	27.69	150	132	PK	Horizontal	PASS
3	10690.50	43.40	43.90	0.50	74.00	30.10	150	53	PK	Horizontal	PASS
4	13216.50	42.17	45.48	3.31	74.00	28.52	150	110	PK	Horizontal	PASS
5	15934.50	41.04	50.82	9.78	74.00	23.18	150	40	PK	Horizontal	PASS
6	17910.00	38.68	53.03	14.35	74.00	20.97	150	330	PK	Horizontal	PASS
7	6267.00	37.93	33.75	-4.18	54.00	20.25	150	212	AV	Horizontal	PASS
8	8152.50	41.25	40.00	-1.25	54.00	14.00	150	132	AV	Horizontal	PASS
9	10522.50	33.79	34.63	0.84	54.00	19.37	150	117	AV	Horizontal	PASS
10	13240.50	34.32	37.44	3.12	54.00	16.56	150	359	AV	Horizontal	PASS
11	15967.50	32.26	42.04	9.78	54.00	11.96	150	359	AV	Horizontal	PASS
12	17950.50	30.79	44.89	14.10	54.00	9.11	150	356	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	8152.50	55.27	54.02	-1.25	74.00	19.98	150	129	PK	Vertical	PASS
2	9687.00	44.60	43.70	-0.90	74.00	30.30	150	123	PK	Vertical	PASS
3	12229.50	43.60	45.36	1.76	74.00	28.64	150	137	PK	Vertical	PASS
4	14410.50	41.65	47.16	5.51	74.00	26.84	150	243	PK	Vertical	PASS
5	15913.50	40.26	49.55	9.29	74.00	24.45	150	298	PK	Vertical	PASS
6	17667.00	39.64	53.74	14.10	74.00	20.26	150	237	PK	Vertical	PASS
7	8152.50	49.71	48.46	-1.25	54.00	5.54	150	129	AV	Vertical	PASS
8	9688.50	36.34	35.42	-0.92	54.00	18.58	150	82	AV	Vertical	PASS
9	12444.00	34.32	36.77	2.45	54.00	17.23	150	1	AV	Vertical	PASS
10	14416.50	33.48	38.93	5.45	54.00	15.07	150	14	AV	Vertical	PASS
11	16006.50	32.39	41.58	9.19	54.00	12.42	150	219	AV	Vertical	PASS
12	17613.00	30.07	44.49	14.42	54.00	9.51	150	306	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6786.00	45.50	40.47	-5.03	74.00	33.53	150	351	PK	Horizontal	PASS
2	8152.50	45.52	44.27	-1.25	74.00	29.73	150	134	PK	Horizontal	PASS
3	10047.00	42.77	42.74	-0.03	74.00	31.26	150	250	PK	Horizontal	PASS
4	12460.50	41.29	43.68	2.39	74.00	30.32	150	97	PK	Horizontal	PASS
5	15919.50	39.90	49.68	9.78	74.00	24.32	150	207	PK	Horizontal	PASS
6	17511.00	38.17	51.31	13.14	74.00	22.69	150	69	PK	Horizontal	PASS
7	6754.50	37.41	32.10	-5.31	54.00	21.90	150	57	AV	Horizontal	PASS
8	8152.50	39.01	37.76	-1.25	54.00	16.24	150	126	AV	Horizontal	PASS
9	10074.00	33.28	33.23	-0.05	54.00	20.77	150	138	AV	Horizontal	PASS
10	12435.00	32.88	35.23	2.35	54.00	18.77	150	334	AV	Horizontal	PASS
11	15933.00	31.29	41.07	9.78	54.00	12.93	150	189	AV	Horizontal	PASS
12	17593.50	29.84	43.76	13.92	54.00	10.24	150	360	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6262.50	45.83	41.75	-4.08	74.00	32.25	150	136	PK	Vertical	PASS
2	8152.50	51.57	50.32	-1.25	74.00	23.68	150	136	PK	Vertical	PASS
3	10084.50	42.10	42.52	0.42	74.00	31.48	150	210	PK	Vertical	PASS
4	14400.00	41.26	46.87	5.61	74.00	27.13	150	187	PK	Vertical	PASS
5	16006.50	40.29	49.48	9.19	74.00	24.52	150	36	PK	Vertical	PASS
6	17622.00	38.01	52.38	14.37	74.00	21.62	150	4	PK	Vertical	PASS
7	6168.00	37.78	33.50	-4.28	54.00	20.50	150	310	AV	Vertical	PASS
8	8152.50	46.13	44.88	-1.25	54.00	9.12	150	136	AV	Vertical	PASS
9	10048.50	33.32	33.77	0.45	54.00	20.23	150	303	AV	Vertical	PASS
10	14323.50	32.57	37.96	5.39	54.00	16.04	150	198	AV	Vertical	PASS
11	15993.00	31.31	40.59	9.28	54.00	13.41	150	114	AV	Vertical	PASS
12	17592.00	30.21	44.63	14.42	54.00	9.37	150	70	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6240.00	46.23	41.99	-4.24	74.00	32.01	150	91	PK	Horizontal	PASS
2	8152.50	45.96	44.71	-1.25	74.00	29.29	150	135	PK	Horizontal	PASS
3	10291.50	43.09	43.13	0.04	74.00	30.87	150	360	PK	Horizontal	PASS
4	13185.00	41.76	45.13	3.37	74.00	28.87	150	146	PK	Horizontal	PASS
5	15919.50	40.14	49.92	9.78	74.00	24.08	150	360	PK	Horizontal	PASS
6	17626.50	38.32	52.14	13.82	74.00	21.86	150	130	PK	Horizontal	PASS
7	6214.50	37.85	33.55	-4.30	54.00	20.45	150	161	AV	Horizontal	PASS
8	8152.50	38.96	37.71	-1.25	54.00	16.29	150	135	AV	Horizontal	PASS
9	10296.00	33.67	33.72	0.05	54.00	20.28	150	276	AV	Horizontal	PASS
10	13194.00	33.27	36.69	3.42	54.00	17.31	150	359	AV	Horizontal	PASS
11	15931.50	31.89	41.67	9.78	54.00	12.33	150	77	AV	Horizontal	PASS
12	17652.00	29.80	43.46	13.66	54.00	10.54	150	112	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6085.50	46.52	42.12	-4.40	74.00	31.88	150	309	PK	Vertical	PASS
2	8152.50	52.67	51.42	-1.25	74.00	22.58	150	117	PK	Vertical	PASS
3	10053.00	42.19	42.63	0.44	74.00	31.37	150	0	PK	Vertical	PASS
4	13239.00	42.46	45.10	2.64	74.00	28.90	150	236	PK	Vertical	PASS
5	15951.00	40.03	49.32	9.29	74.00	24.68	150	0	PK	Vertical	PASS
6	17628.00	38.60	52.94	14.34	74.00	21.06	150	48	PK	Vertical	PASS
7	6127.50	38.01	33.72	-4.29	54.00	20.28	150	170	AV	Vertical	PASS
8	8152.50	46.77	45.52	-1.25	54.00	8.48	150	117	AV	Vertical	PASS
9	10051.50	33.65	34.09	0.44	54.00	19.91	150	59	AV	Vertical	PASS
10	13194.00	33.33	36.27	2.94	54.00	17.73	150	220	AV	Vertical	PASS
11	16009.50	31.90	41.05	9.15	54.00	12.95	150	78	AV	Vertical	PASS
12	17610.00	29.68	44.12	14.44	54.00	9.88	150	356	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6247.50	46.70	42.48	-4.22	74.00	31.52	150	355	PK	Horizontal	PASS
2	8152.50	46.40	45.15	-1.25	74.00	28.85	150	128	PK	Horizontal	PASS
3	11004.00	41.16	42.45	1.29	74.00	31.55	150	174	PK	Horizontal	PASS
4	12544.50	42.75	45.11	2.36	74.00	28.89	150	77	PK	Horizontal	PASS
5	15312.00	41.34	48.58	7.24	74.00	25.42	150	360	PK	Horizontal	PASS
6	17794.50	37.71	51.58	13.87	74.00	22.42	150	52	PK	Horizontal	PASS
7	6228.00	38.49	34.22	-4.27	54.00	19.78	150	56	AV	Horizontal	PASS
8	8152.50	40.02	38.77	-1.25	54.00	15.23	150	128	AV	Horizontal	PASS
9	10894.50	33.22	34.16	0.94	54.00	19.84	150	204	AV	Horizontal	PASS
10	12526.50	32.73	35.13	2.40	54.00	18.87	150	7	AV	Horizontal	PASS
11	15310.50	31.91	39.16	7.25	54.00	14.84	150	24	AV	Horizontal	PASS
12	17574.00	29.60	43.33	13.73	54.00	10.67	150	229	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6166.50	46.25	41.97	-4.28	74.00	32.03	150	18	PK	Vertical	PASS
2	8152.50	53.27	52.02	-1.25	74.00	21.98	150	132	PK	Vertical	PASS
3	9847.50	42.62	42.64	0.02	74.00	31.36	150	85	PK	Vertical	PASS
4	12553.50	40.81	43.20	2.39	74.00	30.80	150	360	PK	Vertical	PASS
5	14356.50	41.09	46.58	5.49	74.00	27.42	150	293	PK	Vertical	PASS
6	17791.50	38.51	52.92	14.41	74.00	21.08	150	64	PK	Vertical	PASS
7	6094.50	38.82	34.49	-4.33	54.00	19.51	150	177	AV	Vertical	PASS
8	8152.50	47.71	46.46	-1.25	54.00	7.54	150	128	AV	Vertical	PASS
9	9847.50	36.47	36.49	0.02	54.00	17.51	150	85	AV	Vertical	PASS
10	12507.00	32.80	35.33	2.53	54.00	18.67	150	227	AV	Vertical	PASS
11	14389.50	32.53	38.11	5.58	54.00	15.89	150	278	AV	Vertical	PASS
12	17689.50	29.93	43.90	13.97	54.00	10.10	150	297	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6057.00	46.71	42.16	-4.55	74.00	31.84	150	4	PK	Horizontal	PASS
2	8152.50	45.51	44.26	-1.25	74.00	29.74	150	126	PK	Horizontal	PASS
3	11043.00	41.59	42.62	1.03	74.00	31.38	150	106	PK	Horizontal	PASS
4	14362.50	40.78	45.79	5.01	74.00	28.21	150	320	PK	Horizontal	PASS
5	16035.00	40.03	49.25	9.22	74.00	24.75	150	163	PK	Horizontal	PASS
6	17667.00	38.26	51.83	13.57	74.00	22.17	150	71	PK	Horizontal	PASS
7	6228.00	38.04	33.77	-4.27	54.00	20.23	150	0	AV	Horizontal	PASS
8	8152.50	38.98	37.73	-1.25	54.00	16.27	150	126	AV	Horizontal	PASS
9	11049.00	33.03	34.02	0.99	54.00	19.98	150	4	AV	Horizontal	PASS
10	14385.00	33.01	38.11	5.10	54.00	15.89	150	311	AV	Horizontal	PASS
11	16407.00	31.77	41.23	9.46	54.00	12.77	150	0	AV	Horizontal	PASS
12	17583.00	29.68	43.50	13.82	54.00	10.50	150	0	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6234.00	46.04	41.88	-4.16	74.00	32.12	150	168	PK	Vertical	PASS
2	8152.50	53.85	52.60	-1.25	74.00	21.40	150	123	PK	Vertical	PASS
3	10341.00	42.57	43.04	0.47	74.00	30.96	150	24	PK	Vertical	PASS
4	13203.00	40.81	43.75	2.94	74.00	30.25	150	117	PK	Vertical	PASS
5	15997.50	39.82	49.10	9.28	74.00	24.90	150	9	PK	Vertical	PASS
6	17670.00	38.92	53.01	14.09	74.00	20.99	150	357	PK	Vertical	PASS
7	6124.50	37.94	33.65	-4.29	54.00	20.35	150	328	AV	Vertical	PASS
8	8152.50	48.04	46.79	-1.25	54.00	7.21	150	123	AV	Vertical	PASS
9	10296.00	33.62	34.05	0.43	54.00	19.95	150	138	AV	Vertical	PASS
10	13246.50	32.81	35.39	2.58	54.00	18.61	150	215	AV	Vertical	PASS
11	15930.00	31.61	40.90	9.29	54.00	13.10	150	82	AV	Vertical	PASS
12	17629.50	29.36	43.69	14.33	54.00	10.31	150	180	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6222.00	45.88	41.60	-4.28	74.00	32.40	150	14	PK	Horizontal	PASS
2	8152.50	47.89	46.64	-1.25	74.00	27.36	150	130	PK	Horizontal	PASS
3	10006.50	43.47	43.45	-0.02	74.00	30.55	150	63	PK	Horizontal	PASS
4	12456.00	42.27	44.65	2.38	74.00	29.35	150	360	PK	Horizontal	PASS
5	15988.50	40.62	50.40	9.78	74.00	23.60	150	360	PK	Horizontal	PASS
6	17538.00	39.04	52.43	13.39	74.00	21.57	150	224	PK	Horizontal	PASS
7	6151.50	37.83	33.52	-4.31	54.00	20.48	150	59	AV	Horizontal	PASS
8	8152.50	40.62	39.37	-1.25	54.00	14.63	150	130	AV	Horizontal	PASS
9	10038.00	34.18	34.15	-0.03	54.00	19.85	150	32	AV	Horizontal	PASS
10	12486.00	33.64	36.07	2.43	54.00	17.93	150	68	AV	Horizontal	PASS
11	15982.50	31.93	41.71	9.78	54.00	12.29	150	43	AV	Horizontal	PASS
12	17646.00	30.00	43.70	13.70	54.00	10.30	150	254	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6201.00	46.98	42.71	-4.27	74.00	31.29	150	16	PK	Vertical	PASS
2	8152.50	54.90	53.65	-1.25	74.00	20.35	150	141	PK	Vertical	PASS
3	9747.00	44.52	44.01	-0.51	74.00	29.99	150	87	PK	Vertical	PASS
4	14392.50	41.05	46.64	5.59	74.00	27.36	150	5	PK	Vertical	PASS
5	15952.50	40.25	49.54	9.29	74.00	24.46	150	47	PK	Vertical	PASS
6	17562.00	38.75	52.89	14.14	74.00	21.11	150	288	PK	Vertical	PASS
7	6274.50	38.20	34.16	-4.04	54.00	19.84	150	279	AV	Vertical	PASS
8	8152.50	49.40	48.15	-1.25	54.00	5.85	150	125	AV	Vertical	PASS
9	9747.00	35.76	35.25	-0.51	54.00	18.75	150	87	AV	Vertical	PASS
10	14380.50	32.31	37.87	5.56	54.00	16.13	150	189	AV	Vertical	PASS
11	15982.50	32.37	41.66	9.29	54.00	12.34	150	179	AV	Vertical	PASS
12	17809.50	30.56	45.07	14.51	54.00	8.93	150	125	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-Antenna2	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6301.50	46.16	42.04	-4.12	74.00	31.96	150	321	PK	Horizontal	PASS
2	8152.50	47.33	46.08	-1.25	74.00	27.92	150	131	PK	Horizontal	PASS
3	10152.00	43.23	43.18	-0.05	74.00	30.82	150	152	PK	Horizontal	PASS
4	12865.50	43.50	45.33	1.83	74.00	28.67	150	36	PK	Horizontal	PASS
5	14406.00	40.85	45.97	5.12	74.00	28.03	150	46	PK	Horizontal	PASS
6	16401.00	41.44	50.93	9.49	74.00	23.07	150	52	PK	Horizontal	PASS
7	6303.00	37.99	33.86	-4.13	54.00	20.14	150	311	AV	Horizontal	PASS
8	8152.50	40.79	39.54	-1.25	54.00	14.46	150	128	AV	Horizontal	PASS
9	10126.50	34.85	34.80	-0.05	54.00	19.20	150	113	AV	Horizontal	PASS
10	13003.50	33.05	35.79	2.74	54.00	18.21	150	92	AV	Horizontal	PASS
11	14392.50	33.03	38.17	5.14	54.00	15.83	150	177	AV	Horizontal	PASS
12	16405.50	31.80	41.27	9.47	54.00	12.73	150	192	AV	Horizontal	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6303.00	46.12	42.13	-3.99	74.00	31.87	150	162	PK	Vertical	PASS
2	8152.50	54.61	53.36	-1.25	74.00	20.64	150	131	PK	Vertical	PASS
3	9847.50	43.50	43.52	0.02	74.00	30.48	150	83	PK	Vertical	PASS
4	13216.50	42.22	45.05	2.83	74.00	28.95	150	244	PK	Vertical	PASS
5	14802.00	42.42	48.04	5.62	74.00	25.96	150	63	PK	Vertical	PASS
6	17619.00	38.19	52.58	14.39	74.00	21.42	150	53	PK	Vertical	PASS
7	6148.50	37.92	33.64	-4.28	54.00	20.36	150	28	AV	Vertical	PASS
8	8152.50	49.15	47.90	-1.25	54.00	6.10	150	125	AV	Vertical	PASS
9	9847.50	37.78	37.80	0.02	54.00	16.20	150	88	AV	Vertical	PASS
10	13233.00	33.39	36.08	2.69	54.00	17.92	150	201	AV	Vertical	PASS
11	14758.50	32.80	38.42	5.62	54.00	15.58	150	171	AV	Vertical	PASS
12	17625.00	29.83	44.18	14.35	54.00	9.82	150	316	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6805.50	46.71	41.83	-4.88	74.00	32.17	150	160	PK	Horizontal	PASS
2	8152.50	48.69	47.44	-1.25	74.00	26.56	150	129	PK	Horizontal	PASS
3	11074.50	43.17	44.00	0.83	74.00	30.00	150	123	PK	Horizontal	PASS
4	14413.50	42.01	47.07	5.06	74.00	26.93	150	41	PK	Horizontal	PASS
5	15949.50	40.68	50.46	9.78	74.00	23.54	150	129	PK	Horizontal	PASS
6	17638.50	39.25	52.99	13.74	74.00	21.01	150	84	PK	Horizontal	PASS
7	6855.00	37.27	32.65	-4.62	54.00	21.35	150	191	AV	Horizontal	PASS
8	8152.50	42.05	40.80	-1.25	54.00	13.20	150	117	AV	Horizontal	PASS
9	10926.00	33.95	35.00	1.05	54.00	19.00	150	273	AV	Horizontal	PASS
10	14403.00	33.53	38.68	5.15	54.00	15.32	150	197	AV	Horizontal	PASS
11	15973.50	32.68	42.46	9.78	54.00	11.54	150	353	AV	Horizontal	PASS
12	17650.50	30.89	44.56	13.67	54.00	9.44	150	84	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6240.00	46.83	42.68	-4.15	74.00	31.32	150	145	PK	Vertical	PASS
2	8152.50	55.78	54.53	-1.25	74.00	19.47	150	123	PK	Vertical	PASS
3	9496.50	44.54	44.56	0.02	74.00	29.44	150	166	PK	Vertical	PASS
4	11890.50	43.43	44.60	1.17	74.00	29.40	150	57	PK	Vertical	PASS
5	14361.00	42.75	48.24	5.49	74.00	25.76	150	36	PK	Vertical	PASS
6	17917.50	39.85	54.74	14.89	74.00	19.26	150	72	PK	Vertical	PASS
7	6225.00	37.90	33.71	-4.19	54.00	20.29	150	225	AV	Vertical	PASS
8	8152.50	50.35	49.10	-1.25	54.00	4.90	150	130	AV	Vertical	PASS
9	9492.00	35.06	35.05	-0.01	54.00	18.95	150	284	AV	Vertical	PASS
10	11934.00	34.39	35.67	1.28	54.00	18.33	150	261	AV	Vertical	PASS
11	14386.50	33.17	38.74	5.57	54.00	15.26	150	360	AV	Vertical	PASS
12	17544.00	31.17	45.14	13.97	54.00	8.86	150	28	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6076.50	46.80	42.37	-4.43	74.00	31.63	150	360	PK	Horizontal	PASS
2	8152.50	47.86	46.61	-1.25	74.00	27.39	150	115	PK	Horizontal	PASS
3	11194.50	43.36	44.11	0.75	74.00	29.89	150	267	PK	Horizontal	PASS
4	14419.50	42.35	47.36	5.01	74.00	26.64	150	78	PK	Horizontal	PASS
5	15994.50	40.40	50.18	9.78	74.00	23.82	150	318	PK	Horizontal	PASS
6	17881.50	38.47	52.79	14.32	74.00	21.21	150	138	PK	Horizontal	PASS
7	6148.50	37.79	33.49	-4.30	54.00	20.51	150	84	AV	Horizontal	PASS
8	8152.50	41.49	40.24	-1.25	54.00	13.76	150	126	AV	Horizontal	PASS
9	11289.00	34.44	35.30	0.86	54.00	18.70	150	338	AV	Horizontal	PASS
10	14401.50	34.05	39.20	5.15	54.00	14.80	150	346	AV	Horizontal	PASS
11	15963.00	33.14	42.92	9.78	54.00	11.08	150	0	AV	Horizontal	PASS
12	17583.00	30.48	44.30	13.82	54.00	9.70	150	311	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6162.00	47.48	43.20	-4.28	74.00	30.80	150	129	PK	Vertical	PASS
2	8152.50	55.81	54.56	-1.25	74.00	19.44	150	123	PK	Vertical	PASS
3	9807.00	44.87	44.94	0.07	74.00	29.06	150	123	PK	Vertical	PASS
4	12229.50	43.32	45.08	1.76	74.00	28.92	150	79	PK	Vertical	PASS
5	14409.00	42.52	48.04	5.52	74.00	25.96	150	60	PK	Vertical	PASS
6	17908.50	39.00	53.95	14.95	74.00	20.05	150	231	PK	Vertical	PASS
7	6159.00	38.27	33.99	-4.28	54.00	20.01	150	302	AV	Vertical	PASS
8	8152.50	50.12	48.87	-1.25	54.00	5.13	150	136	AV	Vertical	PASS
9	9843.00	34.67	34.69	0.02	54.00	19.31	150	224	AV	Vertical	PASS
10	12229.50	34.85	36.61	1.76	54.00	17.39	150	142	AV	Vertical	PASS
11	14380.50	33.24	38.80	5.56	54.00	15.20	150	94	AV	Vertical	PASS
12	17892.00	30.53	45.49	14.96	54.00	8.51	150	60	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-MIMO	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6346.50	46.48	41.90	-4.58	74.00	32.10	150	300	PK	Horizontal	PASS
2	8152.50	47.86	46.61	-1.25	74.00	27.39	150	123	PK	Horizontal	PASS
3	10738.50	43.60	44.11	0.51	74.00	29.89	150	359	PK	Horizontal	PASS
4	13656.00	42.56	45.72	3.16	74.00	28.28	150	81	PK	Horizontal	PASS
5	15934.50	42.22	52.00	9.78	74.00	22.00	150	308	PK	Horizontal	PASS
6	17629.50	39.21	53.01	13.80	74.00	20.99	150	340	PK	Horizontal	PASS
7	6280.50	37.68	33.54	-4.14	54.00	20.46	150	67	AV	Horizontal	PASS
8	8152.50	41.65	40.40	-1.25	54.00	13.60	150	135	AV	Horizontal	PASS
9	10651.50	34.01	34.61	0.60	54.00	19.39	150	226	AV	Horizontal	PASS
10	13606.50	34.16	37.25	3.09	54.00	16.75	150	67	AV	Horizontal	PASS
11	15979.50	32.95	42.73	9.78	54.00	11.27	150	135	AV	Horizontal	PASS
12	17907.00	30.02	44.40	14.38	54.00	9.60	150	193	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6130.50	46.25	41.95	-4.30	74.00	32.05	150	99	PK	Vertical	PASS
2	8152.50	55.42	54.17	-1.25	74.00	19.83	150	118	PK	Vertical	PASS
3	10866.00	43.44	44.42	0.98	74.00	29.58	150	320	PK	Vertical	PASS
4	13204.50	43.19	46.12	2.93	74.00	27.88	150	37	PK	Vertical	PASS
5	15922.50	41.26	50.55	9.29	74.00	23.45	150	269	PK	Vertical	PASS
6	17688.00	39.95	53.93	13.98	74.00	20.07	150	255	PK	Vertical	PASS
7	6049.50	38.81	34.15	-4.66	54.00	19.85	150	333	AV	Vertical	PASS
8	8152.50	50.04	48.79	-1.25	54.00	5.21	150	131	AV	Vertical	PASS
9	11043.00	34.08	35.23	1.15	54.00	18.77	150	160	AV	Vertical	PASS
10	13149.00	33.75	36.45	2.70	54.00	17.55	150	300	AV	Vertical	PASS
11	15997.50	32.38	41.66	9.28	54.00	12.34	150	223	AV	Vertical	PASS
12	17595.00	30.12	44.57	14.45	54.00	9.43	150	168	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE40-Antenna1	Test Date:	2025-05-19 ~ 2025-06-11
Test Channel:	03	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6270.00	46.09	41.92	-4.17	74.00	32.08	150	342	PK	Horizontal	PASS
2	8152.50	46.34	45.09	-1.25	74.00	28.91	150	129	PK	Horizontal	PASS
3	10090.50	43.76	43.71	-0.05	74.00	30.29	150	355	PK	Horizontal	PASS
4	12463.50	42.41	44.80	2.39	74.00	29.20	150	118	PK	Horizontal	PASS
5	14812.50	41.53	46.90	5.37	74.00	27.10	150	65	PK	Horizontal	PASS
6	17860.50	38.00	52.21	14.21	74.00	21.79	150	158	PK	Horizontal	PASS
7	6234.00	37.68	33.43	-4.25	54.00	20.57	150	4	AV	Horizontal	PASS
8	8152.50	40.29	39.04	-1.25	54.00	14.96	150	129	AV	Horizontal	PASS
9	10042.50	34.12	34.08	-0.04	54.00	19.92	150	174	AV	Horizontal	PASS
10	12390.00	33.55	35.77	2.22	54.00	18.23	150	90	AV	Horizontal	PASS
11	14851.50	32.66	37.79	5.13	54.00	16.21	150	35	AV	Horizontal	PASS
12	17965.50	30.21	44.21	14.00	54.00	9.79	150	1	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6088.50	46.29	41.91	-4.38	74.00	32.09	150	173	PK	Vertical	PASS
2	8152.50	54.72	53.47	-1.25	74.00	20.53	150	126	PK	Vertical	PASS
3	11302.50	42.69	43.81	1.12	74.00	30.19	150	84	PK	Vertical	PASS
4	14421.00	40.87	46.28	5.41	74.00	27.72	150	79	PK	Vertical	PASS
5	16353.00	41.06	50.57	9.51	74.00	23.43	150	192	PK	Vertical	PASS
6	17571.00	38.45	52.67	14.22	74.00	21.33	150	221	PK	Vertical	PASS
7	6106.50	37.74	33.45	-4.29	54.00	20.55	150	94	AV	Vertical	PASS
8	8152.50	49.15	47.90	-1.25	54.00	6.10	150	126	AV	Vertical	PASS
9	11212.50	33.60	34.60	1.00	54.00	19.40	150	29	AV	Vertical	PASS
10	14383.50	32.68	38.24	5.56	54.00	15.76	150	5	AV	Vertical	PASS
11	16419.00	32.04	41.69	9.65	54.00	12.31	150	274	AV	Vertical	PASS
12	17602.50	30.16	44.65	14.49	54.00	9.35	150	346	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level