



Shenzhen Huaxin Information Technology Service Co., Ltd

101, R & D Building, No.3 guansheng 4th Road, Luhua Community, Guanhu Street, Longhua District,
Shenzhen, Guangdong, China

Tel: +86-755-21018313 Http: //www.tecovo.net

Appendix for 5.8G WIFI

Applicant: Howen Technologies Co., Ltd.

**Address: Room 2001 & 2004, Building 2A, Shenzhen
International Innovation Valley, Dashi 1st Road, Nanshan District,
Shenzhen, China**

Product Name: Dashcam

**Model: Hero-ME40-02, Hero-MC30-01, Hero-MC30-02, Hero-MC30-
03, Hero-ME41-02, Hero-ME41-03, Hero-ME40-01, Hero-ME40-03,
Hero-MA90-01, Hero-MA90-02, Hero-MA90-03**



FCC ID: 2AGBD1-HERO-ME40-02

Table of Contents


1. -6dB Emission Bandwidth	3
2. -26dB and 99% Emission Bandwidth	7
3. Duty Cycle.....	15
4. Maximum Conducted Output Power	19
5. Power Spectral Density	20
6. Frequency Stability	24

1. -6dB Emission Bandwidth


Condition	Antenna	Mode	Frequency(MHz)	-6dB_Emission_Bandwidth(MHz)	Limit(MHz)	Result
NVNT	ANT1	802.11a	5745.00	16.491	0.500	Pass
NVNT	ANT1	802.11a	5785.00	16.482	0.500	Pass
NVNT	ANT1	802.11a	5825.00	16.492	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	17.669	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	17.712	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	17.675	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	36.344	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	36.383	0.500	Pass




-6dB Emission Bandwidth NVNT ANT1 802_11a 5825 20M




-6dB Emission Bandwidth NVNT ANT1 802_11n(HT20) 5745 20M




-6dB Emission Bandwidth NVNT ANT1 802_11n(HT20) 5785 20M




-6dB Emission Bandwidth NVNT ANT1_802_11n(HT20) 5825 20M



-6dB Emission Bandwidth NVNT ANT1_802_11n(HT40) 5755 40M





-6dB Emission Bandwidth NVNT ANT1 802 11n(HT40) 5795 40M




2. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5745.00	34.25	17.19
NVNT	ANT1	802.11a	5785.00	36.78	18.58
NVNT	ANT1	802.11a	5825.00	34.92	17.52
NVNT	ANT1	802.11n(HT20)	5745.00	24.75	17.92
NVNT	ANT1	802.11n(HT20)	5785.00	37.53	18.31
NVNT	ANT1	802.11n(HT20)	5825.00	28.82	18.10
NVNT	ANT1	802.11n(HT40)	5755.00	38.70	35.88
NVNT	ANT1	802.11n(HT40)	5795.00	68.03	36.12




99% OCB NVNT ANT1 802 11a 5785



-26BW NVNT ANT1 802 11a 5785




99% OCB NVNT ANT1 802 11a 5825




-26BW NVNT ANT1 802 11a 5825




99% OCB NVNT ANT1 802 11n(HT20) 5745



-26BW NVNT ANT1 802 11n(HT20) 5745




99% OCB NVNT ANT1 802 11n(HT20) 5785



-26BW NVNT ANT1 802 11n(HT20) 5785




99% OCB NVNT ANT1 802 11n(HT20) 5825




-26BW NVNT ANT1 802 11n(HT20) 5825




99% OCB NVNT ANT1 802 11n(HT40) 5755



-26BW NVNT ANT1 802 11n(HT40) 5755



99% OCB NVNT ANT1 802 11n(HT40) 5795





-26BW NVNT ANT1 802 11n(HT40) 5795




3. Duty Cycle


Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5745.00	100	0.00
NVNT	ANT1	802.11a	5785.00	100	0.00
NVNT	ANT1	802.11a	5825.00	100	0.00
NVNT	ANT1	802.11n(HT20)	5745.00	100	0.00
NVNT	ANT1	802.11n(HT20)	5785.00	100	0.00
NVNT	ANT1	802.11n(HT20)	5825.00	100	0.00
NVNT	ANT1	802.11n(HT40)	5755.00	100	0.00
NVNT	ANT1	802.11n(HT40)	5795.00	100	0.00




Duty Cycle NVNT ANT1_802_11a_5825




Duty Cycle NVNT ANT1_802_11n(HT20)_5745




Duty Cycle NVNT ANT1_802_11n(HT20)_5785




Duty Cycle NVNT ANT1 802_11n(HT20)_5825



Duty Cycle NVNT ANT1 802_11n(HT40)_5755



Duty Cycle NVNT ANT1 802 11n(HT40) 5795



4. Maximum Conducted Output Power


Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	16.05	30	Pass
NVNT	ANT1	802.11a	5785.00	16.22	30	Pass
NVNT	ANT1	802.11a	5825.00	16.57	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	14.91	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	14.87	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	14.78	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	13.80	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	14.07	30	Pass

5. Power Spectral Density


Condition	Antenna	Modulation	Frequency (MHz)	PSD_SA (dBm/RBW)	Duty factor(dB)	RB factor(dB)	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Result
NVNT	ANT1	802.11a	5745.00	0.82	0.00	-0.09	0.74	30	Pass
NVNT	ANT1	802.11a	5785.00	0.10	0.00	-0.09	0.01	30	Pass
NVNT	ANT1	802.11a	5825.00	0.54	0.00	-0.09	0.45	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	-1.50	0.00	-0.09	-1.59	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	-1.57	0.00	-0.09	-1.66	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	-1.50	0.00	-0.09	-1.58	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	-5.04	0.00	-0.09	-5.12	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	-5.11	0.00	-0.09	-5.19	30	Pass




Power Spectral Density NVNT_ANT1_802_11a_5825




Power Spectral Density NVNT_ANT1_802_11n(HT20)_5745




Power Spectral Density NVNT_ANT1_802_11n(HT20)_5785



Power Spectral Density NVNT ANT1 802 11n(HT20) 5825



Power Spectral Density NVNT ANT1 802 11n(HT40) 5755



Power Spectral Density NVNT ANT1 802 11n(HT40) 5795



6. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
70degrees C&&12.0V	ANT1	802.11a	5745.00	5745.300	5734.916	5755.684	5725~5850	Pass
60degrees C&&12.0V	ANT1	802.11a	5745.00	5745.002	5736.460	5753.544	5725~5850	Pass
50degrees C&&12.0V	ANT1	802.11a	5745.00	5744.966	5736.668	5753.264	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11a	5745.00	5744.988	5736.816	5753.160	5725~5850	Pass
30degrees C&&12.0V	ANT1	802.11a	5745.00	5744.990	5736.900	5753.080	5725~5850	Pass
20degrees C&&12.0V	ANT1	802.11a	5745.00	5744.986	5736.964	5753.008	5725~5850	Pass
10degrees C&&12.0V	ANT1	802.11a	5745.00	5744.986	5737.024	5752.948	5725~5850	Pass
0degrees C&&12.0V	ANT1	802.11a	5745.00	5744.970	5737.072	5752.868	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11a	5745.00	5744.986	5736.964	5753.008	5725~5850	Pass
-20degrees C&&12.0V	ANT1	802.11a	5745.00	5745.002	5736.460	5753.544	5725~5850	Pass
-30degrees C&&12.0V	ANT1	802.11a	5745.00	5744.966	5736.668	5753.264	5725~5850	Pass
-40degrees C&&12.0V	ANT1	802.11a	5745.00	5744.990	5736.900	5753.080	5725~5850	Pass
25degrees C&&36.0V	ANT1	802.11a	5745.00	5744.980	5737.120	5752.840	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11a	5745.00	5744.970	5737.164	5752.776	5725~5850	Pass
25degrees C&&9.0V	ANT1	802.11a	5745.00	5744.974	5737.220	5752.728	5725~5850	Pass
70degrees C&&12.0V	ANT1	802.11a	5785.00	5785.580	5775.932	5795.228	5725~5850	Pass
60degrees C&&12.0V	ANT1	802.11a	5785.00	5785.000	5776.996	5793.004	5725~5850	Pass
50degrees C&&12.0V	ANT1	802.11a	5785.00	5785.006	5777.052	5792.960	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11a	5785.00	5785.004	5777.164	5792.844	5725~5850	Pass
30degrees C&&12.0V	ANT1	802.11a	5785.00	5785.628	5772.732	5798.524	5725~5850	Pass
20degrees C&&12.0V	ANT1	802.11a	5785.00	5785.580	5775.932	5795.228	5725~5850	Pass
10degrees C&&12.0V	ANT1	802.11a	5785.00	5785.042	5776.540	5793.544	5725~5850	Pass
0degrees C&&12.0V	ANT1	802.11a	5785.00	5785.010	5776.740	5793.280	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11a	5785.00	5785.002	5776.852	5793.152	5725~5850	Pass
-20degrees C&&12.0V	ANT1	802.11a	5785.00	5785.002	5776.928	5793.076	5725~5850	Pass
-30degrees C&&12.0V	ANT1	802.11a	5785.00	5785.000	5776.996	5793.004	5725~5850	Pass
-40degrees C&&12.0V	ANT1	802.11a	5785.00	5785.006	5777.052	5792.960	5725~5850	Pass
25degrees C&&36.0V	ANT1	802.11a	5785.00	5785.014	5777.112	5792.916	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11a	5785.00	5785.004	5777.164	5792.844	5725~5850	Pass
25degrees C&&9.0V	ANT1	802.11a	5785.00	5784.994	5777.208	5792.780	5725~5850	Pass
70degrees C&&12.0V	ANT1	802.11a	5825.00	5824.988	5816.588	5833.388	5725~5850	Pass
60degrees C&&12.0V	ANT1	802.11a	5825.00	5824.982	5816.768	5833.196	5725~5850	Pass
50degrees C&&12.0V	ANT1	802.11a	5825.00	5824.992	5817.012	5832.972	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11a	5825.00	5824.982	5817.064	5832.900	5725~5850	Pass
30degrees C&&12.0V	ANT1	802.11a	5825.00	5825.258	5813.368	5837.148	5725~5850	Pass
20degrees C&&12.0V	ANT1	802.11a	5825.00	5824.948	5816.080	5833.816	5725~5850	Pass
10degrees C&&12.0V	ANT1	802.11a	5825.00	5824.988	5816.588	5833.388	5725~5850	Pass
0degrees C&&12.0V	ANT1	802.11a	5825.00	5824.982	5816.768	5833.196	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11a	5825.00	5824.994	5816.876	5833.112	5725~5850	Pass
-20degrees C&&12.0V	ANT1	802.11a	5825.00	5824.984	5816.948	5833.020	5725~5850	Pass
-30degrees C&&12.0V	ANT1	802.11a	5825.00	5824.992	5817.012	5832.972	5725~5850	Pass
-40degrees C&&12.0V	ANT1	802.11a	5825.00	5824.982	5817.064	5832.900	5725~5850	Pass
25degrees C&&36.0V	ANT1	802.11a	5825.00	5824.990	5817.120	5832.860	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11a	5825.00	5824.984	5817.160	5832.808	5725~5850	Pass
25degrees C&&9.0V	ANT1	802.11a	5825.00	5824.998	5817.212	5832.784	5725~5850	Pass
70degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5744.982	5736.308	5753.656	5725~5850	Pass
60degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5744.994	5736.384	5753.604	5725~5850	Pass
50degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5744.996	5736.708	5753.284	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5745.034	5735.836	5754.232	5725~5850	Pass
30degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5744.994	5736.384	5753.604	5725~5850	Pass
20degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5745.004	5736.100	5753.908	5725~5850	Pass
10degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5745.000	5736.228	5753.772	5725~5850	Pass
0degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5744.982	5736.308	5753.656	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5744.994	5736.384	5753.604	5725~5850	Pass
-20degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5744.994	5736.456	5753.532	5725~5850	Pass
-30degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5744.992	5736.528	5753.456	5725~5850	Pass
-40degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5744.994	5736.592	5753.396	5725~5850	Pass
25degrees C&&36.0V	ANT1	802.11n(HT20)	5745.00	5744.994	5736.656	5753.332	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5744.996	5736.708	5753.284	5725~5850	Pass
25degrees C&&9.0V	ANT1	802.11n(HT20)	5745.00	5744.998	5736.768	5753.228	5725~5850	Pass
70degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5785.014	5776.424	5793.604	5725~5850	Pass
60degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5785.006	5776.496	5793.516	5725~5850	Pass
50degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5785.024	5776.168	5793.880	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5785.016	5776.276	5793.756	5725~5850	Pass
30degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5785.664	5775.292	5796.036	5725~5850	Pass
20degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5785.080	5775.996	5794.164	5725~5850	Pass

10degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5785.024	5776.168	5793.880	5725~5850	Pass
0degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5785.016	5776.276	5793.756	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5785.016	5776.356	5793.676	5725~5850	Pass
-20degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5785.014	5776.424	5793.604	5725~5850	Pass
-30degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5785.006	5776.496	5793.516	5725~5850	Pass
-40degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5785.006	5776.568	5793.444	5725~5850	Pass
25degrees C&&36.0V	ANT1	802.11n(HT20)	5785.00	5785.006	5776.632	5793.380	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5784.998	5776.688	5793.308	5725~5850	Pass
25degrees C&&9.0V	ANT1	802.11n(HT20)	5785.00	5785.008	5776.748	5793.268	5725~5850	Pass
70degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5825.004	5816.012	5833.996	5725~5850	Pass
60degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5824.990	5816.176	5833.804	5725~5850	Pass
50degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5824.990	5816.564	5833.416	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5824.982	5816.628	5833.336	5725~5850	Pass
30degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5825.108	5815.528	5834.688	5725~5850	Pass
20degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5825.004	5816.012	5833.996	5725~5850	Pass
10degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5824.990	5816.176	5833.804	5725~5850	Pass
0degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5824.990	5816.272	5833.708	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5824.990	5816.356	5833.624	5725~5850	Pass
-20degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5824.988	5816.424	5833.552	5725~5850	Pass
-30degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5824.984	5816.504	5833.464	5725~5850	Pass
-40degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5824.990	5816.564	5833.416	5725~5850	Pass
25degrees C&&36.0V	ANT1	802.11n(HT20)	5825.00	5824.982	5816.628	5833.336	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5824.994	5816.692	5833.296	5725~5850	Pass
25degrees C&&9.0V	ANT1	802.11n(HT20)	5825.00	5824.992	5816.752	5833.232	5725~5850	Pass
70degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.024	5737.464	5772.584	5725~5850	Pass
60degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.028	5737.616	5772.440	5725~5850	Pass
50degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.064	5737.944	5772.184	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.108	5738.112	5772.104	5725~5850	Pass
30degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.044	5736.936	5773.152	5725~5850	Pass
20degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.044	5737.160	5772.928	5725~5850	Pass
10degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.020	5737.304	5772.736	5725~5850	Pass
0degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.024	5737.464	5772.584	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.028	5737.616	5772.440	5725~5850	Pass
-20degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.056	5737.768	5772.344	5725~5850	Pass
-30degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.064	5737.944	5772.184	5725~5850	Pass
-40degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.108	5738.112	5772.104	5725~5850	Pass
25degrees C&&36.0V	ANT1	802.11n(HT40)	5755.00	5755.084	5738.240	5771.928	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5755.056	5738.328	5771.784	5725~5850	Pass
25degrees C&&9.0V	ANT1	802.11n(HT40)	5755.00	5755.040	5738.472	5771.608	5725~5850	Pass
70degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.064	5777.416	5812.712	5725~5850	Pass
60degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.080	5777.576	5812.584	5725~5850	Pass
50degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.136	5777.928	5812.344	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.188	5778.096	5812.280	5725~5850	Pass
30degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.096	5776.856	5813.336	5725~5850	Pass
20degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.080	5777.112	5813.048	5725~5850	Pass
10degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.060	5777.272	5812.848	5725~5850	Pass
0degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.064	5777.416	5812.712	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.080	5777.576	5812.584	5725~5850	Pass
-20degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.100	5777.760	5812.440	5725~5850	Pass
-30degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.136	5777.928	5812.344	5725~5850	Pass
-40degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.188	5778.096	5812.280	5725~5850	Pass
25degrees C&&36.0V	ANT1	802.11n(HT40)	5795.00	5795.200	5778.264	5812.136	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.208	5778.360	5812.056	5725~5850	Pass
25degrees C&&9.0V	ANT1	802.11n(HT40)	5795.00	5795.168	5778.456	5811.880	5725~5850	Pass