






LTE Band 7-10MHz


QPSK




16QAM




Channel Low




Channel Low



Channel Mid



Channel Mid




Channel High

Channel High


LTE Band 7-15MHz

QPSK




Date: 18 FEB 2016 13:23:55

16QAM




Date: 18 FEB 2016 13:24:37

Channel Low




Date: 18 FEB 2016 13:25:40

Channel Low




Date: 18 FEB 2016 13:26:33

Channel Mid




Date: 18 FEB 2016 13:27:30

Channel Mid




Date: 18 FEB 2016 13:28:07

Channel High



Date: 18 FEB 2016 13:27:30


Channel High




Date: 18 FEB 2016 13:28:07

LTE Band 7-20MHz


QPSK




16QAM




Channel Low




Channel Low




Channel Mid




Channel Mid



Channel High



Channel High




4.4. Band Edge compliance

LIMIT

Part 24.238 and Part 22.917 specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

The specification that emissions shall be attenuated below the transmitter power (P) by at least $43 + 10 \log(P)$ dB, translates in the relevant power range (1 to 0.001 W) to -13 dBm. At 1 W the specified minimum attenuation becomes 43 dB and relative to a 30 dBm (1 W) carrier becomes a limit of -13 dBm. At 0.001 W (0 dBm) the minimum attenuation is 13 dB, which again yields a limit of -13 dBm. In this way a translation of the specification from relative to absolute terms is carried out.

TEST CONFIGURATION




TEST PROCEDURE


1. The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation.
2. The band edges of low and high channels for the highest RF powers were measured. Set RBW $\geq 1\%$ EBW in the 1MHz band immediately outside and adjacent to the band edge.
3. Set spectrum analyzer with RMS detector.

TEST RESULTS


LTE Band 2-1.4MHz-QPSK




Channel Low-1RB#



Channel High-1RB#




Channel Low-Full RB#




Channel High-Full RB#


LTE Band 2-1.4MHz-16QAM




Channel Low-1RB#



Channel High-1RB#




Channel Low-Full RB#




Channel High-Full RB#


LTE Band 2-3MHz-QPSK




Channel Low-1RB#



Channel High-1RB#




Channel Low-Full RB#




Channel High-Full RB#


LTE Band 2-3MHz-16QAM




Channel Low-1RB#



Channel High-1RB#




Channel Low-Full RB#




Channel High-Full RB#


LTE Band 2-5MHz-QPSK




Channel Low-1RB#



Channel High-1RB#




Channel Low-Full RB#




Channel High-Full RB#


LTE Band 2-5MHz-16QAM




Channel Low-1RB#



Channel High-1RB#




Channel Low-Full RB#




Channel High-Full RB#


LTE Band 2-10MHz-QPSK




Channel Low-1RB#



Channel High-1RB#




Channel Low-Full RB#




Channel High-Full RB#


LTE Band 2-10MHz-16QAM




Channel Low-1RB#



Channel High-1RB#




Channel Low-Full RB#




Channel High-Full RB#


LTE Band 2-15MHz-QPSK




Channel Low-1RB#



Channel High-1RB#




Channel Low-Full RB#




Channel High-Full RB#


LTE Band 2-15MHz-16QAM




Channel Low-1RB#



Channel High-1RB#



Channel Low-Full RB#



Channel High-Full RB#