




Job number
JSG2500961
Version
3.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL NARODETSKY

Specialist LF

Date created
30-SEP-2025

Date updated
06-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIGH
T_US_6-INCH

Product 12NC
929004291401

Artwork 12NC / Duplex Box
442280045591

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to digital Pantone+ library
Brand colours
Match spectrally to CXF data supplied

Image/process elements
Match to CMG profiled proof supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0
Colour space
Cielab
Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°
Recommended device
X-rite exact
Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303771

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609375

Barcode magnification
N/A

Barcode BWR (microns)
N/A

signify

Colour information



Technical drawing



Dimensions

01 BLACK




CONTRACT PROOF SIGN OFF

- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)



PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL NARODETSKY

Specialist LF

Date created
30-SEP-2025

Date updated
06-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIGH
T_US_6-INCH

Product 12NC
929004291401

Artwork 12NC / Duplex Box
442280045591

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to digital Pantone+ library
Brand colours
Match spectrally to CXF data supplied
Image/process elements
Match to CMG profiled proof supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0
Colour space
Cielab
Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°
Recommended device
X-rite exact
Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303771

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609375

Barcode magnification
N/A

Barcode BWR (microns)
N/A

signify

Colour information

Technical drawing Dimensions

01 BLACK




CONTRACT PROOF SIGN OFF

- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)



PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL NARODETSKY Specialist LF Date created 30-SEP-2025 Date updated 06-NOV-2025 Client SIGNIFY Project number PRS2500193 Project name P0048407_-_SLIM_DOWNLIG HT_US_A_MANUAL Job Description HUE_WCA_SLIM_DOWNLIGH T_US_6-INCH Product 12NC 929004291401 Artwork 12NC / Duplex Box 442280045591 Colour Reference Card (CRC)		PRINTER PLEASE NOTE Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed. <table><tr><td>Pantone colours Match spectrally to digital Pantone+ library</td><td>Delta e formula Delta E2000</td><td>White base Absolute</td></tr><tr><td>Brand colours Match spectrally to CXF data supplied</td><td>Tolerance Delta E <2.0</td><td>Observer angle 2°</td></tr><tr><td>Image/process elements Match to CMG profiled proof supplied</td><td>Colour space Cielab</td><td>Recommended device X-rite exact</td></tr><tr><td></td><td>Illuminant D50</td><td>Xrga Yes</td></tr><tr><td></td><td>Filter None</td><td></td></tr></table>	Pantone colours Match spectrally to digital Pantone+ library	Delta e formula Delta E2000	White base Absolute	Brand colours Match spectrally to CXF data supplied	Tolerance Delta E <2.0	Observer angle 2°	Image/process elements Match to CMG profiled proof supplied	Colour space Cielab	Recommended device X-rite exact		Illuminant D50	Xrga Yes		Filter None	
Pantone colours Match spectrally to digital Pantone+ library	Delta e formula Delta E2000	White base Absolute															
Brand colours Match spectrally to CXF data supplied	Tolerance Delta E <2.0	Observer angle 2°															
Image/process elements Match to CMG profiled proof supplied	Colour space Cielab	Recommended device X-rite exact															
	Illuminant D50	Xrga Yes															
	Filter None																
Print vendor YONGHE Print process OFFSET LITHO Material PAPER_WHITE Colour profile 39L Die-Cut 12NC 324166303771 Die-Cut dimensions	Barcode type UPC 12 Barcode number 046677609375 Barcode magnification N/A Barcode BWR (microns) N/A 																

Colour information

 Technical drawing


 Dimensions

01 BLACK



CONTRACT PROOF SIGN OFF

☐ Correct profile has been used ☐ Proof has been checked against target / master ☐ Proof sense check actioned ☐ Verified with green tick ☐ Proof is clear of banding	Colour specialist signature  Date (DD-Mmm-YYYY) 
--	--



Job number
JSG2500961
Version
3.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL NARODETSKY

Specialist LF

Date created
30-SEP-2025

Date updated
06-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIG
T_US_6-INCH

Product 12NC
929004291401

Artwork 12NC / Duplex Box
442280045591

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to digital Pantone+ library
Brand colours
Match spectrally to CXF data supplied
Image/process elements
Match to CMG profiled proof supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0
Colour space
Cielab
Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°
Recommended device
X-rite exact
Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303771

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609375

Barcode magnification
N/A

Barcode BWR (microns)
N/A

signify

Colour information



Technical drawing



Dimensions

01 BLACK




CONTRACT PROOF SIGN OFF

- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)



Job number
JSG2500961
Version
3.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL NARODETSKY

Specialist LF

Date created
30-SEP-2025

Date updated
06-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIG
T_US_6-INCH

Product 12NC
929004291401

Artwork 12NC / Duplex Box
442280045591

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to digital Pantone+ library
Brand colours
Match spectrally to CXF data supplied

Image/process elements
Match to CMG profiled proof supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0
Colour space
Cielab

Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°
Recommended device
X-rite exact
Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303771

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609375

Barcode magnification
N/A

Barcode BWR (microns)
N/A

signify

Colour information



Technical drawing



Dimensions

01 BLACK



CONTRACT PROOF SIGN OFF






- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)

100mm

120mm



6



Job number
JSG2500961
Version
3.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL NARODETSKY

Specialist LF

Date created
30-SEP-2025

Date updated
06-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIG
T_US_6-INCH

Product 12NC
929004291401

Artwork 12NC / Duplex Box
442280045591

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to digital Pantone+ library
Brand colours
Match spectrally to CXF data supplied
Image/process elements
Match to CMG profiled proof supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0
Colour space
Cielab
Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°
Recommended device
X-rite exact
Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303771

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609375

Barcode magnification
N/A

Barcode BWR (microns)
N/A

signify

Colour information



Technical drawing



Dimensions

01 BLACK




CONTRACT PROOF SIGN OFF

- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)



Job number
JSG2500961
Version
3.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL NARODETSKY

Specialist LF

Date created
30-SEP-2025

Date updated
06-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIG
T_US_6-INCH

Product 12NC
929004291401

Artwork 12NC / Duplex Box
442280045591

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to digital Pantone+ library
Brand colours
Match spectrally to CXF data supplied
Image/process elements
Match to CMG profiled proof supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0
Colour space
Cielab
Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°
Recommended device
X-rite exact
Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303771

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609375

Barcode magnification
N/A

Barcode BWR (microns)
N/A

signify

Colour information



Technical drawing



Dimensions

01 BLACK



CONTRACT PROOF SIGN OFF


- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)

100mm

120mm



EN

1. Insert ground wire into connector with green / yellow wire;
2. Insert live wire into connector with black wire;
3. Insert neutral wire into connector with white wire

FR

1. Insérez le fil de terre dans le connecteur avec le fil jaune vert.
2. Insérez le fil sous tension dans le connecteur avec le fil noir.
3. Insérez le fil neutre dans le connecteur avec le fil blanc.

ES

1. Inserte el cable a tierra en el conector con el cable verde y amarillo;
2. Inserte el cable con corriente en el conector con el cable negro;
3. Inserte el cable neutro en el conector con el cable blanco

8



Job number
JSG2500961
Version
3.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL NARODETSKY

Specialist LF

Date created
30-SEP-2025

Date updated
06-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIGH
T_US_6-INCH

Product 12NC
929004291401

Artwork 12NC / Duplex Box
442280045591

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to digital Pantone+ library
Brand colours
Match spectrally to CXF data supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0
Colour space
Cielab

Image/process elements
Match to CMG profiled proof supplied
Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°
Recommended device
X-rite exact
Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303771

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609375

Barcode magnification
N/A

Barcode BWR (microns)
N/A

signify

Colour information



Technical drawing



Dimensions

01 BLACK



CONTRACT PROOF SIGN OFF



- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)

100mm

120mm



9



Job number
JSG2500961
Version
3.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL NARODETSKY

Specialist LF

Date created
30-SEP-2025

Date updated
06-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIG
T_US_6-INCH

Product 12NC
929004291401

Artwork 12NC / Duplex Box
442280045591

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to digital Pantone+ library
Brand colours
Match spectrally to CXF data supplied
Image/process elements
Match to CMG profiled proof supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0
Colour space
Cielab
Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°
Recommended device
X-rite exact
Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303771

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609375

Barcode magnification
N/A

Barcode BWR (microns)
N/A

signify

Colour information



Technical drawing



Dimensions

01 BLACK



CONTRACT PROOF SIGN OFF





- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)

100mm

120mm



10



Job number
JSG2500961
Version
3.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL NARODETSKY

Specialist LF

Date created
30-SEP-2025

Date updated
06-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIG
T_US_6-INCH

Product 12NC
929004291401

Artwork 12NC / Duplex Box
442280045591

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to digital Pantone+ library
Brand colours
Match spectrally to CMF data supplied

Image/process elements
Match to CMG profiled proof supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0
Colour space
Cielab
Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°
Recommended device
X-rite exact
Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303771

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609375

Barcode magnification
N/A

Barcode BWR (microns)
N/A

signify

Colour information



Technical drawing



Dimensions

01 BLACK



CONTRACT PROOF SIGN OFF



- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)

100mm

120mm



11



Job number
JSG2500961
Version
3.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL NARODETSKY

Specialist LF

Date created
30-SEP-2025

Date updated
06-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIGH
T_US_6-INCH

Product 12NC
929004291401

Artwork 12NC / Duplex Box
442280045591

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to
digital Pantone+ library
Brand colours
Match spectrally to CXF
data supplied

**Image/process
elements**
Match to CMG profiled
proof supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0
Colour space
Cielab

Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°
**Recommended
device**
X-rite exact
Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303771

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609375

Barcode magnification
N/A

Barcode BWR (microns)
N/A

signify

Colour information



Technical drawing



Dimensions

01 BLACK




CONTRACT PROOF SIGN OFF

- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)



Job number
JSG2500961
Version
3.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL NARODETSKY

Specialist LF

Date created
30-SEP-2025

Date updated
06-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIGH
T_US_6-INCH

Product 12NC
929004291401

Artwork 12NC / Duplex Box
442280045591

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to digital Pantone+ library
Brand colours
Match spectrally to CXF data supplied
Image/process elements
Match to CMG profiled proof supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0
Colour space
Cielab
Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°
Recommended device
X-rite exact
Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303771

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609375

Barcode magnification
N/A

Barcode BWR (microns)
N/A

signify

Colour information



Technical drawing



Dimensions

01 BLACK



CONTRACT PROOF SIGN OFF

- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)