




Job number
JSG2500962
Version
3.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL NARODETSKY
Specialist GP
Date created 20-NOV-2025

Date updated 27-NOV-2025

Client SIGNIFY

Project number PRS2500193

Project name P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description HUE_WCA_SLIM_DOWNLIGH
T_US_4-INCH

Product 12NC 929004291501

Artwork 12NC / Duplex Box 442296666311

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to digital Pantone+ library
Brand colours
Match spectrally to CXF data supplied
Image/process elements
Match to GMG profiled proof supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0
Colour space
Cielab
Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°
Recommended device
X-rite exact
Xrga
Yes

Print vendor YONGHE

Print process OFFSET LITHO

Material PAPER_WHITE

Colour profile 39L

Die-Cut 12NC 324166303781

Die-Cut dimensions

Barcode type UPC 12

Barcode number 046677609405

Barcode magnification N/A

Barcode BWR (microns) N/A

signify

Colour information



Technical drawing



Dimensions

01 BLACK




CONTRACT PROOF SIGN OFF

- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)



PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL
Specialist NARODETSKY
GP

Date created
20-NOV-2025

Date updated
27-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIGH
T_US_4-INCH

Product 12NC
929004291501

Artwork 12NC / Duplex Box
442296666311

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to digital Pantone+ library
Brand colours
Match spectrally to CXF data supplied
Image/process elements
Match to CMG profiled proof supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0
Colour space
Cielab
Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°
Recommended device
X-rite exact
Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303781

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609405

Barcode magnification
N/A

Barcode BWR (microns)
N/A

signify

Colour information

Technical drawing Dimensions

01 BLACK



CONTRACT PROOF SIGN OFF

- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)

100mm

120mm

EN WARNING – Risk of fire or electric shock: Slim Downlight installation requires knowledge of luminaire electrical systems. If not qualified, do not attempt installation. Contact a qualified electrician. The LED driver should be replaced by qualified electrician without the cutting of wires and without damage to the downlight housing, trim or the carpentry (e.g., ceiling drywall) in which the downlight is recessed.

FR AVERTISSEMENT – Risques d'incendie ou de décharge électrique: L'installation du plafonnier mince nécessite une connaissance des systèmes de luminaires électriques. Ne pas procéder à l'installation à moins de disposer des compétences appropriées. Communiquez avec un électricien qualifié. Le pilote à DEL doit être remplacé par un électricien qualifié sans couper les fils et sans endommager le boîtier de l'éclairage vers le bas, les garnitures ou la menuiserie (par exemple, les cloisons sèches du plafond) dans laquelle l'éclairage est encastré.

ES ADVERTENCIA: Riesgo de incendio o descarga eléctrica. La instalación del empotrado delgado requiere que el electricista conozca los sistemas eléctricos de las luminarias. Si no está calificado, no intente realizar la instalación. Comuníquese con un electricista calificado. El controlador LED debe ser reemplazado por un electricista calificado sin cortar los cables y sin dañar la carcasa de la lámpara descendente, el acabado o la carpintería (por ejemplo el yeso del techo) en la que está empotrado la lámpara.

3



Job number
JSG2500962
Version
3.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL
NARODETSKY

Specialist GP

Date created
20-NOV-2025

Date updated
27-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIGH
T_US_4-INCH

Product 12NC
929004291501

Artwork 12NC / Duplex Box
442296666311

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to
digital Pantone+ library
Brand colours
Match spectrally to CXF
data supplied

**Image/process
elements**
Match to GMG profiled
proof supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0

Colour space
Cielab

Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°

**Recommended
device**
X-rite exact
Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303781

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609405

Barcode magnification
N/A

Barcode BWR (microns)
N/A

signify

Colour information



Technical drawing



Dimensions

01 BLACK




CONTRACT PROOF SIGN OFF

- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)



Job number
JSG2500962
Version
3.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL
NARODETSKY
Specialist GP
Date created
20-NOV-2025

Date updated
27-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIG
T_US_4-INCH

Product 12NC
929004291501

Artwork 12NC / Duplex Box
442296666311

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to
digital Pantone+ library
Brand colours
Match spectrally to CXF
data supplied
**Image/process
elements**
Match to GMG profiled
proof supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0
Colour space
Cielab
Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°
**Recommended
device**
X-rite exact
Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303781

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609405

Barcode magnification
N/A

Barcode BWR (microns)
N/A

signify

Colour information



Technical drawing



Dimensions

01 BLACK




CONTRACT PROOF SIGN OFF

- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)



Job number
JSG2500962
Version
3.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL
NARODETSKY
Specialist GP
Date created
20-NOV-2025

Date updated
27-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIG
T_US_4-INCH

Product 12NC
929004291501

Artwork 12NC / Duplex Box
442296666311

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to digital Pantone+ library
Brand colours
Match spectrally to CXF data supplied
Image/process elements
Match to GMG profiled proof supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0
Colour space
Cielab
Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°
Recommended device
X-rite exact
Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303781

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609405

Barcode magnification
N/A

Barcode BWR (microns)
N/A

signify

Colour information



Technical drawing



Dimensions

01 BLACK



CONTRACT PROOF SIGN OFF






- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)

100mm

120mm



6



Job number
JSG2500962
Version
3.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL
NARODETSKY
Specialist GP
Date created
20-NOV-2025

Date updated
27-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIG
T_US_4-INCH

Product 12NC
929004291501

Artwork 12NC / Duplex Box
442296666311

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to digital Pantone+ library
Brand colours
Match spectrally to CXF data supplied
Image/process elements
Match to GMG profiled proof supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0
Colour space
Cielab
Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°
Recommended device
X-rite exact
Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303781

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609405

Barcode magnification
N/A

Barcode BWR (microns)
N/A

Signify

Colour information



Technical drawing



Dimensions

01 BLACK




CONTRACT PROOF SIGN OFF

- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)



PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager
AVITAL
NARODETSKY

Specialist
GP

Date created
20-NOV-2025

Date updated
27-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIG
T_US_4-INCH

Product 12NC
929004291501

Artwork 12NC / Duplex Box
442296666311

Colour Reference Card (CRC)

PRINTER PLEASE NOTE
Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours Match spectrally to digital Pantone+ library	Delta e formula Delta E2000	White base Absolute
Brand colours Match spectrally to CXF data supplied	Tolerance Delta E <2.0	Observer angle 2°
Image/process elements Match to GMG profiled proof supplied	Colour space Cielab	Recommended device X-rite exact
	Illuminant D50	Xrga Yes
	Filter None	

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303781

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609405

Barcode magnification
N/A

Barcode BWR (microns)
N/A

Colour information

Technical drawing

Dimensions

01 BLACK

CONTRACT PROOF SIGN OFF

☐ Correct profile has been used

☐ Proof has been checked against target / master

☐ Proof sense check actioned

☐ Verified with green tick


☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)

100mm

120mm



- EN**
1. Insert ground wire into connector with green / yellow wire;
 2. Insert live wire into connector with black wire;
 3. Insert neutral wire into connector with white wire
- FR**
1. Insérez le fil de terre dans le connecteur avec le fil jaune vert.
 2. Insérez le fil sous tension dans le connecteur avec le fil noir.
 3. Insérez le fil neutre dans le connecteur avec le fil blanc.
- ES**
1. Inserte el cable a tierra en el conector con el cable verde y amarillo;
 2. Inserte el cable con corriente en el conector con el cable negro;
 3. Inserte el cable neutro en el conector con el cable blanco

8



Job number
JSG2500962
Version
3.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL
NARODETSKY
Specialist CP

Date created
20-NOV-2025

Date updated
27-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIG
T_US_4-INCH

Product 12NC
929004291501

Artwork 12NC / Duplex Box
442296666311

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to digital Pantone+ library
Brand colours
Match spectrally to CXF data supplied

Image/process elements
Match to GMG profiled proof supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0
Colour space
Cielab
Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°
Recommended device
X-rite exact
Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303781

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609405

Barcode magnification
N/A

Barcode BWR (microns)
N/A

@signify

Colour information



Technical drawing



Dimensions

01 BLACK



CONTRACT PROOF SIGN OFF



- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)

100mm

120mm



Job number
JSG2500962
Version
3.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL
NARODETSKY
Specialist GP

Date created
20-NOV-2025

Date updated
27-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIG
T_US_4-INCH

Product 12NC
929004291501

Artwork 12NC / Duplex Box
442296666311

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to digital Pantone+ library
Brand colours
Match spectrally to CXF data supplied
Image/process elements
Match to GMG profiled proof supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0
Colour space
Cielab
Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°
Recommended device
X-rite exact
Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303781

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609405

Barcode magnification
N/A

Barcode BWR (microns)
N/A

signify

Colour information



Technical drawing



Dimensions

01 BLACK



CONTRACT PROOF SIGN OFF





- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)

100mm

120mm



10



Job number
JSG2500962
Version
3.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL
NARODETSKY
Specialist GP

Date created
20-NOV-2025

Date updated
27-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIG
T_US_4-INCH

Product 12NC
929004291501

Artwork 12NC / Duplex Box
442296666311

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to digital Pantone+ library
Brand colours
Match spectrally to CXF data supplied
Image/process elements
Match to GMG profiled proof supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0
Colour space
Cielab
Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°
Recommended device
X-rite exact
Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303781

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609405

Barcode magnification
N/A

Barcode BWR (microns)
N/A

signify

Colour information



Technical drawing



Dimensions

01 BLACK



CONTRACT PROOF SIGN OFF



- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)

100mm

120mm



11



Job number
JSG2500962
Version
3.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL
NARODETSKY
Specialist GP

Date created
20-NOV-2025

Date updated
27-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIG
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIGH
T_US_4-INCH

Product 12NC
929004291501

Artwork 12NC / Duplex Box
442296666311

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to
digital Pantone+ library

Brand colours
Match spectrally to CMF
data supplied

**Image/process
elements**
Match to GCM profiled
proof supplied

Delta e formula
Delta E2000

Tolerance
Delta E <2.0

Colour space
Cielab

Illuminant
D50

Filter
None

White base
Absolute

Observer angle
2°

**Recommended
device**
X-rite exact

Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303781

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609405

Barcode magnification
N/A

Barcode BWR (microns)
N/A

signify

Colour information



Technical drawing



Dimensions

01 BLACK




CONTRACT PROOF SIGN OFF

- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)



Job number
JSG2500962
Version
3.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager AVITAL
NARODETSKY
Specialist GP

Date created
20-NOV-2025

Date updated
27-NOV-2025

Client
SIGNIFY

Project number
PRS2500193

Project name
P0048407_-_SLIM_DOWNLIC
HT_US_A_MANUAL

Job Description
HUE_WCA_SLIM_DOWNLIC
T_US_4-INCH

Product 12NC
929004291501

Artwork 12NC / Duplex Box
442296666311

Colour Reference Card (CRC)

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to digital Pantone+ library
Brand colours
Match spectrally to CXF data supplied

Image/process elements
Match to GMC profiled proof supplied

Delta e formula
Delta E2000
Tolerance
Delta E <2.0
Colour space
Cielab
Illuminant
D50
Filter
None

White base
Absolute
Observer angle
2°
Recommended device
X-rite exact
Xrga
Yes

Print vendor
YONGHE

Print process
OFFSET LITHO

Material
PAPER_WHITE

Colour profile
39L

Die-Cut 12NC
324166303781

Die-Cut dimensions

Barcode type
UPC 12

Barcode number
046677609405

Barcode magnification
N/A

Barcode BWR (microns)
N/A

signify

Colour information



Technical drawing



Dimensions

01 BLACK



CONTRACT PROOF SIGN OFF

- ☐ Correct profile has been used
- ☐ Proof has been checked against target / master
- ☐ Proof sense check actioned
- ☐ Verified with green tick
- ☐ Proof is clear of banding

Colour specialist signature

Signature box

Date (DD-Mmm-YYYY)

Date box