



Appendix A.3

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 Band5_ERP

Band: 5								
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
	Network	Subset				Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	24.00	-0.75	21.10	<=38.45	Pass
			836.6	24.26	-0.75	21.36	<=38.45	Pass
			846.6	24.00	-0.75	21.10	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 Band5

Band: 5							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
RMC	826.4	20	3.27	0.771	0.0009	-2.5 to 2.5	Pass
			3.85	0.884	0.0011	-2.5 to 2.5	Pass
			4.43	1.094	0.0013	-2.5 to 2.5	Pass
		-30	3.85	1.059	0.0013	-2.5 to 2.5	Pass
		-20	3.85	0.920	0.0011	-2.5 to 2.5	Pass
		-10	3.85	1.089	0.0013	-2.5 to 2.5	Pass
		0	3.85	0.988	0.0012	-2.5 to 2.5	Pass
		10	3.85	0.901	0.0011	-2.5 to 2.5	Pass
		30	3.85	1.144	0.0014	-2.5 to 2.5	Pass
		40	3.85	1.087	0.0013	-2.5 to 2.5	Pass
		50	3.85	0.907	0.0011	-2.5 to 2.5	Pass
	836.6	20	3.27	-0.175	-0.0002	-2.5 to 2.5	Pass
			3.85	-0.017	0.0000	-2.5 to 2.5	Pass
			4.43	-0.198	-0.0002	-2.5 to 2.5	Pass
		-30	3.85	-0.251	-0.0003	-2.5 to 2.5	Pass
		-20	3.85	-0.411	-0.0005	-2.5 to 2.5	Pass
		-10	3.85	-0.161	-0.0002	-2.5 to 2.5	Pass
		0	3.85	-0.236	-0.0003	-2.5 to 2.5	Pass
		10	3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
		30	3.85	0.022	0.0000	-2.5 to 2.5	Pass
		40	3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
		50	3.85	-0.243	-0.0003	-2.5 to 2.5	Pass
	846.6	20	3.27	-2.424	-0.0029	-2.5 to 2.5	Pass



Report No.: SUCR260600048901

Page: 2 of 13

			3.85	-2.426	-0.0029	-2.5 to 2.5	Pass
			4.43	-2.582	-0.0030	-2.5 to 2.5	Pass
		-30	3.85	-2.812	-0.0033	-2.5 to 2.5	Pass
		-20	3.85	-2.572	-0.0030	-2.5 to 2.5	Pass
		-10	3.85	-2.737	-0.0032	-2.5 to 2.5	Pass
		0	3.85	-2.653	-0.0031	-2.5 to 2.5	Pass
		10	3.85	-2.398	-0.0028	-2.5 to 2.5	Pass
		30	3.85	-2.526	-0.0030	-2.5 to 2.5	Pass
		40	3.85	-2.708	-0.0032	-2.5 to 2.5	Pass
		50	3.85	-2.504	-0.0030	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band5_OBW

Band: 5						
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	4.149	/	Pass
			836.6	4.138	/	Pass
			846.6	4.137	/	Pass


3.1.2 Band5_XDB


Band: 5						
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	4.699	/	Pass
			836.6	4.685	/	Pass
			846.6	4.693	/	Pass




3.2 Test Graph

3.2.1 Band5_OBW






Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




3.2.2 Band5_XDB


Band5_RMC_LCH_826.4MHz_12.2kbps RMC_NTNV



Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV



Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV



4. Peak-Average Ratio

4.1 Test Result


4.1.1 Band5


Band: 5						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	3.02	<=13	Pass
			836.6	3.02	<=13	Pass
			846.6	3.02	<=13	Pass




4.2 Test Graph

4.2.1 Band5





Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV



5. Spurious Emission




5.1 Test Result


5.1.1 Band5

Band: 5					
ENV	Mode		Frequency (MHz)	Spurious Emission	
	Network	Subset		Result	Limit
NTNV	RMC	12.2kbps RMC	826.4	Refer To Test Graph	Pass
			836.6	Refer To Test Graph	Pass
			846.6	Refer To Test Graph	Pass


5.2 Test Graph

5.2.1 Band5







Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV



Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV





---End of Attachment---