



Report No.: SUCR260600048901

Page: 1 of 48

Appendix B.2

1.1. Test Band = LTE Band2_ TM1

1.1.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3327	50.53	-48.13	28.36	-64.50	-13.00	51.50	Horizontal
2	4492.5	51.24	-47.99	30.09	-61.92	-13.00	48.92	Horizontal
3	6867	51.51	-46.78	35.29	-55.25	-13.00	42.25	Horizontal
4	8825.25	52.24	-44.00	37.21	-49.81	-13.00	36.81	Horizontal
5	12927.75	51.95	-39.42	38.84	-43.89	-13.00	30.89	Horizontal
6	16505.25	54.02	-37.21	38.60	-39.85	-13.00	26.85	Horizontal

1.2. Test Band = LTE Band2_ TM1

1.2.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3396	50.12	-48.39	28.42	-65.12	-13.00	52.12	Vertical
2	4530	50.29	-47.99	30.17	-62.79	-13.00	49.79	Vertical
3	5742	51.68	-47.56	32.70	-58.44	-13.00	45.44	Vertical
4	8448	51.59	-44.19	36.79	-51.07	-13.00	38.07	Vertical
5	13032.75	51.62	-39.07	38.85	-43.86	-13.00	30.86	Vertical
6	17379	53.55	-37.62	41.07	-38.26	-13.00	25.26	Vertical



Report No.: SUCR260600048901

Page: 2 of 48

1.3. Test Band = LTE Band2_ TM1

1.3.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3921	50.81	-48.27	29.17	-63.54	-13.00	50.54	Horizontal
2	5806.5	51.48	-47.62	32.72	-58.67	-13.00	45.67	Horizontal
3	8025	50.37	-44.42	36.33	-52.98	-13.00	39.98	Horizontal
4	11278.5	51.09	-40.43	39.47	-45.13	-13.00	32.13	Horizontal
5	14840.25	54.29	-37.06	40.22	-37.81	-13.00	24.81	Horizontal
6	17469	54.05	-36.96	41.61	-36.56	-13.00	23.56	Horizontal

1.4. Test Band = LTE Band2_ TM1

1.4.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3732.75	49.27	-48.40	28.87	-65.52	-13.00	52.52	Vertical
2	4625.25	49.84	-47.99	30.38	-63.03	-13.00	50.03	Vertical
3	6030	51.65	-47.46	32.91	-58.16	-13.00	45.16	Vertical
4	7566.75	50.67	-45.10	36.39	-53.31	-13.00	40.31	Vertical
5	9999.75	50.58	-41.70	38.80	-47.58	-13.00	34.58	Vertical
6	15270.75	53.49	-38.21	39.71	-40.27	-13.00	27.27	Vertical



Report No.: SUCR260600048901

Page: 3 of 48

1.5. Test Band = LTE Band2_ TM1

1.5.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3753.75	49.65	-48.33	28.91	-65.04	-13.00	52.04	Horizontal
2	4660.5	49.86	-47.98	30.45	-62.92	-13.00	49.92	Horizontal
3	6153	51.61	-47.47	33.38	-57.74	-13.00	44.74	Horizontal
4	8278.5	50.91	-44.47	36.61	-52.21	-13.00	39.21	Horizontal
5	11352.75	51.39	-40.26	39.46	-44.66	-13.00	31.66	Horizontal
6	16881	55.89	-36.92	38.75	-37.54	-13.00	24.54	Horizontal

1.6. Test Band = LTE Band2_ TM1

1.6.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3845.25	50.08	-48.23	29.05	-64.36	-13.00	51.36	Vertical
2	5073	50.98	-47.87	31.40	-60.75	-13.00	47.75	Vertical
3	6714.75	51.53	-46.60	35.04	-55.29	-13.00	42.29	Vertical
4	9107.25	50.09	-42.89	37.55	-50.51	-13.00	37.51	Vertical
5	14160	53.29	-38.56	40.28	-40.25	-13.00	27.25	Vertical
6	17502	54.05	-36.86	41.81	-36.26	-13.00	23.26	Vertical



Report No.: SUCR260600048901

Page: 4 of 48

1.7. Test Band = LTE Band4_ TM1

1.7.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3913.5	51.10	-48.28	29.16	-63.27	-13.00	50.27	Horizontal
2	5439	52.04	-47.68	32.43	-58.47	-13.00	45.47	Horizontal
3	7838.25	51.62	-45.12	36.33	-52.42	-13.00	39.42	Horizontal
4	11085	50.13	-40.41	39.49	-46.05	-13.00	33.05	Horizontal
5	14744.25	53.29	-36.76	40.23	-38.50	-13.00	25.50	Horizontal
6	17495.25	54.17	-36.85	41.77	-36.17	-13.00	23.17	Horizontal

1.8. Test Band = LTE Band4_ TM1

1.8.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3874.5	50.70	-48.26	29.10	-63.72	-13.00	50.72	Vertical
2	4860	51.51	-48.02	30.89	-60.88	-13.00	47.88	Vertical
3	6393	51.75	-46.96	34.29	-56.17	-13.00	43.17	Vertical
4	8127	50.32	-44.62	36.44	-53.12	-13.00	40.12	Vertical
5	10747.5	50.65	-40.87	39.32	-46.16	-13.00	33.16	Vertical
6	15535.5	53.54	-36.79	39.24	-39.27	-13.00	26.27	Vertical



Report No.: SUCR260600048901

Page: 5 of 48

1.9. Test Band = LTE Band4_ TM1

1.9.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3552	50.17	-48.28	28.58	-64.79	-13.00	51.79	Horizontal
2	4973.25	50.85	-48.02	31.14	-61.28	-13.00	48.28	Horizontal
3	7038.75	51.03	-46.30	35.57	-54.96	-13.00	41.96	Horizontal
4	10325.25	51.01	-41.17	39.03	-46.40	-13.00	33.40	Horizontal
5	12814.5	52.63	-39.32	38.91	-43.04	-13.00	30.04	Horizontal
6	17082.75	55.89	-37.57	39.30	-37.64	-13.00	24.64	Horizontal

1.10. Test Band = LTE Band4_ TM1

1.10.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3519.75	50.17	-48.29	28.53	-64.85	-13.00	51.85	Vertical
2	4653.75	49.97	-47.98	30.44	-62.83	-13.00	49.83	Vertical
3	6359.25	51.15	-47.09	34.17	-57.03	-13.00	44.03	Vertical
4	8142	50.47	-44.53	36.46	-52.86	-13.00	39.86	Vertical
5	10884	50.89	-40.12	39.42	-45.07	-13.00	32.07	Vertical
6	15512.25	53.25	-36.64	39.28	-39.38	-13.00	26.38	Vertical



Report No.: SUCR260600048901

Page: 6 of 48

1.11. Test Band = LTE Band4_ TM1

1.11.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3544.5	50.28	-48.29	28.57	-64.69	-13.00	51.69	Horizontal
2	4687.5	50.35	-47.97	30.51	-62.36	-13.00	49.36	Horizontal
3	6063.75	51.87	-47.42	33.04	-57.77	-13.00	44.77	Horizontal
4	8569.5	51.51	-44.06	36.93	-50.89	-13.00	37.89	Horizontal
5	11372.25	51.46	-40.19	39.46	-44.52	-13.00	31.52	Horizontal
6	16933.5	56.07	-37.36	38.77	-37.78	-13.00	24.78	Horizontal

1.12. Test Band = LTE Band4_ TM1

1.12.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3851.25	50.61	-48.24	29.06	-63.82	-13.00	50.82	Vertical
2	5487	51.60	-47.62	32.56	-58.72	-13.00	45.72	Vertical
3	7863.75	51.24	-45.25	36.33	-52.95	-13.00	39.95	Vertical
4	11067.75	50.13	-40.47	39.49	-46.11	-13.00	33.11	Vertical
5	14941.5	54.74	-37.63	40.21	-37.95	-13.00	24.95	Vertical
6	17814.75	54.76	-38.18	43.69	-35.00	-13.00	22.00	Vertical



Report No.: SUCR260600048901

Page: 7 of 48

1.13. Test Band = LTE Band5_ TM1

1.13.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1241.7778	50.43	-50.19	24.65	-70.36	-13.00	57.36	Horizontal
2	1705.3333	50.19	-49.73	25.66	-69.14	-13.00	56.14	Horizontal
3	2584.4444	52.38	-49.13	27.35	-64.66	-13.00	51.66	Horizontal
4	4336.4444	50.52	-48.03	29.84	-62.94	-13.00	49.94	Horizontal
5	6738.6667	51.63	-46.79	35.08	-55.34	-13.00	42.34	Horizontal
6	8391.5556	51.70	-44.04	36.73	-50.87	-13.00	37.87	Horizontal

1.14. Test Band = LTE Band5_ TM1

1.14.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1326.6667	50.51	-50.10	24.36	-70.49	-13.00	57.49	Vertical
2	1965.3333	50.41	-49.70	26.21	-68.33	-13.00	55.33	Vertical
3	2788.8889	51.46	-48.72	27.72	-64.80	-13.00	51.80	Vertical
4	4926.6667	51.29	-48.11	31.04	-61.05	-13.00	48.05	Vertical
5	6436.8889	51.37	-47.19	34.46	-56.62	-13.00	43.62	Vertical
6	8399.1111	51.31	-43.98	36.74	-51.19	-13.00	38.19	Vertical



Report No.: SUCR260600048901

Page: 8 of 48

1.15. Test Band = LTE Band5_ TM1

1.15.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1167.1111	50.26	-50.14	24.82	-70.32	-13.00	57.32	Horizontal
2	1598.2222	50.53	-49.93	25.49	-69.17	-13.00	56.17	Horizontal
3	2330.6667	51.61	-49.24	26.90	-65.99	-13.00	52.99	Horizontal
4	3419.5556	51.48	-48.64	28.44	-63.98	-13.00	50.98	Horizontal
5	4633.3333	50.30	-48.05	30.39	-62.62	-13.00	49.62	Horizontal
6	7094.6667	51.52	-46.02	35.67	-54.09	-13.00	41.09	Horizontal

1.16. Test Band = LTE Band5_ TM1

1.16.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1313.3333	50.15	-50.11	24.40	-70.82	-13.00	57.82	Vertical
2	1805.7778	50.64	-49.83	25.81	-68.64	-13.00	55.64	Vertical
3	3008.8889	51.46	-48.35	28.11	-64.04	-13.00	51.04	Vertical
4	4091.5556	49.42	-48.27	29.45	-64.66	-13.00	51.66	Vertical
5	5554.6667	51.41	-47.54	32.62	-58.77	-13.00	45.77	Vertical
6	7238.6667	51.77	-46.15	35.93	-53.71	-13.00	40.71	Vertical



Report No.: SUCR260600048901

Page: 9 of 48

1.17. Test Band = LTE Band5_ TM1

1.17.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1214.6667	50.65	-50.22	24.75	-70.08	-13.00	57.08	Horizontal
2	1713.7778	50.64	-49.74	25.67	-68.69	-13.00	55.69	Horizontal
3	2323.5556	51.52	-49.21	26.88	-66.07	-13.00	53.07	Horizontal
4	3294.2222	51.64	-48.63	28.34	-63.91	-13.00	50.91	Horizontal
5	4392.4444	50.70	-48.04	29.93	-62.67	-13.00	49.67	Horizontal
6	7250.2222	51.94	-46.13	35.95	-53.50	-13.00	40.50	Horizontal

1.18. Test Band = LTE Band5_ TM1

1.18.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1219.1111	50.23	-50.21	24.73	-70.51	-13.00	57.51	Vertical
2	1722.2222	50.31	-49.75	25.68	-69.01	-13.00	56.01	Vertical
3	2684.4444	52.33	-49.03	27.53	-64.42	-13.00	51.42	Vertical
4	3980.4444	50.50	-48.37	29.27	-63.86	-13.00	50.86	Vertical
5	6120	51.63	-47.11	33.26	-57.48	-13.00	44.48	Vertical
6	8804.8889	51.92	-44.04	37.19	-50.20	-13.00	37.20	Vertical



Report No.: SUCR260600048901

Page: 10 of 48

1.19. Test Band = LTE Band7_ TM1

1.19.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3459	51.03	-48.34	28.47	-64.10	-25.00	39.10	Horizontal
2	4495	51.38	-47.99	30.09	-61.77	-25.00	36.77	Horizontal
3	6516.5	52.38	-47.00	34.73	-55.15	-25.00	30.15	Horizontal
4	8702.5	52.27	-44.12	37.07	-50.03	-25.00	25.03	Horizontal
5	11376.5	51.82	-40.17	39.46	-44.15	-25.00	19.15	Horizontal
6	16880.5	56.90	-36.93	38.75	-36.54	-25.00	11.54	Horizontal

1.20. Test Band = LTE Band7_ TM1

1.20.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3587.5	51.06	-48.28	28.64	-63.84	-25.00	38.84	Vertical
2	4463	51.46	-48.03	30.04	-61.79	-25.00	36.79	Vertical
3	5766	52.06	-47.60	32.71	-58.09	-25.00	33.09	Vertical
4	6687	52.33	-46.62	35.00	-54.55	-25.00	29.55	Vertical
5	8830	53.04	-44.00	37.21	-49.01	-25.00	24.01	Vertical
6	12018	52.57	-39.46	39.39	-42.76	-25.00	17.76	Vertical



Report No.: SUCR260600048901

Page: 11 of 48

1.21. Test Band = LTE Band7_ TM1

1.21.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3432.5	50.89	-48.37	28.45	-64.30	-25.00	39.30	Horizontal
2	4695.5	50.90	-47.96	30.53	-61.79	-25.00	36.79	Horizontal
3	6565	52.02	-47.03	34.80	-55.47	-25.00	30.47	Horizontal
4	9356.5	52.45	-42.98	37.90	-47.89	-25.00	22.89	Horizontal
5	12010.5	52.37	-39.44	39.39	-42.94	-25.00	17.94	Horizontal
6	16517.5	54.48	-37.22	38.61	-39.39	-25.00	14.39	Horizontal

1.22. Test Band = LTE Band7_ TM1

1.22.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3579.5	51.05	-48.28	28.63	-63.86	-25.00	38.86	Vertical
2	5444.5	52.79	-47.67	32.44	-57.70	-25.00	32.70	Vertical
3	8024	52.08	-44.42	36.33	-51.27	-25.00	26.27	Vertical
4	10907	51.24	-40.06	39.43	-44.64	-25.00	19.64	Vertical
5	13737	54.20	-38.35	39.91	-39.51	-25.00	14.51	Vertical
6	16876	56.80	-36.96	38.75	-36.67	-25.00	11.67	Vertical



Report No.: SUCR260600048901

Page: 12 of 48

1.23. Test Band = LTE Band7_ TM1

1.23.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3508.5	50.83	-48.29	28.51	-64.21	-25.00	39.21	Horizontal
2	4486.5	51.22	-48.00	30.08	-61.96	-25.00	36.96	Horizontal
3	5887.5	52.64	-47.21	32.76	-57.08	-25.00	32.08	Horizontal
4	7778.5	52.17	-44.97	36.34	-51.72	-25.00	26.72	Horizontal
5	11394.5	52.12	-40.10	39.46	-43.78	-25.00	18.78	Horizontal
6	16873.5	56.70	-36.98	38.75	-36.79	-25.00	11.79	Horizontal

1.24. Test Band = LTE Band7_ TM1

1.24.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3462	50.86	-48.34	28.47	-64.27	-25.00	39.27	Vertical
2	4364	51.30	-47.99	29.88	-62.07	-25.00	37.07	Vertical
3	6165.5	52.53	-47.49	33.43	-56.79	-25.00	31.79	Vertical
4	8796.5	52.74	-43.99	37.18	-49.34	-25.00	24.34	Vertical
5	12067.5	53.01	-39.56	39.36	-42.45	-25.00	17.45	Vertical
6	16885	57.01	-36.89	38.75	-36.39	-25.00	11.39	Vertical



Report No.: SUCR260600048901

Page: 13 of 48

1.25. Test Band = LTE Band12_ TM1

1.25.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1121.5	50.06	-50.01	24.84	-70.37	-13.00	57.37	Horizontal
2	1655	49.99	-49.81	25.58	-69.50	-13.00	56.50	Horizontal
3	2305.5	51.06	-49.15	26.85	-66.50	-13.00	53.50	Horizontal
4	3084	51.52	-48.82	28.17	-64.39	-13.00	51.39	Horizontal
5	4085.5	49.34	-48.27	29.44	-64.76	-13.00	51.76	Horizontal
6	6324.5	51.48	-47.34	34.03	-57.08	-13.00	44.08	Horizontal

1.26. Test Band = LTE Band12_ TM1

1.26.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1207.5	50.08	-50.22	24.77	-70.63	-13.00	57.63	Vertical
2	1606.5	50.45	-49.92	25.51	-69.22	-40.00	29.22	Vertical
3	2307.5	51.49	-49.16	26.85	-66.07	-13.00	53.07	Vertical
4	3853.5	50.26	-48.42	29.07	-64.36	-13.00	51.36	Vertical
5	5902	51.56	-47.03	32.76	-57.97	-13.00	44.97	Vertical
6	7835	51.52	-45.21	36.33	-52.62	-13.00	39.62	Vertical



Report No.: SUCR260600048901

Page: 14 of 48

1.27. Test Band = LTE Band12_ TM1

1.27.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1207.5	50.54	-50.22	24.77	-70.17	-13.00	57.17	Horizontal
2	1733	50.27	-49.76	25.70	-69.05	-13.00	56.05	Horizontal
3	2566.5	51.80	-49.08	27.32	-65.22	-13.00	52.22	Horizontal
4	3876.5	50.57	-48.43	29.10	-64.01	-13.00	51.01	Horizontal
5	5415.5	51.84	-47.43	32.36	-58.49	-13.00	45.49	Horizontal
6	7763	51.35	-45.14	36.35	-52.70	-13.00	39.70	Horizontal

1.28. Test Band = LTE Band12_ TM1

1.28.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1206.5	50.08	-50.22	24.78	-70.63	-13.00	57.63	Vertical
2	1592.5	50.25	-49.92	25.45	-69.49	-40.00	29.49	Vertical
3	2106.5	51.13	-49.46	26.49	-67.10	-13.00	54.10	Vertical
4	2693.5	52.37	-49.01	27.55	-64.35	-13.00	51.35	Vertical
5	3879.5	50.67	-48.43	29.11	-63.91	-13.00	50.91	Vertical
6	5943.5	52.02	-47.27	32.78	-57.73	-13.00	44.73	Vertical



Report No.: SUCR260600048901

Page: 15 of 48

1.29. Test Band = LTE Band12_ TM1

1.29.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1308	50.32	-50.12	24.42	-70.64	-13.00	57.64	Horizontal
2	1812.5	50.66	-49.83	25.83	-68.60	-13.00	55.60	Horizontal
3	2719.5	51.66	-48.94	27.60	-64.94	-13.00	51.94	Horizontal
4	3955.5	50.38	-48.39	29.23	-64.04	-13.00	51.04	Horizontal
5	5490.5	51.60	-47.39	32.57	-58.48	-13.00	45.48	Horizontal
6	7609	50.49	-44.72	36.38	-53.12	-13.00	40.12	Horizontal

1.30. Test Band = LTE Band12_ TM1

1.30.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1240	49.63	-50.19	24.66	-71.16	-13.00	58.16	Vertical
2	1574.5	49.57	-49.90	25.32	-70.27	-40.00	30.27	Vertical
3	2002	50.71	-49.67	26.30	-67.91	-13.00	54.91	Vertical
4	2704	51.87	-48.99	27.57	-64.81	-13.00	51.81	Vertical
5	4013.5	49.77	-48.34	29.32	-64.51	-13.00	51.51	Vertical
6	6739	51.53	-46.79	35.08	-55.44	-13.00	42.44	Vertical



Report No.: SUCR260600048901

Page: 16 of 48

1.31. Test Band = LTE Band13 10M_ TM1

1.31.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1326.5	50.41	-50.10	24.36	-70.59	-13.00	57.59	Horizontal
2	1908.5	50.93	-49.74	26.07	-68.00	-13.00	55.00	Horizontal
3	2691.5	51.91	-49.01	27.54	-64.82	-13.00	51.82	Horizontal
4	4061.5	49.37	-48.29	29.40	-64.79	-13.00	51.79	Horizontal
5	5273.5	51.36	-47.87	31.97	-59.80	-13.00	46.80	Horizontal
6	7289.5	51.67	-46.10	36.02	-53.67	-13.00	40.67	Horizontal

1.32. Test Band = LTE Band13 10M_ TM1

1.32.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1206	49.92	-50.22	24.78	-70.79	-13.00	57.79	Vertical
2	1798	50.30	-49.84	25.80	-69.00	-13.00	56.00	Vertical
3	2344.5	51.24	-49.29	26.92	-66.39	-13.00	53.39	Vertical
4	3528	50.89	-48.44	28.54	-64.27	-13.00	51.27	Vertical
5	5102	50.71	-47.92	31.49	-60.99	-13.00	47.99	Vertical
6	7629.5	50.69	-44.85	36.37	-53.05	-13.00	40.05	Vertical



Report No.: SUCR260600048901

Page: 17 of 48

1.33. Test Band = LTE Band13 5M_ TM1

1.33.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1206	50.33	-50.22	24.78	-70.38	-13.00	57.38	Horizontal
2	1731.5	50.01	-49.76	25.70	-69.31	-13.00	56.31	Horizontal
3	2694.5	52.01	-49.01	27.55	-64.71	-13.00	51.71	Horizontal
4	4275.5	49.53	-48.11	29.74	-64.10	-13.00	51.10	Horizontal
5	6393	51.35	-47.27	34.29	-56.88	-13.00	43.88	Horizontal
6	8535.5	50.62	-44.28	36.89	-52.03	-13.00	39.03	Horizontal

1.34. Test Band = LTE Band13 5M_ TM1

1.34.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1317	50.40	-50.11	24.39	-70.58	-13.00	57.58	Vertical
2	1948	50.24	-49.71	26.17	-68.56	-13.00	55.56	Vertical
3	2657	51.93	-49.07	27.48	-64.92	-13.00	51.92	Vertical
4	3834	50.12	-48.42	29.03	-64.52	-13.00	51.52	Vertical
5	5253.5	51.39	-47.91	31.91	-59.87	-13.00	46.87	Vertical
6	7807.5	51.35	-45.09	36.34	-52.66	-13.00	39.66	Vertical



Report No.: SUCR260600048901

Page: 18 of 48

1.35. Test Band = LTE Band13 5M_ TM1

1.35.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1198.5	50.29	-50.23	24.80	-70.40	-13.00	57.40	Horizontal
2	1600.5	50.62	-49.93	25.50	-69.07	-40.00	29.07	Horizontal
3	2502	51.71	-48.91	27.20	-65.25	-13.00	52.25	Horizontal
4	3993	50.09	-48.36	29.29	-64.24	-13.00	51.24	Horizontal
5	5463	51.88	-47.41	32.50	-58.29	-13.00	45.29	Horizontal
6	7331.5	51.48	-46.05	36.10	-53.74	-13.00	40.74	Horizontal

1.36. Test Band = LTE Band13 5M_ TM1

1.36.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1321	50.25	-50.10	24.38	-70.74	-13.00	57.74	Vertical
2	1711.5	49.89	-49.73	25.67	-69.44	-13.00	56.44	Vertical
3	2320.5	50.97	-49.20	26.88	-66.61	-13.00	53.61	Vertical
4	3446	50.92	-48.57	28.46	-64.45	-13.00	51.45	Vertical
5	5015.5	50.91	-47.95	31.24	-61.06	-13.00	48.06	Vertical
6	6912.5	50.91	-46.51	35.36	-55.50	-13.00	42.50	Vertical



Report No.: SUCR260600048901

Page: 19 of 48

1.37. Test Band = LTE Band13 5M_ TM1

1.37.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1261.5	49.92	-50.17	24.58	-70.92	-13.00	57.92	Horizontal
2	1896	50.17	-49.75	26.04	-68.80	-13.00	55.80	Horizontal
3	2822.5	51.12	-48.70	27.78	-65.06	-13.00	52.06	Horizontal
4	3747.5	49.92	-48.56	28.90	-65.01	-13.00	52.01	Horizontal
5	5620.5	50.91	-47.64	32.65	-59.34	-13.00	46.34	Horizontal
6	7833	51.14	-45.21	36.33	-52.99	-13.00	39.99	Horizontal

1.38. Test Band = LTE Band13 5M_ TM1

1.38.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1336	49.97	-50.09	24.32	-71.05	-13.00	58.05	Vertical
2	2113.5	50.54	-49.46	26.50	-67.68	-13.00	54.68	Vertical
3	3267	51.17	-48.63	28.31	-64.40	-13.00	51.40	Vertical
4	4976	50.84	-48.01	31.15	-61.28	-13.00	48.28	Vertical
5	6726	51.36	-46.76	35.06	-55.60	-13.00	42.60	Vertical
6	8290	51.35	-44.73	36.62	-52.03	-13.00	39.03	Vertical



Report No.: SUCR260600048901

Page: 20 of 48

1.39. Test Band = LTE Band14 5M_ TM1

1.39.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1222.2222	47.24	-50.21	24.72	-73.51	-13.00	60.51	Horizontal
2	1713.7778	46.60	-49.74	25.67	-72.73	-13.00	59.73	Horizontal
3	2379.1111	46.86	-49.41	26.98	-70.82	-13.00	57.82	Horizontal
4	3563.1111	45.71	-48.46	28.60	-69.41	-13.00	56.41	Horizontal
5	5577.7778	44.70	-47.61	32.63	-65.54	-13.00	52.54	Horizontal
6	7572.8889	42.67	-45.11	36.39	-61.31	-13.00	48.31	Horizontal

1.40. Test Band = LTE Band14 5M_ TM1

1.40.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1206.2222	47.03	-50.22	24.78	-73.68	-13.00	60.68	Vertical
2	1956.8889	45.91	-49.70	26.19	-72.86	-13.00	59.86	Vertical
3	2754.2222	44.96	-48.83	27.66	-71.47	-13.00	58.47	Vertical
4	3765.7778	45.02	-48.51	28.93	-69.82	-13.00	56.82	Vertical
5	5076.8889	44.76	-47.93	31.42	-67.01	-13.00	54.01	Vertical
6	7183.1111	44.32	-46.15	35.83	-61.26	-13.00	48.26	Vertical



Report No.: SUCR260600048901

Page: 21 of 48

1.41. Test Band = LTE Band14 5M_ TM1

1.41.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1192.4444	47.09	-50.21	24.80	-73.58	-13.00	60.58	Horizontal
2	1698.6667	46.55	-49.72	25.65	-72.78	-13.00	59.78	Horizontal
3	2308	46.62	-49.16	26.85	-70.94	-13.00	57.94	Horizontal
4	3416.4444	45.26	-48.65	28.43	-70.21	-13.00	57.21	Horizontal
5	4932	44.51	-48.10	31.05	-67.80	-13.00	54.80	Horizontal
6	7150.6667	44.25	-46.08	35.77	-61.32	-13.00	48.32	Horizontal

1.42. Test Band = LTE Band14 5M_ TM1

1.42.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1208	47.27	-50.22	24.77	-73.44	-13.00	60.44	Vertical
2	1855.1111	45.77	-49.79	25.94	-73.34	-13.00	60.34	Vertical
3	3076	46.34	-48.77	28.16	-69.53	-13.00	56.53	Vertical
4	4645.3333	44.75	-48.06	30.42	-68.15	-13.00	55.15	Vertical
5	5947.1111	44.86	-47.29	32.78	-64.91	-13.00	51.91	Vertical
6	8541.7778	43.60	-44.24	36.90	-59.00	-13.00	46.00	Vertical



Report No.: SUCR260600048901

Page: 22 of 48

1.43. Test Band = LTE Band14 5M_ TM1

1.43.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1202.6667	48.06	-50.23	24.79	-72.64	-13.00	59.64	Horizontal
2	1656	46.36	-49.81	25.58	-73.13	-13.00	60.13	Horizontal
3	2162.6667	46.84	-49.48	26.59	-71.31	-13.00	58.31	Horizontal
4	3092.4444	45.87	-48.87	28.17	-70.09	-13.00	57.09	Horizontal
5	4434.2222	45.30	-48.10	29.99	-68.07	-13.00	55.07	Horizontal
6	7390.6667	44.04	-45.98	36.20	-61.00	-13.00	48.00	Horizontal

1.44. Test Band = LTE Band14 5M_ TM1

1.44.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1239.5556	46.67	-50.19	24.66	-74.12	-13.00	61.12	Vertical
2	1877.3333	45.51	-49.77	25.99	-73.53	-13.00	60.53	Vertical
3	2758.2222	45.37	-48.81	27.66	-71.04	-13.00	58.04	Vertical
4	4571.1111	45.07	-48.09	30.26	-68.03	-13.00	55.03	Vertical
5	7129.7778	44.05	-46.04	35.73	-61.52	-13.00	48.52	Vertical
6	8808	43.92	-44.04	37.19	-58.19	-13.00	45.19	Vertical



Report No.: SUCR260600048901

Page: 23 of 48

1.45. Test Band = LTE Band14 10M_ TM1

1.45.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1209.3333	48.32	-50.22	24.77	-72.39	-13.00	59.39	Horizontal
2	1788.8889	47.60	-49.83	25.78	-71.70	-13.00	58.70	Horizontal
3	2498.6667	46.18	-48.91	27.20	-70.79	-13.00	57.79	Horizontal
4	3512	45.43	-48.44	28.52	-69.75	-13.00	56.75	Horizontal
5	4876.8889	45.14	-48.14	30.93	-67.33	-13.00	54.33	Horizontal
6	6725.7778	44.81	-46.76	35.06	-62.15	-13.00	49.15	Horizontal

1.46. Test Band = LTE Band14 10M_ TM1

1.46.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1320	46.72	-50.11	24.38	-74.27	-13.00	61.27	Vertical
2	1790.2222	46.26	-49.83	25.79	-73.04	-13.00	60.04	Vertical
3	2426.2222	46.65	-49.33	27.07	-70.87	-13.00	57.87	Vertical
4	3074.6667	45.76	-48.76	28.16	-70.10	-13.00	57.10	Vertical
5	3862.6667	45.01	-48.42	29.08	-69.59	-13.00	56.59	Vertical
6	7078.6667	43.53	-46.13	35.64	-62.22	-13.00	49.22	Vertical



Report No.: SUCR260600048901

Page: 24 of 48

1.47. Test Band = LTE Band17_ TM1

1.47.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1196	50.47	-50.22	24.80	-70.21	-13.00	57.21	Horizontal
2	1700.4444	50.40	-49.72	25.65	-68.93	-13.00	55.93	Horizontal
3	2202.2222	51.17	-49.48	26.66	-66.91	-13.00	53.91	Horizontal
4	3472.8889	51.07	-48.50	28.48	-64.21	-13.00	51.21	Horizontal
5	4438.6667	50.51	-48.11	30.00	-62.86	-13.00	49.86	Horizontal
6	7615.1111	50.76	-44.76	36.38	-52.89	-13.00	39.89	Horizontal

1.48. Test Band = LTE Band17_ TM1

1.48.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1280.4444	49.52	-50.15	24.52	-71.37	-13.00	58.37	Vertical
2	1800	50.48	-49.84	25.80	-68.82	-13.00	55.82	Vertical
3	2633.3333	51.67	-49.11	27.44	-65.26	-13.00	52.26	Vertical
4	4132.8889	49.12	-48.29	29.51	-64.92	-13.00	51.92	Vertical
5	5731.1111	52.09	-47.57	32.69	-58.05	-13.00	45.05	Vertical
6	7798.2222	51.60	-45.06	36.34	-52.38	-13.00	39.38	Vertical



Report No.: SUCR260600048901

Page: 25 of 48

1.49. Test Band = LTE Band17_ TM1

1.49.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1291.1111	50.67	-50.14	24.48	-70.25	-13.00	57.25	Horizontal
2	1856.8889	50.43	-49.79	25.94	-68.68	-13.00	55.68	Horizontal
3	2693.3333	52.00	-49.01	27.55	-64.72	-13.00	51.72	Horizontal
4	3747.5556	50.20	-48.56	28.90	-64.73	-13.00	51.73	Horizontal
5	5462.2222	51.93	-47.41	32.49	-58.24	-13.00	45.24	Horizontal
6	7844.4444	51.37	-45.26	36.33	-52.81	-13.00	39.81	Horizontal

1.50. Test Band = LTE Band17_ TM1

1.50.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1345.3333	49.80	-50.08	24.29	-71.24	-13.00	58.24	Vertical
2	1804.4444	50.17	-49.84	25.81	-69.11	-13.00	56.11	Vertical
3	2604.4444	51.77	-49.16	27.39	-65.26	-13.00	52.26	Vertical
4	3886.2222	50.51	-48.43	29.12	-64.06	-13.00	51.06	Vertical
5	5384	51.85	-47.50	32.28	-58.64	-13.00	45.64	Vertical
6	7192	51.57	-46.16	35.85	-54.01	-13.00	41.01	Vertical



Report No.: SUCR260600048901

Page: 26 of 48

1.51. Test Band = LTE Band17_ TM1

1.51.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1210.2222	50.10	-50.22	24.76	-70.62	-13.00	57.62	Horizontal
2	1651.5556	49.89	-49.82	25.58	-69.61	-13.00	56.61	Horizontal
3	2167.5556	51.43	-49.48	26.60	-66.71	-13.00	53.71	Horizontal
4	2984.4444	51.02	-48.37	28.07	-64.53	-13.00	51.53	Horizontal
5	4484	50.70	-48.19	30.07	-62.68	-13.00	49.68	Horizontal
6	7606.6667	50.64	-44.71	36.38	-52.95	-13.00	39.95	Horizontal

1.52. Test Band = LTE Band17_ TM1

1.52.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1335.5556	49.54	-50.09	24.33	-71.48	-13.00	58.48	Vertical
2	2056.8889	50.89	-49.55	26.40	-67.52	-13.00	54.52	Vertical
3	3218.6667	51.41	-48.62	28.27	-64.20	-13.00	51.20	Vertical
4	4853.7778	51.17	-48.10	30.88	-61.31	-13.00	48.31	Vertical
5	6770.2222	51.67	-46.87	35.13	-55.33	-13.00	42.33	Vertical
6	8389.7778	51.69	-44.05	36.73	-50.90	-13.00	37.90	Vertical



Report No.: SUCR260600048901

Page: 27 of 48

1.53. Test Band = LTE Band25_ TM1

1.53.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3925.5	51.13	-48.26	29.18	-63.21	-13.00	50.21	Horizontal
2	5281.5	51.41	-47.80	31.99	-59.66	-13.00	46.66	Horizontal
3	6822.75	51.57	-46.85	35.22	-55.33	-13.00	42.33	Horizontal
4	9051.75	50.51	-43.00	37.47	-50.28	-13.00	37.28	Horizontal
5	11430.75	51.12	-40.07	39.46	-44.76	-13.00	31.76	Horizontal
6	14721	53.41	-36.72	40.23	-38.34	-13.00	25.34	Horizontal

1.54. Test Band = LTE Band25_ TM1

1.54.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3868.5	50.45	-48.26	29.09	-63.98	-13.00	50.98	Vertical
2	5299.5	51.53	-47.78	32.04	-59.47	-13.00	46.47	Vertical
3	7299	51.44	-46.16	36.04	-53.94	-13.00	40.94	Vertical
4	10134	50.48	-41.96	38.89	-47.85	-13.00	34.85	Vertical
5	13701.75	52.81	-37.99	39.85	-40.59	-13.00	27.59	Vertical
6	17091.75	55.89	-37.46	39.35	-37.48	-13.00	24.48	Vertical



Report No.: SUCR260600048901

Page: 28 of 48

1.55. Test Band = LTE Band25_ TM1

1.55.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3877.5	50.96	-48.27	29.10	-63.46	-13.00	50.46	Horizontal
2	4703.25	50.43	-47.96	30.55	-62.24	-13.00	49.24	Horizontal
3	5977.5	51.96	-47.42	32.79	-57.93	-13.00	44.93	Horizontal
4	8301	51.18	-44.55	36.63	-51.99	-13.00	38.99	Horizontal
5	11283	51.54	-40.44	39.47	-44.69	-13.00	31.69	Horizontal
6	15546.75	53.38	-36.86	39.22	-39.52	-13.00	26.52	Horizontal

1.56. Test Band = LTE Band25_ TM1

1.56.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3824.25	49.74	-48.21	29.02	-64.71	-13.00	51.71	Vertical
2	4769.25	50.61	-47.99	30.69	-61.95	-13.00	48.95	Vertical
3	6385.5	51.41	-46.99	34.26	-56.57	-13.00	43.57	Vertical
4	8478	51.66	-44.24	36.83	-51.02	-13.00	38.02	Vertical
5	11555.25	50.57	-39.90	39.44	-45.15	-13.00	32.15	Vertical
6	14994.75	54.04	-37.97	40.20	-38.99	-13.00	25.99	Vertical



Report No.: SUCR260600048901

Page: 29 of 48

1.57. Test Band = LTE Band25_ TM1

1.57.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3450.75	50.66	-48.35	28.46	-64.49	-13.00	51.49	Horizontal
2	4377.75	50.37	-48.04	29.90	-63.02	-13.00	50.02	Horizontal
3	5804.25	51.54	-47.63	32.72	-58.63	-13.00	45.63	Horizontal
4	7255.5	51.73	-46.18	35.96	-53.75	-13.00	40.75	Horizontal
5	9236.25	50.53	-43.30	37.73	-50.30	-13.00	37.30	Horizontal
6	13433.25	52.53	-39.18	39.45	-42.46	-13.00	29.46	Horizontal

1.58. Test Band = LTE Band25_ TM1

1.58.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3387.75	50.15	-48.36	28.41	-65.06	-13.00	52.06	Vertical
2	4395	50.27	-48.09	29.93	-63.15	-13.00	50.15	Vertical
3	5766	51.52	-47.60	32.71	-58.63	-13.00	45.63	Vertical
4	7377.75	51.23	-46.17	36.18	-54.02	-13.00	41.02	Vertical
5	9839.25	50.00	-42.16	38.57	-48.85	-13.00	35.85	Vertical
6	13431.75	52.90	-39.18	39.45	-42.09	-13.00	29.09	Vertical



Report No.: SUCR260600048901

Page: 30 of 48

1.59. Test Band = LTE Band26 22H_ TM1

1.59.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1296.8889	50.55	-50.13	24.46	-70.38	-13.00	57.38	Horizontal
2	2044.4444	51.02	-49.58	26.38	-67.44	-13.00	54.44	Horizontal
3	2692.8889	52.29	-49.01	27.55	-64.43	-13.00	51.43	Horizontal
4	3814.2222	50.41	-48.41	29.00	-64.26	-13.00	51.26	Horizontal
5	5439.5556	51.79	-47.42	32.43	-58.46	-13.00	45.46	Horizontal
6	7800.8889	51.55	-45.06	36.34	-52.43	-13.00	39.43	Horizontal

1.60. Test Band = LTE Band26 22H_ TM1

1.60.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1234.2222	50.12	-50.20	24.68	-70.66	-13.00	57.66	Vertical
2	2302.6667	51.31	-49.14	26.84	-66.24	-13.00	53.24	Vertical
3	3458.6667	51.28	-48.54	28.47	-64.05	-13.00	51.05	Vertical
4	4480	50.51	-48.18	30.07	-62.87	-13.00	49.87	Vertical
5	5553.7778	51.23	-47.54	32.62	-58.95	-13.00	45.95	Vertical
6	7266.2222	51.68	-46.12	35.98	-53.72	-13.00	40.72	Vertical



Report No.: SUCR260600048901

Page: 31 of 48

1.61. Test Band = LTE Band26 22H_ TM1

1.61.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1216.8889	50.38	-50.21	24.74	-70.35	-13.00	57.35	Horizontal
2	1786.6667	50.58	-49.82	25.78	-68.72	-13.00	55.72	Horizontal
3	2574.2222	52.08	-49.10	27.33	-64.95	-13.00	51.95	Horizontal
4	4104	50.16	-48.26	29.47	-63.90	-13.00	50.90	Horizontal
5	5817.7778	52.23	-47.60	32.73	-57.90	-13.00	44.90	Horizontal
6	8173.7778	50.66	-44.38	36.49	-52.49	-13.00	39.49	Horizontal

1.62. Test Band = LTE Band26 22H_ TM1

1.62.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1213.3333	49.85	-50.22	24.75	-70.87	-13.00	57.87	Vertical
2	1672	50.01	-49.78	25.61	-69.42	-13.00	56.42	Vertical
3	2601.7778	51.72	-49.17	27.38	-65.32	-13.00	52.32	Vertical
4	4447.1111	50.82	-48.12	30.02	-62.55	-13.00	49.55	Vertical
5	6311.1111	52.19	-47.35	33.98	-56.44	-13.00	43.44	Vertical
6	8388.8889	51.56	-44.06	36.73	-51.03	-13.00	38.03	Vertical



Report No.: SUCR260600048901

Page: 32 of 48

1.63. Test Band = LTE Band26 22H_ TM1

1.63.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1282.2222	50.59	-50.15	24.51	-70.31	-13.00	57.31	Horizontal
2	1920	51.33	-49.73	26.10	-67.56	-13.00	54.56	Horizontal
3	2736.4444	52.18	-48.88	27.63	-64.34	-13.00	51.34	Horizontal
4	3944.8889	51.11	-48.39	29.21	-63.33	-13.00	50.33	Horizontal
5	5301.7778	51.83	-47.81	32.04	-59.20	-13.00	46.20	Horizontal
6	6826.6667	51.97	-46.82	35.22	-54.88	-13.00	41.88	Horizontal

1.64. Test Band = LTE Band26 22H_ TM1

1.64.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1240	50.13	-50.19	24.66	-70.66	-13.00	57.66	Vertical
2	1631.5556	50.09	-49.86	25.55	-69.49	-13.00	56.49	Vertical
3	2404	52.05	-49.46	27.03	-65.64	-13.00	52.64	Vertical
4	3290.2222	51.47	-48.63	28.33	-64.09	-13.00	51.09	Vertical
5	4768.8889	50.62	-48.04	30.69	-61.99	-13.00	48.99	Vertical
6	7835.1111	51.57	-45.21	36.33	-52.57	-13.00	39.57	Vertical



Report No.: SUCR260600048901

Page: 33 of 48

1.65. Test Band = LTE Band26 90S 5M_ TM1

1.65.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1229.3333	50.38	-50.20	24.70	-70.38	-13.00	57.38	Horizontal
2	1592	50.63	-49.92	25.44	-69.11	-13.00	56.11	Horizontal
3	2176.8889	51.75	-49.48	26.62	-66.37	-13.00	53.37	Horizontal
4	3181.3333	51.60	-48.68	28.25	-64.09	-13.00	51.09	Horizontal
5	5073.3333	51.00	-47.93	31.41	-60.79	-13.00	47.79	Horizontal
6	7376	51.29	-46.00	36.18	-53.79	-13.00	40.79	Horizontal

1.66. Test Band = LTE Band26 90S 5M_ TM1

1.66.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1219.5556	49.46	-50.21	24.73	-71.28	-13.00	58.28	Vertical
2	2000	50.71	-49.67	26.30	-67.92	-13.00	54.92	Vertical
3	3175.1111	51.63	-48.69	28.24	-64.08	-13.00	51.08	Vertical
4	4428.8889	50.64	-48.09	29.99	-62.73	-13.00	49.73	Vertical
5	6388.8889	51.56	-47.27	34.28	-56.69	-13.00	43.69	Vertical
6	8387.1111	51.48	-44.08	36.73	-51.13	-13.00	38.13	Vertical



Report No.: SUCR260600048901

Page: 34 of 48

1.67. Test Band = LTE Band26 90S 5M_ TM1

1.67.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1277.3333	50.44	-50.15	24.53	-70.44	-13.00	57.44	Horizontal
2	1724.4444	50.45	-49.75	25.69	-68.87	-13.00	55.87	Horizontal
3	2469.7778	51.53	-49.08	27.15	-65.66	-13.00	52.66	Horizontal
4	3919.1111	50.92	-48.41	29.17	-63.58	-13.00	50.58	Horizontal
5	5364.4444	52.50	-47.58	32.22	-58.11	-13.00	45.11	Horizontal
6	7776	51.41	-45.11	36.34	-52.62	-13.00	39.62	Horizontal

1.68. Test Band = LTE Band26 90S 5M_ TM1

1.68.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1215.5556	50.07	-50.21	24.75	-70.66	-13.00	57.66	Vertical
2	1612.4444	50.06	-49.90	25.52	-69.59	-13.00	56.59	Vertical
3	2297.7778	51.43	-49.14	26.84	-66.13	-13.00	53.13	Vertical
4	3182.2222	51.89	-48.67	28.25	-63.80	-13.00	50.80	Vertical
5	4845.7778	50.93	-48.09	30.86	-61.56	-13.00	48.56	Vertical
6	7412.4444	51.47	-46.01	36.24	-53.56	-13.00	40.56	Vertical



Report No.: SUCR260600048901

Page: 35 of 48

1.69. Test Band = LTE Band26 90S 5M_ TM1

1.69.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1285.7778	50.68	-50.14	24.50	-70.22	-13.00	57.22	Horizontal
2	1644.8889	50.47	-49.84	25.57	-69.06	-13.00	56.06	Horizontal
3	2300.8889	51.88	-49.13	26.84	-65.67	-13.00	52.67	Horizontal
4	3560.8889	51.41	-48.46	28.60	-63.71	-13.00	50.71	Horizontal
5	4860.4444	51.36	-48.11	30.89	-61.12	-13.00	48.12	Horizontal
6	7648	50.94	-44.96	36.37	-52.91	-13.00	39.91	Horizontal

1.70. Test Band = LTE Band26 90S 5M_ TM1

1.70.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1320	49.95	-50.11	24.38	-71.04	-13.00	58.04	Vertical
2	2094.6667	51.27	-49.47	26.47	-66.99	-13.00	53.99	Vertical
3	3028.4444	52.23	-48.47	28.12	-63.38	-13.00	50.38	Vertical
4	4920.4444	50.92	-48.13	31.02	-61.44	-13.00	48.44	Vertical
5	6520.4444	50.94	-47.08	34.73	-56.67	-13.00	43.67	Vertical
6	8324.4444	51.42	-44.59	36.66	-51.77	-13.00	38.77	Vertical



Report No.: SUCR260600048901

Page: 36 of 48

1.71. Test Band = LTE Band26 90S 10M_ TM1

1.71.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1502.2222	50.40	-49.83	24.82	-69.88	-13.00	56.88	Horizontal
2	2062.6667	50.87	-49.54	26.41	-67.52	-13.00	54.52	Horizontal
3	2874.6667	51.86	-48.75	27.87	-64.28	-13.00	51.28	Horizontal
4	3856.8889	50.51	-48.42	29.07	-64.10	-13.00	51.10	Horizontal
5	4963.1111	51.25	-48.04	31.12	-60.93	-13.00	47.93	Horizontal
6	7713.3333	51.73	-45.25	36.36	-52.42	-13.00	39.42	Horizontal

1.72. Test Band = LTE Band26 90S 10M_ TM1

1.72.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1283.5556	49.77	-50.15	24.51	-71.13	-13.00	58.13	Vertical
2	1698.6667	50.00	-49.72	25.65	-69.33	-13.00	56.33	Vertical
3	2304	51.50	-49.14	26.85	-66.06	-13.00	53.06	Vertical
4	3066.2222	51.82	-48.71	28.15	-63.99	-13.00	50.99	Vertical
5	4316.4444	49.84	-48.03	29.81	-63.65	-13.00	50.65	Vertical
6	6245.3333	51.90	-47.43	33.73	-57.06	-13.00	44.06	Vertical



Report No.: SUCR260600048901

Page: 37 of 48

1.73. Test Band = LTE Band41_ TM1

1.73.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3455.5	50.73	-48.34	28.46	-64.41	-25.00	39.41	Horizontal
2	4855	51.81	-48.02	30.88	-60.59	-25.00	35.59	Horizontal
3	6390	52.45	-46.97	34.28	-55.50	-25.00	30.50	Horizontal
4	8174	51.57	-44.34	36.49	-51.53	-25.00	26.53	Horizontal
5	10972.5	51.55	-40.51	39.48	-44.74	-25.00	19.74	Horizontal
6	14862.5	54.29	-37.18	40.21	-37.93	-25.00	12.93	Horizontal

1.74. Test Band = LTE Band41_ TM1

1.74.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3281.5	51.56	-48.05	28.33	-63.43	-25.00	38.43	Vertical
2	5051.5	51.39	-47.91	31.34	-60.44	-25.00	35.44	Vertical
3	6839.5	52.29	-46.83	35.24	-54.55	-25.00	29.55	Vertical
4	8638	52.03	-44.03	37.00	-50.26	-25.00	25.26	Vertical
5	10547	51.42	-40.93	39.18	-45.59	-25.00	20.59	Vertical
6	15003.5	54.28	-38.04	40.19	-38.83	-25.00	13.83	Vertical



Report No.: SUCR260600048901

Page: 38 of 48

1.75. Test Band = LTE Band41_ TM1

1.75.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3539.5	51.79	-48.29	28.56	-63.19	-25.00	38.19	Horizontal
2	4436.5	51.41	-48.06	30.00	-61.91	-25.00	36.91	Horizontal
3	5910.5	52.43	-47.19	32.76	-57.25	-25.00	32.25	Horizontal
4	8320.5	51.97	-44.46	36.65	-51.10	-25.00	26.10	Horizontal
5	10891	51.60	-40.07	39.42	-44.31	-25.00	19.31	Horizontal
6	14946.5	55.33	-37.66	40.21	-37.39	-25.00	12.39	Horizontal

1.76. Test Band = LTE Band41_ TM1

1.76.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3689	50.98	-48.48	28.80	-63.96	-25.00	38.96	Vertical
2	5113.5	51.28	-47.83	31.52	-60.29	-25.00	35.29	Vertical
3	7148.5	52.09	-46.01	35.77	-53.41	-25.00	28.41	Vertical
4	9466.5	53.25	-42.60	38.05	-46.55	-25.00	21.55	Vertical
5	12665.5	53.13	-39.17	39.00	-42.30	-25.00	17.30	Vertical
6	16887.5	56.80	-36.88	38.76	-36.58	-25.00	11.58	Vertical



Report No.: SUCR260600048901

Page: 39 of 48

1.77. Test Band = LTE Band41_ TM1

1.77.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3451.5	51.18	-48.35	28.46	-63.97	-25.00	38.97	Horizontal
2	4750.5	50.96	-47.99	30.65	-61.63	-25.00	36.63	Horizontal
3	6446	51.85	-46.96	34.49	-55.87	-25.00	30.87	Horizontal
4	8869.5	52.85	-44.02	37.26	-49.17	-25.00	24.17	Horizontal
5	11393.5	52.07	-40.10	39.46	-43.83	-25.00	18.83	Horizontal
6	16889.5	56.69	-36.86	38.76	-36.67	-25.00	11.67	Horizontal

1.78. Test Band = LTE Band41_ TM1

1.78.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3262.5	51.58	-48.08	28.31	-63.45	-25.00	38.45	Vertical
2	4114.5	50.20	-48.10	29.48	-63.68	-25.00	38.68	Vertical
3	6543	51.65	-47.02	34.77	-55.86	-25.00	30.86	Vertical
4	8836.5	52.92	-44.00	37.22	-49.12	-25.00	24.12	Vertical
5	12678	53.37	-39.21	38.99	-42.11	-25.00	17.11	Vertical
6	16867.5	56.89	-37.03	38.75	-36.65	-25.00	11.65	Vertical



Report No.: SUCR260600048901

Page: 40 of 48

1.79. Test Band = LTE Band48_ TM1

1.79.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7913.9167	43.84	-44.87	36.32	-59.98	-40.00	19.98	Horizontal
2	8790.25	44.01	-43.84	37.17	-57.92	-40.00	17.92	Horizontal
3	10630.4583	39.21	-41.07	39.24	-57.88	-40.00	17.88	Horizontal
4	12434	37.90	-38.48	39.14	-56.70	-40.00	16.70	Horizontal
5	14302.1667	37.02	-38.78	40.27	-56.75	-40.00	16.75	Horizontal
6	17610.875	35.55	-36.85	42.47	-54.09	-40.00	14.09	Horizontal

1.80. Test Band = LTE Band48_ TM1

1.80.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7837.8333	43.61	-44.93	36.33	-60.24	-40.00	20.24	Vertical
2	8633.0417	43.23	-43.98	37.00	-59.02	-40.00	19.02	Vertical
3	9864.5833	40.57	-41.89	38.61	-57.97	-40.00	17.97	Vertical
4	11375.25	38.79	-39.89	39.46	-56.90	-40.00	16.90	Vertical
5	13582.5833	37.19	-38.40	39.67	-56.79	-40.00	16.79	Vertical
6	16916.9583	35.74	-36.98	38.77	-57.73	-40.00	17.73	Vertical



Report No.: SUCR260600048901

Page: 41 of 48

1.81. Test Band = LTE Band48_ TM1

1.81.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7687.5	44.13	-45.11	36.36	-59.88	-40.00	19.88	Horizontal
2	8927.2917	42.95	-43.57	37.32	-58.56	-40.00	18.56	Horizontal
3	10029.5833	40.41	-41.71	38.82	-57.74	-40.00	17.74	Horizontal
4	11324.375	39.17	-40.27	39.47	-56.89	-40.00	16.89	Horizontal
5	12790.125	38.48	-39.25	38.93	-57.11	-40.00	17.11	Horizontal
6	17545.7917	34.94	-36.40	42.07	-54.64	-40.00	14.64	Horizontal

1.82. Test Band = LTE Band48_ TM1

1.82.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7690.25	44.12	-45.11	36.36	-59.89	-40.00	19.89	Vertical
2	8870.4583	42.51	-43.64	37.26	-59.13	-40.00	19.13	Vertical
3	10765.2083	39.09	-40.58	39.34	-57.41	-40.00	17.41	Vertical
4	12454.625	37.56	-38.58	39.13	-57.16	-40.00	17.16	Vertical
5	15297.6667	35.13	-38.14	39.66	-58.60	-40.00	18.60	Vertical
6	17608.125	35.06	-36.82	42.45	-54.57	-40.00	14.57	Vertical



Report No.: SUCR260600048901
Page: 42 of 48

1.83. Test Band = LTE Band48_ TM1

1.83.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7660	43.95	-45.04	36.37	-59.98	-40.00	19.98	Horizontal
2	9161.5	42.09	-43.02	37.63	-58.56	-40.00	18.56	Horizontal
3	10279.375	39.76	-41.29	39.00	-57.79	-40.00	17.79	Horizontal
4	11640.1667	37.89	-39.49	39.44	-57.42	-40.00	17.42	Horizontal
5	13710	37.05	-38.01	39.87	-56.35	-40.00	16.35	Horizontal
6	17560.4583	35.14	-36.49	42.16	-54.45	-40.00	14.45	Horizontal

1.84. Test Band = LTE Band48_ TM1

1.84.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	8737.0833	43.75	-43.75	37.11	-58.15	-40.00	18.15	Vertical
2	9866.4167	40.72	-41.89	38.61	-57.81	-40.00	17.81	Vertical
3	11142.875	38.65	-40.04	39.49	-57.17	-40.00	17.17	Vertical
4	12405.5833	37.25	-38.34	39.16	-57.19	-40.00	17.19	Vertical
5	14422.25	36.64	-38.63	40.26	-56.99	-40.00	16.99	Vertical
6	16682.2917	35.60	-37.64	38.67	-58.63	-40.00	18.63	Vertical



Report No.: SUCR260600048901

Page: 43 of 48

1.85. Test Band = LTE Band66_ TM1

1.85.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3596.625	47.06	-48.28	28.65	-67.83	-13.00	54.83	Horizontal
2	4641.75	46.15	-47.98	30.41	-66.68	-13.00	53.68	Horizontal
3	6094.5	45.99	-47.39	33.16	-63.50	-13.00	50.50	Horizontal
4	8078.25	44.09	-44.68	36.39	-59.46	-13.00	46.46	Horizontal
5	11613	38.58	-39.76	39.44	-57.00	-13.00	44.00	Horizontal
6	15469.5	36.11	-36.90	39.35	-56.69	-13.00	43.69	Horizontal

1.86. Test Band = LTE Band66_ TM1

1.86.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3891.375	46.66	-48.28	29.13	-67.75	-13.00	54.75	Vertical
2	5871	45.93	-47.30	32.75	-63.88	-13.00	50.88	Vertical
3	7185.75	45.28	-46.15	35.83	-60.29	-13.00	47.29	Vertical
4	9432.75	43.52	-42.83	38.01	-56.56	-13.00	43.56	Vertical
5	12709.5	39.06	-39.27	38.97	-56.50	-13.00	43.50	Vertical
6	17500.875	35.74	-36.84	41.81	-54.56	-13.00	41.56	Vertical



Report No.: SUCR260600048901

Page: 44 of 48

1.87. Test Band = LTE Band66_ TM1

1.87.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3598.5	47.09	-48.28	28.66	-67.79	-13.00	54.79	Horizontal
2	5352.75	47.01	-47.75	32.19	-63.81	-13.00	50.81	Horizontal
3	7179	46.09	-46.12	35.82	-59.47	-13.00	46.47	Horizontal
4	10281.375	40.57	-41.33	39.00	-57.03	-13.00	44.03	Horizontal
5	13721.625	38.45	-38.19	39.88	-55.12	-13.00	42.12	Horizontal
6	17432.625	35.99	-37.12	41.40	-54.99	-13.00	41.99	Horizontal

1.88. Test Band = LTE Band66_ TM1

1.88.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3760.125	46.03	-48.31	28.92	-68.63	-13.00	55.63	Vertical
2	5281.125	46.65	-47.80	31.99	-64.42	-13.00	51.42	Vertical
3	7171.5	45.24	-46.09	35.81	-60.31	-13.00	47.31	Vertical
4	9414.75	43.62	-42.95	37.98	-56.61	-13.00	43.61	Vertical
5	12052.875	38.97	-39.53	39.37	-56.45	-13.00	43.45	Vertical
6	17745.375	36.07	-38.42	43.27	-54.34	-13.00	41.34	Vertical



Report No.: SUCR260600048901

Page: 45 of 48

1.89. Test Band = LTE Band66_ TM1

1.89.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3884.25	46.82	-48.27	29.11	-67.60	-13.00	54.60	Horizontal
2	5442.75	46.73	-47.67	32.44	-63.76	-13.00	50.76	Horizontal
3	7569.375	44.48	-45.06	36.39	-59.45	-13.00	46.45	Horizontal
4	9411.375	43.92	-42.97	37.98	-56.34	-13.00	43.34	Horizontal
5	13194	38.13	-38.68	39.09	-56.72	-13.00	43.72	Horizontal
6	17523	36.40	-37.17	41.94	-54.09	-13.00	41.09	Horizontal

1.90. Test Band = LTE Band66_ TM1

1.90.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4015.125	46.21	-48.16	29.32	-67.89	-13.00	54.89	Vertical
2	5552.625	46.27	-47.66	32.62	-64.03	-13.00	51.03	Vertical
3	8062.875	45.22	-44.60	36.37	-58.27	-13.00	45.27	Vertical
4	10857.75	39.73	-40.31	39.40	-56.44	-13.00	43.44	Vertical
5	14769.375	36.67	-36.80	40.22	-55.16	-13.00	42.16	Vertical
6	17523.75	36.00	-37.18	41.94	-54.49	-13.00	41.49	Vertical



Report No.: SUCR260600048901

Page: 46 of 48

1.91. Test Band = LTE Band71_ TM1

1.91.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1303.5	50.74	-50.13	24.44	-70.21	-13.00	57.21	Horizontal
2	1677	50.23	-49.77	25.62	-69.18	-13.00	56.18	Horizontal
3	2260.5	51.54	-49.27	26.77	-66.22	-13.00	53.22	Horizontal
4	3669.5	50.05	-48.63	28.77	-65.07	-13.00	52.07	Horizontal
5	4901.5	51.34	-48.17	30.98	-61.10	-13.00	48.10	Horizontal
6	6446	51.71	-47.17	34.49	-56.23	-13.00	43.23	Horizontal

1.92. Test Band = LTE Band71_ TM1

1.92.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1313	50.49	-50.11	24.40	-70.48	-13.00	57.48	Vertical
2	1894.5	50.59	-49.75	26.04	-68.39	-13.00	55.39	Vertical
3	2695.5	52.28	-49.01	27.55	-64.44	-13.00	51.44	Vertical
4	4347	50.12	-48.03	29.86	-63.32	-13.00	50.32	Vertical
5	6079.5	51.75	-47.13	33.10	-57.54	-13.00	44.54	Vertical
6	8375	51.82	-44.18	36.71	-50.90	-13.00	37.90	Vertical



Report No.: SUCR260600048901

Page: 47 of 48

1.93. Test Band = LTE Band71_ TM1

1.93.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1315.5	50.47	-50.11	24.40	-70.51	-13.00	57.51	Horizontal
2	2082	50.96	-49.50	26.45	-67.35	-13.00	54.35	Horizontal
3	2892.5	51.63	-48.77	27.91	-64.50	-13.00	51.50	Horizontal
4	3795.5	50.18	-48.42	28.97	-64.53	-13.00	51.53	Horizontal
5	5300.5	52.01	-47.82	32.04	-59.03	-13.00	46.03	Horizontal
6	7830	51.48	-45.19	36.33	-52.64	-13.00	39.64	Horizontal

1.94. Test Band = LTE Band71_ TM1

1.94.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1313.5	50.10	-50.11	24.40	-70.87	-13.00	57.87	Vertical
2	2205.5	51.11	-49.47	26.67	-66.95	-13.00	53.95	Vertical
3	3016.5	51.64	-48.39	28.11	-63.90	-13.00	50.90	Vertical
4	4171.5	49.06	-48.33	29.57	-64.96	-13.00	51.96	Vertical
5	5463.5	51.59	-47.41	32.50	-58.58	-13.00	45.58	Vertical
6	7192.5	51.38	-46.17	35.85	-54.20	-13.00	41.20	Vertical

---End of Attachment---



Report No.: SUCR260600048901

Page: 48 of 48

1.95. Test Band = LTE Band71_ TM1

1.95.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1368	50.11	-50.05	24.21	-70.99	-13.00	57.99	Horizontal
2	2030	50.63	-49.61	26.35	-67.88	-13.00	54.88	Horizontal
3	3149.5	51.67	-48.77	28.22	-64.14	-13.00	51.14	Horizontal
4	4495.5	50.64	-48.21	30.09	-62.74	-13.00	49.74	Horizontal
5	5871	51.69	-47.22	32.75	-58.04	-13.00	45.04	Horizontal
6	8787.5	51.53	-44.08	37.17	-50.64	-13.00	37.64	Horizontal

1.96. Test Band = LTE Band71_ TM1

1.96.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1206	50.11	-50.22	24.78	-70.60	-13.00	57.60	Vertical
2	1664.5	49.27	-49.79	25.60	-70.19	-13.00	57.19	Vertical
3	2204.5	51.27	-49.47	26.67	-66.80	-13.00	53.80	Vertical
4	2869.5	50.88	-48.75	27.87	-65.26	-13.00	52.26	Vertical
5	4435	50.86	-48.10	30.00	-62.51	-13.00	49.51	Vertical
6	6440.5	51.22	-47.18	34.47	-56.75	-13.00	43.75	Vertical

---End of Attachment---