



Report No.: SUCR260600048902

Page: 1 of 34

Appendix B.3

1.1. Test Band = SA Band2_ TM1

1.1.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3867	50.79	-48.25	29.09	-63.64	-13.00	50.64	Horizontal
2	4904.25	51.07	-48.03	30.99	-61.23	-13.00	48.23	Horizontal
3	6279.75	51.80	-47.37	33.86	-56.96	-13.00	43.96	Horizontal
4	8031	51.57	-44.45	36.33	-51.80	-13.00	38.80	Horizontal
5	12108.75	52.18	-39.65	39.33	-43.39	-13.00	30.39	Horizontal
6	15846	52.99	-38.66	38.68	-42.26	-13.00	29.26	Horizontal

1.2. Test Band = SA Band2_ TM1

1.2.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3876.75	51.02	-48.26	29.10	-63.40	-13.00	50.40	Vertical
2	5139	51.07	-47.85	31.59	-60.45	-13.00	47.45	Vertical
3	6565.5	51.03	-47.03	34.80	-56.45	-13.00	43.45	Vertical
4	9038.25	50.48	-43.04	37.45	-50.37	-13.00	37.37	Vertical
5	12216	51.72	-39.81	39.27	-44.08	-13.00	31.08	Vertical
6	16909.5	56.05	-36.94	38.76	-37.39	-13.00	24.39	Vertical



Report No.: SUCR260600048902

Page: 2 of 34

1.3. Test Band = SA Band2_ TM1

1.3.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3415.5	50.30	-48.39	28.43	-64.92	-13.00	51.92	Horizontal
2	4479	50.65	-48.01	30.07	-62.55	-13.00	49.55	Horizontal
3	5788.5	52.17	-47.63	32.72	-58.01	-13.00	45.01	Horizontal
4	7800	51.39	-44.91	36.34	-52.44	-13.00	39.44	Horizontal
5	11613.75	50.55	-39.75	39.44	-45.03	-13.00	32.03	Horizontal
6	16906.5	56.52	-36.89	38.76	-36.87	-13.00	23.87	Horizontal

1.4. Test Band = SA Band2_ TM1

1.4.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3567	50.31	-48.28	28.61	-64.63	-13.00	51.63	Vertical
2	4513.5	50.67	-47.98	30.13	-62.44	-13.00	49.44	Vertical
3	5680.5	51.31	-47.53	32.67	-58.81	-13.00	45.81	Vertical
4	7167.75	51.77	-46.08	35.80	-53.77	-13.00	40.77	Vertical
5	9119.25	50.06	-42.97	37.57	-50.61	-13.00	37.61	Vertical
6	14698.5	52.66	-36.70	40.23	-39.07	-13.00	26.07	Vertical



Report No.: SUCR260600048902

Page: 3 of 34

1.5. Test Band = SA Band2_ TM1

1.5.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3967.5	50.49	-48.22	29.25	-63.74	-13.00	50.74	Horizontal
2	5367	52.73	-47.74	32.23	-58.04	-13.00	45.04	Horizontal
3	7017.75	50.89	-46.46	35.53	-55.30	-13.00	42.30	Horizontal
4	11493.75	50.61	-40.06	39.45	-45.26	-13.00	32.26	Horizontal
5	15011.25	53.93	-38.14	40.18	-39.29	-13.00	26.29	Horizontal
6	17841	54.15	-38.17	43.85	-35.44	-13.00	22.44	Horizontal

1.6. Test Band = SA Band2_ TM1

1.6.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3854.25	50.64	-48.24	29.07	-63.79	-13.00	50.79	Vertical
2	5098.5	51.27	-47.82	31.48	-60.34	-13.00	47.34	Vertical
3	7809.75	51.60	-44.96	36.34	-52.28	-13.00	39.28	Vertical
4	10464.75	50.86	-40.86	39.13	-46.13	-13.00	33.13	Vertical
5	13804.5	53.46	-39.00	40.01	-40.79	-13.00	27.79	Vertical
6	16312.5	53.87	-38.43	38.53	-41.29	-13.00	28.29	Vertical



Report No.: SUCR260600048902

Page: 4 of 34

1.7. Test Band = SA Band5_ TM1

1.7.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1360.4444	49.94	-50.06	24.24	-71.14	-13.00	58.14	Horizontal
2	2087.5556	51.21	-49.49	26.46	-67.08	-13.00	54.08	Horizontal
3	3292.8889	51.63	-48.63	28.33	-63.92	-13.00	50.92	Horizontal
4	4846.6667	51.21	-48.09	30.86	-61.28	-13.00	48.28	Horizontal
5	6496.4444	51.24	-47.08	34.69	-56.41	-13.00	43.41	Horizontal
6	8388.8889	51.28	-44.06	36.73	-51.31	-13.00	38.31	Horizontal

1.8. Test Band = SA Band5_ TM1

1.8.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1224	50.55	-50.21	24.72	-70.20	-13.00	57.20	Vertical
2	1748	50.09	-49.78	25.72	-69.23	-13.00	56.23	Vertical
3	2630.2222	51.55	-49.12	27.43	-65.39	-13.00	52.39	Vertical
4	3438.6667	51.10	-48.59	28.45	-64.30	-13.00	51.30	Vertical
5	4994.2222	50.73	-47.97	31.19	-61.31	-13.00	48.31	Vertical
6	7611.1111	50.61	-44.74	36.38	-53.01	-13.00	40.01	Vertical



Report No.: SUCR260600048902

Page: 5 of 34

1.9. Test Band = SA Band5_ TM1

1.9.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1226.2222	49.96	-50.20	24.71	-70.80	-13.00	57.80	Horizontal
2	1721.7778	50.25	-49.75	25.68	-69.07	-13.00	56.07	Horizontal
3	2355.1111	51.46	-49.32	26.94	-66.18	-13.00	53.18	Horizontal
4	3229.7778	50.97	-48.62	28.28	-64.63	-13.00	51.63	Horizontal
5	5057.3333	50.82	-47.94	31.36	-61.02	-13.00	48.02	Horizontal
6	7072.8889	51.35	-46.17	35.63	-54.45	-13.00	41.45	Horizontal

1.10. Test Band = SA Band5_ TM1

1.10.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1212	50.14	-50.22	24.76	-70.58	-13.00	57.58	Vertical
2	1608.4444	50.23	-49.91	25.51	-69.43	-13.00	56.43	Vertical
3	2283.1111	50.98	-49.19	26.81	-66.66	-13.00	53.66	Vertical
4	3143.1111	51.79	-48.79	28.21	-64.05	-13.00	51.05	Vertical
5	4207.1111	49.15	-48.34	29.63	-64.82	-13.00	51.82	Vertical
6	7125.3333	51.32	-46.03	35.73	-54.25	-13.00	41.25	Vertical



Report No.: SUCR260600048902

Page: 6 of 34

1.11. Test Band = SA Band5_ TM1

1.11.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1302.6667	50.72	-50.13	24.44	-70.23	-13.00	57.23	Horizontal
2	2027.1111	51.05	-49.61	26.35	-67.47	-13.00	54.47	Horizontal
3	2823.1111	51.56	-48.70	27.78	-64.62	-13.00	51.62	Horizontal
4	3955.5556	50.47	-48.39	29.23	-63.95	-13.00	50.95	Horizontal
5	6210.2222	52.14	-47.48	33.60	-57.00	-13.00	44.00	Horizontal
6	8398.6667	51.63	-43.98	36.74	-50.87	-13.00	37.87	Horizontal

1.12. Test Band = SA Band5_ TM1

1.12.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1249.3333	50.23	-50.18	24.63	-70.58	-13.00	57.58	Vertical
2	1720.8889	50.09	-49.75	25.68	-69.23	-13.00	56.23	Vertical
3	2318.2222	51.41	-49.19	26.87	-66.17	-13.00	53.17	Vertical
4	3183.1111	51.90	-48.67	28.25	-63.78	-13.00	50.78	Vertical
5	4778.6667	50.59	-48.03	30.71	-61.99	-13.00	48.99	Vertical
6	8575.1111	50.80	-44.00	36.93	-51.53	-13.00	38.53	Vertical



Report No.: SUCR260600048902

Page: 7 of 34

1.13. Test Band = SA Band7_ TM1

1.13.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3581	51.00	-48.28	28.63	-63.91	-25.00	38.91	Horizontal
2	4982	51.47	-48.01	31.16	-60.64	-25.00	35.64	Horizontal
3	6720.5	52.24	-46.62	35.05	-54.59	-25.00	29.59	Horizontal
4	9304.5	51.84	-42.89	37.83	-48.48	-25.00	23.48	Horizontal
5	12622.5	52.80	-39.05	39.03	-42.49	-25.00	17.49	Horizontal
6	15585.5	53.15	-37.09	39.15	-40.06	-25.00	15.06	Horizontal

1.14. Test Band = SA Band7_ TM1

1.14.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3514	50.98	-48.29	28.52	-64.05	-25.00	39.05	Vertical
2	4358.5	50.91	-47.97	29.87	-62.45	-25.00	37.45	Vertical
3	5740	52.61	-47.55	32.70	-57.51	-25.00	32.51	Vertical
4	8395.5	52.40	-44.13	36.74	-50.25	-25.00	25.25	Vertical
5	13423.5	53.22	-39.17	39.44	-41.78	-25.00	16.78	Vertical
6	17515	54.55	-37.05	41.89	-35.87	-25.00	10.87	Vertical



Report No.: SUCR260600048902

Page: 8 of 34

1.15. Test Band = SA Band7_ TM1

1.15.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3695.5	50.25	-48.50	28.81	-64.70	-25.00	39.70	Horizontal
2	4657	50.53	-47.98	30.45	-62.26	-25.00	37.26	Horizontal
3	6833.5	52.66	-46.84	35.23	-54.20	-25.00	29.20	Horizontal
4	9438.5	53.65	-42.79	38.01	-46.38	-25.00	21.38	Horizontal
5	12910	53.26	-39.43	38.85	-42.57	-25.00	17.57	Horizontal
6	17382	54.38	-37.57	41.09	-37.36	-25.00	12.36	Horizontal

1.16. Test Band = SA Band7_ TM1

1.16.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3541	50.96	-48.29	28.57	-64.02	-25.00	39.02	Vertical
2	5351.5	52.69	-47.75	32.18	-58.13	-25.00	33.13	Vertical
3	7833.5	52.36	-45.09	36.33	-51.66	-25.00	26.66	Vertical
4	10105.5	51.31	-41.88	38.87	-46.96	-25.00	21.96	Vertical
5	12532.5	52.62	-39.60	39.08	-43.16	-25.00	18.16	Vertical
6	16905	56.67	-36.87	38.76	-36.69	-25.00	11.69	Vertical



Report No.: SUCR260600048902

Page: 9 of 34

1.17. Test Band = SA Band7_ TM1

1.17.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3325	50.98	-48.13	28.36	-64.05	-25.00	39.05	Horizontal
2	4719	50.98	-47.97	30.58	-61.67	-25.00	36.67	Horizontal
3	6658	52.19	-46.76	34.95	-54.88	-25.00	29.88	Horizontal
4	8865	52.56	-44.02	37.25	-49.46	-25.00	24.46	Horizontal
5	12073	53.31	-39.57	39.36	-42.17	-25.00	17.17	Horizontal
6	15877	53.36	-38.52	38.62	-41.80	-25.00	16.80	Horizontal

1.18. Test Band = SA Band7_ TM1

1.18.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3536.5	51.21	-48.29	28.56	-63.78	-25.00	38.78	Vertical
2	5585.5	51.94	-47.69	32.63	-58.37	-25.00	33.37	Vertical
3	7526.5	50.96	-45.75	36.39	-53.65	-25.00	28.65	Vertical
4	11027.5	51.55	-40.61	39.50	-44.82	-25.00	19.82	Vertical
5	14716	53.43	-36.71	40.23	-38.31	-25.00	13.31	Vertical
6	17091.5	57.08	-37.47	39.35	-36.30	-25.00	11.30	Vertical



Report No.: SUCR260600048902

Page: 10 of 34

1.19. Test Band = SA Band14 5M_ TM1

1.19.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1231.5556	47.37	-50.20	24.69	-73.40	-13.00	60.40	Horizontal
2	2363.1111	47.01	-49.35	26.95	-70.65	-13.00	57.65	Horizontal
3	3160.4444	45.95	-48.74	28.23	-69.82	-13.00	56.82	Horizontal
4	4419.5556	45.22	-48.08	29.97	-68.14	-13.00	55.14	Horizontal
5	6476.8889	43.97	-47.11	34.61	-63.79	-13.00	50.79	Horizontal
6	7674.6667	43.32	-45.13	36.37	-60.70	-13.00	47.70	Horizontal

1.20. Test Band = SA Band14 5M_ TM1

1.20.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1416.4444	47.22	-49.98	24.22	-73.81	-13.00	60.81	Vertical
2	1944.4444	47.13	-49.71	26.16	-71.68	-13.00	58.68	Vertical
3	2761.3333	45.24	-48.80	27.67	-71.15	-13.00	58.15	Vertical
4	3877.3333	44.74	-48.43	29.10	-69.84	-13.00	56.84	Vertical
5	5247.1111	44.77	-47.92	31.89	-66.52	-13.00	53.52	Vertical
6	6589.7778	43.88	-47.12	34.84	-63.66	-13.00	50.66	Vertical



Report No.: SUCR260600048902

Page: 11 of 34

1.21. Test Band = SA Band14 5M_ TM1

1.21.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1268.8889	47.04	-50.16	24.56	-73.82	-13.00	60.82	Horizontal
2	1613.7778	47.03	-49.90	25.52	-72.61	-13.00	59.61	Horizontal
3	2196.8889	47.25	-49.49	26.65	-70.84	-13.00	57.84	Horizontal
4	3171.1111	45.97	-48.71	28.24	-69.76	-13.00	56.76	Horizontal
5	5113.3333	44.85	-47.93	31.52	-66.82	-13.00	53.82	Horizontal
6	8114.2222	42.95	-44.72	36.43	-60.60	-13.00	47.60	Horizontal

1.22. Test Band = SA Band14 5M_ TM1

1.22.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1159.1111	47.43	-50.12	24.82	-73.13	-13.00	60.13	Vertical
2	1600	47.20	-49.93	25.50	-72.49	-40.00	32.49	Vertical
3	2137.3333	46.28	-49.47	26.55	-71.90	-13.00	58.90	Vertical
4	3143.5556	45.41	-48.79	28.21	-70.42	-13.00	57.42	Vertical
5	4592.8889	45.12	-48.05	30.30	-67.89	-13.00	54.89	Vertical
6	7723.5556	43.32	-45.23	36.36	-60.81	-13.00	47.81	Vertical



Report No.: SUCR260600048902

Page: 12 of 34

1.23. Test Band = SA Band14 5M_ TM1

1.23.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1209.7778	47.65	-50.22	24.77	-73.06	-13.00	60.06	Horizontal
2	1757.7778	47.27	-49.79	25.74	-72.04	-13.00	59.04	Horizontal
3	2378.6667	47.72	-49.41	26.98	-69.96	-13.00	56.96	Horizontal
4	3327.1111	45.12	-48.65	28.36	-70.42	-13.00	57.42	Horizontal
5	5623.5556	44.40	-47.63	32.65	-65.84	-13.00	52.84	Horizontal
6	8533.7778	43.63	-44.29	36.89	-59.04	-13.00	46.04	Horizontal

1.24. Test Band = SA Band14 5M_ TM1

1.24.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1539.1111	46.75	-49.87	25.07	-73.31	-13.00	60.31	Vertical
2	2285.7778	46.17	-49.18	26.81	-71.46	-13.00	58.46	Vertical
3	3117.7778	45.47	-48.87	28.19	-70.46	-13.00	57.46	Vertical
4	4591.5556	44.33	-48.06	30.30	-68.68	-13.00	55.68	Vertical
5	6472.4444	43.73	-47.12	34.60	-64.06	-13.00	51.06	Vertical
6	8172	42.65	-44.39	36.49	-60.51	-13.00	47.51	Vertical



Report No.: SUCR260600048902

Page: 13 of 34

1.25. Test Band = SA Band14 10M_ TM1

1.25.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1283.1111	47.44	-50.15	24.51	-73.46	-13.00	60.46	Horizontal
2	1656.8889	46.87	-49.81	25.59	-72.62	-13.00	59.62	Horizontal
3	2215.5556	47.26	-49.43	26.69	-70.75	-13.00	57.75	Horizontal
4	3428.4444	45.38	-48.62	28.44	-70.05	-13.00	57.05	Horizontal
5	4377.3333	45.27	-48.04	29.90	-68.12	-13.00	55.12	Horizontal
6	7264	44.36	-46.12	35.98	-61.05	-13.00	48.05	Horizontal

1.26. Test Band = SA Band14 10M_ TM1

1.26.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1502.6667	46.23	-49.83	24.82	-74.04	-13.00	61.04	Vertical
2	2751.1111	44.73	-48.84	27.65	-71.71	-13.00	58.71	Vertical
3	3936.8889	44.84	-48.40	29.20	-69.62	-13.00	56.62	Vertical
4	5092.4444	44.21	-47.92	31.46	-67.51	-13.00	54.51	Vertical
5	6543.1111	43.43	-47.10	34.77	-64.16	-13.00	51.16	Vertical
6	8463.1111	43.24	-44.32	36.81	-59.53	-13.00	46.53	Vertical



Report No.: SUCR260600048902

Page: 14 of 34

1.27. Test Band = SA Band25_ TM1

1.27.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3723	49.77	-48.43	28.86	-65.07	-13.00	52.07	Horizontal
2	4436.25	50.77	-48.06	30.00	-62.55	-13.00	49.55	Horizontal
3	6108	52.10	-47.39	33.21	-57.34	-13.00	44.34	Horizontal
4	8596.5	51.25	-43.98	36.96	-51.03	-13.00	38.03	Horizontal
5	11464.5	51.25	-40.07	39.45	-44.62	-13.00	31.62	Horizontal
6	16885.5	56.18	-36.89	38.75	-37.22	-13.00	24.22	Horizontal

1.28. Test Band = SA Band25_ TM1

1.28.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3683.25	49.57	-48.47	28.79	-65.37	-13.00	52.37	Vertical
2	4818	50.85	-48.01	30.80	-61.62	-13.00	48.62	Vertical
3	6317.25	51.82	-47.25	34.01	-56.69	-13.00	43.69	Vertical
4	7943.25	51.24	-44.95	36.31	-52.66	-13.00	39.66	Vertical
5	10565.25	50.55	-41.04	39.20	-46.56	-13.00	33.56	Vertical
6	16557.75	54.74	-37.24	38.62	-39.14	-13.00	26.14	Vertical



Report No.: SUCR260600048902

Page: 15 of 34

1.29. Test Band = SA Band25_ TM1

1.29.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3894.75	50.64	-48.28	29.13	-63.77	-13.00	50.77	Horizontal
2	5058	50.95	-47.90	31.36	-60.85	-13.00	47.85	Horizontal
3	6428.25	51.29	-46.95	34.43	-56.49	-13.00	43.49	Horizontal
4	8763.75	51.97	-44.04	37.14	-50.19	-13.00	37.19	Horizontal
5	11951.25	51.59	-39.70	39.40	-43.96	-13.00	30.96	Horizontal
6	16251	53.65	-38.39	38.50	-41.50	-13.00	28.50	Horizontal

1.30. Test Band = SA Band25_ TM1

1.30.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3787.5	50.09	-48.22	28.96	-64.43	-13.00	51.43	Vertical
2	4825.5	50.94	-48.02	30.82	-61.52	-13.00	48.52	Vertical
3	6344.25	51.42	-47.15	34.11	-56.88	-13.00	43.88	Vertical
4	8078.25	50.56	-44.68	36.39	-52.99	-13.00	39.99	Vertical
5	11791.5	51.18	-39.85	39.42	-44.51	-13.00	31.51	Vertical
6	16824	55.58	-37.36	38.73	-38.31	-13.00	25.31	Vertical



Report No.: SUCR260600048902

Page: 16 of 34

1.31. Test Band = SA Band25_ TM1

1.31.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3683.25	49.85	-48.47	28.79	-65.09	-13.00	52.09	Horizontal
2	5193	51.07	-47.89	31.74	-60.33	-13.00	47.33	Horizontal
3	7218	51.66	-46.19	35.89	-53.90	-13.00	40.90	Horizontal
4	8725.5	52.01	-44.09	37.10	-50.24	-13.00	37.24	Horizontal
5	11631.75	50.59	-39.74	39.44	-44.97	-13.00	31.97	Horizontal
6	16887.75	56.58	-36.87	38.76	-36.80	-13.00	23.80	Horizontal

1.32. Test Band = SA Band25_ TM1

1.32.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3896.25	50.49	-48.29	29.13	-63.92	-13.00	50.92	Vertical
2	5056.5	51.42	-47.90	31.36	-60.38	-13.00	47.38	Vertical
3	6731.25	52.11	-46.66	35.07	-54.74	-13.00	41.74	Vertical
4	8853	52.20	-44.01	37.24	-49.83	-13.00	36.83	Vertical
5	11563.5	50.38	-39.88	39.44	-45.31	-13.00	32.31	Vertical
6	15570.75	53.15	-37.00	39.17	-39.94	-13.00	26.94	Vertical



Report No.: SUCR260600048902

Page: 17 of 34

1.33. Test Band = SA Band41_ TM1

1.33.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3550.5	51.12	-48.28	28.58	-63.84	-25.00	38.84	Horizontal
2	4467	51.26	-48.02	30.05	-61.98	-25.00	36.98	Horizontal
3	5667.5	52.50	-47.56	32.67	-57.65	-25.00	32.65	Horizontal
4	7744.5	52.14	-45.08	36.35	-51.85	-25.00	26.85	Horizontal
5	11125.5	50.60	-40.35	39.49	-45.53	-25.00	20.53	Horizontal
6	15461	54.12	-36.99	39.37	-38.76	-25.00	13.76	Horizontal

1.34. Test Band = SA Band41_ TM1

1.34.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3597.5	51.30	-48.28	28.66	-63.58	-25.00	38.58	Vertical
2	4653	50.45	-47.98	30.44	-62.35	-25.00	37.35	Vertical
3	5944.5	52.31	-47.31	32.78	-57.48	-25.00	32.48	Vertical
4	8175	51.22	-44.33	36.49	-51.88	-25.00	26.88	Vertical
5	12117	52.45	-39.66	39.33	-43.14	-25.00	18.14	Vertical
6	15732	53.72	-38.67	38.88	-41.33	-25.00	16.33	Vertical



Report No.: SUCR260600048902

Page: 18 of 34

1.35. Test Band = SA Band41_ TM1

1.35.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3379	50.96	-48.33	28.40	-64.23	-25.00	39.23	Horizontal
2	4222	49.67	-48.23	29.66	-64.17	-25.00	39.17	Horizontal
3	5901.5	52.13	-47.16	32.76	-57.52	-25.00	32.52	Horizontal
4	7663.5	51.66	-44.98	36.37	-52.21	-25.00	27.21	Horizontal
5	11899.5	52.29	-39.99	39.41	-43.55	-25.00	18.55	Horizontal
6	16891.5	56.63	-36.84	38.76	-36.72	-25.00	11.72	Horizontal

1.36. Test Band = SA Band41_ TM1

1.36.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3397.5	51.12	-48.40	28.42	-64.12	-25.00	39.12	Vertical
2	4662	51.11	-47.98	30.46	-61.67	-25.00	36.67	Vertical
3	6839.5	52.29	-46.83	35.24	-54.55	-25.00	29.55	Vertical
4	8258.5	51.52	-44.40	36.58	-51.55	-25.00	26.55	Vertical
5	12397	52.22	-39.57	39.16	-43.44	-25.00	18.44	Vertical
6	15730.5	53.59	-38.67	38.89	-41.45	-25.00	16.45	Vertical



Report No.: SUCR260600048902

Page: 19 of 34

1.37. Test Band = SA Band41_ TM1

1.37.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4022.5	50.69	-48.15	29.34	-63.39	-25.00	38.39	Horizontal
2	5380.5	52.61	-47.73	32.27	-58.12	-25.00	33.12	Horizontal
3	6710	52.47	-46.58	35.04	-54.34	-25.00	29.34	Horizontal
4	9906.5	51.52	-42.08	38.67	-47.15	-25.00	22.15	Horizontal
5	13168.5	52.37	-38.61	39.05	-42.44	-25.00	17.44	Horizontal
6	16903	57.02	-36.83	38.76	-36.31	-25.00	11.31	Horizontal

1.38. Test Band = SA Band41_ TM1

1.38.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3741.5	50.81	-48.37	28.89	-63.94	-25.00	38.94	Vertical
2	5441.5	52.48	-47.67	32.44	-58.02	-25.00	33.02	Vertical
3	6697	52.00	-46.57	35.02	-54.81	-25.00	29.81	Vertical
4	8641	51.94	-44.03	37.01	-50.35	-25.00	25.35	Vertical
5	11372	52.04	-40.19	39.46	-43.94	-25.00	18.94	Vertical
6	14920.5	54.76	-37.50	40.21	-37.79	-25.00	12.79	Vertical



Report No.: SUCR260600048902

Page: 20 of 34

1.39. Test Band = SA Band48_ TM1

1.39.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7979	43.51	-44.42	36.30	-59.86	-40.00	19.86	Horizontal
2	8993.2917	42.23	-43.62	37.39	-59.26	-40.00	19.26	Horizontal
3	10361.4167	39.25	-41.18	39.05	-58.14	-40.00	18.14	Horizontal
4	11689.2083	37.93	-39.81	39.43	-57.71	-40.00	17.71	Horizontal
5	12991.3333	37.13	-38.82	38.81	-58.15	-40.00	18.15	Horizontal
6	16044.75	34.89	-38.04	38.42	-59.99	-40.00	19.99	Horizontal

1.40. Test Band = SA Band48_ TM1

1.40.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7824.5417	43.87	-44.92	36.34	-59.97	-40.00	19.97	Vertical
2	8988.25	41.91	-43.62	37.39	-59.58	-40.00	19.58	Vertical
3	10684.0833	38.68	-40.87	39.28	-58.17	-40.00	18.17	Vertical
4	12904.7083	37.22	-38.43	38.86	-57.61	-40.00	17.61	Vertical
5	15030	35.40	-38.01	40.15	-57.72	-40.00	17.72	Vertical
6	17507.2917	34.62	-36.16	41.84	-54.96	-40.00	14.96	Vertical



Report No.: SUCR260600048902

Page: 21 of 34

1.41. Test Band = SA Band48_ TM1

1.41.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7703.0833	43.94	-45.13	36.36	-60.09	-40.00	20.09	Horizontal
2	8917.2083	42.81	-43.56	37.31	-58.70	-40.00	18.70	Horizontal
3	10655.6667	39.05	-40.98	39.26	-57.93	-40.00	17.93	Horizontal
4	12461.0417	38.18	-38.62	39.12	-56.57	-40.00	16.57	Horizontal
5	15164.75	34.94	-37.85	39.90	-58.26	-40.00	18.26	Horizontal
6	16634.625	35.95	-37.37	38.65	-58.03	-40.00	18.03	Horizontal

1.42. Test Band = SA Band48_ TM1

1.42.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7899.25	43.83	-44.97	36.32	-60.08	-40.00	20.08	Vertical
2	8919.5	42.25	-43.57	37.31	-59.26	-40.00	19.26	Vertical
3	10445.2917	39.43	-40.94	39.11	-57.66	-40.00	17.66	Vertical
4	11637.4167	37.41	-39.47	39.44	-57.88	-40.00	17.88	Vertical
5	13217.75	36.91	-38.97	39.13	-58.20	-40.00	18.20	Vertical
6	15877.9167	35.28	-37.90	38.62	-59.26	-40.00	19.26	Vertical



Report No.: SUCR260600048902

Page: 22 of 34

1.43. Test Band = SA Band48_ TM1

1.43.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7716.8333	43.98	-45.10	36.36	-60.02	-40.00	20.02	Horizontal
2	9520.8333	41.95	-42.46	38.13	-57.64	-40.00	17.64	Horizontal
3	10734.9583	39.32	-40.68	39.31	-57.31	-40.00	17.31	Horizontal
4	12082.4583	37.98	-39.25	39.35	-57.18	-40.00	17.18	Horizontal
5	13587.1667	37.66	-38.37	39.68	-56.29	-40.00	16.29	Horizontal
6	16465.9583	35.29	-37.97	38.59	-59.36	-40.00	19.36	Horizontal

1.44. Test Band = SA Band48_ TM1

1.44.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	8329.1667	43.64	-44.50	36.66	-59.46	-40.00	19.46	Vertical
2	9271.0417	41.74	-42.95	37.78	-58.69	-40.00	18.69	Vertical
3	10239.5	39.85	-41.68	38.97	-58.13	-40.00	18.13	Vertical
4	11720.375	37.53	-39.75	39.43	-58.05	-40.00	18.05	Vertical
5	13916.7083	35.81	-38.47	40.18	-57.75	-40.00	17.75	Vertical
6	15724.375	35.32	-37.94	38.90	-58.98	-40.00	18.98	Vertical



Report No.: SUCR260600048902

Page: 23 of 34

1.45. Test Band = SA Band66_ TM1

1.45.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3591	47.32	-48.28	28.65	-67.58	-13.00	54.58	Horizontal
2	4920.75	46.85	-48.03	31.03	-65.41	-13.00	52.41	Horizontal
3	6400.875	45.54	-46.93	34.32	-62.33	-13.00	49.33	Horizontal
4	8592.75	44.37	-43.99	36.95	-57.93	-13.00	44.93	Horizontal
5	11536.875	38.99	-39.95	39.45	-56.78	-13.00	43.78	Horizontal
6	14938.125	38.05	-37.61	40.21	-54.61	-13.00	41.61	Horizontal

1.46. Test Band = SA Band66_ TM1

1.46.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3468.375	45.01	-48.33	28.47	-70.10	-13.00	57.10	Vertical
2	4284	44.65	-47.87	29.75	-68.73	-13.00	55.73	Vertical
3	6107.625	45.44	-47.39	33.21	-64.00	-13.00	51.00	Vertical
4	8257.875	43.83	-44.39	36.58	-59.24	-13.00	46.24	Vertical
5	11209.5	39.32	-40.35	39.48	-56.81	-13.00	43.81	Vertical
6	15501.375	35.99	-36.58	39.30	-56.55	-13.00	43.55	Vertical



Report No.: SUCR260600048902

Page: 24 of 34

1.47. Test Band = SA Band66_ TM1

1.47.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3588.75	47.03	-48.28	28.64	-67.87	-13.00	54.87	Horizontal
2	4477.5	46.33	-48.01	30.06	-66.88	-13.00	53.88	Horizontal
3	6297.375	45.79	-47.33	33.93	-62.87	-13.00	49.87	Horizontal
4	8374.875	44.41	-44.22	36.71	-58.36	-13.00	45.36	Horizontal
5	11407.125	39.83	-40.08	39.46	-56.05	-13.00	43.05	Horizontal
6	16900.875	35.77	-36.80	38.76	-57.52	-13.00	44.52	Horizontal

1.48. Test Band = SA Band66_ TM1

1.48.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3673.875	45.31	-48.45	28.78	-69.62	-13.00	56.62	Vertical
2	5098.875	45.01	-47.82	31.48	-66.60	-13.00	53.60	Vertical
3	7186.125	44.95	-46.15	35.84	-60.62	-13.00	47.62	Vertical
4	9405	43.94	-43.02	37.97	-56.37	-13.00	43.37	Vertical
5	12664.125	38.49	-39.17	39.00	-56.94	-13.00	43.94	Vertical
6	17524.125	36.65	-37.18	41.94	-53.85	-13.00	40.85	Vertical



Report No.: SUCR260600048902

Page: 25 of 34

1.49. Test Band = SA Band66_ TM1

1.49.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3890.625	47.46	-48.28	29.13	-66.95	-13.00	53.95	Horizontal
2	5355.75	47.31	-47.75	32.20	-63.50	-13.00	50.50	Horizontal
3	7790.625	44.95	-44.94	36.34	-58.91	-13.00	45.91	Horizontal
4	11384.625	39.88	-40.14	39.46	-56.06	-13.00	43.06	Horizontal
5	14364.375	38.02	-38.52	40.26	-55.50	-13.00	42.50	Horizontal
6	17875.5	36.25	-38.16	44.05	-53.12	-13.00	40.12	Horizontal

1.50. Test Band = SA Band66_ TM1

1.50.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3597	46.93	-48.28	28.66	-67.96	-13.00	54.96	Vertical
2	5114.25	45.86	-47.83	31.52	-65.71	-13.00	52.71	Vertical
3	6823.875	45.57	-46.85	35.22	-61.32	-13.00	48.32	Vertical
4	9430.875	43.42	-42.84	38.00	-56.68	-13.00	43.68	Vertical
5	13423.875	38.65	-39.17	39.44	-56.35	-13.00	43.35	Vertical
6	17521.125	35.78	-37.14	41.93	-54.69	-13.00	41.69	Vertical



Report No.: SUCR260600048902

Page: 26 of 34

1.51. Test Band = SA Band71_ TM1

1.51.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1207.5	50.72	-50.22	24.77	-69.99	-13.00	56.99	Horizontal
2	1691.5	50.14	-49.74	25.64	-69.22	-13.00	56.22	Horizontal
3	2522	51.86	-48.96	27.24	-65.12	-13.00	52.12	Horizontal
4	3908.5	50.63	-48.42	29.15	-63.90	-13.00	50.90	Horizontal
5	5466	52.09	-47.41	32.50	-58.07	-13.00	45.07	Horizontal
6	7652	51.40	-44.99	36.37	-52.48	-13.00	39.48	Horizontal

1.52. Test Band = SA Band71_ TM1

1.52.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1160	50.21	-50.12	24.82	-70.35	-13.00	57.35	Vertical
2	1823.5	50.37	-49.82	25.86	-68.85	-13.00	55.85	Vertical
3	2644	51.84	-49.10	27.46	-65.06	-13.00	52.06	Vertical
4	4149.5	49.40	-48.31	29.54	-64.63	-13.00	51.63	Vertical
5	5427	51.93	-47.43	32.40	-58.36	-13.00	45.36	Vertical
6	7329	51.30	-46.06	36.09	-53.92	-13.00	40.92	Vertical



Report No.: SUCR260600048902

Page: 27 of 34

1.53. Test Band = SA Band71_ TM1

1.53.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1441	50.19	-49.94	24.39	-70.62	-13.00	57.62	Horizontal
2	2137	51.07	-49.47	26.55	-67.11	-13.00	54.11	Horizontal
3	3047	51.75	-48.59	28.14	-63.96	-13.00	50.96	Horizontal
4	4024.5	49.76	-48.33	29.34	-64.49	-13.00	51.49	Horizontal
5	5411	52.37	-47.43	32.35	-57.97	-13.00	44.97	Horizontal
6	7600	50.81	-44.67	36.38	-52.74	-13.00	39.74	Horizontal

1.54. Test Band = SA Band71_ TM1

1.54.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1414.5	50.12	-49.98	24.20	-70.92	-13.00	57.92	Vertical
2	2084	50.98	-49.49	26.45	-67.32	-13.00	54.32	Vertical
3	2917.5	50.96	-48.69	27.95	-65.04	-13.00	52.04	Vertical
4	4129.5	49.60	-48.29	29.51	-64.44	-13.00	51.44	Vertical
5	5425.5	51.83	-47.43	32.39	-58.47	-13.00	45.47	Vertical
6	7805.5	51.69	-45.08	36.34	-52.32	-13.00	39.32	Vertical



Report No.: SUCR260600048902

Page: 28 of 34

1.55. Test Band = SA Band71_ TM1

1.55.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1207.5	50.24	-50.22	24.77	-70.47	-13.00	57.47	Horizontal
2	1725	50.36	-49.75	25.69	-68.96	-13.00	55.96	Horizontal
3	2595	51.98	-49.16	27.37	-65.07	-13.00	52.07	Horizontal
4	4240	49.16	-48.23	29.68	-64.64	-13.00	51.64	Horizontal
5	5707.5	51.17	-47.52	32.68	-58.92	-13.00	45.92	Horizontal
6	7595.5	50.60	-44.74	36.38	-53.02	-13.00	40.02	Horizontal

1.56. Test Band = SA Band71_ TM1

1.56.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1336	50.21	-50.09	24.32	-70.81	-13.00	57.81	Vertical
2	1894.5	50.12	-49.75	26.04	-68.86	-13.00	55.86	Vertical
3	2582.5	51.84	-49.12	27.35	-65.19	-13.00	52.19	Vertical
4	3819	49.72	-48.41	29.01	-64.94	-13.00	51.94	Vertical
5	5069	50.54	-47.93	31.39	-61.26	-13.00	48.26	Vertical
6	8220.5	50.72	-44.34	36.54	-52.34	-13.00	39.34	Vertical



Report No.: SUCR260600048902

Page: 29 of 34

1.57. Test Band = SA Band77(3450-3550)_ TM1

1.57.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7178.5	44.55	-45.59	35.82	-60.48	-13.00	47.48	Horizontal
2	9393.6875	42.98	-42.82	37.95	-57.15	-13.00	44.15	Horizontal
3	11378.875	39.40	-39.87	39.46	-56.26	-13.00	43.26	Horizontal
4	13706.1875	36.82	-37.99	39.86	-56.57	-13.00	43.57	Horizontal
5	16294.6458	35.84	-37.94	38.52	-58.84	-13.00	45.84	Horizontal
6	17898.8958	35.19	-37.27	44.19	-53.14	-13.00	40.14	Horizontal

1.58. Test Band = SA Band77(3450-3550)_ TM1

1.58.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7178.9792	44.20	-45.59	35.82	-60.83	-13.00	47.83	Vertical
2	8760.7083	43.79	-43.79	37.14	-58.13	-13.00	45.13	Vertical
3	10692.7083	38.98	-40.84	39.28	-57.83	-13.00	44.83	Vertical
4	12821.6458	38.14	-39.09	38.91	-57.30	-13.00	44.30	Vertical
5	14942.9167	36.39	-38.18	40.21	-56.85	-13.00	43.85	Vertical
6	17315.2708	34.47	-37.13	40.69	-57.22	-13.00	44.22	Vertical



Report No.: SUCR260600048902

Page: 30 of 34

1.59. Test Band = SA Band77(3700-3980)_ TM1

1.59.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7167.4792	44.73	-45.66	35.80	-60.39	-13.00	47.39	Horizontal
2	8888.6458	43.28	-43.59	37.28	-58.29	-13.00	45.29	Horizontal
3	10473.25	39.51	-40.75	39.13	-57.37	-13.00	44.37	Horizontal
4	12053.0625	38.67	-39.01	39.37	-56.23	-13.00	43.23	Horizontal
5	13714.3333	37.05	-38.03	39.87	-56.37	-13.00	43.37	Horizontal
6	17618.1042	35.51	-36.93	42.51	-54.17	-13.00	41.17	Horizontal

1.60. Test Band = SA Band77(3700-3980)_ TM1

1.60.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7315.0625	44.58	-45.94	36.07	-60.56	-13.00	47.56	Vertical
2	8689.7917	43.19	-43.73	37.06	-58.75	-13.00	45.75	Vertical
3	10737.75	39.02	-40.67	39.32	-57.60	-13.00	44.60	Vertical
4	12456.5208	37.77	-38.59	39.13	-56.96	-13.00	43.96	Vertical
5	14364.0833	37.30	-38.74	40.26	-56.43	-13.00	43.43	Vertical
6	17621.4583	35.28	-36.97	42.53	-54.42	-13.00	41.42	Vertical



Report No.: SUCR260600048902

Page: 31 of 34

1.61. Test Band = SA Band77(3700-3980)_ TM1

1.61.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7172.2708	44.68	-45.63	35.81	-60.40	-13.00	47.40	Horizontal
2	8526.875	43.71	-43.80	36.88	-58.47	-13.00	45.47	Horizontal
3	9636.1458	41.34	-41.92	38.29	-57.55	-13.00	44.55	Horizontal
4	11379.8333	39.14	-39.86	39.46	-56.52	-13.00	43.52	Horizontal
5	13584.4792	37.56	-38.39	39.68	-56.41	-13.00	43.41	Horizontal
6	17570.1875	35.28	-36.55	42.22	-54.31	-13.00	41.31	Horizontal

1.62. Test Band = SA Band77(3700-3980)_ TM1

1.62.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7684.9792	44.29	-45.10	36.36	-59.71	-13.00	46.71	Vertical
2	9870.9375	40.95	-41.88	38.62	-57.57	-13.00	44.57	Vertical
3	12056.4167	38.17	-39.03	39.37	-56.76	-13.00	43.76	Vertical
4	13566.75	37.66	-38.51	39.65	-56.46	-13.00	43.46	Vertical
5	15369.8542	35.05	-37.93	39.53	-58.61	-13.00	45.61	Vertical
6	17983.2292	34.73	-37.03	44.70	-52.86	-13.00	39.86	Vertical



Report No.: SUCR260600048902

Page: 32 of 34

1.63. Test Band = SA Band77(3700-3980)_ TM1

1.63.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7348.6042	44.44	-45.79	36.13	-60.48	-13.00	47.48	Horizontal
2	9142.125	42.24	-43.04	37.60	-58.46	-13.00	45.46	Horizontal
3	11933.75	38.13	-39.45	39.41	-57.18	-13.00	44.18	Horizontal
4	14948.6667	36.77	-38.15	40.21	-56.44	-13.00	43.44	Horizontal
5	16925.2292	35.78	-36.97	38.77	-57.68	-13.00	44.68	Horizontal
6	17957.3542	35.69	-37.10	44.54	-52.13	-13.00	39.13	Horizontal

1.64. Test Band = SA Band77(3700-3980)_ TM1

1.64.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7172.75	44.44	-45.63	35.81	-60.64	-13.00	47.64	Vertical
2	8816.2917	43.48	-43.81	37.20	-58.39	-13.00	45.39	Vertical
3	10774.1667	38.77	-40.54	39.34	-57.69	-13.00	44.69	Vertical
4	12797.2083	38.10	-39.27	38.92	-57.51	-13.00	44.51	Vertical
5	15029.6458	35.34	-38.01	40.15	-57.78	-13.00	44.78	Vertical
6	17500.2292	34.72	-36.12	41.80	-54.86	-13.00	41.86	Vertical



Report No.: SUCR260600048902

Page: 33 of 34

1.65. Test Band = SA Band78(3450-3550)_ TM1

1.65.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7209.6458	44.62	-45.50	35.88	-60.27	-13.00	47.27	Horizontal
2	8836.8958	43.95	-43.75	37.22	-57.84	-13.00	44.84	Horizontal
3	11325.2083	39.46	-40.26	39.47	-56.60	-13.00	43.60	Horizontal
4	13565.7917	37.67	-38.51	39.65	-56.45	-13.00	43.45	Horizontal
5	16635.3333	35.79	-37.38	38.65	-58.19	-13.00	45.19	Horizontal
6	17876.375	35.02	-37.44	44.06	-53.62	-13.00	40.62	Horizontal

1.66. Test Band = SA Band78(3450-3550)_ TM1

1.66.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7172.75	44.24	-45.63	35.81	-60.84	-13.00	47.84	Vertical
2	8810.5417	43.57	-43.83	37.19	-58.33	-13.00	45.33	Vertical
3	10456.9583	39.42	-40.86	39.12	-57.58	-13.00	44.58	Vertical
4	12412.9167	37.31	-38.37	39.15	-57.17	-13.00	44.17	Vertical
5	14432.125	37.26	-38.59	40.26	-56.33	-13.00	43.33	Vertical
6	17054.6042	36.05	-37.27	39.13	-57.35	-13.00	44.35	Vertical



Report No.: SUCR260600048902

Page: 34 of 34

1.67. Test Band = SA Band78(3700-3800)_ TM1

1.67.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7174.6667	44.74	-45.62	35.81	-60.32	-13.00	47.32	Horizontal
2	8683.5625	43.51	-43.76	37.05	-58.46	-13.00	45.46	Horizontal
3	10498.6458	38.88	-40.58	39.15	-57.81	-13.00	44.81	Horizontal
4	11978.7917	38.23	-38.85	39.40	-56.47	-13.00	43.47	Horizontal
5	13718.1667	37.45	-38.05	39.88	-55.99	-13.00	42.99	Horizontal
6	17495.9167	34.86	-36.16	41.78	-54.79	-13.00	41.79	Horizontal

1.68. Test Band = SA Band78(3700-3800)_ TM1

1.68.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7204.8542	44.10	-45.48	35.87	-60.77	-13.00	47.77	Vertical
2	8808.1458	43.91	-43.83	37.19	-58.00	-13.00	45.00	Vertical
3	9444.4792	42.86	-42.74	38.02	-57.12	-13.00	44.12	Vertical
4	11380.3125	39.05	-39.86	39.46	-56.60	-13.00	43.60	Vertical
5	13590.2292	37.13	-38.35	39.69	-56.79	-13.00	43.79	Vertical
6	16636.2917	35.24	-37.38	38.65	-58.75	-13.00	45.75	Vertical

---End of Attachment---