


Annex A.2 Peak to Average Ratio

1. WCDMA_Band2


1.1. WCDMA Peak to Average Ratio_Part22-24-27(Channel:9262)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.4	0.1	5	3	13	Pass




1.2. WCDMA Peak to Average Ratio_Part22-24-27(Channel:9400)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5	2.95	13	Pass



1.3. WCDMA Peak to Average Ratio_Part22-24-27(Channel:9538)(NTNV)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1907.6	0.1	5	2.95	13	Pass



2. WCDMA_Band4


2.1. WCDMA Peak to Average Ratio_Part22-24-27(Channel:1312)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1712.4	0.1	5	3	13	Pass




2.2. WCDMA Peak to Average Ratio_Part22-24-27(Channel:1412)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1732.4	0.1	5	3.05	13	Pass



2.3. WCDMA Peak to Average Ratio_Part22-24-27(Channel:1513)(NTNV)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1752.6	0.1	5	3.05	13	Pass



3. WCDMA_Band5


3.1. WCDMA Peak to Average Ratio_Part22-24-27(Channel:4132)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
826.4	0.1	5	3.09	13	Pass




3.2. WCDMA Peak to Average Ratio_Part22-24-27(Channel:4182)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.4	0.1	5	3.09	13	Pass



3.3. WCDMA Peak to Average Ratio_Part22-24-27(Channel:4233)(NTNV)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
846.6	0.1	5	3.19	13	Pass



1. LTE_Band2


1.1. LTE Peak to Average Ratio_Part22-24-27(Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	5.48	13	Pass




1.2. LTE Peak to Average Ratio_Part22-24-27(Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	5.63	13	Pass




1.3. LTE Peak to Average Ratio_Part22-24-27(Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6	13	Pass




1.4. LTE Peak to Average Ratio_Part22-24-27(Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6.38	13	Pass




1.5. LTE Peak to Average Ratio_Part22-24-27(Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	5.48	13	Pass




1.6. LTE Peak to Average Ratio_Part22-24-27(Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	5.58	13	Pass




1.7. LTE Peak to Average Ratio_Part22-24-27(Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	6.38	13	Pass




1.8. LTE Peak to Average Ratio_Part22-24-27(Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	6.38	13	Pass




1.9. LTE Peak to Average Ratio_Part22-24-27(Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	5.44	13	Pass




1.10. LTE Peak to Average Ratio_Part22-24-27(Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	5.39	13	Pass




1.11. LTE Peak to Average Ratio_Part22-24-27(Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	6.38	13	Pass



1.12. LTE Peak to Average Ratio_Part22-24-27(Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	6.23	13	Pass



2. LTE_Band4


2.1. LTE Peak to Average Ratio_Part22-24-27(Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	5.58	13	Pass




2.2. LTE Peak to Average Ratio_Part22-24-27(Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	5.58	13	Pass




2.3. LTE Peak to Average Ratio_Part22-24-27(Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	6.56	13	Pass




2.4. LTE Peak to Average Ratio_Part22-24-27(Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	6.42	13	Pass




2.5. LTE Peak to Average Ratio_Part22-24-27(Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	20	5.58	13	Pass




2.6. LTE Peak to Average Ratio_Part22-24-27(Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	20	5.63	13	Pass




2.7. LTE Peak to Average Ratio_Part22-24-27(Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	20	6.14	13	Pass




2.8. LTE Peak to Average Ratio_Part22-24-27(Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	20	6.47	13	Pass




2.9. LTE Peak to Average Ratio_Part22-24-27(Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	5.53	13	Pass




2.10. LTE Peak to Average Ratio_Part22-24-27(Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	5.58	13	Pass




2.11. LTE Peak to Average Ratio_Part22-24-27(Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	6.42	13	Pass



2.12. LTE Peak to Average Ratio_Part22-24-27(Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	6.47	13	Pass



3. LTE_Band5


3.1. LTE Peak to Average Ratio_Part22-24-27(Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	10	5.44	13	Pass




3.2. LTE Peak to Average Ratio_Part22-24-27(Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	10	5.58	13	Pass




3.3. LTE Peak to Average Ratio_Part22-24-27(Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	10	6.23	13	Pass




3.4. LTE Peak to Average Ratio_Part22-24-27(Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	10	6.38	13	Pass




3.5. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	10	5.44	13	Pass




3.6. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	10	5.58	13	Pass




3.7. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	10	6.38	13	Pass




3.8. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	10	6.38	13	Pass




3.9. LTE Peak to Average Ratio_Part22-24-27(Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	10	5.39	13	Pass




3.10. LTE Peak to Average Ratio_Part22-24-27(Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	10	5.58	13	Pass




3.11. LTE Peak to Average Ratio_Part22-24-27(Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	10	6.05	13	Pass



3.12. LTE Peak to Average Ratio_Part22-24-27(Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	10	6.33	13	Pass



4. LTE_Band7


4.1. LTE Peak to Average Ratio_Part22-24-27(Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	5.67	13	Pass




4.2. LTE Peak to Average Ratio_Part22-24-27(Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	5.53	13	Pass




4.3. LTE Peak to Average Ratio_Part22-24-27(Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	6.23	13	Pass




4.4. LTE Peak to Average Ratio_Part22-24-27(Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	6.38	13	Pass




4.5. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	5.58	13	Pass




4.6. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	5.58	13	Pass




4.7. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	6.47	13	Pass




4.8. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	6.38	13	Pass




4.9. LTE Peak to Average Ratio_Part22-24-27(Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	5.67	13	Pass




4.10. LTE Peak to Average Ratio_Part22-24-27(Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	5.58	13	Pass




4.11. LTE Peak to Average Ratio_Part22-24-27(Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	6.61	13	Pass



4.12. LTE Peak to Average Ratio_Part22-24-27(Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	6.38	13	Pass



5. LTE_Band12


5.1. LTE Peak to Average Ratio_Part22-24-27(Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
704	0.1	10	5.48	13	Pass




5.2. LTE Peak to Average Ratio_Part22-24-27(Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
704	0.1	10	5.48	13	Pass




5.3. LTE Peak to Average Ratio_Part22-24-27(Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
704	0.1	10	6.28	13	Pass




5.4. LTE Peak to Average Ratio_Part22-24-27(Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
704	0.1	10	6.28	13	Pass




5.5. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	5.44	13	Pass




5.6. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	5.58	13	Pass




5.7. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	6.47	13	Pass




5.8. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	6.42	13	Pass




5.9. LTE Peak to Average Ratio_Part22-24-27(Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	10	5.39	13	Pass




5.10. LTE Peak to Average Ratio_Part22-24-27(Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	10	5.77	13	Pass




5.11. LTE Peak to Average Ratio_Part22-24-27(Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	10	6.09	13	Pass



5.12. LTE Peak to Average Ratio_Part22-24-27(Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	10	6.47	13	Pass



6. LTE_Band13


6.1. LTE Peak to Average Ratio_Part22-24-27(Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	10	5.3	13	Pass




6.2. LTE Peak to Average Ratio_Part22-24-27(Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	10	5.44	13	Pass




6.3. LTE Peak to Average Ratio_Part22-24-27(Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	10	6.05	13	Pass



6.4. LTE Peak to Average Ratio_Part22-24-27(Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	10	6.23	13	Pass



8. LTE_Band17


8.1. LTE Peak to Average Ratio_Part22-24-27(Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	10	5.53	13	Pass




8.2. LTE Peak to Average Ratio_Part22-24-27(Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	10	5.77	13	Pass




8.3. LTE Peak to Average Ratio_Part22-24-27(Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	10	6.33	13	Pass




8.4. LTE Peak to Average Ratio_Part22-24-27(Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	10	6.47	13	Pass




8.5. LTE Peak to Average Ratio_Part22-24-27(Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	10	5.44	13	Pass




8.6. LTE Peak to Average Ratio_Part22-24-27(Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	10	5.77	13	Pass




8.7. LTE Peak to Average Ratio_Part22-24-27(Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	10	6.42	13	Pass




8.8. LTE Peak to Average Ratio_Part22-24-27(Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	10	6.52	13	Pass




8.9. LTE Peak to Average Ratio_Part22-24-27(Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	10	5.44	13	Pass




8.10. LTE Peak to Average Ratio_Part22-24-27(Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	10	5.77	13	Pass




8.11. LTE Peak to Average Ratio_Part22-24-27(Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	10	6.05	13	Pass



8.12. LTE Peak to Average Ratio_Part22-24-27(Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	10	6.47	13	Pass



9. LTE_Band25


9.1. LTE Peak to Average Ratio_Part22-24-27(Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	5.44	13	Pass




9.2. LTE Peak to Average Ratio_Part22-24-27(Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	5.63	13	Pass




9.3. LTE Peak to Average Ratio_Part22-24-27(Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6	13	Pass




9.4. LTE Peak to Average Ratio_Part22-24-27(Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6.38	13	Pass




9.5. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	5.39	13	Pass




9.6. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	5.63	13	Pass




9.7. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	6.28	13	Pass




9.8. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	6.38	13	Pass




9.9. LTE Peak to Average Ratio_Part22-24-27(Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	20	5.39	13	Pass




9.10. LTE Peak to Average Ratio_Part22-24-27(Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	20	5.67	13	Pass




9.11. LTE Peak to Average Ratio_Part22-24-27(Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	20	6.33	13	Pass



9.12. LTE Peak to Average Ratio_Part22-24-27(Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	20	6.42	13	Pass



10. LTE_Band26(part22)


10.1. LTE Peak to Average Ratio_Part22-24-27(Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
831.5	0.1	15	5.72	13	Pass




10.2. LTE Peak to Average Ratio_Part22-24-27(Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
831.5	0.1	15	6.05	13	Pass




10.3. LTE Peak to Average Ratio_Part22-24-27(Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
831.5	0.1	15	6.56	13	Pass




10.4. LTE Peak to Average Ratio_Part22-24-27(Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
831.5	0.1	15	6.61	13	Pass




10.5. LTE Peak to Average Ratio_Part22-24-27(Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	15	5.72	13	Pass




10.6. LTE Peak to Average Ratio_Part22-24-27(Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	15	6	13	Pass




10.7. LTE Peak to Average Ratio_Part22-24-27(Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	15	6.75	13	Pass




10.8. LTE Peak to Average Ratio_Part22-24-27(Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	15	6.66	13	Pass




10.9. LTE Peak to Average Ratio_Part22-24-27(Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
841.5	0.1	15	5.72	13	Pass




10.10. LTE Peak to Average Ratio_Part22-24-27(Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
841.5	0.1	15	6.09	13	Pass




10.11. LTE Peak to Average Ratio_Part22-24-27(Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
841.5	0.1	15	6.61	13	Pass



10.12. LTE Peak to Average Ratio_Part22-24-27(Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
841.5	0.1	15	6.66	13	Pass



11. LTE_Band30


11.1. LTE Peak to Average Ratio_Part22-24-27(Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	5.72	13	Pass




11.2. LTE Peak to Average Ratio_Part22-24-27(Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	5.77	13	Pass




11.3. LTE Peak to Average Ratio_Part22-24-27(Channel:27710, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	6.47	13	Pass



11.4. LTE Peak to Average Ratio_Part22-24-27(Channel:27710, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	6.52	13	Pass



12. LTE_Band66


12.1. LTE Peak to Average Ratio_Part22-24-27(Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	5.58	13	Pass




12.2. LTE Peak to Average Ratio_Part22-24-27(Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	5.63	13	Pass




12.3. LTE Peak to Average Ratio_Part22-24-27(Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	6.52	13	Pass




12.4. LTE Peak to Average Ratio_Part22-24-27(Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	6.42	13	Pass




12.5. LTE Peak to Average Ratio_Part22-24-27(Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	5.53	13	Pass




12.6. LTE Peak to Average Ratio_Part22-24-27(Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	6	13	Pass




12.7. LTE Peak to Average Ratio_Part22-24-27(Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	6.14	13	Pass




12.8. LTE Peak to Average Ratio_Part22-24-27(Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	6.42	13	Pass




12.9. LTE Peak to Average Ratio_Part22-24-27(Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	5.53	13	Pass




12.10. LTE Peak to Average Ratio_Part22-24-27(Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	5.63	13	Pass




12.11. LTE Peak to Average Ratio_Part22-24-27(Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	6.42	13	Pass



12.12. LTE Peak to Average Ratio_Part22-24-27(Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	6.42	13	Pass



13. LTE_Band41 full


13.1. LTE Peak to Average Ratio_Part22-24-27(Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506	0.1	20	9.19	13	Pass




13.2. LTE Peak to Average Ratio_Part22-24-27(Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506	0.1	20	9.19	13	Pass




13.3. LTE Peak to Average Ratio_Part22-24-27(Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506	0.1	20	9.84	13	Pass




13.4. LTE Peak to Average Ratio_Part22-24-27(Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506	0.1	20	9.94	13	Pass




13.5. LTE Peak to Average Ratio_Part22-24-27(Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	9.42	13	Pass




13.6. LTE Peak to Average Ratio_Part22-24-27(Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	9.19	13	Pass




13.7. LTE Peak to Average Ratio_Part22-24-27(Channel:40620, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	10.17	13	Pass




13.8. LTE Peak to Average Ratio_Part22-24-27(Channel:40620, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	9.89	13	Pass




13.9. LTE Peak to Average Ratio_Part22-24-27(Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2680	0.1	20	9.42	13	Pass




13.10. LTE Peak to Average Ratio_Part22-24-27(Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2680	0.1	20	9.14	13	Pass




13.11. LTE Peak to Average Ratio_Part22-24-27(Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2680	0.1	20	10.08	13	Pass



13.12. LTE Peak to Average Ratio_Part22-24-27(Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2680	0.1	20	9.84	13	Pass



14. LTE_Band42 3450-3550


14.1. LTE Peak to Average Ratio_Part22-24-27(Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460	0.1	20	9.09	13	Pass




14.2. LTE Peak to Average Ratio_Part22-24-27(Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460	0.1	20	9	13	Pass




14.3. LTE Peak to Average Ratio_Part22-24-27(Channel:42190, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460	0.1	20	9.66	13	Pass




14.4. LTE Peak to Average Ratio_Part22-24-27(Channel:42190, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460	0.1	20	9.66	13	Pass




14.5. LTE Peak to Average Ratio_Part22-24-27(Channel:42590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3500	0.1	20	8.77	13	Pass




14.6. LTE Peak to Average Ratio_Part22-24-27(Channel:42590, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3500	0.1	20	8.95	13	Pass




14.7. LTE Peak to Average Ratio_Part22-24-27(Channel:42590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3500	0.1	20	9.42	13	Pass




14.8. LTE Peak to Average Ratio_Part22-24-27(Channel:42590, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3500	0.1	20	9.66	13	Pass




14.9. LTE Peak to Average Ratio_Part22-24-27(Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	8.95	13	Pass




14.10. LTE Peak to Average Ratio_Part22-24-27(Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	8.95	13	Pass




14.11. LTE Peak to Average Ratio_Part22-24-27(Channel:42990, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	9.7	13	Pass



14.12. LTE Peak to Average Ratio_Part22-24-27(Channel:42990, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	9.66	13	Pass



15. LTE_Band43 3700-3800


15.1. LTE Peak to Average Ratio_Part22-24-27(Channel:44690, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710	0.1	20	9.05	13	Pass




15.2. LTE Peak to Average Ratio_Part22-24-27(Channel:44690, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710	0.1	20	9	13	Pass




15.3. LTE Peak to Average Ratio_Part22-24-27(Channel:44690, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710	0.1	20	9.42	13	Pass




15.4. LTE Peak to Average Ratio_Part22-24-27(Channel:44690, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710	0.1	20	9.61	13	Pass




15.5. LTE Peak to Average Ratio_Part22-24-27(Channel:45090, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	9.05	13	Pass




15.6. LTE Peak to Average Ratio_Part22-24-27(Channel:45090, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	8.95	13	Pass




15.7. LTE Peak to Average Ratio_Part22-24-27(Channel:45090, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	9.94	13	Pass




15.8. LTE Peak to Average Ratio_Part22-24-27(Channel:45090, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	9.66	13	Pass




15.9. LTE Peak to Average Ratio_Part22-24-27(Channel:45490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3790	0.1	20	9.05	13	Pass




15.10. LTE Peak to Average Ratio_Part22-24-27(Channel:45490, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3790	0.1	20	9	13	Pass




15.11. LTE Peak to Average Ratio_Part22-24-27(Channel:45490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3790	0.1	20	9.42	13	Pass



15.12. LTE Peak to Average Ratio_Part22-24-27(Channel:45490, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3790	0.1	20	9.56	13	Pass



1. LTE_Band26(part90)


1.1. LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	5.67	13	Pass




1.2. LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	5.77	13	Pass




1.3. LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	6.52	13	Pass



1.4. LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	6.52	13	Pass



7. LTE_Band14


7.1. LTE Peak to Average Ratio_Part90(Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
793	0.1	10	5.39	13	Pass




7.2. LTE Peak to Average Ratio_Part90(Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
793	0.1	10	5.53	13	Pass




7.3. LTE Peak to Average Ratio_Part90(Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
793	0.1	10	6.05	13	Pass




7.4. LTE Peak to Average Ratio_Part90(Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
793	0.1	10	6.33	13	Pass




1. LTE_Band71


1.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




1.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




1.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




1.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




1.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




1.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




1.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



1.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)



1.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)



--BLANK BELOW--