


Annex A.5 Spurious Emission at Antenna Terminals

1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:9262)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.52	-13	54.52	Pass	401
0.15	30	0.01	Peak	0.185	-64.02	-13	51.02	Pass	5971
30	1000	0.1	Peak	949.283	-52.62	-13	39.62	Pass	19402
1000	3000	1	Peak	1851	24.42	-13	-37.42	N/A	4001
3000	20000	1	Peak	19791	-24.15	-13	11.15	Pass	34005




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:9400)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.39	-13	53.39	Pass	401
0.15	30	0.01	Peak	0.175	-64.64	-13	51.64	Pass	5971
30	1000	0.1	Peak	844.95	-52.46	-13	39.46	Pass	19402
1000	3000	1	Peak	1879	24.28	-13	-37.28	N/A	4001
3000	20000	1	Peak	19927	-23.96	-13	10.96	Pass	34005



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:9538)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.75	-13	54.75	Pass	401
0.15	30	0.01	Peak	0.18	-64.18	-13	51.18	Pass	5971
30	1000	0.1	Peak	858.553	-52.92	-13	39.92	Pass	19402
1000	3000	1	Peak	1909	24.33	-13	-37.33	N/A	4001
3000	20000	1	Peak	19812	-23.71	-13	10.71	Pass	34005



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:1312)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.63	-13	54.63	Pass	401
0.15	30	0.01	Peak	0.17	-64.1	-13	51.1	Pass	5971
30	1000	0.1	Peak	725.45	-52.64	-13	39.64	Pass	19402
1000	3000	1	Peak	1713.5	24.57	-13	-37.57	N/A	4001
3000	20000	1	Peak	19763	-23.49	-13	10.49	Pass	34005




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:1412)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.06	-13	54.06	Pass	401
0.15	30	0.01	Peak	0.195	-63.13	-13	50.13	Pass	5971
30	1000	0.1	Peak	839.55	-52.87	-13	39.87	Pass	19402
1000	3000	1	Peak	1733.5	24.52	-13	-37.52	N/A	4001
3000	20000	1	Peak	19792.5	-24.08	-13	11.08	Pass	34005



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:1513)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.83	-13	53.83	Pass	401
0.15	30	0.01	Peak	1.265	-64.26	-13	51.26	Pass	5971
30	1000	0.1	Peak	971.591	-53.16	-13	40.16	Pass	19402
1000	3000	1	Peak	1751.5	23.96	-13	-36.96	N/A	4001
3000	20000	1	Peak	19978.5	-24.03	-13	11.03	Pass	34005



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:4132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.09	-13	54.09	Pass	401
0.15	30	0.01	Peak	0.285	-65.05	-13	52.05	Pass	5971
30	500	0.1	Peak	341.3	-53.5	-13	40.5	Pass	9401
500	1000	0.1	Peak	827.65	18.47	-13	-31.47	N/A	10002
1000	10000	1	Peak	7342.5	-31.91	-13	18.91	Pass	18003




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:4182)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-68.21	-13	55.21	Pass	401
0.15	30	0.01	Peak	0.24	-64.49	-13	51.49	Pass	5971
30	500	0.1	Peak	462.519	-53.52	-13	40.52	Pass	9401
500	1000	0.1	Peak	837.05	17.9	-13	-30.9	N/A	10002
1000	10000	1	Peak	7656.5	-31.96	-13	18.96	Pass	18003



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:4233)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.62	-13	53.62	Pass	401
0.15	30	0.01	Peak	0.26	-64.6	-13	51.6	Pass	5971
30	500	0.1	Peak	329.1	-53.27	-13	40.27	Pass	9401
500	1000	0.1	Peak	845.7	18.56	-13	-31.56	N/A	10002
1000	10000	1	Peak	7695	-31.8	-13	18.8	Pass	18003



1. LTE_Band41 full


1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.72	-25	45.72	Pass	401
0.15	30	0.01	RMS	0.195	-67.77	-25	42.77	Pass	5971
30	1000	0.1	RMS	909.77	-61	-25	36	Pass	19402
1000	2486	1	RMS	2483.5	-43.53	-25	18.53	Pass	2973
2486	2700	1	RMS	2496	22.52	60	37.48	Pass	429
2700	3000	1	RMS	2999.5	-44.89	-25	19.89	Pass	601
3000	12000	1	RMS	4992	-52.44	-25	27.44	Pass	18003
12000	27000	1	RMS	25900.5	-39.58	-25	14.58	Pass	30004




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.59	-25	44.59	Pass	401
0.15	30	0.01	RMS	0.215	-67.53	-25	42.53	Pass	5971
30	1000	0.1	RMS	870.207	-60.96	-25	35.96	Pass	19402
1000	2486	1	RMS	2484	-42.1	-25	17.1	Pass	2973
2486	2700	1	RMS	2496	23.15	60	36.85	Pass	429
2700	3000	1	RMS	3000	-44.87	-25	19.87	Pass	601
3000	12000	1	RMS	4993	-47.98	-25	22.98	Pass	18003
12000	27000	1	RMS	25882	-39.44	-25	14.44	Pass	30004




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.73	-25	45.73	Pass	401
0.15	30	0.01	RMS	0.195	-67.82	-25	42.82	Pass	5971
30	1000	0.1	RMS	983.845	-60.81	-25	35.81	Pass	19402
1000	2486	1	RMS	2480	-46.44	-25	21.44	Pass	2973
2486	2700	1	RMS	2590.5	22.91	60	37.09	Pass	429
2700	3000	1	RMS	2999	-44.88	-25	19.88	Pass	601
3000	12000	1	RMS	11953	-57.04	-25	32.04	Pass	18003
12000	27000	1	RMS	25893.5	-39.66	-25	14.66	Pass	30004




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:40620, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.36	-25	45.36	Pass	401
0.15	30	0.01	RMS	0.205	-67.8	-25	42.8	Pass	5971
30	1000	0.1	RMS	846.25	-59.26	-25	34.26	Pass	19402
1000	2486	1	RMS	2482	-46.45	-25	21.45	Pass	2973
2486	2700	1	RMS	2590.5	22.74	60	37.26	Pass	429
2700	3000	1	RMS	2945	-44.97	-25	19.97	Pass	601
3000	12000	1	RMS	11946	-56.63	-25	31.63	Pass	18003
12000	27000	1	RMS	26959.5	-40.19	-25	15.19	Pass	30004




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.02	-25	45.02	Pass	401
0.15	30	0.01	RMS	0.26	-68.06	-25	43.06	Pass	5971
30	1000	0.1	RMS	724.6	-58.27	-25	33.27	Pass	19402
1000	2486	1	RMS	2484.5	-46.48	-25	21.48	Pass	2973
2486	2700	1	RMS	2685	23.57	60	36.43	Pass	429
2700	3000	1	RMS	2700.5	-44.75	-25	19.75	Pass	601
3000	12000	1	RMS	11958	-56.69	-25	31.69	Pass	18003
12000	27000	1	RMS	26927.5	-40.28	-25	15.28	Pass	30004




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.54	-25	44.54	Pass	401
0.15	30	0.01	RMS	0.155	-68.02	-25	43.02	Pass	5971
30	1000	0.1	RMS	724.65	-57.15	-25	32.15	Pass	19402
1000	2486	1	RMS	2485.5	-46.45	-25	21.45	Pass	2973
2486	2700	1	RMS	2685	23.7	60	36.3	Pass	429
2700	3000	1	RMS	2700	-44.17	-25	19.17	Pass	601
3000	12000	1	RMS	11966	-56.75	-25	31.75	Pass	18003
12000	27000	1	RMS	26967	-40.26	-25	15.26	Pass	30004




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.5	-25	45.5	Pass	401
0.15	30	0.01	RMS	0.26	-67.22	-25	42.22	Pass	5971
30	1000	0.1	RMS	844.55	-59.32	-25	34.32	Pass	19402
1000	2486	1	RMS	2483.5	-45.6	-25	20.6	Pass	2973
2486	2700	1	RMS	2496.5	22.79	60	37.21	Pass	429
2700	3000	1	RMS	2942.5	-44.95	-25	19.95	Pass	601
3000	12000	1	RMS	4994	-53.31	-25	28.31	Pass	18003
12000	27000	1	RMS	26971	-40.28	-25	15.28	Pass	30004




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.44	-25	44.44	Pass	401
0.15	30	0.01	RMS	0.275	-67.81	-25	42.81	Pass	5971
30	1000	0.1	RMS	847.75	-59.34	-25	34.34	Pass	19402
1000	2486	1	RMS	2484	-45.88	-25	20.88	Pass	2973
2486	2700	1	RMS	2496.5	22.25	60	37.75	Pass	429
2700	3000	1	RMS	2940	-44.95	-25	19.95	Pass	601
3000	12000	1	RMS	4993	-49.14	-25	24.14	Pass	18003
12000	27000	1	RMS	26908	-40.31	-25	15.31	Pass	30004




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.38	-25	44.38	Pass	401
0.15	30	0.01	RMS	0.165	-67.49	-25	42.49	Pass	5971
30	1000	0.1	RMS	845.45	-59.44	-25	34.44	Pass	19402
1000	2486	1	RMS	2483.5	-46.52	-25	21.52	Pass	2973
2486	2700	1	RMS	2588.5	22.68	60	37.32	Pass	429
2700	3000	1	RMS	2944.5	-45	-25	20	Pass	601
3000	12000	1	RMS	11935.5	-56.74	-25	31.74	Pass	18003
12000	27000	1	RMS	26931.5	-40.31	-25	15.31	Pass	30004




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:40620, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.71	-25	45.71	Pass	401
0.15	30	0.01	RMS	0.16	-67.44	-25	42.44	Pass	5971
30	1000	0.1	RMS	848.75	-59.35	-25	34.35	Pass	19402
1000	2486	1	RMS	2477.5	-46.48	-25	21.48	Pass	2973
2486	2700	1	RMS	2588	22.3	60	37.7	Pass	429
2700	3000	1	RMS	2942.5	-44.98	-25	19.98	Pass	601
3000	12000	1	RMS	11948.5	-56.63	-25	31.63	Pass	18003
12000	27000	1	RMS	26985.5	-40.29	-25	15.29	Pass	30004




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.19	-25	44.19	Pass	401
0.15	30	0.01	RMS	0.225	-68.06	-25	43.06	Pass	5971
30	1000	0.1	RMS	719.9	-58.41	-25	33.41	Pass	19402
1000	2486	1	RMS	2478.5	-46.61	-25	21.61	Pass	2973
2486	2700	1	RMS	2680.5	22.25	60	37.75	Pass	429
2700	3000	1	RMS	2948.5	-44.98	-25	19.98	Pass	601
3000	12000	1	RMS	11950.5	-56.66	-25	31.66	Pass	18003
12000	27000	1	RMS	26984.5	-40.26	-25	15.26	Pass	30004




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.89	-25	42.89	Pass	401
0.15	30	0.01	RMS	0.15	-67.85	-25	42.85	Pass	5971
30	1000	0.1	RMS	719.95	-58.96	-25	33.96	Pass	19402
1000	2486	1	RMS	2484	-46.53	-25	21.53	Pass	2973
2486	2700	1	RMS	2680.5	23.03	60	36.97	Pass	429
2700	3000	1	RMS	2941.5	-44.99	-25	19.99	Pass	601
3000	12000	1	RMS	11957.5	-56.69	-25	31.69	Pass	18003
12000	27000	1	RMS	26951.5	-40.25	-25	15.25	Pass	30004




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.71	-25	45.71	Pass	401
0.15	30	0.01	RMS	0.24	-67.8	-25	42.8	Pass	5971
30	1000	0.1	RMS	840.75	-59.44	-25	34.44	Pass	19402
1000	2486	1	RMS	2483.5	-44.78	-25	19.78	Pass	2973
2486	2700	1	RMS	2496.5	21.84	60	38.16	Pass	429
2700	3000	1	RMS	2957	-44.97	-25	19.97	Pass	601
3000	12000	1	RMS	4993.5	-47.26	-25	22.26	Pass	18003
12000	27000	1	RMS	26996	-40.33	-25	15.33	Pass	30004




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.95	-25	44.95	Pass	401
0.15	30	0.01	RMS	0.23	-67.58	-25	42.58	Pass	5971
30	1000	0.1	RMS	840.35	-59.49	-25	34.49	Pass	19402
1000	2486	1	RMS	2484	-45.08	-25	20.08	Pass	2973
2486	2700	1	RMS	2496.5	23.19	60	36.81	Pass	429
2700	3000	1	RMS	2939.5	-44.99	-25	19.99	Pass	601
3000	12000	1	RMS	4993	-51.73	-25	26.73	Pass	18003
12000	27000	1	RMS	26900.5	-40.34	-25	15.34	Pass	30004




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.06	-25	43.06	Pass	401
0.15	30	0.01	RMS	0.22	-67.96	-25	42.96	Pass	5971
30	1000	0.1	RMS	856.703	-59.58	-25	34.58	Pass	19402
1000	2486	1	RMS	2480.5	-46.47	-25	21.47	Pass	2973
2486	2700	1	RMS	2586	23.33	60	36.67	Pass	429
2700	3000	1	RMS	2956.5	-44.94	-25	19.94	Pass	601
3000	12000	1	RMS	11959	-56.72	-25	31.72	Pass	18003
12000	27000	1	RMS	26922.5	-40.33	-25	15.33	Pass	30004




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:40620, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.46	-25	44.46	Pass	401
0.15	30	0.01	RMS	0.15	-67.62	-25	42.62	Pass	5971
30	1000	0.1	RMS	814.45	-59.33	-25	34.33	Pass	19402
1000	2486	1	RMS	2485.5	-46.53	-25	21.53	Pass	2973
2486	2700	1	RMS	2586	22.89	60	37.11	Pass	429
2700	3000	1	RMS	2943	-44.94	-25	19.94	Pass	601
3000	12000	1	RMS	11966	-56.69	-25	31.69	Pass	18003
12000	27000	1	RMS	26666.5	-40.35	-25	15.35	Pass	30004




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.44	-25	45.44	Pass	401
0.15	30	0.01	RMS	0.28	-67.44	-25	42.44	Pass	5971
30	1000	0.1	RMS	842.35	-59.51	-25	34.51	Pass	19402
1000	2486	1	RMS	2485	-46.57	-25	21.57	Pass	2973
2486	2715	1	RMS	2675.5	22.75	60	37.25	Pass	459
2715	3000	1	RMS	2946	-44.98	-25	19.98	Pass	571
3000	12000	1	RMS	11954.5	-56.76	-25	31.76	Pass	18003
12000	27000	1	RMS	26966	-40.28	-25	15.28	Pass	30004




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.51	-25	43.51	Pass	401
0.15	30	0.01	RMS	0.155	-67.66	-25	42.66	Pass	5971
30	1000	0.1	RMS	715.1	-59.39	-25	34.39	Pass	19402
1000	2486	1	RMS	2479.5	-46.58	-25	21.58	Pass	2973
2486	2715	1	RMS	2675.5	23.17	60	36.83	Pass	459
2715	3000	1	RMS	2940.5	-44.98	-25	19.98	Pass	571
3000	12000	1	RMS	11943	-56.74	-25	31.74	Pass	18003
12000	27000	1	RMS	26942.5	-40.25	-25	15.25	Pass	30004




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.38	-25	44.38	Pass	401
0.15	30	0.01	RMS	0.165	-68.21	-25	43.21	Pass	5971
30	1000	0.1	RMS	850.951	-59.44	-25	34.44	Pass	19402
1000	2486	1	RMS	2486	-45.79	-25	20.79	Pass	2973
2486	2700	1	RMS	2497	22.1	60	37.9	Pass	429
2700	3000	1	RMS	2940	-45	-25	20	Pass	601
3000	12000	1	RMS	4994	-49.31	-25	24.31	Pass	18003
12000	27000	1	RMS	26986	-40.23	-25	15.23	Pass	30004




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.28	-25	45.28	Pass	401
0.15	30	0.01	RMS	0.155	-68.24	-25	43.24	Pass	5971
30	1000	0.1	RMS	853.652	-59.28	-25	34.28	Pass	19402
1000	2486	1	RMS	2479.5	-45.67	-25	20.67	Pass	2973
2486	2700	1	RMS	2497	23.16	60	36.84	Pass	429
2700	3000	1	RMS	2944	-45	-25	20	Pass	601
3000	12000	1	RMS	4993.5	-54.25	-25	29.25	Pass	18003
12000	27000	1	RMS	26999.5	-40.33	-25	15.33	Pass	30004




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.71	-25	45.71	Pass	401
0.15	30	0.01	RMS	0.255	-68.14	-25	43.14	Pass	5971
30	1000	0.1	RMS	833.5	-59.45	-25	34.45	Pass	19402
1000	2486	1	RMS	2466.5	-46.61	-25	21.61	Pass	2973
2486	2700	1	RMS	2584	22.19	60	37.81	Pass	429
2700	3000	1	RMS	2941.5	-45	-25	20	Pass	601
3000	12000	1	RMS	11952.5	-56.72	-25	31.72	Pass	18003
12000	27000	1	RMS	26906	-40.29	-25	15.29	Pass	30004




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:40620, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.35	-25	44.35	Pass	401
0.15	30	0.01	RMS	0.27	-68.16	-25	43.16	Pass	5971
30	1000	0.1	RMS	849.6	-59.45	-25	34.45	Pass	19402
1000	2486	1	RMS	2479.5	-46.55	-25	21.55	Pass	2973
2486	2700	1	RMS	2584	23.1	60	36.9	Pass	429
2700	3000	1	RMS	2942	-44.98	-25	19.98	Pass	601
3000	12000	1	RMS	11953.5	-56.69	-25	31.69	Pass	18003
12000	27000	1	RMS	26969	-40.26	-25	15.26	Pass	30004




1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.94	-25	44.94	Pass	401
0.15	30	0.01	RMS	0.16	-67.28	-25	42.28	Pass	5971
30	1000	0.1	RMS	710.4	-59.16	-25	34.16	Pass	19402
1000	2486	1	RMS	2486	-42.17	-25	17.17	Pass	2973
2486	2715	1	RMS	2671	23.16	60	36.84	Pass	459
2715	3000	1	RMS	2855	-44.42	-25	19.42	Pass	571
3000	12000	1	RMS	11966.5	-56.76	-25	31.76	Pass	18003
12000	27000	1	RMS	26977	-40.31	-25	15.31	Pass	30004



1.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.31	-25	44.31	Pass	401
0.15	30	0.01	RMS	0.15	-67.23	-25	42.23	Pass	5971
30	1000	0.1	RMS	865.655	-59.51	-25	34.51	Pass	19402
1000	2486	1	RMS	2486	-43.28	-25	18.28	Pass	2973
2486	2715	1	RMS	2671	22.6	60	37.4	Pass	459
2715	3000	1	RMS	2855	-44.59	-25	19.59	Pass	571
3000	12000	1	RMS	11983	-56.75	-25	31.75	Pass	18003
12000	27000	1	RMS	26897.5	-40.32	-25	15.32	Pass	30004



2. LTE_Band42 3450-3550


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.28	-13	57.28	Pass	401
0.15	30	0.01	RMS	0.215	-68.15	-13	55.15	Pass	5971
30	1000	0.1	RMS	841.7	-59.41	-13	46.41	Pass	19402
1000	3000	1	RMS	2956.5	-44.9	-13	31.9	Pass	4001
3000	3430	1	RMS	3139.5	-42.98	-13	29.98	Pass	861
3430	3570	1	RMS	3450.3	24.31	60	35.69	Pass	401
3570	6500	1	RMS	3587.5	-46.3	-13	33.3	Pass	5861
6500	26500	1	RMS	26014	-51.15	-13	38.15	Pass	40005




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:42115, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.77	-13	56.77	Pass	401
0.15	30	0.01	RMS	0.17	-67.36	-13	54.36	Pass	5971
30	1000	0.1	RMS	827.45	-59.39	-13	46.39	Pass	19402
1000	3000	1	RMS	2959	-44.86	-13	31.86	Pass	4001
3000	3430	1	RMS	3138.5	-42.98	-13	29.98	Pass	861
3430	3570	1	RMS	3450.3	23.46	60	36.54	Pass	401
3570	6500	1	RMS	3587.5	-46.3	-13	33.3	Pass	5861
6500	26500	1	RMS	25788.5	-51.17	-13	38.17	Pass	40005




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:42590, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.06	-13	56.06	Pass	401
0.15	30	0.01	RMS	0.155	-67.8	-13	54.8	Pass	5971
30	1000	0.1	RMS	855.152	-59.33	-13	46.33	Pass	19402
1000	3000	1	RMS	2947.5	-44.84	-13	31.84	Pass	4001
3000	3430	1	RMS	3140.5	-42.95	-13	29.95	Pass	861
3430	3570	1	RMS	3497.55	24.27	60	35.73	Pass	401
3570	6500	1	RMS	3635.5	-44.2	-13	31.2	Pass	5861
6500	26500	1	RMS	26498.5	-51.2	-13	38.2	Pass	40005




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:42590, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.11	-13	55.11	Pass	401
0.15	30	0.01	RMS	0.175	-67.97	-13	54.97	Pass	5971
30	1000	0.1	RMS	861.854	-59.45	-13	46.45	Pass	19402
1000	3000	1	RMS	2958	-44.84	-13	31.84	Pass	4001
3000	3430	1	RMS	3141	-42.97	-13	29.97	Pass	861
3430	3570	1	RMS	3497.9	22.97	60	37.03	Pass	401
3570	6500	1	RMS	3635.5	-46.04	-13	33.04	Pass	5861
6500	26500	1	RMS	26499	-51.22	-13	38.22	Pass	40005




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.17	-13	56.17	Pass	401
0.15	30	0.01	RMS	0.16	-67.74	-13	54.74	Pass	5971
30	1000	0.1	RMS	823.25	-59.32	-13	46.32	Pass	19402
1000	3000	1	RMS	2938.5	-44.84	-13	31.84	Pass	4001
3000	3430	1	RMS	3138.5	-42.97	-13	29.97	Pass	861
3430	3570	1	RMS	3545.15	23.51	60	36.49	Pass	401
3570	6500	1	RMS	3571	-46.06	-13	33.06	Pass	5861
6500	26500	1	RMS	26498.5	-51.16	-13	38.16	Pass	40005




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:43065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.53	-13	55.53	Pass	401
0.15	30	0.01	RMS	0.15	-67.76	-13	54.76	Pass	5971
30	1000	0.1	RMS	846.3	-59.4	-13	46.4	Pass	19402
1000	3000	1	RMS	2948.5	-44.85	-13	31.85	Pass	4001
3000	3430	1	RMS	3139.5	-42.96	-13	29.96	Pass	861
3430	3570	1	RMS	3545.5	21.99	60	38.01	Pass	401
3570	6500	1	RMS	3570	-44.97	-13	31.97	Pass	5861
6500	26500	1	RMS	26015.5	-51.01	-13	38.01	Pass	40005




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.04	-13	57.04	Pass	401
0.15	30	0.01	RMS	0.175	-68.17	-13	55.17	Pass	5971
30	1000	0.1	RMS	861.154	-59.43	-13	46.43	Pass	19402
1000	3000	1	RMS	2937	-44.83	-13	31.83	Pass	4001
3000	3430	1	RMS	3312.5	-39.34	-13	26.34	Pass	861
3430	3570	1	RMS	3450.3	24.3	60	35.7	Pass	401
3570	6500	1	RMS	3588.5	-36.59	-13	23.59	Pass	5861
6500	26500	1	RMS	26495	-51.09	-13	38.09	Pass	40005




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:42140, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.08	-13	57.08	Pass	401
0.15	30	0.01	RMS	0.275	-67.69	-13	54.69	Pass	5971
30	1000	0.1	RMS	866.406	-59.32	-13	46.32	Pass	19402
1000	3000	1	RMS	2942	-44.85	-13	31.85	Pass	4001
3000	3430	1	RMS	3312.5	-39.98	-13	26.98	Pass	861
3430	3570	1	RMS	3450.65	22.79	60	37.21	Pass	401
3570	6500	1	RMS	3588.5	-38.78	-13	25.78	Pass	5861
6500	26500	1	RMS	26496	-51.01	-13	38.01	Pass	40005




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:42590, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.48	-13	57.48	Pass	401
0.15	30	0.01	RMS	0.205	-68.46	-13	55.46	Pass	5971
30	1000	0.1	RMS	856.502	-59.33	-13	46.33	Pass	19402
1000	3000	1	RMS	2941	-44.87	-13	31.87	Pass	4001
3000	3430	1	RMS	3357.5	-38.79	-13	25.79	Pass	861
3430	3570	1	RMS	3495.45	24.37	60	35.63	Pass	401
3570	6500	1	RMS	3632.5	-49.14	-13	36.14	Pass	5861
6500	26500	1	RMS	26499	-51.03	-13	38.03	Pass	40005




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:42590, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.35	-13	57.35	Pass	401
0.15	30	0.01	RMS	0.16	-67.68	-13	54.68	Pass	5971
30	1000	0.1	RMS	843.25	-59.42	-13	46.42	Pass	19402
1000	3000	1	RMS	2944.5	-44.78	-13	31.78	Pass	4001
3000	3430	1	RMS	3357.5	-39.5	-13	26.5	Pass	861
3430	3570	1	RMS	3495.1	22.38	60	37.62	Pass	401
3570	6500	1	RMS	3633.5	-46.05	-13	33.05	Pass	5861
6500	26500	1	RMS	26499.5	-51.13	-13	38.13	Pass	40005




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.85	-13	57.85	Pass	401
0.15	30	0.01	RMS	0.24	-67.58	-13	54.58	Pass	5971
30	1000	0.1	RMS	838.1	-59.42	-13	46.42	Pass	19402
1000	3000	1	RMS	2943	-44.76	-13	31.76	Pass	4001
3000	3430	1	RMS	3179	-31.43	-13	18.43	Pass	861
3430	3570	1	RMS	3540.6	23.24	60	36.76	Pass	401
3570	6500	1	RMS	3678.5	-37.83	-13	24.83	Pass	5861
6500	26500	1	RMS	26033	-51.23	-13	38.23	Pass	40005




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:43040, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.57	-13	56.57	Pass	401
0.15	30	0.01	RMS	0.2	-68.01	-13	55.01	Pass	5971
30	1000	0.1	RMS	826.9	-59.4	-13	46.4	Pass	19402
1000	3000	1	RMS	2939.5	-44.85	-13	31.85	Pass	4001
3000	3430	1	RMS	3402.5	-40.78	-13	27.78	Pass	861
3430	3570	1	RMS	3540.6	22.91	60	37.09	Pass	401
3570	6500	1	RMS	3679	-44.31	-13	31.31	Pass	5861
6500	26500	1	RMS	26491.5	-51.17	-13	38.17	Pass	40005




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.13	-13	57.13	Pass	401
0.15	30	0.01	RMS	0.155	-68.19	-13	55.19	Pass	5971
30	1000	0.1	RMS	851.501	-59.37	-13	46.37	Pass	19402
1000	3000	1	RMS	2935.5	-44.91	-13	31.91	Pass	4001
3000	3430	1	RMS	3285.5	-41.88	-13	28.88	Pass	861
3430	3570	1	RMS	3450.65	23.27	60	36.73	Pass	401
3570	6500	1	RMS	3616.5	-43.96	-13	30.96	Pass	5861
6500	26500	1	RMS	26492	-51.09	-13	38.09	Pass	40005




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:42165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.7	-13	57.7	Pass	401
0.15	30	0.01	RMS	0.155	-68.12	-13	55.12	Pass	5971
30	1000	0.1	RMS	855.352	-59.39	-13	46.39	Pass	19402
1000	3000	1	RMS	2946	-44.82	-13	31.82	Pass	4001
3000	3430	1	RMS	3285.5	-42.12	-13	29.12	Pass	861
3430	3570	1	RMS	3450.65	22.73	60	37.27	Pass	401
3570	6500	1	RMS	3726	-46.21	-13	33.21	Pass	5861
6500	26500	1	RMS	26491	-51.16	-13	38.16	Pass	40005




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:42590, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.55	-13	57.55	Pass	401
0.15	30	0.01	RMS	0.155	-67.36	-13	54.36	Pass	5971
30	1000	0.1	RMS	857.153	-59.15	-13	46.15	Pass	19402
1000	3000	1	RMS	2952	-44.84	-13	31.84	Pass	4001
3000	3430	1	RMS	3328	-41.8	-13	28.8	Pass	861
3430	3570	1	RMS	3493	24.19	60	35.81	Pass	401
3570	6500	1	RMS	3659	-41.61	-13	28.61	Pass	5861
6500	26500	1	RMS	25802.5	-51.2	-13	38.2	Pass	40005




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:42590, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.26	-13	56.26	Pass	401
0.15	30	0.01	RMS	0.16	-67.78	-13	54.78	Pass	5971
30	1000	0.1	RMS	853.752	-59.16	-13	46.16	Pass	19402
1000	3000	1	RMS	2950.5	-44.9	-13	31.9	Pass	4001
3000	3430	1	RMS	3328	-42.14	-13	29.14	Pass	861
3430	3570	1	RMS	3493	22.62	60	37.38	Pass	401
3570	6500	1	RMS	3659	-45.87	-13	32.87	Pass	5861
6500	26500	1	RMS	26494	-51.07	-13	38.07	Pass	40005




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.93	-13	56.93	Pass	401
0.15	30	0.01	RMS	0.15	-68.02	-13	55.02	Pass	5971
30	1000	0.1	RMS	840.45	-59.4	-13	46.4	Pass	19402
1000	3000	1	RMS	2938	-44.77	-13	31.77	Pass	4001
3000	3430	1	RMS	3370.5	-41.88	-13	28.88	Pass	861
3430	3570	1	RMS	3535.7	24.11	60	35.89	Pass	401
3570	6500	1	RMS	3701	-41.97	-13	28.97	Pass	5861
6500	26500	1	RMS	26499	-51.19	-13	38.19	Pass	40005




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:43015, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.43	-13	56.43	Pass	401
0.15	30	0.01	RMS	0.19	-67.17	-13	54.17	Pass	5971
30	1000	0.1	RMS	841.1	-59.28	-13	46.28	Pass	19402
1000	3000	1	RMS	2942.5	-44.88	-13	31.88	Pass	4001
3000	3430	1	RMS	3370.5	-42.3	-13	29.3	Pass	861
3430	3570	1	RMS	3535.7	22.24	60	37.76	Pass	401
3570	6500	1	RMS	3701	-41.75	-13	28.75	Pass	5861
6500	26500	1	RMS	26498.5	-51.03	-13	38.03	Pass	40005




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.8	-13	55.8	Pass	401
0.15	30	0.01	RMS	0.175	-68.25	-13	55.25	Pass	5971
30	1000	0.1	RMS	847.9	-59.48	-13	46.48	Pass	19402
1000	3000	1	RMS	2944.5	-44.82	-13	31.82	Pass	4001
3000	3430	1	RMS	3140.5	-42.93	-13	29.93	Pass	861
3430	3570	1	RMS	3450.65	23.24	60	36.76	Pass	401
3570	6500	1	RMS	3727	-40.9	-13	27.9	Pass	5861
6500	26500	1	RMS	26498	-51.04	-13	38.04	Pass	40005




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:42190, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.72	-13	57.72	Pass	401
0.15	30	0.01	RMS	0.18	-68.21	-13	55.21	Pass	5971
30	1000	0.1	RMS	859.253	-59.21	-13	46.21	Pass	19402
1000	3000	1	RMS	2945	-44.77	-13	31.77	Pass	4001
3000	3430	1	RMS	3140.5	-42.95	-13	29.95	Pass	861
3430	3570	1	RMS	3451	23.27	60	36.73	Pass	401
3570	6500	1	RMS	3727	-45.36	-13	32.36	Pass	5861
6500	26500	1	RMS	26011	-51.2	-13	38.2	Pass	40005




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:42590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.24	-13	57.24	Pass	401
0.15	30	0.01	RMS	0.185	-68	-13	55	Pass	5971
30	1000	0.1	RMS	856.953	-59.42	-13	46.42	Pass	19402
1000	3000	1	RMS	2939	-44.85	-13	31.85	Pass	4001
3000	3430	1	RMS	3215.5	-42.61	-13	29.61	Pass	861
3430	3570	1	RMS	3490.9	24.24	60	35.76	Pass	401
3570	6500	1	RMS	3766.5	-45.44	-13	32.44	Pass	5861
6500	26500	1	RMS	26495	-51.19	-13	38.19	Pass	40005




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:42590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.75	-13	57.75	Pass	401
0.15	30	0.01	RMS	0.155	-67.4	-13	54.4	Pass	5971
30	1000	0.1	RMS	971.491	-59.44	-13	46.44	Pass	19402
1000	3000	1	RMS	2955	-44.82	-13	31.82	Pass	4001
3000	3430	1	RMS	3215.5	-42.88	-13	29.88	Pass	861
3430	3570	1	RMS	3491.25	22.23	60	37.77	Pass	401
3570	6500	1	RMS	3766.5	-46.21	-13	33.21	Pass	5861
6500	26500	1	RMS	26497	-51.15	-13	38.15	Pass	40005




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.64	-13	57.64	Pass	401
0.15	30	0.01	RMS	0.165	-67.81	-13	54.81	Pass	5971
30	1000	0.1	RMS	833.55	-59.52	-13	46.52	Pass	19402
1000	3000	1	RMS	2947.5	-44.82	-13	31.82	Pass	4001
3000	3430	1	RMS	3140.5	-42.96	-13	29.96	Pass	861
3430	3570	1	RMS	3530.8	24.16	60	35.84	Pass	401
3570	6500	1	RMS	3806.5	-43.5	-13	30.5	Pass	5861
6500	26500	1	RMS	26495.5	-51.21	-13	38.21	Pass	40005



2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:42990, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.05	-13	57.05	Pass	401
0.15	30	0.01	RMS	0.215	-67.87	-13	54.87	Pass	5971
30	1000	0.1	RMS	833.3	-59.24	-13	46.24	Pass	19402
1000	3000	1	RMS	2944	-44.85	-13	31.85	Pass	4001
3000	3430	1	RMS	3139.5	-42.97	-13	29.97	Pass	861
3430	3570	1	RMS	3530.8	23.14	60	36.86	Pass	401
3570	6500	1	RMS	3806	-43.9	-13	30.9	Pass	5861
6500	26500	1	RMS	26500	-51.03	-13	38.03	Pass	40005



3. LTE_Band43 3700-3800


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:44615, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.66	-13	56.66	Pass	401
0.15	30	0.01	RMS	0.22	-67.95	-13	54.95	Pass	5971
30	1000	0.1	RMS	846.8	-59.42	-13	46.42	Pass	19402
1000	3000	1	RMS	2939.5	-44.96	-13	31.96	Pass	4001
3000	3680	1	RMS	3136.5	-42.93	-13	29.93	Pass	1361
3680	3820	1	RMS	3699.95	23.29	60	36.71	Pass	401
3820	6500	1	RMS	6435	-42.34	-13	29.34	Pass	5361
6500	26500	1	RMS	26500	-41.1	-13	28.1	Pass	40005




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:44615, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.66	-13	57.66	Pass	401
0.15	30	0.01	RMS	0.195	-68.12	-13	55.12	Pass	5971
30	1000	0.1	RMS	850.951	-59.32	-13	46.32	Pass	19402
1000	3000	1	RMS	2936.5	-44.99	-13	31.99	Pass	4001
3000	3680	1	RMS	3179.5	-32.76	-13	19.76	Pass	1361
3680	3820	1	RMS	3699.95	22.86	60	37.14	Pass	401
3820	6500	1	RMS	6450.5	-42.32	-13	29.32	Pass	5361
6500	26500	1	RMS	26497.5	-41.12	-13	28.12	Pass	40005




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:45090, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.73	-13	56.73	Pass	401
0.15	30	0.01	RMS	0.18	-67.53	-13	54.53	Pass	5971
30	1000	0.1	RMS	840.85	-59.32	-13	46.32	Pass	19402
1000	3000	1	RMS	2942	-44.97	-13	31.97	Pass	4001
3000	3680	1	RMS	3140	-42.91	-13	29.91	Pass	1361
3680	3820	1	RMS	3747.55	23.5	60	36.5	Pass	401
3820	6500	1	RMS	6480.5	-42.32	-13	29.32	Pass	5361
6500	26500	1	RMS	26499	-41.19	-13	28.19	Pass	40005




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:45090, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.82	-13	56.82	Pass	401
0.15	30	0.01	RMS	0.31	-68.19	-13	55.19	Pass	5971
30	1000	0.1	RMS	830.8	-59.43	-13	46.43	Pass	19402
1000	3000	1	RMS	2940.5	-44.94	-13	31.94	Pass	4001
3000	3680	1	RMS	3137.5	-42.89	-13	29.89	Pass	1361
3680	3820	1	RMS	3747.55	23.57	60	36.43	Pass	401
3820	6500	1	RMS	6479	-42.2	-13	29.2	Pass	5361
6500	26500	1	RMS	26499.5	-41.01	-13	28.01	Pass	40005




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:45565, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.48	-13	56.48	Pass	401
0.15	30	0.01	RMS	0.155	-67.51	-13	54.51	Pass	5971
30	1000	0.1	RMS	829.65	-59.34	-13	46.34	Pass	19402
1000	3000	1	RMS	2942	-44.96	-13	31.96	Pass	4001
3000	3680	1	RMS	3137.5	-42.93	-13	29.93	Pass	1361
3680	3820	1	RMS	3795.5	23	60	37	Pass	401
3820	6500	1	RMS	6440.5	-42.35	-13	29.35	Pass	5361
6500	26500	1	RMS	26498	-41.04	-13	28.04	Pass	40005




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:45565, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.42	-13	56.42	Pass	401
0.15	30	0.01	RMS	0.155	-67.31	-13	54.31	Pass	5971
30	1000	0.1	RMS	842.5	-59.39	-13	46.39	Pass	19402
1000	3000	1	RMS	2946.5	-44.95	-13	31.95	Pass	4001
3000	3680	1	RMS	3146.5	-42.94	-13	29.94	Pass	1361
3680	3820	1	RMS	3795.15	22.71	60	37.29	Pass	401
3820	6500	1	RMS	6447.5	-42.29	-13	29.29	Pass	5361
6500	26500	1	RMS	26497.5	-41.18	-13	28.18	Pass	40005




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:44640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.35	-13	56.35	Pass	401
0.15	30	0.01	RMS	0.21	-67.74	-13	54.74	Pass	5971
30	1000	0.1	RMS	834.95	-59.44	-13	46.44	Pass	19402
1000	3000	1	RMS	2948.5	-44.98	-13	31.98	Pass	4001
3000	3680	1	RMS	3563	-38.83	-13	25.83	Pass	1361
3680	3820	1	RMS	3700.3	24.1	60	35.9	Pass	401
3820	6500	1	RMS	3837.5	-41.43	-13	28.43	Pass	5361
6500	26500	1	RMS	26500	-41.15	-13	28.15	Pass	40005




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:44640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.04	-13	56.04	Pass	401
0.15	30	0.01	RMS	0.17	-67.92	-13	54.92	Pass	5971
30	1000	0.1	RMS	858.103	-59.34	-13	46.34	Pass	19402
1000	3000	1	RMS	2944.5	-44.95	-13	31.95	Pass	4001
3000	3680	1	RMS	3563	-39.44	-13	26.44	Pass	1361
3680	3820	1	RMS	3700.3	22.68	60	37.32	Pass	401
3820	6500	1	RMS	3838.5	-39.81	-13	26.81	Pass	5361
6500	26500	1	RMS	26489	-41.18	-13	28.18	Pass	40005




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:45090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.53	-13	57.53	Pass	401
0.15	30	0.01	RMS	0.235	-68.17	-13	55.17	Pass	5971
30	1000	0.1	RMS	825.35	-59.25	-13	46.25	Pass	19402
1000	3000	1	RMS	2942	-44.97	-13	31.97	Pass	4001
3000	3680	1	RMS	3608	-37.34	-13	24.34	Pass	1361
3680	3820	1	RMS	3745.45	23.5	60	36.5	Pass	401
3820	6500	1	RMS	6438.5	-42.34	-13	29.34	Pass	5361
6500	26500	1	RMS	26495	-41.1	-13	28.1	Pass	40005




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:45090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.45	-13	57.45	Pass	401
0.15	30	0.01	RMS	0.2	-67.93	-13	54.93	Pass	5971
30	1000	0.1	RMS	848.7	-59.28	-13	46.28	Pass	19402
1000	3000	1	RMS	2940.5	-44.97	-13	31.97	Pass	4001
3000	3680	1	RMS	3608	-37.67	-13	24.67	Pass	1361
3680	3820	1	RMS	3745.45	23.46	60	36.54	Pass	401
3820	6500	1	RMS	6434.5	-42.32	-13	29.32	Pass	5361
6500	26500	1	RMS	26498	-41.1	-13	28.1	Pass	40005




3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:45540, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.69	-13	56.69	Pass	401
0.15	30	0.01	RMS	0.2	-68.44	-13	55.44	Pass	5971
30	1000	0.1	RMS	838.75	-59.45	-13	46.45	Pass	19402
1000	3000	1	RMS	2940.5	-44.97	-13	31.97	Pass	4001
3000	3680	1	RMS	3143.5	-42.92	-13	29.92	Pass	1361
3680	3820	1	RMS	3790.6	23.39	60	36.61	Pass	401
3820	6500	1	RMS	3928	-36.51	-13	23.51	Pass	5361
6500	26500	1	RMS	26496.5	-41.08	-13	28.08	Pass	40005




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:45540, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.26	-13	56.26	Pass	401
0.15	30	0.01	RMS	0.19	-68.21	-13	55.21	Pass	5971
30	1000	0.1	RMS	853.001	-59.41	-13	46.41	Pass	19402
1000	3000	1	RMS	2950	-44.95	-13	31.95	Pass	4001
3000	3680	1	RMS	3139	-42.89	-13	29.89	Pass	1361
3680	3820	1	RMS	3790.6	23.21	60	36.79	Pass	401
3820	6500	1	RMS	3928	-38.17	-13	25.17	Pass	5361
6500	26500	1	RMS	26500	-41.16	-13	28.16	Pass	40005




3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:44665, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.8	-13	56.8	Pass	401
0.15	30	0.01	RMS	0.155	-68.51	-13	55.51	Pass	5971
30	1000	0.1	RMS	842.3	-59.45	-13	46.45	Pass	19402
1000	3000	1	RMS	2960.5	-44.95	-13	31.95	Pass	4001
3000	3680	1	RMS	3179.5	-32.89	-13	19.89	Pass	1361
3680	3820	1	RMS	3700.65	24.08	60	35.92	Pass	401
3820	6500	1	RMS	3865.5	-41.65	-13	28.65	Pass	5361
6500	26500	1	RMS	25799	-41.1	-13	28.1	Pass	40005




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:44665, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.72	-13	56.72	Pass	401
0.15	30	0.01	RMS	0.18	-68.42	-13	55.42	Pass	5971
30	1000	0.1	RMS	832.55	-59.36	-13	46.36	Pass	19402
1000	3000	1	RMS	2933.5	-44.97	-13	31.97	Pass	4001
3000	3680	1	RMS	3536	-42.12	-13	29.12	Pass	1361
3680	3820	1	RMS	3700.65	22.37	60	37.63	Pass	401
3820	6500	1	RMS	6445	-42.34	-13	29.34	Pass	5361
6500	26500	1	RMS	26499	-41.07	-13	28.07	Pass	40005




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:45090, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.88	-13	57.88	Pass	401
0.15	30	0.01	RMS	0.18	-67.96	-13	54.96	Pass	5971
30	1000	0.1	RMS	962.187	-59.37	-13	46.37	Pass	19402
1000	3000	1	RMS	2951	-44.93	-13	31.93	Pass	4001
3000	3680	1	RMS	3578	-41.56	-13	28.56	Pass	1361
3680	3820	1	RMS	3743	23.95	60	36.05	Pass	401
3820	6500	1	RMS	3908	-42.13	-13	29.13	Pass	5361
6500	26500	1	RMS	26499	-41.12	-13	28.12	Pass	40005




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:45090, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.63	-13	57.63	Pass	401
0.15	30	0.01	RMS	0.15	-67.86	-13	54.86	Pass	5971
30	1000	0.1	RMS	859.854	-59.45	-13	46.45	Pass	19402
1000	3000	1	RMS	2943.5	-44.97	-13	31.97	Pass	4001
3000	3680	1	RMS	3578	-42.16	-13	29.16	Pass	1361
3680	3820	1	RMS	3743	22.93	60	37.07	Pass	401
3820	6500	1	RMS	6441	-42.33	-13	29.33	Pass	5361
6500	26500	1	RMS	26497.5	-41.09	-13	28.09	Pass	40005




3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:45515, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.65	-13	57.65	Pass	401
0.15	30	0.01	RMS	0.23	-68.25	-13	55.25	Pass	5971
30	1000	0.1	RMS	854.752	-59.37	-13	46.37	Pass	19402
1000	3000	1	RMS	2938.5	-44.98	-13	31.98	Pass	4001
3000	3680	1	RMS	3621	-42.01	-13	29.01	Pass	1361
3680	3820	1	RMS	3785.35	23.24	60	36.76	Pass	401
3820	6500	1	RMS	6444.5	-42.31	-13	29.31	Pass	5361
6500	26500	1	RMS	26493.5	-41.16	-13	28.16	Pass	40005




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:45515, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.39	-13	56.39	Pass	401
0.15	30	0.01	RMS	0.155	-67.85	-13	54.85	Pass	5971
30	1000	0.1	RMS	849.1	-59.39	-13	46.39	Pass	19402
1000	3000	1	RMS	2941.5	-44.95	-13	31.95	Pass	4001
3000	3680	1	RMS	3621	-41.5	-13	28.5	Pass	1361
3680	3820	1	RMS	3785.7	23	60	37	Pass	401
3820	6500	1	RMS	3951	-42.2	-13	29.2	Pass	5361
6500	26500	1	RMS	26500	-41.05	-13	28.05	Pass	40005




3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:44690, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.49	-13	57.49	Pass	401
0.15	30	0.01	RMS	0.175	-67.72	-13	54.72	Pass	5971
30	1000	0.1	RMS	845.25	-59.3	-13	46.3	Pass	19402
1000	3000	1	RMS	2939	-44.97	-13	31.97	Pass	4001
3000	3680	1	RMS	3425.5	-42.61	-13	29.61	Pass	1361
3680	3820	1	RMS	3700.65	23.66	60	36.34	Pass	401
3820	6500	1	RMS	6444.5	-42.31	-13	29.31	Pass	5361
6500	26500	1	RMS	26008.5	-41.18	-13	28.18	Pass	40005




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:44690, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.4	-13	56.4	Pass	401
0.15	30	0.01	RMS	0.355	-67.92	-13	54.92	Pass	5971
30	1000	0.1	RMS	829.4	-59.38	-13	46.38	Pass	19402
1000	3000	1	RMS	2956.5	-44.95	-13	31.95	Pass	4001
3000	3680	1	RMS	3426	-42.53	-13	29.53	Pass	1361
3680	3820	1	RMS	3700.65	22.57	60	37.43	Pass	401
3820	6500	1	RMS	6438	-42.35	-13	29.35	Pass	5361
6500	26500	1	RMS	25801	-41.11	-13	28.11	Pass	40005




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:45090, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.27	-13	57.27	Pass	401
0.15	30	0.01	RMS	0.21	-68.33	-13	55.33	Pass	5971
30	1000	0.1	RMS	835.45	-59.41	-13	46.41	Pass	19402
1000	3000	1	RMS	2954.5	-44.96	-13	31.96	Pass	4001
3000	3680	1	RMS	3141	-42.93	-13	29.93	Pass	1361
3680	3820	1	RMS	3740.9	24.31	60	35.69	Pass	401
3820	6500	1	RMS	6432	-42.29	-13	29.29	Pass	5361
6500	26500	1	RMS	26497	-41.12	-13	28.12	Pass	40005




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:45090, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.45	-13	57.45	Pass	401
0.15	30	0.01	RMS	0.22	-68.6	-13	55.6	Pass	5971
30	1000	0.1	RMS	832.05	-59.55	-13	46.55	Pass	19402
1000	3000	1	RMS	2942.5	-44.98	-13	31.98	Pass	4001
3000	3680	1	RMS	3140	-42.91	-13	29.91	Pass	1361
3680	3820	1	RMS	3740.9	23.47	60	36.53	Pass	401
3820	6500	1	RMS	6441.5	-42.36	-13	29.36	Pass	5361
6500	26500	1	RMS	26500	-41.11	-13	28.11	Pass	40005




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:45490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.87	-13	56.87	Pass	401
0.15	30	0.01	RMS	0.18	-68.12	-13	55.12	Pass	5971
30	1000	0.1	RMS	835.4	-59.31	-13	46.31	Pass	19402
1000	3000	1	RMS	2941.5	-44.94	-13	31.94	Pass	4001
3000	3680	1	RMS	3145.5	-42.89	-13	29.89	Pass	1361
3680	3820	1	RMS	3781.15	23.89	60	36.11	Pass	401
3820	6500	1	RMS	6440.5	-42.35	-13	29.35	Pass	5361
6500	26500	1	RMS	26496.5	-41.12	-13	28.12	Pass	40005



3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:45490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.47	-13	56.47	Pass	401
0.15	30	0.01	RMS	0.195	-68.31	-13	55.31	Pass	5971
30	1000	0.1	RMS	874.408	-59.5	-13	46.5	Pass	19402
1000	3000	1	RMS	2946.5	-44.97	-13	31.97	Pass	4001
3000	3680	1	RMS	3139.5	-42.93	-13	29.93	Pass	1361
3680	3820	1	RMS	3780.8	23.39	60	36.61	Pass	401
3820	6500	1	RMS	6436	-42.35	-13	29.35	Pass	5361
6500	26500	1	RMS	26499.5	-41.01	-13	28.01	Pass	40005



4. LTE_Band2


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.34	-13	60.34	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	58.32	Pass	5971
30	1000	0.1	RMS	838.95	-63.33	-13	50.33	Pass	19402
1000	1840	1	RMS	1839.5	-51.08	-13	38.08	Pass	1681
1840	1920	1	RMS	1850.2	23.21	60	36.79	Pass	401
1920	3000	1	RMS	2937.5	-48.99	-13	35.99	Pass	2161
3000	12000	1	RMS	11949	-41.31	-13	28.31	Pass	18003
12000	20000	1	RMS	19804.5	-31.98	-13	18.98	Pass	16002




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	5971
30	1000	0.1	RMS	822.2	-63.33	-13	50.33	Pass	19402
1000	1840	1	RMS	1839.5	-51.27	-13	38.27	Pass	1681
1840	1920	1	RMS	1850.2	22.25	60	37.75	Pass	401
1920	3000	1	RMS	2947.5	-48.9	-13	35.9	Pass	2161
3000	12000	1	RMS	11931.5	-41.3	-13	28.3	Pass	18003
12000	20000	1	RMS	19811.5	-31.96	-13	18.96	Pass	16002




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.42	-13	61.42	Pass	401
0.15	30	0.01	RMS	0.195	-71.74	-13	58.74	Pass	5971
30	1000	0.1	RMS	825.3	-63.46	-13	50.46	Pass	19402
1000	1840	1	RMS	1836	-52.32	-13	39.32	Pass	1681
1840	1920	1	RMS	1879.4	23.05	60	36.95	Pass	401
1920	3000	1	RMS	2952	-48.85	-13	35.85	Pass	2161
3000	12000	1	RMS	11950	-41.32	-13	28.32	Pass	18003
12000	20000	1	RMS	19802.5	-31.95	-13	18.95	Pass	16002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74	-13	61	Pass	401
0.15	30	0.01	RMS	0.3	-72.27	-13	59.27	Pass	5971
30	1000	0.1	RMS	831.3	-63.15	-13	50.15	Pass	19402
1000	1840	1	RMS	1759	-52.29	-13	39.29	Pass	1681
1840	1920	1	RMS	1879.4	21.97	60	38.03	Pass	401
1920	3000	1	RMS	2941	-48.88	-13	35.88	Pass	2161
3000	12000	1	RMS	11946.5	-41.26	-13	28.26	Pass	18003
12000	20000	1	RMS	19791.5	-31.94	-13	18.94	Pass	16002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.58	-13	60.58	Pass	401
0.15	30	0.01	RMS	0.16	-71.04	-13	58.04	Pass	5971
30	1000	0.1	RMS	963.788	-63.54	-13	50.54	Pass	19402
1000	1840	1	RMS	1839.5	-52.23	-13	39.23	Pass	1681
1840	1920	1	RMS	1908.8	23.14	60	36.86	Pass	401
1920	3000	1	RMS	2942	-48.82	-13	35.82	Pass	2161
3000	12000	1	RMS	11944	-41.23	-13	28.23	Pass	18003
12000	20000	1	RMS	19797.5	-31.94	-13	18.94	Pass	16002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.72	-13	60.72	Pass	401
0.15	30	0.01	RMS	0.165	-70.82	-13	57.82	Pass	5971
30	1000	0.1	RMS	837.05	-63.48	-13	50.48	Pass	19402
1000	1840	1	RMS	1761.5	-52.29	-13	39.29	Pass	1681
1840	1920	1	RMS	1908.8	22.21	60	37.79	Pass	401
1920	3000	1	RMS	2948.5	-48.89	-13	35.89	Pass	2161
3000	12000	1	RMS	11945.5	-41.32	-13	28.32	Pass	18003
12000	20000	1	RMS	19802	-31.93	-13	18.93	Pass	16002




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.16	-71.39	-13	58.39	Pass	5971
30	1000	0.1	RMS	844.8	-63.36	-13	50.36	Pass	19402
1000	1840	1	RMS	1839.5	-50.86	-13	37.86	Pass	1681
1840	1920	1	RMS	1850.2	23.05	60	36.95	Pass	401
1920	3000	1	RMS	2960	-48.91	-13	35.91	Pass	2161
3000	12000	1	RMS	11956	-41.2	-13	28.2	Pass	18003
12000	20000	1	RMS	19810	-31.9	-13	18.9	Pass	16002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.175	-71.67	-13	58.67	Pass	5971
30	1000	0.1	RMS	845.9	-63.44	-13	50.44	Pass	19402
1000	1840	1	RMS	1839.5	-51.12	-13	38.12	Pass	1681
1840	1920	1	RMS	1850.2	22.33	60	37.67	Pass	401
1920	3000	1	RMS	2945.5	-48.93	-13	35.93	Pass	2161
3000	12000	1	RMS	11959.5	-41.29	-13	28.29	Pass	18003
12000	20000	1	RMS	19802	-31.92	-13	18.92	Pass	16002




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.6	-13	61.6	Pass	401
0.15	30	0.01	RMS	0.165	-71.13	-13	58.13	Pass	5971
30	1000	0.1	RMS	840	-63.09	-13	50.09	Pass	19402
1000	1840	1	RMS	1834	-52.26	-13	39.26	Pass	1681
1840	1920	1	RMS	1878.6	23.14	60	36.86	Pass	401
1920	3000	1	RMS	2953.5	-48.92	-13	35.92	Pass	2161
3000	12000	1	RMS	11943.5	-41.25	-13	28.25	Pass	18003
12000	20000	1	RMS	19801	-31.94	-13	18.94	Pass	16002




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.12	-13	61.12	Pass	401
0.15	30	0.01	RMS	0.175	-72.05	-13	59.05	Pass	5971
30	1000	0.1	RMS	840	-63.23	-13	50.23	Pass	19402
1000	1840	1	RMS	1809	-52.25	-13	39.25	Pass	1681
1840	1920	1	RMS	1878.6	22.1	60	37.9	Pass	401
1920	3000	1	RMS	2939.5	-48.88	-13	35.88	Pass	2161
3000	12000	1	RMS	11959.5	-41.19	-13	28.19	Pass	18003
12000	20000	1	RMS	19773.5	-31.94	-13	18.94	Pass	16002




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.57	-13	61.57	Pass	401
0.15	30	0.01	RMS	0.185	-71.88	-13	58.88	Pass	5971
30	1000	0.1	RMS	842.75	-63.36	-13	50.36	Pass	19402
1000	1840	1	RMS	1834	-52.32	-13	39.32	Pass	1681
1840	1920	1	RMS	1907.2	23.14	60	36.86	Pass	401
1920	3000	1	RMS	2956	-48.91	-13	35.91	Pass	2161
3000	12000	1	RMS	11948	-41.29	-13	28.29	Pass	18003
12000	20000	1	RMS	19795	-31.94	-13	18.94	Pass	16002




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.65	-13	60.65	Pass	401
0.15	30	0.01	RMS	0.175	-71.94	-13	58.94	Pass	5971
30	1000	0.1	RMS	829	-63.38	-13	50.38	Pass	19402
1000	1840	1	RMS	1753	-52.25	-13	39.25	Pass	1681
1840	1920	1	RMS	1907.2	22.18	60	37.82	Pass	401
1920	3000	1	RMS	2940	-48.92	-13	35.92	Pass	2161
3000	12000	1	RMS	11953	-41.23	-13	28.23	Pass	18003
12000	20000	1	RMS	19788.5	-31.96	-13	18.96	Pass	16002




4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.29	-13	61.29	Pass	401
0.15	30	0.01	RMS	0.155	-70	-13	57	Pass	5971
30	1000	0.1	RMS	864.955	-63.42	-13	50.42	Pass	19402
1000	1840	1	RMS	1839.5	-51.12	-13	38.12	Pass	1681
1840	1920	1	RMS	1850.2	23.2	60	36.8	Pass	401
1920	3000	1	RMS	2936.5	-48.83	-13	35.83	Pass	2161
3000	12000	1	RMS	11947.5	-41.33	-13	28.33	Pass	18003
12000	20000	1	RMS	19798	-31.89	-13	18.89	Pass	16002




4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.42	-13	60.42	Pass	401
0.15	30	0.01	RMS	0.15	-70.72	-13	57.72	Pass	5971
30	1000	0.1	RMS	841.35	-63.37	-13	50.37	Pass	19402
1000	1840	1	RMS	1839.5	-51.31	-13	38.31	Pass	1681
1840	1920	1	RMS	1850.2	22.33	60	37.67	Pass	401
1920	3000	1	RMS	2963	-48.9	-13	35.9	Pass	2161
3000	12000	1	RMS	11954.5	-41.31	-13	28.31	Pass	18003
12000	20000	1	RMS	19813	-31.86	-13	18.86	Pass	16002




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.34	-13	61.34	Pass	401
0.15	30	0.01	RMS	0.155	-72.35	-13	59.35	Pass	5971
30	1000	0.1	RMS	850	-63.45	-13	50.45	Pass	19402
1000	1840	1	RMS	1761	-52.29	-13	39.29	Pass	1681
1840	1920	1	RMS	1877.8	23.12	60	36.88	Pass	401
1920	3000	1	RMS	2944	-48.89	-13	35.89	Pass	2161
3000	12000	1	RMS	11956	-41.33	-13	28.33	Pass	18003
12000	20000	1	RMS	19802	-31.93	-13	18.93	Pass	16002




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.81	-13	60.81	Pass	401
0.15	30	0.01	RMS	0.37	-72.18	-13	59.18	Pass	5971
30	1000	0.1	RMS	850.701	-63.32	-13	50.32	Pass	19402
1000	1840	1	RMS	1839	-52.32	-13	39.32	Pass	1681
1840	1920	1	RMS	1877.8	22.19	60	37.81	Pass	401
1920	3000	1	RMS	2944	-48.96	-13	35.96	Pass	2161
3000	12000	1	RMS	11955	-41.23	-13	28.23	Pass	18003
12000	20000	1	RMS	19797.5	-31.77	-13	18.77	Pass	16002




4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.64	-13	60.64	Pass	401
0.15	30	0.01	RMS	0.21	-71.83	-13	58.83	Pass	5971
30	1000	0.1	RMS	843.1	-63.43	-13	50.43	Pass	19402
1000	1840	1	RMS	1746.5	-52.26	-13	39.26	Pass	1681
1840	1920	1	RMS	1905.2	23.18	60	36.82	Pass	401
1920	3000	1	RMS	2937	-48.93	-13	35.93	Pass	2161
3000	12000	1	RMS	11952	-41.18	-13	28.18	Pass	18003
12000	20000	1	RMS	19789	-31.97	-13	18.97	Pass	16002




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.46	-13	61.46	Pass	401
0.15	30	0.01	RMS	0.2	-72.37	-13	59.37	Pass	5971
30	1000	0.1	RMS	830.2	-63.37	-13	50.37	Pass	19402
1000	1840	1	RMS	1839	-52.35	-13	39.35	Pass	1681
1840	1920	1	RMS	1905.2	22.36	60	37.64	Pass	401
1920	3000	1	RMS	2949.5	-48.93	-13	35.93	Pass	2161
3000	12000	1	RMS	11944	-41.31	-13	28.31	Pass	18003
12000	20000	1	RMS	19794	-31.88	-13	18.88	Pass	16002




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.64	-13	61.64	Pass	401
0.15	30	0.01	RMS	0.15	-70.69	-13	57.69	Pass	5971
30	1000	0.1	RMS	843.9	-63.42	-13	50.42	Pass	19402
1000	1840	1	RMS	1833	-50.91	-13	37.91	Pass	1681
1840	1920	1	RMS	1850.4	23.15	60	36.85	Pass	401
1920	3000	1	RMS	2958	-48.88	-13	35.88	Pass	2161
3000	12000	1	RMS	11956	-41.19	-13	28.19	Pass	18003
12000	20000	1	RMS	19810	-31.85	-13	18.85	Pass	16002




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.42	-13	60.42	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	5971
30	1000	0.1	RMS	866.656	-63.37	-13	50.37	Pass	19402
1000	1840	1	RMS	1833	-51.1	-13	38.1	Pass	1681
1840	1920	1	RMS	1850.4	22.23	60	37.77	Pass	401
1920	3000	1	RMS	2946	-48.93	-13	35.93	Pass	2161
3000	12000	1	RMS	11951	-41.28	-13	28.28	Pass	18003
12000	20000	1	RMS	19805.5	-31.96	-13	18.96	Pass	16002




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.32	-13	61.32	Pass	401
0.15	30	0.01	RMS	0.195	-70.43	-13	57.43	Pass	5971
30	1000	0.1	RMS	837.4	-63.09	-13	50.09	Pass	19402
1000	1840	1	RMS	1835.5	-52.29	-13	39.29	Pass	1681
1840	1920	1	RMS	1875.4	22.94	60	37.06	Pass	401
1920	3000	1	RMS	2957.5	-48.87	-13	35.87	Pass	2161
3000	12000	1	RMS	11956	-41.32	-13	28.32	Pass	18003
12000	20000	1	RMS	19818	-31.95	-13	18.95	Pass	16002




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.12	-13	60.12	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-13	58.96	Pass	5971
30	1000	0.1	RMS	832.95	-63.42	-13	50.42	Pass	19402
1000	1840	1	RMS	1837	-52.31	-13	39.31	Pass	1681
1840	1920	1	RMS	1875.4	22.06	60	37.94	Pass	401
1920	3000	1	RMS	2943.5	-48.95	-13	35.95	Pass	2161
3000	12000	1	RMS	11939	-41.25	-13	28.25	Pass	18003
12000	20000	1	RMS	19798.5	-31.93	-13	18.93	Pass	16002




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.24	-13	60.24	Pass	401
0.15	30	0.01	RMS	0.16	-71.21	-13	58.21	Pass	5971
30	1000	0.1	RMS	839.1	-63.35	-13	50.35	Pass	19402
1000	1840	1	RMS	1762.5	-52.28	-13	39.28	Pass	1681
1840	1920	1	RMS	1900.4	23.11	60	36.89	Pass	401
1920	3000	1	RMS	2939.5	-48.89	-13	35.89	Pass	2161
3000	12000	1	RMS	11938	-41.21	-13	28.21	Pass	18003
12000	20000	1	RMS	19806.5	-31.93	-13	18.93	Pass	16002




4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.17	-71.9	-13	58.9	Pass	5971
30	1000	0.1	RMS	847.05	-63.51	-13	50.51	Pass	19402
1000	1840	1	RMS	1763	-52.26	-13	39.26	Pass	1681
1840	1920	1	RMS	1900.4	22.12	60	37.88	Pass	401
1920	3000	1	RMS	2946.5	-48.88	-13	35.88	Pass	2161
3000	12000	1	RMS	11949	-41.31	-13	28.31	Pass	18003
12000	20000	1	RMS	19793.5	-31.91	-13	18.91	Pass	16002




4.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.45	-13	60.45	Pass	401
0.15	30	0.01	RMS	0.19	-71.78	-13	58.78	Pass	5971
30	1000	0.1	RMS	830.1	-63.33	-13	50.33	Pass	19402
1000	1840	1	RMS	1837.5	-50.62	-13	37.62	Pass	1681
1840	1920	1	RMS	1850.8	23.16	60	36.84	Pass	401
1920	3000	1	RMS	2943	-48.87	-13	35.87	Pass	2161
3000	12000	1	RMS	11954.5	-41.3	-13	28.3	Pass	18003
12000	20000	1	RMS	19791	-31.96	-13	18.96	Pass	16002




4.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.69	-13	60.69	Pass	401
0.15	30	0.01	RMS	0.19	-71.45	-13	58.45	Pass	5971
30	1000	0.1	RMS	840.4	-63.29	-13	50.29	Pass	19402
1000	1840	1	RMS	1837.5	-50.8	-13	37.8	Pass	1681
1840	1920	1	RMS	1850.8	22.35	60	37.65	Pass	401
1920	3000	1	RMS	2943	-48.87	-13	35.87	Pass	2161
3000	12000	1	RMS	11940.5	-41.25	-13	28.25	Pass	18003
12000	20000	1	RMS	19810	-31.96	-13	18.96	Pass	16002




4.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.97	-13	60.97	Pass	401
0.15	30	0.01	RMS	0.15	-71	-13	58	Pass	5971
30	1000	0.1	RMS	828.85	-63.47	-13	50.47	Pass	19402
1000	1840	1	RMS	1838.5	-52.23	-13	39.23	Pass	1681
1840	1920	1	RMS	1873.2	23.1	60	36.9	Pass	401
1920	3000	1	RMS	2953.5	-48.93	-13	35.93	Pass	2161
3000	12000	1	RMS	11957	-41.3	-13	28.3	Pass	18003
12000	20000	1	RMS	19802.5	-31.9	-13	18.9	Pass	16002




4.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.18	-71.16	-13	58.16	Pass	5971
30	1000	0.1	RMS	855.402	-63.32	-13	50.32	Pass	19402
1000	1840	1	RMS	1839	-52.29	-13	39.29	Pass	1681
1840	1920	1	RMS	1873.2	22.16	60	37.84	Pass	401
1920	3000	1	RMS	2937	-48.92	-13	35.92	Pass	2161
3000	12000	1	RMS	11954.5	-41.35	-13	28.35	Pass	18003
12000	20000	1	RMS	19787	-31.94	-13	18.94	Pass	16002




4.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.51	-13	61.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	58.64	Pass	5971
30	1000	0.1	RMS	856.252	-63.42	-13	50.42	Pass	19402
1000	1840	1	RMS	1808.5	-52.25	-13	39.25	Pass	1681
1840	1920	1	RMS	1895.8	22.98	60	37.02	Pass	401
1920	3000	1	RMS	2933	-48.9	-13	35.9	Pass	2161
3000	12000	1	RMS	11950	-41.23	-13	28.23	Pass	18003
12000	20000	1	RMS	19791	-31.91	-13	18.91	Pass	16002




4.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.18	-72.24	-13	59.24	Pass	5971
30	1000	0.1	RMS	841.1	-63.36	-13	50.36	Pass	19402
1000	1840	1	RMS	1750	-52.28	-13	39.28	Pass	1681
1840	1920	1	RMS	1895.8	22.19	60	37.81	Pass	401
1920	3000	1	RMS	2944	-48.9	-13	35.9	Pass	2161
3000	12000	1	RMS	11954.5	-41.21	-13	28.21	Pass	18003
12000	20000	1	RMS	19803	-31.94	-13	18.94	Pass	16002




4.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.74	-13	60.74	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	58.34	Pass	5971
30	1000	0.1	RMS	851.701	-63.27	-13	50.27	Pass	19402
1000	1840	1	RMS	1840	-51.3	-13	38.3	Pass	1681
1840	1920	1	RMS	1851	23.25	60	36.75	Pass	401
1920	3000	1	RMS	2944	-48.94	-13	35.94	Pass	2161
3000	12000	1	RMS	11947	-41.23	-13	28.23	Pass	18003
12000	20000	1	RMS	19802.5	-31.85	-13	18.85	Pass	16002




4.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.175	-71.34	-13	58.34	Pass	5971
30	1000	0.1	RMS	872.408	-63.52	-13	50.52	Pass	19402
1000	1840	1	RMS	1840	-51.7	-13	38.7	Pass	1681
1840	1920	1	RMS	1851	22.47	60	37.53	Pass	401
1920	3000	1	RMS	2938	-48.89	-13	35.89	Pass	2161
3000	12000	1	RMS	11950.5	-41.23	-13	28.23	Pass	18003
12000	20000	1	RMS	19794.5	-31.9	-13	18.9	Pass	16002




4.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.5	-13	42.5	Pass	401
0.15	30	0.01	RMS	0.155	-57.5	-13	44.5	Pass	5971
30	1000	0.1	RMS	920.65	-61.44	-13	48.44	Pass	19401
1000	1840	1	RMS	1835.5	-49.08	-13	36.08	Pass	1681
1840	1920	1	RMS	1871	22.81	60	37.19	Pass	401
1920	3000	1	RMS	2696	-47.5	-13	34.5	Pass	2161
3000	12000	1	RMS	11950.5	-39.29	-13	26.29	Pass	18001
12000	20000	1	RMS	19955.5	-27.15	-13	14.15	Pass	16001




4.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.99	-13	41.99	Pass	401
0.15	30	0.01	RMS	0.155	-58.59	-13	45.59	Pass	5971
30	1000	0.1	RMS	896	-61.47	-13	48.47	Pass	19401
1000	1840	1	RMS	1835.5	-49.6	-13	36.6	Pass	1681
1840	1920	1	RMS	1871	22.04	60	37.96	Pass	401
1920	3000	1	RMS	2681.5	-47.53	-13	34.53	Pass	2161
3000	12000	1	RMS	11944	-39.47	-13	26.47	Pass	18001
12000	20000	1	RMS	19931	-27	-13	14	Pass	16001




4.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.11	-13	61.11	Pass	401
0.15	30	0.01	RMS	0.15	-70.71	-13	57.71	Pass	5971
30	1000	0.1	RMS	823.95	-63.31	-13	50.31	Pass	19402
1000	1840	1	RMS	1837	-52.31	-13	39.31	Pass	1681
1840	1920	1	RMS	1891	23.12	60	36.88	Pass	401
1920	3000	1	RMS	2954	-48.9	-13	35.9	Pass	2161
3000	12000	1	RMS	11952.5	-41.25	-13	28.25	Pass	18003
12000	20000	1	RMS	19797	-31.98	-13	18.98	Pass	16002



4.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.02	-13	61.02	Pass	401
0.15	30	0.01	RMS	0.16	-71.13	-13	58.13	Pass	5971
30	1000	0.1	RMS	859.103	-63.56	-13	50.56	Pass	19402
1000	1840	1	RMS	1795.5	-52.32	-13	39.32	Pass	1681
1840	1920	1	RMS	1891	22.26	60	37.75	Pass	401
1920	3000	1	RMS	2941	-48.86	-13	35.86	Pass	2161
3000	12000	1	RMS	11950	-41.28	-13	28.28	Pass	18003
12000	20000	1	RMS	19801	-31.93	-13	18.93	Pass	16002



5. LTE_Band4


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.94	-13	60.94	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	58.75	Pass	5971
30	1000	0.1	RMS	827	-63.28	-13	50.28	Pass	19402
1000	1700	1	RMS	1699.5	-51.27	-13	38.27	Pass	1401
1700	1765	1	RMS	1710.238	23.12	60	36.88	Pass	401
1765	3000	1	RMS	2945	-48.93	-13	35.93	Pass	2471
3000	12000	1	RMS	11947.5	-41.33	-13	28.33	Pass	18003
12000	20000	1	RMS	19821.5	-31.97	-13	18.97	Pass	16002




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.9	-13	60.9	Pass	401
0.15	30	0.01	RMS	0.165	-71.94	-13	58.94	Pass	5971
30	1000	0.1	RMS	844.35	-63.41	-13	50.41	Pass	19402
1000	1700	1	RMS	1699.5	-51.54	-13	38.54	Pass	1401
1700	1765	1	RMS	1710.075	22.22	60	37.78	Pass	401
1765	3000	1	RMS	2954	-48.92	-13	35.92	Pass	2471
3000	12000	1	RMS	11958.5	-41.35	-13	28.35	Pass	18003
12000	20000	1	RMS	19804.5	-31.98	-13	18.98	Pass	16002




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.37	-13	60.37	Pass	401
0.15	30	0.01	RMS	0.15	-70.43	-13	57.43	Pass	5971
30	1000	0.1	RMS	845.1	-63.58	-13	50.58	Pass	19402
1000	1700	1	RMS	1698.5	-52.46	-13	39.46	Pass	1401
1700	1765	1	RMS	1732.013	23.21	60	36.79	Pass	401
1765	3000	1	RMS	2941.5	-48.95	-13	35.95	Pass	2471
3000	12000	1	RMS	11950.5	-41.33	-13	28.33	Pass	18003
12000	20000	1	RMS	19791.5	-31.95	-13	18.95	Pass	16002




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.49	-13	61.49	Pass	401
0.15	30	0.01	RMS	0.16	-71.05	-13	58.05	Pass	5971
30	1000	0.1	RMS	846.35	-63.35	-13	50.35	Pass	19402
1000	1700	1	RMS	1699	-52.47	-13	39.47	Pass	1401
1700	1765	1	RMS	1732.013	22.25	60	37.75	Pass	401
1765	3000	1	RMS	2959.5	-48.96	-13	35.96	Pass	2471
3000	12000	1	RMS	11947.5	-41.31	-13	28.31	Pass	18003
12000	20000	1	RMS	19800	-32.01	-13	19.01	Pass	16002




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.18	-13	61.18	Pass	401
0.15	30	0.01	RMS	0.285	-72.17	-13	59.17	Pass	5971
30	1000	0.1	RMS	834.4	-63.35	-13	50.35	Pass	19402
1000	1700	1	RMS	1699.5	-52.47	-13	39.47	Pass	1401
1700	1765	1	RMS	1753.788	23.01	60	36.99	Pass	401
1765	3000	1	RMS	2940	-48.89	-13	35.89	Pass	2471
3000	12000	1	RMS	11953	-41.3	-13	28.3	Pass	18003
12000	20000	1	RMS	19797.5	-31.92	-13	18.92	Pass	16002




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.21	-13	60.21	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	57.8	Pass	5971
30	1000	0.1	RMS	839.15	-63.48	-13	50.48	Pass	19402
1000	1700	1	RMS	1699.5	-52.55	-13	39.55	Pass	1401
1700	1765	1	RMS	1753.788	22.07	60	37.93	Pass	401
1765	3000	1	RMS	2943	-48.97	-13	35.97	Pass	2471
3000	12000	1	RMS	11949.5	-41.34	-13	28.34	Pass	18003
12000	20000	1	RMS	19800	-31.99	-13	18.99	Pass	16002




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.5	-13	61.5	Pass	401
0.15	30	0.01	RMS	0.17	-70.31	-13	57.31	Pass	5971
30	1000	0.1	RMS	956.436	-63.49	-13	50.49	Pass	19402
1000	1700	1	RMS	1699.5	-51.19	-13	38.19	Pass	1401
1700	1765	1	RMS	1710.075	23.22	60	36.78	Pass	401
1765	3000	1	RMS	2942	-48.96	-13	35.96	Pass	2471
3000	12000	1	RMS	11950	-41.34	-13	28.34	Pass	18003
12000	20000	1	RMS	19800.5	-31.89	-13	18.89	Pass	16002




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.91	-13	60.91	Pass	401
0.15	30	0.01	RMS	0.195	-72.05	-13	59.05	Pass	5971
30	1000	0.1	RMS	849.4	-63.45	-13	50.45	Pass	19402
1000	1700	1	RMS	1699.5	-51.33	-13	38.33	Pass	1401
1700	1765	1	RMS	1710.238	22.3	60	37.7	Pass	401
1765	3000	1	RMS	2936.5	-48.81	-13	35.81	Pass	2471
3000	12000	1	RMS	11956	-41.34	-13	28.34	Pass	18003
12000	20000	1	RMS	19785	-31.98	-13	18.98	Pass	16002




5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.37	-13	60.37	Pass	401
0.15	30	0.01	RMS	0.29	-72.18	-13	59.18	Pass	5971
30	1000	0.1	RMS	852.501	-63.44	-13	50.44	Pass	19402
1000	1700	1	RMS	1696	-52.47	-13	39.47	Pass	1401
1700	1765	1	RMS	1731.2	23.23	60	36.77	Pass	401
1765	3000	1	RMS	2938	-48.89	-13	35.89	Pass	2471
3000	12000	1	RMS	11954	-41.29	-13	28.29	Pass	18003
12000	20000	1	RMS	19787	-31.95	-13	18.95	Pass	16002




5.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.53	-13	60.53	Pass	401
0.15	30	0.01	RMS	0.36	-71.98	-13	58.98	Pass	5971
30	1000	0.1	RMS	837.05	-63.52	-13	50.52	Pass	19402
1000	1700	1	RMS	1698.5	-52.5	-13	39.5	Pass	1401
1700	1765	1	RMS	1731.2	22.44	60	37.56	Pass	401
1765	3000	1	RMS	2944.5	-48.87	-13	35.87	Pass	2471
3000	12000	1	RMS	11940	-41.32	-13	28.32	Pass	18003
12000	20000	1	RMS	19808.5	-31.94	-13	18.94	Pass	16002




5.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.24	-13	61.24	Pass	401
0.15	30	0.01	RMS	0.155	-71.57	-13	58.57	Pass	5971
30	1000	0.1	RMS	852.601	-63.52	-13	50.52	Pass	19402
1000	1700	1	RMS	1698.5	-52.47	-13	39.47	Pass	1401
1700	1765	1	RMS	1752.163	23.06	60	36.94	Pass	401
1765	3000	1	RMS	2943.5	-48.96	-13	35.96	Pass	2471
3000	12000	1	RMS	11950	-41.29	-13	28.29	Pass	18003
12000	20000	1	RMS	19814	-32	-13	19	Pass	16002




5.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.03	-13	61.03	Pass	401
0.15	30	0.01	RMS	0.155	-71.75	-13	58.75	Pass	5971
30	1000	0.1	RMS	849.15	-63.25	-13	50.25	Pass	19402
1000	1700	1	RMS	1700	-52.54	-13	39.54	Pass	1401
1700	1765	1	RMS	1752.163	22.16	60	37.84	Pass	401
1765	3000	1	RMS	2945.5	-48.92	-13	35.92	Pass	2471
3000	12000	1	RMS	11960	-41.3	-13	28.3	Pass	18003
12000	20000	1	RMS	19810	-31.97	-13	18.97	Pass	16002




5.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.13	-13	61.13	Pass	401
0.15	30	0.01	RMS	0.17	-71.46	-13	58.46	Pass	5971
30	1000	0.1	RMS	841	-63.5	-13	50.5	Pass	19402
1000	1700	1	RMS	1699.5	-51.23	-13	38.23	Pass	1401
1700	1765	1	RMS	1710.238	23.23	60	36.77	Pass	401
1765	3000	1	RMS	2942	-48.89	-13	35.89	Pass	2471
3000	12000	1	RMS	11948	-41.33	-13	28.33	Pass	18003
12000	20000	1	RMS	19818	-31.94	-13	18.94	Pass	16002




5.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.22	-13	60.22	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	5971
30	1000	0.1	RMS	827	-63.43	-13	50.43	Pass	19402
1000	1700	1	RMS	1699.5	-51.5	-13	38.5	Pass	1401
1700	1765	1	RMS	1710.238	22.44	60	37.56	Pass	401
1765	3000	1	RMS	2944.5	-48.94	-13	35.94	Pass	2471
3000	12000	1	RMS	11951	-41.29	-13	28.29	Pass	18003
12000	20000	1	RMS	19810.5	-31.97	-13	18.97	Pass	16002




5.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.64	-13	60.64	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	5971
30	1000	0.1	RMS	837.95	-63.36	-13	50.36	Pass	19402
1000	1700	1	RMS	1697.5	-52.48	-13	39.48	Pass	1401
1700	1765	1	RMS	1730.225	23.23	60	36.77	Pass	401
1765	3000	1	RMS	2950.5	-48.86	-13	35.86	Pass	2471
3000	12000	1	RMS	11937	-41.3	-13	28.3	Pass	18003
12000	20000	1	RMS	19799	-31.96	-13	18.96	Pass	16002




5.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.49	-13	61.49	Pass	401
0.15	30	0.01	RMS	0.155	-71	-13	58	Pass	5971
30	1000	0.1	RMS	845.55	-63.44	-13	50.44	Pass	19402
1000	1700	1	RMS	1693	-52.52	-13	39.52	Pass	1401
1700	1765	1	RMS	1730.225	22.3	60	37.7	Pass	401
1765	3000	1	RMS	2939.5	-48.91	-13	35.91	Pass	2471
3000	12000	1	RMS	11950	-41.33	-13	28.33	Pass	18003
12000	20000	1	RMS	19788.5	-31.91	-13	18.91	Pass	16002




5.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.35	-13	60.35	Pass	401
0.15	30	0.01	RMS	0.275	-72.13	-13	59.13	Pass	5971
30	1000	0.1	RMS	855.302	-63.31	-13	50.31	Pass	19402
1000	1700	1	RMS	1700	-52.51	-13	39.51	Pass	1401
1700	1765	1	RMS	1750.213	23	60	37	Pass	401
1765	3000	1	RMS	2959	-48.96	-13	35.96	Pass	2471
3000	12000	1	RMS	11950	-41.27	-13	28.27	Pass	18003
12000	20000	1	RMS	19785	-31.92	-13	18.92	Pass	16002




5.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.165	-71.59	-13	58.59	Pass	5971
30	1000	0.1	RMS	848.6	-63.37	-13	50.37	Pass	19402
1000	1700	1	RMS	1696.5	-52.56	-13	39.56	Pass	1401
1700	1765	1	RMS	1750.213	22.21	60	37.79	Pass	401
1765	3000	1	RMS	2952.5	-48.94	-13	35.94	Pass	2471
3000	12000	1	RMS	11939	-41.2	-13	28.2	Pass	18003
12000	20000	1	RMS	19800	-31.88	-13	18.88	Pass	16002




5.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.31	-13	60.31	Pass	401
0.15	30	0.01	RMS	0.15	-71.07	-13	58.07	Pass	5971
30	1000	0.1	RMS	842.15	-63.39	-13	50.39	Pass	19402
1000	1700	1	RMS	1700	-51.25	-13	38.25	Pass	1401
1700	1765	1	RMS	1710.563	23.22	60	36.78	Pass	401
1765	3000	1	RMS	2949.5	-48.89	-13	35.89	Pass	2471
3000	12000	1	RMS	11951.5	-41.22	-13	28.22	Pass	18003
12000	20000	1	RMS	19777	-31.99	-13	18.99	Pass	16002




5.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.54	-13	60.54	Pass	401
0.15	30	0.01	RMS	0.15	-70.77	-13	57.77	Pass	5971
30	1000	0.1	RMS	830.15	-63.25	-13	50.25	Pass	19402
1000	1700	1	RMS	1700	-51.51	-13	38.51	Pass	1401
1700	1765	1	RMS	1710.563	22.38	60	37.62	Pass	401
1765	3000	1	RMS	2943	-48.93	-13	35.93	Pass	2471
3000	12000	1	RMS	11946	-41.24	-13	28.24	Pass	18003
12000	20000	1	RMS	19833.5	-31.94	-13	18.94	Pass	16002




5.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.205	-71.9	-13	58.9	Pass	5971
30	1000	0.1	RMS	844.45	-63.48	-13	50.48	Pass	19402
1000	1700	1	RMS	1699	-52.45	-13	39.45	Pass	1401
1700	1765	1	RMS	1727.95	23.25	60	36.75	Pass	401
1765	3000	1	RMS	2950	-48.93	-13	35.93	Pass	2471
3000	12000	1	RMS	11956	-41.29	-13	28.29	Pass	18003
12000	20000	1	RMS	19791	-32	-13	19	Pass	16002




5.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.265	-71.37	-13	58.37	Pass	5971
30	1000	0.1	RMS	864.705	-63.5	-13	50.5	Pass	19402
1000	1700	1	RMS	1697.5	-52.46	-13	39.46	Pass	1401
1700	1765	1	RMS	1727.95	22.41	60	37.59	Pass	401
1765	3000	1	RMS	2959.5	-48.92	-13	35.92	Pass	2471
3000	12000	1	RMS	11966	-41.33	-13	28.33	Pass	18003
12000	20000	1	RMS	19786	-31.96	-13	18.96	Pass	16002




5.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.19	-71.7	-13	58.7	Pass	5971
30	1000	0.1	RMS	845.7	-63.4	-13	50.4	Pass	19402
1000	1700	1	RMS	1696.5	-52.47	-13	39.47	Pass	1401
1700	1765	1	RMS	1745.5	23.22	60	36.78	Pass	401
1765	3000	1	RMS	2954	-48.93	-13	35.93	Pass	2471
3000	12000	1	RMS	11952.5	-41.36	-13	28.36	Pass	18003
12000	20000	1	RMS	19807	-32	-13	19	Pass	16002




5.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.155	-71.8	-13	58.8	Pass	5971
30	1000	0.1	RMS	858.653	-63.45	-13	50.45	Pass	19402
1000	1700	1	RMS	1700	-52.49	-13	39.49	Pass	1401
1700	1765	1	RMS	1745.5	22.3	60	37.7	Pass	401
1765	3000	1	RMS	2942.5	-48.95	-13	35.95	Pass	2471
3000	12000	1	RMS	11958.5	-41.32	-13	28.32	Pass	18003
12000	20000	1	RMS	19791	-31.99	-13	18.99	Pass	16002




5.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.81	-13	60.81	Pass	401
0.15	30	0.01	RMS	0.155	-71.11	-13	58.11	Pass	5971
30	1000	0.1	RMS	827.6	-63.09	-13	50.09	Pass	19402
1000	1700	1	RMS	1700	-51.28	-13	38.28	Pass	1401
1700	1765	1	RMS	1710.725	23.21	60	36.79	Pass	401
1765	3000	1	RMS	2946	-48.96	-13	35.96	Pass	2471
3000	12000	1	RMS	11956.5	-41.32	-13	28.32	Pass	18003
12000	20000	1	RMS	19808.5	-31.97	-13	18.97	Pass	16002




5.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	5971
30	1000	0.1	RMS	826.7	-63.47	-13	50.47	Pass	19402
1000	1700	1	RMS	1697.5	-51.31	-13	38.31	Pass	1401
1700	1765	1	RMS	1710.725	22.42	60	37.58	Pass	401
1765	3000	1	RMS	2941.5	-48.87	-13	35.87	Pass	2471
3000	12000	1	RMS	11957	-41.25	-13	28.25	Pass	18003
12000	20000	1	RMS	19792.5	-32	-13	19	Pass	16002




5.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.155	-71.41	-13	58.41	Pass	5971
30	1000	0.1	RMS	874.458	-63.41	-13	50.41	Pass	19402
1000	1700	1	RMS	1699.5	-51.32	-13	38.32	Pass	1401
1700	1765	1	RMS	1725.675	23.11	60	36.89	Pass	401
1765	3000	1	RMS	2969.5	-48.98	-13	35.98	Pass	2471
3000	12000	1	RMS	11947.5	-41.28	-13	28.28	Pass	18003
12000	20000	1	RMS	19801.5	-31.97	-13	18.97	Pass	16002




5.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.23	-13	61.23	Pass	401
0.15	30	0.01	RMS	0.215	-72.36	-13	59.36	Pass	5971
30	1000	0.1	RMS	831.8	-63.46	-13	50.46	Pass	19402
1000	1700	1	RMS	1699	-51.77	-13	38.77	Pass	1401
1700	1765	1	RMS	1725.838	22.29	60	37.71	Pass	401
1765	3000	1	RMS	2943	-48.94	-13	35.94	Pass	2471
3000	12000	1	RMS	11934	-41.34	-13	28.34	Pass	18003
12000	20000	1	RMS	19799.5	-31.92	-13	18.92	Pass	16002




5.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.41	-13	60.41	Pass	401
0.15	30	0.01	RMS	0.175	-71.23	-13	58.23	Pass	5971
30	1000	0.1	RMS	840.95	-63.55	-13	50.55	Pass	19402
1000	1700	1	RMS	1698	-52.43	-13	39.43	Pass	1401
1700	1765	1	RMS	1740.788	23.19	60	36.81	Pass	401
1765	3000	1	RMS	1767.5	-40.07	-13	27.07	Pass	2471
3000	12000	1	RMS	11953	-41.26	-13	28.26	Pass	18003
12000	20000	1	RMS	19774.5	-31.92	-13	18.92	Pass	16002




5.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.32	-13	60.32	Pass	401
0.15	30	0.01	RMS	0.155	-71.42	-13	58.42	Pass	5971
30	1000	0.1	RMS	827.7	-63.45	-13	50.45	Pass	19402
1000	1700	1	RMS	1697	-52.52	-13	39.52	Pass	1401
1700	1765	1	RMS	1740.788	22.23	60	37.77	Pass	401
1765	3000	1	RMS	1767.5	-41.13	-13	28.13	Pass	2471
3000	12000	1	RMS	11968	-41.32	-13	28.32	Pass	18003
12000	20000	1	RMS	19765	-31.98	-13	18.98	Pass	16002




5.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.35	-13	60.35	Pass	401
0.15	30	0.01	RMS	0.165	-71.58	-13	58.58	Pass	5971
30	1000	0.1	RMS	828.7	-63.39	-13	50.39	Pass	19402
1000	1700	1	RMS	1693.5	-51.6	-13	38.6	Pass	1401
1700	1765	1	RMS	1711.05	23.13	60	36.87	Pass	401
1765	3000	1	RMS	2952.5	-48.93	-13	35.93	Pass	2471
3000	12000	1	RMS	11942.5	-41.2	-13	28.2	Pass	18003
12000	20000	1	RMS	19792.5	-31.93	-13	18.93	Pass	16002




5.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.39	-13	60.39	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	58.56	Pass	5971
30	1000	0.1	RMS	837.25	-63.46	-13	50.46	Pass	19402
1000	1700	1	RMS	1693.5	-51.54	-13	38.54	Pass	1401
1700	1765	1	RMS	1711.05	22.17	60	37.83	Pass	401
1765	3000	1	RMS	2945.5	-48.97	-13	35.97	Pass	2471
3000	12000	1	RMS	11955	-41.32	-13	28.32	Pass	18003
12000	20000	1	RMS	19801	-31.84	-13	18.84	Pass	16002




5.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.42	-13	61.42	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	5971
30	1000	0.1	RMS	843.85	-63.08	-13	50.08	Pass	19402
1000	1700	1	RMS	1697	-52.25	-13	39.25	Pass	1401
1700	1765	1	RMS	1723.563	23.11	60	36.89	Pass	401
1765	3000	1	RMS	2954	-48.91	-13	35.91	Pass	2471
3000	12000	1	RMS	11958.5	-41.23	-13	28.23	Pass	18003
12000	20000	1	RMS	19802	-31.91	-13	18.91	Pass	16002




5.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.28	-13	60.28	Pass	401
0.15	30	0.01	RMS	0.165	-71.48	-13	58.48	Pass	5971
30	1000	0.1	RMS	825.9	-63.54	-13	50.54	Pass	19402
1000	1700	1	RMS	1697	-52.29	-13	39.29	Pass	1401
1700	1765	1	RMS	1723.563	22.25	60	37.75	Pass	401
1765	3000	1	RMS	2962	-48.9	-13	35.9	Pass	2471
3000	12000	1	RMS	11953	-41.15	-13	28.15	Pass	18003
12000	20000	1	RMS	19800.5	-31.89	-13	18.89	Pass	16002




5.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.88	-13	60.88	Pass	401
0.15	30	0.01	RMS	0.155	-71.5	-13	58.5	Pass	5971
30	1000	0.1	RMS	855.252	-63.49	-13	50.49	Pass	19402
1000	1700	1	RMS	1700	-52	-13	39	Pass	1401
1700	1765	1	RMS	1736.075	23.26	60	36.74	Pass	401
1765	3000	1	RMS	1771.5	-41.1	-13	28.1	Pass	2471
3000	12000	1	RMS	11952	-41.24	-13	28.24	Pass	18003
12000	20000	1	RMS	19804	-31.87	-13	18.87	Pass	16002



5.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.82	-13	60.82	Pass	401
0.15	30	0.01	RMS	0.24	-71.76	-13	58.76	Pass	5971
30	1000	0.1	RMS	827.1	-63.36	-13	50.36	Pass	19402
1000	1700	1	RMS	1700	-52.16	-13	39.16	Pass	1401
1700	1765	1	RMS	1736.075	22.28	60	37.72	Pass	401
1765	3000	1	RMS	1771.5	-42.61	-13	29.61	Pass	2471
3000	12000	1	RMS	11950	-41.23	-13	28.23	Pass	18003
12000	20000	1	RMS	19802.5	-31.97	-13	18.97	Pass	16002



6. LTE_Band7


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.32	-25	48.32	Pass	401
0.15	30	0.01	RMS	0.23	-71.86	-25	46.86	Pass	5971
30	1000	0.1	RMS	842.05	-63.54	-25	38.54	Pass	19402
1000	2490	1	RMS	2489.5	-49.95	-25	24.95	Pass	2981
2490	2580	1	RMS	2500.125	22.57	60	37.43	Pass	401
2580	3000	1	RMS	2942.5	-49	-25	24	Pass	841
3000	12000	1	RMS	5000.5	-57.87	-25	32.87	Pass	18003
12000	26000	1	RMS	25797	-45.13	-25	20.13	Pass	28004




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.41	-25	48.41	Pass	401
0.15	30	0.01	RMS	0.2	-72.03	-25	47.03	Pass	5971
30	1000	0.1	RMS	828.45	-63.39	-25	38.39	Pass	19402
1000	2490	1	RMS	2489.5	-50.03	-25	25.03	Pass	2981
2490	2580	1	RMS	2500.125	21.63	60	38.37	Pass	401
2580	3000	1	RMS	2952	-49.01	-25	24.01	Pass	841
3000	12000	1	RMS	5000.5	-58.83	-25	33.83	Pass	18003
12000	26000	1	RMS	25791	-44.87	-25	19.87	Pass	28004




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-25	48.08	Pass	401
0.15	30	0.01	RMS	0.21	-72.24	-25	47.24	Pass	5971
30	1000	0.1	RMS	848.15	-63.23	-25	38.23	Pass	19402
1000	2490	1	RMS	2486.5	-50.47	-25	25.47	Pass	2981
2490	2580	1	RMS	2532.75	22.94	60	37.06	Pass	401
2580	3000	1	RMS	2946.5	-49	-25	24	Pass	841
3000	12000	1	RMS	5065.5	-60.66	-25	35.66	Pass	18003
12000	26000	1	RMS	25801	-44.66	-25	19.66	Pass	28004




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.23	-25	49.23	Pass	401
0.15	30	0.01	RMS	0.18	-71.32	-25	46.32	Pass	5971
30	1000	0.1	RMS	572.15	-63.2	-25	38.2	Pass	19402
1000	2490	1	RMS	2486	-50.54	-25	25.54	Pass	2981
2490	2580	1	RMS	2532.75	22.02	60	37.98	Pass	401
2580	3000	1	RMS	2944	-49	-25	24	Pass	841
3000	12000	1	RMS	11958	-60.81	-25	35.81	Pass	18003
12000	26000	1	RMS	25799	-44.82	-25	19.82	Pass	28004




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.21	-25	49.21	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-25	45.96	Pass	5971
30	1000	0.1	RMS	604.6	-62.72	-25	37.72	Pass	19402
1000	2490	1	RMS	1737.5	-49.9	-25	24.9	Pass	2981
2490	2580	1	RMS	2565.15	22.91	60	37.09	Pass	401
2580	3000	1	RMS	2947	-49.01	-25	24.01	Pass	841
3000	12000	1	RMS	5130.5	-60.24	-25	35.24	Pass	18003
12000	26000	1	RMS	25802.5	-44.8	-25	19.8	Pass	28004




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.48	-25	48.48	Pass	401
0.15	30	0.01	RMS	0.305	-72.01	-25	47.01	Pass	5971
30	1000	0.1	RMS	857.253	-63.46	-25	38.46	Pass	19402
1000	2490	1	RMS	2486.5	-50.44	-25	25.44	Pass	2981
2490	2580	1	RMS	2565.15	21.98	60	38.02	Pass	401
2580	3000	1	RMS	2941	-49.06	-25	24.06	Pass	841
3000	12000	1	RMS	5130.5	-60.7	-25	35.7	Pass	18003
12000	26000	1	RMS	25801	-44.7	-25	19.7	Pass	28004




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.03	-25	48.03	Pass	401
0.15	30	0.01	RMS	0.185	-71.38	-25	46.38	Pass	5971
30	1000	0.1	RMS	867.806	-63.62	-25	38.62	Pass	19402
1000	2490	1	RMS	2490	-49.88	-25	24.88	Pass	2981
2490	2580	1	RMS	2500.575	22.52	60	37.48	Pass	401
2580	3000	1	RMS	2944.5	-48.94	-25	23.94	Pass	841
3000	12000	1	RMS	5001	-57.84	-25	32.84	Pass	18003
12000	26000	1	RMS	25791	-44.83	-25	19.83	Pass	28004




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.24	-25	49.24	Pass	401
0.15	30	0.01	RMS	0.19	-71.87	-25	46.87	Pass	5971
30	1000	0.1	RMS	853.702	-63.58	-25	38.58	Pass	19402
1000	2490	1	RMS	2490	-50.13	-25	25.13	Pass	2981
2490	2580	1	RMS	2500.575	21.75	60	38.25	Pass	401
2580	3000	1	RMS	2947.5	-49.02	-25	24.02	Pass	841
3000	12000	1	RMS	5001	-58.55	-25	33.55	Pass	18003
12000	26000	1	RMS	25803.5	-44.67	-25	19.67	Pass	28004




6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.93	-25	48.93	Pass	401
0.15	30	0.01	RMS	0.16	-70.78	-25	45.78	Pass	5971
30	1000	0.1	RMS	569.9	-62.85	-25	37.85	Pass	19402
1000	2490	1	RMS	2489.5	-50.6	-25	25.6	Pass	2981
2490	2580	1	RMS	2530.5	22.85	60	37.15	Pass	401
2580	3000	1	RMS	2947	-49.02	-25	24.02	Pass	841
3000	12000	1	RMS	5061	-60.32	-25	35.32	Pass	18003
12000	26000	1	RMS	25799	-44.55	-25	19.55	Pass	28004




6.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.72	-25	48.72	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-25	47.12	Pass	5971
30	1000	0.1	RMS	845.95	-63.46	-25	38.46	Pass	19402
1000	2490	1	RMS	2485	-50.6	-25	25.6	Pass	2981
2490	2580	1	RMS	2530.5	21.89	60	38.11	Pass	401
2580	3000	1	RMS	2945.5	-49.01	-25	24.01	Pass	841
3000	12000	1	RMS	11957.5	-60.76	-25	35.76	Pass	18003
12000	26000	1	RMS	25796	-44.83	-25	19.83	Pass	28004




6.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.88	-25	47.88	Pass	401
0.15	30	0.01	RMS	0.355	-72.31	-25	47.31	Pass	5971
30	1000	0.1	RMS	599.9	-62.27	-25	37.27	Pass	19402
1000	2490	1	RMS	2479.5	-50.55	-25	25.55	Pass	2981
2490	2580	1	RMS	2560.425	22.88	60	37.12	Pass	401
2580	3000	1	RMS	2940	-48.99	-25	23.99	Pass	841
3000	12000	1	RMS	5121	-60.64	-25	35.64	Pass	18003
12000	26000	1	RMS	25793.5	-44.75	-25	19.75	Pass	28004




6.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-25	47.73	Pass	401
0.15	30	0.01	RMS	0.155	-72.21	-25	47.21	Pass	5971
30	1000	0.1	RMS	599.9	-62.64	-25	37.64	Pass	19402
1000	2490	1	RMS	2489.5	-50.53	-25	25.53	Pass	2981
2490	2580	1	RMS	2560.425	21.96	60	38.04	Pass	401
2580	3000	1	RMS	2937.5	-49.04	-25	24.04	Pass	841
3000	12000	1	RMS	11964	-60.83	-25	35.83	Pass	18003
12000	26000	1	RMS	25795.5	-44.82	-25	19.82	Pass	28004




6.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.3	-25	48.3	Pass	401
0.15	30	0.01	RMS	0.16	-71.05	-25	46.05	Pass	5971
30	1000	0.1	RMS	866.056	-63.59	-25	38.59	Pass	19402
1000	2490	1	RMS	2487.5	-49.59	-25	24.59	Pass	2981
2490	2580	1	RMS	2500.8	22.56	60	37.44	Pass	401
2580	3000	1	RMS	2945	-49.03	-25	24.03	Pass	841
3000	12000	1	RMS	5001.5	-57.95	-25	32.95	Pass	18003
12000	26000	1	RMS	25804.5	-44.86	-25	19.86	Pass	28004




6.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.57	-25	48.57	Pass	401
0.15	30	0.01	RMS	0.175	-72.26	-25	47.26	Pass	5971
30	1000	0.1	RMS	844.2	-63.51	-25	38.51	Pass	19402
1000	2490	1	RMS	2487.5	-49.66	-25	24.66	Pass	2981
2490	2580	1	RMS	2500.8	21.76	60	38.24	Pass	401
2580	3000	1	RMS	2940	-49.03	-25	24.03	Pass	841
3000	12000	1	RMS	5001.5	-58.79	-25	33.79	Pass	18003
12000	26000	1	RMS	25801	-44.82	-25	19.82	Pass	28004




6.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.77	-25	47.77	Pass	401
0.15	30	0.01	RMS	0.155	-71.14	-25	46.14	Pass	5971
30	1000	0.1	RMS	834.55	-63.35	-25	38.35	Pass	19402
1000	2490	1	RMS	2489	-50.55	-25	25.55	Pass	2981
2490	2580	1	RMS	2528.25	22.86	60	37.14	Pass	401
2580	3000	1	RMS	2941.5	-49.01	-25	24.01	Pass	841
3000	12000	1	RMS	5056.5	-59.65	-25	34.65	Pass	18003
12000	26000	1	RMS	25775.5	-44.8	-25	19.8	Pass	28004




6.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.83	-25	47.83	Pass	401
0.15	30	0.01	RMS	0.16	-70.69	-25	45.69	Pass	5971
30	1000	0.1	RMS	838.7	-63.57	-25	38.57	Pass	19402
1000	2490	1	RMS	2489.5	-50.49	-25	25.49	Pass	2981
2490	2580	1	RMS	2528.25	21.82	60	38.18	Pass	401
2580	3000	1	RMS	2944	-49.01	-25	24.01	Pass	841
3000	12000	1	RMS	5056.5	-60.21	-25	35.21	Pass	18003
12000	26000	1	RMS	25801	-44.76	-25	19.76	Pass	28004




6.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.52	-25	48.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-25	46.64	Pass	5971
30	1000	0.1	RMS	595.15	-62.05	-25	37.05	Pass	19402
1000	2490	1	RMS	2489.5	-50.5	-25	25.5	Pass	2981
2490	2580	1	RMS	2555.7	22.92	60	37.08	Pass	401
2580	3000	1	RMS	2582.5	-46.6	-25	21.6	Pass	841
3000	12000	1	RMS	5111.5	-60.05	-25	35.05	Pass	18003
12000	26000	1	RMS	25996	-44.86	-25	19.86	Pass	28004




6.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.5	-25	48.5	Pass	401
0.15	30	0.01	RMS	0.325	-72.33	-25	47.33	Pass	5971
30	1000	0.1	RMS	595.15	-62.72	-25	37.72	Pass	19402
1000	2490	1	RMS	2485	-50.57	-25	25.57	Pass	2981
2490	2580	1	RMS	2555.7	22.1	60	37.9	Pass	401
2580	3000	1	RMS	2582.5	-47.2	-25	22.2	Pass	841
3000	12000	1	RMS	11937	-60.79	-25	35.79	Pass	18003
12000	26000	1	RMS	25802	-44.88	-25	19.88	Pass	28004




6.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73	-25	48	Pass	401
0.15	30	0.01	RMS	0.2	-72.01	-25	47.01	Pass	5971
30	1000	0.1	RMS	857.903	-63.42	-25	38.42	Pass	19402
1000	2490	1	RMS	2490	-50.07	-25	25.07	Pass	2981
2490	2580	1	RMS	2501.025	22.59	60	37.41	Pass	401
2580	3000	1	RMS	2946.5	-49.02	-25	24.02	Pass	841
3000	12000	1	RMS	5002	-57.79	-25	32.79	Pass	18003
12000	26000	1	RMS	25788.5	-44.78	-25	19.78	Pass	28004




6.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.16	-25	48.16	Pass	401
0.15	30	0.01	RMS	0.7	-72.11	-25	47.11	Pass	5971
30	1000	0.1	RMS	834.8	-63.48	-25	38.48	Pass	19402
1000	2490	1	RMS	2490	-50.06	-25	25.06	Pass	2981
2490	2580	1	RMS	2501.025	21.78	60	38.22	Pass	401
2580	3000	1	RMS	2950	-49.01	-25	24.01	Pass	841
3000	12000	1	RMS	5002	-58.35	-25	33.35	Pass	18003
12000	26000	1	RMS	25799.5	-44.78	-25	19.78	Pass	28004




6.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.45	-25	49.45	Pass	401
0.15	30	0.01	RMS	0.23	-71.97	-25	46.97	Pass	5971
30	1000	0.1	RMS	858.353	-63.41	-25	38.41	Pass	19402
1000	2490	1	RMS	2490	-50.43	-25	25.43	Pass	2981
2490	2580	1	RMS	2526	22.8	60	37.2	Pass	401
2580	3000	1	RMS	2945	-48.99	-25	23.99	Pass	841
3000	12000	1	RMS	5052	-59.25	-25	34.25	Pass	18003
12000	26000	1	RMS	25799	-44.77	-25	19.77	Pass	28004




6.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.93	-25	48.93	Pass	401
0.15	30	0.01	RMS	0.25	-72.02	-25	47.02	Pass	5971
30	1000	0.1	RMS	864.405	-63.39	-25	38.39	Pass	19402
1000	2490	1	RMS	2487	-50.55	-25	25.55	Pass	2981
2490	2580	1	RMS	2526	21.82	60	38.18	Pass	401
2580	3000	1	RMS	2960	-49.02	-25	24.02	Pass	841
3000	12000	1	RMS	5052	-59.79	-25	34.79	Pass	18003
12000	26000	1	RMS	25783.5	-44.85	-25	19.85	Pass	28004




6.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.51	-25	49.51	Pass	401
0.15	30	0.01	RMS	0.17	-71.38	-25	46.38	Pass	5971
30	1000	0.1	RMS	590.4	-62.16	-25	37.16	Pass	19402
1000	2490	1	RMS	2482.5	-50.62	-25	25.62	Pass	2981
2490	2580	1	RMS	2550.975	22.93	60	37.07	Pass	401
2580	3000	1	RMS	2586.5	-48.51	-25	23.51	Pass	841
3000	12000	1	RMS	5102	-60.31	-25	35.31	Pass	18003
12000	26000	1	RMS	25802	-44.81	-25	19.81	Pass	28004



6.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.26	-25	48.26	Pass	401
0.15	30	0.01	RMS	0.16	-71.23	-25	46.23	Pass	5971
30	1000	0.1	RMS	590.4	-62.16	-25	37.16	Pass	19402
1000	2490	1	RMS	2489.5	-50.56	-25	25.56	Pass	2981
2490	2580	1	RMS	2550.975	21.89	60	38.11	Pass	401
2580	3000	1	RMS	2938	-49.04	-25	24.04	Pass	841
3000	12000	1	RMS	11955.5	-60.73	-25	35.73	Pass	18003
12000	26000	1	RMS	25784	-44.81	-25	19.81	Pass	28004



7. LTE_Band25


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.99	-13	59.99	Pass	401
0.15	30	0.01	RMS	0.16	-71.32	-13	58.32	Pass	5971
30	1000	0.1	RMS	859.804	-63.3	-13	50.3	Pass	19402
1000	1840	1	RMS	1839.5	-51.13	-13	38.13	Pass	1681
1840	1925	1	RMS	1850.2	23.09	60	36.91	Pass	401
1925	3000	1	RMS	2939.5	-48.95	-13	35.95	Pass	2151
3000	12000	1	RMS	11955.5	-41.27	-13	28.27	Pass	18003
12000	20000	1	RMS	19803	-31.93	-13	18.93	Pass	16002




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.59	-13	60.59	Pass	401
0.15	30	0.01	RMS	0.235	-72.13	-13	59.13	Pass	5971
30	1000	0.1	RMS	850.6	-63.45	-13	50.45	Pass	19402
1000	1840	1	RMS	1839.5	-51.34	-13	38.34	Pass	1681
1840	1925	1	RMS	1850.2	22.17	60	37.83	Pass	401
1925	3000	1	RMS	2939	-48.97	-13	35.97	Pass	2151
3000	12000	1	RMS	11953.5	-41.24	-13	28.24	Pass	18003
12000	20000	1	RMS	19787.5	-31.97	-13	18.97	Pass	16002




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.155	-71.38	-13	58.38	Pass	5971
30	1000	0.1	RMS	841.4	-63.32	-13	50.32	Pass	19402
1000	1840	1	RMS	1838	-52.35	-13	39.35	Pass	1681
1840	1925	1	RMS	1881.863	23.08	60	36.92	Pass	401
1925	3000	1	RMS	2947.5	-48.92	-13	35.92	Pass	2151
3000	12000	1	RMS	11938	-41.33	-13	28.33	Pass	18003
12000	20000	1	RMS	19781.5	-31.86	-13	18.86	Pass	16002




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.11	-13	61.11	Pass	401
0.15	30	0.01	RMS	0.155	-70.43	-13	57.43	Pass	5971
30	1000	0.1	RMS	859.804	-63.45	-13	50.45	Pass	19402
1000	1840	1	RMS	1838	-52.32	-13	39.32	Pass	1681
1840	1925	1	RMS	1881.863	22.03	60	37.97	Pass	401
1925	3000	1	RMS	2943	-48.98	-13	35.98	Pass	2151
3000	12000	1	RMS	11953	-41.35	-13	28.35	Pass	18003
12000	20000	1	RMS	19796.5	-31.99	-13	18.99	Pass	16002




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.59	-13	60.59	Pass	401
0.15	30	0.01	RMS	0.17	-71.8	-13	58.8	Pass	5971
30	1000	0.1	RMS	989.196	-63.5	-13	50.5	Pass	19402
1000	1840	1	RMS	1839	-52.3	-13	39.3	Pass	1681
1840	1925	1	RMS	1913.738	23.24	60	36.76	Pass	401
1925	3000	1	RMS	2939.5	-48.93	-13	35.93	Pass	2151
3000	12000	1	RMS	11950	-41.35	-13	28.35	Pass	18003
12000	20000	1	RMS	19784.5	-31.86	-13	18.86	Pass	16002




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	0.165	-71.75	-13	58.75	Pass	5971
30	1000	0.1	RMS	842.3	-63.16	-13	50.16	Pass	19402
1000	1840	1	RMS	1782.5	-52.3	-13	39.3	Pass	1681
1840	1925	1	RMS	1913.738	22.27	60	37.73	Pass	401
1925	3000	1	RMS	2934.5	-48.94	-13	35.94	Pass	2151
3000	12000	1	RMS	11956	-41.34	-13	28.34	Pass	18003
12000	20000	1	RMS	19790	-31.92	-13	18.92	Pass	16002




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.185	-71.18	-13	58.18	Pass	5971
30	1000	0.1	RMS	839.45	-63.43	-13	50.43	Pass	19402
1000	1840	1	RMS	1839.5	-51.01	-13	38.01	Pass	1681
1840	1925	1	RMS	1850.2	23.09	60	36.91	Pass	401
1925	3000	1	RMS	2959	-48.95	-13	35.95	Pass	2151
3000	12000	1	RMS	11953.5	-41.32	-13	28.32	Pass	18003
12000	20000	1	RMS	19814.5	-31.96	-13	18.96	Pass	16002




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.16	-71.05	-13	58.05	Pass	5971
30	1000	0.1	RMS	855.152	-63.41	-13	50.41	Pass	19402
1000	1840	1	RMS	1839.5	-51.33	-13	38.33	Pass	1681
1840	1925	1	RMS	1850.2	22.33	60	37.67	Pass	401
1925	3000	1	RMS	2945	-48.94	-13	35.94	Pass	2151
3000	12000	1	RMS	11943.5	-41.35	-13	28.35	Pass	18003
12000	20000	1	RMS	19801.5	-31.95	-13	18.95	Pass	16002




7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.48	-13	60.48	Pass	401
0.15	30	0.01	RMS	0.185	-72.42	-13	59.42	Pass	5971
30	1000	0.1	RMS	849.7	-63.55	-13	50.55	Pass	19402
1000	1840	1	RMS	1834.5	-52.3	-13	39.3	Pass	1681
1840	1925	1	RMS	1881.225	23.19	60	36.81	Pass	401
1925	3000	1	RMS	2936.5	-48.94	-13	35.94	Pass	2151
3000	12000	1	RMS	11953	-41.24	-13	28.24	Pass	18003
12000	20000	1	RMS	19799	-31.96	-13	18.96	Pass	16002




7.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26365, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.62	-13	60.62	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	5971
30	1000	0.1	RMS	975.592	-63.51	-13	50.51	Pass	19402
1000	1840	1	RMS	1840	-52.38	-13	39.38	Pass	1681
1840	1925	1	RMS	1881.225	22.06	60	37.94	Pass	401
1925	3000	1	RMS	2962.5	-48.96	-13	35.96	Pass	2151
3000	12000	1	RMS	11936	-41.29	-13	28.29	Pass	18003
12000	20000	1	RMS	19773.5	-31.97	-13	18.97	Pass	16002




7.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74	-13	61	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-13	58.89	Pass	5971
30	1000	0.1	RMS	852.601	-63.47	-13	50.47	Pass	19402
1000	1840	1	RMS	1836	-52.35	-13	39.35	Pass	1681
1840	1925	1	RMS	1912.038	23.2	60	36.8	Pass	401
1925	3000	1	RMS	2951	-48.94	-13	35.94	Pass	2151
3000	12000	1	RMS	11950.5	-41.39	-13	28.39	Pass	18003
12000	20000	1	RMS	19822.5	-31.96	-13	18.96	Pass	16002




7.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.12	-13	61.12	Pass	401
0.15	30	0.01	RMS	0.165	-71.88	-13	58.88	Pass	5971
30	1000	0.1	RMS	843.1	-63.4	-13	50.4	Pass	19402
1000	1840	1	RMS	1836	-52.32	-13	39.32	Pass	1681
1840	1925	1	RMS	1912.038	22.2	60	37.8	Pass	401
1925	3000	1	RMS	2942.5	-48.89	-13	35.89	Pass	2151
3000	12000	1	RMS	11966.5	-41.31	-13	28.31	Pass	18003
12000	20000	1	RMS	19792	-31.95	-13	18.95	Pass	16002




7.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.46	-13	60.46	Pass	401
0.15	30	0.01	RMS	0.165	-71.78	-13	58.78	Pass	5971
30	1000	0.1	RMS	854.252	-63.47	-13	50.47	Pass	19402
1000	1840	1	RMS	1839.5	-51.22	-13	38.22	Pass	1681
1840	1925	1	RMS	1850.2	23.13	60	36.87	Pass	401
1925	3000	1	RMS	2946.5	-48.9	-13	35.9	Pass	2151
3000	12000	1	RMS	11950	-41.27	-13	28.27	Pass	18003
12000	20000	1	RMS	19794.5	-32	-13	19	Pass	16002




7.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.21	-71.3	-13	58.3	Pass	5971
30	1000	0.1	RMS	846.4	-63.59	-13	50.59	Pass	19402
1000	1840	1	RMS	1839.5	-51.43	-13	38.43	Pass	1681
1840	1925	1	RMS	1850.2	22.36	60	37.64	Pass	401
1925	3000	1	RMS	2952	-48.99	-13	35.99	Pass	2151
3000	12000	1	RMS	11931	-41.31	-13	28.31	Pass	18003
12000	20000	1	RMS	19816	-31.97	-13	18.97	Pass	16002




7.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.36	-13	61.36	Pass	401
0.15	30	0.01	RMS	0.155	-71.34	-13	58.34	Pass	5971
30	1000	0.1	RMS	874.809	-63.51	-13	50.51	Pass	19402
1000	1840	1	RMS	1839	-52.34	-13	39.34	Pass	1681
1840	1925	1	RMS	1880.163	23.22	60	36.78	Pass	401
1925	3000	1	RMS	2961	-48.94	-13	35.94	Pass	2151
3000	12000	1	RMS	11959.5	-41.29	-13	28.29	Pass	18003
12000	20000	1	RMS	19800.5	-32.01	-13	19.01	Pass	16002




7.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:26365, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.06	-13	61.06	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	59.31	Pass	5971
30	1000	0.1	RMS	827.75	-63.44	-13	50.44	Pass	19402
1000	1840	1	RMS	1759	-52.36	-13	39.36	Pass	1681
1840	1925	1	RMS	1880.163	22.33	60	37.67	Pass	401
1925	3000	1	RMS	2939	-48.97	-13	35.97	Pass	2151
3000	12000	1	RMS	11948	-41.31	-13	28.31	Pass	18003
12000	20000	1	RMS	19798.5	-31.96	-13	18.96	Pass	16002




7.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.15	-70.12	-13	57.12	Pass	5971
30	1000	0.1	RMS	849.3	-63.51	-13	50.51	Pass	19402
1000	1840	1	RMS	1812	-52.31	-13	39.31	Pass	1681
1840	1925	1	RMS	1910.125	23.19	60	36.81	Pass	401
1925	3000	1	RMS	2948	-48.96	-13	35.96	Pass	2151
3000	12000	1	RMS	11932.5	-41.33	-13	28.33	Pass	18003
12000	20000	1	RMS	19801.5	-31.89	-13	18.89	Pass	16002




7.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.39	-13	60.39	Pass	401
0.15	30	0.01	RMS	0.17	-71.8	-13	58.8	Pass	5971
30	1000	0.1	RMS	969.79	-63.37	-13	50.37	Pass	19402
1000	1840	1	RMS	1834	-52.32	-13	39.32	Pass	1681
1840	1925	1	RMS	1910.338	22.35	60	37.65	Pass	401
1925	3000	1	RMS	2936	-48.95	-13	35.95	Pass	2151
3000	12000	1	RMS	11950	-41.33	-13	28.33	Pass	18003
12000	20000	1	RMS	19790.5	-31.91	-13	18.91	Pass	16002




7.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.89	-13	60.89	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	58.47	Pass	5971
30	1000	0.1	RMS	871.157	-63.5	-13	50.5	Pass	19402
1000	1840	1	RMS	1833	-50.91	-13	37.91	Pass	1681
1840	1925	1	RMS	1850.413	23	60	37	Pass	401
1925	3000	1	RMS	2941.5	-48.97	-13	35.97	Pass	2151
3000	12000	1	RMS	11934	-41.3	-13	28.3	Pass	18003
12000	20000	1	RMS	19792	-31.84	-13	18.84	Pass	16002




7.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.07	-13	61.07	Pass	401
0.15	30	0.01	RMS	0.17	-72	-13	59	Pass	5971
30	1000	0.1	RMS	856.252	-63.44	-13	50.44	Pass	19402
1000	1840	1	RMS	1840	-51.27	-13	38.27	Pass	1681
1840	1925	1	RMS	1850.413	22.36	60	37.64	Pass	401
1925	3000	1	RMS	2972.5	-48.94	-13	35.94	Pass	2151
3000	12000	1	RMS	11951.5	-41.22	-13	28.22	Pass	18003
12000	20000	1	RMS	19796	-31.94	-13	18.94	Pass	16002




7.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.04	-13	61.04	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	58.45	Pass	5971
30	1000	0.1	RMS	841.3	-63.54	-13	50.54	Pass	19402
1000	1840	1	RMS	1836	-52.33	-13	39.33	Pass	1681
1840	1925	1	RMS	1878.038	23.22	60	36.78	Pass	401
1925	3000	1	RMS	2947.5	-48.95	-13	35.95	Pass	2151
3000	12000	1	RMS	11942	-41.28	-13	28.28	Pass	18003
12000	20000	1	RMS	19803	-31.92	-13	18.92	Pass	16002




7.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26365, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.22	-72.33	-13	59.33	Pass	5971
30	1000	0.1	RMS	856.302	-63.5	-13	50.5	Pass	19402
1000	1840	1	RMS	1755.5	-52.32	-13	39.32	Pass	1681
1840	1925	1	RMS	1878.038	22.17	60	37.83	Pass	401
1925	3000	1	RMS	2943	-48.93	-13	35.93	Pass	2151
3000	12000	1	RMS	11944	-41.35	-13	28.35	Pass	18003
12000	20000	1	RMS	19790.5	-31.95	-13	18.95	Pass	16002




7.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.41	-13	60.41	Pass	401
0.15	30	0.01	RMS	0.155	-71.51	-13	58.51	Pass	5971
30	1000	0.1	RMS	842.8	-63.5	-13	50.5	Pass	19402
1000	1840	1	RMS	1768	-52.25	-13	39.25	Pass	1681
1840	1925	1	RMS	1905.45	23.39	60	36.61	Pass	401
1925	3000	1	RMS	2963	-48.96	-13	35.96	Pass	2151
3000	12000	1	RMS	11946.5	-41.34	-13	28.34	Pass	18003
12000	20000	1	RMS	19801	-31.95	-13	18.95	Pass	16002




7.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.52	-13	60.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	58.58	Pass	5971
30	1000	0.1	RMS	825.2	-63.58	-13	50.58	Pass	19402
1000	1840	1	RMS	1768	-52.27	-13	39.27	Pass	1681
1840	1925	1	RMS	1905.45	22.36	60	37.64	Pass	401
1925	3000	1	RMS	2942.5	-48.93	-13	35.93	Pass	2151
3000	12000	1	RMS	11951.5	-41.24	-13	28.24	Pass	18003
12000	20000	1	RMS	19803	-31.97	-13	18.97	Pass	16002




7.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.04	-13	61.04	Pass	401
0.15	30	0.01	RMS	0.21	-71.51	-13	58.51	Pass	5971
30	1000	0.1	RMS	855.552	-63.49	-13	50.49	Pass	19402
1000	1840	1	RMS	1837.5	-50.64	-13	37.64	Pass	1681
1840	1925	1	RMS	1850.625	23.11	60	36.89	Pass	401
1925	3000	1	RMS	2946.5	-48.96	-13	35.96	Pass	2151
3000	12000	1	RMS	11949.5	-41.29	-13	28.29	Pass	18003
12000	20000	1	RMS	19803.5	-31.98	-13	18.98	Pass	16002




7.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.15	-70.92	-13	57.92	Pass	5971
30	1000	0.1	RMS	822.6	-63.57	-13	50.57	Pass	19402
1000	1840	1	RMS	1837.5	-50.71	-13	37.71	Pass	1681
1840	1925	1	RMS	1850.838	22.33	60	37.67	Pass	401
1925	3000	1	RMS	2949.5	-48.98	-13	35.98	Pass	2151
3000	12000	1	RMS	11951	-41.31	-13	28.31	Pass	18003
12000	20000	1	RMS	19802	-31.92	-13	18.92	Pass	16002




7.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.19	-13	60.19	Pass	401
0.15	30	0.01	RMS	0.16	-71.09	-13	58.09	Pass	5971
30	1000	0.1	RMS	831.5	-63.49	-13	50.49	Pass	19402
1000	1840	1	RMS	1780	-52.33	-13	39.33	Pass	1681
1840	1925	1	RMS	1875.7	23.2	60	36.8	Pass	401
1925	3000	1	RMS	2940	-48.87	-13	35.87	Pass	2151
3000	12000	1	RMS	11960.5	-41.26	-13	28.26	Pass	18003
12000	20000	1	RMS	19775	-31.95	-13	18.95	Pass	16002




7.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26365, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.5	-13	60.5	Pass	401
0.15	30	0.01	RMS	0.19	-71.85	-13	58.85	Pass	5971
30	1000	0.1	RMS	827.6	-63.54	-13	50.54	Pass	19402
1000	1840	1	RMS	1836	-52.38	-13	39.38	Pass	1681
1840	1925	1	RMS	1875.7	22.2	60	37.8	Pass	401
1925	3000	1	RMS	2954	-48.95	-13	35.95	Pass	2151
3000	12000	1	RMS	11951.5	-41.35	-13	28.35	Pass	18003
12000	20000	1	RMS	19787	-31.93	-13	18.93	Pass	16002




7.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.51	-13	61.51	Pass	401
0.15	30	0.01	RMS	0.28	-71.02	-13	58.02	Pass	5971
30	1000	0.1	RMS	838.15	-63.43	-13	50.43	Pass	19402
1000	1840	1	RMS	1805	-52.38	-13	39.38	Pass	1681
1840	1925	1	RMS	1900.775	23.2	60	36.8	Pass	401
1925	3000	1	RMS	2944.5	-48.93	-13	35.93	Pass	2151
3000	12000	1	RMS	11951.5	-41.33	-13	28.33	Pass	18003
12000	20000	1	RMS	19802	-32.02	-13	19.02	Pass	16002




7.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.6	-13	60.6	Pass	401
0.15	30	0.01	RMS	0.155	-71.76	-13	58.76	Pass	5971
30	1000	0.1	RMS	867.506	-63.27	-13	50.27	Pass	19402
1000	1840	1	RMS	1828	-52.36	-13	39.36	Pass	1681
1840	1925	1	RMS	1900.775	22.36	60	37.64	Pass	401
1925	3000	1	RMS	2940	-48.96	-13	35.96	Pass	2151
3000	12000	1	RMS	11947.5	-41.33	-13	28.33	Pass	18003
12000	20000	1	RMS	19811.5	-31.88	-13	18.88	Pass	16002




7.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.67	-13	60.67	Pass	401
0.15	30	0.01	RMS	0.185	-71.91	-13	58.91	Pass	5971
30	1000	0.1	RMS	841.7	-63.34	-13	50.34	Pass	19402
1000	1840	1	RMS	1840	-51.65	-13	38.65	Pass	1681
1840	1925	1	RMS	1851.05	23.14	60	36.86	Pass	401
1925	3000	1	RMS	2946	-48.95	-13	35.95	Pass	2151
3000	12000	1	RMS	11950	-41.3	-13	28.3	Pass	18003
12000	20000	1	RMS	19786	-31.94	-13	18.94	Pass	16002




7.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.61	-13	60.61	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	58.45	Pass	5971
30	1000	0.1	RMS	861.354	-63.55	-13	50.55	Pass	19402
1000	1840	1	RMS	1833	-51.85	-13	38.85	Pass	1681
1840	1925	1	RMS	1851.05	22.36	60	37.64	Pass	401
1925	3000	1	RMS	2945	-48.97	-13	35.97	Pass	2151
3000	12000	1	RMS	11957	-41.26	-13	28.26	Pass	18003
12000	20000	1	RMS	19791.5	-31.96	-13	18.96	Pass	16002




7.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.66	-13	60.66	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	58.26	Pass	5971
30	1000	0.1	RMS	845.9	-63.49	-13	50.49	Pass	19402
1000	1840	1	RMS	1838	-49.6	-13	36.6	Pass	1681
1840	1925	1	RMS	1873.575	23.2	60	36.8	Pass	401
1925	3000	1	RMS	2944.5	-48.89	-13	35.89	Pass	2151
3000	12000	1	RMS	11943.5	-41.28	-13	28.28	Pass	18003
12000	20000	1	RMS	19800.5	-31.94	-13	18.94	Pass	16002




7.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:26365, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.7	-13	60.7	Pass	401
0.15	30	0.01	RMS	0.165	-71.93	-13	58.93	Pass	5971
30	1000	0.1	RMS	863.605	-63.41	-13	50.41	Pass	19402
1000	1840	1	RMS	1838	-50.2	-13	37.2	Pass	1681
1840	1925	1	RMS	1873.575	22.22	60	37.78	Pass	401
1925	3000	1	RMS	2964	-48.94	-13	35.94	Pass	2151
3000	12000	1	RMS	11952.5	-41.24	-13	28.24	Pass	18003
12000	20000	1	RMS	19802	-31.96	-13	18.96	Pass	16002




7.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.88	-13	60.88	Pass	401
0.15	30	0.01	RMS	0.16	-70.21	-13	57.21	Pass	5971
30	1000	0.1	RMS	819.9	-63.45	-13	50.45	Pass	19402
1000	1840	1	RMS	1752	-52.33	-13	39.33	Pass	1681
1840	1925	1	RMS	1895.888	22.99	60	37.01	Pass	401
1925	3000	1	RMS	2959.5	-48.96	-13	35.96	Pass	2151
3000	12000	1	RMS	11935	-41.27	-13	28.27	Pass	18003
12000	20000	1	RMS	19797	-31.98	-13	18.98	Pass	16002



7.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.17	-71.55	-13	58.55	Pass	5971
30	1000	0.1	RMS	855.752	-63.44	-13	50.44	Pass	19402
1000	1840	1	RMS	1777.5	-52.37	-13	39.37	Pass	1681
1840	1925	1	RMS	1895.888	22.13	60	37.87	Pass	401
1925	3000	1	RMS	2936	-48.91	-13	35.91	Pass	2151
3000	12000	1	RMS	11946.5	-41.35	-13	28.35	Pass	18003
12000	20000	1	RMS	19796.5	-31.91	-13	18.91	Pass	16002



8. LTE_Band30


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:27685, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.47	-40	33.47	Pass	401
0.15	30	0.01	RMS	0.23	-71.55	-40	31.55	Pass	5971
30	1000	0.1	RMS	344.65	-56.74	-40	16.74	Pass	19402
1000	2295	1	RMS	2295	-50.19	-40	10.19	Pass	2591
2295	2325	1	RMS	2305.35	23.31	60	36.69	Pass	401
2325	3000	1	RMS	2942	-49.01	-40	9.01	Pass	1351
3000	12000	1	RMS	11952	-60.78	-40	20.78	Pass	18003
12000	24000	1	RMS	23993	-48.11	-40	8.11	Pass	24003




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:27685, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-40	32.44	Pass	401
0.15	30	0.01	RMS	0.17	-72.35	-40	32.35	Pass	5971
30	1000	0.1	RMS	344.65	-58.61	-40	18.61	Pass	19402
1000	2295	1	RMS	2295	-50.37	-40	10.37	Pass	2591
2295	2325	1	RMS	2305.275	22.3	60	37.7	Pass	401
2325	3000	1	RMS	2943.5	-48.93	-40	8.93	Pass	1351
3000	12000	1	RMS	11945	-60.8	-40	20.8	Pass	18003
12000	24000	1	RMS	23999	-48.13	-40	8.13	Pass	24003




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:27710, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.09	-40	34.09	Pass	401
0.15	30	0.01	RMS	0.165	-71.27	-40	31.27	Pass	5971
30	1000	0.1	RMS	347.15	-56.39	-40	16.39	Pass	19402
1000	2295	1	RMS	2295	-50.86	-40	10.86	Pass	2591
2295	2325	1	RMS	2307.825	23.2	60	36.8	Pass	401
2325	3000	1	RMS	2955.5	-48.97	-40	8.97	Pass	1351
3000	12000	1	RMS	11963	-60.77	-40	20.77	Pass	18003
12000	24000	1	RMS	23988	-47.99	-40	7.99	Pass	24003




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:27710, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.82	-40	33.82	Pass	401
0.15	30	0.01	RMS	0.26	-70.96	-40	30.96	Pass	5971
30	1000	0.1	RMS	347.15	-57.72	-40	17.72	Pass	19402
1000	2295	1	RMS	2295	-50.78	-40	10.78	Pass	2591
2295	2325	1	RMS	2307.825	22.35	60	37.65	Pass	401
2325	3000	1	RMS	2940.5	-48.91	-40	8.91	Pass	1351
3000	12000	1	RMS	11954	-60.81	-40	20.81	Pass	18003
12000	24000	1	RMS	23981	-48.11	-40	8.11	Pass	24003




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:27735, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.69	-40	34.69	Pass	401
0.15	30	0.01	RMS	0.165	-71.3	-40	31.3	Pass	5971
30	1000	0.1	RMS	349.65	-56.76	-40	16.76	Pass	19402
1000	2295	1	RMS	2294	-50.83	-40	10.83	Pass	2591
2295	2325	1	RMS	2310.3	23.22	60	36.78	Pass	401
2325	3000	1	RMS	2939	-49	-40	9	Pass	1351
3000	12000	1	RMS	11943	-60.82	-40	20.82	Pass	18003
12000	24000	1	RMS	23983.5	-48.1	-40	8.1	Pass	24003




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:27735, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.99	-40	33.99	Pass	401
0.15	30	0.01	RMS	0.21	-72.06	-40	32.06	Pass	5971
30	1000	0.1	RMS	349.65	-57.61	-40	17.61	Pass	19402
1000	2295	1	RMS	2295	-50.81	-40	10.81	Pass	2591
2295	2325	1	RMS	2310.3	22.41	60	37.59	Pass	401
2325	3000	1	RMS	2945	-48.99	-40	8.99	Pass	1351
3000	12000	1	RMS	11966	-60.83	-40	20.83	Pass	18003
12000	24000	1	RMS	23997.5	-48.09	-40	8.09	Pass	24003




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.58	-40	34.58	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-40	31.11	Pass	5971
30	1000	0.1	RMS	344.9	-56.82	-40	16.82	Pass	19402
1000	2295	1	RMS	2295	-49.96	-40	9.96	Pass	2591
2295	2325	1	RMS	2305.575	23.25	60	36.75	Pass	401
2325	3000	1	RMS	2943	-48.97	-40	8.97	Pass	1351
3000	12000	1	RMS	11966	-60.79	-40	20.79	Pass	18003
12000	24000	1	RMS	23997.5	-48.04	-40	8.04	Pass	24003



8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:27710, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.14	-40	34.14	Pass	401
0.15	30	0.01	RMS	0.185	-71.26	-40	31.26	Pass	5971
30	1000	0.1	RMS	344.85	-58.52	-40	18.52	Pass	19402
1000	2295	1	RMS	2295	-50.41	-40	10.41	Pass	2591
2295	2325	1	RMS	2305.65	22.35	60	37.65	Pass	401
2325	3000	1	RMS	2944	-48.99	-40	8.99	Pass	1351
3000	12000	1	RMS	11954.5	-60.79	-40	20.79	Pass	18003
12000	24000	1	RMS	23990.5	-48.11	-40	8.11	Pass	24003



9. LTE_Band66


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.8	-13	60.8	Pass	401
0.15	30	0.01	RMS	0.15	-70.48	-13	57.48	Pass	5971
30	1000	0.1	RMS	839.95	-63.51	-13	50.51	Pass	19402
1000	1700	1	RMS	1699.5	-51.34	-13	38.34	Pass	1401
1700	1790	1	RMS	1710.125	23.05	60	36.95	Pass	401
1790	3000	1	RMS	2941	-48.92	-13	35.92	Pass	2421
3000	12000	1	RMS	11956	-41.32	-13	28.32	Pass	18003
12000	20000	1	RMS	19812	-31.97	-13	18.97	Pass	16002




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.29	-13	60.29	Pass	401
0.15	30	0.01	RMS	0.165	-72	-13	59	Pass	5971
30	1000	0.1	RMS	950.634	-63.51	-13	50.51	Pass	19402
1000	1700	1	RMS	1699.5	-51.57	-13	38.57	Pass	1401
1700	1790	1	RMS	1710.125	22.11	60	37.89	Pass	401
1790	3000	1	RMS	2950.5	-48.93	-13	35.93	Pass	2421
3000	12000	1	RMS	11941.5	-41.29	-13	28.29	Pass	18003
12000	20000	1	RMS	19803	-31.96	-13	18.96	Pass	16002




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.6	-13	60.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	58.42	Pass	5971
30	1000	0.1	RMS	844.9	-63.37	-13	50.37	Pass	19402
1000	1700	1	RMS	1699.5	-52.52	-13	39.52	Pass	1401
1700	1790	1	RMS	1744.325	23	60	37	Pass	401
1790	3000	1	RMS	2940	-48.89	-13	35.89	Pass	2421
3000	12000	1	RMS	11954.5	-41.17	-13	28.17	Pass	18003
12000	20000	1	RMS	19807	-31.89	-13	18.89	Pass	16002




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.53	-13	60.53	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	5971
30	1000	0.1	RMS	848.1	-63.34	-13	50.34	Pass	19402
1000	1700	1	RMS	1698	-52.48	-13	39.48	Pass	1401
1700	1790	1	RMS	1744.325	22.06	60	37.94	Pass	401
1790	3000	1	RMS	2944.5	-48.96	-13	35.96	Pass	2421
3000	12000	1	RMS	11944.5	-41.25	-13	28.25	Pass	18003
12000	20000	1	RMS	19804.5	-31.97	-13	18.97	Pass	16002




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.91	-13	60.91	Pass	401
0.15	30	0.01	RMS	0.16	-71.38	-13	58.38	Pass	5971
30	1000	0.1	RMS	821.6	-63.41	-13	50.41	Pass	19402
1000	1700	1	RMS	1697	-52.5	-13	39.5	Pass	1401
1700	1790	1	RMS	1778.75	22.84	60	37.16	Pass	401
1790	3000	1	RMS	2950	-48.95	-13	35.95	Pass	2421
3000	12000	1	RMS	11947.5	-41.3	-13	28.3	Pass	18003
12000	20000	1	RMS	19799.5	-31.95	-13	18.95	Pass	16002




**9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.22	-71.9	-13	58.9	Pass	5971
30	1000	0.1	RMS	845.65	-63.32	-13	50.32	Pass	19402
1000	1700	1	RMS	1695.5	-52.58	-13	39.58	Pass	1401
1700	1790	1	RMS	1778.75	21.94	60	38.06	Pass	401
1790	3000	1	RMS	2951.5	-48.87	-13	35.87	Pass	2421
3000	12000	1	RMS	11954	-41.3	-13	28.3	Pass	18003
12000	20000	1	RMS	19799.5	-31.92	-13	18.92	Pass	16002




**9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.32	-13	61.32	Pass	401
0.15	30	0.01	RMS	0.15	-71.16	-13	58.16	Pass	5971
30	1000	0.1	RMS	847.6	-63.55	-13	50.55	Pass	19402
1000	1700	1	RMS	1699.5	-51.32	-13	38.32	Pass	1401
1700	1790	1	RMS	1710.125	23.11	60	36.89	Pass	401
1790	3000	1	RMS	2944.5	-48.9	-13	35.9	Pass	2421
3000	12000	1	RMS	11940	-41.32	-13	28.32	Pass	18003
12000	20000	1	RMS	19802	-31.98	-13	18.98	Pass	16002




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.61	-13	60.61	Pass	401
0.15	30	0.01	RMS	0.155	-71.77	-13	58.77	Pass	5971
30	1000	0.1	RMS	839.35	-63.36	-13	50.36	Pass	19402
1000	1700	1	RMS	1699.5	-51.39	-13	38.39	Pass	1401
1700	1790	1	RMS	1710.125	22.29	60	37.71	Pass	401
1790	3000	1	RMS	2934.5	-48.9	-13	35.9	Pass	2421
3000	12000	1	RMS	11944.5	-41.29	-13	28.29	Pass	18003
12000	20000	1	RMS	19774	-32.01	-13	19.01	Pass	16002




9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.83	-13	60.83	Pass	401
0.15	30	0.01	RMS	0.16	-71.86	-13	58.86	Pass	5971
30	1000	0.1	RMS	829.4	-63.47	-13	50.47	Pass	19402
1000	1700	1	RMS	1699	-52.5	-13	39.5	Pass	1401
1700	1790	1	RMS	1743.65	23.23	60	36.77	Pass	401
1790	3000	1	RMS	2940.5	-48.91	-13	35.91	Pass	2421
3000	12000	1	RMS	11947.5	-41.35	-13	28.35	Pass	18003
12000	20000	1	RMS	19806.5	-31.94	-13	18.94	Pass	16002




9.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.74	-13	60.74	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	58.53	Pass	5971
30	1000	0.1	RMS	852.251	-63.48	-13	50.48	Pass	19402
1000	1700	1	RMS	1699	-52.54	-13	39.54	Pass	1401
1700	1790	1	RMS	1743.65	22.23	60	37.77	Pass	401
1790	3000	1	RMS	2933.5	-48.95	-13	35.95	Pass	2421
3000	12000	1	RMS	11952	-41.39	-13	28.39	Pass	18003
12000	20000	1	RMS	19785.5	-32.01	-13	19.01	Pass	16002




9.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.36	-13	60.36	Pass	401
0.15	30	0.01	RMS	0.21	-70.55	-13	57.55	Pass	5971
30	1000	0.1	RMS	864.855	-63.51	-13	50.51	Pass	19402
1000	1700	1	RMS	1698	-52.54	-13	39.54	Pass	1401
1700	1790	1	RMS	1777.175	22.9	60	37.1	Pass	401
1790	3000	1	RMS	2946	-48.96	-13	35.96	Pass	2421
3000	12000	1	RMS	11953	-41.39	-13	28.39	Pass	18003
12000	20000	1	RMS	19788	-31.95	-13	18.95	Pass	16002




9.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.185	-72.21	-13	59.21	Pass	5971
30	1000	0.1	RMS	841.2	-63.54	-13	50.54	Pass	19402
1000	1700	1	RMS	1697	-52.6	-13	39.6	Pass	1401
1700	1790	1	RMS	1777.175	21.99	60	38.01	Pass	401
1790	3000	1	RMS	2950	-48.94	-13	35.94	Pass	2421
3000	12000	1	RMS	11954	-41.18	-13	28.18	Pass	18003
12000	20000	1	RMS	19821	-32	-13	19	Pass	16002




9.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.7	-13	60.7	Pass	401
0.15	30	0.01	RMS	0.18	-71.61	-13	58.61	Pass	5971
30	1000	0.1	RMS	851.251	-63.44	-13	50.44	Pass	19402
1000	1700	1	RMS	1699.5	-51.35	-13	38.35	Pass	1401
1700	1790	1	RMS	1710.125	23.03	60	36.97	Pass	401
1790	3000	1	RMS	2946	-48.91	-13	35.91	Pass	2421
3000	12000	1	RMS	11949.5	-41.31	-13	28.31	Pass	18003
12000	20000	1	RMS	19794.5	-31.98	-13	18.98	Pass	16002




9.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.7	-13	60.7	Pass	401
0.15	30	0.01	RMS	0.155	-71.11	-13	58.11	Pass	5971
30	1000	0.1	RMS	859.103	-63.41	-13	50.41	Pass	19402
1000	1700	1	RMS	1699.5	-51.49	-13	38.49	Pass	1401
1700	1790	1	RMS	1710.125	22.12	60	37.88	Pass	401
1790	3000	1	RMS	2938.5	-48.9	-13	35.9	Pass	2421
3000	12000	1	RMS	11952	-41.3	-13	28.3	Pass	18003
12000	20000	1	RMS	19804.5	-31.89	-13	18.89	Pass	16002




9.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.55	-13	61.55	Pass	401
0.15	30	0.01	RMS	0.15	-69.97	-13	56.97	Pass	5971
30	1000	0.1	RMS	830.6	-63.49	-13	50.49	Pass	19402
1000	1700	1	RMS	1700	-52.4	-13	39.4	Pass	1401
1700	1790	1	RMS	1742.75	23.23	60	36.77	Pass	401
1790	3000	1	RMS	2957.5	-48.92	-13	35.92	Pass	2421
3000	12000	1	RMS	11938.5	-41.31	-13	28.31	Pass	18003
12000	20000	1	RMS	19795.5	-31.9	-13	18.9	Pass	16002




9.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.81	-13	60.81	Pass	401
0.15	30	0.01	RMS	0.305	-71.79	-13	58.79	Pass	5971
30	1000	0.1	RMS	846.95	-63.57	-13	50.57	Pass	19402
1000	1700	1	RMS	1698.5	-52.51	-13	39.51	Pass	1401
1700	1790	1	RMS	1742.75	22.4	60	37.6	Pass	401
1790	3000	1	RMS	2942.5	-48.96	-13	35.96	Pass	2421
3000	12000	1	RMS	11949	-41.29	-13	28.29	Pass	18003
12000	20000	1	RMS	19794.5	-31.87	-13	18.87	Pass	16002




9.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.02	-13	61.02	Pass	401
0.15	30	0.01	RMS	0.175	-71.8	-13	58.8	Pass	5971
30	1000	0.1	RMS	856.803	-63.39	-13	50.39	Pass	19402
1000	1700	1	RMS	1698.5	-52.38	-13	39.38	Pass	1401
1700	1790	1	RMS	1775.15	22.83	60	37.17	Pass	401
1790	3000	1	RMS	2957	-48.97	-13	35.97	Pass	2421
3000	12000	1	RMS	11941.5	-41.38	-13	28.38	Pass	18003
12000	20000	1	RMS	19778	-31.98	-13	18.98	Pass	16002




9.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.03	-13	61.03	Pass	401
0.15	30	0.01	RMS	0.185	-71.99	-13	58.99	Pass	5971
30	1000	0.1	RMS	848.95	-63.61	-13	50.61	Pass	19402
1000	1700	1	RMS	1699	-52.59	-13	39.59	Pass	1401
1700	1790	1	RMS	1775.15	22.06	60	37.94	Pass	401
1790	3000	1	RMS	2941.5	-48.96	-13	35.96	Pass	2421
3000	12000	1	RMS	11945.5	-41.39	-13	28.39	Pass	18003
12000	20000	1	RMS	19819	-31.91	-13	18.91	Pass	16002




9.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.73	-13	60.73	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	58.09	Pass	5971
30	1000	0.1	RMS	851.451	-63.34	-13	50.34	Pass	19402
1000	1700	1	RMS	1700	-51.29	-13	38.29	Pass	1401
1700	1790	1	RMS	1710.575	23.04	60	36.96	Pass	401
1790	3000	1	RMS	2944	-48.94	-13	35.94	Pass	2421
3000	12000	1	RMS	11941	-41.29	-13	28.29	Pass	18003
12000	20000	1	RMS	19789	-31.92	-13	18.92	Pass	16002




9.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.7	-13	60.7	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	58.27	Pass	5971
30	1000	0.1	RMS	871.007	-63.61	-13	50.61	Pass	19402
1000	1700	1	RMS	1700	-51.48	-13	38.48	Pass	1401
1700	1790	1	RMS	1710.575	22.29	60	37.71	Pass	401
1790	3000	1	RMS	2946.5	-48.95	-13	35.95	Pass	2421
3000	12000	1	RMS	11956	-41.31	-13	28.31	Pass	18003
12000	20000	1	RMS	19796.5	-31.97	-13	18.97	Pass	16002




9.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.2	-13	60.2	Pass	401
0.15	30	0.01	RMS	0.155	-71.73	-13	58.73	Pass	5971
30	1000	0.1	RMS	834.35	-63.52	-13	50.52	Pass	19402
1000	1700	1	RMS	1699.5	-52.54	-13	39.54	Pass	1401
1700	1790	1	RMS	1740.5	23.28	60	36.72	Pass	401
1790	3000	1	RMS	2949	-48.96	-13	35.96	Pass	2421
3000	12000	1	RMS	11937	-41.19	-13	28.19	Pass	18003
12000	20000	1	RMS	19818.5	-31.9	-13	18.9	Pass	16002




9.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	58.56	Pass	5971
30	1000	0.1	RMS	858.353	-63.35	-13	50.35	Pass	19402
1000	1700	1	RMS	1699.5	-52.55	-13	39.55	Pass	1401
1700	1790	1	RMS	1740.5	22.3	60	37.7	Pass	401
1790	3000	1	RMS	2943	-48.96	-13	35.96	Pass	2421
3000	12000	1	RMS	11957	-41.29	-13	28.29	Pass	18003
12000	20000	1	RMS	19778.5	-31.98	-13	18.98	Pass	16002




9.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.1	-13	61.1	Pass	401
0.15	30	0.01	RMS	0.155	-71.54	-13	58.54	Pass	5971
30	1000	0.1	RMS	868.006	-63.46	-13	50.46	Pass	19402
1000	1700	1	RMS	1698.5	-52.59	-13	39.59	Pass	1401
1700	1790	1	RMS	1770.425	22.99	60	37.01	Pass	401
1790	3000	1	RMS	2941	-48.98	-13	35.98	Pass	2421
3000	12000	1	RMS	11950.5	-41.3	-13	28.3	Pass	18003
12000	20000	1	RMS	19793.5	-31.95	-13	18.95	Pass	16002




9.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.18	-71.35	-13	58.35	Pass	5971
30	1000	0.1	RMS	859.653	-63.45	-13	50.45	Pass	19402
1000	1700	1	RMS	1700	-52.55	-13	39.55	Pass	1401
1700	1790	1	RMS	1770.425	22.07	60	37.93	Pass	401
1790	3000	1	RMS	2939	-48.96	-13	35.96	Pass	2421
3000	12000	1	RMS	11933.5	-41.4	-13	28.4	Pass	18003
12000	20000	1	RMS	19803	-31.91	-13	18.91	Pass	16002




9.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.275	-71.61	-13	58.61	Pass	5971
30	1000	0.1	RMS	877.509	-63.64	-13	50.64	Pass	19402
1000	1700	1	RMS	1697.5	-51.25	-13	38.25	Pass	1401
1700	1790	1	RMS	1710.8	23.03	60	36.97	Pass	401
1790	3000	1	RMS	2968	-48.97	-13	35.97	Pass	2421
3000	12000	1	RMS	11944.5	-41.32	-13	28.32	Pass	18003
12000	20000	1	RMS	19788.5	-31.96	-13	18.96	Pass	16002




9.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.34	-13	61.34	Pass	401
0.15	30	0.01	RMS	0.325	-71.58	-13	58.58	Pass	5971
30	1000	0.1	RMS	858.553	-63.54	-13	50.54	Pass	19402
1000	1700	1	RMS	1697.5	-51.38	-13	38.38	Pass	1401
1700	1790	1	RMS	1710.8	22.29	60	37.71	Pass	401
1790	3000	1	RMS	2940.5	-48.98	-13	35.98	Pass	2421
3000	12000	1	RMS	11960	-41.35	-13	28.35	Pass	18003
12000	20000	1	RMS	19802	-31.94	-13	18.94	Pass	16002




9.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.42	-13	61.42	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-13	58.49	Pass	5971
30	1000	0.1	RMS	831.25	-63.45	-13	50.45	Pass	19402
1000	1700	1	RMS	1698.5	-52.54	-13	39.54	Pass	1401
1700	1790	1	RMS	1738.25	23.2	60	36.8	Pass	401
1790	3000	1	RMS	2943	-48.95	-13	35.95	Pass	2421
3000	12000	1	RMS	11947	-41.25	-13	28.25	Pass	18003
12000	20000	1	RMS	19790	-31.96	-13	18.96	Pass	16002




9.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.92	-13	60.92	Pass	401
0.15	30	0.01	RMS	0.155	-71.47	-13	58.47	Pass	5971
30	1000	0.1	RMS	853.251	-63.58	-13	50.58	Pass	19402
1000	1700	1	RMS	1690.5	-52.57	-13	39.57	Pass	1401
1700	1790	1	RMS	1738.25	22.31	60	37.69	Pass	401
1790	3000	1	RMS	2940	-48.98	-13	35.98	Pass	2421
3000	12000	1	RMS	11966.5	-41.35	-13	28.35	Pass	18003
12000	20000	1	RMS	19810.5	-31.98	-13	18.98	Pass	16002




9.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.21	-13	60.21	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	58.73	Pass	5971
30	1000	0.1	RMS	832.65	-63.52	-13	50.52	Pass	19402
1000	1700	1	RMS	1692	-52.58	-13	39.58	Pass	1401
1700	1790	1	RMS	1765.7	22.98	60	37.02	Pass	401
1790	3000	1	RMS	1792.5	-43.34	-13	30.34	Pass	2421
3000	12000	1	RMS	11953	-41.36	-13	28.36	Pass	18003
12000	20000	1	RMS	19806.5	-31.99	-13	18.99	Pass	16002




9.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.08	-13	61.08	Pass	401
0.15	30	0.01	RMS	0.155	-71.67	-13	58.67	Pass	5971
30	1000	0.1	RMS	840	-63.34	-13	50.34	Pass	19402
1000	1700	1	RMS	1698	-52.53	-13	39.53	Pass	1401
1700	1790	1	RMS	1765.7	22.18	60	37.82	Pass	401
1790	3000	1	RMS	1792.5	-44.47	-13	31.47	Pass	2421
3000	12000	1	RMS	11940	-41.28	-13	28.28	Pass	18003
12000	20000	1	RMS	19803	-31.91	-13	18.91	Pass	16002




9.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.72	-13	60.72	Pass	401
0.15	30	0.01	RMS	0.155	-72.69	-13	59.69	Pass	5971
30	1000	0.1	RMS	838.2	-63.52	-13	50.52	Pass	19402
1000	1700	1	RMS	1700	-51.6	-13	38.6	Pass	1401
1700	1790	1	RMS	1711.025	23.06	60	36.94	Pass	401
1790	3000	1	RMS	2947.5	-49.02	-13	36.02	Pass	2421
3000	12000	1	RMS	11954.5	-41.3	-13	28.3	Pass	18003
12000	20000	1	RMS	19797.5	-31.91	-13	18.91	Pass	16002




9.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.68	-13	60.68	Pass	401
0.15	30	0.01	RMS	0.155	-72.16	-13	59.16	Pass	5971
30	1000	0.1	RMS	991.447	-63.55	-13	50.55	Pass	19402
1000	1700	1	RMS	1693.5	-51.58	-13	38.58	Pass	1401
1700	1790	1	RMS	1711.025	22.29	60	37.71	Pass	401
1790	3000	1	RMS	2952.5	-48.93	-13	35.93	Pass	2421
3000	12000	1	RMS	11953.5	-41.38	-13	28.38	Pass	18003
12000	20000	1	RMS	19803	-32.02	-13	19.02	Pass	16002




9.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	5971
30	1000	0.1	RMS	850.701	-63.5	-13	50.5	Pass	19402
1000	1700	1	RMS	1700	-52.04	-13	39.04	Pass	1401
1700	1790	1	RMS	1736	23.2	60	36.8	Pass	401
1790	3000	1	RMS	2939.5	-48.95	-13	35.95	Pass	2421
3000	12000	1	RMS	11940	-41.28	-13	28.28	Pass	18003
12000	20000	1	RMS	19800	-31.91	-13	18.91	Pass	16002




9.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.325	-72.19	-13	59.19	Pass	5971
30	1000	0.1	RMS	836.4	-63.43	-13	50.43	Pass	19402
1000	1700	1	RMS	1700	-52.25	-13	39.25	Pass	1401
1700	1790	1	RMS	1736	22.23	60	37.77	Pass	401
1790	3000	1	RMS	2938.5	-48.94	-13	35.94	Pass	2421
3000	12000	1	RMS	11950	-41.29	-13	28.29	Pass	18003
12000	20000	1	RMS	19824	-31.95	-13	18.95	Pass	16002




9.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.86	-13	60.86	Pass	401
0.15	30	0.01	RMS	0.165	-71.32	-13	58.32	Pass	5971
30	1000	0.1	RMS	838.85	-63.3	-13	50.3	Pass	19402
1000	1700	1	RMS	1698.5	-52.56	-13	39.56	Pass	1401
1700	1790	1	RMS	1760.975	23.01	60	36.99	Pass	401
1790	3000	1	RMS	1796.5	-45.46	-13	32.46	Pass	2421
3000	12000	1	RMS	11955	-41.31	-13	28.31	Pass	18003
12000	20000	1	RMS	19794.5	-31.97	-13	18.97	Pass	16002



9.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.51	-13	60.51	Pass	401
0.15	30	0.01	RMS	0.285	-72.04	-13	59.04	Pass	5971
30	1000	0.1	RMS	850.2	-63.39	-13	50.39	Pass	19402
1000	1700	1	RMS	1696	-52.45	-13	39.45	Pass	1401
1700	1790	1	RMS	1760.975	21.99	60	38.01	Pass	401
1790	3000	1	RMS	1796.5	-46.79	-13	33.79	Pass	2421
3000	12000	1	RMS	11943	-41.33	-13	28.33	Pass	18003
12000	20000	1	RMS	19787.5	-31.97	-13	18.97	Pass	16002



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.99	-13	59.99	Pass	401
0.15	30	0.01	RMS	0.165	-71.47	-13	58.47	Pass	5971
30	814	0.1	RMS	813.55	-62.69	-13	49.69	Pass	15681
814	860	0.1	RMS	824.25	20.8	60	39.2	Pass	921
860	1000	0.1	RMS	984.6	-63.52	-13	50.52	Pass	2801
1000	3000	1	RMS	1648.5	-47.76	-13	34.76	Pass	4001
3000	10000	1	RMS	7897.5	-43.52	-13	30.52	Pass	14002




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.86	-13	60.86	Pass	401
0.15	30	0.01	RMS	0.2	-71.47	-13	58.47	Pass	5971
30	814	0.1	RMS	813.55	-62.81	-13	49.81	Pass	15681
814	860	0.1	RMS	824.25	19.57	60	40.43	Pass	921
860	1000	0.1	RMS	860.45	-63.54	-13	50.54	Pass	2801
1000	3000	1	RMS	1648.5	-48.62	-13	35.62	Pass	4001
3000	10000	1	RMS	8754.5	-43.5	-13	30.5	Pass	14002




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.14	-13	61.14	Pass	401
0.15	30	0.01	RMS	0.185	-71.77	-13	58.77	Pass	5971
30	814	0.1	RMS	813.9	-63.56	-13	50.56	Pass	15681
814	860	0.1	RMS	836.05	20.99	60	39.01	Pass	921
860	1000	0.1	RMS	860.9	-63.57	-13	50.57	Pass	2801
1000	3000	1	RMS	1672	-47.42	-13	34.42	Pass	4001
3000	10000	1	RMS	7897.5	-43.49	-13	30.49	Pass	14002




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.77	-13	61.77	Pass	401
0.15	30	0.01	RMS	0.155	-71.37	-13	58.37	Pass	5971
30	814	0.1	RMS	813.6	-63.65	-13	50.65	Pass	15681
814	860	0.1	RMS	836.05	19.9	60	40.1	Pass	921
860	1000	0.1	RMS	864.5	-63.7	-13	50.7	Pass	2801
1000	3000	1	RMS	1672	-48.19	-13	35.19	Pass	4001
3000	10000	1	RMS	7898.5	-43.49	-13	30.49	Pass	14002




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.33	-13	60.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	58.53	Pass	5971
30	814	0.1	RMS	811.25	-63.79	-13	50.79	Pass	15681
814	860	0.1	RMS	847.85	21.14	60	38.86	Pass	921
860	1000	0.1	RMS	998.95	-63.6	-13	50.6	Pass	2801
1000	3000	1	RMS	1695.5	-44.54	-13	31.54	Pass	4001
3000	10000	1	RMS	7000.5	-43.52	-13	30.52	Pass	14002




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.17	-13	61.17	Pass	401
0.15	30	0.01	RMS	0.255	-71.58	-13	58.58	Pass	5971
30	814	0.1	RMS	813.25	-63.77	-13	50.77	Pass	15681
814	860	0.1	RMS	847.85	20.18	60	39.82	Pass	921
860	1000	0.1	RMS	864.1	-63.52	-13	50.52	Pass	2801
1000	3000	1	RMS	1695.5	-45.46	-13	32.46	Pass	4001
3000	10000	1	RMS	7901	-43.56	-13	30.56	Pass	14002




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.12	-13	61.12	Pass	401
0.15	30	0.01	RMS	0.185	-72.19	-13	59.19	Pass	5971
30	814	0.1	RMS	813.5	-62.86	-13	49.86	Pass	15681
814	860	0.1	RMS	824.25	20.8	60	39.2	Pass	921
860	1000	0.1	RMS	862.45	-63.77	-13	50.77	Pass	2801
1000	3000	1	RMS	1648.5	-47.76	-13	34.76	Pass	4001
3000	10000	1	RMS	7900.5	-43.44	-13	30.44	Pass	14002




**10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.54	-13	60.54	Pass	401
0.15	30	0.01	RMS	0.17	-72.1	-13	59.1	Pass	5971
30	814	0.1	RMS	813.55	-62.56	-13	49.56	Pass	15681
814	860	0.1	RMS	824.25	19.9	60	40.1	Pass	921
860	1000	0.1	RMS	948.85	-63.68	-13	50.68	Pass	2801
1000	3000	1	RMS	1648.5	-48.47	-13	35.47	Pass	4001
3000	10000	1	RMS	7889.5	-43.53	-13	30.53	Pass	14002




10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.4	-13	60.4	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	58.95	Pass	5971
30	814	0.1	RMS	810.9	-63.54	-13	50.54	Pass	15681
814	860	0.1	RMS	835.25	21.02	60	38.98	Pass	921
860	1000	0.1	RMS	938.45	-63.7	-13	50.7	Pass	2801
1000	3000	1	RMS	1670.5	-47.04	-13	34.04	Pass	4001
3000	10000	1	RMS	7001.5	-43.47	-13	30.47	Pass	14002




10.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.23	-71.82	-13	58.82	Pass	5971
30	814	0.1	RMS	812.1	-63.73	-13	50.73	Pass	15681
814	860	0.1	RMS	835.25	20.02	60	39.98	Pass	921
860	1000	0.1	RMS	973.85	-63.51	-13	50.51	Pass	2801
1000	3000	1	RMS	1670.5	-48.32	-13	35.32	Pass	4001
3000	10000	1	RMS	7001.5	-43.51	-13	30.51	Pass	14002




10.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.77	-13	60.77	Pass	401
0.15	30	0.01	RMS	0.19	-71.92	-13	58.92	Pass	5971
30	814	0.1	RMS	810.75	-63.77	-13	50.77	Pass	15681
814	860	0.1	RMS	846.25	21.22	60	38.78	Pass	921
860	1000	0.1	RMS	864	-63.67	-13	50.67	Pass	2801
1000	3000	1	RMS	1692.5	-44.56	-13	31.56	Pass	4001
3000	10000	1	RMS	7897.5	-43.52	-13	30.52	Pass	14002




10.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.41	-13	60.41	Pass	401
0.15	30	0.01	RMS	0.185	-72.3	-13	59.3	Pass	5971
30	814	0.1	RMS	739.24	-63.83	-13	50.83	Pass	15681
814	860	0.1	RMS	846.25	20.29	60	39.71	Pass	921
860	1000	0.1	RMS	874.75	-63.68	-13	50.68	Pass	2801
1000	3000	1	RMS	1692.5	-45.32	-13	32.32	Pass	4001
3000	10000	1	RMS	7908	-43.53	-13	30.53	Pass	14002




10.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.83	-13	60.83	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	59.21	Pass	5971
30	814	0.1	RMS	813.65	-62.32	-13	49.32	Pass	15681
814	860	0.1	RMS	824.35	20.55	60	39.45	Pass	921
860	1000	0.1	RMS	873.75	-63.61	-13	50.61	Pass	2801
1000	3000	1	RMS	1648.5	-47.83	-13	34.83	Pass	4001
3000	10000	1	RMS	7899.5	-43.58	-13	30.58	Pass	14002




10.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.79	-13	60.79	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	59.22	Pass	5971
30	814	0.1	RMS	813.6	-62.49	-13	49.49	Pass	15681
814	860	0.1	RMS	824.35	19.78	60	40.22	Pass	921
860	1000	0.1	RMS	946.8	-63.48	-13	50.48	Pass	2801
1000	3000	1	RMS	1648.5	-48.71	-13	35.71	Pass	4001
3000	10000	1	RMS	7903	-43.53	-13	30.53	Pass	14002




10.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-13	59.08	Pass	5971
30	814	0.1	RMS	809.899	-63.88	-13	50.88	Pass	15681
814	860	0.1	RMS	834.35	21.06	60	38.94	Pass	921
860	1000	0.1	RMS	863.45	-63.56	-13	50.56	Pass	2801
1000	3000	1	RMS	1668.5	-47.37	-13	34.37	Pass	4001
3000	10000	1	RMS	7898	-43.48	-13	30.48	Pass	14002




**10.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.165	-71.62	-13	58.62	Pass	5971
30	814	0.1	RMS	811.5	-63.65	-13	50.65	Pass	15681
814	860	0.1	RMS	834.35	20.13	60	39.87	Pass	921
860	1000	0.1	RMS	860.55	-63.71	-13	50.71	Pass	2801
1000	3000	1	RMS	1668.5	-48.31	-13	35.31	Pass	4001
3000	10000	1	RMS	8748.5	-43.46	-13	30.46	Pass	14002




10.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.17	-72.05	-13	59.05	Pass	5971
30	814	0.1	RMS	810.35	-63.64	-13	50.64	Pass	15681
814	860	0.1	RMS	844.35	20.99	60	39.01	Pass	921
860	1000	0.1	RMS	864	-63.67	-13	50.67	Pass	2801
1000	3000	1	RMS	1688.5	-45.53	-13	32.53	Pass	4001
3000	10000	1	RMS	7880	-43.49	-13	30.49	Pass	14002




**10.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.29	-72.51	-13	59.51	Pass	5971
30	814	0.1	RMS	811.95	-63.62	-13	50.62	Pass	15681
814	860	0.1	RMS	844.35	20.17	60	39.83	Pass	921
860	1000	0.1	RMS	860.95	-63.59	-13	50.59	Pass	2801
1000	3000	1	RMS	1688.5	-46.44	-13	33.44	Pass	4001
3000	10000	1	RMS	7900.5	-43.51	-13	30.51	Pass	14002




10.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.23	-71.85	-13	58.85	Pass	5971
30	814	0.1	RMS	813.9	-62.41	-13	49.41	Pass	15681
814	860	0.1	RMS	824.6	20.84	60	39.16	Pass	921
860	1000	0.1	RMS	873.55	-63.66	-13	50.66	Pass	2801
1000	3000	1	RMS	1649	-47.93	-13	34.93	Pass	4001
3000	10000	1	RMS	7897	-43.55	-13	30.55	Pass	14002




10.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.72	-13	60.72	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	58.65	Pass	5971
30	814	0.1	RMS	813.9	-63.08	-13	50.08	Pass	15681
814	860	0.1	RMS	824.6	20.02	60	39.98	Pass	921
860	1000	0.1	RMS	860.8	-63.46	-13	50.46	Pass	2801
1000	3000	1	RMS	1649	-48.52	-13	35.52	Pass	4001
3000	10000	1	RMS	7902	-43.54	-13	30.54	Pass	14002




10.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.8	-13	60.8	Pass	401
0.15	30	0.01	RMS	0.155	-71.55	-13	58.55	Pass	5971
30	814	0.1	RMS	809.099	-63.7	-13	50.7	Pass	15681
814	860	0.1	RMS	832.1	20.94	60	39.06	Pass	921
860	1000	0.1	RMS	871.7	-63.61	-13	50.61	Pass	2801
1000	3000	1	RMS	1664	-47.68	-13	34.68	Pass	4001
3000	10000	1	RMS	8749.5	-43.53	-13	30.53	Pass	14002




10.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.26	-71.33	-13	58.33	Pass	5971
30	814	0.1	RMS	813.2	-63.56	-13	50.56	Pass	15681
814	860	0.1	RMS	832.1	19.98	60	40.02	Pass	921
860	1000	0.1	RMS	964.1	-63.42	-13	50.42	Pass	2801
1000	3000	1	RMS	1664	-48.62	-13	35.62	Pass	4001
3000	10000	1	RMS	8760.5	-43.55	-13	30.55	Pass	14002




10.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.165	-71.44	-13	58.44	Pass	5971
30	814	0.1	RMS	813.2	-63.35	-13	50.35	Pass	15681
814	860	0.1	RMS	839.6	21.22	60	38.78	Pass	921
860	1000	0.1	RMS	865.6	-63.62	-13	50.62	Pass	2801
1000	3000	1	RMS	1679	-47.03	-13	34.03	Pass	4001
3000	10000	1	RMS	7875	-43.51	-13	30.51	Pass	14002



10.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.66	-13	60.66	Pass	401
0.15	30	0.01	RMS	0.305	-72.08	-13	59.08	Pass	5971
30	814	0.1	RMS	813.85	-63.39	-13	50.39	Pass	15681
814	860	0.1	RMS	839.6	20.29	60	39.71	Pass	921
860	1000	0.1	RMS	965.05	-63.63	-13	50.63	Pass	2801
1000	3000	1	RMS	1679	-48.07	-13	35.07	Pass	4001
3000	10000	1	RMS	7900	-43.47	-13	30.47	Pass	14002



11. LTE_Band12


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.43	-13	61.43	Pass	401
0.15	30	0.01	RMS	0.165	-71.99	-13	58.99	Pass	5971
30	689	0.1	RMS	688.55	-63.03	-13	50.03	Pass	13181
689	726	0.1	RMS	699.25	20.58	60	39.42	Pass	741
726	1000	0.1	RMS	823.85	-63.17	-13	50.17	Pass	5481
1000	3000	1	RMS	1398.5	-48.1	-13	35.1	Pass	4001
3000	10000	1	RMS	7914	-43.53	-13	30.53	Pass	14002




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.41	-13	61.41	Pass	401
0.15	30	0.01	RMS	0.195	-72.23	-13	59.23	Pass	5971
30	689	0.1	RMS	688.55	-63.62	-13	50.62	Pass	13181
689	726	0.1	RMS	699.25	19.55	60	40.45	Pass	741
726	1000	0.1	RMS	998.1	-63.17	-13	50.17	Pass	5481
1000	3000	1	RMS	1398.5	-48.89	-13	35.89	Pass	4001
3000	10000	1	RMS	7902.5	-43.48	-13	30.48	Pass	14002




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.44	-13	61.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	58.38	Pass	5971
30	689	0.1	RMS	507.914	-64.27	-13	51.27	Pass	13181
689	726	0.1	RMS	707.05	20.73	60	39.27	Pass	741
726	1000	0.1	RMS	859.05	-63.2	-13	50.2	Pass	5481
1000	3000	1	RMS	1414	-48.12	-13	35.12	Pass	4001
3000	10000	1	RMS	7905.5	-43.44	-13	30.44	Pass	14002




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.92	-13	60.92	Pass	401
0.15	30	0.01	RMS	0.315	-71.84	-13	58.84	Pass	5971
30	689	0.1	RMS	499.312	-64.24	-13	51.24	Pass	13181
689	726	0.1	RMS	707.05	19.78	60	40.22	Pass	741
726	1000	0.1	RMS	848.1	-62.93	-13	49.93	Pass	5481
1000	3000	1	RMS	2941	-48.92	-13	35.92	Pass	4001
3000	10000	1	RMS	7001.5	-43.47	-13	30.47	Pass	14002




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.36	-13	60.36	Pass	401
0.15	30	0.01	RMS	0.235	-72.12	-13	59.12	Pass	5971
30	689	0.1	RMS	621.186	-64.28	-13	51.28	Pass	13181
689	726	0.1	RMS	714.85	20.62	60	39.38	Pass	741
726	1000	0.1	RMS	842.8	-63.09	-13	50.09	Pass	5481
1000	3000	1	RMS	1429.5	-48.45	-13	35.45	Pass	4001
3000	10000	1	RMS	7903.5	-43.46	-13	30.46	Pass	14002




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.185	-72.28	-13	59.28	Pass	5971
30	689	0.1	RMS	503.463	-64.1	-13	51.1	Pass	13181
689	726	0.1	RMS	714.85	19.69	60	40.31	Pass	741
726	1000	0.1	RMS	850.4	-63.25	-13	50.25	Pass	5481
1000	3000	1	RMS	2953.5	-48.97	-13	35.97	Pass	4001
3000	10000	1	RMS	7899	-43.52	-13	30.52	Pass	14002




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.45	-13	61.45	Pass	401
0.15	30	0.01	RMS	0.3	-71.79	-13	58.79	Pass	5971
30	689	0.1	RMS	688.55	-62.97	-13	49.97	Pass	13181
689	726	0.1	RMS	699.25	20.6	60	39.4	Pass	741
726	1000	0.1	RMS	848.85	-63.03	-13	50.03	Pass	5481
1000	3000	1	RMS	1398.5	-48.12	-13	35.12	Pass	4001
3000	10000	1	RMS	7006.5	-43.53	-13	30.53	Pass	14002




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.34	-13	61.34	Pass	401
0.15	30	0.01	RMS	0.25	-71.3	-13	58.3	Pass	5971
30	689	0.1	RMS	688.5	-63.55	-13	50.55	Pass	13181
689	726	0.1	RMS	699.25	19.83	60	40.17	Pass	741
726	1000	0.1	RMS	849.8	-63.01	-13	50.01	Pass	5481
1000	3000	1	RMS	1398.5	-48.79	-13	35.79	Pass	4001
3000	10000	1	RMS	7900	-43.48	-13	30.48	Pass	14002




11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.5	-13	61.5	Pass	401
0.15	30	0.01	RMS	0.17	-70.75	-13	57.75	Pass	5971
30	689	0.1	RMS	495.711	-64.21	-13	51.21	Pass	13181
689	726	0.1	RMS	706.25	20.83	60	39.17	Pass	741
726	1000	0.1	RMS	971.9	-63.21	-13	50.21	Pass	5481
1000	3000	1	RMS	1412.5	-48.26	-13	35.26	Pass	4001
3000	10000	1	RMS	7906	-43.53	-13	30.53	Pass	14002




11.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.94	-13	60.94	Pass	401
0.15	30	0.01	RMS	0.165	-71.39	-13	58.39	Pass	5971
30	689	0.1	RMS	481.708	-64.12	-13	51.12	Pass	13181
689	726	0.1	RMS	706.25	19.83	60	40.17	Pass	741
726	1000	0.1	RMS	845.1	-62.83	-13	49.83	Pass	5481
1000	3000	1	RMS	2946.5	-48.89	-13	35.89	Pass	4001
3000	10000	1	RMS	7901	-43.42	-13	30.42	Pass	14002




11.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.2	-13	60.2	Pass	401
0.15	30	0.01	RMS	0.25	-71.83	-13	58.83	Pass	5971
30	689	0.1	RMS	496.911	-64.19	-13	51.19	Pass	13181
689	726	0.1	RMS	713.25	20.73	60	39.27	Pass	741
726	1000	0.1	RMS	825.3	-63.11	-13	50.11	Pass	5481
1000	3000	1	RMS	1426.5	-47.8	-13	34.8	Pass	4001
3000	10000	1	RMS	7003.5	-43.45	-13	30.45	Pass	14002




11.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.02	-13	61.02	Pass	401
0.15	30	0.01	RMS	0.155	-71.2	-13	58.2	Pass	5971
30	689	0.1	RMS	498.962	-64.3	-13	51.3	Pass	13181
689	726	0.1	RMS	713.25	19.8	60	40.2	Pass	741
726	1000	0.1	RMS	947.55	-63.3	-13	50.3	Pass	5481
1000	3000	1	RMS	1426.5	-48.77	-13	35.77	Pass	4001
3000	10000	1	RMS	7896.5	-43.5	-13	30.5	Pass	14002




11.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.7	-13	60.7	Pass	401
0.15	30	0.01	RMS	0.155	-71.61	-13	58.61	Pass	5971
30	689	0.1	RMS	688.65	-63.08	-13	50.08	Pass	13181
689	726	0.1	RMS	699.35	20.51	60	39.49	Pass	741
726	1000	0.1	RMS	831.4	-63.1	-13	50.1	Pass	5481
1000	3000	1	RMS	1398.5	-48.22	-13	35.22	Pass	4001
3000	10000	1	RMS	7914.5	-43.49	-13	30.49	Pass	14002




11.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.74	-13	61.74	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	58.94	Pass	5971
30	689	0.1	RMS	688.65	-63.57	-13	50.57	Pass	13181
689	726	0.1	RMS	699.35	19.72	60	40.28	Pass	741
726	1000	0.1	RMS	833.95	-63.09	-13	50.09	Pass	5481
1000	3000	1	RMS	2941	-48.93	-13	35.93	Pass	4001
3000	10000	1	RMS	6999	-43.42	-13	30.42	Pass	14002




11.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.69	-13	61.69	Pass	401
0.15	30	0.01	RMS	0.195	-72.18	-13	59.18	Pass	5971
30	689	0.1	RMS	491.51	-64.23	-13	51.23	Pass	13181
689	726	0.1	RMS	705.35	20.64	60	39.36	Pass	741
726	1000	0.1	RMS	844	-63.17	-13	50.17	Pass	5481
1000	3000	1	RMS	1410.5	-48.47	-13	35.47	Pass	4001
3000	10000	1	RMS	7912	-43.48	-13	30.48	Pass	14002




**11.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16,
Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.19	-13	61.19	Pass	401
0.15	30	0.01	RMS	0.175	-71.33	-13	58.33	Pass	5971
30	689	0.1	RMS	389.7	-64.19	-13	51.19	Pass	13181
689	726	0.1	RMS	705.35	19.87	60	40.13	Pass	741
726	1000	0.1	RMS	854.5	-62.84	-13	49.84	Pass	5481
1000	3000	1	RMS	2941.5	-48.95	-13	35.95	Pass	4001
3000	10000	1	RMS	7002.5	-43.44	-13	30.44	Pass	14002




11.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.96	-13	60.96	Pass	401
0.15	30	0.01	RMS	0.175	-71.43	-13	58.43	Pass	5971
30	689	0.1	RMS	516.165	-64.03	-13	51.03	Pass	13181
689	726	0.1	RMS	711.35	20.69	60	39.31	Pass	741
726	1000	0.1	RMS	835.8	-62.97	-13	49.97	Pass	5481
1000	3000	1	RMS	1422.5	-47.97	-13	34.97	Pass	4001
3000	10000	1	RMS	7906.5	-43.45	-13	30.45	Pass	14002




**11.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.24	-13	60.24	Pass	401
0.15	30	0.01	RMS	0.175	-71.44	-13	58.44	Pass	5971
30	689	0.1	RMS	622.637	-64.16	-13	51.16	Pass	13181
689	726	0.1	RMS	711.35	20.08	60	39.92	Pass	741
726	1000	0.1	RMS	822.45	-63.14	-13	50.14	Pass	5481
1000	3000	1	RMS	1422.5	-48.64	-13	35.64	Pass	4001
3000	10000	1	RMS	7000.5	-43.44	-13	30.44	Pass	14002




**11.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19,
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.75	-13	60.75	Pass	401
0.15	30	0.01	RMS	0.36	-72.53	-13	59.53	Pass	5971
30	689	0.1	RMS	688.9	-62.57	-13	49.57	Pass	13181
689	726	0.1	RMS	699.6	20.64	60	39.36	Pass	741
726	1000	0.1	RMS	855.65	-63.19	-13	50.19	Pass	5481
1000	3000	1	RMS	1399	-48.1	-13	35.1	Pass	4001
3000	10000	1	RMS	7898.5	-43.45	-13	30.45	Pass	14002




11.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.66	-13	60.66	Pass	401
0.15	30	0.01	RMS	0.155	-71.66	-13	58.66	Pass	5971
30	689	0.1	RMS	688.9	-63.37	-13	50.37	Pass	13181
689	726	0.1	RMS	699.6	19.83	60	40.17	Pass	741
726	1000	0.1	RMS	841.55	-63.02	-13	50.02	Pass	5481
1000	3000	1	RMS	1399	-48.9	-13	35.9	Pass	4001
3000	10000	1	RMS	7898	-43.49	-13	30.49	Pass	14002




11.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.02	-13	61.02	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	5971
30	689	0.1	RMS	618.686	-64.1	-13	51.1	Pass	13181
689	726	0.1	RMS	703.1	20.79	60	39.21	Pass	741
726	1000	0.1	RMS	840.35	-63.29	-13	50.29	Pass	5481
1000	3000	1	RMS	1406	-48.23	-13	35.23	Pass	4001
3000	10000	1	RMS	7003	-43.46	-13	30.46	Pass	14002




11.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.59	-13	60.59	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	5971
30	689	0.1	RMS	511.764	-64.23	-13	51.23	Pass	13181
689	726	0.1	RMS	703.1	19.69	60	40.31	Pass	741
726	1000	0.1	RMS	845	-62.97	-13	49.97	Pass	5481
1000	3000	1	RMS	2937	-48.96	-13	35.96	Pass	4001
3000	10000	1	RMS	7900.5	-43.48	-13	30.48	Pass	14002




11.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.45	-13	61.45	Pass	401
0.15	30	0.01	RMS	0.21	-72.06	-13	59.06	Pass	5971
30	689	0.1	RMS	512.365	-64.03	-13	51.03	Pass	13181
689	726	0.1	RMS	706.6	20.83	60	39.17	Pass	741
726	1000	0.1	RMS	873.75	-63.19	-13	50.19	Pass	5481
1000	3000	1	RMS	1413	-48.38	-13	35.38	Pass	4001
3000	10000	1	RMS	8759	-43.48	-13	30.48	Pass	14002



11.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.23	-71.49	-13	58.49	Pass	5971
30	689	0.1	RMS	605.583	-64.24	-13	51.24	Pass	13181
689	726	0.1	RMS	706.6	19.92	60	40.08	Pass	741
726	1000	0.1	RMS	845.95	-62.65	-13	49.65	Pass	5481
1000	3000	1	RMS	2944.5	-48.96	-13	35.96	Pass	4001
3000	10000	1	RMS	7878.5	-43.43	-13	30.43	Pass	14002



12. LTE_Band13


12.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.44	-13	61.44	Pass	401
0.15	30	0.01	RMS	0.17	-71.71	-13	58.71	Pass	5971
30	767	0.1	RMS	766.65	-62.95	-13	49.95	Pass	14741
767	797	0.1	RMS	777.35	20.72	60	39.28	Pass	601
797	1000	0.1	RMS	854.1	-63.37	-13	50.37	Pass	4061
1000	3000	1	RMS	1554.5	-48.23	-13	35.23	Pass	4001
3000	10000	1	RMS	6999.5	-43.51	-13	30.51	Pass	14002




12.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.97	-13	60.97	Pass	401
0.15	30	0.01	RMS	0.175	-71.87	-13	58.87	Pass	5971
30	767	0.1	RMS	766.65	-63.36	-13	50.36	Pass	14741
767	797	0.1	RMS	777.35	19.89	60	40.11	Pass	601
797	1000	0.1	RMS	851.65	-63.4	-13	50.4	Pass	4061
1000	3000	1	RMS	2945	-48.97	-13	35.97	Pass	4001
3000	10000	1	RMS	7898	-43.53	-13	30.53	Pass	14002




12.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.22	-13	60.22	Pass	401
0.15	30	0.01	RMS	0.165	-71.56	-13	58.56	Pass	5971
30	767	0.1	RMS	732.195	-64.11	-13	51.11	Pass	14741
767	797	0.1	RMS	779.85	20.89	60	39.11	Pass	601
797	1000	0.1	RMS	841.3	-63.35	-13	50.35	Pass	4061
1000	3000	1	RMS	1559.5	-48.08	-13	35.08	Pass	4001
3000	10000	1	RMS	7923	-43.52	-13	30.52	Pass	14002




**12.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4,
Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.43	-13	60.43	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-13	59.44	Pass	5971
30	767	0.1	RMS	722.343	-63.99	-13	50.99	Pass	14741
767	797	0.1	RMS	779.85	20.01	60	39.99	Pass	601
797	1000	0.1	RMS	905	-63.39	-13	50.39	Pass	4061
1000	3000	1	RMS	1559.5	-48.8	-13	35.8	Pass	4001
3000	10000	1	RMS	7905.5	-43.5	-13	30.5	Pass	14002




12.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.12	-13	60.12	Pass	401
0.15	30	0.01	RMS	0.15	-70.91	-13	57.91	Pass	5971
30	767	0.1	RMS	720.993	-64.12	-13	51.12	Pass	14741
767	797	0.1	RMS	782.35	20.71	60	39.29	Pass	601
797	1000	0.1	RMS	839.6	-63.34	-13	50.34	Pass	4061
1000	3000	1	RMS	1564.5	-48.07	-13	35.07	Pass	4001
3000	10000	1	RMS	7890	-43.5	-13	30.5	Pass	14002




12.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.01	-13	60.01	Pass	401
0.15	30	0.01	RMS	0.155	-71.74	-13	58.74	Pass	5971
30	767	0.1	RMS	750.297	-64.08	-13	51.08	Pass	14741
767	797	0.1	RMS	782.35	20.02	60	39.98	Pass	601
797	1000	0.1	RMS	847.95	-63.35	-13	50.35	Pass	4061
1000	3000	1	RMS	1564.5	-48.97	-13	35.97	Pass	4001
3000	10000	1	RMS	7901	-43.4	-13	30.4	Pass	14002




**12.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.03	-13	60.03	Pass	401
0.15	30	0.01	RMS	0.16	-72.07	-13	59.07	Pass	5971
30	767	0.1	RMS	766.9	-63.01	-13	50.01	Pass	14741
767	797	0.1	RMS	777.6	20.94	60	39.06	Pass	601
797	1000	0.1	RMS	850.25	-63.26	-13	50.26	Pass	4061
1000	3000	1	RMS	1555	-48.21	-13	35.21	Pass	4001
3000	10000	1	RMS	7893	-43.52	-13	30.52	Pass	14002



12.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.63	-13	60.63	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-13	59.34	Pass	5971
30	767	0.1	RMS	766.9	-63.58	-13	50.58	Pass	14741
767	797	0.1	RMS	777.6	19.97	60	40.03	Pass	601
797	1000	0.1	RMS	799.4	-63.34	-13	50.34	Pass	4061
1000	3000	1	RMS	2949	-48.97	-13	35.97	Pass	4001
3000	10000	1	RMS	7908	-43.48	-13	30.48	Pass	14002



14. LTE_Band17


14.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.165	-72.02	-13	59.02	Pass	5971
30	694	0.1	RMS	693.6	-63.26	-13	50.26	Pass	13281
694	726	0.1	RMS	704.35	20.52	60	39.48	Pass	641
726	1000	0.1	RMS	877.65	-63.23	-13	50.23	Pass	5481
1000	3000	1	RMS	1408.5	-48.33	-13	35.33	Pass	4001
3000	10000	1	RMS	7909.5	-43.49	-13	30.49	Pass	14002




14.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.31	-13	60.31	Pass	401
0.15	30	0.01	RMS	0.37	-72.13	-13	59.13	Pass	5971
30	694	0.1	RMS	693.65	-63.3	-13	50.3	Pass	13281
694	726	0.1	RMS	704.35	19.92	60	40.08	Pass	641
726	1000	0.1	RMS	854.8	-63.02	-13	50.02	Pass	5481
1000	3000	1	RMS	2945	-48.95	-13	35.95	Pass	4001
3000	10000	1	RMS	7897.5	-43.5	-13	30.5	Pass	14002




14.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.99	-13	61.99	Pass	401
0.15	30	0.01	RMS	0.155	-72.58	-13	59.58	Pass	5971
30	694	0.1	RMS	606.483	-64.24	-13	51.24	Pass	13281
694	726	0.1	RMS	707.85	20.94	60	39.06	Pass	641
726	1000	0.1	RMS	836.8	-63.11	-13	50.11	Pass	5481
1000	3000	1	RMS	1415.5	-47.92	-13	34.92	Pass	4001
3000	10000	1	RMS	7005	-43.5	-13	30.5	Pass	14002




14.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.84	-13	60.84	Pass	401
0.15	30	0.01	RMS	0.16	-72.16	-13	59.16	Pass	5971
30	694	0.1	RMS	513.014	-64.21	-13	51.21	Pass	13281
694	726	0.1	RMS	707.85	20.08	60	39.92	Pass	641
726	1000	0.1	RMS	848	-63.2	-13	50.2	Pass	5481
1000	3000	1	RMS	1415.5	-48.8	-13	35.8	Pass	4001
3000	10000	1	RMS	7910.5	-43.49	-13	30.49	Pass	14002




14.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.56	-13	61.56	Pass	401
0.15	30	0.01	RMS	0.165	-71.2	-13	58.2	Pass	5971
30	694	0.1	RMS	615.585	-64.26	-13	51.26	Pass	13281
694	726	0.1	RMS	711.35	20.65	60	39.35	Pass	641
726	1000	0.1	RMS	823.4	-63.18	-13	50.18	Pass	5481
1000	3000	1	RMS	1422.5	-47.77	-13	34.77	Pass	4001
3000	10000	1	RMS	7909	-43.53	-13	30.53	Pass	14002




**14.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.51	-13	60.51	Pass	401
0.15	30	0.01	RMS	0.195	-71.68	-13	58.68	Pass	5971
30	694	0.1	RMS	492.86	-64.25	-13	51.25	Pass	13281
694	726	0.1	RMS	711.35	20.16	60	39.84	Pass	641
726	1000	0.1	RMS	821.2	-63.05	-13	50.05	Pass	5481
1000	3000	1	RMS	1422.5	-48.63	-13	35.63	Pass	4001
3000	10000	1	RMS	7899.5	-43.51	-13	30.51	Pass	14002




14.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.16	-72.56	-13	59.56	Pass	5971
30	694	0.1	RMS	693.9	-63.26	-13	50.26	Pass	13281
694	726	0.1	RMS	704.6	20.78	60	39.22	Pass	641
726	1000	0.1	RMS	849.8	-63.01	-13	50.01	Pass	5481
1000	3000	1	RMS	1409	-48.29	-13	35.29	Pass	4001
3000	10000	1	RMS	7904	-43.51	-13	30.51	Pass	14002




14.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.67	-13	61.67	Pass	401
0.15	30	0.01	RMS	0.185	-72.11	-13	59.11	Pass	5971
30	694	0.1	RMS	693.9	-63.36	-13	50.36	Pass	13281
694	726	0.1	RMS	704.6	19.95	60	40.05	Pass	641
726	1000	0.1	RMS	863.95	-63.06	-13	50.06	Pass	5481
1000	3000	1	RMS	1409	-48.97	-13	35.97	Pass	4001
3000	10000	1	RMS	7900	-43.5	-13	30.5	Pass	14002




14.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.68	-13	60.68	Pass	401
0.15	30	0.01	RMS	0.23	-72.21	-13	59.21	Pass	5971
30	694	0.1	RMS	504.013	-64.2	-13	51.2	Pass	13281
694	726	0.1	RMS	705.6	20.85	60	39.15	Pass	641
726	1000	0.1	RMS	839.1	-63.25	-13	50.25	Pass	5481
1000	3000	1	RMS	1411	-48.37	-13	35.37	Pass	4001
3000	10000	1	RMS	7901.5	-43.5	-13	30.5	Pass	14002




14.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.38	-13	60.38	Pass	401
0.15	30	0.01	RMS	0.395	-71.87	-13	58.87	Pass	5971
30	694	0.1	RMS	484.859	-64.27	-13	51.27	Pass	13281
694	726	0.1	RMS	705.6	19.79	60	40.21	Pass	641
726	1000	0.1	RMS	832.5	-63.1	-13	50.1	Pass	5481
1000	3000	1	RMS	2944	-48.99	-13	35.99	Pass	4001
3000	10000	1	RMS	7903	-43.5	-13	30.5	Pass	14002




14.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.97	-13	60.97	Pass	401
0.15	30	0.01	RMS	0.22	-72.34	-13	59.34	Pass	5971
30	694	0.1	RMS	593.48	-64.29	-13	51.29	Pass	13281
694	726	0.1	RMS	706.6	20.9	60	39.1	Pass	641
726	1000	0.1	RMS	854.15	-63.08	-13	50.08	Pass	5481
1000	3000	1	RMS	1413	-48.25	-13	35.25	Pass	4001
3000	10000	1	RMS	7905.5	-43.48	-13	30.48	Pass	14002



14.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.47	-13	61.47	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	5971
30	694	0.1	RMS	505.413	-64.28	-13	51.28	Pass	13281
694	726	0.1	RMS	706.6	19.97	60	40.03	Pass	641
726	1000	0.1	RMS	856.3	-63.08	-13	50.08	Pass	5481
1000	3000	1	RMS	2949.5	-48.92	-13	35.92	Pass	4001
3000	10000	1	RMS	7695.5	-43.49	-13	30.49	Pass	14002



15. LTE_Band26(part22)


15.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.46	-13	60.46	Pass	401
0.15	30	0.01	RMS	0.16	-71.38	-13	58.38	Pass	5971
30	814	0.1	RMS	813.55	-62.06	-13	49.06	Pass	15681
814	860	0.1	RMS	824.25	20.75	60	39.25	Pass	921
860	1000	0.1	RMS	870.05	-63.47	-13	50.47	Pass	2801
1000	3000	1	RMS	1648.5	-47.57	-13	34.57	Pass	4001
3000	10000	1	RMS	7892.5	-43.42	-13	30.42	Pass	14002




15.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.34	-13	61.34	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	5971
30	814	0.1	RMS	813.55	-62.12	-13	49.12	Pass	15681
814	860	0.1	RMS	824.25	19.63	60	40.37	Pass	921
860	1000	0.1	RMS	867.95	-63.55	-13	50.55	Pass	2801
1000	3000	1	RMS	1648.5	-48.35	-13	35.35	Pass	4001
3000	10000	1	RMS	7896.5	-43.32	-13	30.32	Pass	14002




15.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.27	-13	60.27	Pass	401
0.15	30	0.01	RMS	0.22	-71.76	-13	58.76	Pass	5971
30	814	0.1	RMS	812.2	-63.33	-13	50.33	Pass	15681
814	860	0.1	RMS	836.05	20.9	60	39.1	Pass	921
860	1000	0.1	RMS	865.65	-63.47	-13	50.47	Pass	2801
1000	3000	1	RMS	1672	-47.36	-13	34.36	Pass	4001
3000	10000	1	RMS	7923.5	-43.42	-13	30.42	Pass	14002




15.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.35	-13	60.35	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	5971
30	814	0.1	RMS	812.05	-63.6	-13	50.6	Pass	15681
814	860	0.1	RMS	836.05	20.08	60	39.92	Pass	921
860	1000	0.1	RMS	998.85	-63.57	-13	50.57	Pass	2801
1000	3000	1	RMS	1672	-48.22	-13	35.22	Pass	4001
3000	10000	1	RMS	7013	-43.4	-13	30.4	Pass	14002




15.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.365	-72.18	-13	59.18	Pass	5971
30	814	0.1	RMS	810.8	-63.46	-13	50.46	Pass	15681
814	860	0.1	RMS	847.85	20.87	60	39.13	Pass	921
860	1000	0.1	RMS	860.3	-63.55	-13	50.55	Pass	2801
1000	3000	1	RMS	1695.5	-44.81	-13	31.81	Pass	4001
3000	10000	1	RMS	7900.5	-43.36	-13	30.36	Pass	14002




15.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.56	-13	61.56	Pass	401
0.15	30	0.01	RMS	0.21	-71.69	-13	58.69	Pass	5971
30	814	0.1	RMS	813.3	-63.58	-13	50.58	Pass	15681
814	860	0.1	RMS	847.85	19.76	60	40.24	Pass	921
860	1000	0.1	RMS	867.15	-63.48	-13	50.48	Pass	2801
1000	3000	1	RMS	1695.5	-45.67	-13	32.67	Pass	4001
3000	10000	1	RMS	7893.5	-43.36	-13	30.36	Pass	14002




**15.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.47	-13	60.47	Pass	401
0.15	30	0.01	RMS	0.15	-70.01	-13	57.01	Pass	5971
30	814	0.1	RMS	813.55	-62.16	-13	49.16	Pass	15681
814	860	0.1	RMS	824.25	20.76	60	39.24	Pass	921
860	1000	0.1	RMS	861.4	-63.4	-13	50.4	Pass	2801
1000	3000	1	RMS	1648.5	-47.57	-13	34.57	Pass	4001
3000	10000	1	RMS	7901	-43.31	-13	30.31	Pass	14002




**15.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.08	-13	61.08	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-13	58.85	Pass	5971
30	814	0.1	RMS	813.55	-62.29	-13	49.29	Pass	15681
814	860	0.1	RMS	824.25	19.89	60	40.11	Pass	921
860	1000	0.1	RMS	886.6	-63.58	-13	50.58	Pass	2801
1000	3000	1	RMS	1648.5	-48.19	-13	35.19	Pass	4001
3000	10000	1	RMS	7923	-43.42	-13	30.42	Pass	14002




15.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.61	-13	61.61	Pass	401
0.15	30	0.01	RMS	0.155	-72	-13	59	Pass	5971
30	814	0.1	RMS	810.45	-63.57	-13	50.57	Pass	15681
814	860	0.1	RMS	835.25	20.77	60	39.23	Pass	921
860	1000	0.1	RMS	882.25	-63.61	-13	50.61	Pass	2801
1000	3000	1	RMS	1670.5	-47.45	-13	34.45	Pass	4001
3000	10000	1	RMS	7902	-43.32	-13	30.32	Pass	14002




15.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.55	-13	60.55	Pass	401
0.15	30	0.01	RMS	0.175	-71.53	-13	58.53	Pass	5971
30	814	0.1	RMS	813.65	-63.31	-13	50.31	Pass	15681
814	860	0.1	RMS	835.25	19.82	60	40.18	Pass	921
860	1000	0.1	RMS	875.2	-63.53	-13	50.53	Pass	2801
1000	3000	1	RMS	1670.5	-48.31	-13	35.31	Pass	4001
3000	10000	1	RMS	7884	-43.37	-13	30.37	Pass	14002




15.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.18	-13	61.18	Pass	401
0.15	30	0.01	RMS	0.18	-72.06	-13	59.06	Pass	5971
30	814	0.1	RMS	813	-63.57	-13	50.57	Pass	15681
814	860	0.1	RMS	846.25	20.74	60	39.26	Pass	921
860	1000	0.1	RMS	860.15	-63.27	-13	50.27	Pass	2801
1000	3000	1	RMS	1692.5	-44.64	-13	31.64	Pass	4001
3000	10000	1	RMS	7899	-43.35	-13	30.35	Pass	14002




15.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.29	-13	61.29	Pass	401
0.15	30	0.01	RMS	0.18	-71.31	-13	58.31	Pass	5971
30	814	0.1	RMS	811.9	-63.73	-13	50.73	Pass	15681
814	860	0.1	RMS	846.25	20.05	60	39.95	Pass	921
860	1000	0.1	RMS	860.4	-63.57	-13	50.57	Pass	2801
1000	3000	1	RMS	1692.5	-45.66	-13	32.66	Pass	4001
3000	10000	1	RMS	7893	-43.39	-13	30.39	Pass	14002




15.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.96	-13	60.96	Pass	401
0.15	30	0.01	RMS	0.155	-71.42	-13	58.42	Pass	5971
30	814	0.1	RMS	813.6	-61.75	-13	48.75	Pass	15681
814	860	0.1	RMS	824.35	20.63	60	39.37	Pass	921
860	1000	0.1	RMS	870.9	-63.66	-13	50.66	Pass	2801
1000	3000	1	RMS	1648.5	-47.78	-13	34.78	Pass	4001
3000	10000	1	RMS	7002.5	-43.4	-13	30.4	Pass	14002




15.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.22	-13	60.22	Pass	401
0.15	30	0.01	RMS	0.17	-72.21	-13	59.21	Pass	5971
30	814	0.1	RMS	813.65	-61.99	-13	48.99	Pass	15681
814	860	0.1	RMS	824.35	19.89	60	40.11	Pass	921
860	1000	0.1	RMS	867.95	-63.38	-13	50.38	Pass	2801
1000	3000	1	RMS	1648.5	-48.45	-13	35.45	Pass	4001
3000	10000	1	RMS	7453.5	-43.38	-13	30.38	Pass	14002




15.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.03	-13	61.03	Pass	401
0.15	30	0.01	RMS	0.17	-71.52	-13	58.52	Pass	5971
30	814	0.1	RMS	809.399	-63.58	-13	50.58	Pass	15681
814	860	0.1	RMS	834.35	20.73	60	39.27	Pass	921
860	1000	0.1	RMS	861.4	-63.48	-13	50.48	Pass	2801
1000	3000	1	RMS	1668.5	-47.78	-13	34.78	Pass	4001
3000	10000	1	RMS	7898.5	-43.33	-13	30.33	Pass	14002




**15.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16,
Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.54	-13	61.54	Pass	401
0.15	30	0.01	RMS	0.165	-72.01	-13	59.01	Pass	5971
30	814	0.1	RMS	808.949	-63.58	-13	50.58	Pass	15681
814	860	0.1	RMS	834.35	19.98	60	40.02	Pass	921
860	1000	0.1	RMS	860.2	-63.55	-13	50.55	Pass	2801
1000	3000	1	RMS	1668.5	-48.35	-13	35.35	Pass	4001
3000	10000	1	RMS	7888.5	-43.41	-13	30.41	Pass	14002




15.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.38	-13	60.38	Pass	401
0.15	30	0.01	RMS	0.165	-70.96	-13	57.96	Pass	5971
30	814	0.1	RMS	812.15	-63.53	-13	50.53	Pass	15681
814	860	0.1	RMS	844.35	20.72	60	39.28	Pass	921
860	1000	0.1	RMS	863.65	-63.59	-13	50.59	Pass	2801
1000	3000	1	RMS	1688.5	-45.67	-13	32.67	Pass	4001
3000	10000	1	RMS	7896.5	-43.42	-13	30.42	Pass	14002




15.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.24	-13	61.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	58.17	Pass	5971
30	814	0.1	RMS	811.25	-63.53	-13	50.53	Pass	15681
814	860	0.1	RMS	844.35	20.02	60	39.98	Pass	921
860	1000	0.1	RMS	860.3	-63.45	-13	50.45	Pass	2801
1000	3000	1	RMS	1688.5	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	7900.5	-43.37	-13	30.37	Pass	14002




15.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.84	-13	60.84	Pass	401
0.15	30	0.01	RMS	0.165	-71.36	-13	58.36	Pass	5971
30	814	0.1	RMS	813.9	-62.19	-13	49.19	Pass	15681
814	860	0.1	RMS	824.6	20.89	60	39.11	Pass	921
860	1000	0.1	RMS	860.95	-63.52	-13	50.52	Pass	2801
1000	3000	1	RMS	1649	-47.66	-13	34.66	Pass	4001
3000	10000	1	RMS	7002	-43.39	-13	30.39	Pass	14002




15.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.28	-13	60.28	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	59.08	Pass	5971
30	814	0.1	RMS	813.9	-62.34	-13	49.34	Pass	15681
814	860	0.1	RMS	824.6	20.13	60	39.87	Pass	921
860	1000	0.1	RMS	983.15	-63.39	-13	50.39	Pass	2801
1000	3000	1	RMS	1649	-48.37	-13	35.37	Pass	4001
3000	10000	1	RMS	7905.5	-43.37	-13	30.37	Pass	14002




15.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.42	-13	60.42	Pass	401
0.15	30	0.01	RMS	0.295	-71.7	-13	58.7	Pass	5971
30	814	0.1	RMS	812.9	-63.46	-13	50.46	Pass	15681
814	860	0.1	RMS	832.1	20.89	60	39.11	Pass	921
860	1000	0.1	RMS	862.6	-63.49	-13	50.49	Pass	2801
1000	3000	1	RMS	1664	-47.58	-13	34.58	Pass	4001
3000	10000	1	RMS	7900.5	-43.36	-13	30.36	Pass	14002




15.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.32	-13	60.32	Pass	401
0.15	30	0.01	RMS	0.225	-72.09	-13	59.09	Pass	5971
30	814	0.1	RMS	810.5	-63.62	-13	50.62	Pass	15681
814	860	0.1	RMS	832.1	19.77	60	40.23	Pass	921
860	1000	0.1	RMS	867.8	-63.39	-13	50.39	Pass	2801
1000	3000	1	RMS	1664	-48.5	-13	35.5	Pass	4001
3000	10000	1	RMS	7893	-43.34	-13	30.34	Pass	14002




15.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.44	-13	60.44	Pass	401
0.15	30	0.01	RMS	0.16	-71.22	-13	58.22	Pass	5971
30	814	0.1	RMS	813.55	-63.22	-13	50.22	Pass	15681
814	860	0.1	RMS	839.6	20.76	60	39.24	Pass	921
860	1000	0.1	RMS	973.7	-63.33	-13	50.33	Pass	2801
1000	3000	1	RMS	1679	-47.39	-13	34.39	Pass	4001
3000	10000	1	RMS	7893.5	-43.37	-13	30.37	Pass	14002




15.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.98	-13	60.98	Pass	401
0.15	30	0.01	RMS	0.155	-70.58	-13	57.58	Pass	5971
30	814	0.1	RMS	813.4	-63.2	-13	50.2	Pass	15681
814	860	0.1	RMS	839.6	20.09	60	39.91	Pass	921
860	1000	0.1	RMS	981.15	-63.6	-13	50.6	Pass	2801
1000	3000	1	RMS	1679	-48.09	-13	35.09	Pass	4001
3000	10000	1	RMS	7000.5	-43.35	-13	30.35	Pass	14002




15.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.16	-13	60.16	Pass	401
0.15	30	0.01	RMS	0.285	-70.92	-13	57.92	Pass	5971
30	814	0.1	RMS	811.45	-59.98	-13	46.98	Pass	15681
814	860	0.1	RMS	824.85	20.76	60	39.24	Pass	921
860	1000	0.1	RMS	941.7	-63.62	-13	50.62	Pass	2801
1000	3000	1	RMS	1649.5	-47.78	-13	34.78	Pass	4001
3000	10000	1	RMS	7884.5	-43.41	-13	30.41	Pass	14002




15.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.58	-13	60.58	Pass	401
0.15	30	0.01	RMS	0.33	-72.18	-13	59.18	Pass	5971
30	814	0.1	RMS	811.45	-59.84	-13	46.84	Pass	15681
814	860	0.1	RMS	824.85	19.9	60	40.1	Pass	921
860	1000	0.1	RMS	862	-63.64	-13	50.64	Pass	2801
1000	3000	1	RMS	1649.5	-48.38	-13	35.38	Pass	4001
3000	10000	1	RMS	7910	-43.37	-13	30.37	Pass	14002




15.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.25	-13	60.25	Pass	401
0.15	30	0.01	RMS	0.15	-70.67	-13	57.67	Pass	5971
30	814	0.1	RMS	809.849	-62.83	-13	49.83	Pass	15681
814	860	0.1	RMS	829.85	20.8	60	39.2	Pass	921
860	1000	0.1	RMS	874.75	-63.61	-13	50.61	Pass	2801
1000	3000	1	RMS	1659.5	-47.61	-13	34.61	Pass	4001
3000	10000	1	RMS	7907.5	-43.43	-13	30.43	Pass	14002




15.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.08	-13	61.08	Pass	401
0.15	30	0.01	RMS	0.19	-69.93	-13	56.93	Pass	5971
30	814	0.1	RMS	809.749	-63.25	-13	50.25	Pass	15681
814	860	0.1	RMS	829.85	19.82	60	40.18	Pass	921
860	1000	0.1	RMS	927.9	-63.49	-13	50.49	Pass	2801
1000	3000	1	RMS	1659.5	-48.56	-13	35.56	Pass	4001
3000	10000	1	RMS	7013	-43.37	-13	30.37	Pass	14002




15.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74	-13	61	Pass	401
0.15	30	0.01	RMS	0.21	-71.47	-13	58.47	Pass	5971
30	814	0.1	RMS	813.1	-63.39	-13	50.39	Pass	15681
814	860	0.1	RMS	834.85	20.62	60	39.38	Pass	921
860	1000	0.1	RMS	882.1	-63.61	-13	50.61	Pass	2801
1000	3000	1	RMS	1669.5	-47.6	-13	34.6	Pass	4001
3000	10000	1	RMS	7701	-43.39	-13	30.39	Pass	14002



15.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.165	-70.8	-13	57.8	Pass	5971
30	814	0.1	RMS	812.5	-63.42	-13	50.42	Pass	15681
814	860	0.1	RMS	834.85	20.07	60	39.93	Pass	921
860	1000	0.1	RMS	988.55	-63.57	-13	50.57	Pass	2801
1000	3000	1	RMS	1669.5	-48.16	-13	35.16	Pass	4001
3000	10000	1	RMS	8760	-43.37	-13	30.37	Pass	14002



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-68.07	-13	55.07	Pass	401
0.15	30	0.01	Peak	0.18	-63.13	-13	50.13	Pass	5971
30	809	0.1	Peak	808.8	-52.75	-13	39.75	Pass	15581
809	829	0.1	Peak	814.3	25.83	60	34.17	Pass	401
829	1000	0.1	Peak	860.15	-52.94	-13	39.94	Pass	3421
1000	3000	1	Peak	1629	-36.42	-13	23.42	Pass	4001
3000	10000	1	Peak	7609	-31.17	-13	18.17	Pass	14002




1.2. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.4	-13	53.4	Pass	401
0.15	30	0.01	Peak	0.28	-64.53	-13	51.53	Pass	5971
30	809	0.1	Peak	804.649	-53.34	-13	40.34	Pass	15581
809	829	0.1	Peak	814.2	26.34	60	33.66	Pass	401
829	1000	0.1	Peak	832.4	-52.03	-13	39.03	Pass	3421
1000	3000	1	Peak	1628	-37.33	-13	24.33	Pass	4001
3000	10000	1	Peak	9793	-31.05	-13	18.05	Pass	14002




1.3. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.13	-13	54.13	Pass	401
0.15	30	0.01	Peak	0.155	-63.83	-13	50.83	Pass	5971
30	809	0.1	Peak	412.8	-53.35	-13	40.35	Pass	15581
809	829	0.1	Peak	818.5	25.6	60	34.4	Pass	401
829	1000	0.1	Peak	830.85	-52.42	-13	39.42	Pass	3421
1000	3000	1	Peak	2986	-37.42	-13	24.42	Pass	4001
3000	10000	1	Peak	9451.5	-30.91	-13	17.91	Pass	14002




1.4. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.08	-13	54.08	Pass	401
0.15	30	0.01	Peak	0.165	-64.77	-13	51.77	Pass	5971
30	809	0.1	Peak	608.823	-52.09	-13	39.09	Pass	15581
809	829	0.1	Peak	818.55	25.78	60	34.22	Pass	401
829	1000	0.1	Peak	915.2	-52.69	-13	39.69	Pass	3421
1000	3000	1	Peak	2982	-36.86	-13	23.86	Pass	4001
3000	10000	1	Peak	8922	-30.84	-13	17.84	Pass	14002




1.5. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.64	-13	54.64	Pass	401
0.15	30	0.01	Peak	0.165	-63.56	-13	50.56	Pass	5971
30	809	0.1	Peak	496.158	-53.67	-13	40.67	Pass	15581
809	829	0.1	Peak	822.8	25.56	60	34.44	Pass	401
829	1000	0.1	Peak	832.05	-52.74	-13	39.74	Pass	3421
1000	3000	1	Peak	2872.5	-37.34	-13	24.34	Pass	4001
3000	10000	1	Peak	8769	-31.44	-13	18.44	Pass	14002




1.6. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.63	-13	54.63	Pass	401
0.15	30	0.01	Peak	0.185	-64.48	-13	51.48	Pass	5971
30	809	0.1	Peak	407.5	-53.09	-13	40.09	Pass	15581
809	829	0.1	Peak	822.8	26.02	60	33.98	Pass	401
829	1000	0.1	Peak	829.55	-52.35	-13	39.35	Pass	3421
1000	3000	1	Peak	2962	-37.13	-13	24.13	Pass	4001
3000	10000	1	Peak	8971.5	-30.72	-13	17.72	Pass	14002




**1.7. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.98	-13	53.98	Pass	401
0.15	30	0.01	Peak	0.22	-63.25	-13	50.25	Pass	5971
30	809	0.1	Peak	577.419	-52.69	-13	39.69	Pass	15581
809	829	0.1	Peak	814.2	25.69	60	34.31	Pass	401
829	1000	0.1	Peak	845.7	-52.5	-13	39.5	Pass	3421
1000	3000	1	Peak	2920.5	-37.2	-13	24.2	Pass	4001
3000	10000	1	Peak	8864.5	-31.27	-13	18.27	Pass	14002




1.8. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:8, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.5	-13	53.5	Pass	401
0.15	30	0.01	Peak	0.185	-65.26	-13	52.26	Pass	5971
30	809	0.1	Peak	721.438	-53.4	-13	40.4	Pass	15581
809	829	0.1	Peak	814.15	26.9	60	33.1	Pass	401
829	1000	0.1	Peak	900.8	-52.81	-13	39.81	Pass	3421
1000	3000	1	Peak	2928.5	-36.88	-13	23.88	Pass	4001
3000	10000	1	Peak	7923.5	-30.98	-13	17.98	Pass	14002




**1.9. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.65	-13	54.65	Pass	401
0.15	30	0.01	Peak	0.16	-63.57	-13	50.57	Pass	5971
30	809	0.1	Peak	776.896	-53.1	-13	40.1	Pass	15581
809	829	0.1	Peak	817.75	25.56	60	34.44	Pass	401
829	1000	0.1	Peak	851.65	-52.69	-13	39.69	Pass	3421
1000	3000	1	Peak	2935.5	-37.08	-13	24.08	Pass	4001
3000	10000	1	Peak	6714.5	-30.13	-13	17.13	Pass	14002




1.10. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:10, Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.65	-13	54.65	Pass	401
0.15	30	0.01	Peak	0.25	-64.07	-13	51.07	Pass	5971
30	809	0.1	Peak	714.537	-52.85	-13	39.85	Pass	15581
809	829	0.1	Peak	817.75	25.95	60	34.05	Pass	401
829	1000	0.1	Peak	846.95	-52.73	-13	39.73	Pass	3421
1000	3000	1	Peak	2938	-37.26	-13	24.26	Pass	4001
3000	10000	1	Peak	9794	-30.93	-13	17.93	Pass	14002




1.11. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.56	-13	53.56	Pass	401
0.15	30	0.01	Peak	0.165	-65.12	-13	52.12	Pass	5971
30	809	0.1	Peak	510.26	-53.41	-13	40.41	Pass	15581
809	829	0.1	Peak	821.25	25.62	60	34.38	Pass	401
829	1000	0.1	Peak	833.4	-52.16	-13	39.16	Pass	3421
1000	3000	1	Peak	2936.5	-37.38	-13	24.38	Pass	4001
3000	10000	1	Peak	7508	-31.06	-13	18.06	Pass	14002




1.12. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:12, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.97	-13	52.97	Pass	401
0.15	30	0.01	Peak	0.16	-63.72	-13	50.72	Pass	5971
30	809	0.1	Peak	401.3	-52.75	-13	39.75	Pass	15581
809	829	0.1	Peak	821.25	26.07	60	33.93	Pass	401
829	1000	0.1	Peak	829.15	-51.6	-13	38.6	Pass	3421
1000	3000	1	Peak	1642.5	-37.31	-13	24.31	Pass	4001
3000	10000	1	Peak	9784.5	-31	-13	18	Pass	14002




1.13. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67	-13	54	Pass	401
0.15	30	0.01	Peak	0.205	-63.91	-13	50.91	Pass	5971
30	809	0.1	Peak	779.046	-52.63	-13	39.63	Pass	15581
809	829	0.1	Peak	814.35	26.08	60	33.92	Pass	401
829	1000	0.1	Peak	830.15	-52.85	-13	39.85	Pass	3421
1000	3000	1	Peak	1628.5	-37.35	-13	24.35	Pass	4001
3000	10000	1	Peak	7901.5	-31.18	-13	18.18	Pass	14002




1.14. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:14, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.2	-13	54.2	Pass	401
0.15	30	0.01	Peak	0.2	-63.83	-13	50.83	Pass	5971
30	809	0.1	Peak	807.3	-53.17	-13	40.17	Pass	15581
809	829	0.1	Peak	814.3	26.74	60	33.26	Pass	401
829	1000	0.1	Peak	858.35	-52.27	-13	39.27	Pass	3421
1000	3000	1	Peak	2972.5	-37.2	-13	24.2	Pass	4001
3000	10000	1	Peak	7645	-30.49	-13	17.49	Pass	14002




**1.15. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.47	-13	53.47	Pass	401
0.15	30	0.01	Peak	0.34	-64.07	-13	51.07	Pass	5971
30	809	0.1	Peak	611.423	-53.22	-13	40.22	Pass	15581
809	829	0.1	Peak	816.9	25.8	60	34.2	Pass	401
829	1000	0.1	Peak	830	-51.83	-13	38.83	Pass	3421
1000	3000	1	Peak	1633.5	-37.52	-13	24.52	Pass	4001
3000	10000	1	Peak	9938	-31.34	-13	18.34	Pass	14002




1.16. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:16, Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.01	-13	54.01	Pass	401
0.15	30	0.01	Peak	0.2	-64.45	-13	51.45	Pass	5971
30	809	0.1	Peak	376.1	-53.3	-13	40.3	Pass	15581
809	829	0.1	Peak	816.8	26.2	60	33.8	Pass	401
829	1000	0.1	Peak	959.45	-52.27	-13	39.27	Pass	3421
1000	3000	1	Peak	2816	-37.7	-13	24.7	Pass	4001
3000	10000	1	Peak	6728	-31.45	-13	18.45	Pass	14002




1.17. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.3	-13	55.3	Pass	401
0.15	30	0.01	Peak	0.16	-64.38	-13	51.38	Pass	5971
30	809	0.1	Peak	384.8	-53.24	-13	40.24	Pass	15581
809	829	0.1	Peak	819.25	25.53	60	34.47	Pass	401
829	1000	0.1	Peak	841.65	-51.94	-13	38.94	Pass	3421
1000	3000	1	Peak	1638.5	-37.22	-13	24.22	Pass	4001
3000	10000	1	Peak	9839	-30.71	-13	17.71	Pass	14002




**1.18. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.64	-13	53.64	Pass	401
0.15	30	0.01	Peak	0.205	-63.99	-13	50.99	Pass	5971
30	809	0.1	Peak	743.941	-52.91	-13	39.91	Pass	15581
809	829	0.1	Peak	819.35	25.92	60	34.08	Pass	401
829	1000	0.1	Peak	831.95	-52.52	-13	39.52	Pass	3421
1000	3000	1	Peak	2929	-37.53	-13	24.53	Pass	4001
3000	10000	1	Peak	9804	-30.53	-13	17.53	Pass	14002




1.19. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.73	-13	55.73	Pass	401
0.15	30	0.01	Peak	0.15	-64.32	-13	51.32	Pass	5971
30	809	0.1	Peak	808.15	-47.99	-13	34.99	Pass	15581
809	829	0.1	Peak	814.55	25.97	60	34.03	Pass	401
829	1000	0.1	Peak	832.2	-42.28	-13	29.28	Pass	3421
1000	3000	1	Peak	1629	-37.08	-13	24.08	Pass	4001
3000	10000	1	Peak	6998	-31.16	-13	18.16	Pass	14002



1.20. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:20, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68	-13	55	Pass	401
0.15	30	0.01	Peak	0.39	-64.58	-13	51.58	Pass	5971
30	809	0.1	Peak	808.15	-48.44	-13	35.44	Pass	15581
809	829	0.1	Peak	814.55	26.23	60	33.77	Pass	401
829	1000	0.1	Peak	832.2	-41.94	-13	28.94	Pass	3421
1000	3000	1	Peak	1629.5	-36.77	-13	23.77	Pass	4001
3000	10000	1	Peak	8844.5	-31.43	-13	18.43	Pass	14002



13. LTE_Band14


13.1. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.28	-13	61.28	Pass	401
0.15	30	0.01	RMS	0.155	-71.35	-13	58.35	Pass	5971
30	778	0.1	RMS	777.6	-62.48	-13	49.48	Pass	14961
778	808	0.1	RMS	788.35	20.83	60	39.17	Pass	601
808	1000	0.1	RMS	849.85	-63.23	-13	50.23	Pass	3841
1000	3000	1	RMS	1576.5	-48.03	-13	35.03	Pass	4001
3000	10000	1	RMS	7908.5	-43.49	-13	30.49	Pass	14002




13.2. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:2, Channel:23305, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.93	-13	60.93	Pass	401
0.15	30	0.01	RMS	0.165	-71.15	-13	58.15	Pass	5971
30	778	0.1	RMS	777.65	-62.56	-13	49.56	Pass	14961
778	808	0.1	RMS	788.35	19.99	60	40.01	Pass	601
808	1000	0.1	RMS	839.3	-63.36	-13	50.36	Pass	3841
1000	3000	1	RMS	1576.5	-48.97	-13	35.97	Pass	4001
3000	10000	1	RMS	7889	-43.52	-13	30.52	Pass	14002




**13.3. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:3,
Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.03	-13	61.03	Pass	401
0.15	30	0.01	RMS	0.19	-71.51	-13	58.51	Pass	5971
30	778	0.1	RMS	777.95	-63.84	-13	50.84	Pass	14961
778	808	0.1	RMS	790.85	20.77	60	39.23	Pass	601
808	1000	0.1	RMS	839.5	-62.9	-13	49.9	Pass	3841
1000	3000	1	RMS	1581.5	-48.04	-13	35.04	Pass	4001
3000	10000	1	RMS	7900.5	-43.52	-13	30.52	Pass	14002




13.4. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:4, Channel:23330, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.245	-72.06	-13	59.06	Pass	5971
30	778	0.1	RMS	727.493	-63.93	-13	50.93	Pass	14961
778	808	0.1	RMS	790.85	20.06	60	39.94	Pass	601
808	1000	0.1	RMS	855.25	-63.32	-13	50.32	Pass	3841
1000	3000	1	RMS	1581.5	-48.85	-13	35.85	Pass	4001
3000	10000	1	RMS	8754	-43.52	-13	30.52	Pass	14002




**13.5. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:5,
Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.17	-70.67	-13	57.67	Pass	5971
30	778	0.1	RMS	777.95	-63.97	-13	50.97	Pass	14961
778	808	0.1	RMS	793.35	20.72	60	39.28	Pass	601
808	1000	0.1	RMS	829.7	-63.12	-13	50.12	Pass	3841
1000	3000	1	RMS	1586.5	-48.03	-13	35.03	Pass	4001
3000	10000	1	RMS	7899.5	-43.46	-13	30.46	Pass	14002




13.6. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:6, Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.93	-13	60.93	Pass	401
0.15	30	0.01	RMS	0.23	-72.14	-13	59.14	Pass	5971
30	778	0.1	RMS	757.497	-64.03	-13	51.03	Pass	14961
778	808	0.1	RMS	793.35	20.21	60	39.79	Pass	601
808	1000	0.1	RMS	840.3	-63.39	-13	50.39	Pass	3841
1000	3000	1	RMS	1586.5	-48.81	-13	35.81	Pass	4001
3000	10000	1	RMS	7907	-43.5	-13	30.5	Pass	14002




**13.7. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:7,
Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.235	-72.62	-13	59.62	Pass	5971
30	778	0.1	RMS	777.9	-62.49	-13	49.49	Pass	14961
778	808	0.1	RMS	788.6	20.91	60	39.09	Pass	601
808	1000	0.1	RMS	847.8	-63.32	-13	50.32	Pass	3841
1000	3000	1	RMS	1577	-48.1	-13	35.1	Pass	4001
3000	10000	1	RMS	7904	-43.53	-13	30.53	Pass	14002



13.8. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:8, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.61	-13	60.61	Pass	401
0.15	30	0.01	RMS	0.17	-71.75	-13	58.75	Pass	5971
30	778	0.1	RMS	777.9	-62.96	-13	49.96	Pass	14961
778	808	0.1	RMS	788.6	20.13	60	39.87	Pass	601
808	1000	0.1	RMS	837.15	-63.29	-13	50.29	Pass	3841
1000	3000	1	RMS	1577	-48.82	-13	35.82	Pass	4001
3000	10000	1	RMS	7900.5	-43.48	-13	30.48	Pass	14002



1. LTE_Band71


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.66	-13	41.66	Pass	401
0.15	30	0.01	RMS	0.15	-58.33	-13	45.33	Pass	5971
30	653	0.1	RMS	491.9	-62.59	-13	49.59	Pass	12461
653	709	0.1	RMS	663.35	20.47	60	39.53	Pass	1121
709	1000	0.1	RMS	867.75	-61.24	-13	48.24	Pass	5821
1000	3000	1	RMS	1326.5	-43.38	-13	30.38	Pass	4001
3000	10000	1	RMS	7580	-40.24	-13	27.24	Pass	14001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:133147, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.4	-13	42.4	Pass	401
0.15	30	0.01	RMS	0.16	-57.72	-13	44.72	Pass	5971
30	653	0.1	RMS	493.85	-62.59	-13	49.59	Pass	12461
653	709	0.1	RMS	663.35	19.55	60	40.45	Pass	1121
709	1000	0.1	RMS	859.85	-61.21	-13	48.21	Pass	5821
1000	3000	1	RMS	1326.5	-44.5	-13	31.5	Pass	4001
3000	10000	1	RMS	7590.5	-40.16	-13	27.16	Pass	14001



1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.59	-13	41.59	Pass	401
0.15	30	0.01	RMS	0.15	-57.33	-13	44.33	Pass	5971
30	653	0.1	RMS	496.05	-62.69	-13	49.69	Pass	12461
653	709	0.1	RMS	678.35	20.64	60	39.36	Pass	1121
709	1000	0.1	RMS	869.35	-61.26	-13	48.26	Pass	5821
1000	3000	1	RMS	1356.5	-43.64	-13	30.64	Pass	4001
3000	10000	1	RMS	7586	-40.3	-13	27.3	Pass	14001



1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:133297, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56	-13	43	Pass	401
0.15	30	0.01	RMS	0.16	-58.45	-13	45.45	Pass	5971
30	653	0.1	RMS	498.95	-62.59	-13	49.59	Pass	12461
653	709	0.1	RMS	678.35	19.72	60	40.28	Pass	1121
709	1000	0.1	RMS	918.7	-61.15	-13	48.15	Pass	5821
1000	3000	1	RMS	1356.5	-44.83	-13	31.83	Pass	4001
3000	10000	1	RMS	7587	-40.27	-13	27.27	Pass	14001

