



11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.100	46.28	74.0	27.72	Peak	80.00	200	Vertical	Pass
1**	1493.100	34.80	54.0	19.20	AV	80.00	200	Vertical	Pass
2	4289.000	48.95	74.0	25.05	Peak	206.00	400	Vertical	Pass
2**	4289.000	40.03	54.0	13.97	AV	206.00	400	Vertical	Pass
3	5505.500	105.22	--	--	Peak	287.00	300	Vertical	N/A
3**	5505.500	94.61	--	--	AV	287.00	300	Vertical	N/A
4	7600.750	56.72	74.0	17.28	Peak	12.00	200	Vertical	Pass
4**	7600.750	47.17	54.0	6.83	AV	12.00	200	Vertical	Pass
5	12397.550	49.28	74.0	24.72	Peak	70.00	300	Vertical	Pass
5**	12397.550	40.32	54.0	13.68	AV	70.00	300	Vertical	Pass
6	16090.838	49.47	74.0	24.53	Peak	264.00	300	Vertical	Pass
6**	16090.838	40.48	54.0	13.52	AV	264.00	300	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.600	47.78	74.0	26.22	Peak	60.00	400	Horizontal	Pass
1**	1440.600	33.76	54.0	20.24	AV	60.00	400	Horizontal	Pass
2	4315.000	49.68	74.0	24.32	Peak	285.00	200	Horizontal	Pass
2**	4315.000	39.53	54.0	14.47	AV	285.00	200	Horizontal	Pass
3	5597.000	112.85	--	--	Peak	267.00	100	Horizontal	N/A
3**	5597.000	104.24	--	--	AV	267.00	100	Horizontal	N/A
4	7535.250	56.95	74.0	17.05	Peak	202.00	400	Horizontal	Pass
4**	7535.250	47.67	54.0	6.33	AV	202.00	400	Horizontal	Pass
5	12552.162	49.10	74.0	24.90	Peak	358.00	400	Horizontal	Pass
5**	12552.162	39.92	54.0	14.08	AV	358.00	400	Horizontal	Pass
6	16108.951	49.91	74.0	24.09	Peak	205.00	400	Horizontal	Pass
6**	16108.951	40.52	54.0	13.48	AV	205.00	400	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.600	44.74	74.0	29.26	Peak	203.00	300	Vertical	Pass
1**	1329.600	35.35	54.0	18.65	AV	203.00	300	Vertical	Pass
2	4300.000	48.86	74.0	25.14	Peak	44.00	300	Vertical	Pass
2**	4300.000	39.92	54.0	14.08	AV	44.00	300	Vertical	Pass
3	5598.500	104.61	--	--	Peak	52.00	300	Vertical	N/A
3**	5598.500	95.13	--	--	AV	52.00	300	Vertical	N/A
4	7631.000	56.54	74.0	17.46	Peak	143.00	200	Vertical	Pass
4**	7631.000	47.41	54.0	6.59	AV	143.00	200	Vertical	Pass
5	12653.575	49.16	74.0	24.84	Peak	321.00	100	Vertical	Pass
5**	12653.575	39.45	54.0	14.55	AV	321.00	100	Vertical	Pass
6	16102.912	50.02	74.0	23.98	Peak	325.00	200	Vertical	Pass
6**	16102.912	40.85	54.0	13.15	AV	325.00	200	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.800	47.66	74.0	26.34	Peak	60.00	300	Horizontal	Pass
1**	1439.800	34.72	54.0	19.28	AV	60.00	300	Horizontal	Pass
2	4322.500	48.90	74.0	25.10	Peak	76.00	300	Horizontal	Pass
2**	4322.500	39.33	54.0	14.67	AV	76.00	300	Horizontal	Pass
3	5662.750	111.83	--	--	Peak	292.00	400	Horizontal	N/A
3**	5662.750	105.31	--	--	AV	292.00	400	Horizontal	N/A
4	7589.750	56.35	74.0	17.65	Peak	142.00	200	Horizontal	Pass
4**	7589.750	48.12	54.0	5.88	AV	142.00	200	Horizontal	Pass
5	12549.075	49.48	74.0	24.52	Peak	0.00	200	Horizontal	Pass
5**	12549.075	40.32	54.0	13.68	AV	0.00	200	Horizontal	Pass
6	15721.500	49.29	74.0	24.71	Peak	199.00	200	Horizontal	Pass
6**	15721.500	39.70	54.0	14.30	AV	199.00	200	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.700	47.24	74.0	26.76	Peak	67.00	100	Vertical	Pass
1**	1439.700	34.64	54.0	19.36	AV	67.00	100	Vertical	Pass
2	4268.750	49.21	74.0	24.79	Peak	75.00	100	Vertical	Pass
2**	4268.750	39.52	54.0	14.48	AV	75.00	100	Vertical	Pass
3	5663.250	112.13	--	--	Peak	287.00	100	Vertical	N/A
3**	5663.250	104.55	--	--	AV	287.00	100	Vertical	N/A
4	7537.750	57.03	74.0	16.97	Peak	206.00	400	Vertical	Pass
4**	7537.750	47.95	54.0	6.05	AV	206.00	400	Vertical	Pass
5	11916.849	50.20	74.0	23.80	Peak	340.00	200	Vertical	Pass
5**	11916.849	39.32	54.0	14.68	AV	340.00	200	Vertical	Pass
6	16136.776	49.26	74.0	24.74	Peak	360.00	200	Vertical	Pass
6**	16136.776	40.06	54.0	13.94	AV	360.00	200	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.200	46.86	74.0	27.14	Peak	68.00	200	Horizontal	Pass
1**	1443.200	33.73	54.0	20.27	AV	68.00	200	Horizontal	Pass
2	4285.250	48.85	74.0	25.15	Peak	318.00	100	Horizontal	Pass
2**	4285.250	39.52	54.0	14.48	AV	318.00	100	Horizontal	Pass
3	5520.000	109.71	--	--	Peak	285.00	100	Horizontal	N/A
3**	5520.000	100.46	--	--	AV	285.00	100	Horizontal	N/A
4	7633.000	56.51	74.0	17.49	Peak	111.00	100	Horizontal	Pass
4**	7633.000	47.51	54.0	6.49	AV	111.00	100	Horizontal	Pass
5	12559.762	49.77	74.0	24.23	Peak	331.00	400	Horizontal	Pass
5**	12559.762	40.47	54.0	13.53	AV	331.00	400	Horizontal	Pass
6	16113.675	49.53	74.0	24.47	Peak	150.00	300	Horizontal	Pass
6**	16113.675	40.64	54.0	13.36	AV	150.00	300	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.400	45.41	74.0	28.59	Peak	202.00	300	Vertical	Pass
1**	1330.400	36.44	54.0	17.56	AV	202.00	300	Vertical	Pass
2	4195.000	49.06	74.0	24.94	Peak	166.00	100	Vertical	Pass
2**	4195.000	39.14	54.0	14.86	AV	166.00	100	Vertical	Pass
3	5520.250	100.94	--	--	Peak	98.00	400	Vertical	N/A
3**	5520.250	91.19	--	--	AV	98.00	400	Vertical	N/A
4	7572.000	57.03	74.0	16.97	Peak	107.00	200	Vertical	Pass
4**	7572.000	47.57	54.0	6.43	AV	107.00	200	Vertical	Pass
5	11087.974	49.09	74.0	24.91	Peak	213.00	400	Vertical	Pass
5**	11087.974	38.72	54.0	15.28	AV	213.00	400	Vertical	Pass
6	15221.437	50.55	68.2	17.65	Peak	341.00	100	Vertical	Pass
6**	15221.437	41.50	--	-41.50	AV	341.00	100	Vertical	N/A

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.900	47.37	74.0	26.63	Peak	60.00	100	Horizontal	Pass
1**	1436.900	32.94	54.0	21.06	AV	60.00	100	Horizontal	Pass
2	4324.750	50.01	74.0	23.99	Peak	173.00	300	Horizontal	Pass
2**	4324.750	39.59	54.0	14.41	AV	173.00	300	Horizontal	Pass
3	5576.500	111.26	--	--	Peak	258.00	400	Horizontal	N/A
3**	5576.500	100.33	--	--	AV	258.00	400	Horizontal	N/A
4	7623.250	56.79	74.0	17.21	Peak	71.00	200	Horizontal	Pass
4**	7623.250	47.83	54.0	6.17	AV	71.00	200	Horizontal	Pass
5	12548.362	49.11	74.0	24.89	Peak	158.00	400	Horizontal	Pass
5**	12548.362	40.11	54.0	13.89	AV	158.00	400	Horizontal	Pass
6	15747.750	49.77	74.0	24.23	Peak	360.00	200	Horizontal	Pass
6**	15747.750	38.28	54.0	15.72	AV	360.00	200	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.200	46.28	74.0	27.72	Peak	83.00	200	Vertical	Pass
1**	1499.200	33.26	54.0	20.74	AV	83.00	200	Vertical	Pass
2	4382.750	51.80	74.0	22.20	Peak	42.00	400	Vertical	Pass
2**	4382.750	40.36	54.0	13.64	AV	42.00	400	Vertical	Pass
3	5598.000	100.84	--	--	Peak	99.00	100	Vertical	N/A
3**	5598.000	91.56	--	--	AV	99.00	100	Vertical	N/A
4	7586.500	56.53	74.0	17.47	Peak	66.00	300	Vertical	Pass
4**	7586.500	47.33	54.0	6.67	AV	66.00	300	Vertical	Pass
5	11881.938	49.16	74.0	24.84	Peak	250.00	200	Vertical	Pass
5**	11881.938	40.00	54.0	14.00	AV	250.00	200	Vertical	Pass
6	16108.162	49.57	74.0	24.43	Peak	242.00	200	Vertical	Pass
6**	16108.162	39.96	54.0	14.04	AV	242.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.800	47.81	74.0	26.19	Peak	67.00	200	Horizontal	Pass
1**	1436.800	33.86	54.0	20.14	AV	67.00	200	Horizontal	Pass
2	4323.250	49.20	74.0	24.80	Peak	86.00	400	Horizontal	Pass
2**	4323.250	39.23	54.0	14.77	AV	86.00	400	Horizontal	Pass
3	5743.500	115.25	--	--	Peak	263.00	300	Horizontal	N/A
3**	5743.500	107.90	--	--	AV	263.00	300	Horizontal	N/A
4	7608.000	57.03	74.0	16.97	Peak	94.00	200	Horizontal	Pass
4**	7608.000	47.54	54.0	6.46	AV	94.00	200	Horizontal	Pass
5	12602.037	49.46	74.0	24.54	Peak	29.00	300	Horizontal	Pass
5**	12602.037	40.71	54.0	13.29	AV	29.00	300	Horizontal	Pass
6	16104.225	49.58	74.0	24.42	Peak	360.00	200	Horizontal	Pass
6**	16104.225	40.19	54.0	13.81	AV	360.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.000	45.53	74.0	28.47	Peak	200.00	400	Vertical	Pass
1**	1329.000	37.18	54.0	16.82	AV	200.00	400	Vertical	Pass
2	4260.250	49.18	74.0	24.82	Peak	217.00	100	Vertical	Pass
2**	4260.250	39.52	54.0	14.48	AV	217.00	100	Vertical	Pass
3	5745.250	107.96	--	--	Peak	99.00	300	Vertical	N/A
3**	5745.250	101.02	--	--	AV	99.00	300	Vertical	N/A
4	7551.500	56.68	74.0	17.32	Peak	241.00	200	Vertical	Pass
4**	7551.500	47.10	54.0	6.90	AV	241.00	200	Vertical	Pass
5	12026.812	49.26	74.0	24.74	Peak	334.00	400	Vertical	Pass
5**	12026.812	38.92	54.0	15.08	AV	334.00	400	Vertical	Pass
6	16137.037	49.35	74.0	24.65	Peak	349.00	100	Vertical	Pass
6**	16137.037	39.37	54.0	14.63	AV	349.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.600	48.13	74.0	25.87	Peak	60.00	200	Horizontal	Pass
1**	1437.600	33.14	54.0	20.86	AV	60.00	200	Horizontal	Pass
2	4192.500	48.74	74.0	25.26	Peak	108.00	400	Horizontal	Pass
2**	4192.500	39.70	54.0	14.30	AV	108.00	400	Horizontal	Pass
3	5784.000	115.86	--	--	Peak	266.00	100	Horizontal	N/A
3**	5784.000	109.18	--	--	AV	266.00	100	Horizontal	N/A
4	7667.750	57.20	74.0	16.80	Peak	360.00	400	Horizontal	Pass
4**	7667.750	47.40	54.0	6.60	AV	360.00	400	Horizontal	Pass
5	11930.387	49.54	74.0	24.46	Peak	275.00	300	Horizontal	Pass
5**	11930.387	39.44	54.0	14.56	AV	275.00	300	Horizontal	Pass
6	16040.963	50.69	74.0	23.31	Peak	207.00	400	Horizontal	Pass
6**	16040.963	41.20	54.0	12.80	AV	207.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.900	46.36	74.0	27.64	Peak	198.00	300	Vertical	Pass
1**	1331.900	37.12	54.0	16.88	AV	198.00	300	Vertical	Pass
2	4316.250	48.71	74.0	25.29	Peak	21.00	100	Vertical	Pass
2**	4316.250	40.08	54.0	13.92	AV	21.00	100	Vertical	Pass
3	5786.250	106.93	--	--	Peak	98.00	300	Vertical	N/A
3**	5786.250	100.76	--	--	AV	98.00	300	Vertical	N/A
4	7586.000	56.53	74.0	17.47	Peak	274.00	400	Vertical	Pass
4**	7586.000	47.12	54.0	6.88	AV	274.00	400	Vertical	Pass
5	12383.537	49.64	74.0	24.36	Peak	10.00	400	Vertical	Pass
5**	12383.537	39.27	54.0	14.73	AV	10.00	400	Vertical	Pass
6	15742.500	49.14	74.0	24.86	Peak	235.00	400	Vertical	Pass
6**	15742.500	39.33	54.0	14.67	AV	235.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.700	47.73	74.0	26.27	Peak	75.00	100	Horizontal	Pass
1**	1439.700	34.51	54.0	19.49	AV	75.00	100	Horizontal	Pass
2	4332.000	48.34	74.0	25.66	Peak	243.00	300	Horizontal	Pass
2**	4332.000	39.71	54.0	14.29	AV	243.00	300	Horizontal	Pass
3	5823.500	113.56	--	--	Peak	267.00	200	Horizontal	N/A
3**	5823.500	106.63	--	--	AV	267.00	200	Horizontal	N/A
4	7558.500	56.20	74.0	17.80	Peak	75.00	200	Horizontal	Pass
4**	7558.500	47.82	54.0	6.18	AV	75.00	200	Horizontal	Pass
5	12579.474	49.56	74.0	24.44	Peak	346.00	300	Horizontal	Pass
5**	12579.474	40.69	54.0	13.31	AV	346.00	300	Horizontal	Pass
6	16091.888	50.01	74.0	23.99	Peak	311.00	100	Horizontal	Pass
6**	16091.888	39.89	54.0	14.11	AV	311.00	100	Horizontal	Pass


11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.700	45.15	74.0	28.85	Peak	207.00	400	Vertical	Pass
1**	1327.700	38.67	54.0	15.33	AV	207.00	400	Vertical	Pass
2	4090.250	48.51	74.0	25.49	Peak	145.00	200	Vertical	Pass
2**	4090.250	39.64	54.0	14.36	AV	145.00	200	Vertical	Pass
3	5826.000	105.82	--	--	Peak	104.00	100	Vertical	N/A
3**	5826.000	100.71	--	--	AV	104.00	100	Vertical	N/A
4	7610.500	56.66	74.0	17.34	Peak	360.00	200	Vertical	Pass
4**	7610.500	47.38	54.0	6.62	AV	360.00	200	Vertical	Pass
5	11480.088	49.95	74.0	24.05	Peak	161.00	400	Vertical	Pass
5**	11480.088	39.11	54.0	14.89	AV	161.00	400	Vertical	Pass
6	16116.037	49.92	74.0	24.08	Peak	287.00	200	Vertical	Pass
6**	16116.037	40.71	54.0	13.29	AV	287.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.700	42.94	74.0	31.06	Peak	107.00	300	Horizontal	Pass
1**	1437.700	32.53	54.0	21.47	AV	107.00	300	Horizontal	Pass
2	4296.250	49.32	74.0	24.68	Peak	104.00	100	Horizontal	Pass
2**	4296.250	41.55	54.0	12.45	AV	104.00	100	Horizontal	Pass
3	5741.250	114.51	--	--	Peak	168.00	200	Horizontal	N/A
3**	5741.250	107.32	--	--	AV	168.00	200	Horizontal	N/A
4	7572.000	57.44	74.0	16.56	Peak	30.00	200	Horizontal	Pass
4**	7572.000	48.08	54.0	5.92	AV	30.00	200	Horizontal	Pass
5	11470.113	49.37	74.0	24.63	Peak	2.00	200	Horizontal	Pass
5**	11470.113	40.38	54.0	13.62	AV	2.00	200	Horizontal	Pass
6	15620.175	49.97	74.0	24.03	Peak	343.00	400	Horizontal	Pass
6**	15620.175	40.49	54.0	13.51	AV	343.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1591.800	43.30	74.0	30.70	Peak	64.00	300	Vertical	Pass
1**	1591.800	34.50	54.0	19.50	AV	64.00	300	Vertical	Pass
2	4303.750	50.00	74.0	24.00	Peak	233.00	300	Vertical	Pass
2**	4303.750	39.70	54.0	14.30	AV	233.00	300	Vertical	Pass
3	5745.750	108.78	--	--	Peak	257.00	200	Vertical	N/A
3**	5745.750	102.32	--	--	AV	257.00	200	Vertical	N/A
4	7603.500	56.56	74.0	17.44	Peak	63.00	400	Vertical	Pass
4**	7603.500	47.24	54.0	6.76	AV	63.00	400	Vertical	Pass
5	12556.438	49.81	74.0	24.19	Peak	93.00	100	Vertical	Pass
5**	12556.438	41.20	54.0	12.80	AV	93.00	100	Vertical	Pass
6	16090.838	50.38	74.0	23.62	Peak	204.00	400	Vertical	Pass
6**	16090.838	41.82	54.0	12.18	AV	204.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.800	43.54	74.0	30.46	Peak	102.00	200	Horizontal	Pass
1**	1438.800	32.57	54.0	21.43	AV	102.00	200	Horizontal	Pass
2	4291.250	48.81	74.0	25.19	Peak	201.00	400	Horizontal	Pass
2**	4291.250	39.91	54.0	14.09	AV	201.00	400	Horizontal	Pass
3	5781.750	113.63	--	--	Peak	170.00	400	Horizontal	N/A
3**	5781.750	107.53	--	--	AV	170.00	400	Horizontal	N/A
4	7584.750	56.86	74.0	17.14	Peak	282.00	200	Horizontal	Pass
4**	7584.750	47.94	54.0	6.06	AV	282.00	200	Horizontal	Pass
5	12390.425	49.56	74.0	24.44	Peak	360.00	100	Horizontal	Pass
5**	12390.425	39.64	54.0	14.36	AV	360.00	100	Horizontal	Pass
6	16113.675	50.38	74.0	23.62	Peak	210.00	300	Horizontal	Pass
6**	16113.675	41.04	54.0	12.96	AV	210.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.400	43.39	74.0	30.61	Peak	130.00	100	Vertical	Pass
1**	1332.400	33.45	54.0	20.55	AV	130.00	100	Vertical	Pass
2	4273.250	49.02	74.0	24.98	Peak	96.00	400	Vertical	Pass
2**	4273.250	41.01	54.0	12.99	AV	96.00	400	Vertical	Pass
3	5785.500	107.33	--	--	Peak	104.00	200	Vertical	N/A
3**	5785.500	99.82	--	--	AV	104.00	200	Vertical	N/A
4	7537.500	57.44	74.0	16.56	Peak	209.00	200	Vertical	Pass
4**	7537.500	48.15	54.0	5.85	AV	209.00	200	Vertical	Pass
5	11856.050	49.73	74.0	24.27	Peak	67.00	200	Vertical	Pass
5**	11856.050	39.77	54.0	14.23	AV	67.00	200	Vertical	Pass
6	16115.775	50.06	74.0	23.94	Peak	204.00	200	Vertical	Pass
6**	16115.775	41.25	54.0	12.75	AV	204.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.900	42.51	74.0	31.49	Peak	21.00	400	Horizontal	Pass
1**	1437.900	33.14	54.0	20.86	AV	21.00	400	Horizontal	Pass
2	4289.000	49.41	74.0	24.59	Peak	186.00	100	Horizontal	Pass
2**	4289.000	39.88	54.0	14.12	AV	186.00	100	Horizontal	Pass
3	5826.500	114.37	--	--	Peak	170.00	200	Horizontal	N/A
3**	5826.500	107.32	--	--	AV	170.00	200	Horizontal	N/A
4	7546.000	56.59	74.0	17.41	Peak	251.00	200	Horizontal	Pass
4**	7546.000	47.59	54.0	6.41	AV	251.00	200	Horizontal	Pass
5	12395.175	49.51	74.0	24.49	Peak	166.00	100	Horizontal	Pass
5**	12395.175	40.24	54.0	13.76	AV	166.00	100	Horizontal	Pass
6	16101.338	50.53	74.0	23.47	Peak	95.00	400	Horizontal	Pass
6**	16101.338	41.25	54.0	12.75	AV	95.00	400	Horizontal	Pass


11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.400	42.65	74.0	31.35	Peak	274.00	300	Vertical	Pass
1**	1330.400	32.82	54.0	21.18	AV	274.00	300	Vertical	Pass
2	4313.250	49.24	74.0	24.76	Peak	202.00	200	Vertical	Pass
2**	4313.250	39.44	54.0	14.56	AV	202.00	200	Vertical	Pass
3	5826.000	109.00	--	-5.00	Peak	104.00	200	Vertical	N/A
3**	5826.000	102.57	--	-102.57	AV	104.00	200	Vertical	N/A
4	7572.500	56.71	74.0	17.29	Peak	161.00	300	Vertical	Pass
4**	7572.500	47.70	54.0	6.30	AV	161.00	300	Vertical	Pass
5	12562.612	49.79	74.0	24.21	Peak	208.00	400	Vertical	Pass
5**	12562.612	40.52	54.0	13.48	AV	208.00	400	Vertical	Pass
6	16107.112	50.62	74.0	23.38	Peak	296.00	300	Vertical	Pass
6**	16107.112	41.52	54.0	12.48	AV	296.00	300	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.900	47.01	74.0	26.99	Peak	60.00	300	Horizontal	Pass
1**	1436.900	33.88	54.0	20.12	AV	60.00	300	Horizontal	Pass
2	4295.500	48.78	74.0	25.22	Peak	302.00	300	Horizontal	Pass
2**	4295.500	39.77	54.0	14.23	AV	302.00	300	Horizontal	Pass
3	5757.500	110.06	--	--	Peak	170.00	200	Horizontal	N/A
3**	5757.500	103.02	--	--	AV	170.00	200	Horizontal	N/A
4	7628.250	56.38	74.0	17.62	Peak	360.00	100	Horizontal	Pass
4**	7628.250	47.31	54.0	6.69	AV	360.00	100	Horizontal	Pass
5	12564.750	49.05	74.0	24.95	Peak	261.00	200	Horizontal	Pass
5**	12564.750	40.22	54.0	13.78	AV	261.00	200	Horizontal	Pass
6	16098.713	49.51	74.0	24.49	Peak	360.00	300	Horizontal	Pass
6**	16098.713	39.76	54.0	14.24	AV	360.00	300	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.400	45.37	74.0	28.63	Peak	197.00	400	Vertical	Pass
1**	1330.400	36.32	54.0	17.68	AV	197.00	400	Vertical	Pass
2	4302.500	48.92	74.0	25.08	Peak	58.00	400	Vertical	Pass
2**	4302.500	40.07	54.0	13.93	AV	58.00	400	Vertical	Pass
3	5758.250	106.08	--	--	Peak	285.00	400	Vertical	N/A
3**	5758.250	98.41	--	--	AV	285.00	400	Vertical	N/A
4	7593.250	56.92	74.0	17.08	Peak	285.00	300	Vertical	Pass
4**	7593.250	46.80	54.0	7.20	AV	285.00	300	Vertical	Pass
5	12561.901	49.08	74.0	24.92	Peak	0.00	400	Vertical	Pass
5**	12561.901	39.93	54.0	14.07	AV	0.00	400	Vertical	Pass
6	16104.487	49.73	74.0	24.27	Peak	267.00	100	Vertical	Pass
6**	16104.487	39.93	54.0	14.07	AV	267.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.200	49.43	74.0	24.57	Peak	60.00	100	Horizontal	Pass
1**	1440.200	34.57	54.0	19.43	AV	60.00	100	Horizontal	Pass
2	4226.750	48.76	74.0	25.24	Peak	360.00	400	Horizontal	Pass
2**	4226.750	39.28	54.0	14.72	AV	360.00	400	Horizontal	Pass
3	5796.000	113.18	--	--	Peak	268.00	200	Horizontal	N/A
3**	5796.000	104.28	--	--	AV	268.00	200	Horizontal	N/A
4	7607.500	57.37	74.0	16.63	Peak	3.00	200	Horizontal	Pass
4**	7607.500	48.50	54.0	5.50	AV	3.00	200	Horizontal	Pass
5	12591.112	49.27	74.0	24.73	Peak	214.00	400	Horizontal	Pass
5**	12591.112	39.86	54.0	14.14	AV	214.00	400	Horizontal	Pass
6	16121.026	49.55	74.0	24.45	Peak	149.00	100	Horizontal	Pass
6**	16121.026	40.97	54.0	13.03	AV	149.00	100	Horizontal	Pass


11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.100	44.52	74.0	29.48	Peak	96.00	100	Vertical	Pass
1**	1333.100	36.03	54.0	17.97	AV	96.00	100	Vertical	Pass
2	4278.500	49.17	74.0	24.83	Peak	206.00	300	Vertical	Pass
2**	4278.500	39.49	54.0	14.51	AV	206.00	300	Vertical	Pass
3	5791.500	104.12	--	--	Peak	99.00	300	Vertical	N/A
3**	5791.500	97.43	--	--	AV	99.00	300	Vertical	N/A
4	7563.000	57.09	74.0	16.91	Peak	75.00	300	Vertical	Pass
4**	7563.000	47.03	54.0	6.97	AV	75.00	300	Vertical	Pass
5	12636.951	49.57	74.0	24.43	Peak	225.00	300	Vertical	Pass
5**	12636.951	40.35	54.0	13.65	AV	225.00	300	Vertical	Pass
6	16095.037	49.55	74.0	24.45	Peak	360.00	100	Vertical	Pass
6**	16095.037	40.25	54.0	13.75	AV	360.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.100	43.08	74.0	30.92	Peak	95.00	200	Horizontal	Pass
1**	1440.100	32.53	54.0	21.47	AV	95.00	200	Horizontal	Pass
2	4194.500	48.98	74.0	25.02	Peak	40.00	100	Horizontal	Pass
2**	4194.500	39.27	54.0	14.73	AV	40.00	100	Horizontal	Pass
3	5749.500	114.96	--	--	Peak	266.00	400	Horizontal	N/A
3**	5749.500	105.81	--	--	AV	266.00	400	Horizontal	N/A
4	7571.250	56.76	74.0	17.24	Peak	57.00	400	Horizontal	Pass
4**	7571.250	48.12	54.0	5.88	AV	57.00	400	Horizontal	Pass
5	12624.362	50.05	74.0	23.95	Peak	245.00	100	Horizontal	Pass
5**	12624.362	40.68	54.0	13.32	AV	245.00	100	Horizontal	Pass
6	16119.187	50.39	74.0	23.61	Peak	32.00	200	Horizontal	Pass
6**	16119.187	40.71	54.0	13.29	AV	32.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.300	44.09	74.0	29.91	Peak	145.00	200	Vertical	Pass
1**	1332.300	33.96	54.0	20.04	AV	145.00	200	Vertical	Pass
2	4315.250	48.96	74.0	25.04	Peak	217.00	300	Vertical	Pass
2**	4315.250	39.51	54.0	14.49	AV	217.00	300	Vertical	Pass
3	5747.500	107.10	--	--	Peak	241.00	100	Vertical	N/A
3**	5747.500	100.07	--	--	AV	241.00	100	Vertical	N/A
4	7574.000	57.38	74.0	16.62	Peak	274.00	300	Vertical	Pass
4**	7574.000	48.27	54.0	5.73	AV	274.00	300	Vertical	Pass
5	12383.300	49.80	74.0	24.20	Peak	238.00	300	Vertical	Pass
5**	12383.300	39.79	54.0	14.21	AV	238.00	300	Vertical	Pass
6	16089.000	50.24	74.0	23.76	Peak	166.00	400	Vertical	Pass
6**	16089.000	41.99	54.0	12.01	AV	166.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.300	43.96	74.0	30.04	Peak	124.00	100	Horizontal	Pass
1**	1439.300	33.15	54.0	20.85	AV	124.00	100	Horizontal	Pass
2	4317.250	48.69	74.0	25.31	Peak	153.00	400	Horizontal	Pass
2**	4317.250	40.05	54.0	13.95	AV	153.00	400	Horizontal	Pass
3	5783.750	112.31	--	--	Peak	274.00	100	Horizontal	N/A
3**	5783.750	104.46	--	--	AV	274.00	100	Horizontal	N/A
4	7631.750	57.27	74.0	16.73	Peak	178.00	200	Horizontal	Pass
4**	7631.750	47.23	54.0	6.77	AV	178.00	200	Horizontal	Pass
5	12627.213	49.78	74.0	24.22	Peak	261.00	400	Horizontal	Pass
5**	12627.213	40.46	54.0	13.54	AV	261.00	400	Horizontal	Pass
6	16123.388	49.90	74.0	24.10	Peak	352.00	200	Horizontal	Pass
6**	16123.388	41.03	54.0	12.97	AV	352.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.900	44.53	74.0	29.47	Peak	235.00	100	Vertical	Pass
1**	1332.900	33.05	54.0	20.95	AV	235.00	100	Vertical	Pass
2	4309.750	48.99	74.0	25.01	Peak	250.00	100	Vertical	Pass
2**	4309.750	40.18	54.0	13.82	AV	250.00	100	Vertical	Pass
3	5791.250	103.35	--	--	Peak	104.00	100	Vertical	N/A
3**	5791.250	98.42	--	--	AV	104.00	100	Vertical	N/A
4	7582.000	57.71	74.0	16.29	Peak	121.00	300	Vertical	Pass
4**	7582.000	48.40	54.0	5.60	AV	121.00	300	Vertical	Pass
5	12360.263	49.61	74.0	24.39	Peak	99.00	200	Vertical	Pass
5**	12360.263	39.55	54.0	14.45	AV	99.00	200	Vertical	Pass
6	16115.250	50.35	74.0	23.65	Peak	161.00	300	Vertical	Pass
6**	16115.250	40.57	54.0	13.43	AV	161.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.500	45.47	74.0	28.53	Peak	124.00	100	Horizontal	Pass
1**	1331.500	36.04	54.0	17.96	AV	124.00	100	Horizontal	Pass
2	4310.500	49.50	74.0	24.50	Peak	73.00	200	Horizontal	Pass
2**	4310.500	40.23	54.0	13.77	AV	73.00	200	Horizontal	Pass
3	5824.000	114.72	--	--	Peak	161.00	100	Horizontal	N/A
3**	5824.000	107.75	--	--	AV	161.00	100	Horizontal	N/A
4	7559.000	56.85	74.0	17.15	Peak	358.00	200	Horizontal	Pass
4**	7559.000	47.86	54.0	6.14	AV	358.00	200	Horizontal	Pass
5	11891.912	49.30	74.0	24.70	Peak	360.00	400	Horizontal	Pass
5**	11891.912	40.31	54.0	13.69	AV	360.00	400	Horizontal	Pass
6	15751.687	50.34	74.0	23.66	Peak	0.00	100	Horizontal	Pass
6**	15751.687	40.96	54.0	13.04	AV	0.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1607.500	43.84	74.0	30.16	Peak	57.00	400	Vertical	Pass
1**	1607.500	33.37	54.0	20.63	AV	57.00	400	Vertical	Pass
2	4295.750	49.40	74.0	24.60	Peak	307.00	200	Vertical	Pass
2**	4295.750	39.61	54.0	14.39	AV	307.00	200	Vertical	Pass
3	5825.500	109.25	--	--	Peak	96.00	100	Vertical	N/A
3**	5825.500	102.46	--	--	AV	96.00	100	Vertical	N/A
4	7612.750	57.92	74.0	16.08	Peak	47.00	200	Vertical	Pass
4**	7612.750	47.97	54.0	6.03	AV	47.00	200	Vertical	Pass
5	12555.963	50.04	74.0	23.96	Peak	91.00	400	Vertical	Pass
5**	12555.963	39.93	54.0	14.07	AV	91.00	400	Vertical	Pass
6	16088.738	50.11	74.0	23.89	Peak	57.00	400	Vertical	Pass
6**	16088.738	41.89	54.0	12.11	AV	57.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.700	43.59	74.0	30.41	Peak	86.00	300	Horizontal	Pass
1**	1440.700	32.95	54.0	21.05	AV	86.00	300	Horizontal	Pass
2	4250.500	49.00	74.0	25.00	Peak	257.00	400	Horizontal	Pass
2**	4250.500	39.68	54.0	14.32	AV	257.00	400	Horizontal	Pass
3	5760.000	113.36	--	--	Peak	266.00	400	Horizontal	N/A
3**	5760.000	104.01	--	--	AV	266.00	400	Horizontal	N/A
4	7550.500	56.75	74.0	17.25	Peak	298.00	100	Horizontal	Pass
4**	7550.500	48.51	54.0	5.49	AV	298.00	100	Horizontal	Pass
5	12558.338	50.25	74.0	23.75	Peak	360.00	400	Horizontal	Pass
5**	12558.338	40.41	54.0	13.59	AV	360.00	400	Horizontal	Pass
6	15769.275	50.02	74.0	23.98	Peak	333.00	200	Horizontal	Pass
6**	15769.275	40.65	54.0	13.35	AV	333.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.300	43.45	74.0	30.55	Peak	101.00	400	Vertical	Pass
1**	1598.300	33.51	54.0	20.49	AV	101.00	400	Vertical	Pass
2	4285.000	48.92	74.0	25.08	Peak	0.00	400	Vertical	Pass
2**	4285.000	39.99	54.0	14.01	AV	0.00	400	Vertical	Pass
3	5743.000	103.68	--	--	Peak	225.00	200	Vertical	N/A
3**	5743.000	96.23	--	--	AV	225.00	200	Vertical	N/A
4	7654.750	57.24	74.0	16.76	Peak	121.00	300	Vertical	Pass
4**	7654.750	48.35	54.0	5.65	AV	121.00	300	Vertical	Pass
5	12180.000	49.45	74.0	24.55	Peak	214.00	100	Vertical	Pass
5**	12180.000	39.36	54.0	14.64	AV	214.00	100	Vertical	Pass
6	16118.138	50.48	74.0	23.52	Peak	153.00	100	Vertical	Pass
6**	16118.138	41.47	54.0	12.53	AV	153.00	100	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.500	43.35	74.0	30.65	Peak	86.00	400	Horizontal	Pass
1**	1440.500	33.80	54.0	20.20	AV	86.00	400	Horizontal	Pass
2	4141.500	49.04	74.0	24.96	Peak	160.00	300	Horizontal	Pass
2**	4141.500	40.16	54.0	13.84	AV	160.00	300	Horizontal	Pass
3	5799.000	113.07	--	--	Peak	280.00	200	Horizontal	N/A
3**	5799.000	105.77	--	--	AV	280.00	200	Horizontal	N/A
4	7571.750	56.46	74.0	17.54	Peak	0.00	100	Horizontal	Pass
4**	7571.750	47.88	54.0	6.12	AV	0.00	100	Horizontal	Pass
5	11856.050	49.21	74.0	24.79	Peak	360.00	100	Horizontal	Pass
5**	11856.050	40.22	54.0	13.78	AV	360.00	100	Horizontal	Pass
6	16105.538	50.30	74.0	23.70	Peak	313.00	200	Horizontal	Pass
6**	16105.538	41.08	54.0	12.92	AV	313.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1589.100	43.73	74.0	30.27	Peak	57.00	300	Vertical	Pass
1**	1589.100	33.44	54.0	20.56	AV	57.00	300	Vertical	Pass
2	4300.750	49.09	74.0	24.91	Peak	1.00	200	Vertical	Pass
2**	4300.750	39.82	54.0	14.18	AV	1.00	200	Vertical	Pass
3	5800.500	105.61	--	--	Peak	290.00	400	Vertical	N/A
3**	5800.500	99.18	--	--	AV	290.00	400	Vertical	N/A
4	7565.750	56.64	74.0	17.36	Peak	0.00	400	Vertical	Pass
4**	7565.750	48.74	54.0	5.26	AV	0.00	400	Vertical	Pass
5	12553.825	49.88	74.0	24.12	Peak	70.00	200	Vertical	Pass
5**	12553.825	40.31	54.0	13.69	AV	70.00	200	Vertical	Pass
6	16090.838	50.10	74.0	23.90	Peak	264.00	300	Vertical	Pass
6**	16090.838	40.73	54.0	13.27	AV	264.00	300	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.400	42.74	74.0	31.26	Peak	86.00	200	Horizontal	Pass
1**	1438.400	32.80	54.0	21.20	AV	86.00	200	Horizontal	Pass
2	4319.000	48.53	74.0	25.47	Peak	16.00	200	Horizontal	Pass
2**	4319.000	40.29	54.0	13.71	AV	16.00	200	Horizontal	Pass
3	5788.750	107.05	--	--	Peak	274.00	200	Horizontal	N/A
3**	5788.750	98.46	--	--	AV	274.00	200	Horizontal	N/A
4	7568.250	56.82	74.0	17.18	Peak	350.00	400	Horizontal	Pass
4**	7568.250	47.97	54.0	6.03	AV	350.00	400	Horizontal	Pass
5	12051.512	49.73	74.0	24.27	Peak	148.00	150	Horizontal	Pass
5**	12051.512	39.77	54.0	14.23	AV	148.00	150	Horizontal	Pass
6	15599.175	50.50	74.0	23.50	Peak	222.00	400	Horizontal	Pass
6**	15599.175	40.60	54.0	13.40	AV	222.00	400	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1379.700	42.78	74.0	31.22	Peak	184.00	400	Vertical	Pass
1**	1379.700	31.93	54.0	22.07	AV	184.00	400	Vertical	Pass
2	4269.500	49.22	74.0	24.78	Peak	315.00	300	Vertical	Pass
2**	4269.500	41.19	54.0	12.81	AV	315.00	300	Vertical	Pass
3	5765.750	98.72	--	--	Peak	106.00	100	Vertical	N/A
3**	5765.750	90.87	--	--	AV	106.00	100	Vertical	N/A
4	7580.750	56.91	74.0	17.09	Peak	268.00	200	Vertical	Pass
4**	7580.750	47.99	54.0	6.01	AV	268.00	200	Vertical	Pass
5	12391.137	49.90	74.0	24.10	Peak	52.00	200	Vertical	Pass
5**	12391.137	40.07	54.0	13.93	AV	52.00	200	Vertical	Pass
6	16113.937	50.27	74.0	23.73	Peak	294.00	300	Vertical	Pass
6**	16113.937	40.89	54.0	13.11	AV	294.00	300	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.300	42.70	74.0	31.30	Peak	116.00	300	Horizontal	Pass
1**	1442.300	33.31	54.0	20.69	AV	116.00	300	Horizontal	Pass
2	4305.750	49.44	74.0	24.56	Peak	0.00	300	Horizontal	Pass
2**	4305.750	39.76	54.0	14.24	AV	0.00	300	Horizontal	Pass
3	5744.250	114.86	--	--	Peak	275.00	300	Horizontal	N/A
3**	5744.250	107.20	--	--	AV	275.00	300	Horizontal	N/A
4	7659.000	56.86	74.0	17.14	Peak	184.00	300	Horizontal	Pass
4**	7659.000	46.65	54.0	7.35	AV	184.00	300	Horizontal	Pass
5	12008.050	49.53	74.0	24.47	Peak	99.00	200	Horizontal	Pass
5**	12008.050	40.01	54.0	13.99	AV	99.00	200	Horizontal	Pass
6	16123.912	50.08	74.0	23.92	Peak	99.00	100	Horizontal	Pass
6**	16123.912	40.95	54.0	13.05	AV	99.00	100	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.500	43.26	74.0	30.74	Peak	252.00	400	Vertical	Pass
1**	1439.500	32.25	54.0	21.75	AV	252.00	400	Vertical	Pass
2	4339.500	49.00	74.0	25.00	Peak	298.00	100	Vertical	Pass
2**	4339.500	39.15	54.0	14.85	AV	298.00	100	Vertical	Pass
3	5745.750	106.37	--	--	Peak	266.00	300	Vertical	N/A
3**	5745.750	98.32	--	--	AV	266.00	300	Vertical	N/A
4	7570.250	56.93	74.0	17.07	Peak	358.00	200	Vertical	Pass
4**	7570.250	48.50	54.0	5.50	AV	358.00	200	Vertical	Pass
5	12578.763	49.64	74.0	24.36	Peak	99.00	400	Vertical	Pass
5**	12578.763	40.07	54.0	13.93	AV	99.00	400	Vertical	Pass
6	16160.400	50.02	74.0	23.98	Peak	228.00	200	Vertical	Pass
6**	16160.400	39.43	54.0	14.57	AV	228.00	200	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.200	43.10	74.0	30.90	Peak	50.00	300	Horizontal	Pass
1**	1442.200	32.45	54.0	21.55	AV	50.00	300	Horizontal	Pass
2	4202.250	49.25	74.0	24.75	Peak	298.00	200	Horizontal	Pass
2**	4202.250	39.43	54.0	14.57	AV	298.00	200	Horizontal	Pass
3	5787.750	113.13	--	--	Peak	292.00	400	Horizontal	N/A
3**	5787.750	105.33	--	--	AV	292.00	400	Horizontal	N/A
4	7546.750	56.87	74.0	17.13	Peak	292.00	100	Horizontal	Pass
4**	7546.750	47.49	54.0	6.51	AV	292.00	100	Horizontal	Pass
5	11921.362	50.77	74.0	23.23	Peak	40.00	100	Horizontal	Pass
5**	11921.362	39.36	54.0	14.64	AV	40.00	100	Horizontal	Pass
6	16088.212	49.85	74.0	24.15	Peak	191.00	400	Horizontal	Pass
6**	16088.212	40.83	54.0	13.17	AV	191.00	400	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1590.500	43.71	74.0	30.29	Peak	108.00	200	Vertical	Pass
1**	1590.500	34.57	54.0	19.43	AV	108.00	200	Vertical	Pass
2	4290.000	49.14	74.0	24.86	Peak	289.00	100	Vertical	Pass
2**	4290.000	40.14	54.0	13.86	AV	289.00	100	Vertical	Pass
3	5788.000	105.96	--	--	Peak	104.00	200	Vertical	N/A
3**	5788.000	98.91	--	--	AV	104.00	200	Vertical	N/A
4	7573.250	57.27	74.0	16.73	Peak	272.00	400	Vertical	Pass
4**	7573.250	47.50	54.0	6.50	AV	272.00	400	Vertical	Pass
5	12637.662	49.25	74.0	24.75	Peak	96.00	100	Vertical	Pass
5**	12637.662	40.01	54.0	13.99	AV	96.00	100	Vertical	Pass
6	16055.400	50.49	74.0	23.51	Peak	352.00	400	Vertical	Pass
6**	16055.400	40.46	54.0	13.54	AV	352.00	400	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.800	42.35	74.0	31.65	Peak	176.00	400	Horizontal	Pass
1**	1332.800	31.90	54.0	22.10	AV	176.00	400	Horizontal	Pass
2	4233.500	49.30	74.0	24.70	Peak	345.00	100	Horizontal	Pass
2**	4233.500	39.89	54.0	14.11	AV	345.00	100	Horizontal	Pass
3	5829.750	114.37	--	--	Peak	266.00	200	Horizontal	N/A
3**	5829.750	104.26	--	--	AV	266.00	200	Horizontal	N/A
4	7573.000	56.79	74.0	17.21	Peak	259.00	100	Horizontal	Pass
4**	7573.000	47.39	54.0	6.61	AV	259.00	100	Horizontal	Pass
5	12545.275	50.10	74.0	23.90	Peak	184.00	200	Horizontal	Pass
5**	12545.275	39.87	54.0	14.13	AV	184.00	200	Horizontal	Pass
6	15821.513	50.33	74.0	23.67	Peak	337.00	100	Horizontal	Pass
6**	15821.513	40.38	54.0	13.62	AV	337.00	100	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.900	42.67	74.0	31.33	Peak	49.00	100	Vertical	Pass
1**	1572.900	33.26	54.0	20.74	AV	49.00	100	Vertical	Pass
2	4290.500	48.80	74.0	25.20	Peak	65.00	200	Vertical	Pass
2**	4290.500	39.85	54.0	14.15	AV	65.00	200	Vertical	Pass
3	5823.000	106.09	--	--	Peak	251.00	200	Vertical	N/A
3**	5823.000	98.87	--	--	AV	251.00	200	Vertical	N/A
4	7625.500	56.73	74.0	17.27	Peak	235.00	200	Vertical	Pass
4**	7625.500	47.56	54.0	6.44	AV	235.00	200	Vertical	Pass
5	11897.375	49.70	74.0	24.30	Peak	360.00	400	Vertical	Pass
5**	11897.375	40.86	54.0	13.14	AV	360.00	400	Vertical	Pass
6	16116.037	50.60	74.0	23.40	Peak	270.00	200	Vertical	Pass
6**	16116.037	41.97	54.0	12.03	AV	270.00	200	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.000	43.10	74.0	30.90	Peak	49.00	100	Horizontal	Pass
1**	1441.000	32.93	54.0	21.07	AV	49.00	100	Horizontal	Pass
2	4347.250	49.07	74.0	24.93	Peak	220.00	200	Horizontal	Pass
2**	4347.250	39.17	54.0	14.83	AV	220.00	200	Horizontal	Pass
3	5767.000	111.09	--	--	Peak	269.00	300	Horizontal	N/A
3**	5767.000	101.47	--	--	AV	269.00	300	Horizontal	N/A
4	7543.000	56.77	74.0	17.23	Peak	34.00	400	Horizontal	Pass
4**	7543.000	48.95	54.0	5.05	AV	34.00	400	Horizontal	Pass
5	12449.563	49.50	74.0	24.50	Peak	323.00	300	Horizontal	Pass
5**	12449.563	39.83	54.0	14.17	AV	323.00	300	Horizontal	Pass
6	16092.937	49.75	74.0	24.25	Peak	197.00	400	Horizontal	Pass
6**	16092.937	41.57	54.0	12.43	AV	197.00	400	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.300	42.94	74.0	31.06	Peak	26.00	400	Vertical	Pass
1**	1610.300	32.96	54.0	21.04	AV	26.00	400	Vertical	Pass
2	4339.500	49.07	74.0	24.93	Peak	340.00	400	Vertical	Pass
2**	4339.500	39.07	54.0	14.93	AV	340.00	400	Vertical	Pass
3	5767.500	102.90	--	--	Peak	137.00	100	Vertical	N/A
3**	5767.500	94.64	--	--	AV	137.00	100	Vertical	N/A
4	7478.500	57.22	74.0	16.78	Peak	359.00	400	Vertical	Pass
4**	7478.500	47.01	54.0	6.99	AV	359.00	400	Vertical	Pass
5	12432.224	49.66	74.0	24.34	Peak	346.00	400	Vertical	Pass
5**	12432.224	39.55	54.0	14.45	AV	346.00	400	Vertical	Pass
6	15628.049	50.15	74.0	23.85	Peak	39.00	200	Vertical	Pass
6**	15628.049	39.98	54.0	14.02	AV	39.00	200	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.200	43.35	74.0	30.65	Peak	50.00	300	Horizontal	Pass
1**	1440.200	32.91	54.0	21.09	AV	50.00	300	Horizontal	Pass
2	4274.250	48.83	74.0	25.17	Peak	234.00	400	Horizontal	Pass
2**	4274.250	40.08	54.0	13.92	AV	234.00	400	Horizontal	Pass
3	5791.500	110.18	--	--	Peak	274.00	100	Horizontal	N/A
3**	5791.500	100.76	--	--	AV	274.00	100	Horizontal	N/A
4	7522.750	56.76	74.0	17.24	Peak	154.00	300	Horizontal	Pass
4**	7522.750	47.26	54.0	6.74	AV	154.00	300	Horizontal	Pass
5	12586.599	50.38	74.0	23.62	Peak	76.00	200	Horizontal	Pass
5**	12586.599	40.02	54.0	13.98	AV	76.00	200	Horizontal	Pass
6	16082.700	49.82	74.0	24.18	Peak	0.00	400	Horizontal	Pass
6**	16082.700	40.57	54.0	13.43	AV	0.00	400	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1624.500	44.16	74.0	29.84	Peak	109.00	300	Vertical	Pass
1**	1624.500	34.51	54.0	19.49	AV	109.00	300	Vertical	Pass
2	4251.000	49.70	74.0	24.30	Peak	1.00	300	Vertical	Pass
2**	4251.000	39.28	54.0	14.72	AV	1.00	300	Vertical	Pass
3	5797.500	102.61	--	--	Peak	98.00	300	Vertical	N/A
3**	5797.500	93.81	--	--	AV	98.00	300	Vertical	N/A
4	7631.750	57.04	74.0	16.96	Peak	145.00	200	Vertical	Pass
4**	7631.750	47.98	54.0	6.02	AV	145.00	200	Vertical	Pass
5	12238.425	49.51	74.0	24.49	Peak	261.00	400	Vertical	Pass
5**	12238.425	40.10	54.0	13.90	AV	261.00	400	Vertical	Pass
6	16109.737	50.46	74.0	23.54	Peak	50.00	300	Vertical	Pass
6**	16109.737	41.70	54.0	12.30	AV	50.00	300	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.800	42.81	74.0	31.19	Peak	49.00	400	Horizontal	Pass
1**	1437.800	33.06	54.0	20.94	AV	49.00	400	Horizontal	Pass
2	4213.750	49.45	74.0	24.55	Peak	178.00	200	Horizontal	Pass
2**	4213.750	39.39	54.0	14.61	AV	178.00	200	Horizontal	Pass
3	5811.500	108.01	--	--	Peak	266.00	300	Horizontal	N/A
3**	5811.500	97.55	--	--	AV	266.00	300	Horizontal	N/A
4	7671.000	56.95	74.0	17.05	Peak	16.00	100	Horizontal	Pass
4**	7671.000	46.75	54.0	7.25	AV	16.00	100	Horizontal	Pass
5	12591.825	49.83	74.0	24.17	Peak	240.00	100	Horizontal	Pass
5**	12591.825	40.56	54.0	13.44	AV	240.00	100	Horizontal	Pass
6	16092.151	50.09	74.0	23.91	Peak	21.00	200	Horizontal	Pass
6**	16092.151	40.79	54.0	13.21	AV	21.00	200	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	44.14	74.0	29.86	Peak	102.00	400	Vertical	Pass
1**	1600.000	35.17	54.0	18.83	AV	102.00	400	Vertical	Pass
2	4310.000	48.99	74.0	25.01	Peak	358.00	100	Vertical	Pass
2**	4310.000	40.18	54.0	13.82	AV	358.00	100	Vertical	Pass
3	5785.000	101.31	--	--	Peak	137.00	400	Vertical	N/A
3**	5785.000	90.36	--	--	AV	137.00	400	Vertical	N/A
4	7590.250	56.91	74.0	17.09	Peak	178.00	100	Vertical	Pass
4**	7590.250	47.41	54.0	6.59	AV	178.00	100	Vertical	Pass
5	12453.599	49.62	74.0	24.38	Peak	359.00	400	Vertical	Pass
5**	12453.599	39.59	54.0	14.41	AV	359.00	400	Vertical	Pass
6	16102.388	50.31	74.0	23.69	Peak	217.00	400	Vertical	Pass
6**	16102.388	41.07	54.0	12.93	AV	217.00	400	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass

	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass


Note ¹: All antenna were pre tested, but only the worst case has been reported in this report.

Note ²: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots


MIMO

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	66.82	74.0	7.18	Peak	254.00	200	Horizontal	Pass
1**	5148.700	46.58	54.0	7.42	AV	254.00	200	Horizontal	Pass
2	5150.000	62.92	74.0	11.08	Peak	264.00	200	Horizontal	Pass
2**	5150.000	47.14	54.0	6.86	AV	264.00	200	Horizontal	Pass
3	5149.350	63.54	74.0	10.46	Peak	259.00	100	Horizontal	Pass
3**	5149.350	48.70	54.0	5.30	AV	259.00	100	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.66	74.0	16.34	Peak	256.00	100	Horizontal	Pass
1**	5350.000	48.80	54.0	5.20	AV	256.00	100	Horizontal	Pass
2	5350.183	59.24	74.0	14.76	Peak	259.00	100	Horizontal	Pass
2**	5350.183	48.71	54.0	5.29	AV	259.00	100	Horizontal	Pass
3	5352.200	58.17	74.0	15.83	Peak	269.00	100	Horizontal	Pass
3**	5352.200	48.82	54.0	5.18	AV	269.00	100	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	70.04	74.0	3.96	Peak	274.00	200	Horizontal	Pass
1**	5148.700	49.54	54.0	4.46	AV	274.00	200	Horizontal	Pass
2	5150.000	68.83	74.0	5.17	Peak	280.00	200	Horizontal	Pass
2**	5150.000	47.96	54.0	6.04	AV	280.00	200	Horizontal	Pass
3	5149.025	67.44	74.0	6.56	Peak	262.00	100	Horizontal	Pass
3**	5149.025	49.94	54.0	4.06	AV	262.00	100	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.19	74.0	14.81	Peak	263.00	100	Horizontal	Pass
1**	5350.000	48.32	54.0	5.68	AV	263.00	100	Horizontal	Pass
2	5352.200	60.53	74.0	13.47	Peak	275.00	400	Horizontal	Pass
2**	5352.200	48.14	54.0	5.86	AV	275.00	400	Horizontal	Pass
3	5350.183	58.60	74.0	15.40	Peak	289.00	100	Horizontal	Pass
3**	5350.183	48.65	54.0	5.35	AV	289.00	100	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	63.85	74.0	10.15	Peak	256.00	200	Horizontal	Pass
1**	5149.675	50.49	54.0	3.51	AV	256.00	200	Horizontal	Pass
2	5150.000	62.88	74.0	11.12	Peak	256.00	400	Horizontal	Pass
2**	5150.000	50.55	54.0	3.45	AV	256.00	400	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.80	74.0	14.20	Peak	257.00	100	Horizontal	Pass
1**	5350.000	49.95	54.0	4.05	AV	257.00	100	Horizontal	Pass
2	5351.834	63.35	74.0	10.65	Peak	262.00	100	Horizontal	Pass
2**	5351.834	49.34	54.0	4.66	AV	262.00	100	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	69.10	74.0	4.90	Peak	279.00	100	Horizontal	Pass
1**	5149.350	49.03	54.0	4.97	AV	279.00	100	Horizontal	Pass
2	5150.000	63.35	74.0	10.65	Peak	268.00	400	Horizontal	Pass
2**	5150.000	48.61	54.0	5.39	AV	268.00	400	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.58	74.0	13.42	Peak	266.00	300	Horizontal	Pass
1**	5350.000	49.46	54.0	4.54	AV	266.00	300	Horizontal	Pass
2	5350.917	64.18	74.0	9.82	Peak	267.00	400	Horizontal	Pass
2**	5350.917	49.56	54.0	4.44	AV	267.00	400	Horizontal	Pass
3	5352.933	61.21	74.0	12.79	Peak	249.00	150	Horizontal	Pass
3**	5352.933	49.88	54.0	4.12	AV	249.00	150	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.800	65.41	0.15	74.0	8.59	Peak	251.00	100	Horizontal	Pass
1**	5144.800	46.40	0.15	54.0	7.60	AV	251.00	100	Horizontal	Pass
2	5149.025	61.19	0.10	74.0	12.81	Peak	244.00	100	Horizontal	Pass
2**	5149.025	49.19	0.10	54.0	4.81	AV	244.00	100	Horizontal	Pass
3	5150.000	63.88	0.06	74.0	10.12	Peak	244.00	300	Horizontal	Pass
3**	5150.000	47.26	0.06	54.0	6.74	AV	244.00	300	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.06	74.0	11.94	Peak	268.00	300	Horizontal	Pass
1**	5350.000	50.42	54.0	3.58	AV	268.00	300	Horizontal	Pass
2	5352.933	64.79	74.0	9.21	Peak	274.00	100	Horizontal	Pass
2**	5352.933	50.44	54.0	3.56	AV	274.00	100	Horizontal	Pass
3	5350.917	62.01	74.0	11.99	Peak	268.00	150	Horizontal	Pass
3**	5350.917	52.21	54.0	1.79	AV	268.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.800	57.92	0.15	74.0	16.08	Peak	276.00	100	Horizontal	Pass
1**	5144.800	46.71	0.15	54.0	7.29	AV	276.00	100	Horizontal	Pass
2	5149.350	59.82	0.20	74.0	14.18	Peak	292.00	300	Horizontal	Pass
2**	5149.350	45.93	0.20	54.0	8.07	AV	292.00	300	Horizontal	Pass
3	5150.000	57.64	0.06	74.0	16.36	Peak	287.00	200	Horizontal	Pass
3**	5150.000	45.70	0.06	54.0	8.30	AV	287.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.97	-1.41	74.0	22.03	Peak	234.00	300	Horizontal	Pass
1**	5350.000	41.55	-1.41	54.0	12.45	AV	234.00	300	Horizontal	Pass
2	5376.033	54.38	0.84	74.0	19.62	Peak	12.00	100	Horizontal	Pass
2**	5376.033	44.93	0.84	54.0	9.07	AV	12.00	100	Horizontal	Pass
3	5377.867	56.09	0.37	74.0	17.91	Peak	242.00	400	Horizontal	Pass
3**	5377.867	43.70	0.37	54.0	10.30	AV	242.00	400	Horizontal	Pass

U-NII-1 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	68.02	-0.05	74.0	5.98	Peak	244.00	400	Horizontal	Pass
1**	5148.050	47.78	-0.05	54.0	6.22	AV	244.00	400	Horizontal	Pass
2	5150.000	66.42	0.06	74.0	7.58	Peak	240.00	400	Horizontal	Pass
2**	5150.000	51.28	0.06	54.0	2.72	AV	240.00	400	Horizontal	Pass

U-NII-1 11ax20(SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.27	-1.41	74.0	16.73	Peak	248.00	100	Horizontal	Pass
1**	5350.000	46.27	-1.41	54.0	7.73	AV	248.00	100	Horizontal	Pass
2	5352.567	57.28	-0.62	74.0	16.72	Peak	241.00	100	Horizontal	Pass
2**	5352.567	48.31	-0.62	54.0	5.69	AV	241.00	100	Horizontal	Pass
3	5354.400	60.34	-0.75	74.0	13.66	Peak	241.00	300	Horizontal	Pass
3**	5354.400	47.95	-0.75	54.0	6.05	AV	241.00	300	Horizontal	Pass

U-NII-1 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.425	66.33	0.11	74.0	7.67	Peak	244.00	300	Horizontal	Pass
1**	5146.425	49.59	0.11	54.0	4.41	AV	244.00	300	Horizontal	Pass
2	5150.000	64.66	0.06	74.0	9.34	Peak	249.00	100	Horizontal	Pass
2**	5150.000	50.65	0.06	54.0	3.35	AV	249.00	100	Horizontal	Pass

U-NII-1 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.94	-1.41	74.0	13.06	Peak	236.00	300	Horizontal	Pass
1**	5350.000	49.18	-1.41	54.0	4.82	AV	236.00	300	Horizontal	Pass
2	5359.900	63.72	-0.24	74.0	10.28	Peak	242.00	400	Horizontal	Pass
2**	5359.900	48.66	-0.24	54.0	5.34	AV	242.00	400	Horizontal	Pass
3	5374.383	60.63	0.50	74.0	13.37	Peak	239.00	100	Horizontal	Pass
3**	5374.383	49.66	0.50	54.0	4.34	AV	239.00	100	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5142.525	63.59	0.31	74.0	10.41	Peak	242.00	300	Horizontal	Pass
1**	5142.525	50.29	0.31	54.0	3.71	AV	242.00	300	Horizontal	Pass
2	5144.150	62.18	0.16	74.0	11.82	Peak	246.00	100	Horizontal	Pass
2**	5144.150	52.15	0.16	54.0	1.85	AV	246.00	100	Horizontal	Pass
3	5150.000	61.47	0.06	74.0	12.53	Peak	238.00	100	Horizontal	Pass
3**	5150.000	50.07	0.06	54.0	3.93	AV	238.00	100	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.60	-1.41	74.0	19.40	Peak	253.00	100	Horizontal	Pass
1**	5350.000	42.20	-1.41	54.0	11.80	AV	253.00	100	Horizontal	Pass
2	5362.100	57.31	-0.91	74.0	16.69	Peak	244.00	100	Horizontal	Pass
2**	5362.100	42.17	-0.91	54.0	11.83	AV	244.00	100	Horizontal	Pass
3	5376.400	54.81	0.82	74.0	19.19	Peak	241.00	100	Horizontal	Pass
3**	5376.400	45.27	0.82	54.0	8.73	AV	241.00	100	Horizontal	Pass

U-NII-1 11ax20(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5138.625	72.37	74.0	1.63	Peak	277.00	200	Horizontal	Pass
1**	5138.625	47.03	54.0	6.97	AV	277.00	200	Horizontal	Pass
2	5150.000	66.32	74.0	7.68	Peak	287.00	100	Horizontal	Pass
2**	5150.000	48.25	54.0	5.75	AV	287.00	100	Horizontal	Pass
3	5138.950	70.56	74.0	3.44	Peak	285.00	100	Horizontal	Pass
3**	5138.950	51.52	54.0	2.48	AV	285.00	100	Horizontal	Pass

U-NII-1 11ax20(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.76	74.0	12.24	Peak	288.00	100	Horizontal	Pass
1**	5350.000	47.24	54.0	6.76	AV	288.00	100	Horizontal	Pass
2	5363.383	62.27	74.0	11.73	Peak	279.00	400	Horizontal	Pass
2**	5363.383	46.68	54.0	7.32	AV	279.00	400	Horizontal	Pass
3	5350.550	60.82	74.0	13.18	Peak	274.00	100	Horizontal	Pass
3**	5350.550	47.74	54.0	6.26	AV	274.00	100	Horizontal	Pass

U-NII-1 11ax40(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.600	71.18	74.0	2.82	Peak	301.00	100	Horizontal	Pass
1**	5139.600	46.88	54.0	7.12	AV	301.00	100	Horizontal	Pass
2	5150.000	64.71	74.0	9.29	Peak	311.00	200	Horizontal	Pass
2**	5150.000	47.30	54.0	6.70	AV	311.00	200	Horizontal	Pass
3	5139.925	59.82	74.0	14.18	Peak	256.00	100	Horizontal	Pass
3**	5139.925	50.92	54.0	3.08	AV	256.00	100	Horizontal	Pass

U-NII-1 11ax40(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.99	74.0	14.01	Peak	259.00	200	Horizontal	Pass
1**	5350.000	46.56	54.0	7.44	AV	259.00	200	Horizontal	Pass
2	5361.000	61.08	74.0	12.92	Peak	276.00	300	Horizontal	Pass
2**	5361.000	46.89	54.0	7.11	AV	276.00	300	Horizontal	Pass

U-NII-1 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5132.450	64.95	74.0	9.05	Peak	279.00	100	Horizontal	Pass
1**	5132.450	47.22	54.0	6.78	AV	279.00	100	Horizontal	Pass
2	5150.000	58.54	74.0	15.46	Peak	209.00	300	Horizontal	Pass
2**	5150.000	46.00	54.0	8.00	AV	209.00	300	Horizontal	Pass
3	5134.725	62.84	74.0	11.16	Peak	302.00	100	Horizontal	Pass
3**	5134.725	50.31	54.0	3.69	AV	302.00	100	Horizontal	Pass

U-NII-1 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.09	74.0	17.91	Peak	135.00	400	Horizontal	Pass
1**	5350.000	45.87	54.0	8.13	AV	135.00	400	Horizontal	Pass
2	5403.350	57.77	74.0	16.23	Peak	290.00	200	Horizontal	Pass
2**	5403.350	46.10	54.0	7.90	AV	290.00	200	Horizontal	Pass
3	5382.633	56.37	74.0	17.63	Peak	337.00	100	Horizontal	Pass
3**	5382.633	46.59	54.0	7.41	AV	337.00	100	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	55.00	-0.05	74.0	19.00	Peak	267.00	100	Horizontal	Pass
1**	5148.050	44.28	-0.05	54.0	9.72	AV	267.00	100	Horizontal	Pass
2	5150.000	53.96	0.06	74.0	20.04	Peak	283.00	400	Horizontal	Pass
2**	5150.000	43.99	0.06	54.0	10.01	AV	283.00	400	Horizontal	Pass
3	5149.350	53.56	0.20	74.0	20.44	Peak	175.00	100	Horizontal	Pass
3**	5149.350	44.68	0.20	54.0	9.32	AV	175.00	100	Horizontal	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	67.60	-1.41	74.0	6.40	Peak	234.00	200	Horizontal	Pass
1**	5350.000	45.49	-1.41	54.0	8.51	AV	234.00	200	Horizontal	Pass
2	5350.550	68.30	-1.15	74.0	5.70	Peak	240.00	200	Horizontal	Pass
2**	5350.550	45.06	-1.15	54.0	8.94	AV	240.00	200	Horizontal	Pass
3	5350.733	67.37	-1.06	74.0	6.63	Peak	231.00	100	Horizontal	Pass
3**	5350.733	46.73	-1.06	54.0	7.27	AV	231.00	100	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.125	55.09	0.13	74.0	18.91	Peak	248.00	400	Horizontal	Pass
1**	5145.125	43.58	0.13	54.0	10.42	AV	248.00	400	Horizontal	Pass
2	5150.000	53.28	0.06	74.0	20.72	Peak	248.00	200	Horizontal	Pass
2**	5150.000	44.22	0.06	54.0	9.78	AV	248.00	200	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	67.02	-1.41	74.0	6.98	Peak	256.00	200	Horizontal	Pass
1**	5350.000	50.62	-1.41	54.0	3.38	AV	256.00	200	Horizontal	Pass
2	5354.767	70.12	-0.79	74.0	3.88	Peak	256.00	300	Horizontal	Pass
2**	5354.767	49.91	-0.79	54.0	4.09	AV	256.00	300	Horizontal	Pass
3	5350.733	67.86	-1.06	74.0	6.14	Peak	248.00	100	Horizontal	Pass
3**	5350.733	51.72	-1.06	54.0	2.28	AV	248.00	100	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	64.56	0.10	74.0	9.44	Peak	237.00	300	Horizontal	Pass
1**	5149.025	51.72	0.10	54.0	2.28	AV	237.00	300	Horizontal	Pass
2	5150.000	60.60	0.06	74.0	13.40	Peak	263.00	100	Horizontal	Pass
2**	5150.000	51.26	0.06	54.0	2.74	AV	263.00	100	Horizontal	Pass
3	5147.400	61.45	0.05	74.0	12.55	Peak	276.00	100	Horizontal	Pass
3**	5147.400	52.13	0.05	54.0	1.87	AV	276.00	100	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.95	-1.41	74.0	15.05	Peak	231.00	200	Horizontal	Pass
1**	5350.000	47.49	-1.41	54.0	6.51	AV	231.00	200	Horizontal	Pass
2	5354.400	62.51	-0.75	74.0	11.49	Peak	256.00	200	Horizontal	Pass
2**	5354.400	46.67	-0.75	54.0	7.33	AV	256.00	200	Horizontal	Pass
3	5351.100	59.10	-1.02	74.0	14.90	Peak	256.00	100	Horizontal	Pass
3**	5351.100	48.01	-1.02	54.0	5.99	AV	256.00	100	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	57.18	0.20	74.0	16.82	Peak	270.00	100	Horizontal	Pass
1**	5149.350	46.31	0.20	54.0	7.69	AV	270.00	100	Horizontal	Pass
2	5150.000	55.09	0.06	74.0	18.91	Peak	240.00	400	Horizontal	Pass
2**	5150.000	46.01	0.06	54.0	7.99	AV	240.00	400	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	70.51	-1.41	74.0	3.49	Peak	235.00	400	Horizontal	Pass
1**	5350.000	50.95	-1.41	54.0	3.05	AV	235.00	400	Horizontal	Pass
2	5354.584	71.01	-0.77	74.0	2.99	Peak	241.00	400	Horizontal	Pass
2**	5354.584	48.86	-0.77	54.0	5.14	AV	241.00	400	Horizontal	Pass
3	5351.100	70.39	-1.02	74.0	3.61	Peak	241.00	100	Horizontal	Pass
3**	5351.100	51.45	-1.02	54.0	2.55	AV	241.00	100	Horizontal	Pass

U-NII-2A 11ac40 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	57.68	-0.01	74.0	16.32	Peak	248.00	200	Horizontal	Pass
1**	5148.700	46.25	-0.01	54.0	7.75	AV	248.00	200	Horizontal	Pass
2	5150.000	57.00	0.06	74.0	17.00	Peak	258.00	200	Horizontal	Pass
2**	5150.000	45.78	0.06	54.0	8.22	AV	258.00	200	Horizontal	Pass
3	5147.075	55.75	0.14	74.0	18.25	Peak	244.00	100	Horizontal	Pass
3**	5147.075	46.83	0.14	54.0	7.17	AV	244.00	100	Horizontal	Pass


U-NII-2A 11ac40 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.97	-1.41	74.0	11.03	Peak	259.00	400	Horizontal	Pass
1**	5350.000	51.62	-1.41	54.0	2.38	AV	259.00	400	Horizontal	Pass
2	5355.500	68.10	-0.83	74.0	5.90	Peak	244.00	200	Horizontal	Pass
2**	5355.500	49.54	-0.83	54.0	4.46	AV	244.00	200	Horizontal	Pass
3	5350.733	64.51	-1.06	74.0	9.49	Peak	249.00	100	Horizontal	Pass
3**	5350.733	52.26	-1.06	54.0	1.74	AV	249.00	100	Horizontal	Pass


U-NII-2A 11ac80 Middle Channel

RSE(SRD)_FCC Bandedge_5G_Band1&2_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5138.083	62.75	1.81	74.0	11.25	Peak	333.00	100	Horizontal	Pass
1**	5138.083	50.37	1.81	54.0	3.63	AV	333.00	100	Horizontal	Pass
2	5144.584	63.72	1.79	74.0	10.28	Peak	315.00	100	Horizontal	Pass
2**	5144.584	49.31	1.79	54.0	4.69	AV	315.00	100	Horizontal	Pass
3	5150.000	62.20	1.71	74.0	11.80	Peak	337.00	150	Horizontal	Pass
3**	5150.000	49.41	1.71	54.0	4.59	AV	337.00	150	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.01	-1.41	74.0	10.99	Peak	256.00	100	Horizontal	Pass
1**	5350.000	50.96	-1.41	54.0	3.04	AV	256.00	100	Horizontal	Pass
2	5353.667	68.05	-1.03	74.0	5.95	Peak	232.00	300	Horizontal	Pass
2**	5353.667	50.50	-1.03	54.0	3.50	AV	232.00	300	Horizontal	Pass
3	5352.383	65.12	-0.61	74.0	8.88	Peak	256.00	100	Horizontal	Pass
3**	5352.383	52.35	-0.61	54.0	1.65	AV	256.00	100	Horizontal	Pass

U-NII-2A 11ax20(SU) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	58.45	0.20	74.0	15.55	Peak	248.00	100	Horizontal	Pass
1**	5149.350	47.77	0.20	54.0	6.23	AV	248.00	100	Horizontal	Pass
2	5150.000	57.29	0.06	74.0	16.71	Peak	272.00	100	Horizontal	Pass
2**	5150.000	46.88	0.06	54.0	7.12	AV	272.00	100	Horizontal	Pass
3	5146.750	56.37	0.21	74.0	17.63	Peak	258.00	100	Horizontal	Pass
3**	5146.750	47.80	0.21	54.0	6.20	AV	258.00	100	Horizontal	Pass

U-NII-2A 11ax20(SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	65.28	-1.41	74.0	8.72	Peak	249.00	100	Horizontal	Pass
1**	5350.000	49.92	-1.41	54.0	4.08	AV	249.00	100	Horizontal	Pass
2	5352.016	67.83	-0.81	74.0	6.17	Peak	245.00	100	Horizontal	Pass
2**	5352.016	48.85	-0.81	54.0	5.15	AV	245.00	100	Horizontal	Pass
3	5350.733	64.39	-1.06	74.0	9.61	Peak	245.00	100	Horizontal	Pass
3**	5350.733	50.83	-1.06	54.0	3.17	AV	245.00	100	Horizontal	Pass

U-NII-2A 11ax40(SU) Low Channel


RSE(SRD)_FCC Bandedge_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.167	65.92	1.71	74.0	8.08	Peak	333.00	150	Horizontal	Pass
1**	5139.167	50.65	1.71	54.0	3.35	AV	333.00	150	Horizontal	Pass
2	5150.000	64.31	1.71	74.0	9.69	Peak	324.00	100	Horizontal	Pass
2**	5150.000	51.65	1.71	54.0	2.35	AV	324.00	100	Horizontal	Pass

U-NII-2A 11ax40(SU) High Channel


RSE(SRD), FCC Bandedge_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.51	1.33	74.0	11.49	Peak	245.00	100	Horizontal	Pass
1**	5350.000	51.11	1.33	54.0	2.89	AV	245.00	100	Horizontal	Pass
2	5350.917	64.23	1.07	74.0	9.77	Peak	243.00	100	Horizontal	Pass
2**	5350.917	50.38	1.07	54.0	3.62	AV	243.00	100	Horizontal	Pass
3	5352.200	62.02	1.15	74.0	11.98	Peak	249.00	100	Horizontal	Pass
3**	5352.200	52.45	1.15	54.0	1.55	AV	249.00	100	Horizontal	Pass


U-NII-2A 11ax80(SU) Middle Channel

RSE(SRD)_FCC Bandedge_5G_Band1&2_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.167	58.74	1.71	74.0	15.26	Peak	241.00	200	Horizontal	Pass
1**	5139.167	45.86	1.71	54.0	8.14	AV	241.00	200	Horizontal	Pass
2	5144.584	57.80	1.79	74.0	16.20	Peak	241.00	100	Horizontal	Pass
2**	5144.584	46.09	1.79	54.0	7.91	AV	241.00	100	Horizontal	Pass
3	5150.000	56.26	1.71	74.0	17.74	Peak	242.00	200	Horizontal	Pass
3**	5150.000	45.69	1.71	54.0	8.31	AV	242.00	200	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.78	1.33	74.0	9.22	Peak	244.00	200	Horizontal	Pass
1**	5350.000	50.71	1.33	54.0	3.29	AV	244.00	200	Horizontal	Pass
2	5353.850	62.26	1.17	74.0	11.74	Peak	229.00	100	Horizontal	Pass
2**	5353.850	52.42	1.17	54.0	1.58	AV	229.00	100	Horizontal	Pass
3	5364.484	65.61	1.92	74.0	8.39	Peak	242.00	200	Horizontal	Pass
3**	5364.484	50.62	1.92	54.0	3.38	AV	242.00	200	Horizontal	Pass

U-NII-2A 11ax20(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5132.125	64.14	74.0	9.86	Peak	271.00	300	Horizontal	Pass
1**	5132.125	49.99	54.0	4.01	AV	271.00	300	Horizontal	Pass
2	5150.000	55.66	74.0	18.34	Peak	206.00	300	Horizontal	Pass
2**	5150.000	45.93	54.0	8.07	AV	206.00	300	Horizontal	Pass
3	5132.775	63.73	74.0	10.27	Peak	290.00	100	Horizontal	Pass
3**	5132.775	50.65	54.0	3.35	AV	290.00	100	Horizontal	Pass

U-NII-2A 11ax20(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	67.69	74.0	6.31	Peak	282.00	300	Horizontal	Pass
1**	5350.000	48.27	54.0	5.73	AV	282.00	300	Horizontal	Pass
2	5354.217	70.54	74.0	3.46	Peak	271.00	400	Horizontal	Pass
2**	5354.217	48.85	54.0	5.15	AV	271.00	400	Horizontal	Pass
3	5351.834	65.15	74.0	8.85	Peak	282.00	100	Horizontal	Pass
3**	5351.834	49.40	54.0	4.60	AV	282.00	100	Horizontal	Pass

U-NII-2A 11ax40(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5134.075	57.91	74.0	16.09	Peak	268.00	200	Horizontal	Pass
1**	5134.075	46.30	54.0	7.70	AV	268.00	200	Horizontal	Pass
2	5150.000	55.69	74.0	18.31	Peak	0.00	100	Horizontal	Pass
2**	5150.000	45.95	54.0	8.05	AV	0.00	100	Horizontal	Pass
3	5091.500	56.26	74.0	17.74	Peak	269.00	100	Horizontal	Pass
3**	5091.500	46.69	54.0	7.31	AV	269.00	100	Horizontal	Pass

U-NII-2A 11ax40(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.14	74.0	9.86	Peak	258.00	300	Horizontal	Pass
1**	5350.000	48.51	54.0	5.49	AV	258.00	300	Horizontal	Pass
2	5353.667	71.39	74.0	2.61	Peak	254.00	300	Horizontal	Pass
2**	5353.667	47.21	54.0	6.79	AV	254.00	300	Horizontal	Pass

U-NII-2A 11ax80(RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5024.550	61.69	74.0	12.31	Peak	357.00	400	Horizontal	Pass
1**	5024.550	46.19	54.0	7.81	AV	357.00	400	Horizontal	Pass
2	5150.000	55.41	74.0	18.59	Peak	33.00	400	Horizontal	Pass
2**	5150.000	46.33	54.0	7.67	AV	33.00	400	Horizontal	Pass
3	5132.450	55.39	74.0	18.61	Peak	10.00	100	Horizontal	Pass
3**	5132.450	47.03	54.0	6.97	AV	10.00	100	Horizontal	Pass


U-NII-2A 11ax80(RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.47	74.0	17.53	Peak	286.00	400	Horizontal	Pass
1**	5350.000	46.48	54.0	7.52	AV	286.00	400	Horizontal	Pass
2	5404.084	69.74	74.0	4.26	Peak	271.00	400	Horizontal	Pass
2**	5404.084	52.42	54.0	1.58	AV	271.00	400	Horizontal	Pass
3	5404.266	66.29	74.0	7.71	Peak	271.00	100	Horizontal	Pass
3**	5404.266	52.48	54.0	1.52	AV	271.00	100	Horizontal	Pass


U-NII-2C 11a Low Channel

RSE(SRD)_FCC Bandedge_5G_Band3_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5451.400	59.40	2.04	74.0	14.60	Peak	235.00	150	Horizontal	Pass
1**	5451.400	45.78	2.04	54.0	8.22	AV	235.00	150	Horizontal	Pass
2	5460.000	58.76	1.66	74.0	15.24	Peak	226.00	200	Horizontal	Pass
2**	5460.000	45.72	1.66	54.0	8.28	AV	226.00	200	Horizontal	Pass
3	5469.000	63.44	1.68	68.2	4.76	Peak	234.00	100	Horizontal	Pass
3**	5469.000	46.67	1.68	--	--	AV	234.00	100	Horizontal	N/A
4	5470.000	63.85	1.97	68.2	4.35	Peak	234.00	150	Horizontal	Pass
4**	5470.000	47.34	1.97	--	--	AV	234.00	150	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.06	3.47	68.2	6.14	Peak	242.00	100	Horizontal	Pass
2	5725.209	63.95	3.36	68.2	4.25	Peak	246.00	150	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.000	64.13	2.11	74.0	9.87	Peak	223.00	150	Horizontal	Pass
1**	5458.000	46.12	2.11	54.0	7.88	AV	223.00	150	Horizontal	Pass
2	5460.000	58.66	1.66	74.0	15.34	Peak	225.00	100	Horizontal	Pass
2**	5460.000	45.95	1.66	54.0	8.05	AV	225.00	100	Horizontal	Pass
3	5468.800	66.30	1.71	68.2	1.90	Peak	250.00	200	Horizontal	Pass
3**	5468.800	46.42	1.71	--	--	AV	250.00	200	Horizontal	N/A
4	5470.000	65.95	1.97	68.2	2.25	Peak	209.00	100	Horizontal	Pass
4**	5470.000	46.61	1.97	--	--	AV	209.00	100	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.88	3.47	68.2	5.32	Peak	309.00	100	Horizontal	Pass
2	5725.834	66.57	3.21	68.2	1.63	Peak	249.00	100	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.200	61.46	2.19	74.0	12.54	Peak	251.00	100	Horizontal	Pass
1**	5457.200	47.65	2.19	54.0	6.35	AV	251.00	100	Horizontal	Pass
2	5460.000	59.92	1.66	74.0	14.08	Peak	219.00	150	Horizontal	Pass
2**	5460.000	47.92	1.66	54.0	6.08	AV	219.00	150	Horizontal	Pass
3	5466.400	65.73	1.47	68.2	2.47	Peak	251.00	200	Horizontal	Pass
3**	5466.400	49.86	1.47	--	--	AV	251.00	200	Horizontal	N/A
4	5470.000	63.07	1.97	68.2	5.13	Peak	258.00	150	Horizontal	Pass
4**	5470.000	51.50	1.97	--	--	AV	258.00	150	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.05	3.47	68.2	7.15	Peak	258.00	150	Horizontal	Pass
2	5726.458	66.31	3.53	68.2	1.89	Peak	234.00	150	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.000	57.45	-0.81	74.0	16.55	Peak	240.00	200	Horizontal	Pass
1**	5457.000	41.76	-0.81	54.0	12.24	AV	240.00	200	Horizontal	Pass
2	5460.000	51.77	-0.92	74.0	22.23	Peak	93.00	100	Horizontal	Pass
2**	5460.000	42.02	-0.92	54.0	11.98	AV	93.00	100	Horizontal	Pass
3	5469.000	57.87	-0.51	68.2	10.33	Peak	251.00	300	Horizontal	Pass
3**	5469.000	43.75	-0.51	--	--	AV	251.00	300	Horizontal	N/A
4	5470.000	57.63	-0.10	68.2	10.57	Peak	240.00	400	Horizontal	Pass
4**	5470.000	44.15	-0.10	--	--	AV	240.00	400	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.04	-0.12	68.2	9.16	Peak	257.00	300	Horizontal	Pass
2	5725.416	64.36	-0.11	68.2	3.84	Peak	265.00	400	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.200	59.74	-0.82	74.0	14.26	Peak	241.00	100	Horizontal	Pass
1**	5459.200	45.09	-0.82	54.0	8.91	AV	241.00	100	Horizontal	Pass
2	5459.600	60.68	-0.85	74.0	13.32	Peak	259.00	400	Horizontal	Pass
2**	5459.600	44.53	-0.85	54.0	9.47	AV	259.00	400	Horizontal	Pass
3	5460.000	58.57	-0.92	74.0	15.43	Peak	235.00	100	Horizontal	Pass
3**	5460.000	44.05	-0.92	54.0	9.95	AV	235.00	100	Horizontal	Pass
4	5469.800	64.75	-0.18	68.2	3.45	Peak	241.00	100	Horizontal	Pass
4**	5469.800	50.86	-0.18	--	--	AV	241.00	100	Horizontal	N/A
5	5470.000	63.22	-0.10	68.2	4.98	Peak	259.00	300	Horizontal	Pass
5**	5470.000	49.64	-0.10	--	--	AV	259.00	300	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.00	-0.12	68.2	12.20	Peak	244.00	400	Horizontal	Pass
2	5725.416	59.12	-0.11	68.2	9.08	Peak	250.00	100	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.000	65.48	-0.77	74.0	8.52	Peak	240.00	200	Horizontal	Pass
1**	5444.000	47.90	-0.77	54.0	6.10	AV	240.00	200	Horizontal	Pass
2	5457.800	60.08	-0.50	74.0	13.92	Peak	240.00	100	Horizontal	Pass
2**	5457.800	49.73	-0.50	54.0	4.27	AV	240.00	100	Horizontal	Pass
3	5460.000	60.23	-0.92	74.0	13.77	Peak	257.00	300	Horizontal	Pass
3**	5460.000	49.33	-0.92	54.0	4.67	AV	257.00	300	Horizontal	Pass
4	5469.000	66.49	-0.51	68.2	1.71	Peak	240.00	200	Horizontal	Pass
4**	5469.000	51.38	-0.51	--	--	AV	240.00	200	Horizontal	N/A
5	5470.000	65.83	-0.10	68.2	2.37	Peak	240.00	300	Horizontal	Pass
5**	5470.000	51.83	-0.10	--	--	AV	240.00	300	Horizontal	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.77	-0.12	68.2	4.43	Peak	249.00	300	Horizontal	Pass
2	5779.583	66.57	1.17	68.2	1.63	Peak	252.00	200	Horizontal	Pass

U-NII-2C 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.200	59.69	-0.59	74.0	14.31	Peak	237.00	300	Horizontal	Pass
1**	5458.200	43.15	-0.59	54.0	10.85	AV	237.00	300	Horizontal	Pass
2	5460.000	57.65	-0.92	74.0	16.35	Peak	287.00	300	Horizontal	Pass
2**	5460.000	42.45	-0.92	54.0	11.55	AV	287.00	300	Horizontal	Pass
3	5468.800	65.54	-0.45	68.2	2.66	Peak	237.00	300	Horizontal	Pass
3**	5468.800	45.34	-0.45	--	--	AV	237.00	300	Horizontal	N/A
4	5470.000	62.97	-0.10	68.2	5.23	Peak	247.00	200	Horizontal	Pass
4**	5470.000	46.02	-0.10	--	--	AV	247.00	200	Horizontal	N/A

U-NII-2C 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	65.10	-0.12	68.2	3.10	Peak	251.00	400	Horizontal	Pass

U-NII-2C 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.200	62.92	-1.04	74.0	11.08	Peak	237.00	200	Horizontal	Pass
1**	5453.200	44.01	-1.04	54.0	9.99	AV	237.00	200	Horizontal	Pass
2	5459.200	59.21	-0.82	74.0	14.79	Peak	237.00	100	Horizontal	Pass
2**	5459.200	47.64	-0.82	54.0	6.36	AV	237.00	100	Horizontal	Pass
3	5460.000	58.44	-0.92	74.0	15.56	Peak	234.00	300	Horizontal	Pass
3**	5460.000	46.58	-0.92	54.0	7.42	AV	234.00	300	Horizontal	Pass
4	5469.200	65.63	-0.43	68.2	2.57	Peak	237.00	300	Horizontal	Pass
4**	5469.200	53.86	-0.43	--	--	AV	237.00	300	Horizontal	N/A
5	5470.000	64.56	-0.10	68.2	3.64	Peak	237.00	200	Horizontal	Pass
5**	5470.000	53.42	-0.10	--	--	AV	237.00	200	Horizontal	N/A

U-NII-2C 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.19	-0.12	68.2	5.01	Peak	249.00	400	Horizontal	Pass
2	5725.416	65.81	-0.11	68.2	2.39	Peak	235.00	100	Horizontal	Pass

U-NII-2C 11ax80(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5448.400	63.11	-0.80	74.0	10.89	Peak	236.00	100	Horizontal	Pass
1**	5448.400	49.32	-0.80	54.0	4.68	AV	236.00	100	Horizontal	Pass
2	5459.600	60.65	-0.85	74.0	13.35	Peak	236.00	100	Horizontal	Pass
2**	5459.600	51.24	-0.85	54.0	2.76	AV	236.00	100	Horizontal	Pass
3	5460.000	59.81	-0.92	74.0	14.19	Peak	268.00	200	Horizontal	Pass
3**	5460.000	49.25	-0.92	54.0	4.75	AV	268.00	200	Horizontal	Pass
4	5466.600	64.68	-0.35	68.2	3.52	Peak	248.00	300	Horizontal	Pass
4**	5466.600	51.40	-0.35	--	--	AV	248.00	300	Horizontal	N/A
5	5470.000	61.82	-0.10	68.2	6.38	Peak	246.00	100	Horizontal	Pass
5**	5470.000	52.15	-0.10	--	--	AV	246.00	100	Horizontal	N/A

U-NII-2C 11ax80(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.36	-0.12	68.2	5.84	Peak	249.00	200	Horizontal	Pass
2	5748.959	64.84	0.27	68.2	3.36	Peak	246.00	200	Horizontal	Pass

U-NII-2C 11ax20(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.200	60.76	74.0	13.24	Peak	271.00	300	Horizontal	Pass
1**	5458.200	46.04	54.0	7.96	AV	271.00	300	Horizontal	Pass
2	5460.000	56.39	74.0	17.61	Peak	302.00	200	Horizontal	Pass
2**	5460.000	46.23	54.0	7.77	AV	302.00	200	Horizontal	Pass
3	5469.000	63.93	68.2	4.27	Peak	294.00	100	Horizontal	Pass
3**	5469.000	46.43	--	--	AV	294.00	100	Horizontal	N/A
4	5470.000	61.59	68.2	6.61	Peak	274.00	100	Horizontal	Pass
4**	5470.000	46.54	--	--	AV	274.00	100	Horizontal	N/A
5	5459.200	56.00	74.0	18.00	Peak	140.00	100	Horizontal	Pass
5**	5459.200	46.29	54.0	7.71	AV	140.00	100	Horizontal	Pass

U-NII-2C 11ax20(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.96	68.2	11.24	Peak	209.00	300	Horizontal	Pass
2	5733.125	59.93	68.2	8.27	Peak	264.00	100	Horizontal	Pass

U-NII-2C 11ax40(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.200	60.25	74.0	13.75	Peak	253.00	100	Horizontal	Pass
1**	5455.200	46.25	54.0	7.75	AV	253.00	100	Horizontal	Pass
2	5460.000	55.94	74.0	18.06	Peak	266.00	300	Horizontal	Pass
2**	5460.000	46.04	54.0	7.96	AV	266.00	300	Horizontal	Pass
3	5467.600	61.97	68.2	6.23	Peak	287.00	100	Horizontal	Pass
3**	5467.600	46.22	--	--	AV	287.00	100	Horizontal	N/A
4	5470.000	58.77	68.2	9.43	Peak	269.00	100	Horizontal	Pass
4**	5470.000	46.30	--	--	AV	269.00	100	Horizontal	N/A

U-NII-2C 11ax40(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.71	68.2	4.49	Peak	262.00	200	Horizontal	Pass
2	5761.667	65.36	68.2	2.84	Peak	257.00	200	Horizontal	Pass

U-NII-2C 11ax80(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.800	66.07	74.0	7.93	Peak	271.00	200	Horizontal	Pass
1**	5452.800	48.72	54.0	5.28	AV	271.00	200	Horizontal	Pass
2	5460.000	57.03	74.0	16.97	Peak	271.00	300	Horizontal	Pass
2**	5460.000	46.24	54.0	7.76	AV	271.00	300	Horizontal	Pass
3	5462.600	63.87	68.2	4.33	Peak	278.00	400	Horizontal	Pass
3**	5462.600	46.34	--	-46.34	AV	278.00	400	Horizontal	N/A
4	5470.000	56.69	68.2	11.51	Peak	305.00	100	Horizontal	Pass
4**	5470.000	46.48	--	-46.48	AV	305.00	100	Horizontal	N/A
5	5448.800	62.07	74.0	11.93	Peak	266.00	100	Horizontal	Pass
5**	5448.800	52.09	54.0	1.91	AV	266.00	100	Horizontal	Pass

U-NII-2C 11ax80(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.75	68.2	8.45	Peak	281.00	300	Horizontal	Pass
2	5799.375	65.38	68.2	2.82	Peak	263.00	100	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.584	57.90	0.28	68.2	10.30	Peak	235.00	300	Horizontal	Pass
2	5650.000	55.24	0.18	68.2	12.96	Peak	232.00	300	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	52.96	0.09	68.4	15.44	Peak	147.00	400	Horizontal	Pass
2	5990.250	56.06	0.54	68.2	12.14	Peak	360.00	300	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.500	54.69	0.01	68.2	13.51	Peak	260.00	100	Horizontal	Pass
2	5650.000	52.94	0.18	68.2	15.26	Peak	225.00	300	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	54.35	0.09	68.4	14.05	Peak	250.00	200	Horizontal	Pass
2	5934.250	55.77	0.69	68.2	12.43	Peak	242.00	200	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.584	66.30	0.28	68.2	1.90	Peak	230.00	100	Horizontal	Pass
2	5650.000	63.44	0.18	68.2	4.76	Peak	153.00	400	Horizontal	Pass

U-NII-3 11n40 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	61.68	0.09	68.4	6.72	Peak	144.00	400	Horizontal	Pass
2	5926.250	65.77	0.85	68.2	2.43	Peak	154.00	100	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.584	57.67	0.28	68.2	10.53	Peak	147.00	400	Horizontal	Pass
2	5650.000	56.64	0.18	68.2	11.56	Peak	153.00	300	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	58.63	0.09	68.4	9.77	Peak	149.00	400	Horizontal	Pass
2	5933.000	63.16	0.97	68.2	5.04	Peak	157.00	200	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.834	62.43	0.19	68.2	5.77	Peak	234.00	300	Horizontal	Pass
2	5650.000	60.05	0.18	68.2	8.15	Peak	240.00	200	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	53.85	0.09	68.4	14.55	Peak	252.00	200	Horizontal	Pass
2	5932.750	57.20	0.94	68.2	11.00	Peak	240.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.875	64.77	0.30	68.2	3.43	Peak	232.00	100	Horizontal	Pass
2	5650.000	60.49	0.18	68.2	7.71	Peak	257.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	59.92	0.09	68.4	8.48	Peak	241.00	400	Horizontal	Pass
2	5926.750	65.17	0.89	68.2	3.03	Peak	244.00	200	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.375	58.62	0.33	68.2	9.58	Peak	247.00	300	Horizontal	Pass
2	5650.000	56.62	0.18	68.2	11.58	Peak	244.00	200	Horizontal	Pass

U-NII-3 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	55.63	0.09	68.4	12.77	Peak	246.00	400	Horizontal	Pass
2	5931.000	57.60	1.15	68.2	10.60	Peak	246.00	400	Horizontal	Pass

U-NII-3 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.166	65.26	-0.10	68.2	2.94	Peak	235.00	400	Horizontal	Pass
2	5650.000	63.15	0.18	68.2	5.05	Peak	235.00	300	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.38	0.09	68.4	11.02	Peak	240.00	300	Horizontal	Pass
2	5933.500	60.62	0.69	68.2	7.58	Peak	243.00	400	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.000	65.77	0.21	68.2	2.43	Peak	232.00	400	Horizontal	Pass
2	5650.000	61.87	0.18	68.2	6.33	Peak	245.00	400	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	61.11	0.09	68.4	7.29	Peak	250.00	400	Horizontal	Pass
2	5948.750	65.79	0.20	68.2	2.41	Peak	245.00	300	Horizontal	Pass

U-NII-3 11ax20(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.375	58.38	68.2	9.82	Peak	295.00	300	Horizontal	Pass
2	5650.000	56.83	68.2	11.37	Peak	111.00	400	Horizontal	Pass

U-NII-3 11ax20(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.95	68.4	10.45	Peak	301.00	200	Horizontal	Pass
2	5927.750	58.97	68.2	9.23	Peak	272.00	100	Horizontal	Pass

U-NII-3 11ax40(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.875	61.13	68.2	7.07	Peak	177.00	400	Horizontal	Pass
2	5650.000	58.49	68.2	9.71	Peak	272.00	100	Horizontal	Pass

U-NII-3 11ax40(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.45	68.4	10.95	Peak	285.00	400	Horizontal	Pass
2	5933.750	59.61	68.2	8.59	Peak	279.00	300	Horizontal	Pass

U-NII-3 11ax80(RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5602.500	66.42	68.2	1.78	Peak	264.00	100	Horizontal	Pass
2	5650.000	60.91	68.2	7.29	Peak	271.00	400	Horizontal	Pass

U-NII-3 11ax80(RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	62.50	68.4	5.90	Peak	276.00	400	Horizontal	Pass
2	5937.000	64.48	68.2	3.72	Peak	274.00	300	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-CC26070052-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-CC26070052-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-CC26070052-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--