


CQASZ20260601235E-01


Appendix A: DTS Bandwidth

Test Result

TestMode	Freq(MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	2402	0.67	2401.69	2402.36	0.5	PASS
	2440	0.66	2439.69	2440.36	0.5	PASS
	2480	0.66	2479.69	2480.35	0.5	PASS

Test Graphs






Date: 23 JUN 2026 20:55:48


Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.071	2401.4845	2402.5554	---	---
		2440	1.063	2439.4885	2440.5514	---	---
		2480	1.047	2479.4965	2480.5435	---	---

Test Graphs






Date: 23 JUN 2026 20:55:54


Appendix C: Maximum conducted output power

Test Result Peak

TestMode	Freq(MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	2402	-0.07	≤30	PASS
	2440	2.03	≤30	PASS
	2480	1.39	≤30	PASS

Test Graphs Peak






Date: 23 JUN 2026 20:55:59


Appendix D: Maximum power spectral density

Test Result

TestMode	Freq(MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	2402	-16.61	≤8.00	PASS
	2440	-14.37	≤8.00	PASS
	2480	-15.19	≤8.00	PASS

Test Graphs






Date: 23 JUN 2026 20:56:04

Appendix F: Band edge measurements

Test Result

TestMode	ChName	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Low	2402	-1.53	-43.74	≤ -21.53	PASS
	High	2480	0.17	-42.29	≤ -19.83	PASS

Test Graphs





Appendix G: Conducted Spurious Emission

Test Result

TestMode	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	2402	Reference	-1.29	-1.29	---	PASS
		30~1000	-1.29	-52.35	≤-21.29	PASS
		1000~26500	-1.29	-43.75	≤-21.29	PASS
	2440	Reference	1.00	1.00	---	PASS
		30~1000	1.00	-51.43	≤-19	PASS
		1000~26500	1.00	-45.3	≤-19	PASS
	2480	Reference	0.61	0.61	---	PASS
		30~1000	0.61	-51.62	≤-19.39	PASS
		1000~26500	0.61	-45.55	≤-19.39	PASS


Test Graphs






Date: 23 JUN 2026 20:49:58

BLE_1M_Ant1_2440_0~Reference




Date: 23 JUN 2026 20:52:27

BLE_1M_Ant1_2440_30~1000




Date: 23 JUN 2026 20:52:31

BLE_1M_Ant1_2440_1000~26500




Date: 23 JUN 2026 20:52:42

BLE_1M_Ant1_2480_0~Reference




Date: 23 JUN 2026 20:57:38

BLE_1M_Ant1_2480_30~1000



Date: 23 JUN 2026 20:57:42

BLE_1M_Ant1_2480_1000~26500




Date: 23 JUN 2026 20:57:53


Appendix H: Duty Cycle

Test Result

TestMode	Freq(MHz)	ON Time [ms]	Period [ms]	X	DC [%]	xFactor	Limit	Verdict
BLE_1M	2402	2.14	2.50	0.8560	85.60	0.68	---	---
	2440	2.14	2.50	0.8560	85.60	0.68	---	---
	2480	2.14	2.50	0.8560	85.60	0.68	---	---

Test Graphs





Date: 23 JUN 2026 21:00:22