



TEST SETUP PHOTOGRAPHS & EUT PHOTOGRAPHS

Test Setup Photographs


LEFT- CHEEK TOUCH




LEFT-TILT 15°



RIGHT- CHEEK TOUCH



RIGHT-TILT 15°



Body Back



Body Front 10mm



Body Back with earphone



Edge 1(Top)




Edge 2(Right)



Edge 3(Bottom)




Edge 4(Left)



DEPTH OF THE LIQUID IN THE PHANTOM—ZOOM IN

Note : The position used in the measurement were according to IEEE 1528-2013

850MHz head  A photograph showing a ruler placed vertically in a white phantom container filled with yellow liquid. A red arrow points to the liquid surface, which is at approximately the 15.5 cm mark on the ruler.	850MHz body  A photograph showing a ruler placed vertically in a white phantom container filled with yellow liquid. A red arrow points to the liquid surface, which is at approximately the 19.5 cm mark on the ruler.
1900MHz head  A photograph showing a ruler placed vertically in a white phantom container filled with clear liquid. A red arrow points to the liquid surface, which is at approximately the 15.5 cm mark on the ruler.	1900MHz body  A photograph showing a ruler placed vertically in a white phantom container filled with yellow liquid. A red arrow points to the liquid surface, which is at approximately the 19.5 cm mark on the ruler.
2450MHz head  A photograph showing a ruler placed vertically in a white phantom container filled with clear liquid. A red arrow points to the liquid surface, which is at approximately the 15.5 cm mark on the ruler.	2450MHz body  A photograph showing a ruler placed vertically in a white phantom container filled with clear liquid. A red arrow points to the liquid surface, which is at approximately the 19.5 cm mark on the ruler.