

RF Test Data

For

Project No.:	RF251027002-01-003
Client:	Autel Robotics Co., Ltd.
Manufacturer:	Autel Robotics Co., Ltd.
Product Description:	OmniLink
Model No.:	Nest RF-6
Test Engineer:	Jason Huang
Test Date:	2025-10-28

Test Summary

Item	Result
Duty Cycle	Pass
Bandwidth	Pass
Maximum Conducted Output Power	Pass
Maximum Power Spectral Density	Pass

1. Duty Cycle


1.1 Test Result

1.1.1 Ant1


Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
QPSK	MIMO	5730	100.000	100.000	100.00	0.00	0.00
		5788	100.000	100.000	100.00	0.00	0.00
		5845	100.000	100.000	100.00	0.00	0.00
16QAM	MIMO	5730	100.000	100.000	100.00	0.00	0.00
		5788	100.000	100.000	100.00	0.00	0.00
		5845	100.000	100.000	100.00	0.00	0.00

1.2 Test Graph


1.2.1 Ant1




QPSK_HCH_5845MHz_Ant1_NTNV




16QAM_LCH_5730MHz_Ant1_NTNV



16QAM_MCH_5788MHz_Ant1_NTNV



16QAM_HCH_5845MHz_Ant1_NTNV



2. Bandwidth

2.1 Test Result

2.1.1 OBW


Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
QPSK	MIMO	5730	1	4.609	/	Pass
		5788	1	4.607	/	Pass
		5845	1	4.633	/	Pass
16QAM	MIMO	5730	1	4.599	/	Pass
		5788	1	4.584	/	Pass
		5845	1	4.572	/	Pass

2.1.2 6dB BW


Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
QPSK	MIMO	5730	1	4.511	≥ 0.5	Pass
		5788	1	4.491	≥ 0.5	Pass
		5845	1	4.511	≥ 0.5	Pass
16QAM	MIMO	5730	1	4.496	≥ 0.5	Pass
		5788	1	4.498	≥ 0.5	Pass
		5845	1	4.493	≥ 0.5	Pass

2.2 Test Graph


2.2.1 OBW




QPSK_HCH_5845MHz_Ant1_NTNV




16QAM_LCH_5730MHz_Ant1_NTNV



16QAM_MCH_5788MHz_Ant1_NTNV




16QAM_HCH_5845MHz_Ant1_NTNV




2.2.2 6dB BW


QPSK LCH 5730MHz_Ant1_NTNV




QPSK MCH 5788MHz_Ant1_NTNV




QPSK_HCH_5845MHz_Ant1_NTNV




16QAM_LCH_5730MHz_Ant1_NTNV



16QAM_MCH_5788MHz_Ant1_NTNV



16QAM_HCH_5845MHz_Ant1_NTNV



3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)				Verdict
			ANT1	ANT2	MIMO	Limit	
QPSK	MIMO	5730	16.22	16.77	19.51	<=28.09	Pass
		5788	14.74	16.03	18.44	<=28.09	Pass
		5845	13.62	14.97	17.36	<=28.09	Pass
16QAM	MIMO	5730	16.23	16.77	19.52	<=28.09	Pass
		5788	14.74	16.01	18.43	<=28.09	Pass
		5845	13.58	14.95	17.33	<=28.09	Pass
Note1: Antenna Gain: Ant1: 4.90dBi; Ant2: 4.90dBi; Note2: Directional Gain: Band3: 7.91dBi							

4. Maximum Power Spectral Density


4.1 Test Result

4.1.1 PSD-Band3


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/500kHz)				Verdict
			ANT1	ANT2	MIMO	Limit	
QPSK	MIMO	5730	8.23	9.17	11.50	<=28.09	Pass
		5788	6.65	8.19	10.26	<=28.09	Pass
		5845	5.56	7.24	9.19	<=28.09	Pass
16QAM	MIMO	5730	8.23	8.88	11.41	<=28.09	Pass
		5788	7.10	8.15	10.31	<=28.09	Pass
		5845	5.53	7.18	9.29	<=28.09	Pass
Note1: Antenna Gain: Ant1: 4.90dBi; Ant2: 4.90dBi; Note2: Directional Gain: Band3: 7.91dBi							

4.2 Test Graph


4.2.1 PSD-Band3




QPSK_LCH_5730MHz_MIMO_NTNV




QPSK_MCH_5788MHz_Ant1_NTNV




QPSK_MCH_5788MHz_Ant2_NTNV




QPSK_MCH_5788MHz_MIMO_NTNV




QPSK_HCH_5845MHz_Ant1_NTNV




QPSK_HCH_5845MHz_Ant2_NTNV




QPSK_HCH_5845MHz_MIMO_NTNV




16QAM_LCH_5730MHz_Ant1_NTNV




16QAM_LCH_5730MHz_Ant2_NTNV




16QAM_LCH_5730MHz_MIMO_NTNV




16QAM_MCH_5788MHz_Ant1_NTNV




16QAM_MCH_5788MHz_Ant2_NTNV




16QAM_MCH_5788MHz_MIMO_NTNV




16QAM_HCH_5845MHz_Ant1_NTNV



16QAM_HCH_5845MHz_Ant2_NTNV



16QAM_HCH_5845MHz_MIMO_NTNV



5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
QPSK	MIMO	5730	20	102	5730.005	5725 to 5850	Pass
				120	5730.005	5725 to 5850	Pass
				138	5730.015	5725 to 5850	Pass
			-30	120	5730.000	5725 to 5850	Pass
			-20	120	5730.010	5725 to 5850	Pass
			-10	120	5730.010	5725 to 5850	Pass
			0	120	5730.010	5725 to 5850	Pass
			10	120	5730.015	5725 to 5850	Pass
			30	120	5730.010	5725 to 5850	Pass
			40	120	5730.005	5725 to 5850	Pass
			50	120	5730.005	5725 to 5850	Pass
		5788	20	102	5788.015	5725 to 5850	Pass
				120	5788.000	5725 to 5850	Pass
				138	5788.015	5725 to 5850	Pass
			-30	120	5788.005	5725 to 5850	Pass
			-20	120	5788.015	5725 to 5850	Pass
			-10	120	5788.010	5725 to 5850	Pass
			0	120	5788.020	5725 to 5850	Pass
			10	120	5788.015	5725 to 5850	Pass
			30	120	5788.000	5725 to 5850	Pass
			40	120	5788.010	5725 to 5850	Pass
			50	120	5788.015	5725 to 5850	Pass
		5845	20	102	5845.000	5725 to 5850	Pass
				120	5844.990	5725 to 5850	Pass
				138	5845.000	5725 to 5850	Pass
			-30	120	5844.990	5725 to 5850	Pass
			-20	120	5845.005	5725 to 5850	Pass
			-10	120	5844.990	5725 to 5850	Pass
			0	120	5845.000	5725 to 5850	Pass
			10	120	5845.000	5725 to 5850	Pass
			30	120	5845.005	5725 to 5850	Pass
			40	120	5844.995	5725 to 5850	Pass
			50	120	5845.000	5725 to 5850	Pass
16QAM	MIMO	5730	20	102	5729.980	5725 to 5850	Pass
				120	5730.000	5725 to 5850	Pass
				138	5729.995	5725 to 5850	Pass
			-30	120	5729.990	5725 to 5850	Pass
			-20	120	5730.000	5725 to 5850	Pass
			-10	120	5729.985	5725 to 5850	Pass
			0	120	5729.975	5725 to 5850	Pass
			10	120	5729.975	5725 to 5850	Pass
			30	120	5729.995	5725 to 5850	Pass
			40	120	5729.995	5725 to 5850	Pass
			50	120	5729.980	5725 to 5850	Pass
		5788	20	102	5787.985	5725 to 5850	Pass
				120	5787.975	5725 to 5850	Pass

				138	5787.985	5725 to 5850	Pass
			-30	120	5787.995	5725 to 5850	Pass
			-20	120	5787.990	5725 to 5850	Pass
			-10	120	5787.990	5725 to 5850	Pass
			0	120	5787.990	5725 to 5850	Pass
			10	120	5788.000	5725 to 5850	Pass
			30	120	5787.995	5725 to 5850	Pass
			40	120	5787.995	5725 to 5850	Pass
			50	120	5787.990	5725 to 5850	Pass
		5845	20	102	5845.000	5725 to 5850	Pass
				120	5845.010	5725 to 5850	Pass
				138	5844.990	5725 to 5850	Pass
			-30	120	5845.000	5725 to 5850	Pass
			-20	120	5844.990	5725 to 5850	Pass
			-10	120	5844.995	5725 to 5850	Pass
			0	120	5844.990	5725 to 5850	Pass
			10	120	5844.990	5725 to 5850	Pass
			30	120	5844.990	5725 to 5850	Pass
			40	120	5844.985	5725 to 5850	Pass
			50	120	5844.995	5725 to 5850	Pass