

Power State A for WLAN_Sample5

<WLAN 6GHz>									
WIFI 6E					Avg 1				
Band	Mode	Channel	Frequency (MHz)	RU Config	Average power (dBm)	Tune-Up Limit	Duty Cycle %		
WIFI 6E	U-NB-5	802.11a 6Mbps	1	6955	FuB	6.50	99.05		
			49	6195	FuB	6.50			
			93	6415	FuB	6.50			
		802.11ax-HE20 MCS0	1	6955	FuB	7.00	100		
					265	2.50			
					52/57	0.50			
					106/53	1.50			
					FuB	7.00			
			49	6195	264	2.50			
					52/53	1.50			
					106/53	3.50			
					FuB	7.00			
			93	6415	265	2.50			
					52/60	0.50			
					106/54	1.50			
					Not Required				
		802.11ax-HE40 MCS0	3	6965	FuB	10.00	100		
					242/61	7.50			
			51	6205	FuB	10.00			
		802.11ax-HE80 MCS0	91	6405	FuB	7.00	100		
					242/62	7.50			
			7	5985	FuB	13.00			
		802.11ax-HEB0 MCS0	55	6225	FuB	13.00	100		
					484/65	10.00			
			87	6385	FuB	13.00			
		802.11ax-HE160 MCS0	15	6025	FuB	13.66	100		
					996/67	11.62			
			47	6185	FuB	13.70			
	U-NB-6	802.11a 6Mbps	97	6435	FuB	7.00	99.05		
			105	6475	FuB	7.00			
			113	6515	FuB	7.00			
		802.11ax-HE20 MCS0	97	6435	FuB	7.50	100		
					260	2.00			
					52/57	1.00			
					106/53	4.00			
					FuB	7.50			
			105	6475	264	2.00			
					52/59	1.00			
					106/54	4.00			
					FuB	7.50			
			113	6515	268	2.00			
					52/60	1.00			
					106/54	4.00			
		802.11ax-HE40 MCS0	99	6445	FuB	7.50	100		
					242/61	7.50			
			107	6485	FuB	10.50			
		802.11ax-HEB0 MCS0	115	6525	FuB	10.50	100		
					242/62	8.00			
			103	6465	FuB	13.50			
		802.11ax-HE160 MCS0	119	6545	FuB	10.50	100		
					484/66	11.00			
			111	6505	FuB	12.95			
	U-NB-7	802.11a 6Mbps	117	6535	FuB	11.53	99.05		
			149	6855	FuB	7.50			
			181	6855	FuB	7.50			
		802.11ax-HE20 MCS0	185	6875	FuB	7.00	100		
					FuB	8.00			
					260	1.50			
					52/57	1.50			
					106/53	4.50			
					FuB	8.00			
			117	6535	264	1.50			
					52/58	1.50			
					106/53	4.50			
			149	6895	FuB	8.00			
		802.11ax-HE40 MCS0	181	6855	FuB	1.50	100		
					26/8	1.50			
					52/60	1.50			
		802.11ax-HEB0 MCS0	185	6875	FuB	4.50	100		
					106/54	4.50			
					265	7.50			
		802.11ax-HE160 MCS0	123	6965	FuB	2.00	100		
					52/60	1.00			
					106/54	4.00			
	U-NB-8	802.11a 6Mbps	123	6965	FuB	11.00	99.05		
			147	6985	FuB	8.00			
			179	6845	FuB	11.00			
		802.11ax-HE40 MCS0	187	6985	FuB	8.00	100		
					242/62	7.50			
			135	6625	FuB	13.25			
		802.11ax-HEB0 MCS0	151	6705	FuB	11.00	100		
					484/65	13.25			
			167	6785	FuB	13.25			
		802.11ax-HE160 MCS0	183	6865	FuB	11.00	100		
					484/66	13.25			
					106/54	10.50			
		802.11ax-HE40 MCS0	143	6965	FuB	12.33	100		
					996/67	12.04			
			175	6825	FuB	12.36			
		802.11a 6Mbps	189	6895	FuB	12.21	99.05		
			209	6995	FuB	7.00			
			229	7095	FuB	7.00			
		802.11ax-HE20 MCS0	189	6895	FuB	7.50	100		
					260	2.00			
					52/57	1.00			
					106/53	4.00			
					FuB	7.50			
			209	6995	264	2.00			
					52/58	1.00			
					106/53	4.00			
					FuB	7.50			
			229	7095	265	2.00			
		802.11ax-HE40 MCS0	195	6925	FuB	1.00	100		
					242/61	7.50			
			211	7005	FuB	10.50			
		802.11ax-HEB0 MCS0	227	7085	FuB	7.50	100		
					242/62	10.50			
			199	6945	FuB	7.50			
		802.11ax-HE160 MCS0	215	7025	FuB	13.50	100		
					484/65	10.50			
					106/54	13.50			
		802.11ax-HE160 MCS0	207	6985	FuB	13.66	100		
					996/67	11.62			
					11.52	13.50			

Power State A for WLAN_Sample6

<WLAN 6GHz>									
WIFI 6E					Avg 1				
Band	Mode	Channel	Frequency (MHz)	RU Config	Average power (dBm)	Tune-Up Limit	Duty Cycle %		
WIFI 6E	U-NB-5	802.11a 6Mbps	1	6955	FdL	8.50	99.05		
			49	6195	FdL	1.50			
			93	6415	FdL	6.50			
		802.11ax-HE20 MCS0	1	6955	FdL	7.00	100		
					265	2.50			
					52/57	0.50			
					106/53	1.50			
					FdL	7.00			
			49	6195	264	-2.50			
					52/53	1.50			
					106/53	3.50			
					FdL	7.00			
			93	6415	265	-2.50			
					52/60	0.50			
					106/54	1.50			
					Not Required				
		802.11ax-HE40 MCS0	3	6965	FdL	10.00	100		
					242/61	7.50			
			51	6205	FdL	10.00			
		802.11ax-HE80 MCS0	91	6405	FdL	7.00	100		
					242/62	7.50			
			7	5985	FdL	13.00			
		802.11ax-HEB0 MCS0			484/65	10.00	100		
			55	6225	FdL	13.00			
					484/65	10.00			
		802.11ax-HE160 MCS0	87	6385	FdL	13.00	100		
					484/68	10.00			
			15	6025	FdL	13.75			
	U-NB-6	802.11a 6Mbps			996/67	11.25	100		
			47	6185	FdL	13.50			
					996/67	11.46			
		802.11ax-HE20 MCS0	97	6435	FdL	7.00	99.05		
			105	6475	FdL	7.00			
			113	6515	FdL	7.00			
					FdL	7.50			
					260	-2.00			
					52/57	1.00			
					106/53	4.00			
					FdL	7.50			
					264	-2.50			
					52/59	1.00			
		802.11ax-HE40 MCS0	99	6445	FdL	7.50	100		
					242/61	7.00			
			107	6485	FdL	10.50			
		802.11ax-HEB0 MCS0	115	6525	FdL	10.50	100		
					242/62	8.00			
			103	6465	FdL	13.50			
		802.11ax-HE160 MCS0	119	6545	FdL	10.50	100		
					484/69	11.00			
			111	6505	FdL	13.00			
	U-NB-7	802.11a 6Mbps			996/67	11.00	99.05		
			117	6535	FdL	7.50			
			149	6855	FdL	7.50			
		802.11ax-HE20 MCS0	181	6855	FdL	7.50	100		
			185	6875	FdL	7.00			
					FdL	8.00			
					260	-1.50			
					52/57	1.50			
					106/53	4.50			
					FdL	8.00			
					264	-1.50			
					52/58	1.00			
					106/53	4.50			
		802.11ax-HE40 MCS0	181	6855	FdL	8.00	100		
					260	-1.50			
					52/60	1.50			
		802.11ax-HEB0 MCS0	185	6875	FdL	7.50	100		
					106/54	4.50			
					Not Required				
		802.11ax-HE160 MCS0	123	6965	FdL	11.00	100		
					242/61	8.00			
			147	6685	FdL	11.00			
	U-NB-8	802.11a 6Mbps	179	6845	FdL	11.00	100		
					242/62	8.00			
			187	6885	FdL	10.50			
		802.11ax-HE20 MCS0	195	6925	FdL	7.50	100		
					242/62	13.25			
					484/65	11.00			
		802.11ax-HEB0 MCS0	151	6705	FdL	13.25	100		
					484/65	11.00			
			167	6785	FdL	13.25			
		802.11ax-HE160 MCS0	183	6865	FdL	13.25	100		
					484/66	10.50			
			143	6665	FdL	12.25			
	U-NB-9	802.11a 6Mbps			996/67	12.16	99.05		
			175	6825	FdL	12.37			
					996/67	12.14			
		802.11ax-HE20 MCS0	189	6895	FdL	7.00	100		
			209	6995	FdL	7.00			
			229	7095	FdL	7.00			
					FdL	7.50			
					260	-2.00			
					52/57	1.00			
					106/53	4.00			
					FdL	7.50			
					264	-2.00			
					52/58	1.00			
		802.11ax-HE40 MCS0	209	6995	FdL	4.00	100		
					106/53	4.00			
					FdL	7.50			
		802.11ax-HEB0 MCS0	229	7095	265	-2.00	100		
					52/60	1.00			
					106/54	4.00			
		802.11ax-HE160 MCS0	195	6925	FdL	10.50	100		
					242/61	7.50			
			211	7005	FdL	10.50			
	U-NB-10	802.11ax-HE20 MCS0	227	7085	FdL	7.50	100		
					242/62	10.50			
					FdL	7.50			
		802.11ax-HEB0 MCS0	199	6945	FdL	13.50	100		
					484/65	10.50			
			215	7025	FdL	13.50			
	U-NB-11	802.11ax-HE160 MCS0			144/60	13.54	100		
			207	6985	FdL	11.64			

Power State A for WLAN_Sample7

<WLAN 6GHz>									
	WiFi 6E					Avg 1			
	Band	Mode	Channel	Frequency (MHz)	RU Config	Average (power (dBm))	Tune-Up Limit	Duty Cycle %	
WiFi 6E	U-NB-5	802.11a 6Mbps	1	5955	FuB		8.50	99.05	
			49	6195	FuB		8.50		
			93	6415	FuB		8.50		
		802.11ax-HE20 MCS0	1	5955	FuB		7.00	100	
					FuB	2654	2.50		
					FuB	5237	0.50		
					FuB	10653	1.50		
					FuB	2654	7.00		
					FuB	5237	2.50		
					FuB	10653	0.50		
			49	6195	FuB	5237	1.50		
					FuB	10653	3.50		
					FuB	2654	7.00		
					FuB	5237	2.50		
					FuB	10653	0.50		
			93	6415	FuB	2654	2.50		
					FuB	5237	0.50		
					FuB	10653	1.50		
					FuB	2654	7.00		
					FuB	5237	2.50		
					FuB	10653	0.50		
		802.11ax-HE40 MCS0	3	5965	FuB		10.00	100	
					FuB	24251	7.50		
			51	6205	FuB	24251	7.00		
		802.11ax-HE80 MCS0	91	6405	FuB		10.00	100	
					FuB	24252	7.50		
			7	5985	FuB	48455	13.00		
		802.11ax-HEB0 MCS0	55	6225	FuB		13.00	100	
					FuB	48455	10.00		
			87	6385	FuB	48458	10.00		
		802.11ax-HE160 MCS0	15	6025	FuB	13.73	14.00	100	
					FuB	99657	11.57		
			47	6185	FuB	13.82	14.00		
	U-NB-6	802.11a 6Mbps	97	6435	FuB		7.00	99.05	
			105	6475	FuB		7.00		
			113	6515	FuB		7.00		
		802.11ax-HE20 MCS0	97	6435	FuB		2.00	100	
					FuB	2650	1.00		
					FuB	5237	4.00		
					FuB	10653	1.00		
					FuB	2654	2.50		
					FuB	5239	1.00		
					FuB	10654	4.00		
					FuB	2654	7.50		
					FuB	5240	2.00		
					FuB	10654	1.00		
					FuB	10654	4.00		
			99	6445	FuB	24251	7.50		
		802.11ax-HE40 MCS0	107	6485	FuB		10.50	100	
					FuB	24252	7.50		
			115	6525	FuB	24252	10.50		
		802.11ax-HEB0 MCS0	103	6465	FuB		8.00	100	
					FuB	48455	13.50		
					FuB	48455	10.50		
		802.11ax-HE160 MCS0	119	6545	FuB		11.00	100	
					FuB	48458	11.00		
			111	6505	FuB	13.01	13.50		
	U-NB-7	802.11a 6Mbps	117	6535	FuB		7.50	99.05	
			149	6855	FuB		7.50		
			181	6855	FuB		7.50		
		802.11ax-HE20 MCS0	117	6535	FuB		1.50	100	
					FuB	2650	1.50		
					FuB	5237	1.50		
					FuB	10653	4.50		
					FuB	2654	1.50		
					FuB	5239	1.50		
					FuB	10653	4.50		
					FuB	2650	1.50		
					FuB	5240	1.50		
					FuB	10654	4.50		
					FuB	2654	7.50		
					FuB	5240	2.00		
			185	6875	FuB	2654	2.00		
					FuB	5240	1.00		
					FuB	10654	4.00		
		802.11ax-HE40 MCS0	123	6565	FuB		11.00	100	
					FuB	24251	8.00		
			147	6585	FuB	24251	11.00		
		802.11ax-HEB0 MCS0	179	6845	FuB		8.00	100	
					FuB	24252	10.50		
			187	6885	FuB	24252	7.50		
		802.11ax-HE160 MCS0	135	6625	FuB		13.25	100	
					FuB	48455	11.00		
			151	6705	FuB	48455	11.00		
	U-NB-8	802.11a 6Mbps	167	6785	FuB		13.25	100	
					FuB	48455	11.00		
			183	6865	FuB	48458	13.25		
		802.11ax-HE20 MCS0	143	6665	FuB	12.30	13.25	100	
					FuB	99657	12.08		
			175	6825	FuB	12.46	13.25		
		802.11ax-HE40 MCS0	189	6895	FuB		7.00	99.05	
			209	6995	FuB		7.00		
			229	7095	FuB		7.00		
		802.11ax-HEB0 MCS0	189	6895	FuB		2.00	100	
					FuB	2650	1.00		
					FuB	5237	1.00		
					FuB	10653	4.00		
					FuB	2654	7.50		
					FuB	5239	1.00		
					FuB	10653	4.00		
					FuB	2654	2.00		
					FuB	5240	1.00		
					FuB	10654	4.00		
			229	7095	FuB	2654	7.50		
					FuB	5240	2.00		
					FuB	10654	4.00		
		802.11ax-HE160 MCS0	195	6925	FuB		10.50	100	
					FuB	24251	7.50		
			211	7005	FuB	24252	10.50		
		802.11ax-HEB0 MCS0	227	7085	FuB		7.50	100	
					FuB	24252	10.50		
			199	6945	FuB	48455	13.50		
		802.11ax-HE160 MCS0	215	7025	FuB		13.50	100	
					FuB	48455	10.50		
			207	6985	FuB	13.54	14.00		

Power State B for WLAN_Sample5

<WLAN 6GHz>									
WIFI 6E						Avg 1			
Band	Mode	Channel	Frequency (MHz)	RU Config	Average power (dBm)	Tune-Up Limit	Duty Cycle %		
WIFI 6E	U-NB-5	802.11a 6Mbps	1	6955	Fid	4.50	99.05		
			49	6195	Fid	4.50			
			93	6415	Fid	4.50			
		802.11ax-HE20 MCS0	1	6955	Fid	4.50	100		
					265	2.50			
					52/57	0.50			
					106/53	1.50			
					Fid	4.50			
			49	6195	Fid	4.50			
					52/53	2.50			
					106/53	3.50			
					Fid	4.50			
			93	6415	Fid	4.50			
					265	2.50			
					52/60	0.50			
					106/54	1.50			
					Not Required	4.50			
		802.11ax-HE40 MCS0	3	6965	Fid	4.50	100		
					242/61	4.50			
			51	6205	Fid	4.50			
		802.11ax-HE80 MCS0	91	6405	Fid	4.50	100		
					242/62	4.50			
					Fid	4.50			
		802.11ax-HEB0 MCS0	7	5985	Fid	4.50	100		
					484/65	4.50			
			55	6225	Fid	4.50			
		802.11ax-HE160 MCS0	87	6385	Fid	4.50	100		
					484/66	4.50			
					Fid	4.50			
		802.11a 6Mbps	15	6025	Fid	4.29	100		
					996/67	3.35			
			47	6185	Fid	4.22			
		802.11ax-HE20 MCS0			996/67	3.34	100		
			79	6345	Fid	4.08			
					996/67	3.96			
					Fid	4.75			
			97	6435	Fid	4.75			
			105	6475	Fid	4.75			
	U-NB-6	802.11a 6Mbps	113	6515	Fid	4.75	99.05		
					Fid	4.75			
					265	2.00			
		802.11ax-HE20 MCS0	97	6435	Fid	4.75	100		
					52/57	1.00			
					106/53	4.00			
					Fid	4.75			
			105	6475	Fid	4.75			
					265	2.00			
		802.11ax-HE40 MCS0			52/59	1.00			
					106/54	4.00			
					Fid	4.75			
			113	6515	Fid	4.75			
					265	2.00			
					52/60	1.00			
					106/54	4.00			
					Not Required	4.75			
		802.11ax-HE80 MCS0	99	6445	Fid	4.75	100		
					242/61	4.75			
			107	6485	Fid	4.75			
		802.11ax-HEB0 MCS0	115	6525	Fid	4.75	100		
					242/62	4.75			
			103	6465	Fid	4.75			
		802.11ax-HE160 MCS0	119	6545	Fid	4.75	100		
					484/66	4.75			
					Fid	4.75			
		802.11a 6Mbps	111	6505	Fid	4.33	100		
					996/67	4.24			
					Fid	3.75			
	U-NB-7	802.11a 6Mbps	117	6535	Fid	3.75	99.05		
			149	6855	Fid	3.75			
			181	6855	Fid	3.75			
		802.11ax-HE20 MCS0	185	6875	Fid	3.75	100		
					Fid	3.75			
					265	1.50			
					52/57	1.50			
					106/53	3.75			
					Fid	3.75			
		802.11ax-HE40 MCS0	149	6695	Fid	3.75	100		
					265	1.50			
					52/58	1.50			
					106/53	3.75			
					Fid	3.75			
			181	6855	Fid	3.75			
		802.11ax-HE80 MCS0			52/60	1.50			
					106/54	3.75			
					Fid	3.75			
			185	6875	Fid	3.75			
					265	2.00			
					52/60	1.00			
					106/54	3.75			
		802.11ax-HE160 MCS0	123	6965	Fid	3.75	100		
					242/61	3.75			
			147	6685	Fid	3.75			
	U-NB-8	802.11a 6Mbps	179	6845	Fid	3.75	100		
					242/62	3.75			
			187	6885	Fid	3.75			
		802.11ax-HE20 MCS0			242/62	3.75			
					Fid	3.75			
			135	6625	Fid	3.75			
					484/65	3.75			
					Fid	3.75			
			151	6705	Fid	3.75			
		802.11ax-HE40 MCS0			484/65	3.75			
					Fid	3.75			
			167	6785	Fid	3.75			
					484/65	3.75			
					Fid	3.75			
			183	6865	Fid	3.75			
		802.11ax-HE80 MCS0	143	6665	Fid	3.28	100		
					996/67	2.89			
			175	6825	Fid	3.34			
		802.11a 6Mbps			996/67	3.04	99.05		
			189	6895	Fid	5.50			
			209	6995	Fid	5.50			
			229	7095	Fid	5.50			
					Fid	5.50			
					265	2.00			
	U-NB-9	802.11ax-HE20 MCS0	189	6895	Fid	5.50	100		
					52/57	1.00			
					106/53	4.00			
					Fid	5.50			
			209	6995	Fid	5.50			
					52/58	1.00			
		802.11ax-HE40 MCS0			106/53	4.00			
					Fid	5.50			
			229	7095	Fid	5.50			
					265	2.00			
					52/59	1.00			
					106/54	4.00			
		802.11ax-HE80 MCS0	195	6925	Fid	5.50	100		
					242/61	5.50			
			211	7005	Fid	5.50			
		802.11ax-HEB0 MCS0	227	7085	Fid	5.50	100		
					242/62	5.50			
					Fid	5.50			
		802.11ax-HE160 MCS0	199	6945	Fid	5.50	100		

Power State B for WLAN_Sample6

WLAN 6GHz											
WIFI 6E						Avg 1					
Band	Mode	Channel	Frequency (MHz)	RU Config	Average power (dBm)	Tune-Up Limit	Duty Cycle %				
U-NB-5	802.11a 6Mbps	1	6955	Fid	Fid	4.50	99.05				
		49	6195	Fid	Fid	4.50					
		93	6415	Fid	Fid	4.50					
		1	6955	260	2.50						
				52/57	0.50						
				106/53	3.50						
	802.11ax-HE20 MCS0	49	6195	264	2.50	-2.50	100				
				52/53	0.50						
				106/53	3.50						
				Fid	4.50						
		93	6415	268	2.50	-2.50					
				52/40	0.50						
	802.11ax-HE40 MCS0	3	6965	242/61	4.50	-2.50	100				
		51	6205	242/61	4.50	-2.50					
		91	6405	Fid	4.50	-2.50					
				Fid	4.50	-2.50					
		7	6985	484/65	4.50	-2.50					
		55	6225	484/65	4.50	-2.50					
	802.11ax-HE80 MCS0	87	6385	484/68	4.50	-2.50	100				
		15	6025	Fid	4.50	-2.50					
		802.11ax-HE160 MCS0	47	6185	996/67	3.96		4.37	100		
					996/67	3.75		4.50			
			79	6345	996/67	3.84		4.50			
			97	6435	Fid	4.75		-2.50			
105	6475		Fid	4.75	-2.50						
113	6515		Fid	4.75	-2.50						
U-NB-6	802.11a 6Mbps	97	6435	Fid	Fid	4.75	99.05				
		105	6475	Fid	Fid	4.75					
		113	6515	Fid	Fid	4.75					
		97	6435	260	2.00	-1.00					
				52/57	1.00	-2.00					
				106/53	4.00	-2.00					
	802.11ax-HE20 MCS0	105	6475	264	2.00	-2.00	100				
				52/59	1.00	-2.00					
				106/54	4.00	-2.00					
		113	6515	268	4.75	-2.00					
				52/40	1.00	-2.00					
				106/54	4.00	-2.00					
	802.11ax-HE40 MCS0	99	6445	242/61	4.75	-2.00	100				
		107	6485	Fid	4.75	-2.00					
		115	6525	242/62	4.75	-2.00					
		103	6465	Fid	4.75	-2.00					
		119	6545	484/69	4.75	-2.00					
				Fid	4.75	-2.00					
	802.11ax-HE160 MCS0	111	6505	Fid	4.26	-2.00	100				
				996/67	4.18	-2.00					
		117	6535	Fid	3.75	-2.00					
		149	6855	Fid	3.75	-2.00					
		181	6855	Fid	3.75	-2.00					
		185	6875	Fid	3.75	-2.00					
WIFI 6E	802.11a 6Mbps	117	6535	Fid	Fid	3.75	99.05				
		149	6855	Fid	Fid	3.75					
		181	6855	Fid	Fid	3.75					
		185	6875	Fid	Fid	3.75					
		117	6535	260	1.50	-1.00					
				52/57	1.50	-1.00					
	802.11ax-HE20 MCS0	149	6855	106/53	3.75	-1.50	100				
				52/58	1.50	-1.50					
				106/53	3.75	-1.50					
		181	6855	Fid	3.75	-1.50					
				52/40	1.50	-1.50					
				106/54	3.75	-1.50					
	802.11ax-HE40 MCS0	123	6965	Fid	3.75	-1.50	100				
		147	6685	Fid	3.75	-1.50					
		179	6845	242/61	3.75	-1.50					
				242/62	3.75	-1.50					
		187	6885	Fid	3.75	-1.50					
				242/62	3.75	-1.50					
	802.11ax-HEB0 MCS0	135	6625	Fid	3.75	-1.50	100				
		151	6705	Fid	3.75	-1.50					
				484/65	3.75	-1.50					
		167	6785	Fid	3.75	-1.50					
				484/65	3.75	-1.50					
		183	6865	Fid	3.75	-1.50					
802.11ax-HE160 MCS0	143	6665	Fid	3.34	-1.50	100					
			996/67	3.01	-1.50						
	175	6825	Fid	3.42	-1.50						
			996/67	3.01	-1.50						
	189	6895	Fid	5.50	-1.50						
	209	6995	Fid	5.50	-1.50						
U-NB-8	802.11a 6Mbps	229	7095	Fid	Fid	5.50	99.05				
		189	6895	260	2.00	-2.00					
				52/57	1.00	-2.00					
				106/53	4.00	-2.00					
				Fid	5.50	-2.00					
				264	2.00	-2.00					
	802.11ax-HE20 MCS0	209	6995	52/58	1.00	-2.00	100				
				106/53	4.00	-2.00					
				Fid	5.50	-2.00					
		229	7095	265	2.00	-2.00					
				52/40	1.00	-2.00					
				106/54	4.00	-2.00					
	802.11ax-HE40 MCS0	195	6925	Fid	5.50	-2.00	100				
				242/61	5.50	-2.00					
		211	7005	Fid	5.50	-2.00					
				242/62	5.50	-2.00					
		227	7085	Fid	5.50	-2.00					
				Fid	5.50	-2.00					
	802.11ax-HEB0 MCS0	199	6945	Fid	5.50	-2.00	100				
				484/65	5.50	-2.00					
		215	7025	Fid	5.50	-2.00					
				484/65	5.50	-2.00					
		207	6985	Fid	5.50	-2.00					
				Fid	5.50	-2.00					
802.11ax-HE160 MCS0	207	6985	Fid	5.50	-2.00	100					
			484/65	5.50	-2.00						
	215	7025	Fid	5.50	-2.00						
			484/65	5.50	-2.00						
	207	6985	Fid	5.50	-2.00						
			Fid	5.50	-2.00						

Power State B for WLAN_Sample7

<WLAN 6GHz>									

Power State C for WLAN_Sample5

<WLAN 6GHz>									
WiFi 6E					Avg 1				
Band	Mode	Channel	Frequency (MHz)	RU Config	Average power (dBm)	Tune-Up Limit	Duty Cycle %		
WiFi 6E	U-NB-5	802.11a 6Mbps	1	6955	FdL	6.50	99.05		
			49	6195	FdL	5.50			
			93	6415	FdL	6.50			
		802.11ax-HE20 MCS0	1	6955	FdL	7.00	100		
					265	2.50			
					52/57	0.50			
					106/53	1.50			
					FdL	7.00			
			49	6195	264	-2.50			
					52/53	3.50			
					106/53	3.50			
					FdL	7.00			
			93	6415	265	-2.50			
					52/40	0.50			
					106/54	1.50			
					Not Required				
		802.11ax-HE40 MCS0	3	6965	FdL	10.00	100		
					242/61	7.50			
			51	6205	FdL	10.00			
		802.11ax-HE80 MCS0	91	6405	FdL	7.00	100		
					242/62	7.50			
			7	5985	FdL	13.00			
		802.11ax-HEB0 MCS0	55	6225	FdL	13.00	100		
					484/65	10.00			
			87	6385	FdL	13.00			
		802.11ax-HE160 MCS0	15	6025	FdL	12.76	100		
					996/67	11.62			
			47	6185	FdL	12.68			
					996/67	11.27			
			79	6345	FdL	12.59			
	U-NB-6	802.11a 6Mbps	97	6435	FdL	7.00	99.05		
			105	6475	FdL	7.00			
			113	6515	FdL	7.00			
		802.11ax-HE20 MCS0	97	6435	FdL	7.50	100		
					260	-2.00			
					52/57	1.00			
					106/53	4.00			
					FdL	7.50			
			105	6475	264	-2.50			
					52/59	1.00			
					106/54	4.00			
					FdL	7.50			
			113	6515	268	-2.00			
					52/49	1.00			
					106/54	4.00			
		802.11ax-HE40 MCS0	99	6445	FdL	7.50	100		
					242/61	7.50			
			107	6485	FdL	10.50			
		802.11ax-HEB0 MCS0	115	6525	FdL	10.50	100		
					242/62	8.00			
			103	6465	FdL	13.50			
		802.11ax-HE160 MCS0	119	6545	FdL	10.50	100		
					484/66	11.00			
			111	6505	FdL	12.95			
	U-NB-7	802.11a 6Mbps	117	6535	FdL	11.53	99.05		
			149	6855	FdL	7.50			
			181	6855	FdL	7.50			
		802.11ax-HE20 MCS0	117	6535	FdL	7.00	100		
					260	8.00			
					52/57	1.50			
					106/53	4.50			
					FdL	7.00			
			149	6895	264	-1.50			
					52/58	1.00			
					106/53	4.50			
			181	6855	FdL	8.00			
					26/8	1.50			
					52/40	1.50			
					106/54	4.50			
		802.11ax-HE40 MCS0	123	6565	FdL	7.50	100		
					242/61	8.00			
			147	6585	FdL	11.00			
			179	6845	FdL	11.00			
					242/62	8.00			
		802.11ax-HEB0 MCS0	187	6885	FdL	10.50	100		
					242/62	7.50			
			135	6625	FdL	14.00			
					484/65	11.00			
			151	6705	FdL	14.00			
		802.11ax-HE160 MCS0	167	6785	FdL	11.00	100		
					484/65	11.00			
			183	6865	FdL	13.50			
					484/66	10.50			
			143	6665	FdL	13.58			
	U-NB-8	802.11a 6Mbps	175	6825	FdL	13.63	99.05		
					996/67	12.21			
			189	6895	FdL	7.00			
		802.11ax-HE20 MCS0	209	6995	FdL	7.00	100		
					260	2.00			
					52/57	1.00			
					106/53	4.00			
					FdL	7.50			
			209	6995	264	-2.00			
					52/58	1.00			
					106/53	4.00			
					FdL	7.50			
			229	7095	265	-2.00			
					52/40	1.00			
					106/54	4.00			
		802.11ax-HE40 MCS0	195	6925	FdL	10.50	100		
					242/61	7.50			
			211	7005	FdL	10.50			
		802.11ax-HEB0 MCS0	227	7085	FdL	10.50	100		
					242/62	7.50			
			199	6945	FdL	13.50			
		802.11ax-HE160 MCS0	215	7025	FdL	10.50	100		
					484/65	10.50			
					FdL	13.50			
			207	6985	FdL	13.10	100		
					996/67	11.52			

Power State C for WLAN_Sample6

<WLAN 6GHz>									
WiFi 6E					Avg 1				
Band	Mode	Channel	Frequency (MHz)	RU Config	Average power (dBm)	Tune-Up Limit	Duty Cycle %		
WiFi 6E	U-NB-5	802.11a 6Mbps	1	6955	FuB	8.50	99.05		
			49	6195	FuB	11.50			
			93	6415	FuB	8.50			
		802.11ax-HE20 MCS0	1	6955	FuB	7.00	100		
					265	2.50			
					52/37	0.50			
					106/53	1.50			
					FuB	7.00			
			49	6195	264	-2.50			
					52/35	1.50			
					106/53	3.50			
					FuB	7.00			
			93	6415	265	-2.50			
					52/40	0.50			
					106/54	1.50			
					Not Required				
		802.11ax-HE40 MCS0	3	6965	FuB	10.00	100		
					242/61	7.50			
			51	6205	FuB	10.00			
		802.11ax-HE40 MCS0	91	6405	FuB	7.00	100		
					242/62	7.50			
					FuB	13.00			
		802.11ax-HEB0 MCS0	7	6985	FuB	10.00	100		
					484/65	13.00			
			55	6225	FuB	10.00			
		802.11ax-HEB0 MCS0	87	6385	FuB	13.00	100		
					484/65	10.00			
					FuB	10.00			
		802.11ax-HE160 MCS0	15	6025	FuB	12.62	100		
					996/67	13.75			
			47	6185	FuB	12.59			
	U-NB-6	802.11a 6Mbps			996/67	11.36	99.05		
			97	6435	FuB	7.00			
			105	6475	FuB	7.00			
		802.11ax-HE20 MCS0	97	6435	FuB	7.00	100		
					265	-2.00			
					52/37	1.00			
					106/53	4.00			
					FuB	7.50			
			105	6475	264	-2.50			
					52/39	1.00			
					106/54	4.00			
					FuB	7.50			
			113	6515	268	-2.00			
					52/40	1.00			
					106/54	4.00			
		802.11ax-HE40 MCS0	99	6445	FuB	7.50	100		
					242/61	10.50			
			107	6485	FuB	7.50			
		802.11ax-HEB0 MCS0	115	6525	FuB	10.50	100		
					242/62	8.00			
			103	6465	FuB	13.50			
		802.11ax-HE160 MCS0	119	6545	FuB	10.50	100		
					484/66	13.50			
					FuB	11.00			
	U-NB-7	802.11a 6Mbps	111	6505	FuB	12.54	100		
					996/67	13.50			
					FuB	7.50			
		802.11ax-HE20 MCS0	117	6535	FuB	7.50	100		
					265	-2.00			
					52/37	1.50			
					106/53	4.50			
					FuB	8.00			
			140	6695	264	-1.50			
					52/38	1.00			
					106/53	4.50			
					FuB	4.00			
			181	6855	268	-1.50			
		802.11ax-HEB0 MCS0			52/40	1.50	100		
					106/54	4.50			
					FuB	7.50			
		802.11ax-HE40 MCS0	123	6565	FuB	7.50	100		
					242/61	11.00			
			147	6685	FuB	8.00			
		802.11ax-HEB0 MCS0	179	6845	FuB	11.00	100		
					242/62	8.00			
			187	6885	FuB	10.50			
		802.11ax-HEB0 MCS0	135	6625	FuB	7.50	100		
					484/65	14.00			
			151	6705	FuB	11.00			
		802.11ax-HE160 MCS0	167	6785	FuB	14.00	100		
					484/65	11.00			
			183	6865	FuB	13.50			
		802.11ax-HE160 MCS0	143	6665	FuB	13.46	100		
					996/67	12.09			
			175	6825	FuB	13.50			
	U-NB-8	802.11a 6Mbps	189	6895	FuB	7.00	99.05		
			209	6995	FuB	7.00			
			229	7095	FuB	7.00			
		802.11ax-HE20 MCS0	189	6895	FuB	7.50	100		
					265	-2.00			
					52/37	1.00			
					106/53	4.00			
					FuB	7.50			
			209	6995	264	-2.00			
					52/38	1.00			
					106/53	4.00			
					FuB	7.50			
			229	7095	265	-2.00			
					52/40	1.00			
					106/54	4.00			
		802.11ax-HE40 MCS0	195	6925	FuB	10.50	100		
					242/61	7.50			
			211	7005	FuB	10.50			
		802.11ax-HEB0 MCS0	227	7085	FuB	7.50	100		
					242/62	10.50			
			199	6945	FuB	13.50			
		802.11ax-HE160 MCS0	215	7025	FuB	10.50	100		
					484/65	13.50			
			207	6985	FuB	13.15			

Power State C for WLAN_Sample7

<WLAN 6GHz>									
WiFi 6E					Avg 1				
Band	Mode	Channel	Frequency (MHz)	RU Config	Average power (dBm)	Tune-Up Limit	Duty Cycle %		
WiFi 6E	U-NB-5	802.11a 6Mbps	1	6955	FuB	8.50	99.05		
			49	6195	FuB	8.50			
			93	6415	FuB	8.50			
		802.11ax-HE20 MCS0	1	6955	FuB	7.00	100		
					265	2.50			
					52/57	0.50			
					106/53	1.50			
					FuB	7.00			
			49	6195	264	-2.50			
					52/53	1.50			
					106/53	3.50			
					FuB	7.00			
			93	6415	265	-2.50			
					52/40	0.50			
					106/54	1.50			
					Not Required				
		802.11ax-HE40 MCS0	3	6965	FuB	10.00	100		
					242/61	7.50			
			51	6205	FuB	10.00			
		802.11ax-HE80 MCS0	91	6405	FuB	7.00	100		
					242/62	7.50			
			7	5985	FuB	13.00			
		802.11ax-HEB0 MCS0	55	6225	FuB	13.00	100		
					484/65	10.00			
			87	6385	FuB	13.00			
		802.11ax-HE160 MCS0	15	6025	FuB	12.84	100		
					996/67	11.58			
			47	6185	FuB	12.77			
					996/67	11.33			
			79	6345	FuB	12.62			
	U-NB-6	802.11a 6Mbps	97	6435	FuB	7.00	99.05		
			105	6475	FuB	7.00			
			113	6515	FuB	7.00			
		802.11ax-HE20 MCS0	97	6435	FuB	2.00	100		
					52/57	1.00			
					106/53	4.00			
					FuB	7.50			
			105	6475	264	-2.00			
					52/59	1.00			
					106/54	4.00			
					FuB	7.50			
			113	6515	265	-2.00			
					52/40	1.00			
					106/54	4.00			
		802.11ax-HE40 MCS0	99	6445	FuB	7.50	100		
					242/61	10.50			
			107	6485	FuB	7.50			
		802.11ax-HEB0 MCS0	115	6525	FuB	10.50	100		
					242/62	8.00			
			103	6465	FuB	13.50			
		802.11ax-HE160 MCS0	119	6545	FuB	10.50	100		
					484/66	13.50			
			111	6505	FuB	11.00			
	U-NB-7	802.11a 6Mbps	117	6535	FuB	7.50	99.05		
			149	6855	FuB	7.50			
			181	6855	FuB	7.50			
		802.11ax-HE20 MCS0	117	6535	FuB	8.00	100		
					265	1.50			
					52/57	1.50			
					106/53	4.50			
					FuB	8.00			
			149	6895	264	-1.50			
					52/58	1.00			
					106/53	4.50			
			181	6855	FuB	8.00			
					265	1.50			
					52/40	1.50			
					106/54	4.50			
		802.11ax-HE40 MCS0	123	6565	FuB	7.50	100		
					242/61	14.00			
			147	6685	FuB	11.00			
		802.11ax-HEB0 MCS0	179	6845	FuB	11.00	100		
					242/62	8.00			
			187	6885	FuB	10.50			
		802.11ax-HE160 MCS0	135	6625	FuB	7.50	100		
					484/65	14.00			
			151	6705	FuB	11.00			
			167	6785	FuB	14.00			
			183	6865	FuB	13.50			
	U-NB-8	802.11a 6Mbps	143	6865	FuB	10.50	100		
					484/66	13.50			
			175	6825	FuB	13.74			
		802.11ax-HE20 MCS0	189	6895	FuB	7.00	100		
			209	6995	FuB	7.00			
			229	7095	FuB	7.00			
					FuB	7.50			
			189	6895	265	-2.00			
					52/57	1.00			
					106/53	4.00			
					FuB	7.50			
			209	6995	264	-2.00			
					52/58	1.00			
					106/53	4.00			
		802.11ax-HE40 MCS0	229	7095	FuB	7.50	100		
					265	-2.00			
					52/40	1.00			
		802.11ax-HEB0 MCS0	195	6925	FuB	10.50	100		
					242/61	7.50			
			211	7005	FuB	10.50			
		802.11ax-HE160 MCS0	227	7085	FuB	7.50	100		
					242/62	13.50			
			199	6945	FuB	10.50			
		802.11ax-HE160 MCS0	215	7025	FuB	13.50	100		
					484/65	10.50			
			207	6985	FuB	13.21			

Power State D for WLAN_Sample5

<WLAN 6GHz>									
WIFI 6E					Avg 1				
Band	Mode	Channel	Frequency (MHz)	RU Config	Average power (dBm)	Tune-Up Limit	Duty Cycle %		
WIFI 6E	U-NB-5	802.11a 6Mbps	1	6955	FuB	8.50	99.05		
			49	6195	FuB	1.50			
			93	6415	FuB	6.50			
		802.11ax-HE20 MCS0	1	6955	FuB	7.00	100		
					265	2.50			
					52/57	0.50			
					106/53	1.50			
					FuB	7.00			
			49	6195	264	-2.50			
					52/53	1.50			
					106/53	3.50			
					FuB	7.00			
					265	2.50			
			93	6415	52/40	0.50			
					106/54	1.50			
					Not Required				
		802.11ax-HE40 MCS0	3	6965	FuB	10.00	100		
					242/61	7.50			
			51	6205	FuB	10.00			
		802.11ax-HE80 MCS0	91	6405	FuB	7.00	100		
					242/62	7.50			
					FuB	13.00			
		802.11ax-HEB0 MCS0	7	5985	FuB	13.00	100		
					484/65	10.00			
			55	6225	FuB	13.00			
		802.11ax-HE160 MCS0	87	6385	FuB	13.00	100		
					484/66	10.00			
			15	6025	FuB	14.69			
	U-NB-6	802.11a 6Mbps	47	6185	FuB	14.63	100		
					996/67	11.27			
			79	6345	FuB	14.58			
		802.11ax-HE20 MCS0	97	6435	FuB	7.00	99.05		
			105	6475	FuB	7.00			
			113	6515	FuB	7.00			
					FuB	7.50			
					260	-2.00			
					52/57	1.00			
					106/53	4.00			
					FuB	7.50			
					264	2.50			
					52/59	1.00			
		802.11ax-HE40 MCS0	99	6445	FuB	10.50	100		
					242/61	7.50			
			107	6485	FuB	10.50			
		802.11ax-HE80 MCS0	115	6525	FuB	10.50	100		
					242/62	8.00			
			103	6465	FuB	13.50			
		802.11ax-HE160 MCS0	119	6545	FuB	10.50	100		
					484/66	11.00			
			111	6505	FuB	14.97			
	U-NB-7	802.11a 6Mbps	117	6535	FuB	11.93	99.05		
			149	6855	FuB	7.50			
			181	6855	FuB	7.50			
		802.11ax-HE20 MCS0	185	6875	FuB	7.00	100		
					FuB	8.00			
					260	1.50			
					52/57	1.50			
					106/53	4.50			
					FuB	8.00			
					264	1.50			
					52/59	1.00			
					106/53	4.50			
					FuB	7.50			
		802.11ax-HE40 MCS0	181	6855	FuB	2.00	Not Required		
					52/40	1.00			
					106/54	4.00			
		802.11ax-HE80 MCS0	123	6965	FuB	11.00	100		
					242/61	8.00			
			147	6685	FuB	11.00			
		802.11ax-HE160 MCS0	179	6845	FuB	11.00	100		
					242/62	8.00			
			187	6885	FuB	10.50			
	U-NB-8	802.11ax-HE20 MCS0	135	6625	FuB	7.50	100		
					242/62	14.00			
					484/65	11.00			
		802.11ax-HEB0 MCS0	151	6705	FuB	14.00	100		
					484/65	11.00			
			167	6785	FuB	14.00			
		802.11ax-HE160 MCS0	183	6865	FuB	13.50	100		
					484/66	10.50			
			143	6665	FuB	15.29			
		802.11a 6Mbps	175	6825	FuB	12.36	99.05		
					996/67	12.21			
			189	6895	FuB	7.00			
	U-NB-9	802.11a 6Mbps	209	6995	FuB	7.00	99.05		
			229	7095	FuB	7.00			
					FuB	7.50			
		802.11ax-HE20 MCS0	189	6895	FuB	2.00	100		
					260	2.00			
					52/57	1.00			
					106/53	4.00			
					FuB	7.50			
					264	-2.00			
					52/58	1.00			
					106/53	4.00			
					FuB	7.50			
					265	-2.00			
		802.11ax-HE40 MCS0	209	6995	FuB	1.00	Not Required		
					52/40	1.00			
					106/54	4.00			
	U-NB-10	802.11ax-HE80 MCS0	195	6925	FuB	10.50	100		
					242/61	7.50			
			211	7005	FuB	10.50			
		802.11ax-HEB0 MCS0	227	7085	FuB	7.50	100		
					242/62	10.50			
			199	6945	FuB	13.50			
	U-NB-11	802.11ax-HE160 MCS0	215	7025	FuB	13.50	100		
					484/66	10.50			
			207	6985	FuB	15.08			

Power State D for WLAN_Sample6

<WLAN 6GHz>									
WiFi 6E					Avg 1				
Band	Mode	Channel	Frequency (MHz)	RU Config	Average power (dBm)	Tune-Up Limit	Duty Cycle %		
WiFi 6E	U-NB-5	802.11a 6Mbps	1	6955	FuB	8.50	99.05		
			49	6195	FuB	11.50			
			93	6415	FuB	8.50			
		802.11ax-HE20 MCS0	1	6955	FuB	7.00	100		
					265	2.50			
					52/57	0.50			
					106/53	1.50			
					FuB	7.00			
			49	6195	264	2.50			
					52/53	1.50			
					106/53	3.50			
					FuB	7.00			
			93	6415	265	2.50			
					52/60	0.50			
					106/54	1.50			
					Not Required				
		802.11ax-HE40 MCS0	3	6965	FuB	10.00	100		
					242/61	7.50			
			51	6205	FuB	10.00			
		802.11ax-HE80 MCS0	91	6405	FuB	7.00	100		
					242/62	7.50			
			7	5985	FuB	13.00			
		802.11ax-HEB0 MCS0	55	6225	FuB	10.00	100		
					484/65	13.00			
			87	6385	FuB	10.00			
		802.11ax-HE160 MCS0	15	6025	FuB	14.73	100		
					996/67	11.68			
			47	6185	FuB	14.68			
	U-NB-6	802.11a 6Mbps	97	6435	FuB	7.00	99.05		
			105	6475	FuB	7.00			
			113	6515	FuB	7.00			
		802.11ax-HE20 MCS0	97	6435	FuB	2.00	100		
					52/57	1.00			
					106/53	4.00			
					FuB	7.50			
			105	6475	264	2.50			
					52/59	1.00			
					106/54	4.00			
					FuB	7.50			
			113	6515	265	2.00			
					52/60	1.00			
					106/54	4.00			
		802.11ax-HE40 MCS0	99	6445	FuB	7.50	100		
					242/61	10.50			
			107	6485	FuB	7.50			
		802.11ax-HEB0 MCS0	115	6525	FuB	10.50	100		
					242/62	8.00			
			103	6465	FuB	13.50			
		802.11ax-HE160 MCS0	119	6545	FuB	10.50	100		
					484/66	13.50			
			111	6505	FuB	11.00			
	U-NB-7	802.11a 6Mbps	117	6535	FuB	15.06	100		
					996/67	12.05			
			149	6855	FuB	15.50			
		802.11ax-HE20 MCS0	181	6855	FuB	7.50	99.05		
					52/57	7.50			
					106/53	1.50			
					FuB	1.50			
			117	6535	265	1.50			
					52/59	1.50			
					106/53	4.50			
					FuB	4.50			
			149	6695	264	1.50			
					52/58	1.50			
		802.11ax-HE40 MCS0	181	6855	FuB	8.00	100		
					26/8	1.50			
					52/60	1.50			
					106/54	4.50			
					FuB	7.50			
			185	6875	265	2.00			
					52/60	1.00			
					106/54	4.00			
					Not Required				
			123	6965	FuB	11.00			
		802.11ax-HE80 MCS0	147	6685	FuB	8.00	100		
					242/61	11.00			
			179	6845	FuB	8.00			
		802.11ax-HEB0 MCS0	187	6885	FuB	10.50	100		
					242/62	7.50			
			135	6625	FuB	14.00			
					484/65	11.00			
			151	6705	FuB	14.00			
			167	6785	FuB	11.00			
			183	6865	FuB	13.50			
		802.11ax-HE160 MCS0	143	6665	FuB	15.37	100		
					996/67	12.09			
			175	6825	FuB	15.48			
	U-NB-8	802.11a 6Mbps	189	6895	FuB	7.00	99.05		
			209	6995	FuB	7.00			
			229	7095	FuB	7.00			
		802.11ax-HE20 MCS0	189	6895	FuB	2.00	100		
					52/57	1.00			
					106/53	4.00			
					FuB	7.50			
			209	6995	264	2.00			
					52/58	1.00			
					106/53	4.00			
					FuB	7.50			
			229	7095	265	2.00			
					52/60	1.00			
					106/54	4.00			
		802.11ax-HE40 MCS0	195	6925	FuB	10.50	100		
					242/61	7.50			
			211	7005	FuB	10.50			
		802.11ax-HEB0 MCS0	227	7085	FuB	7.50	100		
					242/62	10.50			
			199	6945	FuB	13.50			
		802.11ax-HE160 MCS0	215	7025	FuB	10.50	100		
					484/65	13.50			
			207	6985	FuB	15.15			

Power State D for WLAN_Sample7

<WLAN 6GHz>									
WiFi 6E					Avg 1				
Band	Mode	Channel	Frequency (MHz)	RU Config	Average power (dBm)	Tune-Up Limit	Duty Cycle %		
WiFi 6E	U-NB-5	802.11a 6Mbps	1	6955	FdL	6.50	99.05		
			49	6195	FdL	5.50			
			93	6415	FdL	6.50			
		802.11ax-HE20 MCS0	1	6955	FdL	7.00	100		
					265	2.50			
					52/57	0.50			
					106/53	1.50			
					FdL	7.00			
			49	6195	264	-2.50			
					52/53	3.50			
					106/53	7.00			
					FdL	2.50			
			93	6415	265	-2.50			
					52/60	0.50			
					106/54	1.50			
					FdL	10.00			
					242/61	7.00			
		802.11ax-HE40 MCS0	51	6205	FdL	10.00	100		
					242/61	7.00			
			91	6405	FdL	10.00			
		802.11ax-HE80 MCS0			242/62	7.00	100		
			7	5985	FdL	13.00			
					484/65	10.00			
			55	6225	FdL	13.00			
					484/65	10.00			
			87	6385	FdL	13.00			
		802.11ax-HE160 MCS0			484/66	10.00	100		
			15	6025	FdL	14.76			
					996/67	11.08			
			47	6185	FdL	14.73			
					996/67	11.33			
	U-NB-6	802.11a 6Mbps	97	6435	FdL	7.00	99.05		
			105	6475	FdL	7.00			
			113	6515	FdL	7.00			
		802.11ax-HE20 MCS0	97	6435	FdL	7.00	100		
					260	-2.00			
					52/57	1.00			
					106/53	4.00			
					FdL	7.50			
			105	6475	264	-2.50			
					52/59	1.00			
					106/54	4.00			
					FdL	7.50			
			113	6515	265	-2.00			
					52/60	1.00			
					106/54	4.00			
		802.11ax-HE40 MCS0	99	6445	FdL	7.00	100		
					242/61	10.50			
			107	6485	FdL	7.00			
		802.11ax-HE80 MCS0	115	6525	FdL	10.50	100		
					242/62	8.00			
			103	6465	FdL	13.50			
					484/65	10.50			
		802.11ax-HE160 MCS0	119	6545	FdL	11.00	100		
					484/66	11.00			
			111	6505	FdL	15.06			
	U-NB-7	802.11a 6Mbps			996/67	12.02	99.05		
			117	6535	FdL	7.50			
			149	6855	FdL	7.50			
		802.11ax-HE20 MCS0	181	6855	FdL	7.50	100		
					260	-1.50			
					52/57	1.50			
					106/53	4.50			
					FdL	8.00			
			149	6895	264	-1.50			
					52/58	1.00			
					106/53	4.50			
			181	6855	265	-1.50			
					52/60	1.50			
					106/54	4.50			
		802.11ax-HE40 MCS0	185	6875	FdL	7.50	100		
					265	-2.00			
					52/60	1.00			
					106/54	4.00			
					FdL	11.00			
		802.11ax-HE80 MCS0	123	6965	FdL	8.00	100		
					242/61	11.00			
			147	6985	FdL	8.00			
					242/61	11.00			
		802.11ax-HE160 MCS0	179	6845	FdL	8.00	100		
					242/62	7.50			
			187	6885	FdL	14.00			
					484/65	11.00			
			135	6925	FdL	14.00			
					484/65	11.00			
	U-NB-8	802.11ax-HE20 MCS0	151	6705	FdL	14.00	100		
					484/65	11.00			
			167	6785	FdL	14.00			
					484/65	11.00			
			183	6865	FdL	13.50			
		802.11ax-HE40 MCS0			484/66	10.50	100		
			143	6965	FdL	15.41			
					996/67	12.16			
			175	6825	FdL	15.82			
					996/67	12.20			
	U-NB-9	802.11a 6Mbps	189	6895	FdL	7.00	99.05		
			209	6995	FdL	7.00			
			229	7095	FdL	7.00			
		802.11ax-HE20 MCS0	189	6895	FdL	7.50	100		
					260	-2.00			
					52/57	1.00			
					106/53	4.00			
					FdL	7.50			
			209	6995	264	-2.00			
					52/58	1.00			
					106/53	4.00			
					FdL	7.50			
			229	7095	265	-2.00			
					52/60	1.00			
		802.11ax-HE40 MCS0	195	6925	FdL	10.50	100		
					242/61	7.50			
			211	7005	FdL	10.50			
		802.11ax-HE80 MCS0	227	7085	FdL	7.50	100		
					242/62	13.50			
			199	6945	FdL	10.50			
		802.11ax-HE160 MCS0	215	7025	FdL	13.50	100		
					484/65	10.50			
		802.11ax-HE160 MCS0			FdL	15.13	100		
			207	6985	FdL	11.99			

<Bluetooth_Ant 1_Power State A/B/C/D>_Sample5					
Bluetooth_Ant 1_SKU1 Power State A			Ant 1		
Mode	Channel	Frequency (MHz)	Average Power (dBm)	Tune-Up Limit	Duty Cycle %
BR / EDR 1Mbps	0	2402	8.40	10.00	76.70
	39	2441	8.10	10.00	76.70
	78	2480	8.10	10.00	76.70
BR / EDR 2Mbps	0	2402	Not Required	7.00	Not Required
	39	2441	Not Required	7.00	Not Required
	78	2480	Not Required	7.00	Not Required
BR / EDR 3Mbps	0	2402	Not Required	7.00	Not Required
	39	2441	Not Required	7.00	Not Required
	78	2480	Not Required	7.00	Not Required
LE 1Mbps	0	2402	Not Required	9.75	Not Required
	19	2440	Not Required	9.75	Not Required
	39	2480	Not Required	9.75	Not Required
LE 2Mbps	0	2402	Not Required	9.75	Not Required
	19	2440	Not Required	9.75	Not Required
	39	2480	Not Required	9.75	Not Required

<Bluetooth_Ant 1_Power State A/B/C/D>_Sample6					
Bluetooth_Ant 1_SKU1 Power State A			Ant 1		
Mode	Channel	Frequency (MHz)	Average Power (dBm)	Tune-Up Limit	Duty Cycle %
BR / EDR 1Mbps	0	2402	8.50	10.00	76.70
	39	2441	8.20	10.00	76.70
	78	2480	8.20	10.00	76.70
BR / EDR 2Mbps	0	2402	Not Required	7.00	Not Required
	39	2441	Not Required	7.00	Not Required
	78	2480	Not Required	7.00	Not Required
BR / EDR 3Mbps	0	2402	Not Required	7.00	Not Required
	39	2441	Not Required	7.00	Not Required
	78	2480	Not Required	7.00	Not Required
LE 1Mbps	0	2402	Not Required	9.75	Not Required
	19	2440	Not Required	9.75	Not Required
	39	2480	Not Required	9.75	Not Required
LE 2Mbps	0	2402	Not Required	9.75	Not Required
	19	2440	Not Required	9.75	Not Required
	39	2480	Not Required	9.75	Not Required

Bluetooth_Ant 1_Power State A/B/C/D- Sample7					
Bluetooth_Ant 1_SKU1 Power State A			Ant 1		
Mode	Channel	Frequency (MHz)	Average Power (dBm)	Tune-Up Limit	Duty Cycle %
BR / EDR 1Mbps	0	2402	8.30	10.00	76.70
	39	2441	8.10	10.00	76.70
	78	2480	8.10	10.00	76.70
BR / EDR 2Mbps	0	2402	Not Required	7.00	Not Required
	39	2441	Not Required	7.00	Not Required
	78	2480	Not Required	7.00	Not Required
BR / EDR 3Mbps	0	2402	Not Required	7.00	Not Required
	39	2441	Not Required	7.00	Not Required
	78	2480	Not Required	7.00	Not Required
LE 1Mbps	0	2402	Not Required	9.75	Not Required
	19	2440	Not Required	9.75	Not Required
	39	2480	Not Required	9.75	Not Required
LE 2Mbps	0	2402	Not Required	9.75	Not Required
	19	2440	Not Required	9.75	Not Required
	39	2480	Not Required	9.75	Not Required

Sample 1/2/3/4 power
Power State A for WLAN

<WLAN 6GHz>									
	Band	Mode	WIFI 6E			RU Config	Average power (dBm)	Ant 1	
			Channel	Frequency (MHz)	Channel			Tune-Up Limit	Duty Cycle %
WIFI 6E	U-NII-5	802.11a 6Mbps	1	5955	Full			6.50	99.05
			49	6195	Full			6.50	
			93	6415	Full			6.50	
		802.11ax-HE20 MCS0	1	5955	Full			7.00	100
					280			-2.50	
					52/37			0.50	
					106/53			3.50	
			49	6195	Full			7.00	
					28/4			-2.50	
					52/39			0.50	
		802.11ax-HE40 MCS0	3	5965	Full			10.00	100
					242/61			7.00	
					Full			10.00	
		802.11ax-HE80 MCS0	51	6205	Full			7.00	100
					242/61			10.00	
					Full			10.00	
		802.11ax-HE160 MCS0	15	6025	Full	13.35		14.00	100
					996/67	11.70		13.00	
					Full	13.63		14.00	
	U-NII-6	802.11a 6Mbps	105	6475	Full			7.00	99.05
			113	6515	Full			7.00	
			113	6515	Full			7.00	
		802.11ax-HE20 MCS0	97	6435	Full			7.50	100
					280			-2.00	
					52/37			1.00	
					106/53			4.00	
			105	6475	Full			7.50	
					28/4			-2.00	
					52/39			1.00	
		802.11ax-HE40 MCS0	99	6445	Full			10.50	100
					242/61			7.50	
					Full			10.50	
		802.11ax-HE80 MCS0	103	6465	Full			10.50	100
					242/62			7.50	
					Full			10.50	
		802.11ax-HE160 MCS0	111	6505	Full	13.24		13.50	100
					996/67	12.02		13.50	
					Full			13.50	
	U-NII-7	802.11a 6Mbps	117	6535	Full			7.50	99.05
			149	6695	Full			7.50	
			181	6855	Full			7.50	
		802.11ax-HE20 MCS0	117	6535	Full			8.00	100
					280			-1.50	
					52/37			1.50	
					106/53			4.50	
			149	6695	Full			8.00	
					28/4			-1.50	
					52/38			1.50	
		802.11ax-HE40 MCS0	181	6855	Full			8.00	100
					242/61			8.00	
					Full			11.00	
		802.11ax-HE80 MCS0	123	6565	Full			8.00	100
					242/61			11.00	
					Full			11.00	
		802.11ax-HE160 MCS0	135	6625	Full			13.25	100
					484/65			11.00	
					Full			13.25	
	U-NII-8	802.11a 6Mbps	189	6895	Full			7.00	99.05
			209	6955	Full			7.00	
			229	7095	Full			7.50	
		802.11ax-HE20 MCS0	189	6895	Full			7.50	100
					280			-2.00	
					52/37			1.00	
					106/53			4.00	
			209	6955	Full			7.50	
					28/4			-2.00	
					52/38			1.00	
		802.11ax-HE40 MCS0	195	6925	Full			10.50	100
					242/61			7.50	
					Full			10.50	
		802.11ax-HE80 MCS0	211	7005	Full			10.50	100
					242/62			7.50	
					Full			10.50	
		802.11ax-HE160 MCS0	199	6945	Full			13.50	100
					484/65			10.50	
					Full			13.50	
		802.11ax-HE160 MCS0	207	6985	Full	13.67		14.00	100
					996/67	11.56		13.50	
					Full			13.50	

Power State B for WLAN

<WLAN 6GHz>									
	Band	WiFi 6E			RU Config	Average power (dBm)	Ant 1		
		Mode	Channel	Frequency (MHz)			Tune-Up Limit	Duty Cycle %	
WLAN 6GHz	U-NII-5	802.11a 6Mbps	1	5955	Full	4.50	4.50	99.05	
			49	6195	Full	4.50	4.50		
			93	6415	Full	4.50	4.50		
		802.11ax-HE20 MCS0	1	5955	Full	2.50	0.50	100	
					Full	10653	3.50		
					Full	280	-2.50		
					Full	284	-2.50		
			49	6195	Full	5239	0.50		
					Full	10653	3.50		
					Full	288	-2.50		
			93	6415	Full	5240	0.50		
					Full	10654	3.50		
		802.11ax-HE40 MCS0	3	5965	Full	4.50	4.50	100	
			51	6205	Full	24261	4.50		
			91	6405	Full	24262	4.50		
		802.11ax-HE80 MCS0	7	5985	Full	48465	4.50	100	
			55	6225	Full	48465	4.50		
			87	6385	Full	48465	4.50		
		802.11ax-HE160 MCS0	15	6025	Full	3.84	4.50	100	
			47	6185	Full	99667	3.77		
			79	6345	Full	99667	3.80		
	U-NII-6	802.11a 6Mbps	97	6435	Full	4.75	4.75	99.05	
			105	6475	Full	4.75	4.75		
			113	6515	Full	4.75	4.75		
		802.11ax-HE20 MCS0	97	6435	Full	2.00	1.00	100	
					Full	10653	4.00		
					Full	280	-2.00		
					Full	284	-2.00		
					Full	5239	1.00		
					Full	10654	4.00		
		802.11ax-HE40 MCS0	99	6445	Full	4.75	4.75	100	
			107	6485	Full	24262	4.75		
			115	6525	Full	24262	4.75		
		802.11ax-HE80 MCS0	103	6465	Full	48465	4.75	100	
			119	6545	Full	48465	4.75		
		802.11ax-HE160 MCS0	111	6505	Full	4.43	4.75	100	
					Full	99667	4.36		
	U-NII-7	802.11a 6Mbps	117	6535	Full	3.75	3.75	99.05	
			149	6695	Full	3.75	3.75		
			181	6855	Full	3.75	3.75		
			185	6875	Full	3.75	3.75		
		802.11ax-HE20 MCS0	117	6535	Full	1.50	3.75	100	
					Full	10653	3.75		
					Full	280	-1.50		
					Full	284	-1.50		
					Full	5238	1.50		
					Full	10653	3.75		
					Full	288	-1.50		
			181	6855	Full	5240	1.50		
		802.11ax-HE40 MCS0	123	6565	Full	24261	3.75	100	
			147	6685	Full	24261	3.75		
			179	6845	Full	24262	3.75		
			187	6885	Full	24262	3.75		
		802.11ax-HE80 MCS0	135	6625	Full	48465	3.75	100	
			151	6705	Full	48465	3.75		
			167	6785	Full	48465	3.75		
			183	6865	Full	48465	3.75		
		802.11ax-HE160 MCS0	143	6665	Full	3.36	3.75	100	
			175	6825	Full	99667	3.41		
	U-NII-8	802.11a 6Mbps	189	6895	Full	5.50	5.50	99.05	
			209	6995	Full	5.50	5.50		
			229	7095	Full	5.50	5.50		
		802.11ax-HE20 MCS0	189	6895	Full	2.00	1.00	100	
					Full	10653	4.00		
					Full	280	-2.00		
					Full	284	-2.00		
					Full	5238	1.00		
					Full	10653	4.00		
		802.11ax-HE40 MCS0	195	6925	Full	5.50	5.50	100	
			211	7005	Full	24262	5.50		
			227	7085	Full	24262	5.50		
		802.11ax-HE80 MCS0	199	6945	Full	48465	5.50	100	
			215	7025	Full	48465	5.50		
		802.11ax-HE160 MCS0	207	6985	Full	5.12	5.50	100	
					Full	99667	4.63		

Power State C for WLAN

<WLAN 6GHz>									
	Band	WiFi 6E			RU Config	Average power (dBm)	Ant 1		
		Mode	Channel	Frequency (MHz)			Tune-Up Limit	Duty Cycle %	
WLAN 6GHz	U-NII-5	802.11a 6Mbps	1	5955	Full	8.50	8.00	99.05	
			49	6195	Full	8.50	8.50		
			93	6415	Full	8.50	8.50		
		802.11ax-HE20 MCS0	1	5955	Full	7.00	7.00	100	
					Full	-2.50	-2.50		
					52/37	0.50	0.50		
					106/53	3.50	3.50		
					Full	7.00	7.00		
			49	6195	28/4	-2.50	-2.50		
					52/39	0.50	0.50		
					106/53	3.50	3.50		
			93	6415	Full	7.00	7.00		
					28/8	-2.50	-2.50		
					52/40	0.50	0.50		
					106/54	3.50	3.50		
		802.11ax-HE40 MCS0	3	5955	Full	10.00	10.00	100	
					242/61	7.00	7.00		
					Full	10.00	10.00		
		802.11ax-HE80 MCS0	7	5955	242/62	7.00	7.00	100	
					Full	13.00	13.00		
					484/65	10.00	10.00		
		802.11ax-HE160 MCS0	55	6225	Full	13.00	13.00	100	
					484/65	10.00	10.00		
					Full	13.00	13.00		
		802.11ax-HE160 MCS0	15	6025	Full	12.27	13.75	100	
					996/67	11.70	13.00		
					Full	12.58	13.75		
	U-NII-6	802.11a 6Mbps	97	6435	Full	7.00	7.00	99.05	
			105	6475	Full	7.00	7.00		
			113	6515	Full	7.00	7.00		
		802.11ax-HE20 MCS0	97	6435	Full	7.50	7.50	100	
					Full	-2.00	-2.00		
					52/37	1.00	1.00		
					106/53	4.00	4.00		
					Full	7.50	7.50		
			105	6475	28/4	-2.00	-2.00		
					52/39	1.00	1.00		
					106/54	4.00	4.00		
			113	6515	Full	7.50	7.50		
					28/8	-2.00	-2.00		
					52/40	1.00	1.00		
		802.11ax-HE40 MCS0	99	6445	Full	10.50	10.50	100	
					242/61	7.50	7.50		
					Full	10.50	10.50		
		802.11ax-HE80 MCS0	107	6485	242/62	7.50	7.50	100	
					Full	10.50	10.50		
					242/62	8.00	8.00		
		802.11ax-HE160 MCS0	103	6465	Full	13.50	13.50	100	
					484/65	10.50	10.50		
					Full	13.50	13.50		
		802.11ax-HE160 MCS0	111	6505	Full	13.39	14.25	100	
					996/67	12.02	13.50		
					Full	12.02	13.50		
	U-NII-7	802.11a 6Mbps	117	6535	Full	7.50	7.50	99.05	
			149	6695	Full	7.50	7.50		
			181	6855	Full	7.50	7.50		
		802.11ax-HE20 MCS0	117	6535	Full	7.00	7.00	100	
					Full	8.00	8.00		
					28/0	-1.50	-1.50		
					52/37	1.50	1.50		
					106/53	4.50	4.50		
			149	6695	Full	8.00	8.00		
					28/4	-1.50	-1.50		
					52/38	1.50	1.50		
			181	6855	Full	4.50	4.50		
					106/54	4.50	4.50		
					Full	7.50	7.50		
		802.11ax-HE40 MCS0	123	6565	28/8	-2.00	-2.00	100	
					52/40	1.00	1.00		
					106/54	4.00	4.00		
			147	6685	Full	11.00	11.00		
					242/61	8.00	8.00		
					Full	11.00	11.00		
			179	6845	242/62	8.00	8.00		
					Full	10.50	10.50		
					242/62	7.50	7.50		
		802.11ax-HE80 MCS0	135	6625	Full	14.00	14.00	100	
					484/65	11.00	11.00		
					Full	14.00	14.00		
			151	6705	Full	11.00	11.00		
					484/65	11.00	11.00		
					Full	14.00	14.00		
			167	6785	Full	11.00	11.00		
					484/65	11.00	11.00		
					Full	13.50	13.50		
		802.11ax-HE160 MCS0	143	6665	Full	13.39	14.50	100	
					996/67	12.15	14.00		
					Full	13.42	14.50		
	U-NII-8	802.11a 6Mbps	189	6895	Full	7.00	7.00	99.05	
			209	6995	Full	7.00	7.00		
			229	7095	Full	7.00	7.00		
		802.11ax-HE20 MCS0	189	6895	Full	7.50	7.50	100	
					Full	-2.00	-2.00		
					52/37	1.00	1.00		
					106/53	4.00	4.00		
					Full	7.50	7.50		
			209	6995	28/4	-2.00	-2.00		
					52/38	1.00	1.00		
					106/53	4.00	4.00		
			229	7095	Full	7.50	7.50		
					28/8	-2.00	-2.00		
					52/40	1.00	1.00		
		802.11ax-HE40 MCS0	195	6925	Full	10.50	10.50	100	
					242/61	7.50	7.50		
					Full	10.50	10.50		
		802.11ax-HE80 MCS0	211	7005	242/62	7.50	7.50	100	
					Full	10.50	10.50		
					242/62	7.50	7.50		
		802.11ax-HE160 MCS0	199	6945	Full	13.50	13.50	100	
					484/65	10.50	10.50		
					Full	13.50	13.50		
		802.11ax-HE160 MCS0	215	7025	Full	13.02	14.50	100	
					996/67	11.56	13.50		
					Full	13.02	14.50		

Power State D for WLAN

<WLAN 6GHz>									
	Band	WiFi 6E			RU Config	Average power (dBm)	Ant 1		
		Mode	Channel	Frequency (MHz)			Tune-Up Limit	Duty Cycle %	
WLAN 6GHz	U-NII-5	802.11a 6Mbps	1	5955	Full	6.50	6.50	99.05	
			49	6195	Full	6.50	6.50		
			93	6415	Full	6.50	6.50		
		802.11ax-HE20 MCS0	1	5955	Full	7.00	7.00	100	
					Full	-2.50	-2.50		
					52/37	0.50	0.50		
					106/53	3.50	3.50		
					Full	7.00	7.00		
			49	6195	28/4	-2.50	-2.50		
					52/39	0.50	0.50		
					106/53	3.50	3.50		
			93	6415	Full	7.00	7.00		
					28/8	-2.50	-2.50		
					52/40	0.50	0.50		
		802.11ax-HE40 MCS0	3	5955	Full	10.00	10.00	100	
					242/61	7.00	7.00		
					Full	10.00	10.00		
			51	6205	242/61	7.00	7.00		
					Full	10.00	10.00		
					Full	10.00	10.00		
		802.11ax-HE80 MCS0	7	5985	242/62	7.00	7.00	100	
					Full	13.00	13.00		
					484/65	10.00	10.00		
			55	6225	Full	13.00	13.00		
					484/65	10.00	10.00		
					Full	13.00	13.00		
		802.11ax-HE160 MCS0	15	6025	Full	14.27	14.27	100	
					996/67	11.70	11.70		
					Full	14.80	14.80		
			47	6185	996/67	11.34	11.34		
					Full	14.99	14.99		
					Full	14.99	14.99		
WLAN 6GHz	U-NII-6	802.11a 6Mbps	97	6435	Full	7.00	7.00	99.05	
			105	6475	Full	7.00	7.00		
			113	6515	Full	7.00	7.00		
		802.11ax-HE20 MCS0	97	6435	Full	7.50	7.50	100	
					Full	-2.00	-2.00		
					52/37	1.00	1.00		
			105	6475	106/53	4.00	4.00		
					Full	7.50	7.50		
					28/4	-2.00	-2.00		
			113	6515	52/39	1.00	1.00		
					106/54	4.00	4.00		
					Full	7.50	7.50		
		802.11ax-HE40 MCS0	99	6445	28/8	-2.00	-2.00	100	
					52/40	1.00	1.00		
					106/54	4.00	4.00		
			107	6485	Full	10.50	10.50		
					242/61	7.50	7.50		
					Full	10.50	10.50		
		802.11ax-HE80 MCS0	115	6525	242/62	8.00	8.00	100	
					Full	10.50	10.50		
					Full	13.50	13.50		
			103	6465	484/65	10.50	10.50		
					Full	13.50	13.50		
					484/65	11.00	11.00		
		802.11ax-HE160 MCS0	111	6505	Full	15.10	15.10	100	
					996/67	12.02	12.02		
					Full	16.50	16.50		
			117	6535	Full	7.50	7.50		
					Full	7.50	7.50		
					Full	7.50	7.50		
WLAN 6GHz	U-NII-7	802.11a 6Mbps	181	6855	Full	7.50	7.50	99.05	
			185	6875	Full	7.50	7.50		
			185	6875	Full	8.00	8.00		
		802.11ax-HE20 MCS0	117	6535	28/0	-1.50	-1.50	100	
					52/37	1.50	1.50		
					106/53	4.50	4.50		
			149	6695	Full	8.00	8.00		
					28/4	-1.50	-1.50		
					52/38	1.50	1.50		
			181	6855	106/53	4.50	4.50		
					Full	8.00	8.00		
					28/8	-1.50	-1.50		
		802.11ax-HE40 MCS0	123	6565	52/40	1.50	1.50	100	
					106/54	4.50	4.50		
					Full	7.50	7.50		
			147	6685	28/8	-1.50	-1.50		
					52/40	1.50	1.50		
					106/54	4.50	4.50		
		802.11ax-HE80 MCS0	123	6565	Full	11.00	11.00	100	
					242/61	8.00	8.00		
					Full	11.00	11.00		
			179	6845	242/62	8.00	8.00		
					Full	10.50	10.50		
					242/62	7.50	7.50		
		802.11ax-HE160 MCS0	135	6625	Full	14.00	14.00	100	
					484/65	11.00	11.00		
					Full	14.00	14.00		
			151	6705	484/65	11.00	11.00		
					Full	14.00	14.00		
					484/65	11.00	11.00		
WLAN 6GHz	U-NII-8	802.11a 6Mbps	167	6785	Full	13.50	13.50	100	
			183	6865	Full	10.50	10.50		
			183	6865	484/65	15.70	15.70		
		802.11ax-HE20 MCS0	143	6665	Full	15.70	15.70	100	
					996/67	12.15	12.15		
					Full	15.11	15.11		
			175	6825	996/67	12.32	12.32		
					Full	14.00	14.00		
					Full	14.00	14.00		
			189	6895	Full	7.00	7.00		
					Full	7.00	7.00		
					Full	7.50	7.50		
		802.11ax-HE40 MCS0	189	6895	28/0	-2.00	-2.00	100	
					52/37	1.00	1.00		
					106/53	4.00	4.00		
			209	6995	Full	7.50	7.50		
					28/4	-2.00	-2.00		
					52/38	1.00	1.00		
			229	7095	106/53	4.00	4.00		
					Full	7.50	7.50		
					28/8	-2.00	-2.00		
		802.11ax-HE80 MCS0	195	6925	106/54	4.00	4.00	100	
					Full	10.50	10.50		
					242/61	7.50	7.50		
			211	7005	Full	10.50	10.50		
					242/62	7.50	7.50		
					Full	10.50	10.50		
		802.11ax-HE160 MCS0	199	6945	242/62	7.50	7.50	100	
					Full	13.50	13.50		
					484/65	10.50	10.50		
			215	7025	Full	13.50	13.50		
					484/65	10.50	10.50		
					Full	15.15	15.15		