












Mode	85																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak																																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5455.28	51.20	74.00	-22.80	37.96	35.20	10.30	32.26	247	145	PEAK	2	5464.88	51.32	68.30	-16.98	38.08	35.20	10.30	32.26	247	145	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>101.09</td><td>-----</td><td>-----</td><td>87.64</td><td>35.43</td><td>10.34</td><td>32.32</td><td>247</td><td>145</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	101.09	-----	-----	87.64	35.43	10.34	32.32	247	145
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5455.28	51.20	74.00	-22.80	37.96	35.20	10.30	32.26	247	145	PEAK																																																																																	
2	5464.88	51.32	68.30	-16.98	38.08	35.20	10.30	32.26	247	145	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5670.00	101.09	-----	-----	87.64	35.43	10.34	32.32	247	145	PEAK																																																																																	
Avg																																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5455.92	41.89	54.00	-12.11	28.65	35.20	10.30	32.26	247	145	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>92.48</td><td>-----</td><td>-----</td><td>79.03</td><td>35.43</td><td>10.34</td><td>32.32</td><td>247</td><td>145</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	92.48	-----	-----	79.03	35.43	10.34	32.32	247	145	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5455.92	41.89	54.00	-12.11	28.65	35.20	10.30	32.26	247	145	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5670.00	92.48	-----	-----	79.03	35.43	10.34	32.32	247	145	AVERAGE																																																																																	




Mode	85																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																		
ANT	1																																																		
Pol.	Horizontal						Fundamental																																												
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5734.03</td><td>53.00</td><td>68.30</td><td>-15.30</td><td>39.40</td><td>35.58</td><td>10.38</td><td>32.36</td><td>247</td><td>145</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5734.03	53.00	68.30	-15.30	39.40	35.58	10.38	32.36	247	145	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5734.03	53.00	68.30	-15.30	39.40	35.58	10.38	32.36	247	145	PEAK																																								







Mode	85																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5411.12</td><td>51.41</td><td>74.00</td><td>-22.59</td><td>38.11</td><td>35.20</td><td>10.29</td><td>32.19</td><td>126</td><td>2 PEAK</td></tr><tr><td>2</td><td>5463.92</td><td>51.07</td><td>68.30</td><td>-17.23</td><td>37.83</td><td>35.20</td><td>10.30</td><td>32.26</td><td>126</td><td>2 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5411.12	51.41	74.00	-22.59	38.11	35.20	10.29	32.19	126	2 PEAK	2	5463.92	51.07	68.30	-17.23	37.83	35.20	10.30	32.26	126	2 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>98.50</td><td>-----</td><td>-----</td><td>85.02</td><td>35.46</td><td>10.35</td><td>32.33</td><td>126</td><td>2 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	98.50	-----	-----	85.02	35.46	10.35	32.33	126
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5411.12	51.41	74.00	-22.59	38.11	35.20	10.29	32.19	126	2 PEAK																																																																																								
2	5463.92	51.07	68.30	-17.23	37.83	35.20	10.30	32.26	126	2 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5670.00	98.50	-----	-----	85.02	35.46	10.35	32.33	126	2 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.72</td><td>41.76</td><td>54.00</td><td>-12.24</td><td>28.53</td><td>35.20</td><td>10.29</td><td>32.26</td><td>126</td><td>2 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5452.72	41.76	54.00	-12.24	28.53	35.20	10.29	32.26	126	2 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>90.63</td><td>-----</td><td>-----</td><td>77.15</td><td>35.46</td><td>10.35</td><td>32.33</td><td>126</td><td>2 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	90.63	-----	-----	77.15	35.46	10.35	32.33	126	2 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5452.72	41.76	54.00	-12.24	28.53	35.20	10.29	32.26	126	2 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5670.00	90.63	-----	-----	77.15	35.46	10.35	32.33	126	2 AVERAGE																																																																																								




Mode	85																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																									
ANT	1																																									
Pol.	Vertical	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.07</td><td>53.06</td><td>68.30</td><td>-15.24</td><td>39.45</td><td>35.59</td><td>10.38</td><td>32.36</td><td>126</td><td>2</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5739.07	53.06	68.30	-15.24	39.45	35.59	10.38	32.36	126	2	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5739.07	53.06	68.30	-15.24	39.45	35.59	10.38	32.36	126	2	PEAK																															







Mode	86																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Partial_RU242/62_5670MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5398.96</td><td>51.14</td><td>74.00</td><td>-22.86</td><td>37.84</td><td>35.20</td><td>10.28</td><td>32.18</td><td>335</td><td>173</td><td>PEAK</td></tr><tr><td>2</td><td>5461.68</td><td>50.34</td><td>68.30</td><td>-17.96</td><td>37.10</td><td>35.20</td><td>10.30</td><td>32.26</td><td>335</td><td>173</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5398.96	51.14	74.00	-22.86	37.84	35.20	10.28	32.18	335	173	PEAK	2	5461.68	50.34	68.30	-17.96	37.10	35.20	10.30	32.26	335	173	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>105.41</td><td>-----</td><td>-----</td><td>91.93</td><td>35.47</td><td>10.35</td><td>32.34</td><td>335</td><td>173</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	105.41	-----	-----	91.93	35.47	10.35	32.34	335	173
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5398.96	51.14	74.00	-22.86	37.84	35.20	10.28	32.18	335	173	PEAK																																																																																												
2	5461.68	50.34	68.30	-17.96	37.10	35.20	10.30	32.26	335	173	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5670.00	105.41	-----	-----	91.93	35.47	10.35	32.34	335	173	PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5396.40</td><td>41.89</td><td>54.00</td><td>-12.11</td><td>28.59</td><td>35.20</td><td>10.28</td><td>32.18</td><td>335</td><td>173</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5396.40	41.89	54.00	-12.11	28.59	35.20	10.28	32.18	335	173	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>95.96</td><td>-----</td><td>-----</td><td>82.48</td><td>35.47</td><td>10.35</td><td>32.34</td><td>335</td><td>173</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	95.96	-----	-----	82.48	35.47	10.35	32.34	335	173	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5396.40	41.89	54.00	-12.11	28.59	35.20	10.28	32.18	335	173	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5670.00	95.96	-----	-----	82.48	35.47	10.35	32.34	335	173	AVERAGE																																																																																												




Mode	86																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Partial_RU242/62_5670MHz																																																		
ANT	1																																																		
Pol.	Horizontal						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.00</td><td>52.45</td><td>68.30</td><td>-15.85</td><td>38.86</td><td>35.57</td><td>10.38</td><td>32.36</td><td>335</td><td>173</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5729.00	52.45	68.30	-15.85	38.86	35.57	10.38	32.36	335	173	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5729.00	52.45	68.30	-15.85	38.86	35.57	10.38	32.36	335	173	PEAK																																								





Mode	86																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Partial_RU242/62_5670MHz																																																																																											
ANT	1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak																																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5446.00	51.41	74.00	-22.59	38.17	35.20	10.29	32.25	117	135	PEAK	2	5460.40	50.54	68.30	-17.76	37.30	35.20	10.30	32.26	117	135	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>100.61</td><td>-----</td><td>-----</td><td>87.13</td><td>35.47</td><td>10.35</td><td>32.34</td><td>117</td><td>135</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	100.61	-----	-----	87.13	35.47	10.35	32.34	117	135
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5446.00	51.41	74.00	-22.59	38.17	35.20	10.29	32.25	117	135	PEAK																																																																																	
2	5460.40	50.54	68.30	-17.76	37.30	35.20	10.30	32.26	117	135	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5670.00	100.61	-----	-----	87.13	35.47	10.35	32.34	117	135	PEAK																																																																																	
Avg																																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5451.12	41.77	54.00	-12.23	28.54	35.20	10.29	32.26	117	135	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>92.51</td><td>-----</td><td>-----</td><td>79.03</td><td>35.47</td><td>10.35</td><td>32.34</td><td>117</td><td>135</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	92.51	-----	-----	79.03	35.47	10.35	32.34	117	135	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5451.12	41.77	54.00	-12.23	28.54	35.20	10.29	32.26	117	135	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5670.00	92.51	-----	-----	79.03	35.47	10.35	32.34	117	135	AVERAGE																																																																																	





Mode	86																																																			
	Band Edge - R																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Partial_RU242/62_5670MHz																																																			
ANT	1																																																			
Pol.	Vertical						Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.73</td><td>52.47</td><td>68.30</td><td>-15.83</td><td>38.86</td><td>35.59</td><td>10.38</td><td>32.36</td><td>117</td><td>135</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.73	52.47	68.30	-15.83	38.86	35.59	10.38	32.36	117	135	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5739.73	52.47	68.30	-15.83	38.86	35.59	10.38	32.36	117	135	PEAK																																									





Mode	87																																																																																				
	Band Edge																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal					Fundamental																																																																															
Peak	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5368.15</td><td>49.21</td><td>74.00</td><td>-24.79</td><td>35.94</td><td>35.20</td><td>10.24</td><td>32.17</td><td>387</td><td>137</td><td>Peak</td></tr><tr><td>2</td><td>5469.35</td><td>48.27</td><td>68.30</td><td>-20.03</td><td>35.03</td><td>35.20</td><td>10.30</td><td>32.26</td><td>387</td><td>137</td><td>Peak</td></tr><tr><td>3</td><td>5710.00</td><td>100.50</td><td>-----</td><td>-----</td><td>86.94</td><td>35.54</td><td>10.37</td><td>32.35</td><td>387</td><td>137</td><td>Peak</td></tr><tr><td>4</td><td>5850.00</td><td>51.23</td><td>68.30</td><td>-17.07</td><td>37.31</td><td>35.86</td><td>10.46</td><td>32.40</td><td>387</td><td>137</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5368.15	49.21	74.00	-24.79	35.94	35.20	10.24	32.17	387	137	Peak	2	5469.35	48.27	68.30	-20.03	35.03	35.20	10.30	32.26	387	137	Peak	3	5710.00	100.50	-----	-----	86.94	35.54	10.37	32.35	387	137	Peak	4	5850.00	51.23	68.30	-17.07	37.31	35.86	10.46	32.40	387	137	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																													
1	5368.15	49.21	74.00	-24.79	35.94	35.20	10.24	32.17	387	137	Peak																																																																										
2	5469.35	48.27	68.30	-20.03	35.03	35.20	10.30	32.26	387	137	Peak																																																																										
3	5710.00	100.50	-----	-----	86.94	35.54	10.37	32.35	387	137	Peak																																																																										
4	5850.00	51.23	68.30	-17.07	37.31	35.86	10.46	32.40	387	137	Peak																																																																										
Avg	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5455.60</td><td>40.82</td><td>54.00</td><td>-13.18</td><td>27.58</td><td>35.20</td><td>10.30</td><td>32.26</td><td>387</td><td>137</td><td>Average</td></tr><tr><td>2</td><td>5710.00</td><td>90.43</td><td>-----</td><td>-----</td><td>76.87</td><td>35.54</td><td>10.37</td><td>32.35</td><td>387</td><td>137</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5455.60	40.82	54.00	-13.18	27.58	35.20	10.30	32.26	387	137	Average	2	5710.00	90.43	-----	-----	76.87	35.54	10.37	32.35	387	137	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																													
1	5455.60	40.82	54.00	-13.18	27.58	35.20	10.30	32.26	387	137	Average																																																																										
2	5710.00	90.43	-----	-----	76.87	35.54	10.37	32.35	387	137	Average																																																																										





Mode	87																																																																																							
	Band Edge																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical					Fundamental																																																																																		
Peak	Blank					 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5410.50</td><td>49.75</td><td>74.00</td><td>-24.25</td><td></td><td>36.45</td><td>35.20</td><td>10.29</td><td>32.19</td><td>115</td><td></td><td>2 Peak</td></tr><tr><td>2</td><td>5468.25</td><td>51.03</td><td>68.30</td><td>-17.27</td><td></td><td>37.79</td><td>35.20</td><td>10.30</td><td>32.26</td><td>115</td><td></td><td>2 Peak</td></tr><tr><td>3</td><td>5710.00</td><td>99.93</td><td>-----</td><td>-----</td><td></td><td>86.37</td><td>35.54</td><td>10.37</td><td>32.35</td><td>115</td><td></td><td>2 Peak</td></tr><tr><td>4</td><td>5896.15</td><td>51.44</td><td>68.30</td><td>-16.86</td><td></td><td>37.36</td><td>36.00</td><td>10.50</td><td>32.42</td><td>115</td><td></td><td>2 Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5410.50	49.75	74.00	-24.25		36.45	35.20	10.29	32.19	115		2 Peak	2	5468.25	51.03	68.30	-17.27		37.79	35.20	10.30	32.26	115		2 Peak	3	5710.00	99.93	-----	-----		86.37	35.54	10.37	32.35	115		2 Peak	4	5896.15	51.44	68.30	-16.86		37.36	36.00	10.50	32.42	115		2 Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5410.50	49.75	74.00	-24.25		36.45	35.20	10.29	32.19	115		2 Peak																																																																												
2	5468.25	51.03	68.30	-17.27		37.79	35.20	10.30	32.26	115		2 Peak																																																																												
3	5710.00	99.93	-----	-----		86.37	35.54	10.37	32.35	115		2 Peak																																																																												
4	5896.15	51.44	68.30	-16.86		37.36	36.00	10.50	32.42	115		2 Peak																																																																												
Avg	Blank					 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5454.50</td><td>40.81</td><td>54.00</td><td>-13.19</td><td></td><td>27.57</td><td>35.20</td><td>10.30</td><td>32.26</td><td>115</td><td></td><td>2 Average</td></tr><tr><td>2</td><td>5710.00</td><td>90.19</td><td>-----</td><td>-----</td><td></td><td>76.63</td><td>35.54</td><td>10.37</td><td>32.35</td><td>115</td><td></td><td>2 Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5454.50	40.81	54.00	-13.19		27.57	35.20	10.30	32.26	115		2 Average	2	5710.00	90.19	-----	-----		76.63	35.54	10.37	32.35	115		2 Average																										
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5454.50	40.81	54.00	-13.19		27.57	35.20	10.30	32.26	115		2 Average																																																																												
2	5710.00	90.19	-----	-----		76.63	35.54	10.37	32.35	115		2 Average																																																																												







Mode	88																																																																												
	Band Edge																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Partial_RU242/62_5710MHz																																																																												
ANT	1																																																																												
Pol.	Horizontal					Fundamental																																																																							
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5453.95</td><td>50.19</td><td>74.00</td><td>-23.81</td><td>36.95</td><td>35.20</td><td>10.30</td><td>32.26</td><td>333</td><td>178 Peak</td></tr><tr><td>2 5469.35</td><td>51.13</td><td>68.30</td><td>-17.17</td><td>37.89</td><td>35.20</td><td>10.30</td><td>32.26</td><td>333</td><td>178 Peak</td></tr><tr><td>3 5710.00</td><td>104.13</td><td>-----</td><td>90.57</td><td>35.54</td><td>10.37</td><td>32.35</td><td>333</td><td>178 Peak</td></tr><tr><td>4 5881.85</td><td>52.10</td><td>68.30</td><td>-16.20</td><td>38.06</td><td>35.96</td><td>10.49</td><td>32.41</td><td>333</td><td>178 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5453.95	50.19	74.00	-23.81	36.95	35.20	10.30	32.26	333	178 Peak	2 5469.35	51.13	68.30	-17.17	37.89	35.20	10.30	32.26	333	178 Peak	3 5710.00	104.13	-----	90.57	35.54	10.37	32.35	333	178 Peak	4 5881.85	52.10	68.30	-16.20	38.06	35.96	10.49	32.41	333	178 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5453.95	50.19	74.00	-23.81	36.95	35.20	10.30	32.26	333	178 Peak																																																																				
2 5469.35	51.13	68.30	-17.17	37.89	35.20	10.30	32.26	333	178 Peak																																																																				
3 5710.00	104.13	-----	90.57	35.54	10.37	32.35	333	178 Peak																																																																					
4 5881.85	52.10	68.30	-16.20	38.06	35.96	10.49	32.41	333	178 Peak																																																																				
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5459.45</td><td>41.01</td><td>54.00</td><td>-12.99</td><td>27.77</td><td>35.20</td><td>10.30</td><td>32.26</td><td>333</td><td>178 Average</td></tr><tr><td>2 5710.00</td><td>95.72</td><td>-----</td><td>82.16</td><td>35.54</td><td>10.37</td><td>32.35</td><td>333</td><td>178 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5459.45	41.01	54.00	-12.99	27.77	35.20	10.30	32.26	333	178 Average	2 5710.00	95.72	-----	82.16	35.54	10.37	32.35	333	178 Average																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5459.45	41.01	54.00	-12.99	27.77	35.20	10.30	32.26	333	178 Average																																																																				
2 5710.00	95.72	-----	82.16	35.54	10.37	32.35	333	178 Average																																																																					




Mode	88																																																																								
	Band Edge																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Partial_RU242/62_5710MHz																																																																								
ANT	1																																																																								
Pol.	Vertical					Fundamental																																																																			
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5400.05</td><td>50.48</td><td>74.00</td><td>-23.52</td><td>37.17</td><td>35.20</td><td>10.29</td><td>32.18</td><td>117 135 Peak</td></tr><tr><td>2 5468.80</td><td>50.31</td><td>68.30</td><td>-17.99</td><td>37.07</td><td>35.20</td><td>10.30</td><td>32.26</td><td>117 135 Peak</td></tr><tr><td>3 5710.00</td><td>99.33</td><td>-----</td><td>85.77</td><td>35.54</td><td>10.37</td><td>32.35</td><td>117</td><td>135 Peak</td></tr><tr><td>4 5896.70</td><td>51.41</td><td>68.30</td><td>-16.89</td><td>37.33</td><td>36.00</td><td>10.50</td><td>32.42</td><td>117 135 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5400.05	50.48	74.00	-23.52	37.17	35.20	10.29	32.18	117 135 Peak	2 5468.80	50.31	68.30	-17.99	37.07	35.20	10.30	32.26	117 135 Peak	3 5710.00	99.33	-----	85.77	35.54	10.37	32.35	117	135 Peak	4 5896.70	51.41	68.30	-16.89	37.33	36.00	10.50	32.42	117 135 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1 5400.05	50.48	74.00	-23.52	37.17	35.20	10.29	32.18	117 135 Peak																																																																	
2 5468.80	50.31	68.30	-17.99	37.07	35.20	10.30	32.26	117 135 Peak																																																																	
3 5710.00	99.33	-----	85.77	35.54	10.37	32.35	117	135 Peak																																																																	
4 5896.70	51.41	68.30	-16.89	37.33	36.00	10.50	32.42	117 135 Peak																																																																	
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5458.35</td><td>40.86</td><td>54.00</td><td>-13.14</td><td>27.62</td><td>35.20</td><td>10.30</td><td>32.26</td><td>117 135 Average</td></tr><tr><td>2 5710.00</td><td>90.12</td><td>-----</td><td>76.56</td><td>35.54</td><td>10.37</td><td>32.35</td><td>117</td><td>135 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5458.35	40.86	54.00	-13.14	27.62	35.20	10.30	32.26	117 135 Average	2 5710.00	90.12	-----	76.56	35.54	10.37	32.35	117	135 Average																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1 5458.35	40.86	54.00	-13.14	27.62	35.20	10.30	32.26	117 135 Average																																																																	
2 5710.00	90.12	-----	76.56	35.54	10.37	32.35	117	135 Average																																																																	







Mode	89																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5435.32</td><td>57.73</td><td>74.00</td><td>-16.27</td><td>44.47</td><td>35.20</td><td>10.29</td><td>32.23</td><td>254</td><td>140</td><td>PEAK</td></tr><tr><td>2</td><td>5468.62</td><td>55.67</td><td>68.30</td><td>-12.63</td><td>42.43</td><td>35.20</td><td>10.30</td><td>32.26</td><td>254</td><td>140</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5435.32	57.73	74.00	-16.27	44.47	35.20	10.29	32.23	254	140	PEAK	2	5468.62	55.67	68.30	-12.63	42.43	35.20	10.30	32.26	254	140	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>99.17</td><td>-----</td><td>-----</td><td>85.94</td><td>35.21</td><td>10.30</td><td>32.28</td><td>254</td><td>140</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	99.17	-----	-----	85.94	35.21	10.30	32.28	254	140
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5435.32	57.73	74.00	-16.27	44.47	35.20	10.29	32.23	254	140	PEAK																																																																																												
2	5468.62	55.67	68.30	-12.63	42.43	35.20	10.30	32.26	254	140	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	99.17	-----	-----	85.94	35.21	10.30	32.28	254	140	PEAK																																																																																												
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.04</td><td>47.13</td><td>54.00</td><td>-6.87</td><td>33.89</td><td>35.20</td><td>10.29</td><td>32.25</td><td>254</td><td>140</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5445.04	47.13	54.00	-6.87	33.89	35.20	10.29	32.25	254	140	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>91.75</td><td>-----</td><td>-----</td><td>78.51</td><td>35.24</td><td>10.30</td><td>32.30</td><td>254</td><td>140</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	91.75	-----	-----	78.51	35.24	10.30	32.30	254	140	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5445.04	47.13	54.00	-6.87	33.89	35.20	10.29	32.25	254	140	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	91.75	-----	-----	78.51	35.24	10.30	32.30	254	140	AVERAGE																																																																																												




Mode	89																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																		
ANT	1																																																		
Pol.	Horizontal						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5756.07</td><td>52.52</td><td>68.30</td><td>-15.78</td><td>38.85</td><td>35.63</td><td>10.39</td><td>32.35</td><td>254</td><td>140</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5756.07	52.52	68.30	-15.78	38.85	35.63	10.39	32.35	254	140	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5756.07	52.52	68.30	-15.78	38.85	35.63	10.39	32.35	254	140	PEAK																																								







Mode	89																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5440.36</td><td>56.95</td><td>74.00</td><td>-17.05</td><td>43.70</td><td>35.20</td><td>10.29</td><td>32.24</td><td>141</td><td>16</td><td>PEAK</td></tr><tr><td>2</td><td>5460.52</td><td>55.40</td><td>68.30</td><td>-12.90</td><td>42.16</td><td>35.20</td><td>10.30</td><td>32.26</td><td>141</td><td>16</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5440.36	56.95	74.00	-17.05	43.70	35.20	10.29	32.24	141	16	PEAK	2	5460.52	55.40	68.30	-12.90	42.16	35.20	10.30	32.26	141	16	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>97.13</td><td>-----</td><td>-----</td><td>83.90</td><td>35.21</td><td>10.30</td><td>32.28</td><td>141</td><td>16</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	97.13	-----	-----	83.90	35.21	10.30	32.28	141	16
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5440.36	56.95	74.00	-17.05	43.70	35.20	10.29	32.24	141	16	PEAK																																																																																											
2	5460.52	55.40	68.30	-12.90	42.16	35.20	10.30	32.26	141	16	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5530.00	97.13	-----	-----	83.90	35.21	10.30	32.28	141	16	PEAK																																																																																											
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5446.12</td><td>47.26</td><td>54.00</td><td>-6.74</td><td>34.02</td><td>35.20</td><td>10.29</td><td>32.25</td><td>141</td><td>16</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5446.12	47.26	54.00	-6.74	34.02	35.20	10.29	32.25	141	16	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>87.18</td><td>-----</td><td>-----</td><td>73.90</td><td>35.26</td><td>10.31</td><td>32.29</td><td>141</td><td>16</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	87.18	-----	-----	73.90	35.26	10.31	32.29	141	16	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5446.12	47.26	54.00	-6.74	34.02	35.20	10.29	32.25	141	16	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5530.00	87.18	-----	-----	73.90	35.26	10.31	32.29	141	16	AVERAGE																																																																																											




Mode	89																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																		
ANT	1																																																		
Pol.	Vertical						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5764.30</td><td>52.95</td><td>68.30</td><td>-15.35</td><td>39.27</td><td>35.64</td><td>10.39</td><td>32.35</td><td>141</td><td>16</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5764.30	52.95	68.30	-15.35	39.27	35.64	10.39	32.35	141	16	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5764.30	52.95	68.30	-15.35	39.27	35.64	10.39	32.35	141	16	PEAK																																								







Mode	90																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Partial_RU484/65_5530MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.40</td><td>58.56</td><td>74.00</td><td>-15.44</td><td>45.32</td><td>35.20</td><td>10.29</td><td>32.25</td><td>331</td><td>173</td><td>PEAK</td></tr><tr><td>2</td><td>5466.82</td><td>58.08</td><td>68.30</td><td>-10.22</td><td>44.84</td><td>35.20</td><td>10.30</td><td>32.26</td><td>331</td><td>173</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5445.40	58.56	74.00	-15.44	45.32	35.20	10.29	32.25	331	173	PEAK	2	5466.82	58.08	68.30	-10.22	44.84	35.20	10.30	32.26	331	173	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>101.42</td><td>-----</td><td>-----</td><td>88.19</td><td>35.20</td><td>10.30</td><td>32.27</td><td>331</td><td>173</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	101.42	-----	-----	88.19	35.20	10.30	32.27	331	173
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5445.40	58.56	74.00	-15.44	45.32	35.20	10.29	32.25	331	173	PEAK																																																																																												
2	5466.82	58.08	68.30	-10.22	44.84	35.20	10.30	32.26	331	173	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	101.42	-----	-----	88.19	35.20	10.30	32.27	331	173	PEAK																																																																																												
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.44</td><td>43.24</td><td>54.00</td><td>-10.76</td><td>30.00</td><td>35.20</td><td>10.30</td><td>32.26</td><td>331</td><td>173</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.44	43.24	54.00	-10.76	30.00	35.20	10.30	32.26	331	173	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>92.52</td><td>-----</td><td>-----</td><td>79.29</td><td>35.20</td><td>10.30</td><td>32.27</td><td>331</td><td>173</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	92.52	-----	-----	79.29	35.20	10.30	32.27	331	173	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5459.44	43.24	54.00	-10.76	30.00	35.20	10.30	32.26	331	173	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	92.52	-----	-----	79.29	35.20	10.30	32.27	331	173	AVERAGE																																																																																												




Mode	90																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Partial_RU484/65_5530MHz																																										
ANT	1																																										
Pol.	Horizontal	Fundamental																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5751.14</td><td>52.10</td><td>68.30</td><td>-16.20</td><td>38.45</td><td>35.62</td><td>10.39</td><td>32.36</td><td>331</td><td>173</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5751.14	52.10	68.30	-16.20	38.45	35.62	10.39	32.36	331	173	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5751.14	52.10	68.30	-16.20	38.45	35.62	10.39	32.36	331	173	PEAK																																







Mode	90																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Partial_RU484/65_5530MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5445.40</td><td>53.74</td><td>74.00</td><td>-20.26</td><td>40.50</td><td>35.20</td><td>10.29</td><td>32.25</td><td>196</td><td>119</td><td>PEAK</td></tr><tr><td>2</td><td>5460.88</td><td>52.42</td><td>68.30</td><td>-15.88</td><td>39.18</td><td>35.20</td><td>10.30</td><td>32.26</td><td>196</td><td>119</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5445.40	53.74	74.00	-20.26	40.50	35.20	10.29	32.25	196	119	PEAK	2	5460.88	52.42	68.30	-15.88	39.18	35.20	10.30	32.26	196	119	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>96.50</td><td>-----</td><td>-----</td><td>83.27</td><td>35.20</td><td>10.30</td><td>32.27</td><td>196</td><td>119</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	96.50	-----	-----	83.27	35.20	10.30	32.27	196	119
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5445.40	53.74	74.00	-20.26	40.50	35.20	10.29	32.25	196	119	PEAK																																																																																												
2	5460.88	52.42	68.30	-15.88	39.18	35.20	10.30	32.26	196	119	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	96.50	-----	-----	83.27	35.20	10.30	32.27	196	119	PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.34</td><td>42.20</td><td>54.00</td><td>-11.80</td><td>28.97</td><td>35.20</td><td>10.29</td><td>32.26</td><td>196</td><td>119</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5451.34	42.20	54.00	-11.80	28.97	35.20	10.29	32.26	196	119	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>88.06</td><td>-----</td><td>-----</td><td>74.82</td><td>35.21</td><td>10.30</td><td>32.27</td><td>196</td><td>119</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	88.06	-----	-----	74.82	35.21	10.30	32.27	196	119	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5451.34	42.20	54.00	-11.80	28.97	35.20	10.29	32.26	196	119	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	88.06	-----	-----	74.82	35.21	10.30	32.27	196	119	AVERAGE																																																																																												




Mode	90																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Partial_RU484/65_5530MHz																																																		
ANT	1																																																		
Pol.	Vertical						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5738.21</td><td>52.70</td><td>68.30</td><td>-15.60</td><td>39.09</td><td>35.59</td><td>10.38</td><td>32.36</td><td>196</td><td>119</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5738.21	52.70	68.30	-15.60	39.09	35.59	10.38	32.36	196	119	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5738.21	52.70	68.30	-15.60	39.09	35.59	10.38	32.36	196	119	PEAK																																								







Mode	91																																																																																															
	Band Edge - L																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5446.98	51.80	74.00	-22.20	38.56	35.20	10.29	32.25	264	143	PEAK	2	5464.14	51.29	68.30	-17.01	38.05	35.20	10.30	32.26	264	143	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>99.28</td><td>-----</td><td>-----</td><td>85.94</td><td>35.30</td><td>10.31</td><td>32.27</td><td>264</td><td>143</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	99.28	-----	-----	85.94	35.30	10.31	32.27	264	143
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5446.98	51.80	74.00	-22.20	38.56	35.20	10.29	32.25	264	143	PEAK																																																																																					
2	5464.14	51.29	68.30	-17.01	38.05	35.20	10.30	32.26	264	143	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5610.00	99.28	-----	-----	85.94	35.30	10.31	32.27	264	143	PEAK																																																																																					
Avg																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5446.98</td><td>42.51</td><td>54.00</td><td>-11.49</td><td>29.27</td><td>35.20</td><td>10.29</td><td>32.25</td><td>264</td><td>143</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5446.98	42.51	54.00	-11.49	29.27	35.20	10.29	32.25	264	143	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>90.37</td><td>-----</td><td>-----</td><td>77.02</td><td>35.32</td><td>10.31</td><td>32.28</td><td>264</td><td>143</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	90.37	-----	-----	77.02	35.32	10.31	32.28	264	143	AVERAGE					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5446.98	42.51	54.00	-11.49	29.27	35.20	10.29	32.25	264	143	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5610.00	90.37	-----	-----	77.02	35.32	10.31	32.28	264	143	AVERAGE																																																																																					




Mode	91																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																									
ANT	1																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.44</td><td>53.45</td><td>68.30</td><td>-14.85</td><td>39.85</td><td>35.58</td><td>10.38</td><td>32.36</td><td>264</td><td>143</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5730.44	53.45	68.30	-14.85	39.85	35.58	10.38	32.36	264	143	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5730.44	53.45	68.30	-14.85	39.85	35.58	10.38	32.36	264	143	PEAK																															







Mode	91																																																																																												
	Band Edge - L																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																												
ANT	1																																																																																												
Pol.	Vertical						Fundamental																																																																																						
Peak																																																																																													
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5390.56	51.75	74.00	-22.25	38.46	35.20	10.27	32.18	123	17 PEAK	2	5462.84	51.85	68.30	-16.45	38.61	35.20	10.30	32.26	123	17 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>96.14</td><td>-----</td><td>-----</td><td>82.79</td><td>35.32</td><td>10.31</td><td>32.28</td><td>123</td><td>17 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	96.14	-----	-----	82.79	35.32	10.31	32.28	123
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5390.56	51.75	74.00	-22.25	38.46	35.20	10.27	32.18	123	17 PEAK																																																																																			
2	5462.84	51.85	68.30	-16.45	38.61	35.20	10.30	32.26	123	17 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5610.00	96.14	-----	-----	82.79	35.32	10.31	32.28	123	17 PEAK																																																																																			
Avg																																																																																													
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5444.90	41.98	54.00	-12.02	28.74	35.20	10.29	32.25	123	17 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>87.46</td><td>-----</td><td>-----</td><td>74.06</td><td>35.37</td><td>10.33</td><td>32.30</td><td>123</td><td>17 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	87.46	-----	-----	74.06	35.37	10.33	32.30	123	17 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5444.90	41.98	54.00	-12.02	28.74	35.20	10.29	32.25	123	17 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5610.00	87.46	-----	-----	74.06	35.37	10.33	32.30	123	17 AVERAGE																																																																																			




Mode	91																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																									
ANT	1																																									
Pol.	Vertical	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5754.31</td><td>52.11</td><td>68.30</td><td>-16.19</td><td>38.45</td><td>35.62</td><td>10.39</td><td>32.35</td><td>123</td><td>17</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5754.31	52.11	68.30	-16.19	38.45	35.62	10.39	32.35	123	17	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5754.31	52.11	68.30	-16.19	38.45	35.62	10.39	32.35	123	17	PEAK																															







Mode	92																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Partial_RU484/66_5610MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5443.08</td><td>52.00</td><td>74.00</td><td>-22.00</td><td>38.75</td><td>35.20</td><td>10.29</td><td>32.24</td><td>325</td><td>178</td><td>PEAK</td></tr><tr><td>2</td><td>5461.54</td><td>51.18</td><td>68.30</td><td>-17.12</td><td>37.94</td><td>35.20</td><td>10.30</td><td>32.26</td><td>325</td><td>178</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5443.08	52.00	74.00	-22.00	38.75	35.20	10.29	32.24	325	178	PEAK	2	5461.54	51.18	68.30	-17.12	37.94	35.20	10.30	32.26	325	178	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>103.66</td><td>-----</td><td>-----</td><td>90.26</td><td>35.37</td><td>10.33</td><td>32.30</td><td>325</td><td>178</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	103.66	-----	-----	90.26	35.37	10.33	32.30	325	178
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5443.08	52.00	74.00	-22.00	38.75	35.20	10.29	32.24	325	178	PEAK																																																																																												
2	5461.54	51.18	68.30	-17.12	37.94	35.20	10.30	32.26	325	178	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5610.00	103.66	-----	-----	90.26	35.37	10.33	32.30	325	178	PEAK																																																																																												
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.06</td><td>42.53</td><td>54.00</td><td>-11.47</td><td>29.29</td><td>35.20</td><td>10.29</td><td>32.25</td><td>325</td><td>178</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5449.06	42.53	54.00	-11.47	29.29	35.20	10.29	32.25	325	178	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>95.50</td><td>-----</td><td>-----</td><td>82.08</td><td>35.40</td><td>10.33</td><td>32.31</td><td>325</td><td>178</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	95.50	-----	-----	82.08	35.40	10.33	32.31	325	178	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5449.06	42.53	54.00	-11.47	29.29	35.20	10.29	32.25	325	178	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5610.00	95.50	-----	-----	82.08	35.40	10.33	32.31	325	178	AVERAGE																																																																																												




Mode	92																																																			
	Band Edge - R																																																			
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Partial_RU484/66_5610MHz																																																			
ANT	1																																																			
Pol.	Horizontal						Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.41</td><td>52.94</td><td>68.30</td><td>-15.36</td><td>39.36</td><td>35.57</td><td>10.37</td><td>32.36</td><td>325</td><td>178</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.41	52.94	68.30	-15.36	39.36	35.57	10.37	32.36	325	178	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5726.41	52.94	68.30	-15.36	39.36	35.57	10.37	32.36	325	178	PEAK																																									





Mode	92																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Partial_RU484/66_5610MHz																																																																																											
ANT	1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak																																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5456.60	52.14	74.00	-21.86	38.90	35.20	10.30	32.26	163	120	PEAK	2	5465.70	51.34	68.30	-16.96	38.10	35.20	10.30	32.26	163	120	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>98.86</td><td>-----</td><td>-----</td><td>85.49</td><td>35.34</td><td>10.32</td><td>32.29</td><td>163</td><td>120</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	98.86	-----	-----	85.49	35.34	10.32	32.29	163	120
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5456.60	52.14	74.00	-21.86	38.90	35.20	10.30	32.26	163	120	PEAK																																																																																	
2	5465.70	51.34	68.30	-16.96	38.10	35.20	10.30	32.26	163	120	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5610.00	98.86	-----	-----	85.49	35.34	10.32	32.29	163	120	PEAK																																																																																	
Avg																																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5444.90	42.17	54.00	-11.83	28.93	35.20	10.29	32.25	163	120	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>90.19</td><td>-----</td><td>-----</td><td>76.82</td><td>35.33</td><td>10.32</td><td>32.28</td><td>163</td><td>120</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	90.19	-----	-----	76.82	35.33	10.32	32.28	163	120	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5444.90	42.17	54.00	-11.83	28.93	35.20	10.29	32.25	163	120	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5610.00	90.19	-----	-----	76.82	35.33	10.32	32.28	163	120	AVERAGE																																																																																	





Mode	92																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Partial_RU484/66_5610MHz																																																		
ANT	1																																																		
Pol.	Vertical						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5746.87</td><td>52.51</td><td>68.30</td><td>-15.79</td><td>38.88</td><td>35.61</td><td>10.38</td><td>32.36</td><td>163</td><td>120</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5746.87	52.51	68.30	-15.79	38.88	35.61	10.38	32.36	163	120	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5746.87	52.51	68.30	-15.79	38.88	35.61	10.38	32.36	163	120	PEAK																																								





Mode	93																																																																																		
	Band Edge																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal					Fundamental																																																																													
Peak	Blank					<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5444.60</td><td>50.02</td><td>74.00</td><td>-23.98</td><td>36.78</td><td>35.20</td><td>10.29</td><td>32.25</td><td>400</td><td>137</td><td>Peak</td></tr><tr><td>2</td><td>5467.70</td><td>49.97</td><td>68.30</td><td>-18.33</td><td>36.73</td><td>35.20</td><td>10.30</td><td>32.26</td><td>400</td><td>137</td><td>Peak</td></tr><tr><td>3</td><td>5690.00</td><td>98.55</td><td>-----</td><td>-----</td><td>85.05</td><td>35.50</td><td>10.35</td><td>32.35</td><td>400</td><td>137</td><td>Peak</td></tr><tr><td>4</td><td>5889.55</td><td>51.49</td><td>68.30</td><td>-16.81</td><td>37.44</td><td>35.98</td><td>10.49</td><td>32.42</td><td>400</td><td>137</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5444.60	50.02	74.00	-23.98	36.78	35.20	10.29	32.25	400	137	Peak	2	5467.70	49.97	68.30	-18.33	36.73	35.20	10.30	32.26	400	137	Peak	3	5690.00	98.55	-----	-----	85.05	35.50	10.35	32.35	400	137	Peak	4	5889.55	51.49	68.30	-16.81	37.44	35.98	10.49	32.42	400	137	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5444.60	50.02	74.00	-23.98	36.78	35.20	10.29	32.25	400	137	Peak																																																																								
2	5467.70	49.97	68.30	-18.33	36.73	35.20	10.30	32.26	400	137	Peak																																																																								
3	5690.00	98.55	-----	-----	85.05	35.50	10.35	32.35	400	137	Peak																																																																								
4	5889.55	51.49	68.30	-16.81	37.44	35.98	10.49	32.42	400	137	Peak																																																																								
Avg	Blank					<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5456.70</td><td>41.09</td><td>54.00</td><td>-12.91</td><td>27.85</td><td>35.20</td><td>10.30</td><td>32.26</td><td>400</td><td>137</td><td>Average</td></tr><tr><td>2</td><td>5690.00</td><td>88.07</td><td>-----</td><td>-----</td><td>74.57</td><td>35.50</td><td>10.35</td><td>32.35</td><td>400</td><td>137</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5456.70	41.09	54.00	-12.91	27.85	35.20	10.30	32.26	400	137	Average	2	5690.00	88.07	-----	-----	74.57	35.50	10.35	32.35	400	137	Average																								
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5456.70	41.09	54.00	-12.91	27.85	35.20	10.30	32.26	400	137	Average																																																																								
2	5690.00	88.07	-----	-----	74.57	35.50	10.35	32.35	400	137	Average																																																																								





Mode	93																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz																																																																																	
ANT	1																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5447.35</td><td>49.27</td><td>74.00</td><td>-24.73</td><td>36.03</td><td>35.20</td><td>10.29</td><td>32.25</td><td>115</td><td>3 Peak</td></tr><tr><td>2</td><td>5460.00</td><td>48.75</td><td>68.30</td><td>-19.55</td><td>35.51</td><td>35.20</td><td>10.30</td><td>32.26</td><td>115</td><td>3 Peak</td></tr><tr><td>3</td><td>5690.00</td><td>96.56</td><td>-----</td><td>-----</td><td>83.06</td><td>35.50</td><td>10.35</td><td>32.35</td><td>115</td><td>3 Peak</td></tr><tr><td>4</td><td>5871.95</td><td>51.90</td><td>68.30</td><td>-16.40</td><td>37.90</td><td>35.93</td><td>10.48</td><td>32.41</td><td>115</td><td>3 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.35	49.27	74.00	-24.73	36.03	35.20	10.29	32.25	115	3 Peak	2	5460.00	48.75	68.30	-19.55	35.51	35.20	10.30	32.26	115	3 Peak	3	5690.00	96.56	-----	-----	83.06	35.50	10.35	32.35	115	3 Peak	4	5871.95	51.90	68.30	-16.40	37.90	35.93	10.48	32.41	115	3 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5447.35	49.27	74.00	-24.73	36.03	35.20	10.29	32.25	115	3 Peak																																																																								
2	5460.00	48.75	68.30	-19.55	35.51	35.20	10.30	32.26	115	3 Peak																																																																								
3	5690.00	96.56	-----	-----	83.06	35.50	10.35	32.35	115	3 Peak																																																																								
4	5871.95	51.90	68.30	-16.40	37.90	35.93	10.48	32.41	115	3 Peak																																																																								
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.25</td><td>40.90</td><td>54.00</td><td>-13.10</td><td>27.66</td><td>35.20</td><td>10.30</td><td>32.26</td><td>115</td><td>3 Average</td></tr><tr><td>2</td><td>5690.00</td><td>87.27</td><td>-----</td><td>-----</td><td>73.77</td><td>35.50</td><td>10.35</td><td>32.35</td><td>115</td><td>3 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.25	40.90	54.00	-13.10	27.66	35.20	10.30	32.26	115	3 Average	2	5690.00	87.27	-----	-----	73.77	35.50	10.35	32.35	115	3 Average																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5457.25	40.90	54.00	-13.10	27.66	35.20	10.30	32.26	115	3 Average																																																																								
2	5690.00	87.27	-----	-----	73.77	35.50	10.35	32.35	115	3 Average																																																																								







Mode	94																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Partial_RU484/66_5690MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal					Fundamental																																																																																
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5457.25</td><td>50.49</td><td>74.00</td><td>-23.51</td><td>37.25</td><td>35.20</td><td>10.30</td><td>32.26</td><td>318</td><td>179</td><td>Peak</td></tr><tr><td>2</td><td>5462.75</td><td>50.21</td><td>68.30</td><td>-18.09</td><td>36.97</td><td>35.20</td><td>10.30</td><td>32.26</td><td>318</td><td>179</td><td>Peak</td></tr><tr><td>3</td><td>5690.00</td><td>105.14</td><td>-----</td><td>-----</td><td>91.64</td><td>35.50</td><td>10.35</td><td>32.35</td><td>318</td><td>179</td><td>Peak</td></tr><tr><td>4</td><td>5897.80</td><td>52.89</td><td>68.30</td><td>-15.41</td><td>38.81</td><td>36.00</td><td>10.50</td><td>32.42</td><td>318</td><td>179</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5457.25	50.49	74.00	-23.51	37.25	35.20	10.30	32.26	318	179	Peak	2	5462.75	50.21	68.30	-18.09	36.97	35.20	10.30	32.26	318	179	Peak	3	5690.00	105.14	-----	-----	91.64	35.50	10.35	32.35	318	179	Peak	4	5897.80	52.89	68.30	-15.41	38.81	36.00	10.50	32.42	318	179	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																														
1	5457.25	50.49	74.00	-23.51	37.25	35.20	10.30	32.26	318	179	Peak																																																																											
2	5462.75	50.21	68.30	-18.09	36.97	35.20	10.30	32.26	318	179	Peak																																																																											
3	5690.00	105.14	-----	-----	91.64	35.50	10.35	32.35	318	179	Peak																																																																											
4	5897.80	52.89	68.30	-15.41	38.81	36.00	10.50	32.42	318	179	Peak																																																																											
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5448.45</td><td>41.45</td><td>54.00</td><td>-12.55</td><td>28.21</td><td>35.20</td><td>10.29</td><td>32.25</td><td>318</td><td>179</td><td>Average</td></tr><tr><td>2</td><td>5690.00</td><td>95.19</td><td>-----</td><td>-----</td><td>81.69</td><td>35.50</td><td>10.35</td><td>32.35</td><td>318</td><td>179</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5448.45	41.45	54.00	-12.55	28.21	35.20	10.29	32.25	318	179	Average	2	5690.00	95.19	-----	-----	81.69	35.50	10.35	32.35	318	179	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																														
1	5448.45	41.45	54.00	-12.55	28.21	35.20	10.29	32.25	318	179	Average																																																																											
2	5690.00	95.19	-----	-----	81.69	35.50	10.35	32.35	318	179	Average																																																																											




Mode	94																																																																																		
	Band Edge																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Partial_RU484/66_5690MHz																																																																																		
ANT	1																																																																																		
Pol.	Vertical					Fundamental																																																																													
Peak	Blank					<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5411.05</td><td>50.27</td><td>74.00</td><td>-23.73</td><td>36.97</td><td>35.20</td><td>10.29</td><td>32.19</td><td>161</td><td>132</td><td>Peak</td></tr><tr><td>2</td><td>5468.25</td><td>50.07</td><td>68.30</td><td>-18.23</td><td>36.83</td><td>35.20</td><td>10.30</td><td>32.26</td><td>161</td><td>132</td><td>Peak</td></tr><tr><td>3</td><td>5690.00</td><td>96.22</td><td>-----</td><td>-----</td><td>82.72</td><td>35.50</td><td>10.35</td><td>32.35</td><td>161</td><td>132</td><td>Peak</td></tr><tr><td>4</td><td>5891.75</td><td>51.38</td><td>68.30</td><td>-16.92</td><td>37.31</td><td>35.99</td><td>10.50</td><td>32.42</td><td>161</td><td>132</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5411.05	50.27	74.00	-23.73	36.97	35.20	10.29	32.19	161	132	Peak	2	5468.25	50.07	68.30	-18.23	36.83	35.20	10.30	32.26	161	132	Peak	3	5690.00	96.22	-----	-----	82.72	35.50	10.35	32.35	161	132	Peak	4	5891.75	51.38	68.30	-16.92	37.31	35.99	10.50	32.42	161	132	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5411.05	50.27	74.00	-23.73	36.97	35.20	10.29	32.19	161	132	Peak																																																																								
2	5468.25	50.07	68.30	-18.23	36.83	35.20	10.30	32.26	161	132	Peak																																																																								
3	5690.00	96.22	-----	-----	82.72	35.50	10.35	32.35	161	132	Peak																																																																								
4	5891.75	51.38	68.30	-16.92	37.31	35.99	10.50	32.42	161	132	Peak																																																																								
Avg	Blank					<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5460.00</td><td>40.94</td><td>54.00</td><td>-13.06</td><td>27.70</td><td>35.20</td><td>10.30</td><td>32.26</td><td>161</td><td>132</td><td>Average</td></tr><tr><td>2</td><td>5690.00</td><td>87.25</td><td>-----</td><td>-----</td><td>73.75</td><td>35.50</td><td>10.35</td><td>32.35</td><td>161</td><td>132</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5460.00	40.94	54.00	-13.06	27.70	35.20	10.30	32.26	161	132	Average	2	5690.00	87.25	-----	-----	73.75	35.50	10.35	32.35	161	132	Average																								
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5460.00	40.94	54.00	-13.06	27.70	35.20	10.30	32.26	161	132	Average																																																																								
2	5690.00	87.25	-----	-----	73.75	35.50	10.35	32.35	161	132	Average																																																																								







Mode	95																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5434.04</td><td>58.41</td><td>74.00</td><td>-15.59</td><td>45.15</td><td>35.20</td><td>10.29</td><td>32.23</td><td>383</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>5460.44</td><td>59.33</td><td>68.30</td><td>-8.97</td><td>46.09</td><td>35.20</td><td>10.30</td><td>32.26</td><td>383</td><td>171</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5434.04	58.41	74.00	-15.59	45.15	35.20	10.29	32.23	383	171	PEAK	2	5460.44	59.33	68.30	-8.97	46.09	35.20	10.30	32.26	383	171	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>95.78</td><td>-----</td><td>-----</td><td>82.53</td><td>35.25</td><td>10.30</td><td>32.30</td><td>383</td><td>171</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	95.78	-----	-----	82.53	35.25	10.30	32.30	383	171
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5434.04	58.41	74.00	-15.59	45.15	35.20	10.29	32.23	383	171	PEAK																																																																																											
2	5460.44	59.33	68.30	-8.97	46.09	35.20	10.30	32.26	383	171	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5570.00	95.78	-----	-----	82.53	35.25	10.30	32.30	383	171	PEAK																																																																																											
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.34</td><td>48.09</td><td>54.00</td><td>-5.91</td><td>34.85</td><td>35.20</td><td>10.30</td><td>32.26</td><td>383</td><td>171</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.34	48.09	54.00	-5.91	34.85	35.20	10.30	32.26	383	171	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>86.11</td><td>-----</td><td>-----</td><td>72.74</td><td>35.34</td><td>10.32</td><td>32.29</td><td>383</td><td>171</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	86.11	-----	-----	72.74	35.34	10.32	32.29	383	171	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5459.34	48.09	54.00	-5.91	34.85	35.20	10.30	32.26	383	171	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5570.00	86.11	-----	-----	72.74	35.34	10.32	32.29	383	171	AVERAGE																																																																																											




Mode	95																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																		
ANT	1																																																		
Pol.	Horizontal						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.61</td><td>55.82</td><td>68.30</td><td>-12.48</td><td>42.24</td><td>35.57</td><td>10.37</td><td>32.36</td><td>383</td><td>171</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5725.61	55.82	68.30	-12.48	42.24	35.57	10.37	32.36	383	171	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5725.61	55.82	68.30	-12.48	42.24	35.57	10.37	32.36	383	171	PEAK																																								







Mode	95																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.14</td><td>57.93</td><td>74.00</td><td>-16.07</td><td>44.69</td><td>35.20</td><td>10.29</td><td>32.25</td><td>113</td><td>16</td><td>PEAK</td></tr><tr><td>2</td><td>5467.48</td><td>57.40</td><td>68.30</td><td>-10.90</td><td>44.16</td><td>35.20</td><td>10.30</td><td>32.26</td><td>113</td><td>16</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5446.14	57.93	74.00	-16.07	44.69	35.20	10.29	32.25	113	16	PEAK	2	5467.48	57.40	68.30	-10.90	44.16	35.20	10.30	32.26	113	16	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>93.37</td><td>-----</td><td>-----</td><td>80.09</td><td>35.26</td><td>10.31</td><td>32.29</td><td>113</td><td>16</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	93.37	-----	-----	80.09	35.26	10.31	32.29	113	16
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5446.14	57.93	74.00	-16.07	44.69	35.20	10.29	32.25	113	16	PEAK																																																																																											
2	5467.48	57.40	68.30	-10.90	44.16	35.20	10.30	32.26	113	16	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5570.00	93.37	-----	-----	80.09	35.26	10.31	32.29	113	16	PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.72</td><td>47.55</td><td>54.00</td><td>-6.45</td><td>34.30</td><td>35.20</td><td>10.29</td><td>32.24</td><td>113</td><td>16</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5443.72	47.55	54.00	-6.45	34.30	35.20	10.29	32.24	113	16	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>84.48</td><td>-----</td><td>-----</td><td>71.20</td><td>35.26</td><td>10.31</td><td>32.29</td><td>113</td><td>16</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	84.48	-----	-----	71.20	35.26	10.31	32.29	113	16	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5443.72	47.55	54.00	-6.45	34.30	35.20	10.29	32.24	113	16	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5570.00	84.48	-----	-----	71.20	35.26	10.31	32.29	113	16	AVERAGE																																																																																											




Mode	95																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																		
ANT	1																																																		
Pol.	Vertical						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5733.02</td><td>54.68</td><td>68.30</td><td>-13.62</td><td>41.08</td><td>35.58</td><td>10.38</td><td>32.36</td><td>113</td><td>16</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5733.02	54.68	68.30	-13.62	41.08	35.58	10.38	32.36	113	16	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5733.02	54.68	68.30	-13.62	41.08	35.58	10.38	32.36	113	16	PEAK																																								







Mode	96																																																													
	Band Edge - L																																																													
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Partial_RU996/67_5570MHz																																																													
ANT	1																																																													
Pol.	Horizontal																																																													
Peak																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.36</td><td>59.48</td><td>74.00</td><td>-14.52</td><td>46.24</td><td>35.20</td><td>10.30</td><td>32.26</td><td>314</td><td>135</td><td>PEAK</td></tr><tr><td>2</td><td>5467.04</td><td>59.50</td><td>68.30</td><td>-8.80</td><td>46.26</td><td>35.20</td><td>10.30</td><td>32.26</td><td>314</td><td>135</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5457.36	59.48	74.00	-14.52	46.24	35.20	10.30	32.26	314	135	PEAK	2	5467.04	59.50	68.30	-8.80	46.26	35.20	10.30	32.26	314	135	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	5457.36	59.48	74.00	-14.52	46.24	35.20	10.30	32.26	314	135	PEAK																																																			
2	5467.04	59.50	68.30	-8.80	46.26	35.20	10.30	32.26	314	135	PEAK																																																			
Fundamental																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>100.34</td><td>-----</td><td>-----</td><td>87.08</td><td>35.25</td><td>10.31</td><td>32.30</td><td>314</td><td>135</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	100.34	-----	-----	87.08	35.25	10.31	32.30	314	135	PEAK												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	5570.00	100.34	-----	-----	87.08	35.25	10.31	32.30	314	135	PEAK																																																			
Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>45.06</td><td>54.00</td><td>-8.94</td><td>31.82</td><td>35.20</td><td>10.30</td><td>32.26</td><td>314</td><td>135</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5460.00	45.06	54.00	-8.94	31.82	35.20	10.30	32.26	314	135	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	5460.00	45.06	54.00	-8.94	31.82	35.20	10.30	32.26	314	135	AVERAGE																																																			
AVERAGE																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>89.74</td><td>-----</td><td>-----</td><td>76.46</td><td>35.26</td><td>10.31</td><td>32.29</td><td>314</td><td>135</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	89.74	-----	-----	76.46	35.26	10.31	32.29	314	135	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	5570.00	89.74	-----	-----	76.46	35.26	10.31	32.29	314	135	AVERAGE																																																			




Mode	96																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Partial_RU996/67_5570MHz																																																		
ANT	1																																																		
Pol.	Horizontal						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.99</td><td>52.59</td><td>68.30</td><td>-15.71</td><td>38.97</td><td>35.60</td><td>10.38</td><td>32.36</td><td>314</td><td>135</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5741.99	52.59	68.30	-15.71	38.97	35.60	10.38	32.36	314	135	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5741.99	52.59	68.30	-15.71	38.97	35.60	10.38	32.36	314	135	PEAK																																								






Mode	96																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Partial_RU996/67_5570MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.36</td><td>59.09</td><td>74.00</td><td>-14.91</td><td>45.85</td><td>35.20</td><td>10.30</td><td>32.26</td><td>169</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>5469.46</td><td>62.86</td><td>68.30</td><td>-5.44</td><td>49.62</td><td>35.20</td><td>10.30</td><td>32.26</td><td>169</td><td>118</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5457.36	59.09	74.00	-14.91	45.85	35.20	10.30	32.26	169	118	PEAK	2	5469.46	62.86	68.30	-5.44	49.62	35.20	10.30	32.26	169	118	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>95.31</td><td>-----</td><td>-----</td><td>82.07</td><td>35.22</td><td>10.30</td><td>32.28</td><td>169</td><td>118</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	95.31	-----	-----	82.07	35.22	10.30	32.28	169	118
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5457.36	59.09	74.00	-14.91	45.85	35.20	10.30	32.26	169	118	PEAK																																																																																											
2	5469.46	62.86	68.30	-5.44	49.62	35.20	10.30	32.26	169	118	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5570.00	95.31	-----	-----	82.07	35.22	10.30	32.28	169	118	PEAK																																																																																											
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5460.00</td><td>45.12</td><td>54.00</td><td>-8.88</td><td>31.88</td><td>35.20</td><td>10.30</td><td>32.26</td><td>169</td><td>118</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5460.00	45.12	54.00	-8.88	31.88	35.20	10.30	32.26	169	118	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>86.03</td><td>-----</td><td>-----</td><td>72.79</td><td>35.23</td><td>10.30</td><td>32.29</td><td>169</td><td>118</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	86.03	-----	-----	72.79	35.23	10.30	32.29	169	118	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5460.00	45.12	54.00	-8.88	31.88	35.20	10.30	32.26	169	118	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5570.00	86.03	-----	-----	72.79	35.23	10.30	32.29	169	118	AVERAGE																																																																																											






Mode	96																																																			
	Band Edge - R																																																			
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Partial_RU996/67_5570MHz																																																			
ANT	1																																																			
Pol.	Vertical					Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.19</td><td>53.63</td><td>68.30</td><td>-14.67</td><td>40.03</td><td>35.58</td><td>10.38</td><td>32.36</td><td>169</td><td>118</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.19	53.63	68.30	-14.67	40.03	35.58	10.38	32.36	169	118	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5734.19	53.63	68.30	-14.67	40.03	35.58	10.38	32.36	169	118	PEAK																																									





Mode	97																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal										Fundamental																																																																																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5615.81</td><td>52.41</td><td>68.30</td><td>-15.89</td><td>39.06</td><td>35.32</td><td>10.31</td><td>32.28</td><td>100</td><td>317</td><td>PEAK</td></tr><tr><td>2</td><td>5650.32</td><td>51.45</td><td>68.53</td><td>-17.08</td><td>38.03</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>317</td><td>PEAK</td></tr><tr><td>3</td><td>5712.96</td><td>62.64</td><td>108.83</td><td>-46.19</td><td>49.08</td><td>35.54</td><td>10.37</td><td>32.35</td><td>100</td><td>317</td><td>PEAK</td></tr><tr><td>4</td><td>5721.80</td><td>69.82</td><td>114.90</td><td>-45.08</td><td>56.25</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>317</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5615.81	52.41	68.30	-15.89	39.06	35.32	10.31	32.28	100	317	PEAK	2	5650.32	51.45	68.53	-17.08	38.03	35.40	10.33	32.31	100	317	PEAK	3	5712.96	62.64	108.83	-46.19	49.08	35.54	10.37	32.35	100	317	PEAK	4	5721.80	69.82	114.90	-45.08	56.25	35.56	10.37	32.36	100	317	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.57</td><td>-----</td><td>-----</td><td>90.91</td><td>35.62</td><td>10.39</td><td>32.35</td><td>100</td><td>317</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.57	-----	-----	90.91	35.62	10.39	32.35	100	317	PEAK
		Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5615.81	52.41	68.30	-15.89	39.06	35.32	10.31	32.28	100	317	PEAK																																																																																																																				
2	5650.32	51.45	68.53	-17.08	38.03	35.40	10.33	32.31	100	317	PEAK																																																																																																																				
3	5712.96	62.64	108.83	-46.19	49.08	35.54	10.37	32.35	100	317	PEAK																																																																																																																				
4	5721.80	69.82	114.90	-45.08	56.25	35.56	10.37	32.36	100	317	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5745.00	104.57	-----	-----	90.91	35.62	10.39	32.35	100	317	PEAK																																																																																																																				
Avg	Blank										<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>96.18</td><td>-----</td><td>-----</td><td>82.52</td><td>35.62</td><td>10.39</td><td>32.35</td><td>100</td><td>317</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	96.18	-----	-----	82.52	35.62	10.39	32.35	100	317	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5745.00	96.18	-----	-----	82.52	35.62	10.39	32.35	100	317	AVERAGE																																																																																																																				






Mode	97																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical										Fundamental																																																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 5745 MHz. The plot shows a rising red line and a blue line with peaks. Peaks are labeled 1, 2, 3, and 4. A red label 'PEAK_BE(BA)_16-24' is present. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5636.11</td><td>51.99</td><td>68.30</td><td>-16.31</td><td>38.59</td><td>35.37</td><td>10.33</td><td>32.30</td><td>100</td><td>53</td><td>PEAK</td></tr><tr><td>2</td><td>5650.32</td><td>51.51</td><td>68.53</td><td>-17.02</td><td>38.09</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>53</td><td>PEAK</td></tr><tr><td>3</td><td>5716.58</td><td>64.06</td><td>109.84</td><td>-45.78</td><td>50.49</td><td>35.55</td><td>10.37</td><td>32.35</td><td>100</td><td>53</td><td>PEAK</td></tr><tr><td>4</td><td>5721.80</td><td>68.77</td><td>114.90</td><td>-46.13</td><td>55.20</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>53</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5636.11	51.99	68.30	-16.31	38.59	35.37	10.33	32.30	100	53	PEAK	2	5650.32	51.51	68.53	-17.02	38.09	35.40	10.33	32.31	100	53	PEAK	3	5716.58	64.06	109.84	-45.78	50.49	35.55	10.37	32.35	100	53	PEAK	4	5721.80	68.77	114.90	-46.13	55.20	35.56	10.37	32.36	100	53	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line with a step and a blue line with a sharp peak at 5745 MHz. A red label 'PART 15.407' is present. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.14</td><td>-----</td><td>-----</td><td>88.48</td><td>35.62</td><td>10.39</td><td>32.35</td><td>100</td><td>53</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	102.14	-----	-----	88.48	35.62	10.39	32.35	100	53	PEAK
		Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5636.11	51.99	68.30	-16.31	38.59	35.37	10.33	32.30	100	53	PEAK																																																																																																																				
2	5650.32	51.51	68.53	-17.02	38.09	35.40	10.33	32.31	100	53	PEAK																																																																																																																				
3	5716.58	64.06	109.84	-45.78	50.49	35.55	10.37	32.35	100	53	PEAK																																																																																																																				
4	5721.80	68.77	114.90	-46.13	55.20	35.56	10.37	32.36	100	53	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5745.00	102.14	-----	-----	88.48	35.62	10.39	32.35	100	53	PEAK																																																																																																																				
Avg	Blank										 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line with a step and a blue line with a sharp peak at 5745 MHz. A red label 'PART 15.407 AVG' is present. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>95.30</td><td>-----</td><td>-----</td><td>81.64</td><td>35.62</td><td>10.39</td><td>32.35</td><td>100</td><td>53</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	95.30	-----	-----	81.64	35.62	10.39	32.35	100	53	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5745.00	95.30	-----	-----	81.64	35.62	10.39	32.35	100	53	AVERAGE																																																																																																																				




Mode	97																																																																																																												
	Harmonic																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal					Vertical																																																																																																							
Peak Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>47.60</td><td>74.00</td><td>-26.40</td><td>53.10</td><td>38.38</td><td>13.94</td><td>57.82</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>17235.00</td><td>48.05</td><td>68.30</td><td>-20.25</td><td>46.69</td><td>42.46</td><td>16.84</td><td>57.94</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	47.60	74.00	-26.40	53.10	38.38	13.94	57.82	--	-- Peak	2	17235.00	48.05	68.30	-20.25	46.69	42.46	16.84	57.94	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>48.47</td><td>74.00</td><td>-25.53</td><td>53.97</td><td>38.38</td><td>13.94</td><td>57.82</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>17235.00</td><td>49.48</td><td>68.30</td><td>-18.82</td><td>48.12</td><td>42.46</td><td>16.84</td><td>57.94</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	48.47	74.00	-25.53	53.97	38.38	13.94	57.82	--	-- Peak	2	17235.00	49.48	68.30	-18.82	48.12	42.46	16.84	57.94	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	11490.00	47.60	74.00	-26.40	53.10	38.38	13.94	57.82	--	-- Peak																																																																																																			
2	17235.00	48.05	68.30	-20.25	46.69	42.46	16.84	57.94	--	-- Peak																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	11490.00	48.47	74.00	-25.53	53.97	38.38	13.94	57.82	--	-- Peak																																																																																																			
2	17235.00	49.48	68.30	-18.82	48.12	42.46	16.84	57.94	--	-- Peak																																																																																																			






Mode	98																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																							
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.08</td><td>51.72</td><td>68.30</td><td>-16.58</td><td>38.33</td><td>35.36</td><td>10.32</td><td>32.29</td><td>400</td><td>277</td><td>PEAK</td></tr><tr><td>2</td><td>5650.32</td><td>49.85</td><td>68.54</td><td>-18.69</td><td>36.43</td><td>35.40</td><td>10.33</td><td>32.31</td><td>400</td><td>277</td><td>PEAK</td></tr><tr><td>3</td><td>5701.94</td><td>51.06</td><td>105.74</td><td>-54.68</td><td>37.53</td><td>35.52</td><td>10.36</td><td>32.35</td><td>400</td><td>277</td><td>PEAK</td></tr><tr><td>4</td><td>5720.07</td><td>49.21</td><td>110.95</td><td>-61.74</td><td>35.64</td><td>35.56</td><td>10.37</td><td>32.36</td><td>400</td><td>277</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.08	51.72	68.30	-16.58	38.33	35.36	10.32	32.29	400	277	PEAK	2	5650.32	49.85	68.54	-18.69	36.43	35.40	10.33	32.31	400	277	PEAK	3	5701.94	51.06	105.74	-54.68	37.53	35.52	10.36	32.35	400	277	PEAK	4	5720.07	49.21	110.95	-61.74	35.64	35.56	10.37	32.36	400	277	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>104.38</td><td>-----</td><td>-----</td><td>90.66</td><td>35.66</td><td>10.40</td><td>32.34</td><td>400</td><td>277</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	104.38	-----	-----	90.66	35.66	10.40	32.34	400	277
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5631.08	51.72	68.30	-16.58	38.33	35.36	10.32	32.29	400	277	PEAK																																																																																																																		
2	5650.32	49.85	68.54	-18.69	36.43	35.40	10.33	32.31	400	277	PEAK																																																																																																																		
3	5701.94	51.06	105.74	-54.68	37.53	35.52	10.36	32.35	400	277	PEAK																																																																																																																		
4	5720.07	49.21	110.95	-61.74	35.64	35.56	10.37	32.36	400	277	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5785.00	104.38	-----	-----	90.66	35.66	10.40	32.34	400	277	PEAK																																																																																																																		
Avg	Blank																																																																																																																												
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>97.00</td><td>-----</td><td>-----</td><td>83.28</td><td>35.66</td><td>10.40</td><td>32.34</td><td>400</td><td>277</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	97.00	-----	-----	83.28	35.66	10.40	32.34	400	277	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5785.00	97.00	-----	-----	83.28	35.66	10.40	32.34	400	277	AVERAGE																																																																																																																		




Mode	98																																																																													
	Band Edge - R																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																													
ANT	1																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.96</td><td>50.18</td><td>110.89</td><td>-60.71</td><td>36.24</td><td>35.88</td><td>10.46</td><td>32.40</td><td>400</td><td>277</td><td>PEAK</td></tr><tr><td>2</td><td>5874.60</td><td>52.39</td><td>105.31</td><td>-52.92</td><td>38.38</td><td>35.94</td><td>10.48</td><td>32.41</td><td>400</td><td>277</td><td>PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>51.71</td><td>68.75</td><td>-17.04</td><td>37.62</td><td>36.03</td><td>10.52</td><td>32.46</td><td>400</td><td>277</td><td>PEAK</td></tr><tr><td>4</td><td>5945.22</td><td>52.01</td><td>68.30</td><td>-16.29</td><td>37.91</td><td>36.05</td><td>10.54</td><td>32.49</td><td>400</td><td>277</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5854.96	50.18	110.89	-60.71	36.24	35.88	10.46	32.40	400	277	PEAK	2	5874.60	52.39	105.31	-52.92	38.38	35.94	10.48	32.41	400	277	PEAK	3	5924.26	51.71	68.75	-17.04	37.62	36.03	10.52	32.46	400	277	PEAK	4	5945.22	52.01	68.30	-16.29	37.91	36.05	10.54	32.49	400	277	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5854.96	50.18	110.89	-60.71	36.24	35.88	10.46	32.40	400	277	PEAK																																																																			
2	5874.60	52.39	105.31	-52.92	38.38	35.94	10.48	32.41	400	277	PEAK																																																																			
3	5924.26	51.71	68.75	-17.04	37.62	36.03	10.52	32.46	400	277	PEAK																																																																			
4	5945.22	52.01	68.30	-16.29	37.91	36.05	10.54	32.49	400	277	PEAK																																																																			





Mode	98																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak	 Level (dBuV/m) Frequency (MHz) PEAK_BE(B4)_Y6-24 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5617.58</td><td>52.32</td><td>68.30</td><td>-15.98</td><td>38.96</td><td>35.32</td><td>10.32</td><td>32.28</td><td>230</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.32</td><td>49.92</td><td>68.54</td><td>-18.62</td><td>36.50</td><td>35.40</td><td>10.33</td><td>32.31</td><td>230</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5703.97</td><td>51.91</td><td>106.31</td><td>-54.40</td><td>38.38</td><td>35.52</td><td>10.36</td><td>32.35</td><td>230</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.07</td><td>49.91</td><td>110.95</td><td>-61.04</td><td>36.34</td><td>35.56</td><td>10.37</td><td>32.36</td><td>230</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5617.58	52.32	68.30	-15.98	38.96	35.32	10.32	32.28	230	360	PEAK	2	5650.32	49.92	68.54	-18.62	36.50	35.40	10.33	32.31	230	360	PEAK	3	5703.97	51.91	106.31	-54.40	38.38	35.52	10.36	32.35	230	360	PEAK	4	5720.07	49.91	110.95	-61.04	36.34	35.56	10.37	32.36	230	360	PEAK	 Level (dBuV/m) Frequency (MHz) PART 15.407 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>98.32</td><td>-----</td><td>-----</td><td>84.54</td><td>35.70</td><td>10.41</td><td>32.33</td><td>230</td><td>360</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	98.32	-----	-----	84.54	35.70	10.41	32.33	230	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5617.58	52.32	68.30	-15.98	38.96	35.32	10.32	32.28	230	360	PEAK																																																																																																																				
2	5650.32	49.92	68.54	-18.62	36.50	35.40	10.33	32.31	230	360	PEAK																																																																																																																				
3	5703.97	51.91	106.31	-54.40	38.38	35.52	10.36	32.35	230	360	PEAK																																																																																																																				
4	5720.07	49.91	110.95	-61.04	36.34	35.56	10.37	32.36	230	360	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5785.00	98.32	-----	-----	84.54	35.70	10.41	32.33	230	360	PEAK																																																																																																																				
Avg	Blank						 Level (dBuV/m) Frequency (MHz) PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>91.51</td><td>-----</td><td>-----</td><td>77.79</td><td>35.66</td><td>10.40</td><td>32.34</td><td>230</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	91.51	-----	-----	77.79	35.66	10.40	32.34	230	360	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5785.00	91.51	-----	-----	77.79	35.66	10.40	32.34	230	360	AVERAGE																																																																																																																				






Mode	98																																																																												
	Band Edge - R																																																																												
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																												
ANT	1																																																																												
Pol.	Vertical						Fundamental																																																																						
Peak	<table><tr><th></th><th>Freq</th><th>Limit Level</th><th>Limit Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.96</td><td>49.48</td><td>110.89</td><td>-61.41</td><td>35.54</td><td>35.88</td><td>10.46</td><td>32.40</td><td>230</td><td>360 PEAK</td></tr><tr><td>2</td><td>5874.43</td><td>50.94</td><td>105.36</td><td>-54.42</td><td>36.93</td><td>35.94</td><td>10.48</td><td>32.41</td><td>230</td><td>360 PEAK</td></tr><tr><td>3</td><td>5924.92</td><td>50.74</td><td>68.26</td><td>-17.52</td><td>36.64</td><td>36.03</td><td>10.53</td><td>32.46</td><td>230</td><td>360 PEAK</td></tr><tr><td>4</td><td>5926.57</td><td>51.58</td><td>68.30</td><td>-16.72</td><td>37.48</td><td>36.03</td><td>10.53</td><td>32.46</td><td>230</td><td>360 PEAK</td></tr></table>							Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.96	49.48	110.89	-61.41	35.54	35.88	10.46	32.40	230	360 PEAK	2	5874.43	50.94	105.36	-54.42	36.93	35.94	10.48	32.41	230	360 PEAK	3	5924.92	50.74	68.26	-17.52	36.64	36.03	10.53	32.46	230	360 PEAK	4	5926.57	51.58	68.30	-16.72	37.48	36.03	10.53	32.46	230	360 PEAK	Blank				
	Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5854.96	49.48	110.89	-61.41	35.54	35.88	10.46	32.40	230	360 PEAK																																																																			
2	5874.43	50.94	105.36	-54.42	36.93	35.94	10.48	32.41	230	360 PEAK																																																																			
3	5924.92	50.74	68.26	-17.52	36.64	36.03	10.53	32.46	230	360 PEAK																																																																			
4	5926.57	51.58	68.30	-16.72	37.48	36.03	10.53	32.46	230	360 PEAK																																																																			






Mode	98																																																																																																													
	Harmonic																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal					Vertical																																																																																																								
Peak Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.94</td><td>74.00</td><td>-27.06</td><td>52.40</td><td>38.45</td><td>13.95</td><td>57.86</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>17355.00</td><td>48.76</td><td>68.30</td><td>-19.54</td><td>47.52</td><td>42.39</td><td>16.86</td><td>58.01</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.94	74.00	-27.06	52.40	38.45	13.95	57.86	--	-- Peak	2	17355.00	48.76	68.30	-19.54	47.52	42.39	16.86	58.01	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.24</td><td>74.00</td><td>-27.76</td><td>51.70</td><td>38.45</td><td>13.95</td><td>57.86</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>17355.00</td><td>47.79</td><td>68.30</td><td>-20.51</td><td>46.55</td><td>42.39</td><td>16.86</td><td>58.01</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.24	74.00	-27.76	51.70	38.45	13.95	57.86	--	-- Peak	2	17355.00	47.79	68.30	-20.51	46.55	42.39	16.86	58.01	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11570.00	46.94	74.00	-27.06	52.40	38.45	13.95	57.86	--	-- Peak																																																																																																				
2	17355.00	48.76	68.30	-19.54	47.52	42.39	16.86	58.01	--	-- Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11570.00	46.24	74.00	-27.76	51.70	38.45	13.95	57.86	--	-- Peak																																																																																																				
2	17355.00	47.79	68.30	-20.51	46.55	42.39	16.86	58.01	--	-- Peak																																																																																																				





Mode	99																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal										Fundamental																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue trace with several peaks. A red line indicates the limit. The x-axis ranges from 5825 to 5950 MHz, and the y-axis ranges from 0 to 140 dBuV/m. Peaks are labeled 1, 2, 3, and 4. A red label 'PEAK_BE(B4)_16-24' is present. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>64.49</td><td>110.80</td><td>-46.31</td><td>50.55</td><td>35.88</td><td>10.46</td><td>32.40</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>2</td><td>5857.63</td><td>65.78</td><td>110.06</td><td>-44.28</td><td>51.82</td><td>35.89</td><td>10.47</td><td>32.40</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>51.15</td><td>68.20</td><td>-17.05</td><td>37.05</td><td>36.03</td><td>10.53</td><td>32.46</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>4</td><td>5934.63</td><td>53.27</td><td>68.30</td><td>-15.03</td><td>39.17</td><td>36.04</td><td>10.53</td><td>32.47</td><td>100</td><td>295</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	64.49	110.80	-46.31	50.55	35.88	10.46	32.40	100	295	PEAK	2	5857.63	65.78	110.06	-44.28	51.82	35.89	10.47	32.40	100	295	PEAK	3	5925.00	51.15	68.20	-17.05	37.05	36.03	10.53	32.46	100	295	PEAK	4	5934.63	53.27	68.30	-15.03	39.17	36.04	10.53	32.47	100	295	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue trace with a single sharp peak at 5800 MHz. A red line indicates the limit. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 0 to 140 dBuV/m. A red label 'PART 15.407' is present. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>104.43</td><td>-----</td><td>-----</td><td>90.56</td><td>35.81</td><td>10.44</td><td>32.38</td><td>100</td><td>295</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	104.43	-----	-----	90.56	35.81	10.44	32.38	100	295	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5855.00	64.49	110.80	-46.31	50.55	35.88	10.46	32.40	100	295	PEAK																																																																																																																				
2	5857.63	65.78	110.06	-44.28	51.82	35.89	10.47	32.40	100	295	PEAK																																																																																																																				
3	5925.00	51.15	68.20	-17.05	37.05	36.03	10.53	32.46	100	295	PEAK																																																																																																																				
4	5934.63	53.27	68.30	-15.03	39.17	36.04	10.53	32.47	100	295	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	104.43	-----	-----	90.56	35.81	10.44	32.38	100	295	PEAK																																																																																																																				
Avg	Blank										 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue trace with a single sharp peak at 5800 MHz. A red line indicates the limit. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 0 to 140 dBuV/m. A red label 'PART 15.407 AVG' is present. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>97.86</td><td>-----</td><td>-----</td><td>84.02</td><td>35.77</td><td>10.43</td><td>32.36</td><td>100</td><td>295</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	97.86	-----	-----	84.02	35.77	10.43	32.36	100	295	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	97.86	-----	-----	84.02	35.77	10.43	32.36	100	295	AVERAGE																																																																																																																				






Mode	99																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical										Fundamental																																																																																																																				
Peak	 Level (dBuV/m) Frequency (MHz) PEAK_BE(B4)_16-24 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>60.28</td><td>110.80</td><td>-50.52</td><td>46.34</td><td>35.88</td><td>10.46</td><td>32.40</td><td>102</td><td>55</td><td>PEAK</td></tr><tr><td>2</td><td>5857.75</td><td>62.48</td><td>110.03</td><td>-47.55</td><td>48.52</td><td>35.89</td><td>10.47</td><td>32.40</td><td>102</td><td>55</td><td>PEAK</td></tr><tr><td>3</td><td>5924.88</td><td>50.65</td><td>68.29</td><td>-17.64</td><td>36.55</td><td>36.03</td><td>10.53</td><td>32.46</td><td>102</td><td>55</td><td>PEAK</td></tr><tr><td>4</td><td>5925.75</td><td>52.45</td><td>68.30</td><td>-15.85</td><td>38.35</td><td>36.03</td><td>10.53</td><td>32.46</td><td>102</td><td>55</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	60.28	110.80	-50.52	46.34	35.88	10.46	32.40	102	55	PEAK	2	5857.75	62.48	110.03	-47.55	48.52	35.89	10.47	32.40	102	55	PEAK	3	5924.88	50.65	68.29	-17.64	36.55	36.03	10.53	32.46	102	55	PEAK	4	5925.75	52.45	68.30	-15.85	38.35	36.03	10.53	32.46	102	55	PEAK	 Level (dBuV/m) Frequency (MHz) PART 15.407 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.44</td><td>-----</td><td>-----</td><td>88.58</td><td>35.79</td><td>10.44</td><td>32.37</td><td>102</td><td>55</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.44	-----	-----	88.58	35.79	10.44	32.37	102	55	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5855.00	60.28	110.80	-50.52	46.34	35.88	10.46	32.40	102	55	PEAK																																																																																																																				
2	5857.75	62.48	110.03	-47.55	48.52	35.89	10.47	32.40	102	55	PEAK																																																																																																																				
3	5924.88	50.65	68.29	-17.64	36.55	36.03	10.53	32.46	102	55	PEAK																																																																																																																				
4	5925.75	52.45	68.30	-15.85	38.35	36.03	10.53	32.46	102	55	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	102.44	-----	-----	88.58	35.79	10.44	32.37	102	55	PEAK																																																																																																																				
Avg	Blank										 Level (dBuV/m) Frequency (MHz) PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>95.52</td><td>-----</td><td>-----</td><td>81.68</td><td>35.77</td><td>10.43</td><td>32.36</td><td>102</td><td>55</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	95.52	-----	-----	81.68	35.77	10.43	32.36	102	55	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	95.52	-----	-----	81.68	35.77	10.43	32.36	102	55	AVERAGE																																																																																																																				






Mode	99																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>49.06</td><td>74.00</td><td>-24.94</td><td>54.45</td><td>38.52</td><td>14.01</td></tr><tr><td>2</td><td>17475.00</td><td>48.24</td><td>68.30</td><td>-20.06</td><td>47.09</td><td>42.32</td><td>16.91</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11650.00	49.06	74.00	-24.94	54.45	38.52	14.01	2	17475.00	48.24	68.30	-20.06	47.09	42.32	16.91	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>48.23</td><td>74.00</td><td>-25.77</td><td>53.62</td><td>38.52</td><td>14.01</td></tr><tr><td>2</td><td>17475.00</td><td>48.67</td><td>68.30</td><td>-19.63</td><td>47.52</td><td>42.32</td><td>16.91</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11650.00	48.23	74.00	-25.77	53.62	38.52	14.01	2	17475.00	48.67	68.30	-19.63	47.52	42.32	16.91
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11650.00	49.06	74.00	-24.94	54.45	38.52	14.01																																																																																									
2	17475.00	48.24	68.30	-20.06	47.09	42.32	16.91																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11650.00	48.23	74.00	-25.77	53.62	38.52	14.01																																																																																									
2	17475.00	48.67	68.30	-19.63	47.52	42.32	16.91																																																																																									





Mode	100																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																							
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5635.24</td><td>51.81</td><td>68.30</td><td>-16.49</td><td>38.41</td><td>35.37</td><td>10.33</td><td>32.30</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>2</td><td>5650.90</td><td>51.27</td><td>68.96</td><td>-17.69</td><td>37.85</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>3</td><td>5719.48</td><td>67.26</td><td>110.65</td><td>-43.39</td><td>53.70</td><td>35.55</td><td>10.37</td><td>32.36</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>4</td><td>5720.35</td><td>66.77</td><td>111.60</td><td>-44.83</td><td>53.20</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>295</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5635.24	51.81	68.30	-16.49	38.41	35.37	10.33	32.30	100	295	PEAK	2	5650.90	51.27	68.96	-17.69	37.85	35.40	10.33	32.31	100	295	PEAK	3	5719.48	67.26	110.65	-43.39	53.70	35.55	10.37	32.36	100	295	PEAK	4	5720.35	66.77	111.60	-44.83	53.20	35.56	10.37	32.36	100	295	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.13</td><td>-----</td><td>-----</td><td>91.52</td><td>35.59</td><td>10.38</td><td>32.36</td><td>100</td><td>295</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.13	-----	-----	91.52	35.59	10.38	32.36	100	295
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5635.24	51.81	68.30	-16.49	38.41	35.37	10.33	32.30	100	295	PEAK																																																																																																																		
2	5650.90	51.27	68.96	-17.69	37.85	35.40	10.33	32.31	100	295	PEAK																																																																																																																		
3	5719.48	67.26	110.65	-43.39	53.70	35.55	10.37	32.36	100	295	PEAK																																																																																																																		
4	5720.35	66.77	111.60	-44.83	53.20	35.56	10.37	32.36	100	295	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	105.13	-----	-----	91.52	35.59	10.38	32.36	100	295	PEAK																																																																																																																		
Avg	Blank																																																																																																																												
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.38</td><td>-----</td><td>-----</td><td>84.72</td><td>35.62</td><td>10.39</td><td>32.35</td><td>100</td><td>295</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	98.38	-----	-----	84.72	35.62	10.39	32.35	100	295	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	98.38	-----	-----	84.72	35.62	10.39	32.35	100	295	AVERAGE																																																																																																																		





Mode	100																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.12</td><td>52.39</td><td>68.30</td><td>-15.91</td><td>38.99</td><td>35.37</td><td>10.33</td><td>32.30</td><td>108</td><td>55</td><td>PEAK</td></tr><tr><td>2</td><td>5650.75</td><td>50.88</td><td>68.86</td><td>-17.98</td><td>37.46</td><td>35.40</td><td>10.33</td><td>32.31</td><td>108</td><td>55</td><td>PEAK</td></tr><tr><td>3</td><td>5716.87</td><td>65.23</td><td>109.92</td><td>-44.69</td><td>51.66</td><td>35.55</td><td>10.37</td><td>32.35</td><td>108</td><td>55</td><td>PEAK</td></tr><tr><td>4</td><td>5720.35</td><td>65.94</td><td>111.60</td><td>-45.66</td><td>52.37</td><td>35.56</td><td>10.37</td><td>32.36</td><td>108</td><td>55</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5637.12	52.39	68.30	-15.91	38.99	35.37	10.33	32.30	108	55	PEAK	2	5650.75	50.88	68.86	-17.98	37.46	35.40	10.33	32.31	108	55	PEAK	3	5716.87	65.23	109.92	-44.69	51.66	35.55	10.37	32.35	108	55	PEAK	4	5720.35	65.94	111.60	-45.66	52.37	35.56	10.37	32.36	108	55	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.42</td><td>-----</td><td>-----</td><td>88.76</td><td>35.62</td><td>10.39</td><td>32.35</td><td>108</td><td>55</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	102.42	-----	-----	88.76	35.62	10.39	32.35	108	55
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																				
1	5637.12	52.39	68.30	-15.91	38.99	35.37	10.33	32.30	108	55	PEAK																																																																																																																		
2	5650.75	50.88	68.86	-17.98	37.46	35.40	10.33	32.31	108	55	PEAK																																																																																																																		
3	5716.87	65.23	109.92	-44.69	51.66	35.55	10.37	32.35	108	55	PEAK																																																																																																																		
4	5720.35	65.94	111.60	-45.66	52.37	35.56	10.37	32.36	108	55	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																				
1	5745.00	102.42	-----	-----	88.76	35.62	10.39	32.35	108	55	PEAK																																																																																																																		
Avg	Blank																																																																																																																												
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>95.85</td><td>-----</td><td>-----</td><td>82.19</td><td>35.62</td><td>10.39</td><td>32.35</td><td>108</td><td>55</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	95.85	-----	-----	82.19	35.62	10.39	32.35	108	55	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																				
1	5745.00	95.85	-----	-----	82.19	35.62	10.39	32.35	108	55	AVERAGE																																																																																																																		



Mode	100																																																																																																				
	Harmonic																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11490.00</td><td>47.96</td><td>74.00</td><td>-26.04</td><td>53.46</td><td>38.38</td><td>13.94</td></tr><tr><td>2</td><td>17235.00</td><td>47.45</td><td>68.30</td><td>-20.85</td><td>46.09</td><td>42.46</td><td>16.84</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11490.00	47.96	74.00	-26.04	53.46	38.38	13.94	2	17235.00	47.45	68.30	-20.85	46.09	42.46	16.84	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11490.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>52.99</td><td>38.38</td><td>13.94</td></tr><tr><td>2</td><td>17235.00</td><td>47.37</td><td>68.30</td><td>-20.93</td><td>46.01</td><td>42.46</td><td>16.84</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11490.00	47.49	74.00	-26.51	52.99	38.38	13.94	2	17235.00	47.37	68.30	-20.93	46.01	42.46	16.84									
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																														
1	11490.00	47.96	74.00	-26.04	53.46	38.38	13.94																																																																																														
2	17235.00	47.45	68.30	-20.85	46.09	42.46	16.84																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																														
1	11490.00	47.49	74.00	-26.51	52.99	38.38	13.94																																																																																														
2	17235.00	47.37	68.30	-20.93	46.01	42.46	16.84																																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>47.96</td><td>74.00</td><td>-26.04</td><td>53.46</td><td>38.38</td><td>13.94</td><td>-- Peak</td></tr><tr><td>2</td><td>17235.00</td><td>47.45</td><td>68.30</td><td>-20.85</td><td>46.09</td><td>42.46</td><td>16.84</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	11490.00	47.96	74.00	-26.04	53.46	38.38	13.94	-- Peak	2	17235.00	47.45	68.30	-20.85	46.09	42.46	16.84	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>52.99</td><td>38.38</td><td>13.94</td><td>-- Peak</td></tr><tr><td>2</td><td>17235.00</td><td>47.37</td><td>68.30</td><td>-20.93</td><td>46.01</td><td>42.46</td><td>16.84</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	11490.00	47.49	74.00	-26.51	52.99	38.38	13.94	-- Peak	2	17235.00	47.37	68.30	-20.93	46.01	42.46	16.84	-- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																														
1	11490.00	47.96	74.00	-26.04	53.46	38.38	13.94	-- Peak																																																																																													
2	17235.00	47.45	68.30	-20.85	46.09	42.46	16.84	-- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																														
1	11490.00	47.49	74.00	-26.51	52.99	38.38	13.94	-- Peak																																																																																													
2	17235.00	47.37	68.30	-20.93	46.01	42.46	16.84	-- Peak																																																																																													






Mode	101																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>deg</th></tr><tr><td>1 11570.00</td><td>47.80</td><td>74.00</td><td>-26.20</td><td>53.26</td><td>38.45</td><td>13.95</td><td>57.86 -- Peak</td></tr><tr><td>2 17355.00</td><td>47.99</td><td>68.30</td><td>-20.31</td><td>46.75</td><td>42.39</td><td>16.86</td><td>58.01 -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	deg	1 11570.00	47.80	74.00	-26.20	53.26	38.45	13.95	57.86 -- Peak	2 17355.00	47.99	68.30	-20.31	46.75	42.39	16.86	58.01 -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>deg</th></tr><tr><td>1 11570.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>52.95</td><td>38.45</td><td>13.95</td><td>57.86 -- Peak</td></tr><tr><td>2 17355.00</td><td>49.41</td><td>68.30</td><td>-18.89</td><td>48.17</td><td>42.39</td><td>16.86</td><td>58.01 -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	deg	1 11570.00	47.49	74.00	-26.51	52.95	38.45	13.95	57.86 -- Peak	2 17355.00	49.41	68.30	-18.89	48.17	42.39	16.86	58.01 -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	deg																																																																																									
1 11570.00	47.80	74.00	-26.20	53.26	38.45	13.95	57.86 -- Peak																																																																																									
2 17355.00	47.99	68.30	-20.31	46.75	42.39	16.86	58.01 -- Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	deg																																																																																									
1 11570.00	47.49	74.00	-26.51	52.95	38.45	13.95	57.86 -- Peak																																																																																									
2 17355.00	49.41	68.30	-18.89	48.17	42.39	16.86	58.01 -- Peak																																																																																									



Mode	102										
	Band Edge										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz										
ANT	1										
Pol.	Horizontal										
Peak	Level (dBuV/m)										






Mode	102																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																																											
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>65.06</td><td>110.80</td><td>-45.74</td><td>51.12</td><td>35.88</td><td>10.46</td><td>32.40</td><td>100</td><td>53</td><td>PEAK</td></tr><tr><td>2</td><td>5856.13</td><td>65.16</td><td>110.48</td><td>-45.32</td><td>51.22</td><td>35.88</td><td>10.46</td><td>32.40</td><td>100</td><td>53</td><td>PEAK</td></tr><tr><td>3</td><td>5922.63</td><td>53.85</td><td>69.95</td><td>-16.10</td><td>39.76</td><td>36.03</td><td>10.52</td><td>32.46</td><td>100</td><td>53</td><td>PEAK</td></tr><tr><td>4</td><td>5936.88</td><td>51.90</td><td>68.30</td><td>-16.40</td><td>37.80</td><td>36.04</td><td>10.54</td><td>32.48</td><td>100</td><td>53</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5855.00	65.06	110.80	-45.74	51.12	35.88	10.46	32.40	100	53	PEAK	2	5856.13	65.16	110.48	-45.32	51.22	35.88	10.46	32.40	100	53	PEAK	3	5922.63	53.85	69.95	-16.10	39.76	36.03	10.52	32.46	100	53	PEAK	4	5936.88	51.90	68.30	-16.40	37.80	36.04	10.54	32.48	100	53	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.82</td><td>-----</td><td>-----</td><td>87.98</td><td>35.77</td><td>10.43</td><td>32.36</td><td>100</td><td>53</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	101.82	-----	-----	87.98	35.77	10.43	32.36	100	53
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5855.00	65.06	110.80	-45.74	51.12	35.88	10.46	32.40	100	53	PEAK																																																																																																																							
2	5856.13	65.16	110.48	-45.32	51.22	35.88	10.46	32.40	100	53	PEAK																																																																																																																							
3	5922.63	53.85	69.95	-16.10	39.76	36.03	10.52	32.46	100	53	PEAK																																																																																																																							
4	5936.88	51.90	68.30	-16.40	37.80	36.04	10.54	32.48	100	53	PEAK																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5825.00	101.82	-----	-----	87.98	35.77	10.43	32.36	100	53	PEAK																																																																																																																							
Avg	Blank																																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.35</td><td>-----</td><td>-----</td><td>81.51</td><td>35.77</td><td>10.43</td><td>32.36</td><td>100</td><td>53</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	95.35	-----	-----	81.51	35.77	10.43	32.36	100	53	AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5825.00	95.35	-----	-----	81.51	35.77	10.43	32.36	100	53	AVERAGE																																																																																																																							




Mode	102																																																																																																	
	Harmonic																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11650.00</td><td>47.65</td><td>74.00</td><td>-26.35</td><td>53.04</td><td>38.52</td><td>14.01</td><td>57.92</td><td>--</td><td>-- Peak</td></tr><tr><td>2 17475.00</td><td>48.77</td><td>68.30</td><td>-19.53</td><td>47.62</td><td>42.32</td><td>16.91</td><td>58.08</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	47.65	74.00	-26.35	53.04	38.52	14.01	57.92	--	-- Peak	2 17475.00	48.77	68.30	-19.53	47.62	42.32	16.91	58.08	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11650.00</td><td>45.98</td><td>74.00</td><td>-28.02</td><td>51.37</td><td>38.52</td><td>14.01</td><td>57.92</td><td>--</td><td>-- Peak</td></tr><tr><td>2 17475.00</td><td>48.17</td><td>68.30</td><td>-20.13</td><td>47.02</td><td>42.32</td><td>16.91</td><td>58.08</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	45.98	74.00	-28.02	51.37	38.52	14.01	57.92	--	-- Peak	2 17475.00	48.17	68.30	-20.13	47.02	42.32	16.91	58.08	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11650.00	47.65	74.00	-26.35	53.04	38.52	14.01	57.92	--	-- Peak																																																																																									
2 17475.00	48.77	68.30	-19.53	47.62	42.32	16.91	58.08	--	-- Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11650.00	45.98	74.00	-28.02	51.37	38.52	14.01	57.92	--	-- Peak																																																																																									
2 17475.00	48.17	68.30	-20.13	47.02	42.32	16.91	58.08	--	-- Peak																																																																																									






Mode	103																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 5755 MHz. The plot shows a rising signal level with a peak at 5724 MHz labeled 'PEAK_BE(B4)_16-24'. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5644.33</td><td>53.36</td><td>68.30</td><td>-14.94</td><td>39.95</td><td>35.39</td><td>10.33</td><td>32.31</td><td>102</td><td>295</td><td>PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>52.01</td><td>69.04</td><td>-17.03</td><td>38.59</td><td>35.40</td><td>10.33</td><td>32.31</td><td>102</td><td>295</td><td>PEAK</td></tr><tr><td>3</td><td>5704.63</td><td>62.74</td><td>106.50</td><td>-43.76</td><td>49.21</td><td>35.52</td><td>10.36</td><td>32.35</td><td>102</td><td>295</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>59.88</td><td>111.09</td><td>-51.21</td><td>46.31</td><td>35.56</td><td>10.37</td><td>32.36</td><td>102</td><td>295</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5644.33	53.36	68.30	-14.94	39.95	35.39	10.33	32.31	102	295	PEAK	2	5651.00	52.01	69.04	-17.03	38.59	35.40	10.33	32.31	102	295	PEAK	3	5704.63	62.74	106.50	-43.76	49.21	35.52	10.36	32.35	102	295	PEAK	4	5720.13	59.88	111.09	-51.21	46.31	35.56	10.37	32.36	102	295	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a sharp peak at 5800 MHz labeled 'PART 15.407'. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>102.36</td><td>-----</td><td>-----</td><td>88.65</td><td>35.65</td><td>10.40</td><td>32.34</td><td>102</td><td>295</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5755.00	102.36	-----	-----	88.65	35.65	10.40	32.34	102	295	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5644.33	53.36	68.30	-14.94	39.95	35.39	10.33	32.31	102	295	PEAK																																																																																																																				
2	5651.00	52.01	69.04	-17.03	38.59	35.40	10.33	32.31	102	295	PEAK																																																																																																																				
3	5704.63	62.74	106.50	-43.76	49.21	35.52	10.36	32.35	102	295	PEAK																																																																																																																				
4	5720.13	59.88	111.09	-51.21	46.31	35.56	10.37	32.36	102	295	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5755.00	102.36	-----	-----	88.65	35.65	10.40	32.34	102	295	PEAK																																																																																																																				
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a sharp peak at 5800 MHz labeled 'PART 15.407 AVG'. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>95.42</td><td>-----</td><td>-----</td><td>81.75</td><td>35.63</td><td>10.39</td><td>32.35</td><td>102</td><td>295</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5755.00	95.42	-----	-----	81.75	35.63	10.39	32.35	102	295	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5755.00	95.42	-----	-----	81.75	35.63	10.39	32.35	102	295	AVERAGE																																																																																																																				




Mode	103																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																														
ANT	1																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>52.80</td><td>111.61</td><td>-58.81</td><td>38.86</td><td>35.88</td><td>10.46</td><td>32.40</td><td>102</td><td>295</td><td>PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>52.54</td><td>106.04</td><td>-53.50</td><td>38.54</td><td>35.93</td><td>10.48</td><td>32.41</td><td>102</td><td>295</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>52.17</td><td>68.46</td><td>-16.29</td><td>38.07</td><td>36.03</td><td>10.53</td><td>32.46</td><td>102</td><td>295</td><td>PEAK</td></tr><tr><td>4</td><td>5944.74</td><td>52.03</td><td>68.30</td><td>-16.27</td><td>37.93</td><td>36.05</td><td>10.54</td><td>32.49</td><td>102</td><td>295</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.65	52.80	111.61	-58.81	38.86	35.88	10.46	32.40	102	295	PEAK	2	5872.00	52.54	106.04	-53.50	38.54	35.93	10.48	32.41	102	295	PEAK	3	5924.65	52.17	68.46	-16.29	38.07	36.03	10.53	32.46	102	295	PEAK	4	5944.74	52.03	68.30	-16.27	37.93	36.05	10.54	32.49	102	295	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.65	52.80	111.61	-58.81	38.86	35.88	10.46	32.40	102	295	PEAK																																																																				
2	5872.00	52.54	106.04	-53.50	38.54	35.93	10.48	32.41	102	295	PEAK																																																																				
3	5924.65	52.17	68.46	-16.29	38.07	36.03	10.53	32.46	102	295	PEAK																																																																				
4	5944.74	52.03	68.30	-16.27	37.93	36.05	10.54	32.49	102	295	PEAK																																																																				






Mode	103																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5611.63</td><td>51.98</td><td>68.30</td><td>-16.32</td><td>38.63</td><td>35.31</td><td>10.31</td><td>32.27</td><td>108</td><td>55</td><td>PEAK</td></tr><tr><td>2</td><td>5651.93</td><td>52.34</td><td>69.73</td><td>-17.39</td><td>38.91</td><td>35.41</td><td>10.33</td><td>32.31</td><td>108</td><td>55</td><td>PEAK</td></tr><tr><td>3</td><td>5711.45</td><td>61.73</td><td>108.41</td><td>-46.68</td><td>48.17</td><td>35.54</td><td>10.37</td><td>32.35</td><td>108</td><td>55</td><td>PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>62.31</td><td>111.44</td><td>-49.13</td><td>48.74</td><td>35.56</td><td>10.37</td><td>32.36</td><td>108</td><td>55</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5611.63	51.98	68.30	-16.32	38.63	35.31	10.31	32.27	108	55	PEAK	2	5651.93	52.34	69.73	-17.39	38.91	35.41	10.33	32.31	108	55	PEAK	3	5711.45	61.73	108.41	-46.68	48.17	35.54	10.37	32.35	108	55	PEAK	4	5720.28	62.31	111.44	-49.13	48.74	35.56	10.37	32.36	108	55	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.40</td><td>-----</td><td>-----</td><td>85.73</td><td>35.63</td><td>10.39</td><td>32.35</td><td>108</td><td>55</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5755.00	99.40	-----	-----	85.73	35.63	10.39	32.35	108	55
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5611.63	51.98	68.30	-16.32	38.63	35.31	10.31	32.27	108	55	PEAK																																																																																																																			
2	5651.93	52.34	69.73	-17.39	38.91	35.41	10.33	32.31	108	55	PEAK																																																																																																																			
3	5711.45	61.73	108.41	-46.68	48.17	35.54	10.37	32.35	108	55	PEAK																																																																																																																			
4	5720.28	62.31	111.44	-49.13	48.74	35.56	10.37	32.36	108	55	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5755.00	99.40	-----	-----	85.73	35.63	10.39	32.35	108	55	PEAK																																																																																																																			
Avg	Blank																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>92.72</td><td>-----</td><td>-----</td><td>79.06</td><td>35.62</td><td>10.39</td><td>32.35</td><td>108</td><td>55</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5755.00	92.72	-----	-----	79.06	35.62	10.39	32.35	108	55	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5755.00	92.72	-----	-----	79.06	35.62	10.39	32.35	108	55	AVERAGE																																																																																																																			




Mode	103																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																														
ANT	1																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>50.76</td><td>111.17</td><td>-60.41</td><td>36.82</td><td>35.88</td><td>10.46</td><td>32.40</td><td>108</td><td>55</td><td>PEAK</td></tr><tr><td>2</td><td>5874.73</td><td>51.56</td><td>105.28</td><td>-53.72</td><td>37.55</td><td>35.94</td><td>10.48</td><td>32.41</td><td>108</td><td>55</td><td>PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>50.81</td><td>68.60</td><td>-17.79</td><td>36.71</td><td>36.03</td><td>10.53</td><td>32.46</td><td>108</td><td>55</td><td>PEAK</td></tr><tr><td>4</td><td>5927.19</td><td>52.70</td><td>68.30</td><td>-15.60</td><td>38.60</td><td>36.03</td><td>10.53</td><td>32.46</td><td>108</td><td>55</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	50.76	111.17	-60.41	36.82	35.88	10.46	32.40	108	55	PEAK	2	5874.73	51.56	105.28	-53.72	37.55	35.94	10.48	32.41	108	55	PEAK	3	5924.46	50.81	68.60	-17.79	36.71	36.03	10.53	32.46	108	55	PEAK	4	5927.19	52.70	68.30	-15.60	38.60	36.03	10.53	32.46	108	55	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.84	50.76	111.17	-60.41	36.82	35.88	10.46	32.40	108	55	PEAK																																																																				
2	5874.73	51.56	105.28	-53.72	37.55	35.94	10.48	32.41	108	55	PEAK																																																																				
3	5924.46	50.81	68.60	-17.79	36.71	36.03	10.53	32.46	108	55	PEAK																																																																				
4	5927.19	52.70	68.30	-15.60	38.60	36.03	10.53	32.46	108	55	PEAK																																																																				






Mode	104																																																																																																																															
	Band Edge - L																																																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																																									
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5626.72</td><td>51.87</td><td>68.30</td><td>-16.43</td><td>38.49</td><td>35.35</td><td>10.32</td><td>32.29</td><td>100</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>5650.31</td><td>51.18</td><td>68.53</td><td>-17.35</td><td>37.76</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>296</td><td>PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>52.19</td><td>105.65</td><td>-53.46</td><td>38.66</td><td>35.52</td><td>10.36</td><td>32.35</td><td>100</td><td>296</td><td>PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>52.48</td><td>111.07</td><td>-58.59</td><td>38.91</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>296</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5626.72	51.87	68.30	-16.43	38.49	35.35	10.32	32.29	100	296	PEAK	2	5650.31	51.18	68.53	-17.35	37.76	35.40	10.33	32.31	100	296	PEAK	3	5701.60	52.19	105.65	-53.46	38.66	35.52	10.36	32.35	100	296	PEAK	4	5720.12	52.48	111.07	-58.59	38.91	35.56	10.37	32.36	100	296	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.44</td><td>-----</td><td>-----</td><td>87.61</td><td>35.75</td><td>10.43</td><td>32.35</td><td>100</td><td>296</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5795.00	101.44	-----	-----	87.61	35.75	10.43	32.35	100	296	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																							
1	5626.72	51.87	68.30	-16.43	38.49	35.35	10.32	32.29	100	296	PEAK																																																																																																																					
2	5650.31	51.18	68.53	-17.35	37.76	35.40	10.33	32.31	100	296	PEAK																																																																																																																					
3	5701.60	52.19	105.65	-53.46	38.66	35.52	10.36	32.35	100	296	PEAK																																																																																																																					
4	5720.12	52.48	111.07	-58.59	38.91	35.56	10.37	32.36	100	296	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																							
1	5795.00	101.44	-----	-----	87.61	35.75	10.43	32.35	100	296	PEAK																																																																																																																					
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>94.55</td><td>-----</td><td>-----</td><td>80.72</td><td>35.75</td><td>10.43</td><td>32.35</td><td>100</td><td>296</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5795.00	94.55	-----	-----	80.72	35.75	10.43	32.35	100	296	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																							
1	5795.00	94.55	-----	-----	80.72	35.75	10.43	32.35	100	296	AVERAGE																																																																																																																					




Mode	104																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																														
ANT	1																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>53.27</td><td>110.83</td><td>-57.56</td><td>39.33</td><td>35.88</td><td>10.46</td><td>32.40</td><td>100</td><td>29°</td><td>PEAK</td></tr><tr><td>2</td><td>5872.50</td><td>54.73</td><td>105.90</td><td>-51.17</td><td>40.73</td><td>35.93</td><td>10.48</td><td>32.41</td><td>100</td><td>29°</td><td>PEAK</td></tr><tr><td>3</td><td>5924.12</td><td>52.79</td><td>68.85</td><td>-16.06</td><td>38.70</td><td>36.03</td><td>10.52</td><td>32.46</td><td>100</td><td>29°</td><td>PEAK</td></tr><tr><td>4</td><td>5945.35</td><td>52.89</td><td>68.30</td><td>-15.41</td><td>38.79</td><td>36.05</td><td>10.54</td><td>32.49</td><td>100</td><td>29°</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	53.27	110.83	-57.56	39.33	35.88	10.46	32.40	100	29°	PEAK	2	5872.50	54.73	105.90	-51.17	40.73	35.93	10.48	32.41	100	29°	PEAK	3	5924.12	52.79	68.85	-16.06	38.70	36.03	10.52	32.46	100	29°	PEAK	4	5945.35	52.89	68.30	-15.41	38.79	36.05	10.54	32.49	100	29°	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.99	53.27	110.83	-57.56	39.33	35.88	10.46	32.40	100	29°	PEAK																																																																				
2	5872.50	54.73	105.90	-51.17	40.73	35.93	10.48	32.41	100	29°	PEAK																																																																				
3	5924.12	52.79	68.85	-16.06	38.70	36.03	10.52	32.46	100	29°	PEAK																																																																				
4	5945.35	52.89	68.30	-15.41	38.79	36.05	10.54	32.49	100	29°	PEAK																																																																				






Mode	104																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Vertical										Fundamental																																																																																																																									
Peak	 Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a rising red limit line and a blue signal line with four marked peaks. A red label 'PEAK_BE(B4)_Y0-Z4' is present. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5649.73</td><td>52.07</td><td>68.30</td><td>-16.23</td><td>38.65</td><td>35.40</td><td>10.33</td><td>32.31</td><td>104</td><td>55 PEAK</td></tr><tr><td>2</td><td>5650.12</td><td>50.61</td><td>68.39</td><td>-17.78</td><td>37.19</td><td>35.40</td><td>10.33</td><td>32.31</td><td>104</td><td>55 PEAK</td></tr><tr><td>3</td><td>5703.74</td><td>52.49</td><td>106.25</td><td>-53.76</td><td>38.96</td><td>35.52</td><td>10.36</td><td>32.35</td><td>104</td><td>55 PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>51.23</td><td>111.07</td><td>-59.84</td><td>37.66</td><td>35.56</td><td>10.37</td><td>32.36</td><td>104</td><td>55 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5649.73	52.07	68.30	-16.23	38.65	35.40	10.33	32.31	104	55 PEAK	2	5650.12	50.61	68.39	-17.78	37.19	35.40	10.33	32.31	104	55 PEAK	3	5703.74	52.49	106.25	-53.76	38.96	35.52	10.36	32.35	104	55 PEAK	4	5720.12	51.23	111.07	-59.84	37.66	35.56	10.37	32.36	104	55 PEAK	 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a red limit line with a step at 5795 MHz and a blue signal line with a sharp peak at 5795 MHz. A red label 'PART 15.407' is present. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>98.79</td><td>-----</td><td>-----</td><td>84.99</td><td>35.72</td><td>10.42</td><td>32.34</td><td>104</td><td>55 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5795.00	98.79	-----	-----	84.99	35.72	10.42	32.34	104	55 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5649.73	52.07	68.30	-16.23	38.65	35.40	10.33	32.31	104	55 PEAK																																																																																																																										
2	5650.12	50.61	68.39	-17.78	37.19	35.40	10.33	32.31	104	55 PEAK																																																																																																																										
3	5703.74	52.49	106.25	-53.76	38.96	35.52	10.36	32.35	104	55 PEAK																																																																																																																										
4	5720.12	51.23	111.07	-59.84	37.66	35.56	10.37	32.36	104	55 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5795.00	98.79	-----	-----	84.99	35.72	10.42	32.34	104	55 PEAK																																																																																																																										
Avg	Blank										 Level (dBuV/m) vs Frequency (MHz) for Average. The plot shows a red limit line with a step at 5795 MHz and a blue signal line with a sharp peak at 5795 MHz. A red label 'PART 15.407 AVG' is present. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>92.11</td><td>-----</td><td>-----</td><td>78.31</td><td>35.72</td><td>10.42</td><td>32.34</td><td>104</td><td>55 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5795.00	92.11	-----	-----	78.31	35.72	10.42	32.34	104	55 AVERAGE																																																																													
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5795.00	92.11	-----	-----	78.31	35.72	10.42	32.34	104	55 AVERAGE																																																																																																																										




Mode	104																																																																										
	Band Edge - R																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																										
ANT	1																																																																										
Pol.	Vertical	Fundamental																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.68</td><td>52.09</td><td>111.54</td><td>-59.45</td><td>38.15</td><td>35.88</td><td>10.46</td><td>32.40</td><td>104</td><td>55 PEAK</td></tr><tr><td>2</td><td>5874.83</td><td>51.56</td><td>105.25</td><td>-53.69</td><td>37.55</td><td>35.94</td><td>10.48</td><td>32.41</td><td>104</td><td>55 PEAK</td></tr><tr><td>3</td><td>5923.65</td><td>52.15</td><td>69.19</td><td>-17.04</td><td>38.06</td><td>36.03</td><td>10.52</td><td>32.46</td><td>104</td><td>55 PEAK</td></tr><tr><td>4</td><td>5935.74</td><td>52.59</td><td>68.30</td><td>-15.71</td><td>38.48</td><td>36.04</td><td>10.54</td><td>32.47</td><td>104</td><td>55 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.68	52.09	111.54	-59.45	38.15	35.88	10.46	32.40	104	55 PEAK	2	5874.83	51.56	105.25	-53.69	37.55	35.94	10.48	32.41	104	55 PEAK	3	5923.65	52.15	69.19	-17.04	38.06	36.03	10.52	32.46	104	55 PEAK	4	5935.74	52.59	68.30	-15.71	38.48	36.04	10.54	32.47	104	55 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5854.68	52.09	111.54	-59.45	38.15	35.88	10.46	32.40	104	55 PEAK																																																																	
2	5874.83	51.56	105.25	-53.69	37.55	35.94	10.48	32.41	104	55 PEAK																																																																	
3	5923.65	52.15	69.19	-17.04	38.06	36.03	10.52	32.46	104	55 PEAK																																																																	
4	5935.74	52.59	68.30	-15.71	38.48	36.04	10.54	32.47	104	55 PEAK																																																																	






Mode	105																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5641.65</td><td>57.43</td><td>68.30</td><td>-10.87</td><td>44.02</td><td>35.38</td><td>10.33</td><td>32.30</td><td>100</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>5650.23</td><td>53.76</td><td>68.47</td><td>-14.71</td><td>40.34</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>296</td><td>PEAK</td></tr><tr><td>3</td><td>5703.60</td><td>66.18</td><td>106.21</td><td>-40.03</td><td>52.65</td><td>35.52</td><td>10.36</td><td>32.35</td><td>100</td><td>296</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>67.43</td><td>111.71</td><td>-44.28</td><td>53.86</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>296</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5641.65	57.43	68.30	-10.87	44.02	35.38	10.33	32.30	100	296	PEAK	2	5650.23	53.76	68.47	-14.71	40.34	35.40	10.33	32.31	100	296	PEAK	3	5703.60	66.18	106.21	-40.03	52.65	35.52	10.36	32.35	100	296	PEAK	4	5720.40	67.43	111.71	-44.28	53.86	35.56	10.37	32.36	100	296	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>100.00</td><td>-----</td><td>-----</td><td>86.17</td><td>35.75</td><td>10.43</td><td>32.35</td><td>100</td><td>296</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	100.00	-----	-----	86.17	35.75	10.43	32.35	100	296
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5641.65	57.43	68.30	-10.87	44.02	35.38	10.33	32.30	100	296	PEAK																																																																																																																				
2	5650.23	53.76	68.47	-14.71	40.34	35.40	10.33	32.31	100	296	PEAK																																																																																																																				
3	5703.60	66.18	106.21	-40.03	52.65	35.52	10.36	32.35	100	296	PEAK																																																																																																																				
4	5720.40	67.43	111.71	-44.28	53.86	35.56	10.37	32.36	100	296	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5775.00	100.00	-----	-----	86.17	35.75	10.43	32.35	100	296	PEAK																																																																																																																				
Avg	Blank																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>93.01</td><td>-----</td><td>-----</td><td>79.18</td><td>35.75</td><td>10.43</td><td>32.35</td><td>100</td><td>296</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	93.01	-----	-----	79.18	35.75	10.43	32.35	100	296	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5775.00	93.01	-----	-----	79.18	35.75	10.43	32.35	100	296	AVERAGE																																																																																																																				




Mode	105																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																														
ANT	1																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>63.99</td><td>110.86</td><td>-46.87</td><td>50.05</td><td>35.88</td><td>10.46</td><td>32.40</td><td>100</td><td>29°</td><td>PEAK</td></tr><tr><td>2</td><td>5868.98</td><td>68.30</td><td>106.89</td><td>-38.59</td><td>54.31</td><td>35.92</td><td>10.48</td><td>32.41</td><td>100</td><td>29°</td><td>PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>54.34</td><td>68.22</td><td>-13.88</td><td>40.24</td><td>36.03</td><td>10.53</td><td>32.46</td><td>100</td><td>29°</td><td>PEAK</td></tr><tr><td>4</td><td>5928.48</td><td>54.48</td><td>68.30</td><td>-13.82</td><td>40.38</td><td>36.03</td><td>10.53</td><td>32.46</td><td>100</td><td>29°</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	63.99	110.86	-46.87	50.05	35.88	10.46	32.40	100	29°	PEAK	2	5868.98	68.30	106.89	-38.59	54.31	35.92	10.48	32.41	100	29°	PEAK	3	5924.98	54.34	68.22	-13.88	40.24	36.03	10.53	32.46	100	29°	PEAK	4	5928.48	54.48	68.30	-13.82	40.38	36.03	10.53	32.46	100	29°	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.98	63.99	110.86	-46.87	50.05	35.88	10.46	32.40	100	29°	PEAK																																																																				
2	5868.98	68.30	106.89	-38.59	54.31	35.92	10.48	32.41	100	29°	PEAK																																																																				
3	5924.98	54.34	68.22	-13.88	40.24	36.03	10.53	32.46	100	29°	PEAK																																																																				
4	5928.48	54.48	68.30	-13.82	40.38	36.03	10.53	32.46	100	29°	PEAK																																																																				



Mode	105																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.00</td><td>54.75</td><td>68.30</td><td>-13.55</td><td>41.33</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>56</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>51.97</td><td>68.60</td><td>-16.63</td><td>38.55</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>56</td><td>PEAK</td></tr><tr><td>3</td><td>5701.85</td><td>64.19</td><td>105.72</td><td>-41.53</td><td>50.66</td><td>35.52</td><td>10.36</td><td>32.35</td><td>100</td><td>56</td><td>PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>63.00</td><td>111.31</td><td>-48.31</td><td>49.43</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>56</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5649.00	54.75	68.30	-13.55	41.33	35.40	10.33	32.31	100	56	PEAK	2	5650.40	51.97	68.60	-16.63	38.55	35.40	10.33	32.31	100	56	PEAK	3	5701.85	64.19	105.72	-41.53	50.66	35.52	10.36	32.35	100	56	PEAK	4	5720.23	63.00	111.31	-48.31	49.43	35.56	10.37	32.36	100	56	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.92</td><td>-----</td><td>-----</td><td>83.09</td><td>35.75</td><td>10.43</td><td>32.35</td><td>100</td><td>56</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	96.92	-----	-----	83.09	35.75	10.43	32.35	100	56
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5649.00	54.75	68.30	-13.55	41.33	35.40	10.33	32.31	100	56	PEAK																																																																																																																			
2	5650.40	51.97	68.60	-16.63	38.55	35.40	10.33	32.31	100	56	PEAK																																																																																																																			
3	5701.85	64.19	105.72	-41.53	50.66	35.52	10.36	32.35	100	56	PEAK																																																																																																																			
4	5720.23	63.00	111.31	-48.31	49.43	35.56	10.37	32.36	100	56	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5775.00	96.92	-----	-----	83.09	35.75	10.43	32.35	100	56	PEAK																																																																																																																			
Avg	Blank																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>90.44</td><td>-----</td><td>-----</td><td>76.61</td><td>35.75</td><td>10.43</td><td>32.35</td><td>100</td><td>56</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	90.44	-----	-----	76.61	35.75	10.43	32.35	100	56	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5775.00	90.44	-----	-----	76.61	35.75	10.43	32.35	100	56	AVERAGE																																																																																																																			






Mode	105																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																						
ANT	1																																																																																						
Pol.	Vertical					Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>60.86</td><td>110.86</td><td>-50.00</td><td>46.92</td><td>35.88</td><td>10.46</td><td>32.40</td><td>100</td><td>56</td><td>PEAK</td></tr><tr><td>2</td><td>5870.55</td><td>63.37</td><td>106.44</td><td>-43.07</td><td>49.37</td><td>35.93</td><td>10.48</td><td>32.41</td><td>100</td><td>56</td><td>PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>54.03</td><td>70.41</td><td>-16.38</td><td>39.94</td><td>36.03</td><td>10.52</td><td>32.46</td><td>100</td><td>56</td><td>PEAK</td></tr><tr><td>4</td><td>5925.15</td><td>52.73</td><td>68.30</td><td>-15.57</td><td>38.63</td><td>36.03</td><td>10.53</td><td>32.46</td><td>100</td><td>56</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	60.86	110.86	-50.00	46.92	35.88	10.46	32.40	100	56	PEAK	2	5870.55	63.37	106.44	-43.07	49.37	35.93	10.48	32.41	100	56	PEAK	3	5922.00	54.03	70.41	-16.38	39.94	36.03	10.52	32.46	100	56	PEAK	4	5925.15	52.73	68.30	-15.57	38.63	36.03	10.53	32.46	100	56	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.98	60.86	110.86	-50.00	46.92	35.88	10.46	32.40	100	56	PEAK																																																																												
2	5870.55	63.37	106.44	-43.07	49.37	35.93	10.48	32.41	100	56	PEAK																																																																												
3	5922.00	54.03	70.41	-16.38	39.94	36.03	10.52	32.46	100	56	PEAK																																																																												
4	5925.15	52.73	68.30	-15.57	38.63	36.03	10.53	32.46	100	56	PEAK																																																																												



Mode	105																																																																																					
	Harmonic																																																																																					
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal					Vertical																																																																																
Peak Avg																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11550.00</td><td>47.20</td><td>74.00</td><td>-26.80</td><td>52.65</td><td>38.44</td><td>13.95</td><td>57.84</td><td>-- -- Peak</td></tr><tr><td>2</td><td>17325.00</td><td>46.57</td><td>68.30</td><td>-21.73</td><td>45.29</td><td>42.41</td><td>16.86</td><td>57.99</td><td>-- -- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11550.00	47.20	74.00	-26.80	52.65	38.44	13.95	57.84	-- -- Peak	2	17325.00	46.57	68.30	-21.73	45.29	42.41	16.86	57.99	-- -- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11550.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>52.31</td><td>38.44</td><td>13.95</td><td>57.84</td><td>-- -- Peak</td></tr><tr><td>2</td><td>17325.00</td><td>46.92</td><td>68.30</td><td>-21.38</td><td>45.64</td><td>42.41</td><td>16.86</td><td>57.99</td><td>-- -- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11550.00	46.86	74.00	-27.14	52.31	38.44	13.95	57.84	-- -- Peak	2	17325.00	46.92	68.30	-21.38	45.64	42.41	16.86	57.99	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
1	11550.00	47.20	74.00	-26.80	52.65	38.44	13.95	57.84	-- -- Peak																																																																													
2	17325.00	46.57	68.30	-21.73	45.29	42.41	16.86	57.99	-- -- Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
1	11550.00	46.86	74.00	-27.14	52.31	38.44	13.95	57.84	-- -- Peak																																																																													
2	17325.00	46.92	68.30	-21.38	45.64	42.41	16.86	57.99	-- -- Peak																																																																													
<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11550.00</td><td>47.20</td><td>74.00</td><td>-26.80</td><td>52.65</td><td>38.44</td><td>13.95</td><td>57.84</td><td>-- -- Peak</td></tr><tr><td>2</td><td>17325.00</td><td>46.57</td><td>68.30</td><td>-21.73</td><td>45.29</td><td>42.41</td><td>16.86</td><td>57.99</td><td>-- -- Peak</td></tr></tbody></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	47.20	74.00	-26.80	52.65	38.44	13.95	57.84	-- -- Peak	2	17325.00	46.57	68.30	-21.73	45.29	42.41	16.86	57.99	-- -- Peak	<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11550.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>52.31</td><td>38.44</td><td>13.95</td><td>57.84</td><td>-- -- Peak</td></tr><tr><td>2</td><td>17325.00</td><td>46.92</td><td>68.30</td><td>-21.38</td><td>45.64</td><td>42.41</td><td>16.86</td><td>57.99</td><td>-- -- Peak</td></tr></tbody></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	46.86	74.00	-27.14	52.31	38.44	13.95	57.84	-- -- Peak	2	17325.00	46.92	68.30	-21.38	45.64	42.41	16.86	57.99	-- -- Peak																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	11550.00	47.20	74.00	-26.80	52.65	38.44	13.95	57.84	-- -- Peak																																																																													
2	17325.00	46.57	68.30	-21.73	45.29	42.41	16.86	57.99	-- -- Peak																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	11550.00	46.86	74.00	-27.14	52.31	38.44	13.95	57.84	-- -- Peak																																																																													
2	17325.00	46.92	68.30	-21.38	45.64	42.41	16.86	57.99	-- -- Peak																																																																													





Mode	106																																																																																																											
	Band Edge																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Horizontal					Fundamental																																																																																																						
Peak																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5631.61</td><td>52.31</td><td>68.30</td><td>-15.99</td><td>38.92</td><td>35.36</td><td>10.32</td><td>32.29</td></tr><tr><td>2</td><td>5650.32</td><td>50.33</td><td>68.53</td><td>-18.20</td><td>36.91</td><td>35.40</td><td>10.33</td><td>32.31</td></tr><tr><td>3</td><td>5703.53</td><td>57.49</td><td>106.19</td><td>-48.70</td><td>43.96</td><td>35.52</td><td>10.36</td><td>32.35</td></tr><tr><td>4</td><td>5720.21</td><td>58.62</td><td>111.27</td><td>-52.65</td><td>45.05</td><td>35.56</td><td>10.37</td><td>32.36</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5631.61	52.31	68.30	-15.99	38.92	35.36	10.32	32.29	2	5650.32	50.33	68.53	-18.20	36.91	35.40	10.33	32.31	3	5703.53	57.49	106.19	-48.70	43.96	35.52	10.36	32.35	4	5720.21	58.62	111.27	-52.65	45.05	35.56	10.37	32.36	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.36</td><td>-----</td><td>-----</td><td>91.70</td><td>35.62</td><td>10.39</td><td>32.35</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.00	105.36	-----	-----	91.70	35.62	10.39
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																				
1	5631.61	52.31	68.30	-15.99	38.92	35.36	10.32	32.29																																																																																																				
2	5650.32	50.33	68.53	-18.20	36.91	35.40	10.33	32.31																																																																																																				
3	5703.53	57.49	106.19	-48.70	43.96	35.52	10.36	32.35																																																																																																				
4	5720.21	58.62	111.27	-52.65	45.05	35.56	10.37	32.36																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																				
1	5745.00	105.36	-----	-----	91.70	35.62	10.39	32.35																																																																																																				
Avg	Blank																																																																																																											
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.75</td><td>-----</td><td>-----</td><td>84.09</td><td>35.62</td><td>10.39</td><td>32.35</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.00	97.75	-----	-----	84.09	35.62	10.39	32.35																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																				
1	5745.00	97.75	-----	-----	84.09	35.62	10.39	32.35																																																																																																				






Mode	106																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5631.18</td><td>52.35</td><td>68.30</td><td>-15.95</td><td>38.96</td><td>35.36</td><td>10.32</td><td>32.29</td><td>100</td><td>54</td><td>PEAK</td></tr><tr><td>2</td><td>5651.48</td><td>50.87</td><td>69.39</td><td>-18.52</td><td>37.45</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>54</td><td>PEAK</td></tr><tr><td>3</td><td>5712.96</td><td>57.50</td><td>108.83</td><td>-51.33</td><td>43.94</td><td>35.54</td><td>10.37</td><td>32.35</td><td>100</td><td>54</td><td>PEAK</td></tr><tr><td>4</td><td>5721.51</td><td>59.34</td><td>114.24</td><td>-54.90</td><td>45.77</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>54</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.18	52.35	68.30	-15.95	38.96	35.36	10.32	32.29	100	54	PEAK	2	5651.48	50.87	69.39	-18.52	37.45	35.40	10.33	32.31	100	54	PEAK	3	5712.96	57.50	108.83	-51.33	43.94	35.54	10.37	32.35	100	54	PEAK	4	5721.51	59.34	114.24	-54.90	45.77	35.56	10.37	32.36	100	54	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.55</td><td>-----</td><td>-----</td><td>90.95</td><td>35.58</td><td>10.38</td><td>32.36</td><td>100</td><td>54</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.55	-----	-----	90.95	35.58	10.38	32.36	100	54	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5631.18	52.35	68.30	-15.95	38.96	35.36	10.32	32.29	100	54	PEAK																																																																																																																				
2	5651.48	50.87	69.39	-18.52	37.45	35.40	10.33	32.31	100	54	PEAK																																																																																																																				
3	5712.96	57.50	108.83	-51.33	43.94	35.54	10.37	32.35	100	54	PEAK																																																																																																																				
4	5721.51	59.34	114.24	-54.90	45.77	35.56	10.37	32.36	100	54	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5745.00	104.55	-----	-----	90.95	35.58	10.38	32.36	100	54	PEAK																																																																																																																				
Avg	Blank																																																																																																																														
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>94.96</td><td>-----</td><td>-----</td><td>81.30</td><td>35.62</td><td>10.39</td><td>32.35</td><td>100</td><td>54</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	94.96	-----	-----	81.30	35.62	10.39	32.35	100	54	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5745.00	94.96	-----	-----	81.30	35.62	10.39	32.35	100	54	AVERAGE																																																																																																																				



Mode	106																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11490.00</td><td>46.51</td><td>74.00</td><td>-27.49</td><td>52.01</td><td>38.38</td><td>13.94</td></tr><tr><td>2</td><td>17235.00</td><td>48.33</td><td>68.30</td><td>-19.97</td><td>46.97</td><td>42.46</td><td>16.84</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11490.00	46.51	74.00	-27.49	52.01	38.38	13.94	2	17235.00	48.33	68.30	-19.97	46.97	42.46	16.84	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11490.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>51.91</td><td>38.38</td><td>13.94</td></tr><tr><td>2</td><td>17235.00</td><td>47.25</td><td>68.30</td><td>-21.05</td><td>45.89</td><td>42.46</td><td>16.84</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11490.00	46.41	74.00	-27.59	51.91	38.38	13.94	2	17235.00	47.25	68.30	-21.05	45.89	42.46	16.84
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11490.00	46.51	74.00	-27.49	52.01	38.38	13.94																																																																																									
2	17235.00	48.33	68.30	-19.97	46.97	42.46	16.84																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11490.00	46.41	74.00	-27.59	51.91	38.38	13.94																																																																																									
2	17235.00	47.25	68.30	-21.05	45.89	42.46	16.84																																																																																									






Mode	107																																																																																						
	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU26/0_5745MHz																																																																																						
ANT	1																																																																																						
Pol.	Horizontal																																																																																						
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 5745 MHz. The plot shows a rising signal with a peak at 5720.35 MHz. A red line indicates the limit, and a blue line shows the measured signal. Four peaks are marked with numbers 1, 2, 3, and 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5642.20</td><td>52.26</td><td>68.30</td><td>-16.04</td><td>38.85</td><td>35.38</td><td>10.33</td><td>32.30</td><td>121</td><td>287</td><td>PEAK</td></tr><tr><td>2</td><td>5650.32</td><td>49.39</td><td>68.53</td><td>-19.14</td><td>35.97</td><td>35.40</td><td>10.33</td><td>32.31</td><td>121</td><td>287</td><td>PEAK</td></tr><tr><td>3</td><td>5703.53</td><td>51.80</td><td>106.19</td><td>-54.39</td><td>38.27</td><td>35.52</td><td>10.36</td><td>32.35</td><td>121</td><td>287</td><td>PEAK</td></tr><tr><td>4</td><td>5720.35</td><td>52.14</td><td>111.60</td><td>-59.46</td><td>38.57</td><td>35.56</td><td>10.37</td><td>32.36</td><td>121</td><td>287</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5642.20	52.26	68.30	-16.04	38.85	35.38	10.33	32.30	121	287	PEAK	2	5650.32	49.39	68.53	-19.14	35.97	35.40	10.33	32.31	121	287	PEAK	3	5703.53	51.80	106.19	-54.39	38.27	35.52	10.36	32.35	121	287	PEAK	4	5720.35	52.14	111.60	-59.46	38.57	35.56	10.37	32.36	121	287	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5642.20	52.26	68.30	-16.04	38.85	35.38	10.33	32.30	121	287	PEAK																																																																												
2	5650.32	49.39	68.53	-19.14	35.97	35.40	10.33	32.31	121	287	PEAK																																																																												
3	5703.53	51.80	106.19	-54.39	38.27	35.52	10.36	32.35	121	287	PEAK																																																																												
4	5720.35	52.14	111.60	-59.46	38.57	35.56	10.37	32.36	121	287	PEAK																																																																												
Avg	Blank																																																																																						
	 Horizontal Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a flat signal with a sharp peak at 5745.00 MHz. A red line indicates the limit, and a blue line shows the measured signal. The peak is labeled PART 15.407. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>112.70</td><td>-----</td><td>-----</td><td>99.10</td><td>35.58</td><td>10.38</td><td>32.36</td><td>121</td><td>287</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	112.70	-----	-----	99.10	35.58	10.38	32.36	121	287	PEAK																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5745.00	112.70	-----	-----	99.10	35.58	10.38	32.36	121	287	PEAK																																																																												
Avg	Blank																																																																																						
	 Horizontal Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a flat signal with a sharp peak at 5745.00 MHz. A red line indicates the limit, and a blue line shows the measured signal. The peak is labeled PART 15.407 AVG. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.45</td><td>-----</td><td>-----</td><td>90.85</td><td>35.58</td><td>10.38</td><td>32.36</td><td>121</td><td>287</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.45	-----	-----	90.85	35.58	10.38	32.36	121	287	AVERAGE																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5745.00	104.45	-----	-----	90.85	35.58	10.38	32.36	121	287	AVERAGE																																																																												






Mode	107																																																																																						
	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU26/0_5745MHz																																																																																						
ANT	1																																																																																						
Pol.	Vertical																																																																																						
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5628.71</td><td>51.71</td><td>68.30</td><td>-16.59</td><td>38.33</td><td>35.35</td><td>10.32</td><td>32.29</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>49.56</td><td>68.32</td><td>-18.76</td><td>36.14</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>3</td><td>5702.81</td><td>51.95</td><td>105.99</td><td>-54.04</td><td>38.42</td><td>35.52</td><td>10.36</td><td>32.35</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>4</td><td>5720.50</td><td>50.20</td><td>111.93</td><td>-61.73</td><td>36.63</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>50</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5628.71	51.71	68.30	-16.59	38.33	35.35	10.32	32.29	100	50	PEAK	2	5650.03	49.56	68.32	-18.76	36.14	35.40	10.33	32.31	100	50	PEAK	3	5702.81	51.95	105.99	-54.04	38.42	35.52	10.36	32.35	100	50	PEAK	4	5720.50	50.20	111.93	-61.73	36.63	35.56	10.37	32.36	100	50	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5628.71	51.71	68.30	-16.59	38.33	35.35	10.32	32.29	100	50	PEAK																																																																												
2	5650.03	49.56	68.32	-18.76	36.14	35.40	10.33	32.31	100	50	PEAK																																																																												
3	5702.81	51.95	105.99	-54.04	38.42	35.52	10.36	32.35	100	50	PEAK																																																																												
4	5720.50	50.20	111.93	-61.73	36.63	35.56	10.37	32.36	100	50	PEAK																																																																												
Fundamental	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.77</td><td>-----</td><td>-----</td><td>96.16</td><td>35.59</td><td>10.38</td><td>32.36</td><td>100</td><td>50</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	109.77	-----	-----	96.16	35.59	10.38	32.36	100	50	PEAK																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5745.00	109.77	-----	-----	96.16	35.59	10.38	32.36	100	50	PEAK																																																																												
Avg	Blank																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.28</td><td>-----</td><td>-----</td><td>87.68</td><td>35.58</td><td>10.38</td><td>32.36</td><td>100</td><td>50</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	101.28	-----	-----	87.68	35.58	10.38	32.36	100	50	AVERAGE																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5745.00	101.28	-----	-----	87.68	35.58	10.38	32.36	100	50	AVERAGE																																																																												






Mode	108																																																																																						
	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU52/37_5745MHz																																																																																						
ANT	1																																																																																						
Pol.	Horizontal																																																																																						
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a rising signal from 5600 MHz to 5745 MHz. Four peaks are marked with blue vertical lines and labeled 1, 2, 3, and 4. A red line indicates the limit, and a red label 'PEAK_BE(B4)_16-24' is present. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5632.92</td><td>53.05</td><td>68.30</td><td>-15.25</td><td>39.67</td><td>35.36</td><td>10.32</td><td>32.30</td><td>100</td><td>287</td><td>PEAK</td></tr><tr><td>2</td><td>5650.61</td><td>51.12</td><td>68.75</td><td>-17.63</td><td>37.70</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>287</td><td>PEAK</td></tr><tr><td>3</td><td>5700.20</td><td>51.60</td><td>105.25</td><td>-53.65</td><td>38.07</td><td>35.52</td><td>10.36</td><td>32.35</td><td>100</td><td>287</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>50.31</td><td>110.94</td><td>-60.63</td><td>36.74</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>287</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5632.92	53.05	68.30	-15.25	39.67	35.36	10.32	32.30	100	287	PEAK	2	5650.61	51.12	68.75	-17.63	37.70	35.40	10.33	32.31	100	287	PEAK	3	5700.20	51.60	105.25	-53.65	38.07	35.52	10.36	32.35	100	287	PEAK	4	5720.06	50.31	110.94	-60.63	36.74	35.56	10.37	32.36	100	287	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5632.92	53.05	68.30	-15.25	39.67	35.36	10.32	32.30	100	287	PEAK																																																																												
2	5650.61	51.12	68.75	-17.63	37.70	35.40	10.33	32.31	100	287	PEAK																																																																												
3	5700.20	51.60	105.25	-53.65	38.07	35.52	10.36	32.35	100	287	PEAK																																																																												
4	5720.06	50.31	110.94	-60.63	36.74	35.56	10.37	32.36	100	287	PEAK																																																																												
Fundamental	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a flat signal with a sharp peak at 5745 MHz. A red line indicates the limit, and a red label 'PART 15.407' is present. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>110.07</td><td>-----</td><td>-----</td><td>96.46</td><td>35.59</td><td>10.38</td><td>32.36</td><td>100</td><td>287</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	110.07	-----	-----	96.46	35.59	10.38	32.36	100	287	PEAK																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5745.00	110.07	-----	-----	96.46	35.59	10.38	32.36	100	287	PEAK																																																																												
Avg	Blank																																																																																						
	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a flat signal with a sharp peak at 5745 MHz. A red line indicates the limit, and a red label 'PART 15.407 AVG' is present. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>101.31</td><td>-----</td><td>-----</td><td>87.71</td><td>35.58</td><td>10.38</td><td>32.36</td><td>100</td><td>287</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	101.31	-----	-----	87.71	35.58	10.38	32.36	100	287	AVERAGE																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5745.00	101.31	-----	-----	87.71	35.58	10.38	32.36	100	287	AVERAGE																																																																												






Mode	108																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU52/37_5745MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical										Fundamental																																																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 5745 MHz. The plot shows a red limit line and a blue measured signal. A peak is labeled 'PEAK_BER(4)_16-24' at 5716 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5628.86</td><td>52.00</td><td>68.30</td><td>-16.30</td><td>38.62</td><td>35.35</td><td>10.32</td><td>32.29</td><td>100</td><td>52</td><td>PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>49.56</td><td>68.32</td><td>-18.76</td><td>36.14</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>52</td><td>PEAK</td></tr><tr><td>3</td><td>5701.79</td><td>51.36</td><td>105.70</td><td>-54.34</td><td>37.83</td><td>35.52</td><td>10.36</td><td>32.35</td><td>100</td><td>52</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>50.66</td><td>110.94</td><td>-60.28</td><td>37.09</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>52</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5628.86	52.00	68.30	-16.30	38.62	35.35	10.32	32.29	100	52	PEAK	2	5650.03	49.56	68.32	-18.76	36.14	35.40	10.33	32.31	100	52	PEAK	3	5701.79	51.36	105.70	-54.34	37.83	35.52	10.36	32.35	100	52	PEAK	4	5720.06	50.66	110.94	-60.28	37.09	35.56	10.37	32.36	100	52	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A peak is labeled 'PART 15.407' at 5745 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.34</td><td>-----</td><td>-----</td><td>93.73</td><td>35.59</td><td>10.38</td><td>32.36</td><td>100</td><td>52</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.34	-----	-----	93.73	35.59	10.38	32.36	100	52	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5628.86	52.00	68.30	-16.30	38.62	35.35	10.32	32.29	100	52	PEAK																																																																																																																				
2	5650.03	49.56	68.32	-18.76	36.14	35.40	10.33	32.31	100	52	PEAK																																																																																																																				
3	5701.79	51.36	105.70	-54.34	37.83	35.52	10.36	32.35	100	52	PEAK																																																																																																																				
4	5720.06	50.66	110.94	-60.28	37.09	35.56	10.37	32.36	100	52	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5745.00	107.34	-----	-----	93.73	35.59	10.38	32.36	100	52	PEAK																																																																																																																				
Avg	Blank										 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A peak is labeled 'PART 15.407 AVG' at 5745 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.38</td><td>-----</td><td>-----</td><td>84.77</td><td>35.59</td><td>10.38</td><td>32.36</td><td>100</td><td>52</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	98.38	-----	-----	84.77	35.59	10.38	32.36	100	52	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5745.00	98.38	-----	-----	84.77	35.59	10.38	32.36	100	52	AVERAGE																																																																																																																				





Mode	109																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU106/53_5745MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5645.82</td><td>52.21</td><td>68.30</td><td>-16.09</td><td>38.80</td><td>35.39</td><td>10.33</td><td>32.31</td><td>122</td><td>285</td><td>PEAK</td></tr><tr><td>2</td><td>5650.46</td><td>51.11</td><td>68.64</td><td>-17.53</td><td>37.69</td><td>35.40</td><td>10.33</td><td>32.31</td><td>122</td><td>285</td><td>PEAK</td></tr><tr><td>3</td><td>5718.32</td><td>57.18</td><td>110.33</td><td>-53.15</td><td>43.62</td><td>35.55</td><td>10.37</td><td>32.36</td><td>122</td><td>285</td><td>PEAK</td></tr><tr><td>4</td><td>5720.35</td><td>55.32</td><td>111.60</td><td>-56.28</td><td>41.75</td><td>35.56</td><td>10.37</td><td>32.36</td><td>122</td><td>285</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5645.82	52.21	68.30	-16.09	38.80	35.39	10.33	32.31	122	285	PEAK	2	5650.46	51.11	68.64	-17.53	37.69	35.40	10.33	32.31	122	285	PEAK	3	5718.32	57.18	110.33	-53.15	43.62	35.55	10.37	32.36	122	285	PEAK	4	5720.35	55.32	111.60	-56.28	41.75	35.56	10.37	32.36	122	285	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.28</td><td>-----</td><td>-----</td><td>94.68</td><td>35.58</td><td>10.38</td><td>32.36</td><td>122</td><td>285</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	108.28	-----	-----	94.68	35.58	10.38	32.36	122	285
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5645.82	52.21	68.30	-16.09	38.80	35.39	10.33	32.31	122	285	PEAK																																																																																																																				
2	5650.46	51.11	68.64	-17.53	37.69	35.40	10.33	32.31	122	285	PEAK																																																																																																																				
3	5718.32	57.18	110.33	-53.15	43.62	35.55	10.37	32.36	122	285	PEAK																																																																																																																				
4	5720.35	55.32	111.60	-56.28	41.75	35.56	10.37	32.36	122	285	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5745.00	108.28	-----	-----	94.68	35.58	10.38	32.36	122	285	PEAK																																																																																																																				
Avg	Blank																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.16</td><td>-----</td><td>-----</td><td>86.56</td><td>35.58</td><td>10.38</td><td>32.36</td><td>122</td><td>285</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	100.16	-----	-----	86.56	35.58	10.38	32.36	122	285	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5745.00	100.16	-----	-----	86.56	35.58	10.38	32.36	122	285	AVERAGE																																																																																																																				






Mode	109																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU106/53_5745MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5614.79</td><td>52.26</td><td>68.30</td><td>-16.04</td><td>38.91</td><td>35.32</td><td>10.31</td><td>32.28</td><td>100</td><td>53</td><td>PEAK</td></tr><tr><td>2</td><td>5650.32</td><td>50.07</td><td>68.53</td><td>-18.46</td><td>36.65</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>53</td><td>PEAK</td></tr><tr><td>3</td><td>5703.53</td><td>52.70</td><td>106.19</td><td>-53.49</td><td>39.17</td><td>35.52</td><td>10.36</td><td>32.35</td><td>100</td><td>53</td><td>PEAK</td></tr><tr><td>4</td><td>5720.64</td><td>51.34</td><td>112.26</td><td>-60.92</td><td>37.77</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>53</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5614.79	52.26	68.30	-16.04	38.91	35.32	10.31	32.28	100	53	PEAK	2	5650.32	50.07	68.53	-18.46	36.65	35.40	10.33	32.31	100	53	PEAK	3	5703.53	52.70	106.19	-53.49	39.17	35.52	10.36	32.35	100	53	PEAK	4	5720.64	51.34	112.26	-60.92	37.77	35.56	10.37	32.36	100	53	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.99</td><td>-----</td><td>-----</td><td>91.36</td><td>35.61</td><td>10.38</td><td>32.36</td><td>100</td><td>53</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	104.99	-----	-----	91.36	35.61	10.38	32.36	100	53	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5614.79	52.26	68.30	-16.04	38.91	35.32	10.31	32.28	100	53	PEAK																																																																																																																				
2	5650.32	50.07	68.53	-18.46	36.65	35.40	10.33	32.31	100	53	PEAK																																																																																																																				
3	5703.53	52.70	106.19	-53.49	39.17	35.52	10.36	32.35	100	53	PEAK																																																																																																																				
4	5720.64	51.34	112.26	-60.92	37.77	35.56	10.37	32.36	100	53	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5745.00	104.99	-----	-----	91.36	35.61	10.38	32.36	100	53	PEAK																																																																																																																				
Avg	Blank																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>95.95</td><td>-----</td><td>-----</td><td>82.35</td><td>35.58</td><td>10.38</td><td>32.36</td><td>100</td><td>53</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	95.95	-----	-----	82.35	35.58	10.38	32.36	100	53	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5745.00	95.95	-----	-----	82.35	35.58	10.38	32.36	100	53	AVERAGE																																																																																																																				






Mode	110																																																																																																												
	Harmonic																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal					Vertical																																																																																																							
Peak Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.45</td><td>74.00</td><td>-27.55</td><td>51.91</td><td>38.45</td><td>13.95</td><td>57.86</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>17355.00</td><td>48.35</td><td>68.30</td><td>-19.95</td><td>47.11</td><td>42.39</td><td>16.86</td><td>58.01</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.45	74.00	-27.55	51.91	38.45	13.95	57.86	--	-- Peak	2	17355.00	48.35	68.30	-19.95	47.11	42.39	16.86	58.01	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.56</td><td>74.00</td><td>-27.44</td><td>52.02</td><td>38.45</td><td>13.95</td><td>57.86</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>17355.00</td><td>48.36</td><td>68.30</td><td>-19.94</td><td>47.12</td><td>42.39</td><td>16.86</td><td>58.01</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.56	74.00	-27.44	52.02	38.45	13.95	57.86	--	-- Peak	2	17355.00	48.36	68.30	-19.94	47.12	42.39	16.86	58.01	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	11570.00	46.45	74.00	-27.55	51.91	38.45	13.95	57.86	--	-- Peak																																																																																																			
2	17355.00	48.35	68.30	-19.95	47.11	42.39	16.86	58.01	--	-- Peak																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	11570.00	46.56	74.00	-27.44	52.02	38.45	13.95	57.86	--	-- Peak																																																																																																			
2	17355.00	48.36	68.30	-19.94	47.12	42.39	16.86	58.01	--	-- Peak																																																																																																			





Mode	111																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal										Fundamental																																																																																																																				
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.63</td><td>56.79</td><td>111.65</td><td>-54.86</td><td>42.85</td><td>35.88</td><td>10.46</td><td>32.40</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>2</td><td>5874.38</td><td>52.24</td><td>105.37</td><td>-53.13</td><td>38.23</td><td>35.94</td><td>10.48</td><td>32.41</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>3</td><td>5924.38</td><td>51.33</td><td>68.66</td><td>-17.33</td><td>37.23</td><td>36.03</td><td>10.53</td><td>32.46</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>4</td><td>5935.75</td><td>52.07</td><td>68.30</td><td>-16.23</td><td>37.96</td><td>36.04</td><td>10.54</td><td>32.47</td><td>100</td><td>295</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5854.63	56.79	111.65	-54.86	42.85	35.88	10.46	32.40	100	295	PEAK	2	5874.38	52.24	105.37	-53.13	38.23	35.94	10.48	32.41	100	295	PEAK	3	5924.38	51.33	68.66	-17.33	37.23	36.03	10.53	32.46	100	295	PEAK	4	5935.75	52.07	68.30	-16.23	37.96	36.04	10.54	32.47	100	295	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.19</td><td>-----</td><td>-----</td><td>91.35</td><td>35.77</td><td>10.43</td><td>32.36</td><td>100</td><td>295</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	105.19	-----	-----	91.35	35.77	10.43	32.36	100	295	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5854.63	56.79	111.65	-54.86	42.85	35.88	10.46	32.40	100	295	PEAK																																																																																																																				
2	5874.38	52.24	105.37	-53.13	38.23	35.94	10.48	32.41	100	295	PEAK																																																																																																																				
3	5924.38	51.33	68.66	-17.33	37.23	36.03	10.53	32.46	100	295	PEAK																																																																																																																				
4	5935.75	52.07	68.30	-16.23	37.96	36.04	10.54	32.47	100	295	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5825.00	105.19	-----	-----	91.35	35.77	10.43	32.36	100	295	PEAK																																																																																																																				
Avg	Blank										 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.28</td><td>-----</td><td>-----</td><td>83.44</td><td>35.77</td><td>10.43</td><td>32.36</td><td>100</td><td>295</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	97.28	-----	-----	83.44	35.77	10.43	32.36	100	295	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5825.00	97.28	-----	-----	83.44	35.77	10.43	32.36	100	295	AVERAGE																																																																																																																				






Mode	111																																																																																						
	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																						
ANT	1																																																																																						
Pol.	Vertical																																																																																						
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.50</td><td>54.12</td><td>111.94</td><td>-57.82</td><td>40.18</td><td>35.88</td><td>10.46</td><td>32.40</td><td>104</td><td>57</td><td>PEAK</td></tr><tr><td>2</td><td>5874.25</td><td>51.84</td><td>105.41</td><td>-53.57</td><td>37.83</td><td>35.94</td><td>10.48</td><td>32.41</td><td>104</td><td>57</td><td>PEAK</td></tr><tr><td>3</td><td>5924.88</td><td>52.05</td><td>68.29</td><td>-16.24</td><td>37.95</td><td>36.03</td><td>10.53</td><td>32.46</td><td>104</td><td>57</td><td>PEAK</td></tr><tr><td>4</td><td>5935.88</td><td>51.76</td><td>68.30</td><td>-16.54</td><td>37.65</td><td>36.04</td><td>10.54</td><td>32.47</td><td>104</td><td>57</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5854.50	54.12	111.94	-57.82	40.18	35.88	10.46	32.40	104	57	PEAK	2	5874.25	51.84	105.41	-53.57	37.83	35.94	10.48	32.41	104	57	PEAK	3	5924.88	52.05	68.29	-16.24	37.95	36.03	10.53	32.46	104	57	PEAK	4	5935.88	51.76	68.30	-16.54	37.65	36.04	10.54	32.47	104	57	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5854.50	54.12	111.94	-57.82	40.18	35.88	10.46	32.40	104	57	PEAK																																																																												
2	5874.25	51.84	105.41	-53.57	37.83	35.94	10.48	32.41	104	57	PEAK																																																																												
3	5924.88	52.05	68.29	-16.24	37.95	36.03	10.53	32.46	104	57	PEAK																																																																												
4	5935.88	51.76	68.30	-16.54	37.65	36.04	10.54	32.47	104	57	PEAK																																																																												
Avg	Blank																																																																																						
																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>103.01</td><td>-----</td><td>-----</td><td>89.17</td><td>35.77</td><td>10.43</td><td>32.36</td><td>104</td><td>57</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	103.01	-----	-----	89.17	35.77	10.43	32.36	104	57	PEAK																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5825.00	103.01	-----	-----	89.17	35.77	10.43	32.36	104	57	PEAK																																																																												
Avg	Blank																																																																																						
																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>94.20</td><td>-----</td><td>-----</td><td>80.33</td><td>35.81</td><td>10.44</td><td>32.38</td><td>104</td><td>57</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	94.20	-----	-----	80.33	35.81	10.44	32.38	104	57	AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5825.00	94.20	-----	-----	80.33	35.81	10.44	32.38	104	57	AVERAGE																																																																												






Mode	111																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>51.54</td><td>38.52</td><td>14.01</td><td>57.92</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>48.31</td><td>68.30</td><td>-19.99</td><td>47.16</td><td>42.32</td><td>16.91</td><td>58.08</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	46.15	74.00	-27.85	51.54	38.52	14.01	57.92	--	--	Peak	2	17475.00	48.31	68.30	-19.99	47.16	42.32	16.91	58.08	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>47.50</td><td>74.00</td><td>-26.50</td><td>52.89</td><td>38.52</td><td>14.01</td><td>57.92</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>48.89</td><td>68.30</td><td>-19.41</td><td>47.74</td><td>42.32</td><td>16.91</td><td>58.08</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	47.50	74.00	-26.50	52.89	38.52	14.01	57.92	--	--	Peak	2	17475.00	48.89	68.30	-19.41	47.74	42.32	16.91	58.08	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11650.00	46.15	74.00	-27.85	51.54	38.52	14.01	57.92	--	--	Peak																																																																																																									
2	17475.00	48.31	68.30	-19.99	47.16	42.32	16.91	58.08	--	--	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11650.00	47.50	74.00	-26.50	52.89	38.52	14.01	57.92	--	--	Peak																																																																																																									
2	17475.00	48.89	68.30	-19.41	47.74	42.32	16.91	58.08	--	--	Peak																																																																																																									






Mode	112																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU26/8_5825MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal																																																																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>51.56</td><td>110.80</td><td>-59.24</td><td>37.62</td><td>35.88</td><td>10.46</td><td>32.40</td><td>116</td><td>285</td><td>PEAK</td></tr><tr><td>2</td><td>5874.88</td><td>51.58</td><td>105.23</td><td>-53.65</td><td>37.57</td><td>35.94</td><td>10.48</td><td>32.41</td><td>116</td><td>285</td><td>PEAK</td></tr><tr><td>3</td><td>5924.50</td><td>52.42</td><td>68.57</td><td>-16.15</td><td>38.32</td><td>36.03</td><td>10.53</td><td>32.46</td><td>116</td><td>285</td><td>PEAK</td></tr><tr><td>4</td><td>5932.00</td><td>52.58</td><td>68.30</td><td>-15.72</td><td>38.48</td><td>36.04</td><td>10.53</td><td>32.47</td><td>116</td><td>285</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5855.00	51.56	110.80	-59.24	37.62	35.88	10.46	32.40	116	285	PEAK	2	5874.88	51.58	105.23	-53.65	37.57	35.94	10.48	32.41	116	285	PEAK	3	5924.50	52.42	68.57	-16.15	38.32	36.03	10.53	32.46	116	285	PEAK	4	5932.00	52.58	68.30	-15.72	38.48	36.04	10.53	32.47	116	285	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>112.43</td><td>-----</td><td>-----</td><td>98.55</td><td>35.82</td><td>10.45</td><td>32.39</td><td>116</td><td>285</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	112.43	-----	-----	98.55	35.82	10.45	32.39	116	285	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																	
1	5855.00	51.56	110.80	-59.24	37.62	35.88	10.46	32.40	116	285	PEAK																																																																																																																															
2	5874.88	51.58	105.23	-53.65	37.57	35.94	10.48	32.41	116	285	PEAK																																																																																																																															
3	5924.50	52.42	68.57	-16.15	38.32	36.03	10.53	32.46	116	285	PEAK																																																																																																																															
4	5932.00	52.58	68.30	-15.72	38.48	36.04	10.53	32.47	116	285	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																	
1	5825.00	112.43	-----	-----	98.55	35.82	10.45	32.39	116	285	PEAK																																																																																																																															
Avg	Blank											<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>105.42</td><td>-----</td><td>-----</td><td>91.54</td><td>35.82</td><td>10.45</td><td>32.39</td><td>116</td><td>285</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	105.42	-----	-----	91.54	35.82	10.45	32.39	116	285	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																	
1	5825.00	105.42	-----	-----	91.54	35.82	10.45	32.39	116	285	AVERAGE																																																																																																																															






Mode	112																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU26/8_5825MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5854.88</td><td>50.48</td><td>111.08</td><td>-60.60</td><td>36.54</td><td>35.88</td><td>10.46</td><td>32.40</td><td>101</td><td>49</td><td>PEAK</td></tr><tr><td>2</td><td>5874.50</td><td>50.87</td><td>105.34</td><td>-54.47</td><td>36.86</td><td>35.94</td><td>10.48</td><td>32.41</td><td>101</td><td>49</td><td>PEAK</td></tr><tr><td>3</td><td>5924.13</td><td>50.57</td><td>68.84</td><td>-18.27</td><td>36.48</td><td>36.03</td><td>10.52</td><td>32.46</td><td>101</td><td>49</td><td>PEAK</td></tr><tr><td>4</td><td>5945.88</td><td>52.07</td><td>68.30</td><td>-16.23</td><td>37.97</td><td>36.05</td><td>10.54</td><td>32.49</td><td>101</td><td>49</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5854.88	50.48	111.08	-60.60	36.54	35.88	10.46	32.40	101	49	PEAK	2	5874.50	50.87	105.34	-54.47	36.86	35.94	10.48	32.41	101	49	PEAK	3	5924.13	50.57	68.84	-18.27	36.48	36.03	10.52	32.46	101	49	PEAK	4	5945.88	52.07	68.30	-16.23	37.97	36.05	10.54	32.49	101	49
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.88	50.48	111.08	-60.60	36.54	35.88	10.46	32.40	101	49	PEAK																																																																													
2	5874.50	50.87	105.34	-54.47	36.86	35.94	10.48	32.41	101	49	PEAK																																																																													
3	5924.13	50.57	68.84	-18.27	36.48	36.03	10.52	32.46	101	49	PEAK																																																																													
4	5945.88	52.07	68.30	-16.23	37.97	36.05	10.54	32.49	101	49	PEAK																																																																													
Fundamental																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.85</td><td>-----</td><td>-----</td><td>94.97</td><td>35.82</td><td>10.45</td><td>32.39</td><td>101</td><td>49</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	108.85	-----	-----	94.97	35.82	10.45	32.39	101	49	PEAK																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5825.00	108.85	-----	-----	94.97	35.82	10.45	32.39	101	49	PEAK																																																																													
Avg	Blank																																																																																							
																																																																																								
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.90</td><td>-----</td><td>-----</td><td>88.02</td><td>35.82</td><td>10.45</td><td>32.39</td><td>101</td><td>49</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	101.90	-----	-----	88.02	35.82	10.45	32.39	101	49	AVERAGE																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5825.00	101.90	-----	-----	88.02	35.82	10.45	32.39	101	49	AVERAGE																																																																													






Mode	113																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU52/40_5825MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>50.73</td><td>110.80</td><td>-60.07</td><td>36.79</td><td>35.88</td><td>10.46</td><td>32.40</td><td>102</td><td>283</td><td>PEAK</td></tr><tr><td>2</td><td>5871.88</td><td>52.51</td><td>106.07</td><td>-53.56</td><td>38.51</td><td>35.93</td><td>10.48</td><td>32.41</td><td>102</td><td>283</td><td>PEAK</td></tr><tr><td>3</td><td>5924.75</td><td>51.41</td><td>68.38</td><td>-16.97</td><td>37.31</td><td>36.03</td><td>10.53</td><td>32.46</td><td>102</td><td>283</td><td>PEAK</td></tr><tr><td>4</td><td>5938.13</td><td>53.43</td><td>68.30</td><td>-14.87</td><td>39.33</td><td>36.04</td><td>10.54</td><td>32.48</td><td>102</td><td>283</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5855.00	50.73	110.80	-60.07	36.79	35.88	10.46	32.40	102	283	PEAK	2	5871.88	52.51	106.07	-53.56	38.51	35.93	10.48	32.41	102	283	PEAK	3	5924.75	51.41	68.38	-16.97	37.31	36.03	10.53	32.46	102	283	PEAK	4	5938.13	53.43	68.30	-14.87	39.33	36.04	10.54	32.48	102	283	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>110.11</td><td>-----</td><td>-----</td><td>96.24</td><td>35.81</td><td>10.44</td><td>32.38</td><td>102</td><td>283</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	110.11	-----	-----	96.24	35.81	10.44	32.38	102	283
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5855.00	50.73	110.80	-60.07	36.79	35.88	10.46	32.40	102	283	PEAK																																																																																																																			
2	5871.88	52.51	106.07	-53.56	38.51	35.93	10.48	32.41	102	283	PEAK																																																																																																																			
3	5924.75	51.41	68.38	-16.97	37.31	36.03	10.53	32.46	102	283	PEAK																																																																																																																			
4	5938.13	53.43	68.30	-14.87	39.33	36.04	10.54	32.48	102	283	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5825.00	110.11	-----	-----	96.24	35.81	10.44	32.38	102	283	PEAK																																																																																																																			
Avg	Blank																																																																																																																													
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.39</td><td>-----</td><td>-----</td><td>88.51</td><td>35.82</td><td>10.45</td><td>32.39</td><td>102</td><td>283</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	102.39	-----	-----	88.51	35.82	10.45	32.39	102	283	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5825.00	102.39	-----	-----	88.51	35.82	10.45	32.39	102	283	AVERAGE																																																																																																																			






Mode	113																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU52/40_5825MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5855.00</td><td>49.57</td><td>110.80</td><td>-61.23</td><td>35.63</td><td>35.88</td><td>10.46</td><td>32.40</td><td>103</td><td>51</td><td>PEAK</td></tr><tr><td>2</td><td>5874.13</td><td>51.85</td><td>105.44</td><td>-53.59</td><td>37.84</td><td>35.94</td><td>10.48</td><td>32.41</td><td>103</td><td>51</td><td>PEAK</td></tr><tr><td>3</td><td>5924.13</td><td>50.97</td><td>68.84</td><td>-17.87</td><td>36.88</td><td>36.03</td><td>10.52</td><td>32.46</td><td>103</td><td>51</td><td>PEAK</td></tr><tr><td>4</td><td>5925.75</td><td>51.62</td><td>68.30</td><td>-16.68</td><td>37.52</td><td>36.03</td><td>10.53</td><td>32.46</td><td>103</td><td>51</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5855.00	49.57	110.80	-61.23	35.63	35.88	10.46	32.40	103	51	PEAK	2	5874.13	51.85	105.44	-53.59	37.84	35.94	10.48	32.41	103	51	PEAK	3	5924.13	50.97	68.84	-17.87	36.88	36.03	10.52	32.46	103	51	PEAK	4	5925.75	51.62	68.30	-16.68	37.52	36.03	10.53	32.46	103	51	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5825.00</td><td>106.21</td><td>-----</td><td>-----</td><td>92.34</td><td>35.81</td><td>10.44</td><td>32.38</td><td>103</td><td>51</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	106.21	-----	-----	92.34	35.81	10.44	32.38	103	51	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5855.00	49.57	110.80	-61.23	35.63	35.88	10.46	32.40	103	51	PEAK																																																																																																																								
2	5874.13	51.85	105.44	-53.59	37.84	35.94	10.48	32.41	103	51	PEAK																																																																																																																								
3	5924.13	50.97	68.84	-17.87	36.88	36.03	10.52	32.46	103	51	PEAK																																																																																																																								
4	5925.75	51.62	68.30	-16.68	37.52	36.03	10.53	32.46	103	51	PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5825.00	106.21	-----	-----	92.34	35.81	10.44	32.38	103	51	PEAK																																																																																																																								
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5825.00</td><td>98.67</td><td>-----</td><td>-----</td><td>84.80</td><td>35.81</td><td>10.44</td><td>32.38</td><td>103</td><td>51</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	98.67	-----	-----	84.80	35.81	10.44	32.38	103	51	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5825.00	98.67	-----	-----	84.80	35.81	10.44	32.38	103	51	AVERAGE																																																																																																																								






Mode	114																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU106/54_5825MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal										Fundamental																																																																																																																							
Peak																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5854.50</td><td>52.49</td><td>111.94</td><td>-59.45</td><td>38.55</td><td>35.88</td><td>10.46</td><td>32.40</td><td>102</td><td>284</td><td>PEAK</td></tr><tr><td>2</td><td>5874.38</td><td>52.98</td><td>105.37</td><td>-52.39</td><td>38.97</td><td>35.94</td><td>10.48</td><td>32.41</td><td>102</td><td>284</td><td>PEAK</td></tr><tr><td>3</td><td>5923.75</td><td>51.76</td><td>69.12</td><td>-17.36</td><td>37.67</td><td>36.03</td><td>10.52</td><td>32.46</td><td>102</td><td>284</td><td>PEAK</td></tr><tr><td>4</td><td>5931.38</td><td>52.09</td><td>68.30</td><td>-16.21</td><td>38.00</td><td>36.03</td><td>10.53</td><td>32.47</td><td>102</td><td>284</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5854.50	52.49	111.94	-59.45	38.55	35.88	10.46	32.40	102	284	PEAK	2	5874.38	52.98	105.37	-52.39	38.97	35.94	10.48	32.41	102	284	PEAK	3	5923.75	51.76	69.12	-17.36	37.67	36.03	10.52	32.46	102	284	PEAK	4	5931.38	52.09	68.30	-16.21	38.00	36.03	10.53	32.47	102	284	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5825.00</td><td>109.56</td><td>-----</td><td>-----</td><td>95.69</td><td>35.81</td><td>10.44</td><td>32.38</td><td>102</td><td>284</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	109.56	-----	-----	95.69	35.81	10.44	32.38	102	284
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5854.50	52.49	111.94	-59.45	38.55	35.88	10.46	32.40	102	284	PEAK																																																																																																																							
2	5874.38	52.98	105.37	-52.39	38.97	35.94	10.48	32.41	102	284	PEAK																																																																																																																							
3	5923.75	51.76	69.12	-17.36	37.67	36.03	10.52	32.46	102	284	PEAK																																																																																																																							
4	5931.38	52.09	68.30	-16.21	38.00	36.03	10.53	32.47	102	284	PEAK																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5825.00	109.56	-----	-----	95.69	35.81	10.44	32.38	102	284	PEAK																																																																																																																							
Avg	Blank																																																																																																																																	
											<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5825.00</td><td>101.56</td><td>-----</td><td>-----</td><td>87.68</td><td>35.82</td><td>10.45</td><td>32.39</td><td>102</td><td>284</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	101.56	-----	-----	87.68	35.82	10.45	32.39	102	284	AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5825.00	101.56	-----	-----	87.68	35.82	10.45	32.39	102	284	AVERAGE																																																																																																																							




Mode	114																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU106/54_5825MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical										Fundamental																																																																																																																				
Peak	 Level (dBuV/m) Frequency (MHz) PEAK_BE(B4)_16-24 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>50.45</td><td>110.80</td><td>-60.35</td><td>36.51</td><td>35.88</td><td>10.46</td><td>32.40</td><td>103</td><td>51</td><td>PEAK</td></tr><tr><td>2</td><td>5874.50</td><td>52.13</td><td>105.34</td><td>-53.21</td><td>38.12</td><td>35.94</td><td>10.48</td><td>32.41</td><td>103</td><td>51</td><td>PEAK</td></tr><tr><td>3</td><td>5924.50</td><td>51.23</td><td>68.57</td><td>-17.34</td><td>37.13</td><td>36.03</td><td>10.53</td><td>32.46</td><td>103</td><td>51</td><td>PEAK</td></tr><tr><td>4</td><td>5939.50</td><td>52.05</td><td>68.30</td><td>-16.25</td><td>37.95</td><td>36.04</td><td>10.54</td><td>32.48</td><td>103</td><td>51</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5855.00	50.45	110.80	-60.35	36.51	35.88	10.46	32.40	103	51	PEAK	2	5874.50	52.13	105.34	-53.21	38.12	35.94	10.48	32.41	103	51	PEAK	3	5924.50	51.23	68.57	-17.34	37.13	36.03	10.53	32.46	103	51	PEAK	4	5939.50	52.05	68.30	-16.25	37.95	36.04	10.54	32.48	103	51	PEAK	 Level (dBuV/m) Frequency (MHz) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.79</td><td>-----</td><td>-----</td><td>91.92</td><td>35.81</td><td>10.44</td><td>32.38</td><td>103</td><td>51</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	105.79	-----	-----	91.92	35.81	10.44	32.38	103	51	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5855.00	50.45	110.80	-60.35	36.51	35.88	10.46	32.40	103	51	PEAK																																																																																																																				
2	5874.50	52.13	105.34	-53.21	38.12	35.94	10.48	32.41	103	51	PEAK																																																																																																																				
3	5924.50	51.23	68.57	-17.34	37.13	36.03	10.53	32.46	103	51	PEAK																																																																																																																				
4	5939.50	52.05	68.30	-16.25	37.95	36.04	10.54	32.48	103	51	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5825.00	105.79	-----	-----	91.92	35.81	10.44	32.38	103	51	PEAK																																																																																																																				
Avg	Blank										 Level (dBuV/m) Frequency (MHz) PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.07</td><td>-----</td><td>-----</td><td>84.20</td><td>35.81</td><td>10.44</td><td>32.38</td><td>103</td><td>51</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	98.07	-----	-----	84.20	35.81	10.44	32.38	103	51	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5825.00	98.07	-----	-----	84.20	35.81	10.44	32.38	103	51	AVERAGE																																																																																																																				






Mode	115																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																							
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.50</td><td>51.88</td><td>68.30</td><td>-16.42</td><td>38.47</td><td>35.39</td><td>10.33</td><td>32.31</td><td>100</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>5650.53</td><td>51.34</td><td>68.69</td><td>-17.35</td><td>37.92</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>294</td><td>PEAK</td></tr><tr><td>3</td><td>5703.23</td><td>56.50</td><td>106.11</td><td>-49.61</td><td>42.97</td><td>35.52</td><td>10.36</td><td>32.35</td><td>100</td><td>294</td><td>PEAK</td></tr><tr><td>4</td><td>5720.44</td><td>56.04</td><td>111.79</td><td>-55.75</td><td>42.47</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>294</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.50	51.88	68.30	-16.42	38.47	35.39	10.33	32.31	100	294	PEAK	2	5650.53	51.34	68.69	-17.35	37.92	35.40	10.33	32.31	100	294	PEAK	3	5703.23	56.50	106.11	-49.61	42.97	35.52	10.36	32.35	100	294	PEAK	4	5720.44	56.04	111.79	-55.75	42.47	35.56	10.37	32.36	100	294	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>103.65</td><td>-----</td><td>-----</td><td>89.99</td><td>35.62</td><td>10.39</td><td>32.35</td><td>100</td><td>294</td><td></td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	103.65	-----	-----	89.99	35.62	10.39	32.35	100	294
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5646.50	51.88	68.30	-16.42	38.47	35.39	10.33	32.31	100	294	PEAK																																																																																																																		
2	5650.53	51.34	68.69	-17.35	37.92	35.40	10.33	32.31	100	294	PEAK																																																																																																																		
3	5703.23	56.50	106.11	-49.61	42.97	35.52	10.36	32.35	100	294	PEAK																																																																																																																		
4	5720.44	56.04	111.79	-55.75	42.47	35.56	10.37	32.36	100	294	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5755.00	103.65	-----	-----	89.99	35.62	10.39	32.35	100	294																																																																																																																			
Avg	Blank																																																																																																																												
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>94.98</td><td>-----</td><td>-----</td><td>81.32</td><td>35.62</td><td>10.39</td><td>32.35</td><td>100</td><td>294</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	94.98	-----	-----	81.32	35.62	10.39	32.35	100	294	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5755.00	94.98	-----	-----	81.32	35.62	10.39	32.35	100	294	AVERAGE																																																																																																																		




Mode	115																																																																													
	Band Edge - R																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																													
ANT	1																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>51.08</td><td>111.17</td><td>-60.09</td><td>37.14</td><td>35.88</td><td>10.46</td><td>32.40</td><td>100</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>5872.20</td><td>51.84</td><td>105.98</td><td>-54.14</td><td>37.84</td><td>35.93</td><td>10.48</td><td>32.41</td><td>100</td><td>294</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>51.53</td><td>68.46</td><td>-16.93</td><td>37.43</td><td>36.03</td><td>10.53</td><td>32.46</td><td>100</td><td>294</td><td>PEAK</td></tr><tr><td>4</td><td>5939.67</td><td>53.35</td><td>68.30</td><td>-14.95</td><td>39.25</td><td>36.04</td><td>10.54</td><td>32.48</td><td>100</td><td>294</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5854.84	51.08	111.17	-60.09	37.14	35.88	10.46	32.40	100	294	PEAK	2	5872.20	51.84	105.98	-54.14	37.84	35.93	10.48	32.41	100	294	PEAK	3	5924.65	51.53	68.46	-16.93	37.43	36.03	10.53	32.46	100	294	PEAK	4	5939.67	53.35	68.30	-14.95	39.25	36.04	10.54	32.48	100	294	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5854.84	51.08	111.17	-60.09	37.14	35.88	10.46	32.40	100	294	PEAK																																																																			
2	5872.20	51.84	105.98	-54.14	37.84	35.93	10.48	32.41	100	294	PEAK																																																																			
3	5924.65	51.53	68.46	-16.93	37.43	36.03	10.53	32.46	100	294	PEAK																																																																			
4	5939.67	53.35	68.30	-14.95	39.25	36.04	10.54	32.48	100	294	PEAK																																																																			



Mode	115																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																											
ANT	1																																																																																																																											
Pol.	Vertical										Fundamental																																																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5622.48</td><td>52.31</td><td>68.30</td><td>-15.99</td><td>38.94</td><td>35.34</td><td>10.32</td><td>32.29</td><td>105</td><td>55 PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>51.98</td><td>68.35</td><td>-16.37</td><td>38.56</td><td>35.40</td><td>10.33</td><td>32.31</td><td>105</td><td>55 PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>60.37</td><td>110.57</td><td>-50.20</td><td>46.81</td><td>35.55</td><td>10.37</td><td>32.36</td><td>105</td><td>55 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>57.71</td><td>111.09</td><td>-53.38</td><td>44.14</td><td>35.56</td><td>10.37</td><td>32.36</td><td>105</td><td>55 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5622.48	52.31	68.30	-15.99	38.94	35.34	10.32	32.29	105	55 PEAK	2	5650.07	51.98	68.35	-16.37	38.56	35.40	10.33	32.31	105	55 PEAK	3	5719.20	60.37	110.57	-50.20	46.81	35.55	10.37	32.36	105	55 PEAK	4	5720.13	57.71	111.09	-53.38	44.14	35.56	10.37	32.36	105	55 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5755.00</td><td>101.02</td><td>-----</td><td>-----</td><td>87.34</td><td>35.64</td><td>10.39</td><td>32.35</td><td>105</td><td>55 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5755.00	101.02	-----	-----	87.34	35.64	10.39	32.35	105	55 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																			
1	5622.48	52.31	68.30	-15.99	38.94	35.34	10.32	32.29	105	55 PEAK																																																																																																																		
2	5650.07	51.98	68.35	-16.37	38.56	35.40	10.33	32.31	105	55 PEAK																																																																																																																		
3	5719.20	60.37	110.57	-50.20	46.81	35.55	10.37	32.36	105	55 PEAK																																																																																																																		
4	5720.13	57.71	111.09	-53.38	44.14	35.56	10.37	32.36	105	55 PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																			
1	5755.00	101.02	-----	-----	87.34	35.64	10.39	32.35	105	55 PEAK																																																																																																																		
Avg	Blank										<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5755.00</td><td>92.71</td><td>-----</td><td>-----</td><td>79.04</td><td>35.63</td><td>10.39</td><td>32.35</td><td>105</td><td>55 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5755.00	92.71	-----	-----	79.04	35.63	10.39	32.35	105	55 AVERAGE																																																																									
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																			
1	5755.00	92.71	-----	-----	79.04	35.63	10.39	32.35	105	55 AVERAGE																																																																																																																		






Mode	115																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>51.17</td><td>111.17</td><td>-60.00</td><td>37.23</td><td>35.88</td><td>10.46</td><td>32.40</td><td>105</td><td>55</td><td>PEAK</td></tr><tr><td>2</td><td>5874.15</td><td>52.21</td><td>105.44</td><td>-53.23</td><td>38.20</td><td>35.94</td><td>10.48</td><td>32.41</td><td>105</td><td>55</td><td>PEAK</td></tr><tr><td>3</td><td>5923.68</td><td>52.19</td><td>69.18</td><td>-16.99</td><td>38.10</td><td>36.03</td><td>10.52</td><td>32.46</td><td>105</td><td>55</td><td>PEAK</td></tr><tr><td>4</td><td>5938.89</td><td>53.14</td><td>68.30</td><td>-15.16</td><td>39.04</td><td>36.04</td><td>10.54</td><td>32.48</td><td>105</td><td>55</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	51.17	111.17	-60.00	37.23	35.88	10.46	32.40	105	55	PEAK	2	5874.15	52.21	105.44	-53.23	38.20	35.94	10.48	32.41	105	55	PEAK	3	5923.68	52.19	69.18	-16.99	38.10	36.03	10.52	32.46	105	55	PEAK	4	5938.89	53.14	68.30	-15.16	39.04	36.04	10.54	32.48	105	55	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.84	51.17	111.17	-60.00	37.23	35.88	10.46	32.40	105	55	PEAK																																																																													
2	5874.15	52.21	105.44	-53.23	38.20	35.94	10.48	32.41	105	55	PEAK																																																																													
3	5923.68	52.19	69.18	-16.99	38.10	36.03	10.52	32.46	105	55	PEAK																																																																													
4	5938.89	53.14	68.30	-15.16	39.04	36.04	10.54	32.48	105	55	PEAK																																																																													




Mode	115																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 11510.00</td><td>46.72</td><td>74.00</td><td>-27.28</td><td>52.19</td><td>38.40</td><td>13.94</td><td>57.81</td></tr><tr><td>2 17265.00</td><td>49.45</td><td>68.30</td><td>-18.85</td><td>48.12</td><td>42.44</td><td>16.85</td><td>57.96</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11510.00	46.72	74.00	-27.28	52.19	38.40	13.94	57.81	2 17265.00	49.45	68.30	-18.85	48.12	42.44	16.85	57.96	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 11510.00</td><td>48.94</td><td>74.00</td><td>-25.06</td><td>54.41</td><td>38.40</td><td>13.94</td><td>57.81</td></tr><tr><td>2 17265.00</td><td>49.02</td><td>68.30</td><td>-19.28</td><td>47.69</td><td>42.44</td><td>16.85</td><td>57.96</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11510.00	48.94	74.00	-25.06	54.41	38.40	13.94	57.81	2 17265.00	49.02	68.30	-19.28	47.69	42.44	16.85	57.96
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11510.00	46.72	74.00	-27.28	52.19	38.40	13.94	57.81																																																																																									
2 17265.00	49.45	68.30	-18.85	48.12	42.44	16.85	57.96																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11510.00	48.94	74.00	-25.06	54.41	38.40	13.94	57.81																																																																																									
2 17265.00	49.02	68.30	-19.28	47.69	42.44	16.85	57.96																																																																																									






Mode	116																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Partial_RU242/61_5755MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5632.86</td><td>52.03</td><td>68.30</td><td>-16.27</td><td>38.65</td><td>35.36</td><td>10.32</td><td>32.30</td><td>100</td><td>280</td><td>PEAK</td></tr><tr><td>2</td><td>5651.31</td><td>52.33</td><td>69.27</td><td>-16.94</td><td>38.91</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>280</td><td>PEAK</td></tr><tr><td>3</td><td>5719.35</td><td>61.36</td><td>110.62</td><td>-49.26</td><td>47.80</td><td>35.55</td><td>10.37</td><td>32.36</td><td>100</td><td>280</td><td>PEAK</td></tr><tr><td>4</td><td>5720.59</td><td>62.90</td><td>112.15</td><td>-49.25</td><td>49.33</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>280</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5632.86	52.03	68.30	-16.27	38.65	35.36	10.32	32.30	100	280	PEAK	2	5651.31	52.33	69.27	-16.94	38.91	35.40	10.33	32.31	100	280	PEAK	3	5719.35	61.36	110.62	-49.26	47.80	35.55	10.37	32.36	100	280	PEAK	4	5720.59	62.90	112.15	-49.25	49.33	35.56	10.37	32.36	100	280	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>105.99</td><td>-----</td><td>-----</td><td>92.38</td><td>35.59</td><td>10.38</td><td>32.36</td><td>100</td><td>280</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5755.00	105.99	-----	-----	92.38	35.59	10.38	32.36	100	280
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																					
1	5632.86	52.03	68.30	-16.27	38.65	35.36	10.32	32.30	100	280	PEAK																																																																																																																		
2	5651.31	52.33	69.27	-16.94	38.91	35.40	10.33	32.31	100	280	PEAK																																																																																																																		
3	5719.35	61.36	110.62	-49.26	47.80	35.55	10.37	32.36	100	280	PEAK																																																																																																																		
4	5720.59	62.90	112.15	-49.25	49.33	35.56	10.37	32.36	100	280	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																					
1	5755.00	105.99	-----	-----	92.38	35.59	10.38	32.36	100	280	PEAK																																																																																																																		
Avg	Blank																																																																																																																												
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>96.94</td><td>-----</td><td>-----</td><td>83.28</td><td>35.62</td><td>10.39</td><td>32.35</td><td>100</td><td>280</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5755.00	96.94	-----	-----	83.28	35.62	10.39	32.35	100	280	AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																					
1	5755.00	96.94	-----	-----	83.28	35.62	10.39	32.35	100	280	AVERAGE																																																																																																																		




Mode	116																																																																													
	Band Edge - R																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Partial_RU242/61_5755MHz																																																																													
ANT	1																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>50.95</td><td>111.17</td><td>-60.22</td><td>37.01</td><td>35.88</td><td>10.46</td><td>32.40</td><td>100</td><td>280</td><td>PEAK</td></tr><tr><td>2</td><td>5874.73</td><td>51.27</td><td>105.28</td><td>-54.01</td><td>37.26</td><td>35.94</td><td>10.48</td><td>32.41</td><td>100</td><td>280</td><td>PEAK</td></tr><tr><td>3</td><td>5923.09</td><td>52.24</td><td>69.61</td><td>-17.37</td><td>38.15</td><td>36.03</td><td>10.52</td><td>32.46</td><td>100</td><td>280</td><td>PEAK</td></tr><tr><td>4</td><td>5933.04</td><td>52.55</td><td>68.30</td><td>-15.75</td><td>38.45</td><td>36.04</td><td>10.53</td><td>32.47</td><td>100</td><td>280</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5854.84	50.95	111.17	-60.22	37.01	35.88	10.46	32.40	100	280	PEAK	2	5874.73	51.27	105.28	-54.01	37.26	35.94	10.48	32.41	100	280	PEAK	3	5923.09	52.24	69.61	-17.37	38.15	36.03	10.52	32.46	100	280	PEAK	4	5933.04	52.55	68.30	-15.75	38.45	36.04	10.53	32.47	100	280	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5854.84	50.95	111.17	-60.22	37.01	35.88	10.46	32.40	100	280	PEAK																																																																			
2	5874.73	51.27	105.28	-54.01	37.26	35.94	10.48	32.41	100	280	PEAK																																																																			
3	5923.09	52.24	69.61	-17.37	38.15	36.03	10.52	32.46	100	280	PEAK																																																																			
4	5933.04	52.55	68.30	-15.75	38.45	36.04	10.53	32.47	100	280	PEAK																																																																			






Mode	116																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Partial_RU242/61_5755MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical										Fundamental																																																																																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5615.81</td><td>52.28</td><td>68.30</td><td>-16.02</td><td>38.93</td><td>35.32</td><td>10.31</td><td>32.28</td><td>100</td><td>51</td><td>PEAK</td></tr><tr><td>2</td><td>5651.15</td><td>51.43</td><td>69.15</td><td>-17.72</td><td>38.01</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>51</td><td>PEAK</td></tr><tr><td>3</td><td>5719.97</td><td>58.06</td><td>110.79</td><td>-52.73</td><td>44.50</td><td>35.55</td><td>10.37</td><td>32.36</td><td>100</td><td>51</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>58.21</td><td>111.09</td><td>-52.88</td><td>44.64</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>51</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5615.81	52.28	68.30	-16.02	38.93	35.32	10.31	32.28	100	51	PEAK	2	5651.15	51.43	69.15	-17.72	38.01	35.40	10.33	32.31	100	51	PEAK	3	5719.97	58.06	110.79	-52.73	44.50	35.55	10.37	32.36	100	51	PEAK	4	5720.13	58.21	111.09	-52.88	44.64	35.56	10.37	32.36	100	51	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>103.45</td><td>-----</td><td>-----</td><td>89.79</td><td>35.62</td><td>10.39</td><td>32.35</td><td>100</td><td>51</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	103.45	-----	-----	89.79	35.62	10.39	32.35	100	51	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5615.81	52.28	68.30	-16.02	38.93	35.32	10.31	32.28	100	51	PEAK																																																																																																																				
2	5651.15	51.43	69.15	-17.72	38.01	35.40	10.33	32.31	100	51	PEAK																																																																																																																				
3	5719.97	58.06	110.79	-52.73	44.50	35.55	10.37	32.36	100	51	PEAK																																																																																																																				
4	5720.13	58.21	111.09	-52.88	44.64	35.56	10.37	32.36	100	51	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5755.00	103.45	-----	-----	89.79	35.62	10.39	32.35	100	51	PEAK																																																																																																																				
Avg	Blank										<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>94.86</td><td>-----</td><td>-----</td><td>81.20</td><td>35.62</td><td>10.39</td><td>32.35</td><td>100</td><td>51</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	94.86	-----	-----	81.20	35.62	10.39	32.35	100	51	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5755.00	94.86	-----	-----	81.20	35.62	10.39	32.35	100	51	AVERAGE																																																																																																																				




Mode	116																																																																													
	Band Edge - R																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Partial_RU242/61_5755MHz																																																																													
ANT	1																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>49.99</td><td>111.17</td><td>-61.18</td><td>36.05</td><td>35.88</td><td>10.46</td><td>32.40</td><td>100</td><td>51</td><td>PEAK</td></tr><tr><td>2</td><td>5874.73</td><td>51.58</td><td>105.28</td><td>-53.70</td><td>37.57</td><td>35.94</td><td>10.48</td><td>32.41</td><td>100</td><td>51</td><td>PEAK</td></tr><tr><td>3</td><td>5922.90</td><td>52.34</td><td>69.75</td><td>-17.41</td><td>38.25</td><td>36.03</td><td>10.52</td><td>32.46</td><td>100</td><td>51</td><td>PEAK</td></tr><tr><td>4</td><td>5943.76</td><td>52.69</td><td>68.30</td><td>-15.61</td><td>38.59</td><td>36.05</td><td>10.54</td><td>32.49</td><td>100</td><td>51</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5854.84	49.99	111.17	-61.18	36.05	35.88	10.46	32.40	100	51	PEAK	2	5874.73	51.58	105.28	-53.70	37.57	35.94	10.48	32.41	100	51	PEAK	3	5922.90	52.34	69.75	-17.41	38.25	36.03	10.52	32.46	100	51	PEAK	4	5943.76	52.69	68.30	-15.61	38.59	36.05	10.54	32.49	100	51	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5854.84	49.99	111.17	-61.18	36.05	35.88	10.46	32.40	100	51	PEAK																																																																			
2	5874.73	51.58	105.28	-53.70	37.57	35.94	10.48	32.41	100	51	PEAK																																																																			
3	5922.90	52.34	69.75	-17.41	38.25	36.03	10.52	32.46	100	51	PEAK																																																																			
4	5943.76	52.69	68.30	-15.61	38.59	36.05	10.54	32.49	100	51	PEAK																																																																			






Mode	117																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5647.58</td><td>52.19</td><td>68.30</td><td>-16.11</td><td>38.77</td><td>35.40</td><td>10.33</td><td>32.31</td><td>106</td><td>295</td><td>PEAK</td></tr><tr><td>2</td><td>5650.12</td><td>51.25</td><td>68.39</td><td>-17.14</td><td>37.83</td><td>35.40</td><td>10.33</td><td>32.31</td><td>106</td><td>295</td><td>PEAK</td></tr><tr><td>3</td><td>5700.04</td><td>51.05</td><td>105.21</td><td>-54.16</td><td>37.52</td><td>35.52</td><td>10.36</td><td>32.35</td><td>106</td><td>295</td><td>PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>54.78</td><td>111.07</td><td>-56.29</td><td>41.21</td><td>35.56</td><td>10.37</td><td>32.36</td><td>106</td><td>295</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5647.58	52.19	68.30	-16.11	38.77	35.40	10.33	32.31	106	295	PEAK	2	5650.12	51.25	68.39	-17.14	37.83	35.40	10.33	32.31	106	295	PEAK	3	5700.04	51.05	105.21	-54.16	37.52	35.52	10.36	32.35	106	295	PEAK	4	5720.12	54.78	111.07	-56.29	41.21	35.56	10.37	32.36	106	295	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>104.86</td><td>-----</td><td>-----</td><td>91.06</td><td>35.72</td><td>10.42</td><td>32.34</td><td>106</td><td>295</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5795.00	104.86	-----	-----	91.06	35.72	10.42	32.34	106	295	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5647.58	52.19	68.30	-16.11	38.77	35.40	10.33	32.31	106	295	PEAK																																																																																																																				
2	5650.12	51.25	68.39	-17.14	37.83	35.40	10.33	32.31	106	295	PEAK																																																																																																																				
3	5700.04	51.05	105.21	-54.16	37.52	35.52	10.36	32.35	106	295	PEAK																																																																																																																				
4	5720.12	54.78	111.07	-56.29	41.21	35.56	10.37	32.36	106	295	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5795.00	104.86	-----	-----	91.06	35.72	10.42	32.34	106	295	PEAK																																																																																																																				
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>93.86</td><td>-----</td><td>-----</td><td>80.06</td><td>35.72</td><td>10.42</td><td>32.34</td><td>106</td><td>295</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5795.00	93.86	-----	-----	80.06	35.72	10.42	32.34	106	295	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5795.00	93.86	-----	-----	80.06	35.72	10.42	32.34	106	295	AVERAGE																																																																																																																				




Mode	117																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>54.08</td><td>110.83</td><td>-56.75</td><td>40.14</td><td>35.88</td><td>10.46</td><td>32.40</td><td>106</td><td>295</td><td>PEAK</td></tr><tr><td>2</td><td>5874.05</td><td>52.31</td><td>105.47</td><td>-53.16</td><td>38.30</td><td>35.94</td><td>10.48</td><td>32.41</td><td>106</td><td>295</td><td>PEAK</td></tr><tr><td>3</td><td>5924.27</td><td>51.98</td><td>68.74</td><td>-16.76</td><td>37.89</td><td>36.03</td><td>10.52</td><td>32.46</td><td>106</td><td>295</td><td>PEAK</td></tr><tr><td>4</td><td>5934.97</td><td>52.56</td><td>68.30</td><td>-15.74</td><td>38.46</td><td>36.04</td><td>10.53</td><td>32.47</td><td>106</td><td>295</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	54.08	110.83	-56.75	40.14	35.88	10.46	32.40	106	295	PEAK	2	5874.05	52.31	105.47	-53.16	38.30	35.94	10.48	32.41	106	295	PEAK	3	5924.27	51.98	68.74	-16.76	37.89	36.03	10.52	32.46	106	295	PEAK	4	5934.97	52.56	68.30	-15.74	38.46	36.04	10.53	32.47	106	295	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.99	54.08	110.83	-56.75	40.14	35.88	10.46	32.40	106	295	PEAK																																																																													
2	5874.05	52.31	105.47	-53.16	38.30	35.94	10.48	32.41	106	295	PEAK																																																																													
3	5924.27	51.98	68.74	-16.76	37.89	36.03	10.52	32.46	106	295	PEAK																																																																													
4	5934.97	52.56	68.30	-15.74	38.46	36.04	10.53	32.47	106	295	PEAK																																																																													





Mode	117																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5609.17</td><td>51.61</td><td>68.30</td><td>-16.69</td><td>38.26</td><td>35.31</td><td>10.31</td><td>32.27</td><td>105</td><td>55</td><td>PEAK</td></tr><tr><td>2</td><td>5650.90</td><td>51.58</td><td>68.96</td><td>-17.38</td><td>38.16</td><td>35.40</td><td>10.33</td><td>32.31</td><td>105</td><td>55</td><td>PEAK</td></tr><tr><td>3</td><td>5702.57</td><td>51.84</td><td>105.92</td><td>-54.08</td><td>38.31</td><td>35.52</td><td>10.36</td><td>32.35</td><td>105</td><td>55</td><td>PEAK</td></tr><tr><td>4</td><td>5720.90</td><td>51.67</td><td>112.85</td><td>-61.18</td><td>38.10</td><td>35.56</td><td>10.37</td><td>32.36</td><td>105</td><td>55</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5609.17	51.61	68.30	-16.69	38.26	35.31	10.31	32.27	105	55	PEAK	2	5650.90	51.58	68.96	-17.38	38.16	35.40	10.33	32.31	105	55	PEAK	3	5702.57	51.84	105.92	-54.08	38.31	35.52	10.36	32.35	105	55	PEAK	4	5720.90	51.67	112.85	-61.18	38.10	35.56	10.37	32.36	105	55	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>100.55</td><td>-----</td><td>-----</td><td>86.75</td><td>35.72</td><td>10.42</td><td>32.34</td><td>105</td><td>55</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5795.00	100.55	-----	-----	86.75	35.72	10.42	32.34	105	55	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5609.17	51.61	68.30	-16.69	38.26	35.31	10.31	32.27	105	55	PEAK																																																																																																																				
2	5650.90	51.58	68.96	-17.38	38.16	35.40	10.33	32.31	105	55	PEAK																																																																																																																				
3	5702.57	51.84	105.92	-54.08	38.31	35.52	10.36	32.35	105	55	PEAK																																																																																																																				
4	5720.90	51.67	112.85	-61.18	38.10	35.56	10.37	32.36	105	55	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5795.00	100.55	-----	-----	86.75	35.72	10.42	32.34	105	55	PEAK																																																																																																																				
Avg	Blank																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>92.20</td><td>-----</td><td>-----</td><td>78.40</td><td>35.72</td><td>10.42</td><td>32.34</td><td>105</td><td>55</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5795.00	92.20	-----	-----	78.40	35.72	10.42	32.34	105	55	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5795.00	92.20	-----	-----	78.40	35.72	10.42	32.34	105	55	AVERAGE																																																																																																																				






Mode	117																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																														
ANT	1																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>51.45</td><td>110.83</td><td>-59.38</td><td>37.51</td><td>35.88</td><td>10.46</td><td>32.40</td><td>105</td><td>55</td><td>PEAK</td></tr><tr><td>2</td><td>5874.21</td><td>52.06</td><td>105.42</td><td>-53.36</td><td>38.05</td><td>35.94</td><td>10.48</td><td>32.41</td><td>105</td><td>55</td><td>PEAK</td></tr><tr><td>3</td><td>5923.96</td><td>52.49</td><td>68.97</td><td>-16.48</td><td>38.40</td><td>36.03</td><td>10.52</td><td>32.46</td><td>105</td><td>55</td><td>PEAK</td></tr><tr><td>4</td><td>5925.51</td><td>52.83</td><td>68.30</td><td>-15.47</td><td>38.73</td><td>36.03</td><td>10.53</td><td>32.46</td><td>105</td><td>55</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	51.45	110.83	-59.38	37.51	35.88	10.46	32.40	105	55	PEAK	2	5874.21	52.06	105.42	-53.36	38.05	35.94	10.48	32.41	105	55	PEAK	3	5923.96	52.49	68.97	-16.48	38.40	36.03	10.52	32.46	105	55	PEAK	4	5925.51	52.83	68.30	-15.47	38.73	36.03	10.53	32.46	105	55	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.99	51.45	110.83	-59.38	37.51	35.88	10.46	32.40	105	55	PEAK																																																																				
2	5874.21	52.06	105.42	-53.36	38.05	35.94	10.48	32.41	105	55	PEAK																																																																				
3	5923.96	52.49	68.97	-16.48	38.40	36.03	10.52	32.46	105	55	PEAK																																																																				
4	5925.51	52.83	68.30	-15.47	38.73	36.03	10.53	32.46	105	55	PEAK																																																																				




Mode	117																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11590.00</td><td>46.77</td><td>74.00</td><td>-27.23</td><td>52.21</td><td>38.47</td><td>13.96</td><td>57.87</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17385.00</td><td>48.39</td><td>68.30</td><td>-19.91</td><td>47.18</td><td>42.37</td><td>16.87</td><td>58.03</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	46.77	74.00	-27.23	52.21	38.47	13.96	57.87	--	--	Peak	2	17385.00	48.39	68.30	-19.91	47.18	42.37	16.87	58.03	--	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11590.00</td><td>47.83</td><td>74.00</td><td>-26.17</td><td>53.27</td><td>38.47</td><td>13.96</td><td>57.87</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17385.00</td><td>45.89</td><td>68.30</td><td>-22.41</td><td>44.68</td><td>42.37</td><td>16.87</td><td>58.03</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	47.83	74.00	-26.17	53.27	38.47	13.96	57.87	--	--	Peak	2	17385.00	45.89	68.30	-22.41	44.68	42.37	16.87	58.03	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11590.00	46.77	74.00	-27.23	52.21	38.47	13.96	57.87	--	--	Peak																																																																																																									
2	17385.00	48.39	68.30	-19.91	47.18	42.37	16.87	58.03	--	--	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11590.00	47.83	74.00	-26.17	53.27	38.47	13.96	57.87	--	--	Peak																																																																																																									
2	17385.00	45.89	68.30	-22.41	44.68	42.37	16.87	58.03	--	--	Peak																																																																																																									






Mode	118																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Partial_RU242/62_5795MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 5795 MHz. The plot shows a rising red line and a blue trace with four peaks labeled 1, 2, 3, and 4. A red label 'PEAK_BE(B4)_Y6-24' is present. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5616.77</td><td>52.08</td><td>68.30</td><td>-16.22</td><td>38.72</td><td>35.32</td><td>10.32</td><td>32.28</td><td>106</td><td>283</td><td>PEAK</td></tr><tr><td>2</td><td>5650.70</td><td>50.52</td><td>68.82</td><td>-18.30</td><td>37.10</td><td>35.40</td><td>10.33</td><td>32.31</td><td>106</td><td>283</td><td>PEAK</td></tr><tr><td>3</td><td>5702.57</td><td>51.45</td><td>105.92</td><td>-54.47</td><td>37.92</td><td>35.52</td><td>10.36</td><td>32.35</td><td>106</td><td>283</td><td>PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>50.09</td><td>111.07</td><td>-60.98</td><td>36.52</td><td>35.56</td><td>10.37</td><td>32.36</td><td>106</td><td>283</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5616.77	52.08	68.30	-16.22	38.72	35.32	10.32	32.28	106	283	PEAK	2	5650.70	50.52	68.82	-18.30	37.10	35.40	10.33	32.31	106	283	PEAK	3	5702.57	51.45	105.92	-54.47	37.92	35.52	10.36	32.35	106	283	PEAK	4	5720.12	50.09	111.07	-60.98	36.52	35.56	10.37	32.36	106	283	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red stepped line and a blue trace with a single sharp peak labeled 1. A red label 'PART 15.407' is present. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>105.49</td><td>-----</td><td>-----</td><td>91.69</td><td>35.72</td><td>10.42</td><td>32.34</td><td>106</td><td>283</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	105.49	-----	-----	91.69	35.72	10.42	32.34	106	283	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5616.77	52.08	68.30	-16.22	38.72	35.32	10.32	32.28	106	283	PEAK																																																																																																																				
2	5650.70	50.52	68.82	-18.30	37.10	35.40	10.33	32.31	106	283	PEAK																																																																																																																				
3	5702.57	51.45	105.92	-54.47	37.92	35.52	10.36	32.35	106	283	PEAK																																																																																																																				
4	5720.12	50.09	111.07	-60.98	36.52	35.56	10.37	32.36	106	283	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5795.00	105.49	-----	-----	91.69	35.72	10.42	32.34	106	283	PEAK																																																																																																																				
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red stepped line and a blue trace with a single sharp peak labeled 1. A red label 'PART 15.407 AVG' is present. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>96.48</td><td>-----</td><td>-----</td><td>82.68</td><td>35.72</td><td>10.42</td><td>32.34</td><td>106</td><td>283</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	96.48	-----	-----	82.68	35.72	10.42	32.34	106	283	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5795.00	96.48	-----	-----	82.68	35.72	10.42	32.34	106	283	AVERAGE																																																																																																																				




Mode	118																																																																													
	Band Edge - R																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Partial_RU242/62_5795MHz																																																																													
ANT	1																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.83</td><td>51.09</td><td>111.19</td><td>-60.10</td><td>37.15</td><td>35.88</td><td>10.46</td><td>32.40</td><td>106</td><td>283</td><td>PEAK</td></tr><tr><td>2</td><td>5874.52</td><td>52.17</td><td>105.34</td><td>-53.17</td><td>38.16</td><td>35.94</td><td>10.48</td><td>32.41</td><td>106</td><td>283</td><td>PEAK</td></tr><tr><td>3</td><td>5924.43</td><td>51.07</td><td>68.62</td><td>-17.55</td><td>36.97</td><td>36.03</td><td>10.53</td><td>32.46</td><td>106</td><td>283</td><td>PEAK</td></tr><tr><td>4</td><td>5928.30</td><td>52.76</td><td>68.30</td><td>-15.54</td><td>38.66</td><td>36.03</td><td>10.53</td><td>32.46</td><td>106</td><td>283</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5854.83	51.09	111.19	-60.10	37.15	35.88	10.46	32.40	106	283	PEAK	2	5874.52	52.17	105.34	-53.17	38.16	35.94	10.48	32.41	106	283	PEAK	3	5924.43	51.07	68.62	-17.55	36.97	36.03	10.53	32.46	106	283	PEAK	4	5928.30	52.76	68.30	-15.54	38.66	36.03	10.53	32.46	106	283	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5854.83	51.09	111.19	-60.10	37.15	35.88	10.46	32.40	106	283	PEAK																																																																			
2	5874.52	52.17	105.34	-53.17	38.16	35.94	10.48	32.41	106	283	PEAK																																																																			
3	5924.43	51.07	68.62	-17.55	36.97	36.03	10.53	32.46	106	283	PEAK																																																																			
4	5928.30	52.76	68.30	-15.54	38.66	36.03	10.53	32.46	106	283	PEAK																																																																			



Mode	118																																																																																																																															
	Band Edge - L																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Partial_RU242/62_5795MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5633.15</td><td>52.33</td><td>68.30</td><td>-15.97</td><td>38.95</td><td>35.36</td><td>10.32</td><td>32.30</td><td>100</td><td>49</td><td>PEAK</td></tr><tr><td>2</td><td>5650.70</td><td>51.30</td><td>68.82</td><td>-17.52</td><td>37.88</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>49</td><td>PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>51.94</td><td>105.65</td><td>-53.71</td><td>38.41</td><td>35.52</td><td>10.36</td><td>32.35</td><td>100</td><td>49</td><td>PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>51.11</td><td>111.07</td><td>-59.96</td><td>37.54</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>49</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5633.15	52.33	68.30	-15.97	38.95	35.36	10.32	32.30	100	49	PEAK	2	5650.70	51.30	68.82	-17.52	37.88	35.40	10.33	32.31	100	49	PEAK	3	5701.60	51.94	105.65	-53.71	38.41	35.52	10.36	32.35	100	49	PEAK	4	5720.12	51.11	111.07	-59.96	37.54	35.56	10.37	32.36	100	49	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>103.16</td><td>-----</td><td>-----</td><td>89.36</td><td>35.72</td><td>10.42</td><td>32.34</td><td>100</td><td>49</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	103.16	-----	-----	89.36	35.72	10.42	32.34	100	49
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5633.15	52.33	68.30	-15.97	38.95	35.36	10.32	32.30	100	49	PEAK																																																																																																																					
2	5650.70	51.30	68.82	-17.52	37.88	35.40	10.33	32.31	100	49	PEAK																																																																																																																					
3	5701.60	51.94	105.65	-53.71	38.41	35.52	10.36	32.35	100	49	PEAK																																																																																																																					
4	5720.12	51.11	111.07	-59.96	37.54	35.56	10.37	32.36	100	49	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5795.00	103.16	-----	-----	89.36	35.72	10.42	32.34	100	49	PEAK																																																																																																																					
Avg	Blank																																																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>94.15</td><td>-----</td><td>-----</td><td>80.32</td><td>35.75</td><td>10.43</td><td>32.35</td><td>100</td><td>49</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	94.15	-----	-----	80.32	35.75	10.43	32.35	100	49	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5795.00	94.15	-----	-----	80.32	35.75	10.43	32.35	100	49	AVERAGE																																																																																																																					




Mode	118																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Partial_RU242/62_5795MHz																																																																														
ANT	1																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>50.95</td><td>110.83</td><td>-59.88</td><td>37.01</td><td>35.88</td><td>10.46</td><td>32.40</td><td>100</td><td>49</td><td>PEAK</td></tr><tr><td>2</td><td>5873.59</td><td>52.00</td><td>105.60</td><td>-53.60</td><td>38.00</td><td>35.93</td><td>10.48</td><td>32.41</td><td>100</td><td>49</td><td>PEAK</td></tr><tr><td>3</td><td>5924.12</td><td>50.86</td><td>68.85</td><td>-17.99</td><td>36.77</td><td>36.03</td><td>10.52</td><td>32.46</td><td>100</td><td>49</td><td>PEAK</td></tr><tr><td>4</td><td>5929.23</td><td>52.72</td><td>68.30</td><td>-15.58</td><td>38.63</td><td>36.03</td><td>10.53</td><td>32.47</td><td>100</td><td>49</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	50.95	110.83	-59.88	37.01	35.88	10.46	32.40	100	49	PEAK	2	5873.59	52.00	105.60	-53.60	38.00	35.93	10.48	32.41	100	49	PEAK	3	5924.12	50.86	68.85	-17.99	36.77	36.03	10.52	32.46	100	49	PEAK	4	5929.23	52.72	68.30	-15.58	38.63	36.03	10.53	32.47	100	49	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.99	50.95	110.83	-59.88	37.01	35.88	10.46	32.40	100	49	PEAK																																																																				
2	5873.59	52.00	105.60	-53.60	38.00	35.93	10.48	32.41	100	49	PEAK																																																																				
3	5924.12	50.86	68.85	-17.99	36.77	36.03	10.52	32.46	100	49	PEAK																																																																				
4	5929.23	52.72	68.30	-15.58	38.63	36.03	10.53	32.47	100	49	PEAK																																																																				






Mode	119																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5637.10</td><td>53.54</td><td>68.30</td><td>-14.76</td><td>40.14</td><td>35.37</td><td>10.33</td><td>32.30</td><td>102</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>5650.05</td><td>51.45</td><td>68.34</td><td>-16.89</td><td>38.03</td><td>35.40</td><td>10.33</td><td>32.31</td><td>102</td><td>294</td><td>PEAK</td></tr><tr><td>3</td><td>5702.38</td><td>59.05</td><td>105.87</td><td>-46.82</td><td>45.52</td><td>35.52</td><td>10.36</td><td>32.35</td><td>102</td><td>294</td><td>PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>58.30</td><td>111.31</td><td>-53.01</td><td>44.73</td><td>35.56</td><td>10.37</td><td>32.36</td><td>102</td><td>294</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5637.10	53.54	68.30	-14.76	40.14	35.37	10.33	32.30	102	294	PEAK	2	5650.05	51.45	68.34	-16.89	38.03	35.40	10.33	32.31	102	294	PEAK	3	5702.38	59.05	105.87	-46.82	45.52	35.52	10.36	32.35	102	294	PEAK	4	5720.23	58.30	111.31	-53.01	44.73	35.56	10.37	32.36	102	294	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>101.25</td><td>-----</td><td>-----</td><td>87.44</td><td>35.74</td><td>10.42</td><td>32.35</td><td>102</td><td>294</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	101.25	-----	-----	87.44	35.74	10.42	32.35	102	294	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5637.10	53.54	68.30	-14.76	40.14	35.37	10.33	32.30	102	294	PEAK																																																																																																																				
2	5650.05	51.45	68.34	-16.89	38.03	35.40	10.33	32.31	102	294	PEAK																																																																																																																				
3	5702.38	59.05	105.87	-46.82	45.52	35.52	10.36	32.35	102	294	PEAK																																																																																																																				
4	5720.23	58.30	111.31	-53.01	44.73	35.56	10.37	32.36	102	294	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5775.00	101.25	-----	-----	87.44	35.74	10.42	32.35	102	294	PEAK																																																																																																																				
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>92.48</td><td>-----</td><td>-----</td><td>78.65</td><td>35.75</td><td>10.43</td><td>32.35</td><td>102</td><td>294</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	92.48	-----	-----	78.65	35.75	10.43	32.35	102	294	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5775.00	92.48	-----	-----	78.65	35.75	10.43	32.35	102	294	AVERAGE																																																																																																																				




Mode	119																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																														
ANT	1																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>58.05</td><td>110.86</td><td>-52.81</td><td>44.11</td><td>35.88</td><td>10.46</td><td>32.40</td><td>102</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>59.91</td><td>106.15</td><td>-46.24</td><td>45.91</td><td>35.93</td><td>10.48</td><td>32.41</td><td>102</td><td>294</td><td>PEAK</td></tr><tr><td>3</td><td>5924.63</td><td>53.68</td><td>68.48</td><td>-14.80</td><td>39.58</td><td>36.03</td><td>10.53</td><td>32.46</td><td>102</td><td>294</td><td>PEAK</td></tr><tr><td>4</td><td>5926.73</td><td>52.94</td><td>68.30</td><td>-15.36</td><td>38.84</td><td>36.03</td><td>10.53</td><td>32.46</td><td>102</td><td>294</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	58.05	110.86	-52.81	44.11	35.88	10.46	32.40	102	294	PEAK	2	5871.60	59.91	106.15	-46.24	45.91	35.93	10.48	32.41	102	294	PEAK	3	5924.63	53.68	68.48	-14.80	39.58	36.03	10.53	32.46	102	294	PEAK	4	5926.73	52.94	68.30	-15.36	38.84	36.03	10.53	32.46	102	294	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.98	58.05	110.86	-52.81	44.11	35.88	10.46	32.40	102	294	PEAK																																																																				
2	5871.60	59.91	106.15	-46.24	45.91	35.93	10.48	32.41	102	294	PEAK																																																																				
3	5924.63	53.68	68.48	-14.80	39.58	36.03	10.53	32.46	102	294	PEAK																																																																				
4	5926.73	52.94	68.30	-15.36	38.84	36.03	10.53	32.46	102	294	PEAK																																																																				





Mode	119																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5620.13</td><td>53.24</td><td>68.30</td><td>-15.06</td><td>39.87</td><td>35.33</td><td>10.32</td><td>32.28</td><td>104</td><td>54</td><td>PEAK</td></tr><tr><td>2</td><td>5651.28</td><td>52.00</td><td>69.24</td><td>-17.24</td><td>38.58</td><td>35.40</td><td>10.33</td><td>32.31</td><td>104</td><td>54</td><td>PEAK</td></tr><tr><td>3</td><td>5700.80</td><td>56.40</td><td>105.42</td><td>-49.02</td><td>42.87</td><td>35.52</td><td>10.36</td><td>32.35</td><td>104</td><td>54</td><td>PEAK</td></tr><tr><td>4</td><td>5720.58</td><td>56.12</td><td>112.11</td><td>-55.99</td><td>42.55</td><td>35.56</td><td>10.37</td><td>32.36</td><td>104</td><td>54</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5620.13	53.24	68.30	-15.06	39.87	35.33	10.32	32.28	104	54	PEAK	2	5651.28	52.00	69.24	-17.24	38.58	35.40	10.33	32.31	104	54	PEAK	3	5700.80	56.40	105.42	-49.02	42.87	35.52	10.36	32.35	104	54	PEAK	4	5720.58	56.12	112.11	-55.99	42.55	35.56	10.37	32.36	104	54	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>99.30</td><td>-----</td><td>-----</td><td>85.50</td><td>35.72</td><td>10.42</td><td>32.34</td><td>104</td><td>54</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	99.30	-----	-----	85.50	35.72	10.42	32.34	104	54
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5620.13	53.24	68.30	-15.06	39.87	35.33	10.32	32.28	104	54	PEAK																																																																																																																			
2	5651.28	52.00	69.24	-17.24	38.58	35.40	10.33	32.31	104	54	PEAK																																																																																																																			
3	5700.80	56.40	105.42	-49.02	42.87	35.52	10.36	32.35	104	54	PEAK																																																																																																																			
4	5720.58	56.12	112.11	-55.99	42.55	35.56	10.37	32.36	104	54	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5775.00	99.30	-----	-----	85.50	35.72	10.42	32.34	104	54	PEAK																																																																																																																			
Avg	Blank																																																																																																																													
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>90.18</td><td>-----</td><td>-----</td><td>76.37</td><td>35.74</td><td>10.42</td><td>32.35</td><td>104</td><td>54</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	90.18	-----	-----	76.37	35.74	10.42	32.35	104	54	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5775.00	90.18	-----	-----	76.37	35.74	10.42	32.35	104	54	AVERAGE																																																																																																																			






Mode	119																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																			
ANT	1																																																																																			
Pol.	Vertical										Fundamental																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>56.74</td><td>110.86</td><td>-54.12</td><td>42.80</td><td>35.88</td><td>10.46</td><td>32.40</td><td>104</td><td>54 PEAK</td></tr><tr><td>2</td><td>5874.05</td><td>58.71</td><td>105.47</td><td>-46.76</td><td>44.70</td><td>35.94</td><td>10.48</td><td>32.41</td><td>104</td><td>54 PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>51.89</td><td>68.22</td><td>-16.33</td><td>37.79</td><td>36.03</td><td>10.53</td><td>32.46</td><td>104</td><td>54 PEAK</td></tr><tr><td>4</td><td>5931.10</td><td>52.40</td><td>68.30</td><td>-15.90</td><td>38.31</td><td>36.03</td><td>10.53</td><td>32.47</td><td>104</td><td>54 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	56.74	110.86	-54.12	42.80	35.88	10.46	32.40	104	54 PEAK	2	5874.05	58.71	105.47	-46.76	44.70	35.94	10.48	32.41	104	54 PEAK	3	5924.98	51.89	68.22	-16.33	37.79	36.03	10.53	32.46	104	54 PEAK	4	5931.10	52.40	68.30	-15.90	38.31	36.03	10.53	32.47	104	54 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5854.98	56.74	110.86	-54.12	42.80	35.88	10.46	32.40	104	54 PEAK																																																																										
2	5874.05	58.71	105.47	-46.76	44.70	35.94	10.48	32.41	104	54 PEAK																																																																										
3	5924.98	51.89	68.22	-16.33	37.79	36.03	10.53	32.46	104	54 PEAK																																																																										
4	5931.10	52.40	68.30	-15.90	38.31	36.03	10.53	32.47	104	54 PEAK																																																																										




Mode	119																																																																																																																
	Harmonic																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11550.00</td><td>46.20</td><td>74.00</td><td>-27.80</td><td>51.65</td><td>38.44</td><td>13.95</td><td>57.84</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>17325.00</td><td>47.57</td><td>68.30</td><td>-20.73</td><td>46.29</td><td>42.41</td><td>16.86</td><td>57.99</td><td>--</td><td>-- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	46.20	74.00	-27.80	51.65	38.44	13.95	57.84	--	-- Peak	2	17325.00	47.57	68.30	-20.73	46.29	42.41	16.86	57.99	--	-- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11550.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>52.31</td><td>38.44</td><td>13.95</td><td>57.84</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>17325.00</td><td>47.57</td><td>68.30</td><td>-20.73</td><td>46.29</td><td>42.41</td><td>16.86</td><td>57.99</td><td>--</td><td>-- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	46.86	74.00	-27.14	52.31	38.44	13.95	57.84	--	-- Peak	2	17325.00	47.57	68.30	-20.73	46.29	42.41	16.86	57.99	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11550.00	46.20	74.00	-27.80	51.65	38.44	13.95	57.84	--	-- Peak																																																																																																							
2	17325.00	47.57	68.30	-20.73	46.29	42.41	16.86	57.99	--	-- Peak																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11550.00	46.86	74.00	-27.14	52.31	38.44	13.95	57.84	--	-- Peak																																																																																																							
2	17325.00	47.57	68.30	-20.73	46.29	42.41	16.86	57.99	--	-- Peak																																																																																																							






Mode	120																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Partial_RU484/65_5775MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5643.93</td><td>54.42</td><td>68.30</td><td>-13.88</td><td>41.01</td><td>35.39</td><td>10.33</td><td>32.31</td><td>100</td><td>283</td><td>PEAK</td></tr><tr><td>2</td><td>5652.85</td><td>54.59</td><td>70.41</td><td>-15.82</td><td>41.16</td><td>35.41</td><td>10.33</td><td>32.31</td><td>100</td><td>283</td><td>PEAK</td></tr><tr><td>3</td><td>5711.48</td><td>70.91</td><td>108.42</td><td>-37.51</td><td>57.35</td><td>35.54</td><td>10.37</td><td>32.35</td><td>100</td><td>283</td><td>PEAK</td></tr><tr><td>4</td><td>5720.93</td><td>73.79</td><td>112.91</td><td>-39.12</td><td>60.22</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>283</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5643.93	54.42	68.30	-13.88	41.01	35.39	10.33	32.31	100	283	PEAK	2	5652.85	54.59	70.41	-15.82	41.16	35.41	10.33	32.31	100	283	PEAK	3	5711.48	70.91	108.42	-37.51	57.35	35.54	10.37	32.35	100	283	PEAK	4	5720.93	73.79	112.91	-39.12	60.22	35.56	10.37	32.36	100	283	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>103.90</td><td>-----</td><td>-----</td><td>90.23</td><td>35.63</td><td>10.39</td><td>32.35</td><td>100</td><td>283</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	103.90	-----	-----	90.23	35.63	10.39	32.35	100	283
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5643.93	54.42	68.30	-13.88	41.01	35.39	10.33	32.31	100	283	PEAK																																																																																																																				
2	5652.85	54.59	70.41	-15.82	41.16	35.41	10.33	32.31	100	283	PEAK																																																																																																																				
3	5711.48	70.91	108.42	-37.51	57.35	35.54	10.37	32.35	100	283	PEAK																																																																																																																				
4	5720.93	73.79	112.91	-39.12	60.22	35.56	10.37	32.36	100	283	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5775.00	103.90	-----	-----	90.23	35.63	10.39	32.35	100	283	PEAK																																																																																																																				
Avg	Blank																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>93.91</td><td>-----</td><td>-----</td><td>80.25</td><td>35.62</td><td>10.39</td><td>32.35</td><td>100</td><td>283</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	93.91	-----	-----	80.25	35.62	10.39	32.35	100	283	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5775.00	93.91	-----	-----	80.25	35.62	10.39	32.35	100	283	AVERAGE																																																																																																																				




Mode	120																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Partial_RU484/65_5775MHz																																																																														
ANT	1																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.63</td><td>60.83</td><td>111.65</td><td>-50.82</td><td>46.89</td><td>35.88</td><td>10.46</td><td>32.40</td><td>100</td><td>283</td><td>PEAK</td></tr><tr><td>2</td><td>5867.40</td><td>60.10</td><td>107.33</td><td>-47.23</td><td>46.12</td><td>35.92</td><td>10.47</td><td>32.41</td><td>100</td><td>283</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>51.75</td><td>68.35</td><td>-16.60</td><td>37.65</td><td>36.03</td><td>10.53</td><td>32.46</td><td>100</td><td>283</td><td>PEAK</td></tr><tr><td>4</td><td>5943.53</td><td>52.41</td><td>68.30</td><td>-15.89</td><td>38.31</td><td>36.05</td><td>10.54</td><td>32.49</td><td>100</td><td>283</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.63	60.83	111.65	-50.82	46.89	35.88	10.46	32.40	100	283	PEAK	2	5867.40	60.10	107.33	-47.23	46.12	35.92	10.47	32.41	100	283	PEAK	3	5924.80	51.75	68.35	-16.60	37.65	36.03	10.53	32.46	100	283	PEAK	4	5943.53	52.41	68.30	-15.89	38.31	36.05	10.54	32.49	100	283	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.63	60.83	111.65	-50.82	46.89	35.88	10.46	32.40	100	283	PEAK																																																																				
2	5867.40	60.10	107.33	-47.23	46.12	35.92	10.47	32.41	100	283	PEAK																																																																				
3	5924.80	51.75	68.35	-16.60	37.65	36.03	10.53	32.46	100	283	PEAK																																																																				
4	5943.53	52.41	68.30	-15.89	38.31	36.05	10.54	32.49	100	283	PEAK																																																																				



Mode	120																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Partial_RU484/65_5775MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.13</td><td>52.87</td><td>68.30</td><td>-15.43</td><td>39.45</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>2</td><td>5650.05</td><td>54.20</td><td>68.34</td><td>-14.14</td><td>40.78</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>3</td><td>5719.88</td><td>70.57</td><td>110.77</td><td>-40.20</td><td>57.01</td><td>35.55</td><td>10.37</td><td>32.36</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>71.07</td><td>110.91</td><td>-39.84</td><td>57.50</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>50</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.13	52.87	68.30	-15.43	39.45	35.40	10.33	32.31	100	50	PEAK	2	5650.05	54.20	68.34	-14.14	40.78	35.40	10.33	32.31	100	50	PEAK	3	5719.88	70.57	110.77	-40.20	57.01	35.55	10.37	32.36	100	50	PEAK	4	5720.05	71.07	110.91	-39.84	57.50	35.56	10.37	32.36	100	50	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>101.21</td><td>-----</td><td>-----</td><td>87.54</td><td>35.63</td><td>10.39</td><td>32.35</td><td>100</td><td>50</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	101.21	-----	-----	87.54	35.63	10.39	32.35	100	50
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5648.13	52.87	68.30	-15.43	39.45	35.40	10.33	32.31	100	50	PEAK																																																																																																																				
2	5650.05	54.20	68.34	-14.14	40.78	35.40	10.33	32.31	100	50	PEAK																																																																																																																				
3	5719.88	70.57	110.77	-40.20	57.01	35.55	10.37	32.36	100	50	PEAK																																																																																																																				
4	5720.05	71.07	110.91	-39.84	57.50	35.56	10.37	32.36	100	50	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5775.00	101.21	-----	-----	87.54	35.63	10.39	32.35	100	50	PEAK																																																																																																																				
Avg	Blank																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>92.22</td><td>-----</td><td>-----</td><td>78.56</td><td>35.62</td><td>10.39</td><td>32.35</td><td>100</td><td>50</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	92.22	-----	-----	78.56	35.62	10.39	32.35	100	50	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5775.00	92.22	-----	-----	78.56	35.62	10.39	32.35	100	50	AVERAGE																																																																																																																				




Mode	120																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Partial_RU484/65_5775MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>56.20</td><td>110.86</td><td>-54.66</td><td>42.26</td><td>35.88</td><td>10.46</td><td>32.40</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>2</td><td>5870.90</td><td>56.09</td><td>106.35</td><td>-50.26</td><td>42.09</td><td>35.93</td><td>10.48</td><td>32.41</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>51.04</td><td>68.35</td><td>-17.31</td><td>36.94</td><td>36.03</td><td>10.53</td><td>32.46</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>4</td><td>5935.30</td><td>51.67</td><td>68.30</td><td>-16.63</td><td>37.57</td><td>36.04</td><td>10.53</td><td>32.47</td><td>100</td><td>50</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	56.20	110.86	-54.66	42.26	35.88	10.46	32.40	100	50	PEAK	2	5870.90	56.09	106.35	-50.26	42.09	35.93	10.48	32.41	100	50	PEAK	3	5924.80	51.04	68.35	-17.31	36.94	36.03	10.53	32.46	100	50	PEAK	4	5935.30	51.67	68.30	-16.63	37.57	36.04	10.53	32.47	100	50	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.98	56.20	110.86	-54.66	42.26	35.88	10.46	32.40	100	50	PEAK																																																																													
2	5870.90	56.09	106.35	-50.26	42.09	35.93	10.48	32.41	100	50	PEAK																																																																													
3	5924.80	51.04	68.35	-17.31	36.94	36.03	10.53	32.46	100	50	PEAK																																																																													
4	5935.30	51.67	68.30	-16.63	37.57	36.04	10.53	32.47	100	50	PEAK																																																																													






Mode	121																																																																																																																																											
	Band Edge - L																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Partial_RU484/66_5775MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal																																																																																																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5648.48</td><td>54.90</td><td>68.30</td><td>-13.40</td><td>41.48</td><td>35.40</td><td>10.33</td><td>32.31</td><td>117</td><td>281</td><td>PEAK</td></tr><tr><td>2</td><td>5654.60</td><td>56.54</td><td>71.71</td><td>-15.17</td><td>43.11</td><td>35.41</td><td>10.34</td><td>32.32</td><td>117</td><td>281</td><td>PEAK</td></tr><tr><td>3</td><td>5702.03</td><td>62.54</td><td>105.77</td><td>-43.23</td><td>49.01</td><td>35.52</td><td>10.36</td><td>32.35</td><td>117</td><td>281</td><td>PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>62.79</td><td>110.91</td><td>-48.12</td><td>49.22</td><td>35.56</td><td>10.37</td><td>32.36</td><td>117</td><td>281</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.48	54.90	68.30	-13.40	41.48	35.40	10.33	32.31	117	281	PEAK	2	5654.60	56.54	71.71	-15.17	43.11	35.41	10.34	32.32	117	281	PEAK	3	5702.03	62.54	105.77	-43.23	49.01	35.52	10.36	32.35	117	281	PEAK	4	5720.05	62.79	110.91	-48.12	49.22	35.56	10.37	32.36	117	281	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>104.57</td><td>-----</td><td>-----</td><td>90.74</td><td>35.75</td><td>10.43</td><td>32.35</td><td>117</td><td>281</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	104.57	-----	-----	90.74	35.75	10.43	32.35	117	281	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5648.48	54.90	68.30	-13.40	41.48	35.40	10.33	32.31	117	281	PEAK																																																																																																																																	
2	5654.60	56.54	71.71	-15.17	43.11	35.41	10.34	32.32	117	281	PEAK																																																																																																																																	
3	5702.03	62.54	105.77	-43.23	49.01	35.52	10.36	32.35	117	281	PEAK																																																																																																																																	
4	5720.05	62.79	110.91	-48.12	49.22	35.56	10.37	32.36	117	281	PEAK																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5775.00	104.57	-----	-----	90.74	35.75	10.43	32.35	117	281	PEAK																																																																																																																																	
Avg	Blank											<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>94.64</td><td>-----</td><td>-----</td><td>80.81</td><td>35.75</td><td>10.43</td><td>32.35</td><td>117</td><td>281</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	94.64	-----	-----	80.81	35.75	10.43	32.35	117	281	AVERAGE																																																																													
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5775.00	94.64	-----	-----	80.81	35.75	10.43	32.35	117	281	AVERAGE																																																																																																																																	




Mode	121																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Partial_RU484/66_5775MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>60.13</td><td>111.26</td><td>-51.13</td><td>46.19</td><td>35.88</td><td>10.46</td><td>32.40</td><td>117</td><td>281</td><td>PEAK</td></tr><tr><td>2</td><td>5867.93</td><td>61.90</td><td>107.18</td><td>-45.28</td><td>47.91</td><td>35.92</td><td>10.48</td><td>32.41</td><td>117</td><td>281</td><td>PEAK</td></tr><tr><td>3</td><td>5924.28</td><td>53.57</td><td>68.73</td><td>-15.16</td><td>39.48</td><td>36.03</td><td>10.52</td><td>32.46</td><td>117</td><td>281</td><td>PEAK</td></tr><tr><td>4</td><td>5929.88</td><td>54.98</td><td>68.30</td><td>-13.32</td><td>40.89</td><td>36.03</td><td>10.53</td><td>32.47</td><td>117</td><td>281</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	60.13	111.26	-51.13	46.19	35.88	10.46	32.40	117	281	PEAK	2	5867.93	61.90	107.18	-45.28	47.91	35.92	10.48	32.41	117	281	PEAK	3	5924.28	53.57	68.73	-15.16	39.48	36.03	10.52	32.46	117	281	PEAK	4	5929.88	54.98	68.30	-13.32	40.89	36.03	10.53	32.47	117	281	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.80	60.13	111.26	-51.13	46.19	35.88	10.46	32.40	117	281	PEAK																																																																													
2	5867.93	61.90	107.18	-45.28	47.91	35.92	10.48	32.41	117	281	PEAK																																																																													
3	5924.28	53.57	68.73	-15.16	39.48	36.03	10.52	32.46	117	281	PEAK																																																																													
4	5929.88	54.98	68.30	-13.32	40.89	36.03	10.53	32.47	117	281	PEAK																																																																													



Mode	121																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Partial_RU484/66_5775MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.45</td><td>54.85</td><td>68.30</td><td>-13.45</td><td>41.44</td><td>35.39</td><td>10.33</td><td>32.31</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>2</td><td>5650.75</td><td>53.30</td><td>68.86</td><td>-15.56</td><td>39.88</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>3</td><td>5703.95</td><td>65.23</td><td>106.31</td><td>-41.08</td><td>51.70</td><td>35.52</td><td>10.36</td><td>32.35</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>4</td><td>5721.28</td><td>66.11</td><td>113.71</td><td>-47.60</td><td>52.54</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>50</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5644.45	54.85	68.30	-13.45	41.44	35.39	10.33	32.31	100	50	PEAK	2	5650.75	53.30	68.86	-15.56	39.88	35.40	10.33	32.31	100	50	PEAK	3	5703.95	65.23	106.31	-41.08	51.70	35.52	10.36	32.35	100	50	PEAK	4	5721.28	66.11	113.71	-47.60	52.54	35.56	10.37	32.36	100	50	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>101.58</td><td>-----</td><td>-----</td><td>87.84</td><td>35.68</td><td>10.40</td><td>32.34</td><td>100</td><td>50</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	101.58	-----	-----	87.84	35.68	10.40	32.34	100	50
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5644.45	54.85	68.30	-13.45	41.44	35.39	10.33	32.31	100	50	PEAK																																																																																																																			
2	5650.75	53.30	68.86	-15.56	39.88	35.40	10.33	32.31	100	50	PEAK																																																																																																																			
3	5703.95	65.23	106.31	-41.08	51.70	35.52	10.36	32.35	100	50	PEAK																																																																																																																			
4	5721.28	66.11	113.71	-47.60	52.54	35.56	10.37	32.36	100	50	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5775.00	101.58	-----	-----	87.84	35.68	10.40	32.34	100	50	PEAK																																																																																																																			
Avg	Blank																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>92.38</td><td>-----</td><td>-----</td><td>78.55</td><td>35.75</td><td>10.43</td><td>32.35</td><td>100</td><td>50</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	92.38	-----	-----	78.55	35.75	10.43	32.35	100	50	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	5775.00	92.38	-----	-----	78.55	35.75	10.43	32.35	100	50	AVERAGE																																																																																																																			



Mode	121																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Partial_RU484/66_5775MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>64.82</td><td>110.86</td><td>-46.04</td><td>50.88</td><td>35.88</td><td>10.46</td><td>32.40</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>2</td><td>5873.88</td><td>65.73</td><td>105.51</td><td>-39.78</td><td>51.73</td><td>35.93</td><td>10.48</td><td>32.41</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>56.81</td><td>68.22</td><td>-11.41</td><td>42.71</td><td>36.03</td><td>10.53</td><td>32.46</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>4</td><td>5926.55</td><td>57.17</td><td>68.30</td><td>-11.13</td><td>43.07</td><td>36.03</td><td>10.53</td><td>32.46</td><td>100</td><td>50</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	64.82	110.86	-46.04	50.88	35.88	10.46	32.40	100	50	PEAK	2	5873.88	65.73	105.51	-39.78	51.73	35.93	10.48	32.41	100	50	PEAK	3	5924.98	56.81	68.22	-11.41	42.71	36.03	10.53	32.46	100	50	PEAK	4	5926.55	57.17	68.30	-11.13	43.07	36.03	10.53	32.46	100	50	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.98	64.82	110.86	-46.04	50.88	35.88	10.46	32.40	100	50	PEAK																																																																													
2	5873.88	65.73	105.51	-39.78	51.73	35.93	10.48	32.41	100	50	PEAK																																																																													
3	5924.98	56.81	68.22	-11.41	42.71	36.03	10.53	32.46	100	50	PEAK																																																																													
4	5926.55	57.17	68.30	-11.13	43.07	36.03	10.53	32.46	100	50	PEAK																																																																													