












Mode	122																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Partial_RU996/S67_5570MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5448.78</td><td>59.07</td><td>74.00</td><td>-14.93</td><td>45.83</td><td>35.20</td><td>10.29</td><td>32.25</td><td>279</td><td>145</td><td>PEAK</td></tr><tr><td>2</td><td>5463.30</td><td>58.14</td><td>68.30</td><td>-10.16</td><td>44.90</td><td>35.20</td><td>10.30</td><td>32.26</td><td>279</td><td>145</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5448.78	59.07	74.00	-14.93	45.83	35.20	10.29	32.25	279	145	PEAK	2	5463.30	58.14	68.30	-10.16	44.90	35.20	10.30	32.26	279	145	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>101.10</td><td>-----</td><td>-----</td><td>87.75</td><td>35.32</td><td>10.31</td><td>32.28</td><td>279</td><td>145</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	101.10	-----	-----	87.75	35.32	10.31	32.28	279	145
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5448.78	59.07	74.00	-14.93	45.83	35.20	10.29	32.25	279	145	PEAK																																																																																											
2	5463.30	58.14	68.30	-10.16	44.90	35.20	10.30	32.26	279	145	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5570.00	101.10	-----	-----	87.75	35.32	10.31	32.28	279	145	PEAK																																																																																											
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.80</td><td>44.63</td><td>54.00</td><td>-9.37</td><td>31.39</td><td>35.20</td><td>10.30</td><td>32.26</td><td>279</td><td>145</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5457.80	44.63	54.00	-9.37	31.39	35.20	10.30	32.26	279	145	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>91.32</td><td>-----</td><td>-----</td><td>78.01</td><td>35.28</td><td>10.31</td><td>32.28</td><td>279</td><td>145</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	91.32	-----	-----	78.01	35.28	10.31	32.28	279	145	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5457.80	44.63	54.00	-9.37	31.39	35.20	10.30	32.26	279	145	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5570.00	91.32	-----	-----	78.01	35.28	10.31	32.28	279	145	AVERAGE																																																																																											



Mode	122																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Partial_RU996/S67_5570MHz																																									
ANT	1																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.46</td><td>54.40</td><td>68.30</td><td>-13.90</td><td>40.80</td><td>35.58</td><td>10.38</td><td>32.36</td><td>279</td><td>145</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5731.46	54.40	68.30	-13.90	40.80	35.58	10.38	32.36	279	145	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5731.46	54.40	68.30	-13.90	40.80	35.58	10.38	32.36	279	145	PEAK																															





Mode	122																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Partial_RU996/S67_5570MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.32</td><td>55.65</td><td>74.00</td><td>-18.35</td><td>42.35</td><td>35.20</td><td>10.28</td><td>32.18</td><td>220</td><td>122 PEAK</td></tr><tr><td>2</td><td>5462.20</td><td>53.41</td><td>68.30</td><td>-14.89</td><td>40.17</td><td>35.20</td><td>10.30</td><td>32.26</td><td>220</td><td>122 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5395.32	55.65	74.00	-18.35	42.35	35.20	10.28	32.18	220	122 PEAK	2	5462.20	53.41	68.30	-14.89	40.17	35.20	10.30	32.26	220	122 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>94.86</td><td>-----</td><td>-----</td><td>81.54</td><td>35.29</td><td>10.31</td><td>32.28</td><td>220</td><td>122 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	94.86	-----	-----	81.54	35.29	10.31	32.28	220
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5395.32	55.65	74.00	-18.35	42.35	35.20	10.28	32.18	220	122 PEAK																																																																																									
2	5462.20	53.41	68.30	-14.89	40.17	35.20	10.30	32.26	220	122 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5570.00	94.86	-----	-----	81.54	35.29	10.31	32.28	220	122 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.30</td><td>42.87</td><td>54.00</td><td>-11.13</td><td>29.64</td><td>35.20</td><td>10.29</td><td>32.26</td><td>220</td><td>122 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5452.30	42.87	54.00	-11.13	29.64	35.20	10.29	32.26	220	122 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>86.15</td><td>-----</td><td>-----</td><td>72.86</td><td>35.27</td><td>10.31</td><td>32.29</td><td>220</td><td>122 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	86.15	-----	-----	72.86	35.27	10.31	32.29	220	122 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5452.30	42.87	54.00	-11.13	29.64	35.20	10.29	32.26	220	122 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5570.00	86.15	-----	-----	72.86	35.27	10.31	32.29	220	122 AVERAGE																																																																																									





Mode	122																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Partial_RU996/S67_5570MHz																																							
ANT	1																																							
Pol.	Vertical	Fundamental																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5744.14</td><td>52.78</td><td>68.30</td><td>-15.52</td><td>39.16</td><td>35.60</td><td>10.38</td><td>32.36</td><td>220 122 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5744.14	52.78	68.30	-15.52	39.16	35.60	10.38	32.36	220 122 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	5744.14	52.78	68.30	-15.52	39.16	35.60	10.38	32.36	220 122 PEAK																															







Mode	123																																																																																																																																																																																																																															
	UNII-1~2C LF																																																																																																																																																																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE80_LF_CH58_Full RU_5290MHz																																																																																																																																																																																																																															
ANT	1																																																																																																																																																																																																																															
Pol.	Horizontal								Vertical																																																																																																																																																																																																																							
Peak																																																																																																																																																																																																																																
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>52.31</td><td>18.50</td><td>40.00</td><td>-21.50</td><td></td><td>33.23</td><td>19.53</td><td>0.74</td><td>35.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>150.28</td><td>18.95</td><td>43.50</td><td>-24.55</td><td></td><td>33.59</td><td>18.98</td><td>1.28</td><td>34.90</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>317.12</td><td>19.69</td><td>46.00</td><td>-26.31</td><td></td><td>33.04</td><td>19.50</td><td>1.85</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>408.30</td><td>21.96</td><td>46.00</td><td>-24.04</td><td></td><td>32.88</td><td>21.64</td><td>2.13</td><td>34.69</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>516.94</td><td>24.22</td><td>46.00</td><td>-21.78</td><td></td><td>32.68</td><td>23.64</td><td>2.40</td><td>34.50</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>635.28</td><td>27.04</td><td>46.00</td><td>-18.96</td><td></td><td>32.57</td><td>26.20</td><td>2.67</td><td>34.40</td><td>--</td><td>--</td><td>Peak</td></tr></table>									Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	52.31	18.50	40.00	-21.50		33.23	19.53	0.74	35.00	--	--	Peak	2	150.28	18.95	43.50	-24.55		33.59	18.98	1.28	34.90	--	--	Peak	3	317.12	19.69	46.00	-26.31		33.04	19.50	1.85	34.70	--	--	Peak	4	408.30	21.96	46.00	-24.04		32.88	21.64	2.13	34.69	--	--	Peak	5	516.94	24.22	46.00	-21.78		32.68	23.64	2.40	34.50	--	--	Peak	6	635.28	27.04	46.00	-18.96		32.57	26.20	2.67	34.40	--	--	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>47.46</td><td>18.53</td><td>40.00</td><td>-21.47</td><td></td><td>33.14</td><td>19.62</td><td>0.69</td><td>34.92</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>175.50</td><td>18.85</td><td>43.50</td><td>-24.65</td><td></td><td>34.89</td><td>17.46</td><td>1.40</td><td>34.90</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>292.87</td><td>19.93</td><td>46.00</td><td>-26.07</td><td></td><td>33.95</td><td>18.91</td><td>1.78</td><td>34.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>358.83</td><td>21.03</td><td>46.00</td><td>-24.97</td><td></td><td>33.33</td><td>20.43</td><td>1.97</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>459.71</td><td>23.75</td><td>46.00</td><td>-22.25</td><td></td><td>33.20</td><td>22.87</td><td>2.26</td><td>34.58</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>543.13</td><td>25.95</td><td>46.00</td><td>-20.05</td><td></td><td>33.90</td><td>24.08</td><td>2.47</td><td>34.50</td><td>--</td><td>--</td><td>Peak</td></tr></table>									Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	47.46	18.53	40.00	-21.47		33.14	19.62	0.69	34.92	--	--	Peak	2	175.50	18.85	43.50	-24.65		34.89	17.46	1.40	34.90	--	--	Peak	3	292.87	19.93	46.00	-26.07		33.95	18.91	1.78	34.71	--	--	Peak	4	358.83	21.03	46.00	-24.97		33.33	20.43	1.97	34.70	--	--	Peak	5	459.71	23.75	46.00	-22.25		33.20	22.87	2.26	34.58	--	--	Peak	6	543.13	25.95	46.00	-20.05		33.90	24.08	2.47	34.50	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																					
1	52.31	18.50	40.00	-21.50		33.23	19.53	0.74	35.00	--	--	Peak																																																																																																																																																																																																																				
2	150.28	18.95	43.50	-24.55		33.59	18.98	1.28	34.90	--	--	Peak																																																																																																																																																																																																																				
3	317.12	19.69	46.00	-26.31		33.04	19.50	1.85	34.70	--	--	Peak																																																																																																																																																																																																																				
4	408.30	21.96	46.00	-24.04		32.88	21.64	2.13	34.69	--	--	Peak																																																																																																																																																																																																																				
5	516.94	24.22	46.00	-21.78		32.68	23.64	2.40	34.50	--	--	Peak																																																																																																																																																																																																																				
6	635.28	27.04	46.00	-18.96		32.57	26.20	2.67	34.40	--	--	Peak																																																																																																																																																																																																																				
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																					
1	47.46	18.53	40.00	-21.47		33.14	19.62	0.69	34.92	--	--	Peak																																																																																																																																																																																																																				
2	175.50	18.85	43.50	-24.65		34.89	17.46	1.40	34.90	--	--	Peak																																																																																																																																																																																																																				
3	292.87	19.93	46.00	-26.07		33.95	18.91	1.78	34.71	--	--	Peak																																																																																																																																																																																																																				
4	358.83	21.03	46.00	-24.97		33.33	20.43	1.97	34.70	--	--	Peak																																																																																																																																																																																																																				
5	459.71	23.75	46.00	-22.25		33.20	22.87	2.26	34.58	--	--	Peak																																																																																																																																																																																																																				
6	543.13	25.95	46.00	-20.05		33.90	24.08	2.47	34.50	--	--	Peak																																																																																																																																																																																																																				





Mode	124																																																																																																																																																																																																																			
	UNII-3 LF																																																																																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT80_LF_CH155_5775MHz																																																																																																																																																																																																																			
ANT	1																																																																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																																																																													
Peak																																																																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>54.25</td><td>18.11</td><td>40.00</td><td>-21.89</td><td>32.94</td><td>19.42</td><td>0.75</td><td>35.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>139.61</td><td>18.48</td><td>43.50</td><td>-25.02</td><td>34.02</td><td>18.12</td><td>1.24</td><td>34.90</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>267.65</td><td>18.65</td><td>46.00</td><td>-27.35</td><td>33.59</td><td>18.12</td><td>1.70</td><td>34.76</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>367.56</td><td>21.84</td><td>46.00</td><td>-24.16</td><td>33.90</td><td>20.64</td><td>2.00</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>452.92</td><td>22.77</td><td>46.00</td><td>-23.23</td><td>32.32</td><td>22.79</td><td>2.25</td><td>34.59</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>529.55</td><td>24.91</td><td>46.00</td><td>-21.09</td><td>33.12</td><td>23.85</td><td>2.44</td><td>34.50</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	54.25	18.11	40.00	-21.89	32.94	19.42	0.75	35.00	--	--	Peak	2	139.61	18.48	43.50	-25.02	34.02	18.12	1.24	34.90	--	--	Peak	3	267.65	18.65	46.00	-27.35	33.59	18.12	1.70	34.76	--	--	Peak	4	367.56	21.84	46.00	-24.16	33.90	20.64	2.00	34.70	--	--	Peak	5	452.92	22.77	46.00	-23.23	32.32	22.79	2.25	34.59	--	--	Peak	6	529.55	24.91	46.00	-21.09	33.12	23.85	2.44	34.50	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>47.46</td><td>18.53</td><td>40.00</td><td>-21.47</td><td>33.14</td><td>19.62</td><td>0.69</td><td>34.92</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>175.50</td><td>18.85</td><td>43.50</td><td>-24.65</td><td>34.89</td><td>17.46</td><td>1.40</td><td>34.90</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>292.87</td><td>19.93</td><td>46.00</td><td>-26.07</td><td>33.95</td><td>18.91</td><td>1.78</td><td>34.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>358.83</td><td>21.03</td><td>46.00</td><td>-24.97</td><td>33.33</td><td>20.43</td><td>1.97</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>459.71</td><td>23.75</td><td>46.00</td><td>-22.25</td><td>33.20</td><td>22.87</td><td>2.26</td><td>34.58</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>543.13</td><td>25.95</td><td>46.00</td><td>-20.05</td><td>33.90</td><td>24.08</td><td>2.47</td><td>34.50</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	47.46	18.53	40.00	-21.47	33.14	19.62	0.69	34.92	--	--	Peak	2	175.50	18.85	43.50	-24.65	34.89	17.46	1.40	34.90	--	--	Peak	3	292.87	19.93	46.00	-26.07	33.95	18.91	1.78	34.71	--	--	Peak	4	358.83	21.03	46.00	-24.97	33.33	20.43	1.97	34.70	--	--	Peak	5	459.71	23.75	46.00	-22.25	33.20	22.87	2.26	34.58	--	--	Peak	6	543.13	25.95	46.00	-20.05	33.90	24.08	2.47	34.50	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																											
1	54.25	18.11	40.00	-21.89	32.94	19.42	0.75	35.00	--	--	Peak																																																																																																																																																																																																									
2	139.61	18.48	43.50	-25.02	34.02	18.12	1.24	34.90	--	--	Peak																																																																																																																																																																																																									
3	267.65	18.65	46.00	-27.35	33.59	18.12	1.70	34.76	--	--	Peak																																																																																																																																																																																																									
4	367.56	21.84	46.00	-24.16	33.90	20.64	2.00	34.70	--	--	Peak																																																																																																																																																																																																									
5	452.92	22.77	46.00	-23.23	32.32	22.79	2.25	34.59	--	--	Peak																																																																																																																																																																																																									
6	529.55	24.91	46.00	-21.09	33.12	23.85	2.44	34.50	--	--	Peak																																																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																											
1	47.46	18.53	40.00	-21.47	33.14	19.62	0.69	34.92	--	--	Peak																																																																																																																																																																																																									
2	175.50	18.85	43.50	-24.65	34.89	17.46	1.40	34.90	--	--	Peak																																																																																																																																																																																																									
3	292.87	19.93	46.00	-26.07	33.95	18.91	1.78	34.71	--	--	Peak																																																																																																																																																																																																									
4	358.83	21.03	46.00	-24.97	33.33	20.43	1.97	34.70	--	--	Peak																																																																																																																																																																																																									
5	459.71	23.75	46.00	-22.25	33.20	22.87	2.26	34.58	--	--	Peak																																																																																																																																																																																																									
6	543.13	25.95	46.00	-20.05	33.90	24.08	2.47	34.50	--	--	Peak																																																																																																																																																																																																									







		125																																																																																		
Mode		Band Edge - L																																																																																		
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																		
ANT		1																																																																																		
Pol.	Horizontal										Fundamental																																																																									
Peak																																																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5126.73	52.67	74.00	-21.33	40.05	34.93	9.94	32.25	317	129	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5290.00</td><td>99.78</td><td>-----</td><td>-----</td><td>86.59</td><td>35.20</td><td>10.17</td><td>32.18</td><td>317</td><td>129</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5290.00	99.78	-----	-----	86.59	35.20	10.17	32.18	317	129
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5126.73	52.67	74.00	-21.33	40.05	34.93	9.94	32.25	317	129	PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5290.00	99.78	-----	-----	86.59	35.20	10.17	32.18	317	129	PEAK																																																																									
Avg																																																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5137.75	42.98	54.00	-11.02	30.34	34.94	9.95	32.25	317	129	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5290.00</td><td>91.00</td><td>-----</td><td>-----</td><td>77.80</td><td>35.20</td><td>10.18</td><td>32.18</td><td>317</td><td>129</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5290.00	91.00	-----	-----	77.80	35.20	10.18	32.18	317	129
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5137.75	42.98	54.00	-11.02	30.34	34.94	9.95	32.25	317	129	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5290.00	91.00	-----	-----	77.80	35.20	10.18	32.18	317	129	AVERAGE																																																																									





Mode	125																																																			
	Band Edge - R																																																			
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																			
ANT	1																																																			
Pol.	Horizontal						Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5369.22</td><td>60.52</td><td>74.00</td><td>-13.48</td><td>47.25</td><td>35.20</td><td>10.24</td><td>32.17</td><td>317</td><td>129</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5369.22	60.52	74.00	-13.48	47.25	35.20	10.24	32.17	317	129	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5369.22	60.52	74.00	-13.48	47.25	35.20	10.24	32.17	317	129	PEAK																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.30</td><td>49.60</td><td>54.00</td><td>-4.40</td><td>36.32</td><td>35.20</td><td>10.25</td><td>32.17</td><td>317</td><td>129</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.30	49.60	54.00	-4.40	36.32	35.20	10.25	32.17	317	129	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5373.30	49.60	54.00	-4.40	36.32	35.20	10.25	32.17	317	129	AVERAGE																																									





Mode	125																																																																																								
	Band Edge - L																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																								
ANT	1																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5118.32</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>40.48</td><td>34.92</td><td>9.93</td><td>32.25</td><td>299</td><td>94 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5118.32	53.08	74.00	-20.92	40.48	34.92	9.93	32.25	299	94 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>98.58</td><td>-----</td><td>-----</td><td>85.60</td><td>35.11</td><td>10.07</td><td>32.20</td><td>299</td><td>94 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	98.58	-----	-----	85.60	35.11	10.07	32.20	299
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5118.32	53.08	74.00	-20.92	40.48	34.92	9.93	32.25	299	94 PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5290.00	98.58	-----	-----	85.60	35.11	10.07	32.20	299	94 PEAK																																																																															
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5130.50</td><td>43.19</td><td>54.00</td><td>-10.81</td><td>30.57</td><td>34.93</td><td>9.94</td><td>32.25</td><td>299</td><td>94 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5130.50	43.19	54.00	-10.81	30.57	34.93	9.94	32.25	299	94 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>90.53</td><td>-----</td><td>-----</td><td>77.55</td><td>35.11</td><td>10.07</td><td>32.20</td><td>299</td><td>94 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	90.53	-----	-----	77.55	35.11	10.07	32.20	299
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5130.50	43.19	54.00	-10.81	30.57	34.93	9.94	32.25	299	94 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5290.00	90.53	-----	-----	77.55	35.11	10.07	32.20	299	94 AVERAGE																																																																															






Mode	125																																								
	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																								
ANT	1																																								
Pol.	Vertical	Fundamental																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5374.49</td><td>60.08</td><td>74.00</td><td>-13.92</td><td>46.80</td><td>35.20</td><td>10.25</td><td>32.17</td><td>299</td><td>94 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5374.49	60.08	74.00	-13.92	46.80	35.20	10.25	32.17	299	94 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																
1	5374.49	60.08	74.00	-13.92	46.80	35.20	10.25	32.17	299	94 PEAK																															
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5372.96</td><td>48.26</td><td>54.00</td><td>-5.74</td><td>34.98</td><td>35.20</td><td>10.25</td><td>32.17</td><td>299</td><td>94 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5372.96	48.26	54.00	-5.74	34.98	35.20	10.25	32.17	299	94 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																
1	5372.96	48.26	54.00	-5.74	34.98	35.20	10.25	32.17	299	94 AVERAGE																															




Mode	125																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>48.13</td><td>68.30</td><td>-20.17</td><td>56.78</td><td>37.39</td><td>13.50</td><td>59.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15870.00</td><td>49.93</td><td>74.00</td><td>-24.07</td><td>52.14</td><td>40.42</td><td>15.98</td><td>58.61</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10580.00	48.13	68.30	-20.17	56.78	37.39	13.50	59.54	--	--	Peak	2	15870.00	49.93	74.00	-24.07	52.14	40.42	15.98	58.61	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>48.03</td><td>68.30</td><td>-20.27</td><td>56.68</td><td>37.39</td><td>13.50</td><td>59.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15870.00</td><td>48.18</td><td>74.00</td><td>-25.82</td><td>50.39</td><td>40.42</td><td>15.98</td><td>58.61</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10580.00	48.03	68.30	-20.27	56.68	37.39	13.50	59.54	--	--	Peak	2	15870.00	48.18	74.00	-25.82	50.39	40.42	15.98	58.61	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10580.00	48.13	68.30	-20.17	56.78	37.39	13.50	59.54	--	--	Peak																																																																																																									
2	15870.00	49.93	74.00	-24.07	52.14	40.42	15.98	58.61	--	--	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10580.00	48.03	68.30	-20.27	56.68	37.39	13.50	59.54	--	--	Peak																																																																																																									
2	15870.00	48.18	74.00	-25.82	50.39	40.42	15.98	58.61	--	--	Peak																																																																																																									






Mode	126																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																							
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.98</td><td>53.02</td><td>68.30</td><td>-15.28</td><td>39.61</td><td>35.39</td><td>10.33</td><td>32.31</td><td>392</td><td>130</td><td>PEAK</td></tr><tr><td>2</td><td>5650.23</td><td>51.23</td><td>68.47</td><td>-17.24</td><td>37.81</td><td>35.40</td><td>10.33</td><td>32.31</td><td>392</td><td>130</td><td>PEAK</td></tr><tr><td>3</td><td>5704.13</td><td>64.09</td><td>106.36</td><td>-42.27</td><td>50.56</td><td>35.52</td><td>10.36</td><td>32.35</td><td>392</td><td>130</td><td>PEAK</td></tr><tr><td>4</td><td>5720.58</td><td>60.27</td><td>112.11</td><td>-51.84</td><td>46.70</td><td>35.56</td><td>10.37</td><td>32.36</td><td>392</td><td>130</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.98	53.02	68.30	-15.28	39.61	35.39	10.33	32.31	392	130	PEAK	2	5650.23	51.23	68.47	-17.24	37.81	35.40	10.33	32.31	392	130	PEAK	3	5704.13	64.09	106.36	-42.27	50.56	35.52	10.36	32.35	392	130	PEAK	4	5720.58	60.27	112.11	-51.84	46.70	35.56	10.37	32.36	392	130	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>98.89</td><td>-----</td><td>-----</td><td>85.06</td><td>35.75</td><td>10.43</td><td>32.35</td><td>392</td><td>130</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	98.89	-----	-----	85.06	35.75	10.43	32.35	392	130
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5644.98	53.02	68.30	-15.28	39.61	35.39	10.33	32.31	392	130	PEAK																																																																																																																		
2	5650.23	51.23	68.47	-17.24	37.81	35.40	10.33	32.31	392	130	PEAK																																																																																																																		
3	5704.13	64.09	106.36	-42.27	50.56	35.52	10.36	32.35	392	130	PEAK																																																																																																																		
4	5720.58	60.27	112.11	-51.84	46.70	35.56	10.37	32.36	392	130	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5775.00	98.89	-----	-----	85.06	35.75	10.43	32.35	392	130	PEAK																																																																																																																		
Avg	Blank																																																																																																																												
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>92.07</td><td>-----</td><td>-----</td><td>78.24</td><td>35.75</td><td>10.43</td><td>32.35</td><td>392</td><td>130</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	92.07	-----	-----	78.24	35.75	10.43	32.35	392	130	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5775.00	92.07	-----	-----	78.24	35.75	10.43	32.35	392	130	AVERAGE																																																																																																																		



Mode	126																																																																																								
	Band Edge - R																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																								
ANT	1																																																																																								
Pol.	Horizontal						Fundamental																																																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5854.45</td><td>58.55</td><td>112.05</td><td>-53.50</td><td>44.61</td><td>35.88</td><td>10.46</td><td>32.40</td><td>392</td><td>130</td><td>PEAK</td></tr><tr><td>2</td><td>5865.65</td><td>59.33</td><td>107.82</td><td>-48.49</td><td>45.36</td><td>35.91</td><td>10.47</td><td>32.41</td><td>392</td><td>130</td><td>PEAK</td></tr><tr><td>3</td><td>5923.58</td><td>53.25</td><td>69.25</td><td>-16.00</td><td>39.16</td><td>36.03</td><td>10.52</td><td>32.46</td><td>392</td><td>130</td><td>PEAK</td></tr><tr><td>4</td><td>5949.83</td><td>53.42</td><td>68.30</td><td>-14.88</td><td>39.31</td><td>36.05</td><td>10.55</td><td>32.49</td><td>392</td><td>130</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5854.45	58.55	112.05	-53.50	44.61	35.88	10.46	32.40	392	130	PEAK	2	5865.65	59.33	107.82	-48.49	45.36	35.91	10.47	32.41	392	130	PEAK	3	5923.58	53.25	69.25	-16.00	39.16	36.03	10.52	32.46	392	130	PEAK	4	5949.83	53.42	68.30	-14.88	39.31	36.05	10.55	32.49	392	130	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5854.45	58.55	112.05	-53.50	44.61	35.88	10.46	32.40	392	130	PEAK																																																																														
2	5865.65	59.33	107.82	-48.49	45.36	35.91	10.47	32.41	392	130	PEAK																																																																														
3	5923.58	53.25	69.25	-16.00	39.16	36.03	10.52	32.46	392	130	PEAK																																																																														
4	5949.83	53.42	68.30	-14.88	39.31	36.05	10.55	32.49	392	130	PEAK																																																																														





Mode	126																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.15</td><td>53.55</td><td>68.30</td><td>-14.75</td><td>40.20</td><td>35.31</td><td>10.31</td><td>32.27</td><td>100</td><td>45</td><td>PEAK</td></tr><tr><td>2</td><td>5650.93</td><td>52.70</td><td>68.99</td><td>-16.29</td><td>39.28</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>45</td><td>PEAK</td></tr><tr><td>3</td><td>5703.95</td><td>64.32</td><td>106.31</td><td>-41.99</td><td>50.79</td><td>35.52</td><td>10.36</td><td>32.35</td><td>100</td><td>45</td><td>PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>64.34</td><td>111.31</td><td>-46.97</td><td>50.77</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>45</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.15	53.55	68.30	-14.75	40.20	35.31	10.31	32.27	100	45	PEAK	2	5650.93	52.70	68.99	-16.29	39.28	35.40	10.33	32.31	100	45	PEAK	3	5703.95	64.32	106.31	-41.99	50.79	35.52	10.36	32.35	100	45	PEAK	4	5720.23	64.34	111.31	-46.97	50.77	35.56	10.37	32.36	100	45	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.59</td><td>-----</td><td>-----</td><td>83.76</td><td>35.75</td><td>10.43</td><td>32.35</td><td>100</td><td>45</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.59	-----	-----	83.76	35.75	10.43	32.35	100	45
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5610.15	53.55	68.30	-14.75	40.20	35.31	10.31	32.27	100	45	PEAK																																																																																																																		
2	5650.93	52.70	68.99	-16.29	39.28	35.40	10.33	32.31	100	45	PEAK																																																																																																																		
3	5703.95	64.32	106.31	-41.99	50.79	35.52	10.36	32.35	100	45	PEAK																																																																																																																		
4	5720.23	64.34	111.31	-46.97	50.77	35.56	10.37	32.36	100	45	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5775.00	97.59	-----	-----	83.76	35.75	10.43	32.35	100	45	PEAK																																																																																																																		
Avg	Blank																																																																																																																												
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>90.66</td><td>-----</td><td>-----</td><td>76.83</td><td>35.75</td><td>10.43</td><td>32.35</td><td>100</td><td>45</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	90.66	-----	-----	76.83	35.75	10.43	32.35	100	45	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5775.00	90.66	-----	-----	76.83	35.75	10.43	32.35	100	45	AVERAGE																																																																																																																		







Mode	126																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																														
ANT	1																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>58.22</td><td>110.86</td><td>-52.64</td><td>44.28</td><td>35.88</td><td>10.46</td><td>32.40</td><td>100</td><td>45</td><td>PEAK</td></tr><tr><td>2</td><td>5869.50</td><td>60.66</td><td>106.74</td><td>-46.08</td><td>46.67</td><td>35.92</td><td>10.48</td><td>32.41</td><td>100</td><td>45</td><td>PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>53.04</td><td>68.22</td><td>-15.18</td><td>38.94</td><td>36.03</td><td>10.53</td><td>32.46</td><td>100</td><td>45</td><td>PEAK</td></tr><tr><td>4</td><td>5928.83</td><td>53.58</td><td>68.30</td><td>-14.72</td><td>39.49</td><td>36.03</td><td>10.53</td><td>32.47</td><td>100</td><td>45</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	58.22	110.86	-52.64	44.28	35.88	10.46	32.40	100	45	PEAK	2	5869.50	60.66	106.74	-46.08	46.67	35.92	10.48	32.41	100	45	PEAK	3	5924.98	53.04	68.22	-15.18	38.94	36.03	10.53	32.46	100	45	PEAK	4	5928.83	53.58	68.30	-14.72	39.49	36.03	10.53	32.47	100	45	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.98	58.22	110.86	-52.64	44.28	35.88	10.46	32.40	100	45	PEAK																																																																				
2	5869.50	60.66	106.74	-46.08	46.67	35.92	10.48	32.41	100	45	PEAK																																																																				
3	5924.98	53.04	68.22	-15.18	38.94	36.03	10.53	32.46	100	45	PEAK																																																																				
4	5928.83	53.58	68.30	-14.72	39.49	36.03	10.53	32.47	100	45	PEAK																																																																				





Mode	126																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11550.00</td><td>46.14</td><td>74.00</td><td>-27.86</td><td>51.59</td><td>38.44</td><td>13.95</td><td>57.84</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17325.00</td><td>47.02</td><td>68.30</td><td>-21.28</td><td>45.74</td><td>42.41</td><td>16.86</td><td>57.99</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11550.00	46.14	74.00	-27.86	51.59	38.44	13.95	57.84	--	--	Peak	2	17325.00	47.02	68.30	-21.28	45.74	42.41	16.86	57.99	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11550.00</td><td>47.18</td><td>74.00</td><td>-26.82</td><td>52.63</td><td>38.44</td><td>13.95</td><td>57.84</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17325.00</td><td>47.55</td><td>68.30</td><td>-20.75</td><td>46.27</td><td>42.41</td><td>16.86</td><td>57.99</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11550.00	47.18	74.00	-26.82	52.63	38.44	13.95	57.84	--	--	Peak	2	17325.00	47.55	68.30	-20.75	46.27	42.41	16.86	57.99	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11550.00	46.14	74.00	-27.86	51.59	38.44	13.95	57.84	--	--	Peak																																																																																																																							
2	17325.00	47.02	68.30	-21.28	45.74	42.41	16.86	57.99	--	--	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11550.00	47.18	74.00	-26.82	52.63	38.44	13.95	57.84	--	--	Peak																																																																																																																							
2	17325.00	47.55	68.30	-20.75	46.27	42.41	16.86	57.99	--	--	Peak																																																																																																																							







Mode	127																																																																																													
	Band Edge - L																																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5108.75</td><td>54.11</td><td>74.00</td><td>-19.89</td><td>41.52</td><td>34.91</td><td>9.93</td><td>32.25</td><td>107</td><td>148</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5108.75	54.11	74.00	-19.89	41.52	34.91	9.93	32.25	107	148	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5290.00</td><td>99.96</td><td>-----</td><td>-----</td><td>86.78</td><td>35.20</td><td>10.16</td><td>32.18</td><td>107</td><td>148</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5290.00	99.96	-----	-----	86.78	35.20	10.16	32.18	107	148
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5108.75	54.11	74.00	-19.89	41.52	34.91	9.93	32.25	107	148	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5290.00	99.96	-----	-----	86.78	35.20	10.16	32.18	107	148	PEAK																																																																																			
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5131.66</td><td>42.91</td><td>54.00</td><td>-11.09</td><td>30.29</td><td>34.93</td><td>9.94</td><td>32.25</td><td>107</td><td>148</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5131.66	42.91	54.00	-11.09	30.29	34.93	9.94	32.25	107	148	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5290.00</td><td>90.33</td><td>-----</td><td>-----</td><td>77.13</td><td>35.20</td><td>10.18</td><td>32.18</td><td>107</td><td>148</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5290.00	90.33	-----	-----	77.13	35.20	10.18	32.18	107	148
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5131.66	42.91	54.00	-11.09	30.29	34.93	9.94	32.25	107	148	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5290.00	90.33	-----	-----	77.13	35.20	10.18	32.18	107	148	AVERAGE																																																																																			





Mode	127																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																		
ANT	1																																																		
Pol.	Horizontal						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.64</td><td>59.16</td><td>74.00</td><td>-14.84</td><td>45.88</td><td>35.20</td><td>10.25</td><td>32.17</td><td>107</td><td>148</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5373.64	59.16	74.00	-14.84	45.88	35.20	10.25	32.17	107	148	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5373.64	59.16	74.00	-14.84	45.88	35.20	10.25	32.17	107	148	PEAK																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5371.77</td><td>50.31</td><td>54.00</td><td>-3.69</td><td>37.04</td><td>35.20</td><td>10.24</td><td>32.17</td><td>107</td><td>148</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5371.77	50.31	54.00	-3.69	37.04	35.20	10.24	32.17	107	148	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5371.77	50.31	54.00	-3.69	37.04	35.20	10.24	32.17	107	148	AVERAGE																																								





Mode	127																																																																																										
	Band Edge - L																																																																																										
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																										
ANT	1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5031.90</td><td>52.55</td><td>74.00</td><td>-21.45</td><td>40.09</td><td>34.84</td><td>9.88</td><td>32.26</td><td>315</td><td>336</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5031.90	52.55	74.00	-21.45	40.09	34.84	9.88	32.26	315	336	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>91.29</td><td>-----</td><td>-----</td><td>78.13</td><td>35.20</td><td>10.14</td><td>32.18</td><td>315</td><td>336</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	91.29	-----	-----	78.13	35.20	10.14	32.18	315	336
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5031.90	52.55	74.00	-21.45	40.09	34.84	9.88	32.26	315	336	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5290.00	91.29	-----	-----	78.13	35.20	10.14	32.18	315	336	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5071.92</td><td>43.09</td><td>54.00</td><td>-10.91</td><td>30.56</td><td>34.88</td><td>9.90</td><td>32.25</td><td>315</td><td>336</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5071.92	43.09	54.00	-10.91	30.56	34.88	9.90	32.25	315	336	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>82.77</td><td>-----</td><td>-----</td><td>69.77</td><td>35.12</td><td>10.08</td><td>32.20</td><td>315</td><td>336</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	82.77	-----	-----	69.77	35.12	10.08	32.20	315	336
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5071.92	43.09	54.00	-10.91	30.56	34.88	9.90	32.25	315	336	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5290.00	82.77	-----	-----	69.77	35.12	10.08	32.20	315	336	AVERAGE																																																																																






Mode	127																																																
	Band Edge - R																																																
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																
ANT	1																																																
Pol.	Vertical					Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5374.83</td><td>55.56</td><td>74.00</td><td>-18.44</td><td>42.28</td><td>35.20</td><td>10.25</td><td>32.17</td><td>315</td><td>336 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5374.83	55.56	74.00	-18.44	42.28	35.20	10.25	32.17	315	336 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	5374.83	55.56	74.00	-18.44	42.28	35.20	10.25	32.17	315	336 PEAK																																							
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.34</td><td>45.38</td><td>54.00</td><td>-8.62</td><td>32.10</td><td>35.20</td><td>10.25</td><td>32.17</td><td>315</td><td>336 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5375.34	45.38	54.00	-8.62	32.10	35.20	10.25	32.17	315	336 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	5375.34	45.38	54.00	-8.62	32.10	35.20	10.25	32.17	315	336 AVERAGE																																							




Mode	127																																																																																																									
	Harmonic																																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal								Vertical																																																																																																	
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 10580.00</td><td>48.63</td><td>68.30</td><td>-19.67</td><td>57.28</td><td>37.39</td><td>13.50</td><td>59.54</td><td>-- -- Peak</td></tr><tr><td>2 15870.00</td><td>48.48</td><td>74.00</td><td>-25.52</td><td>50.69</td><td>40.42</td><td>15.98</td><td>58.61</td><td>-- -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 10580.00	48.63	68.30	-19.67	57.28	37.39	13.50	59.54	-- -- Peak	2 15870.00	48.48	74.00	-25.52	50.69	40.42	15.98	58.61	-- -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 10580.00</td><td>47.95</td><td>68.30</td><td>-20.35</td><td>56.60</td><td>37.39</td><td>13.50</td><td>59.54</td><td>-- -- Peak</td></tr><tr><td>2 15870.00</td><td>48.26</td><td>74.00</td><td>-25.74</td><td>50.47</td><td>40.42</td><td>15.98</td><td>58.61</td><td>-- -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 10580.00	47.95	68.30	-20.35	56.60	37.39	13.50	59.54	-- -- Peak	2 15870.00	48.26	74.00	-25.74	50.47	40.42	15.98	58.61	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1 10580.00	48.63	68.30	-19.67	57.28	37.39	13.50	59.54	-- -- Peak																																																																																																		
2 15870.00	48.48	74.00	-25.52	50.69	40.42	15.98	58.61	-- -- Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1 10580.00	47.95	68.30	-20.35	56.60	37.39	13.50	59.54	-- -- Peak																																																																																																		
2 15870.00	48.26	74.00	-25.74	50.47	40.42	15.98	58.61	-- -- Peak																																																																																																		



Mode	128																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5629.23</td><td>52.98</td><td>68.30</td><td>-15.32</td><td>39.60</td><td>35.35</td><td>10.32</td><td>32.29</td><td>302</td><td>137</td><td>PEAK</td></tr><tr><td>2</td><td>5650.75</td><td>51.67</td><td>68.86</td><td>-17.19</td><td>38.25</td><td>35.40</td><td>10.33</td><td>32.31</td><td>302</td><td>137</td><td>PEAK</td></tr><tr><td>3</td><td>5700.45</td><td>54.63</td><td>105.33</td><td>-50.70</td><td>41.10</td><td>35.52</td><td>10.36</td><td>32.35</td><td>302</td><td>137</td><td>PEAK</td></tr><tr><td>4</td><td>5721.10</td><td>59.49</td><td>113.31</td><td>-53.82</td><td>45.92</td><td>35.56</td><td>10.37</td><td>32.36</td><td>302</td><td>137</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5629.23	52.98	68.30	-15.32	39.60	35.35	10.32	32.29	302	137	PEAK	2	5650.75	51.67	68.86	-17.19	38.25	35.40	10.33	32.31	302	137	PEAK	3	5700.45	54.63	105.33	-50.70	41.10	35.52	10.36	32.35	302	137	PEAK	4	5721.10	59.49	113.31	-53.82	45.92	35.56	10.37	32.36	302	137	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>99.10</td><td>-----</td><td>-----</td><td>85.29</td><td>35.74</td><td>10.42</td><td>32.35</td><td>302</td><td>137</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	99.10	-----	-----	85.29	35.74	10.42	32.35	302	137
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5629.23	52.98	68.30	-15.32	39.60	35.35	10.32	32.29	302	137	PEAK																																																																																																																				
2	5650.75	51.67	68.86	-17.19	38.25	35.40	10.33	32.31	302	137	PEAK																																																																																																																				
3	5700.45	54.63	105.33	-50.70	41.10	35.52	10.36	32.35	302	137	PEAK																																																																																																																				
4	5721.10	59.49	113.31	-53.82	45.92	35.56	10.37	32.36	302	137	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5775.00	99.10	-----	-----	85.29	35.74	10.42	32.35	302	137	PEAK																																																																																																																				
Avg	Blank																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>91.17</td><td>-----</td><td>-----</td><td>77.34</td><td>35.75</td><td>10.43</td><td>32.35</td><td>302</td><td>137</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	91.17	-----	-----	77.34	35.75	10.43	32.35	302	137	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5775.00	91.17	-----	-----	77.34	35.75	10.43	32.35	302	137	AVERAGE																																																																																																																				




Mode	128																																																																													
	Band Edge - R																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																													
ANT	1																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>59.27</td><td>111.26</td><td>-51.99</td><td>45.33</td><td>35.88</td><td>10.46</td><td>32.40</td><td>302</td><td>137</td><td>PEAK</td></tr><tr><td>2</td><td>5874.75</td><td>59.57</td><td>105.27</td><td>-45.70</td><td>45.56</td><td>35.94</td><td>10.48</td><td>32.41</td><td>302</td><td>137</td><td>PEAK</td></tr><tr><td>3</td><td>5924.28</td><td>51.79</td><td>68.73</td><td>-16.94</td><td>37.70</td><td>36.03</td><td>10.52</td><td>32.46</td><td>302</td><td>137</td><td>PEAK</td></tr><tr><td>4</td><td>5945.45</td><td>52.72</td><td>68.30</td><td>-15.58</td><td>38.62</td><td>36.05</td><td>10.54</td><td>32.49</td><td>302</td><td>137</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5854.80	59.27	111.26	-51.99	45.33	35.88	10.46	32.40	302	137	PEAK	2	5874.75	59.57	105.27	-45.70	45.56	35.94	10.48	32.41	302	137	PEAK	3	5924.28	51.79	68.73	-16.94	37.70	36.03	10.52	32.46	302	137	PEAK	4	5945.45	52.72	68.30	-15.58	38.62	36.05	10.54	32.49	302	137	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5854.80	59.27	111.26	-51.99	45.33	35.88	10.46	32.40	302	137	PEAK																																																																			
2	5874.75	59.57	105.27	-45.70	45.56	35.94	10.48	32.41	302	137	PEAK																																																																			
3	5924.28	51.79	68.73	-16.94	37.70	36.03	10.52	32.46	302	137	PEAK																																																																			
4	5945.45	52.72	68.30	-15.58	38.62	36.05	10.54	32.49	302	137	PEAK																																																																			





Mode	128																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5627.83</td><td>52.67</td><td>68.30</td><td>-15.63</td><td>39.29</td><td>35.35</td><td>10.32</td><td>32.29</td><td>300</td></tr><tr><td>2 5650.05</td><td>50.22</td><td>68.34</td><td>-18.12</td><td>36.80</td><td>35.40</td><td>10.33</td><td>32.31</td><td>300</td></tr><tr><td>3 5700.98</td><td>53.65</td><td>105.47</td><td>-51.82</td><td>40.12</td><td>35.52</td><td>10.36</td><td>32.35</td><td>300</td></tr><tr><td>4 5720.40</td><td>52.28</td><td>111.71</td><td>-59.43</td><td>38.71</td><td>35.56</td><td>10.37</td><td>32.36</td><td>300</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5627.83	52.67	68.30	-15.63	39.29	35.35	10.32	32.29	300	2 5650.05	50.22	68.34	-18.12	36.80	35.40	10.33	32.31	300	3 5700.98	53.65	105.47	-51.82	40.12	35.52	10.36	32.35	300	4 5720.40	52.28	111.71	-59.43	38.71	35.56	10.37	32.36	300	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5775.00</td><td>93.26</td><td>-----</td><td>-----</td><td>79.48</td><td>35.70</td><td>10.41</td><td>32.33</td><td>300</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5775.00	93.26	-----	-----	79.48	35.70	10.41	32.33
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																						
1 5627.83	52.67	68.30	-15.63	39.29	35.35	10.32	32.29	300																																																																																																						
2 5650.05	50.22	68.34	-18.12	36.80	35.40	10.33	32.31	300																																																																																																						
3 5700.98	53.65	105.47	-51.82	40.12	35.52	10.36	32.35	300																																																																																																						
4 5720.40	52.28	111.71	-59.43	38.71	35.56	10.37	32.36	300																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																						
1 5775.00	93.26	-----	-----	79.48	35.70	10.41	32.33	300																																																																																																						
Avg	Blank																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5775.00</td><td>84.27</td><td>-----</td><td>-----</td><td>70.50</td><td>35.69</td><td>10.41</td><td>32.33</td><td>300</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5775.00	84.27	-----	-----	70.50	35.69	10.41	32.33	300																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																						
1 5775.00	84.27	-----	-----	70.50	35.69	10.41	32.33	300																																																																																																						







Mode	128																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																														
ANT	1																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>52.59</td><td>112.05</td><td>-59.46</td><td>38.65</td><td>35.88</td><td>10.46</td><td>32.40</td><td>300</td><td>128</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>54.08</td><td>105.37</td><td>-51.29</td><td>40.07</td><td>35.94</td><td>10.48</td><td>32.41</td><td>300</td><td>128</td><td>PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>50.76</td><td>68.22</td><td>-17.46</td><td>36.66</td><td>36.03</td><td>10.53</td><td>32.46</td><td>300</td><td>128</td><td>PEAK</td></tr><tr><td>4</td><td>5948.95</td><td>52.32</td><td>68.30</td><td>-15.98</td><td>38.21</td><td>36.05</td><td>10.55</td><td>32.49</td><td>300</td><td>128</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.45	52.59	112.05	-59.46	38.65	35.88	10.46	32.40	300	128	PEAK	2	5874.40	54.08	105.37	-51.29	40.07	35.94	10.48	32.41	300	128	PEAK	3	5924.98	50.76	68.22	-17.46	36.66	36.03	10.53	32.46	300	128	PEAK	4	5948.95	52.32	68.30	-15.98	38.21	36.05	10.55	32.49	300	128	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.45	52.59	112.05	-59.46	38.65	35.88	10.46	32.40	300	128	PEAK																																																																				
2	5874.40	54.08	105.37	-51.29	40.07	35.94	10.48	32.41	300	128	PEAK																																																																				
3	5924.98	50.76	68.22	-17.46	36.66	36.03	10.53	32.46	300	128	PEAK																																																																				
4	5948.95	52.32	68.30	-15.98	38.21	36.05	10.55	32.49	300	128	PEAK																																																																				





Mode	128																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>11550.00</td><td>46.78</td><td>74.00</td><td>-27.22</td><td>52.23</td><td>38.44</td><td>13.95</td><td>57.84</td><td>-- -- Peak</td></tr><tr><td>2</td><td>17325.00</td><td>47.38</td><td>68.30</td><td>-20.92</td><td>46.10</td><td>42.41</td><td>16.86</td><td>57.99</td><td>-- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11550.00	46.78	74.00	-27.22	52.23	38.44	13.95	57.84	-- -- Peak	2	17325.00	47.38	68.30	-20.92	46.10	42.41	16.86	57.99	-- -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>11550.00</td><td>48.92</td><td>74.00</td><td>-25.08</td><td>54.37</td><td>38.44</td><td>13.95</td><td>57.84</td><td>-- -- Peak</td></tr><tr><td>2</td><td>17325.00</td><td>47.07</td><td>68.30</td><td>-21.23</td><td>45.79</td><td>42.41</td><td>16.86</td><td>57.99</td><td>-- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11550.00	48.92	74.00	-25.08	54.37	38.44	13.95	57.84	-- -- Peak	2	17325.00	47.07	68.30	-21.23	45.79	42.41	16.86	57.99	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1	11550.00	46.78	74.00	-27.22	52.23	38.44	13.95	57.84	-- -- Peak																																																																																																	
2	17325.00	47.38	68.30	-20.92	46.10	42.41	16.86	57.99	-- -- Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1	11550.00	48.92	74.00	-25.08	54.37	38.44	13.95	57.84	-- -- Peak																																																																																																	
2	17325.00	47.07	68.30	-21.23	45.79	42.41	16.86	57.99	-- -- Peak																																																																																																	







Mode	129																																																																																										
	Band Edge - L																																																																																										
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.58</td><td>53.82</td><td>74.00</td><td>-20.18</td><td>41.17</td><td>34.95</td><td>9.95</td><td>32.25</td><td>269</td><td>227</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5145.58	53.82	74.00	-20.18	41.17	34.95	9.95	32.25	269	227	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>98.68</td><td>-----</td><td>-----</td><td>85.51</td><td>35.20</td><td>10.15</td><td>32.18</td><td>269</td><td>227</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	98.68	-----	-----	85.51	35.20	10.15	32.18	269	227
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5145.58	53.82	74.00	-20.18	41.17	34.95	9.95	32.25	269	227	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5290.00	98.68	-----	-----	85.51	35.20	10.15	32.18	269	227	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.35</td><td>43.32</td><td>54.00</td><td>-10.68</td><td>30.66</td><td>34.95</td><td>9.96</td><td>32.25</td><td>269</td><td>227</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.35	43.32	54.00	-10.68	30.66	34.95	9.96	32.25	269	227	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>90.07</td><td>-----</td><td>-----</td><td>76.88</td><td>35.20</td><td>10.17</td><td>32.18</td><td>269</td><td>227</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	90.07	-----	-----	76.88	35.20	10.17	32.18	269	227
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5149.35	43.32	54.00	-10.68	30.66	34.95	9.96	32.25	269	227	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5290.00	90.07	-----	-----	76.88	35.20	10.17	32.18	269	227	AVERAGE																																																																																





Mode	129																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																		
ANT	1																																																		
Pol.	Horizontal							Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5386.73</td><td>60.03</td><td>74.00</td><td>-13.97</td><td>46.74</td><td>35.20</td><td>10.27</td><td>32.18</td><td>269</td><td>227</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5386.73	60.03	74.00	-13.97	46.74	35.20	10.27	32.18	269	227	PEAK	Blank			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5386.73	60.03	74.00	-13.97	46.74	35.20	10.27	32.18	269	227	PEAK																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5374.66</td><td>49.43</td><td>54.00</td><td>-4.57</td><td>36.15</td><td>35.20</td><td>10.25</td><td>32.17</td><td>269</td><td>227</td><td>AVERAGE</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5374.66	49.43	54.00	-4.57	36.15	35.20	10.25	32.17	269	227	AVERAGE	Blank			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5374.66	49.43	54.00	-4.57	36.15	35.20	10.25	32.17	269	227	AVERAGE																																								





Mode	129																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5070.76</td><td>52.50</td><td>74.00</td><td>-21.50</td><td>39.99</td><td>34.87</td><td>9.90</td><td>32.26</td><td>169</td><td>342</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5070.76	52.50	74.00	-21.50	39.99	34.87	9.90	32.26	169	342	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>97.51</td><td>-----</td><td>-----</td><td>84.32</td><td>35.20</td><td>10.17</td><td>32.18</td><td>169</td><td>342</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	97.51	-----	-----	84.32	35.20	10.17	32.18	169	342
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5070.76	52.50	74.00	-21.50	39.99	34.87	9.90	32.26	169	342	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5290.00	97.51	-----	-----	84.32	35.20	10.17	32.18	169	342	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5070.18</td><td>42.81</td><td>54.00</td><td>-11.19</td><td>30.30</td><td>34.87</td><td>9.90</td><td>32.26</td><td>169</td><td>342</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5070.18	42.81	54.00	-11.19	30.30	34.87	9.90	32.26	169	342	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>88.25</td><td>-----</td><td>-----</td><td>75.05</td><td>35.20</td><td>10.18</td><td>32.18</td><td>169</td><td>342</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	88.25	-----	-----	75.05	35.20	10.18	32.18	169	342
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5070.18	42.81	54.00	-11.19	30.30	34.87	9.90	32.26	169	342	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5290.00	88.25	-----	-----	75.05	35.20	10.18	32.18	169	342	AVERAGE																																																																															



Mode	129																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																									
ANT	1																																									
Pol.	Vertical	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5367.69</td><td>56.02</td><td>74.00</td><td>-17.98</td><td>42.75</td><td>35.20</td><td>10.24</td><td>32.17</td><td>169</td><td>342</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5367.69	56.02	74.00	-17.98	42.75	35.20	10.24	32.17	169	342	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5367.69	56.02	74.00	-17.98	42.75	35.20	10.24	32.17	169	342	PEAK																															
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.18</td><td>45.74</td><td>54.00</td><td>-8.26</td><td>32.50</td><td>35.20</td><td>10.21</td><td>32.17</td><td>169</td><td>342</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.18	45.74	54.00	-8.26	32.50	35.20	10.21	32.17	169	342	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5350.18	45.74	54.00	-8.26	32.50	35.20	10.21	32.17	169	342	AVERAGE																															




Mode	129																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10580.00</td><td>48.35</td><td>68.30</td><td>-19.95</td><td>57.00</td><td>37.39</td><td>13.50</td><td>59.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15870.00</td><td>48.96</td><td>74.00</td><td>-25.04</td><td>51.17</td><td>40.42</td><td>15.98</td><td>58.61</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	48.35	68.30	-19.95	57.00	37.39	13.50	59.54	--	--	Peak	2	15870.00	48.96	74.00	-25.04	51.17	40.42	15.98	58.61	--	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10580.00</td><td>47.09</td><td>68.30</td><td>-21.21</td><td>55.74</td><td>37.39</td><td>13.50</td><td>59.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15870.00</td><td>47.24</td><td>74.00</td><td>-26.76</td><td>49.45</td><td>40.42</td><td>15.98</td><td>58.61</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	47.09	68.30	-21.21	55.74	37.39	13.50	59.54	--	--	Peak	2	15870.00	47.24	74.00	-26.76	49.45	40.42	15.98	58.61	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10580.00	48.35	68.30	-19.95	57.00	37.39	13.50	59.54	--	--	Peak																																																																																																									
2	15870.00	48.96	74.00	-25.04	51.17	40.42	15.98	58.61	--	--	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10580.00	47.09	68.30	-21.21	55.74	37.39	13.50	59.54	--	--	Peak																																																																																																									
2	15870.00	47.24	74.00	-26.76	49.45	40.42	15.98	58.61	--	--	Peak																																																																																																									






Mode	130																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5645.50</td><td>54.80</td><td>68.30</td><td>-13.50</td><td>41.39</td><td>35.39</td><td>10.33</td><td>32.31</td><td>100</td><td>107</td><td>PEAK</td></tr><tr><td>2</td><td>5650.75</td><td>52.98</td><td>68.86</td><td>-15.88</td><td>39.56</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>107</td><td>PEAK</td></tr><tr><td>3</td><td>5702.20</td><td>56.68</td><td>105.82</td><td>-49.14</td><td>43.15</td><td>35.52</td><td>10.36</td><td>32.35</td><td>100</td><td>107</td><td>PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>59.59</td><td>110.91</td><td>-51.32</td><td>46.02</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>107</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5645.50	54.80	68.30	-13.50	41.39	35.39	10.33	32.31	100	107	PEAK	2	5650.75	52.98	68.86	-15.88	39.56	35.40	10.33	32.31	100	107	PEAK	3	5702.20	56.68	105.82	-49.14	43.15	35.52	10.36	32.35	100	107	PEAK	4	5720.05	59.59	110.91	-51.32	46.02	35.56	10.37	32.36	100	107	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>98.50</td><td>-----</td><td>-----</td><td>84.67</td><td>35.75</td><td>10.43</td><td>32.35</td><td>100</td><td>107</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	98.50	-----	-----	84.67	35.75	10.43	32.35	100	107	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5645.50	54.80	68.30	-13.50	41.39	35.39	10.33	32.31	100	107	PEAK																																																																																																																				
2	5650.75	52.98	68.86	-15.88	39.56	35.40	10.33	32.31	100	107	PEAK																																																																																																																				
3	5702.20	56.68	105.82	-49.14	43.15	35.52	10.36	32.35	100	107	PEAK																																																																																																																				
4	5720.05	59.59	110.91	-51.32	46.02	35.56	10.37	32.36	100	107	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5775.00	98.50	-----	-----	84.67	35.75	10.43	32.35	100	107	PEAK																																																																																																																				
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>92.12</td><td>-----</td><td>-----</td><td>78.29</td><td>35.75</td><td>10.43</td><td>32.35</td><td>100</td><td>107</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	92.12	-----	-----	78.29	35.75	10.43	32.35	100	107	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5775.00	92.12	-----	-----	78.29	35.75	10.43	32.35	100	107	AVERAGE																																																																																																																				




Mode	130																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																														
ANT	1																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>58.94</td><td>110.86</td><td>-51.92</td><td>45.00</td><td>35.88</td><td>10.46</td><td>32.40</td><td>100</td><td>107</td><td>PEAK</td></tr><tr><td>2</td><td>5870.20</td><td>61.47</td><td>106.54</td><td>-45.07</td><td>47.48</td><td>35.92</td><td>10.48</td><td>32.41</td><td>100</td><td>107</td><td>PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>51.16</td><td>68.22</td><td>-17.06</td><td>37.06</td><td>36.03</td><td>10.53</td><td>32.46</td><td>100</td><td>107</td><td>PEAK</td></tr><tr><td>4</td><td>5930.93</td><td>52.76</td><td>68.30</td><td>-15.54</td><td>38.67</td><td>36.03</td><td>10.53</td><td>32.47</td><td>100</td><td>107</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	58.94	110.86	-51.92	45.00	35.88	10.46	32.40	100	107	PEAK	2	5870.20	61.47	106.54	-45.07	47.48	35.92	10.48	32.41	100	107	PEAK	3	5924.98	51.16	68.22	-17.06	37.06	36.03	10.53	32.46	100	107	PEAK	4	5930.93	52.76	68.30	-15.54	38.67	36.03	10.53	32.47	100	107	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.98	58.94	110.86	-51.92	45.00	35.88	10.46	32.40	100	107	PEAK																																																																				
2	5870.20	61.47	106.54	-45.07	47.48	35.92	10.48	32.41	100	107	PEAK																																																																				
3	5924.98	51.16	68.22	-17.06	37.06	36.03	10.53	32.46	100	107	PEAK																																																																				
4	5930.93	52.76	68.30	-15.54	38.67	36.03	10.53	32.47	100	107	PEAK																																																																				





Mode	130																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5646.90</td><td>54.03</td><td>68.30</td><td>-14.27</td><td>40.62</td><td>35.39</td><td>10.33</td><td>32.31</td><td>242</td><td>299</td><td>PEAK</td></tr><tr><td>2</td><td>5651.80</td><td>52.82</td><td>69.63</td><td>-16.81</td><td>39.39</td><td>35.41</td><td>10.33</td><td>32.31</td><td>242</td><td>299</td><td>PEAK</td></tr><tr><td>3</td><td>5700.10</td><td>55.29</td><td>105.23</td><td>-49.94</td><td>41.76</td><td>35.52</td><td>10.36</td><td>32.35</td><td>242</td><td>299</td><td>PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>58.86</td><td>111.31</td><td>-52.45</td><td>45.29</td><td>35.56</td><td>10.37</td><td>32.36</td><td>242</td><td>299</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5646.90	54.03	68.30	-14.27	40.62	35.39	10.33	32.31	242	299	PEAK	2	5651.80	52.82	69.63	-16.81	39.39	35.41	10.33	32.31	242	299	PEAK	3	5700.10	55.29	105.23	-49.94	41.76	35.52	10.36	32.35	242	299	PEAK	4	5720.23	58.86	111.31	-52.45	45.29	35.56	10.37	32.36	242	299	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>93.93</td><td>-----</td><td>-----</td><td>80.10</td><td>35.75</td><td>10.43</td><td>32.35</td><td>242</td><td>299</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	93.93	-----	-----	80.10	35.75	10.43	32.35	242	299	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5646.90	54.03	68.30	-14.27	40.62	35.39	10.33	32.31	242	299	PEAK																																																																																																																				
2	5651.80	52.82	69.63	-16.81	39.39	35.41	10.33	32.31	242	299	PEAK																																																																																																																				
3	5700.10	55.29	105.23	-49.94	41.76	35.52	10.36	32.35	242	299	PEAK																																																																																																																				
4	5720.23	58.86	111.31	-52.45	45.29	35.56	10.37	32.36	242	299	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5775.00	93.93	-----	-----	80.10	35.75	10.43	32.35	242	299	PEAK																																																																																																																				
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>87.11</td><td>-----</td><td>-----</td><td>73.28</td><td>35.75</td><td>10.43</td><td>32.35</td><td>242</td><td>299</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	87.11	-----	-----	73.28	35.75	10.43	32.35	242	299	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5775.00	87.11	-----	-----	73.28	35.75	10.43	32.35	242	299	AVERAGE																																																																																																																				







Mode	130																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>56.71</td><td>110.86</td><td>-54.15</td><td>42.77</td><td>35.88</td><td>10.46</td><td>32.40</td><td>242</td><td>299</td><td>PEAK</td></tr><tr><td>2</td><td>5872.65</td><td>58.78</td><td>105.86</td><td>-47.08</td><td>44.78</td><td>35.93</td><td>10.48</td><td>32.41</td><td>242</td><td>299</td><td>PEAK</td></tr><tr><td>3</td><td>5923.23</td><td>53.26</td><td>69.51</td><td>-16.25</td><td>39.17</td><td>36.03</td><td>10.52</td><td>32.46</td><td>242</td><td>299</td><td>PEAK</td></tr><tr><td>4</td><td>5931.98</td><td>53.21</td><td>68.30</td><td>-15.09</td><td>39.11</td><td>36.04</td><td>10.53</td><td>32.47</td><td>242</td><td>299</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	56.71	110.86	-54.15	42.77	35.88	10.46	32.40	242	299	PEAK	2	5872.65	58.78	105.86	-47.08	44.78	35.93	10.48	32.41	242	299	PEAK	3	5923.23	53.26	69.51	-16.25	39.17	36.03	10.52	32.46	242	299	PEAK	4	5931.98	53.21	68.30	-15.09	39.11	36.04	10.53	32.47	242	299	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.98	56.71	110.86	-54.15	42.77	35.88	10.46	32.40	242	299	PEAK																																																																													
2	5872.65	58.78	105.86	-47.08	44.78	35.93	10.48	32.41	242	299	PEAK																																																																													
3	5923.23	53.26	69.51	-16.25	39.17	36.03	10.52	32.46	242	299	PEAK																																																																													
4	5931.98	53.21	68.30	-15.09	39.11	36.04	10.53	32.47	242	299	PEAK																																																																													





Mode	130																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.70</td><td>74.00</td><td>-28.30</td><td>51.15</td><td>38.44</td><td>13.95</td><td>57.84</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17325.00</td><td>47.36</td><td>68.30</td><td>-20.94</td><td>46.08</td><td>42.41</td><td>16.86</td><td>57.99</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.70	74.00	-28.30	51.15	38.44	13.95	57.84	--	--	Peak	2	17325.00	47.36	68.30	-20.94	46.08	42.41	16.86	57.99	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>51.75</td><td>38.44</td><td>13.95</td><td>57.84</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17325.00</td><td>46.89</td><td>68.30</td><td>-21.41</td><td>45.61</td><td>42.41</td><td>16.86</td><td>57.99</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	46.30	74.00	-27.70	51.75	38.44	13.95	57.84	--	--	Peak	2	17325.00	46.89	68.30	-21.41	45.61	42.41	16.86	57.99	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11550.00	45.70	74.00	-28.30	51.15	38.44	13.95	57.84	--	--	Peak																																																																																																									
2	17325.00	47.36	68.30	-20.94	46.08	42.41	16.86	57.99	--	--	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11550.00	46.30	74.00	-27.70	51.75	38.44	13.95	57.84	--	--	Peak																																																																																																									
2	17325.00	46.89	68.30	-21.41	45.61	42.41	16.86	57.99	--	--	Peak																																																																																																									







		131																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-1/2A_5.15-5.35_802.11ax HE160_CH50_Partial_RU996/S67_5250MHz																																																																																							
ANT		1																																																																																							
Pol.	Horizontal										Fundamental																																																																														
Peak																																																																																									
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5092.25	53.03	74.00	-20.97	40.46	34.90	9.92	32.25	338	175	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	97.91	-----	-----	84.88	35.13	10.09	32.19	338	175	PEAK									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5092.25	53.03	74.00	-20.97	40.46	34.90	9.92	32.25	338	175	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5250.00	97.91	-----	-----	84.88	35.13	10.09	32.19	338	175	PEAK																																																																														
Avg																																																																																									
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5075.00	43.62	54.00	-10.38	31.09	34.88	9.90	32.25	338	175	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	89.32	-----	-----	76.34	35.11	10.07	32.20	338	175	AVERAGE									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5075.00	43.62	54.00	-10.38	31.09	34.88	9.90	32.25	338	175	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5250.00	89.32	-----	-----	76.34	35.11	10.07	32.20	338	175	AVERAGE																																																																														





Mode	131																																																		
	Band Edge - R																																																		
	U-NII-1/2A_5.15-5.35_802.11ax HE160_CH50_Partial_RU996/S67_5250MHz																																																		
ANT	1																																																		
Pol.	Horizontal										Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5365.50</td><td>64.67</td><td>74.00</td><td>-9.33</td><td>51.41</td><td>35.20</td><td>10.23</td><td>32.17</td><td>338</td><td>175</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5365.50	64.67	74.00	-9.33	51.41	35.20	10.23	32.17	338	175	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5365.50	64.67	74.00	-9.33	51.41	35.20	10.23	32.17	338	175	PEAK																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5372.01</td><td>49.41</td><td>54.00</td><td>-4.59</td><td>36.14</td><td>35.20</td><td>10.24</td><td>32.17</td><td>338</td><td>175</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5372.01	49.41	54.00	-4.59	36.14	35.20	10.24	32.17	338	175	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5372.01	49.41	54.00	-4.59	36.14	35.20	10.24	32.17	338	175	AVERAGE																																								







Mode	131																																																		
	Band Edge - L																																																		
	U-NII-1/2A_5.15-5.35_802.11ax HE160_CH50_Partial_RU996/S67_5250MHz																																																		
ANT	1																																																		
Pol.	Vertical																																																		
Peak																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5075.75</td><td>52.79</td><td>74.00</td><td>-21.21</td><td>40.25</td><td>34.88</td><td>9.91</td><td>32.25</td><td>128</td><td>123</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5075.75	52.79	74.00	-21.21	40.25	34.88	9.91	32.25	128	123	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																										
1	5075.75	52.79	74.00	-21.21	40.25	34.88	9.91	32.25	128	123	PEAK																																								
Fundamental																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>95.28</td><td>-----</td><td>-----</td><td>82.09</td><td>35.20</td><td>10.17</td><td>32.18</td><td>128</td><td>123</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5250.00	95.28	-----	-----	82.09	35.20	10.17	32.18	128	123	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																										
1	5250.00	95.28	-----	-----	82.09	35.20	10.17	32.18	128	123	PEAK																																								
Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5068.50</td><td>43.00</td><td>54.00</td><td>-11.00</td><td>30.49</td><td>34.87</td><td>9.90</td><td>32.26</td><td>128</td><td>123</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5068.50	43.00	54.00	-11.00	30.49	34.87	9.90	32.26	128	123	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																										
1	5068.50	43.00	54.00	-11.00	30.49	34.87	9.90	32.26	128	123	AVERAGE																																								
AVERAGE																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>85.49</td><td>-----</td><td>-----</td><td>72.29</td><td>35.20</td><td>10.18</td><td>32.18</td><td>128</td><td>123</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5250.00	85.49	-----	-----	72.29	35.20	10.18	32.18	128	123	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																										
1	5250.00	85.49	-----	-----	72.29	35.20	10.18	32.18	128	123	AVERAGE																																								







Mode	131																																									
	Band Edge - R																																									
	U-NII-1/2A_5.15-5.35_802.11ax HE160_CH50_Partial_RU996/S67_5250MHz																																									
ANT	1																																									
Pol.	Vertical	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5374.95</td><td>60.03</td><td>74.00</td><td>-13.97</td><td>46.75</td><td>35.20</td><td>10.25</td><td>32.17</td><td>128</td><td>123</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5374.95	60.03	74.00	-13.97	46.75	35.20	10.25	32.17	128	123	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5374.95	60.03	74.00	-13.97	46.75	35.20	10.25	32.17	128	123	PEAK																															
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.82</td><td>45.29</td><td>54.00</td><td>-8.71</td><td>32.03</td><td>35.20</td><td>10.23</td><td>32.17</td><td>128</td><td>123</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5363.82	45.29	54.00	-8.71	32.03	35.20	10.23	32.17	128	123	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5363.82	45.29	54.00	-8.71	32.03	35.20	10.23	32.17	128	123	AVERAGE																															







Mode	132																																																																																									
	Band Edge																																																																																									
	CO_TX																																																																																									
ANT	1																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>61.35</td><td>74.00</td><td>-12.65</td><td>54.33</td><td>32.05</td><td>8.43</td><td>33.46</td><td>338</td><td>231</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.52	61.35	74.00	-12.65	54.33	32.05	8.43	33.46	338	231	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.04</td><td>-----</td><td>-----</td><td>92.03</td><td>32.04</td><td>8.43</td><td>33.46</td><td>338</td><td>231</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2480.00	99.04	-----	-----	92.03	32.04	8.43	33.46	338	231
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2483.52	61.35	74.00	-12.65	54.33	32.05	8.43	33.46	338	231	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2480.00	99.04	-----	-----	92.03	32.04	8.43	33.46	338	231	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>48.81</td><td>54.00</td><td>-5.19</td><td>41.79</td><td>32.05</td><td>8.43</td><td>33.46</td><td>338</td><td>231</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.56	48.81	54.00	-5.19	41.79	32.05	8.43	33.46	338	231	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.76</td><td>-----</td><td>-----</td><td>90.75</td><td>32.04</td><td>8.43</td><td>33.46</td><td>338</td><td>231</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2480.00	97.76	-----	-----	90.75	32.04	8.43	33.46	338	231
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2483.56	48.81	54.00	-5.19	41.79	32.05	8.43	33.46	338	231	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2480.00	97.76	-----	-----	90.75	32.04	8.43	33.46	338	231	AVERAGE																																																																															





Mode	132																																																																																						
	Band Edge																																																																																						
	CO_TX																																																																																						
ANT	1																																																																																						
Pol.	Vertical					Fundamental																																																																																	
Peak																																																																																							
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.54</td><td>59.90</td><td>74.00</td><td>-14.10</td><td>52.88</td><td>32.05</td><td>8.43</td><td>33.46</td><td>143</td><td>17 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.54	59.90	74.00	-14.10	52.88	32.05	8.43	33.46	143	17 PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2480.00</td><td>97.81</td><td>-----</td><td>-----</td><td>90.80</td><td>32.04</td><td>8.43</td><td>33.46</td><td>143</td><td>17 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	97.81	-----	-----	90.80	32.04	8.43	33.46	143
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 2483.54	59.90	74.00	-14.10	52.88	32.05	8.43	33.46	143	17 PEAK																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 2480.00	97.81	-----	-----	90.80	32.04	8.43	33.46	143	17 PEAK																																																																														
Avg																																																																																							
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.52</td><td>47.97</td><td>54.00</td><td>-6.03</td><td>40.95</td><td>32.05</td><td>8.43</td><td>33.46</td><td>143</td><td>17 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.52	47.97	54.00	-6.03	40.95	32.05	8.43	33.46	143	17 AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2480.00</td><td>96.53</td><td>-----</td><td>-----</td><td>89.52</td><td>32.04</td><td>8.43</td><td>33.46</td><td>143</td><td>17 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	96.53	-----	-----	89.52	32.04	8.43	33.46	143
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 2483.52	47.97	54.00	-6.03	40.95	32.05	8.43	33.46	143	17 AVERAGE																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 2480.00	96.53	-----	-----	89.52	32.04	8.43	33.46	143	17 AVERAGE																																																																														







		132																																																		
Mode		Band Edge - L																																																		
		CO_TX																																																		
ANT		1																																																		
Pol.		Horizontal					Fundamental																																													
Peak																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5124.99</td><td>53.00</td><td>74.00</td><td>-21.00</td><td>40.38</td><td>34.93</td><td>9.94</td><td>32.25</td><td>318</td><td>138</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5124.99	53.00	74.00	-21.00	40.38	34.93	9.94	32.25	318	138
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5124.99	53.00	74.00	-21.00	40.38	34.93	9.94	32.25	318	138	PEAK																																									
Avg																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5119.19</td><td>42.84</td><td>54.00</td><td>-11.16</td><td>30.23</td><td>34.92</td><td>9.94</td><td>32.25</td><td>318</td><td>138</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5119.19	42.84	54.00	-11.16	30.23	34.92	9.94	32.25	318	138
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5119.19	42.84	54.00	-11.16	30.23	34.92	9.94	32.25	318	138	AVERAGE																																									
Peak																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5290.00</td><td>98.31</td><td>-----</td><td>-----</td><td>85.13</td><td>35.20</td><td>10.16</td><td>32.18</td><td>318</td><td>138</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5290.00	98.31	-----	-----	85.13	35.20	10.16	32.18	318	138
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5290.00	98.31	-----	-----	85.13	35.20	10.16	32.18	318	138	PEAK																																									
Avg																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5290.00</td><td>90.47</td><td>-----</td><td>-----</td><td>77.27</td><td>35.20</td><td>10.18</td><td>32.18</td><td>318</td><td>138</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5290.00	90.47	-----	-----	77.27	35.20	10.18	32.18	318	138
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5290.00	90.47	-----	-----	77.27	35.20	10.18	32.18	318	138	AVERAGE																																									





Mode	132																																																
	Band Edge - R																																																
	CO_TX																																																
ANT	1																																																
Pol.	Horizontal										Fundamental																																						
Peak											Blank																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5384.86</td><td>60.25</td><td>74.00</td><td>-13.75</td><td>46.97</td><td>35.20</td><td>10.26</td><td>32.18</td><td>318</td><td>138</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5384.86	60.25	74.00	-13.75	46.97	35.20	10.26	32.18	318
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	5384.86	60.25	74.00	-13.75	46.97	35.20	10.26	32.18	318	138	PEAK																																						
Avg											Blank																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.00</td><td>49.65</td><td>54.00</td><td>-4.35</td><td>36.37</td><td>35.20</td><td>10.25</td><td>32.17</td><td>318</td><td>138</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5375.00	49.65	54.00	-4.35	36.37	35.20	10.25	32.17	318
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	5375.00	49.65	54.00	-4.35	36.37	35.20	10.25	32.17	318	138	AVERAGE																																						





Mode	132																																																																																											
	Band Edge - L																																																																																											
	CO_TX																																																																																											
ANT	1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5082.65</td><td>53.00</td><td>74.00</td><td>-21.00</td><td>40.45</td><td>34.89</td><td>9.91</td><td>32.25</td><td>100</td><td>123</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5082.65	53.00	74.00	-21.00	40.45	34.89	9.91	32.25	100	123	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>96.89</td><td>-----</td><td>-----</td><td>83.72</td><td>35.20</td><td>10.15</td><td>32.18</td><td>100</td><td>123</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	96.89	-----	-----	83.72	35.20	10.15	32.18	100	123
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5082.65	53.00	74.00	-21.00	40.45	34.89	9.91	32.25	100	123	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5290.00	96.89	-----	-----	83.72	35.20	10.15	32.18	100	123	PEAK																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5068.44</td><td>42.96</td><td>54.00</td><td>-11.04</td><td>30.45</td><td>34.87</td><td>9.90</td><td>32.26</td><td>100</td><td>123</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5068.44	42.96	54.00	-11.04	30.45	34.87	9.90	32.26	100	123	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>88.74</td><td>-----</td><td>-----</td><td>75.54</td><td>35.20</td><td>10.18</td><td>32.18</td><td>100</td><td>123</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	88.74	-----	-----	75.54	35.20	10.18	32.18	100	123
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5068.44	42.96	54.00	-11.04	30.45	34.87	9.90	32.26	100	123	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5290.00	88.74	-----	-----	75.54	35.20	10.18	32.18	100	123	AVERAGE																																																																																	



Mode	132																																												
	Band Edge - R																																												
	CO_TX																																												
ANT	1																																												
Pol.	Vertical						Fundamental																																						
Peak							Blank																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5379.08</td><td>56.45</td><td>74.00</td><td>-17.55</td><td>43.18</td><td>35.20</td><td>10.25</td><td>32.18</td><td>100</td><td>123</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5379.08	56.45	74.00	-17.55	43.18
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																				
1	5379.08	56.45	74.00	-17.55	43.18	35.20	10.25	32.18	100	123	PEAK																																		
Avg							Blank																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5384.01</td><td>45.53</td><td>54.00</td><td>-8.47</td><td>32.25</td><td>35.20</td><td>10.26</td><td>32.18</td><td>100</td><td>123</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5384.01	45.53	54.00	-8.47	32.25
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																				
1	5384.01	45.53	54.00	-8.47	32.25	35.20	10.26	32.18	100	123	AVERAGE																																		




Mode	132																																																																																																																																																																						
	Harmonic																																																																																																																																																																						
	CO_TX																																																																																																																																																																						
ANT	1																																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																																
Peak Avg																																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>57.38</td><td>34.42</td><td>9.86</td><td>56.52</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>44.89</td><td>74.00</td><td>-29.11</td><td>56.89</td><td>35.75</td><td>11.53</td><td>59.28</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10580.00</td><td>45.55</td><td>68.30</td><td>-22.75</td><td>54.20</td><td>37.39</td><td>13.50</td><td>59.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15870.00</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>49.77</td><td>40.42</td><td>15.98</td><td>58.61</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	45.14	74.00	-28.86	57.38	34.42	9.86	56.52	--	--	Peak	2	7440.00	44.89	74.00	-29.11	56.89	35.75	11.53	59.28	--	--	Peak	3	10580.00	45.55	68.30	-22.75	54.20	37.39	13.50	59.54	--	--	Peak	4	15870.00	47.56	74.00	-26.44	49.77	40.42	15.98	58.61	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>45.22</td><td>74.00</td><td>-28.78</td><td>57.46</td><td>34.42</td><td>9.86</td><td>56.52</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>44.49</td><td>74.00</td><td>-29.51</td><td>56.49</td><td>35.75</td><td>11.53</td><td>59.28</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10580.00</td><td>46.20</td><td>68.30</td><td>-22.10</td><td>54.85</td><td>37.39</td><td>13.50</td><td>59.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15870.00</td><td>47.31</td><td>74.00</td><td>-26.69</td><td>49.52</td><td>40.42</td><td>15.98</td><td>58.61</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	45.22	74.00	-28.78	57.46	34.42	9.86	56.52	--	--	Peak	2	7440.00	44.49	74.00	-29.51	56.49	35.75	11.53	59.28	--	--	Peak	3	10580.00	46.20	68.30	-22.10	54.85	37.39	13.50	59.54	--	--	Peak	4	15870.00	47.31	74.00	-26.69	49.52	40.42	15.98	58.61	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																													
1	4960.00	45.14	74.00	-28.86	57.38	34.42	9.86	56.52	--	--	Peak																																																																																																																																																												
2	7440.00	44.89	74.00	-29.11	56.89	35.75	11.53	59.28	--	--	Peak																																																																																																																																																												
3	10580.00	45.55	68.30	-22.75	54.20	37.39	13.50	59.54	--	--	Peak																																																																																																																																																												
4	15870.00	47.56	74.00	-26.44	49.77	40.42	15.98	58.61	--	--	Peak																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																													
1	4960.00	45.22	74.00	-28.78	57.46	34.42	9.86	56.52	--	--	Peak																																																																																																																																																												
2	7440.00	44.49	74.00	-29.51	56.49	35.75	11.53	59.28	--	--	Peak																																																																																																																																																												
3	10580.00	46.20	68.30	-22.10	54.85	37.39	13.50	59.54	--	--	Peak																																																																																																																																																												
4	15870.00	47.31	74.00	-26.69	49.52	40.42	15.98	58.61	--	--	Peak																																																																																																																																																												

Note: For co-location mode, the frequency points over limit line are fundamental signals, which can be ignored.

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	100	-	-	10Hz
802.11ac VHT20	100	-	-	10Hz
802.11ac VHT40	100	-	-	10Hz
802.11ac VHT80	100	-	-	10Hz
802.11ac VHT160	100	-	-	10Hz
802.11ax HE20 (Full RU/Partial RU)	100	-	-	10Hz
802.11ax HE40 (Full RU/Partial RU)	100	-	-	10Hz
802.11ax HE80 (Full RU/Partial RU)	100	-	-	10Hz
802.11ax HE160 (Full RU/Partial RU)	100	-	-	10Hz

802.11a






802.11ac VHT20




802.11ac VHT40






802.11ac VHT80




802.11ac VHT160






802.11ax HE20




802.11ax HE40





802.11ax HE80



802.11ax HE160

