





EUT Mode : 802.11ax HE40 Partial RU

Plot on Channel 5965MHz 242RU61




Date: 3.MAR.2026 02:46:45

Plot on Channel 6205MHz 242RU61




Date: 3.MAR.2026 02:49:31

Plot on Channel 6405MHz 242RU62



Date: 3.MAR.2026 03:32:23


Plot on Channel 6445MHz 242RU61




Date: 3.MAR.2026 02:52:22




Plot on Channel 6485MHz 242RU62




Plot on Channel 6525MHz 242RU62



Plot on Channel 6565MHz 242RU61




Plot on Channel 6685MHz 242RU61






Plot on Channel 6845MHz 242RU62




Date: 3.MAR.2026 03:37:22

Plot on Channel 6885MHz 242RU62




Date: 3.MAR.2026 03:38:57

Plot on Channel 6925MHz 242RU61




Date: 3.MAR.2026 02:59:11

Plot on Channel 7005MHz 242RU61



Date: 3.MAR.2026 03:00:53

Plot on Channel 7085MHz 242RU62




Date: 3.MAR.2026 03:41:04




EUT Mode : 802.11ax HE80


Plot on Channel 5985MHz




Plot on Channel 6225MHz



Plot on Channel 6385MHz




Plot on Channel 6465MHz







Plot on Channel 6545MHz




Plot on Channel 6625MHz



Plot on Channel 6705MHz




Plot on Channel 6785MHz






Plot on Channel 6865MHz




Date: 28.FEB.2026 02:54:56

Plot on Channel 6945MHz



Date: 28.FEB.2026 02:56:13

Plot on Channel 7025MHz




Date: 28.FEB.2026 02:57:35




EUT Mode :

802.11ax HE80 Partial RU


Plot on Channel 5985MHz 484RU65




Plot on Channel 6225MHz 484RU65



Plot on Channel 6385MHz 484RU66




Plot on Channel 6465MHz 484RU65







Plot on Channel 6545MHz 484RU66




Plot on Channel 6625MHz 484RU65



Plot on Channel 6705MHz 484RU65




Plot on Channel 6785MHz 484RU66






Plot on Channel 6865MHz 484RU66




Date: 3.MAR.2026 04:37:25

Plot on Channel 6945MHz 484RU65



Date: 3.MAR.2026 03:57:11

Plot on Channel 7025MHz 484RU66




Date: 3.MAR.2026 04:39:06




EUT Mode :

802.11ax HE160


Plot on Channel 6025MHz




Plot on Channel 6185MHz



Plot on Channel 6345MHz




Plot on Channel 6505MHz







Plot on Channel 6665MHz



Plot on Channel 6825MHz




Plot on Channel 6985MHz






EUT Mode : 802.11ax HE160 Partial RU

Plot on Channel 6025MHz 996RUS67




Date: 3.MAR.2026 05:07:24

Plot on Channel 6185MHz 996RUS67




Date: 3.MAR.2026 05:10:04

Plot on Channel 6345MHz 996RUS67



Date: 3.MAR.2026 05:14:44


Plot on Channel 6505MHz 996RUS67



Date: 3.MAR.2026 05:11:20




Plot on Channel 6665MHz 996RUS67




Date: 3.MAR.2026 05:16:30

Plot on Channel 6825MHz 996RUS67



Date: 3.MAR.2026 05:13:15

Plot on Channel 6985MHz 996RUS67



Date: 3.MAR.2026 05:18:13

3.5 Unwanted Emissions Measurement

This section is to measure unwanted emissions through radiated measurement for band edge spurious emissions and out of band emissions measurement.

3.5.1 Limit of Unwanted Emissions

- (1) For transmitters operating within the 5.925-7.125 GHz band: Any emissions outside of the 5.925-7.125 GHz band must not exceed an e.i.r.p. of -27 dBm/MHz.

EIRP (dBm)	Field Strength at 3m (dBμV/m)
- 27 (RMS)	68.2
- 7 (Peak)	88.2

Unwanted emissions outside of restricted bands are measured with a RMS detector.

In addition, 15.35(b) applies where the peak emissions must be limited to no more than 20 dB above the average limit

- (2) Unwanted spurious emissions fallen in restricted bands shall comply with the general field strength limits as below table:

Frequency (MHz)	Field Strength (microvolts/meter)	Measurement Distance (meters)
0.009 – 0.490	2400/F(kHz)	300
0.490 – 1.705	24000/F(kHz)	30
1.705 – 30.0	30	30
30 – 88	100	3
88 – 216	150	3
216 - 960	200	3
Above 960	500	3

Note: The following formula is used to convert the EIRP to field strength.

$$E = \frac{1000000\sqrt{30P}}{3} \mu\text{V/m, where P is the eirp (Watts)}$$

3.5.2 Measuring Instruments

See list of measuring equipment of this test report.




3.5.3 Test Procedures


1. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01.
Section G) Unwanted emissions measurement.
 - (1) Procedure for Unwanted Emissions Measurements Below 1000MHz
 - RBW = 120 kHz
 - VBW = 300 kHz
 - Detector = Peak
 - Trace mode = max hold
 - (2) Procedure for Peak Unwanted Emissions Measurements Above 1000 MHz
 - RBW = 1 MHz
 - VBW $\geq$ 3 MHz
 - Detector = Peak
 - Sweep time = auto
 - Trace mode = max hold
 - (3) Procedures for Average Unwanted Emissions Measurements Above 1000MHz
 - RBW = 1 MHz
 - VBW = 10 Hz, when duty cycle is no less than 98 percent.
 - VBW $\geq$ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.
2. The EUT was placed on a turntable with 0.8 meter for frequency below 1GHz and 1.5 meter for frequency above 1GHz respectively above ground.
3. The EUT was set 3 meters from the interference receiving antenna which was mounted on the top of a variable height antenna tower.
4. The antenna is a broadband antenna and its height is adjusted between one meter and four meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
5. For each suspected emission, the EUT was arranged to its worst case and then adjust the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
6. For testing below 1GHz, if the emission level of the EUT in peak mode was 3 dB lower than the limit specified, then peak values of EUT will be reported, otherwise, the emissions will be repeated one by one using the CISPR quasi-peak method and reported.
7. For testing above 1GHz, the emission level of the EUT in peak mode was 20dB lower than average limit (that means the emission level in average mode also complies with the limit in average mode), then peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.

3.5.4 Test Setup


For radiated emissions below 30MHz



For radiated emissions from 30MHz to 1GHz



For radiated emissions above 1GHz



3.5.5 Test Results of Radiated Spurious Emissions (9 kHz ~ 30 MHz)

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

There is adequate comparison measurement of both open-field test site and alternative test site - semi-Anechoic chamber according to 414788 D01 Radiated Test Site v01r01, and the result came out very similar.

3.5.6 Test Result of Radiated Spurious at Band Edges

Please refer to Appendix C

3.5.7 Duty Cycle

Please refer to Appendix D.

3.5.8 Test Result of Radiated Spurious Emissions (30MHz ~ 10th Harmonic)

Please refer to Appendix C.

The emission level above 18GHz is checked that the emission level is noise floor only, so it is not reflected in the report.

3.6 AC Conducted Emission Measurement

3.6.1 Limit of AC Conducted Emission

For equipment that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies within the band 150 kHz to 30 MHz shall not exceed the limits in the following table.

Frequency of emission (MHz)	Conducted limit (dB μ V)	
	Quasi-peak	Average
0.15-0.5	66 to 56*	56 to 46*
0.5-5	56	46
5-30	60	50

*Decreases with the logarithm of the frequency.


3.6.2 Measuring Instruments

See list of measuring equipment of this test report.

3.6.3 Test Procedures

1. The EUT was placed 0.4 meter from the conducting wall of the shielding room was kept at least 80 centimeters from any other grounded conducting surface.
2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
3. All the support units are connecting to the other LISN.
4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
6. Both sides of AC line were checked for maximum conducted interference.
7. The frequency range from 150 kHz to 30 MHz was searched.
8. Set the test-receiver system to Peak Detect Function and specified bandwidth with Maximum Hold Mode.

3.6.4 Test Setup



3.6.5 Test Result of AC Conducted Emission

Please refer to Appendix B.



3.7 Antenna Requirements

3.7.1 Standard Applicable

§15.203: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.

3.7.2 Antenna Anti-Replacement Construction

An embedded-in antenna design is used. The EUT complies with the requirement of 15.203.

3.7.3 Antenna Gain

The antenna peak gain of EUT is less than 6 dBi. Therefore, it is not necessary to reduce maximum peak output power limit.



4 List of Measuring Equipment

Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101078	10Hz~40GHz	Apr. 02, 2025	Feb. 28, 2026~ Mar. 03, 2026	Apr. 01, 2026	Conducted (TH01-SZ)
Pulse Power Sensor	Anritsu	MA2411B	1339473	30MHz~40GHz	Dec. 24, 2025	Feb. 28, 2026~ Mar. 03, 2026	Dec. 23, 2026	Conducted (TH01-SZ)
Power Meter	Anritsu	ML2495A	1218010	50MHz Bandwidth	Oct. 13, 2025	Feb. 28, 2026~ Mar. 03, 2026	Oct. 12, 2026	Conducted (TH01-SZ)
EMI Test Receiver&SA	KEYSIGHT	N9038A	MY54450083	20Hz~8.4GHz	Apr. 02, 2025	Mar. 01, 2026~ May 29, 2026	Apr. 01, 2026	Radiation (03CH03-SZ)
Loop Antenna	R&S	HFH2-Z2E	101141	9kHz~30MHz	Dec. 25, 2025	Mar. 01, 2026~ May 29, 2026	Dec. 24, 2026	Radiation (03CH03-SZ)
EXA Signal Analyzer	KEYSIGHT	N9010B	MY59071191	10KHz~44GHz	Apr. 02, 2025	Mar. 01, 2026~ May 29, 2026	Apr. 01, 2026	Radiation (03CH03-SZ)
EXA Signal Analyzer	KEYSIGHT	N9010B	MY59071191	10KHz~44GHz	Mar. 27, 2026		Mar. 26, 2027	Radiation (03CH03-SZ)
Bilog Antenna	TeseQ	CBL6112D	35408	30MHz~2GHz	Sep. 13, 2025	Mar. 01, 2026~ May 29, 2026	Sep. 12, 2026	Radiation (03CH03-SZ)
Double Ridge Guide Antenna	ETS-Lindgren	Burgeon-3117	00240107	1GHz~18GHz	Jul. 13, 2025	Mar. 01, 2026~ May 29, 2026	Jul. 12, 2026	Radiation (03CH03-SZ)
HF Amplifier	MITEQ	TTA1840-35-HG	1871923	18GHz~40GHz	Jul. 03, 2025	Mar. 01, 2026~ May 29, 2026	Jul. 02, 2026	Radiation (03CH03-SZ)
SHF-EHF Horn	com-power	AH-840	101071	18GHz~40GHz	Apr. 03, 2025	Mar. 01, 2026~ May 29, 2026	Apr. 02, 2027	Radiation (03CH03-SZ)
Amplifier	EM Electronics	EM330	060756	0.01Hz~3000MHz	Apr. 02, 2025	Mar. 01, 2026~ May 29, 2026	Apr. 01, 2026	Radiation (03CH03-SZ)
Amplifier	EM Electronics	EM330	060756	0.01Hz~3000MHz	Mar. 26, 2026		Mar. 25, 2027	Radiation (03CH03-SZ)
HF Amplifier	MITEQ	AMF-7D-00101800-30-10P-R	1943528	1GHz~18GHz	Oct. 13, 2025	Mar. 01, 2026~ May 29, 2026	Oct. 12, 2026	Radiation (03CH03-SZ)
HF Amplifier	Keysight	83017A	MY53270357	500MHz~26.5GHz	Apr. 02, 2025	Mar. 01, 2026~ May 29, 2026	Apr. 01, 2026	Radiation (03CH03-SZ)
HF Amplifier	Keysight	83017A	MY53270357	500MHz~26.5GHz	Mar. 26, 2026		Mar. 25, 2027	Radiation (03CH03-SZ)
AC Power Source	Chroma	61601	616010002729	N/A	Oct. 13, 2025	Mar. 01, 2026~ May 29, 2026	Oct. 12, 2026	Radiation (03CH03-SZ)
Turn Table	EM	EM1000	N/A	0~360 degree	NCR	Mar. 01, 2026~ May 29, 2026	NCR	Radiation (03CH03-SZ)
Antenna Mast	EM	EM1000	N/A	1 m~4 m	NCR	Mar. 01, 2026~ May 29, 2026	NCR	Radiation (03CH03-SZ)
EMI Receiver	R&S	ESR7	102297	9kHz~7GHz;	Jul. 02, 2025	Mar. 04, 2026	Jul. 01, 2026	Conduction (CO02-SZ)
AC LISN	R&S	ENV216	101499	9kHz~30MHz	Jul. 03, 2025	Mar. 04, 2026	Jul. 02, 2026	Conduction (CO02-SZ)
AC Power Source	CHROMA	61601	616010002470	100Vac~250Vac	Dec. 24, 2025	Mar. 04, 2026	Dec. 23, 2026	Conduction (CO02-SZ)

NCR: No Calibration Required

5 Measurement Uncertainty

Uncertainty of Conducted Measurement

Test Item	Uncertainty
Conducted Spurious Emission & Bandedge	±1.34 dB
Occupied Channel Bandwidth	±0.012 MHz
Conducted Power	±1.34 dB
Conducted Power Spectral Density	±1.32 dB
Frequency	±1.3 Hz
Conducted Generated signal Levels	±0.62 dB
Conducted Time	0.38%

Uncertainty of AC Conducted Emission Measurement (0.15 MHz ~ 30 MHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	2.5dB
---	-------

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	5.0dB
---	-------

Uncertainty of Radiated Emission Measurement (1 GHz ~ 18 GHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	4.9dB
---	-------

Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	5.0dB
---	-------

----- THE END -----



Appendix A. Conducted Test Results

A1. Conducted Test Results

Test Engineer:	Sam Zheng	Temperature:	21~25	°C
Test Date:	2026/2/28~2026/3/03	Relative Humidity:	51~54	%

TEST RESULTS DATA
EIRP Power Table

UNII-5 single antenna												Power Setting
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)	Conducted Power with duty factor (dBm)	DG (dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail	
						Ant 1	Ant 1	Ant 1	Ant 1			Ant 1
11a	6Mbps	1	1	5955	Full	0.03	4.54	3.20	7.74	24.00	Pass	4.5
11a	6Mbps	1	49	6195	Full	0.03	5.14	3.20	8.34	24.00	Pass	4.5
11a	6Mbps	1	93	6415	Full	0.03	5.24	3.20	8.44	24.00	Pass	4.5
HE20	MCS0	1	1	5955	Full	0.00	5.05	3.20	8.25	24.00	Pass	5
HE20	MCS0	1	1	5955	26/0	0.00	-4.48	3.20	-1.28	24.00	Pass	-4.5
HE20	MCS0	1	1	5955	52/37	0.00	-1.45	3.20	1.75	24.00	Pass	-1.5
HE20	MCS0	1	1	5955	106/53	0.00	1.53	3.20	4.73	24.00	Pass	1.5
HE20	MCS0	1	49	6195	Full	0.00	5.60	3.20	8.80	24.00	Pass	5
HE20	MCS0	1	49	6195	26/0	0.00	-4.40	3.20	-1.20	24.00	Pass	-4.5
HE20	MCS0	1	49	6195	52/37	0.00	-1.36	3.20	1.84	24.00	Pass	-1.5
HE20	MCS0	1	49	6195	106/53	0.00	1.57	3.20	4.77	24.00	Pass	1.5
HE20	MCS0	1	93	6415	Full	0.00	5.74	3.20	8.94	24.00	Pass	5
HE20	MCS0	1	93	6415	26/8	0.00	-4.15	3.20	-0.95	24.00	Pass	-4.5
HE20	MCS0	1	93	6415	52/40	0.00	-1.23	3.20	1.97	24.00	Pass	-1.5
HE20	MCS0	1	93	6415	106/54	0.00	1.66	3.20	4.86	24.00	Pass	1.5
HE40	MCS0	1	3	5965	Full	0.00	8.29	3.20	11.49	24.00	Pass	8
HE40	MCS0	1	3	5965	242/61	0.00	5.30	3.20	8.50	24.00	Pass	5
HE40	MCS0	1	51	6205	Full	0.00	8.95	3.20	12.15	24.00	Pass	8
HE40	MCS0	1	51	6205	242/61	0.00	5.55	3.20	8.75	24.00	Pass	5
HE40	MCS0	1	91	6405	Full	0.00	8.84	3.20	12.04	24.00	Pass	8
HE40	MCS0	1	91	6405	242/62	0.00	5.80	3.20	9.00	24.00	Pass	5
HE80	MCS0	1	7	5985	Full	0.00	11.04	3.20	14.24	24.00	Pass	11
HE80	MCS0	1	7	5985	484/65	0.00	8.05	3.20	11.25	24.00	Pass	8
HE80	MCS0	1	55	6225	Full	0.00	11.40	3.20	14.60	24.00	Pass	11
HE80	MCS0	1	55	6225	484/65	0.00	8.24	3.20	11.44	24.00	Pass	8
HE80	MCS0	1	87	6385	Full	0.00	11.65	3.20	14.85	24.00	Pass	11
HE80	MCS0	1	87	6385	484/66	0.00	8.63	3.20	11.83	24.00	Pass	8
HE160	MCS0	1	15	6025	Full	0.00	14.27	3.20	17.47	24.00	Pass	14
HE160	MCS0	1	15	6025	996/67	0.00	11.70	3.20	14.90	24.00	Pass	11
HE160	MCS0	1	47	6185	Full	0.00	14.80	3.20	18.00	24.00	Pass	14
HE160	MCS0	1	47	6185	996/67	0.00	11.34	3.20	14.54	24.00	Pass	11
HE160	MCS0	1	79	6345	Full	0.00	14.99	3.20	18.19	24.00	Pass	14
HE160	MCS0	1	79	6345	996/S67	0.00	11.46	3.20	14.66	24.00	Pass	11

TEST RESULTS DATA
EIRP Power Table

UNII-6 single antenna												Power Setting
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)	Conducted Power with duty factor (dBm)	DG (dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail	
						Ant 1	Ant 1	Ant 1	Ant 1			Ant 1
11a	6Mbps	1	97	6435	Full	0.03	5.68	2.75	8.43	24.00	Pass	5
11a	6Mbps	1	105	6475	Full	0.03	5.62	2.75	8.37	24.00	Pass	5
11a	6Mbps	1	113	6515	Full	0.03	5.30	2.75	8.05	24.00	Pass	5
HE20	MCS0	1	97	6435	Full	0.00	6.25	2.75	9.00	24.00	Pass	5.5
HE20	MCS0	1	97	6435	26/0	0.00	-3.91	2.75	-1.16	24.00	Pass	-4
HE20	MCS0	1	97	6435	52/37	0.00	-0.95	2.75	1.80	24.00	Pass	-1
HE20	MCS0	1	97	6435	106/53	0.00	2.04	2.75	4.79	24.00	Pass	2
HE20	MCS0	1	105	6475	Full	0.00	6.17	2.75	8.92	24.00	Pass	5.5
HE20	MCS0	1	105	6475	26/0	0.00	-3.80	2.75	-1.05	24.00	Pass	-4
HE20	MCS0	1	105	6475	52/37	0.00	-0.92	2.75	1.83	24.00	Pass	-1
HE20	MCS0	1	105	6475	106/53	0.00	2.03	2.75	4.78	24.00	Pass	2
HE20	MCS0	1	113	6515	Full	0.00	5.85	2.75	8.60	24.00	Pass	5.5
HE20	MCS0	1	113	6515	26/8	0.00	-3.65	2.75	-0.90	24.00	Pass	-4
HE20	MCS0	1	113	6515	52/40	0.00	-0.90	2.75	1.85	24.00	Pass	-1
HE20	MCS0	1	113	6515	106/54	0.00	2.06	2.75	4.81	24.00	Pass	2
HE40	MCS0	1	99	6445	Full	0.00	9.28	2.75	12.03	24.00	Pass	8.5
HE40	MCS0	1	99	6445	242/61	0.00	6.22	2.75	8.97	24.00	Pass	5.5
HE40	MCS0	1	107	6485	Full	0.00	9.19	2.75	11.94	24.00	Pass	8.5
HE40	MCS0	1	107	6485	242/62	0.00	6.25	2.75	9.00	24.00	Pass	5.5
HE80	MCS0	1	103	6465	Full	0.00	11.95	2.75	14.70	24.00	Pass	11.5
HE80	MCS0	1	103	6465	484/65	0.00	8.95	2.75	11.70	24.00	Pass	8.5

UNII-6/7 straddle channel single antenna												Power Setting
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)	Conducted Power with duty factor (dBm)	DG (dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail	
						Ant 1	Ant 1	Ant 1	Ant 1			Ant 1
HE40	MCS0	1	115	6525	Full	0.00	9.10	2.75	11.85	24.00	Pass	8.5
HE40	MCS0	1	115	6525	242/62	0.00	6.26	2.75	9.01	24.00	Pass	6
HE80	MCS0	1	119	6545	Full	0.00	11.78	2.75	14.53	24.00	Pass	11.5
HE80	MCS0	1	119	6545	484/66	0.00	9.03	2.75	11.78	24.00	Pass	9
HE160	MCS0	1	111	6505	Full	0.00	15.10	2.75	17.85	24.00	Pass	14.5
HE160	MCS0	1	111	6505	996/67	0.00	12.02	2.75	14.77	24.00	Pass	11.5

TEST RESULTS DATA
EIRP Power Table

UNII-7 single antenna												
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)	Conducted Power with duty factor (dBm)	DG (dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail	Power Setting
						Ant 1	Ant 1	Ant 1	Ant 1			
11a	6Mbps	1	117	6535	Full	0.03	5.90	2.15	8.05	24.00	Pass	5.5
11a	6Mbps	1	149	6695	Full	0.03	5.97	2.15	8.12	24.00	Pass	5.5
11a	6Mbps	1	181	6855	Full	0.03	6.18	2.15	8.33	24.00	Pass	5.5
HE20	MCS0	1	117	6535	Full	0.00	6.51	2.15	8.66	24.00	Pass	6
HE20	MCS0	1	117	6535	26/0	0.00	-3.44	2.15	-1.29	24.00	Pass	-3.5
HE20	MCS0	1	117	6535	52/37	0.00	-0.48	2.15	1.67	24.00	Pass	-0.5
HE20	MCS0	1	117	6535	106/53	0.00	2.56	2.15	4.71	24.00	Pass	2.5
HE20	MCS0	1	149	6695	Full	0.00	6.50	2.15	8.65	24.00	Pass	6
HE20	MCS0	1	149	6695	26/0	0.00	-3.45	2.15	-1.30	24.00	Pass	-3.5
HE20	MCS0	1	149	6695	52/37	0.00	-0.46	2.15	1.69	24.00	Pass	-0.5
HE20	MCS0	1	149	6695	106/53	0.00	2.52	2.15	4.67	24.00	Pass	2.5
HE20	MCS0	1	181	6855	Full	0.00	6.85	2.15	9.00	24.00	Pass	6
HE20	MCS0	1	181	6855	26/8	0.00	-2.95	2.15	-0.80	24.00	Pass	-3.5
HE20	MCS0	1	181	6855	52/40	0.00	-0.45	2.15	1.70	24.00	Pass	-0.5
HE20	MCS0	1	181	6855	106/54	0.00	2.98	2.15	5.13	24.00	Pass	2.5
HE40	MCS0	1	123	6565	Full	0.00	9.67	2.15	11.82	24.00	Pass	9
HE40	MCS0	1	123	6565	242/61	0.00	6.63	2.15	8.78	24.00	Pass	6
HE40	MCS0	1	147	6685	Full	0.00	9.44	2.15	11.59	24.00	Pass	9
HE40	MCS0	1	147	6685	242/61	0.00	6.02	2.15	8.17	24.00	Pass	6
HE40	MCS0	1	179	6845	Full	0.00	9.50	2.15	11.65	24.00	Pass	9
HE40	MCS0	1	179	6845	242/62	0.00	6.40	2.15	8.55	24.00	Pass	6
HE80	MCS0	1	135	6625	Full	0.00	12.38	2.15	14.53	24.00	Pass	12
HE80	MCS0	1	135	6625	484/65	0.00	9.40	2.15	11.55	24.00	Pass	9
HE80	MCS0	1	151	6705	Full	0.00	12.30	2.15	14.45	24.00	Pass	12
HE80	MCS0	1	151	6705	484/65	0.00	9.10	2.15	11.25	24.00	Pass	9
HE80	MCS0	1	167	6785	Full	0.00	12.10	2.15	14.25	24.00	Pass	12
HE80	MCS0	1	167	6785	484/66	0.00	9.13	2.15	11.28	24.00	Pass	9
HE160	MCS0	1	143	6665	Full	0.00	15.70	2.15	17.85	24.00	Pass	15
HE160	MCS0	1	143	6665	996/S67	0.00	12.15	2.15	14.30	24.00	Pass	12

UNII-7/8 straddle channel single antenna												
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)	Conducted Power with duty factor (dBm)	DG (dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail	Power Setting
						Ant 1	Ant 1	Ant 1	Ant 1			Ant 1
11a	6Mbps	1	185	6875	Full	0.03	5.84	2.82	8.66	24.00	Pass	5
HE20	MCS0	1	185	6875	Full	0.00	6.35	2.82	9.17	24.00	Pass	5.5
HE20	MCS0	1	185	6875	26/8	0.00	-3.52	2.82	-0.70	24.00	Pass	-4
HE20	MCS0	1	185	6875	52/40	0.00	-0.98	2.82	1.84	24.00	Pass	-1
HE20	MCS0	1	185	6875	106/54	0.00	2.30	2.82	5.12	24.00	Pass	2
HE40	MCS0	1	187	6885	Full	0.00	9.15	2.82	11.97	24.00	Pass	8.5
HE40	MCS0	1	187	6885	242/62	0.00	5.90	2.82	8.72	24.00	Pass	5.5
HE80	MCS0	1	183	6865	Full	0.00	12.15	2.82	14.97	24.00	Pass	11.5
HE80	MCS0	1	183	6865	484/66	0.00	9.15	2.82	11.97	24.00	Pass	8.5
HE160	MCS0	1	175	6825	Full	0.00	15.11	2.82	17.93	24.00	Pass	14.5
HE160	MCS0	1	175	6825	996/67	0.00	12.32	2.82	15.14	24.00	Pass	12

TEST RESULTS DATA
EIRP Power Table

UNII-8 single antenna												Power Setting
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)	Conducted Power with duty factor (dBm)	DG (dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail	
						Ant 1	Ant 1	Ant 1	Ant 1			Ant 1
11a	6Mbps	1	189	6895	Full	0.03	5.81	2.82	8.63	24.00	Pass	5
11a	6Mbps	1	209	6995	Full	0.03	5.20	2.82	8.02	24.00	Pass	5
11a	6Mbps	1	229	7095	Full	0.03	5.13	2.82	7.95	24.00	Pass	5
HE20	MCS0	1	189	6895	Full	0.00	6.30	2.82	9.12	24.00	Pass	5.5
HE20	MCS0	1	189	6895	26/0	0.00	-3.56	2.82	-0.74	24.00	Pass	-4
HE20	MCS0	1	189	6895	52/37	0.00	-0.99	2.82	1.83	24.00	Pass	-1
HE20	MCS0	1	189	6895	106/53	0.00	2.34	2.82	5.16	24.00	Pass	2
HE20	MCS0	1	209	6995	Full	0.00	5.75	2.82	8.57	24.00	Pass	5.5
HE20	MCS0	1	209	6995	26/0	0.00	-3.95	2.82	-1.13	24.00	Pass	-4
HE20	MCS0	1	209	6995	52/37	0.00	-0.98	2.82	1.84	24.00	Pass	-1
HE20	MCS0	1	209	6995	106/53	0.00	2.02	2.82	4.84	24.00	Pass	2
HE20	MCS0	1	229	7095	Full	0.00	5.64	2.82	8.46	24.00	Pass	5.5
HE20	MCS0	1	229	7095	26/8	0.00	-3.50	2.82	-0.68	24.00	Pass	-4
HE20	MCS0	1	229	7095	52/40	0.00	-0.85	2.82	1.97	24.00	Pass	-1
HE20	MCS0	1	229	7095	106/54	0.00	2.12	2.82	4.94	24.00	Pass	2
HE40	MCS0	1	195	6925	Full	0.00	9.01	2.82	11.83	24.00	Pass	8.5
HE40	MCS0	1	195	6925	242/61	0.00	5.86	2.82	8.68	24.00	Pass	5.5
HE40	MCS0	1	211	7005	Full	0.00	8.71	2.82	11.53	24.00	Pass	8.5
HE40	MCS0	1	211	7005	242/61	0.00	5.66	2.82	8.48	24.00	Pass	5.5
HE40	MCS0	1	227	7085	Full	0.00	8.52	2.82	11.34	24.00	Pass	8.5
HE40	MCS0	1	227	7085	242/62	0.00	5.52	2.82	8.34	24.00	Pass	5.5
HE80	MCS0	1	199	6945	Full	0.00	11.81	2.82	14.63	24.00	Pass	11.5
HE80	MCS0	1	199	6945	484/65	0.00	8.82	2.82	11.64	24.00	Pass	8.5
HE80	MCS0	1	215	7025	Full	0.00	11.55	2.82	14.37	24.00	Pass	11.5
HE80	MCS0	1	215	7025	484/66	0.00	8.55	2.82	11.37	24.00	Pass	8.5
HE160	MCS0	1	207	6985	Full	0.00	15.15	2.82	17.97	24.00	Pass	14.5
HE160	MCS0	1	207	6985	996/S67	0.00	11.56	2.82	14.38	24.00	Pass	11.5

TEST RESULTS DATA
26dB and 99% OBW

UNII-5 single antenna									
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)	Limit (MHz)	Pass /Fail
						Ant 1	Ant 1		
11a	6Mbps	1	1	5955	Full	16.89	22.38	320	Pass
11a	6Mbps	1	49	6195	Full	16.87	22.26	320	Pass
11a	6Mbps	1	93	6415	Full	16.89	22.38	320	Pass
HE20	MCS0	1	1	5955	Full	19.08	23.28	320	Pass
HE20	MCS0	1	49	6195	Full	19.08	23.16	320	Pass
HE20	MCS0	1	93	6415	Full	19.09	22.86	320	Pass
HE40	MCS0	1	3	5965	Full	38.07	44.64	320	Pass
HE40	MCS0	1	51	6205	Full	38.05	44.64	320	Pass
HE40	MCS0	1	91	6405	Full	38.05	44.76	320	Pass
HE80	MCS0	1	7	5985	Full	77.86	90.00	320	Pass
HE80	MCS0	1	55	6225	Full	77.87	90.24	320	Pass
HE80	MCS0	1	87	6385	Full	77.85	90.00	320	Pass
HE160	MCS0	1	15	6025	Full	157.86	174.72	320	Pass
HE160	MCS0	1	47	6185	Full	157.83	176.64	320	Pass
HE160	MCS0	1	79	6345	Full	157.76	174.72	320	Pass

Note1:For channels with a nominal bandwidth of 320MHz,compliance is demonstrated by way of the 99%BW.

Note2:For channels with a nominal bandwidth less than 320MHz(e.g 20,40,80,160MHz),compliance is demonstrated by way of the 26dB EBW.

TEST RESULTS DATA
26dB and 99% OBW

UNII-6 single antenna									
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)	Limit (MHz)	Pass /Fail
						Ant 1	Ant 1		
11a	6Mbps	1	97	6435	Full	16.86	22.50	320	Pass
11a	6Mbps	1	105	6475	Full	16.88	22.26	320	Pass
11a	6Mbps	1	113	6515	Full	16.89	22.50	320	Pass
HE20	MCS0	1	97	6435	Full	19.09	22.98	320	Pass
HE20	MCS0	1	105	6475	Full	19.09	23.40	320	Pass
HE20	MCS0	1	113	6515	Full	19.10	23.16	320	Pass
HE40	MCS0	1	99	6445	Full	38.03	44.64	320	Pass
HE40	MCS0	1	107	6485	Full	38.05	45.00	320	Pass
HE80	MCS0	1	103	6465	Full	77.87	89.76	320	Pass

UNII-6/7 straddle channel single antenna									
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)	Limit (MHz)	Pass /Fail
						Ant 1	Ant 1		
HE40	MCS0	1	115	6525	Full	38.04	44.28	320	Pass
HE80	MCS0	1	119	6545	Full	77.88	90.72	320	Pass
HE160	MCS0	1	111	6505	Full	157.74	176.16	320	Pass

Note1:For channels with a nominal bandwidth of 320MHz,compliance is demonstrated by way of the 99%BW.

Note2:For channels with a nominal bandwidth less than 320MHz(e.g 20,40,80,160MHz),compliance is demonstrated by way of the 26dB EBW.

TEST RESULTS DATA
26dB and 99% OBW

UNII-7 single antenna									
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)	Limit (MHz)	Pass /Fail
						Ant 1	Ant 1		
11a	6Mbps	1	117	6535	Full	16.87	22.38	320	Pass
11a	6Mbps	1	149	6695	Full	16.87	22.32	320	Pass
11a	6Mbps	1	181	6855	Full	16.85	22.86	320	Pass
HE20	MCS0	1	117	6535	Full	19.08	22.80	320	Pass
HE20	MCS0	1	149	6695	Full	19.07	23.34	320	Pass
HE20	MCS0	1	181	6855	Full	19.09	22.92	320	Pass
HE40	MCS0	1	123	6565	Full	38.02	43.92	320	Pass
HE40	MCS0	1	147	6685	Full	38.03	44.16	320	Pass
HE40	MCS0	1	179	6845	Full	38.04	44.40	320	Pass
HE80	MCS0	1	135	6625	Full	77.80	90.24	320	Pass
HE80	MCS0	1	151	6705	Full	77.86	89.04	320	Pass
HE80	MCS0	1	167	6785	Full	77.85	89.28	320	Pass
HE160	MCS0	1	143	6665	Full	157.66	176.16	320	Pass

UNII-7/8 straddle channel single antenna									
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)	Limit (MHz)	Pass /Fail
						Ant 1	Ant 1		
11a	6Mbps	1	185	6875	Full	16.86	22.02	320	Pass
HE20	MCS0	1	185	6875	Full	19.10	22.80	320	Pass
HE40	MCS0	1	187	6885	Full	38.04	44.64	320	Pass
HE80	MCS0	1	183	6865	Full	77.82	89.76	320	Pass
HE160	MCS0	1	175	6825	Full	157.71	175.20	320	Pass

Note1:For channels with a nominal bandwidth of 320MHz,compliance is demonstrated by way of the 99%BW.

Note2:For channels with a nominal bandwidth less than 320MHz(e.g 20,40,80,160MHz),compliance is demonstrated by way of the 26dB EBW.

TEST RESULTS DATA
26dB EBW and 99% OBW

UNII-8 single antenna									
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)	Limit (MHz)	Pass /Fail
						Ant 1	Ant 1		
11a	6Mbps	1	189	6895	Full	16.86	22.38	320	Pass
11a	6Mbps	1	209	6995	Full	16.84	22.14	320	Pass
11a	6Mbps	1	229	7095	Full	16.87	22.26	320	Pass
HE20	MCS0	1	189	6895	Full	19.09	22.98	320	Pass
HE20	MCS0	1	209	6995	Full	19.06	22.92	320	Pass
HE20	MCS0	1	229	7095	Full	19.09	22.92	320	Pass
HE40	MCS0	1	195	6925	Full	38.02	44.76	320	Pass
HE40	MCS0	1	211	7005	Full	38.00	43.68	320	Pass
HE40	MCS0	1	227	7085	Full	38.06	44.16	320	Pass
HE80	MCS0	1	199	6945	Full	77.86	89.28	320	Pass
HE80	MCS0	1	215	7025	Full	77.75	91.20	320	Pass
HE160	MCS0	1	207	6985	Full	157.42	174.72	320	Pass

Note1:For channels with a nominal bandwidth of 320MHz,compliance is demonstrated by way of the 99%BW.

Note2:For channels with a nominal bandwidth less than 320MHz(e.g 20,40,80,160MHz),compliance is demonstrated by way of the 26dB EBW.

TEST RESULTS DATA
EIRP Power Spectral Density

UNII-5 single antenna											
Mod.	Data Rate	NTx	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)	Conducted Power Density with Duty Factor (dBm/MHz)	DG (dBi)	EIRP Power Density (dBm/MHz)	EIRP Power Density Limit (dBm)	Pass /Fail
						Ant 1	Ant 1	Ant 1	Ant 1		
11a	6Mbps	1	1	5955	Full	0.03	-7.02	3.20	-3.82	-1.00	Pass
11a	6Mbps	1	49	6195	Full	0.03	-6.40	3.20	-3.20	-1.00	Pass
11a	6Mbps	1	93	6415	Full	0.03	-6.21	3.20	-3.01	-1.00	Pass
HE20	MCS0	1	1	5955	Full	0.00	-7.04	3.20	-3.84	-1.00	Pass
HE20	MCS0	1	1	5955	26/0	0.00	-7.22	3.20	-4.02	-1.00	Pass
HE20	MCS0	1	1	5955	52/37	0.00	-6.93	3.20	-3.73	-1.00	Pass
HE20	MCS0	1	1	5955	106/53	0.00	-6.99	3.20	-3.79	-1.00	Pass
HE20	MCS0	1	49	6195	Full	0.00	-6.49	3.20	-3.29	-1.00	Pass
HE20	MCS0	1	49	6195	26/0	0.00	-7.03	3.20	-3.83	-1.00	Pass
HE20	MCS0	1	49	6195	52/37	0.00	-6.88	3.20	-3.68	-1.00	Pass
HE20	MCS0	1	49	6195	106/53	0.00	-7.18	3.20	-3.98	-1.00	Pass
HE20	MCS0	1	93	6415	Full	0.00	-6.33	3.20	-3.13	-1.00	Pass
HE20	MCS0	1	93	6415	26/8	0.00	-6.47	3.20	-3.27	-1.00	Pass
HE20	MCS0	1	93	6415	52/40	0.00	-6.65	3.20	-3.45	-1.00	Pass
HE20	MCS0	1	93	6415	106/54	0.00	-6.72	3.20	-3.52	-1.00	Pass
HE40	MCS0	1	3	5965	Full	0.00	-6.70	3.20	-3.50	-1.00	Pass
HE40	MCS0	1	3	5965	242/61	0.00	-6.46	3.20	-3.26	-1.00	Pass
HE40	MCS0	1	51	6205	Full	0.00	-6.08	3.20	-2.88	-1.00	Pass
HE40	MCS0	1	51	6205	242/61	0.00	-6.45	3.20	-3.25	-1.00	Pass
HE40	MCS0	1	91	6405	Full	0.00	-6.20	3.20	-3.00	-1.00	Pass
HE40	MCS0	1	91	6405	242/62	0.00	-5.67	3.20	-2.47	-1.00	Pass
HE80	MCS0	1	7	5985	Full	0.00	-6.77	3.20	-3.57	-1.00	Pass
HE80	MCS0	1	7	5985	484/65	0.00	-5.89	3.20	-2.69	-1.00	Pass
HE80	MCS0	1	55	6225	Full	0.00	-6.29	3.20	-3.09	-1.00	Pass
HE80	MCS0	1	55	6225	484/65	0.00	-5.80	3.20	-2.60	-1.00	Pass
HE80	MCS0	1	87	6385	Full	0.00	-6.07	3.20	-2.87	-1.00	Pass
HE80	MCS0	1	87	6385	484/66	0.00	-5.44	3.20	-2.24	-1.00	Pass
HE160	MCS0	1	15	6025	Full	0.00	-5.92	3.20	-2.72	-1.00	Pass
HE160	MCS0	1	15	6025	996/67	0.00	-5.32	3.20	-2.12	-1.00	Pass
HE160	MCS0	1	47	6185	Full	0.00	-5.37	3.20	-2.17	-1.00	Pass
HE160	MCS0	1	47	6185	996/67	0.00	-5.12	3.20	-1.92	-1.00	Pass
HE160	MCS0	1	79	6345	Full	0.00	-5.10	3.20	-1.90	-1.00	Pass
HE160	MCS0	1	79	6345	996/S67	0.00	-5.61	3.20	-2.41	-1.00	Pass

TEST RESULTS DATA
EIRP Power Spectral Density

UNII-6 single antenna											
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)	Conducted Power Density with Duty Factor	DG (dBi)	EIRP Power Density (dBm/MHz)	EIRP Power Density Limit (dBm)	Pass /Fail
						Ant 1	Ant 1	Ant 1	Ant 1		
11a	6Mbps	1	97	6435	Full	0.03	-5.79	2.75	-3.04	-1.00	Pass
11a	6Mbps	1	105	6475	Full	0.03	-5.89	2.75	-3.14	-1.00	Pass
11a	6Mbps	1	113	6515	Full	0.03	-6.21	2.75	-3.46	-1.00	Pass
HE20	MCS0	1	97	6435	Full	0.00	-5.83	2.75	-3.08	-1.00	Pass
HE20	MCS0	1	97	6435	26/0	0.00	-6.73	2.75	-3.98	-1.00	Pass
HE20	MCS0	1	97	6435	52/37	0.00	-6.08	2.75	-3.33	-1.00	Pass
HE20	MCS0	1	97	6435	106/53	0.00	-6.20	2.75	-3.45	-1.00	Pass
HE20	MCS0	1	105	6475	Full	0.00	-5.95	2.75	-3.20	-1.00	Pass
HE20	MCS0	1	105	6475	26/0	0.00	-6.80	2.75	-4.05	-1.00	Pass
HE20	MCS0	1	105	6475	52/37	0.00	-6.71	2.75	-3.96	-1.00	Pass
HE20	MCS0	1	105	6475	106/53	0.00	-6.86	2.75	-4.11	-1.00	Pass
HE20	MCS0	1	113	6515	Full	0.00	-6.29	2.75	-3.54	-1.00	Pass
HE20	MCS0	1	113	6515	26/8	0.00	-6.55	2.75	-3.80	-1.00	Pass
HE20	MCS0	1	113	6515	52/40	0.00	-6.32	2.75	-3.57	-1.00	Pass
HE20	MCS0	1	113	6515	106/54	0.00	-6.47	2.75	-3.72	-1.00	Pass
HE40	MCS0	1	99	6445	Full	0.00	-5.77	2.75	-3.02	-1.00	Pass
HE40	MCS0	1	99	6445	242/61	0.00	-5.25	2.75	-2.50	-1.00	Pass
HE40	MCS0	1	107	6485	Full	0.00	-5.99	2.75	-3.24	-1.00	Pass
HE40	MCS0	1	107	6485	242/62	0.00	-5.43	2.75	-2.68	-1.00	Pass
HE80	MCS0	1	103	6465	Full	0.00	-5.80	2.75	-3.05	-1.00	Pass
HE80	MCS0	1	103	6465	484/65	0.00	-4.68	2.75	-1.93	-1.00	Pass

UNII-6/7 straddle channel single antenna											
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)	Conducted Power Density with Duty Factor	DG (dBi)	EIRP Power Density (dBm/MHz)	EIRP Power Density Limit (dBm)	Pass /Fail
						Ant 1	Ant 1	Ant 1	Ant 1		
HE40	MCS0	1	115	6525	Full	0.00	-6.09	2.75	-3.34	-1.00	Pass
HE40	MCS0	1	115	6525	242/62	0.00	-5.70	2.75	-2.95	-1.00	Pass
HE80	MCS0	1	119	6545	Full	0.00	-5.97	2.75	-3.22	-1.00	Pass
HE80	MCS0	1	119	6545	484/66	0.00	-5.08	2.75	-2.33	-1.00	Pass
HE160	MCS0	1	111	6505	Full	0.00	-5.11	2.75	-2.36	-1.00	Pass
HE160	MCS0	1	111	6505	996/67	0.00	-4.80	2.75	-2.05	-1.00	Pass

TEST RESULTS DATA
EIRP Power Spectral Density

UNII-7 single antenna											
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)	Conducted Power Density with Duty Factor (dBm/MHz)	DG (dBi)	EIRP Power Density (dBm/MHz)	EIRP Power Density Limit (dBm)	Pass /Fail
						Ant 1	Ant 1	Ant 1	Ant 1		
11a	6Mbps	1	117	6535	Full	0.03	-5.58	2.15	-3.43	-1.00	Pass
11a	6Mbps	1	149	6695	Full	0.03	-5.57	2.15	-3.42	-1.00	Pass
11a	6Mbps	1	181	6855	Full	0.03	-5.28	2.15	-3.13	-1.00	Pass
HE20	MCS0	1	117	6535	Full	0.00	-5.58	2.15	-3.43	-1.00	Pass
HE20	MCS0	1	117	6535	26/0	0.00	-5.93	2.15	-3.78	-1.00	Pass
HE20	MCS0	1	117	6535	52/37	0.00	-6.77	2.15	-4.62	-1.00	Pass
HE20	MCS0	1	117	6535	106/53	0.00	-5.97	2.15	-3.82	-1.00	Pass
HE20	MCS0	1	149	6695	Full	0.00	-5.65	2.15	-3.50	-1.00	Pass
HE20	MCS0	1	149	6695	26/0	0.00	-5.88	2.15	-3.73	-1.00	Pass
HE20	MCS0	1	149	6695	52/37	0.00	-6.09	2.15	-3.94	-1.00	Pass
HE20	MCS0	1	149	6695	106/53	0.00	-5.73	2.15	-3.58	-1.00	Pass
HE20	MCS0	1	181	6855	Full	0.00	-5.14	2.15	-2.99	-1.00	Pass
HE20	MCS0	1	181	6855	26/8	0.00	-6.06	2.15	-3.91	-1.00	Pass
HE20	MCS0	1	181	6855	52/40	0.00	-6.02	2.15	-3.87	-1.00	Pass
HE20	MCS0	1	181	6855	106/54	0.00	-5.46	2.15	-3.31	-1.00	Pass
HE40	MCS0	1	123	6565	Full	0.00	-5.46	2.15	-3.31	-1.00	Pass
HE40	MCS0	1	123	6565	242/61	0.00	-4.98	2.15	-2.83	-1.00	Pass
HE40	MCS0	1	147	6685	Full	0.00	-5.72	2.15	-3.57	-1.00	Pass
HE40	MCS0	1	147	6685	242/61	0.00	-5.39	2.15	-3.24	-1.00	Pass
HE40	MCS0	1	179	6845	Full	0.00	-5.58	2.15	-3.43	-1.00	Pass
HE40	MCS0	1	179	6845	242/62	0.00	-5.22	2.15	-3.07	-1.00	Pass
HE80	MCS0	1	135	6625	Full	0.00	-5.35	2.15	-3.20	-1.00	Pass
HE80	MCS0	1	135	6625	484/65	0.00	-4.67	2.15	-2.52	-1.00	Pass
HE80	MCS0	1	151	6705	Full	0.00	-5.52	2.15	-3.37	-1.00	Pass
HE80	MCS0	1	151	6705	484/65	0.00	-5.20	2.15	-3.05	-1.00	Pass
HE80	MCS0	1	167	6785	Full	0.00	-5.56	2.15	-3.41	-1.00	Pass
HE80	MCS0	1	167	6785	484/66	0.00	-5.13	2.15	-2.98	-1.00	Pass
HE160	MCS0	1	143	6665	Full	0.00	-4.47	2.15	-2.32	-1.00	Pass
HE160	MCS0	1	143	6665	996/S67	0.00	-4.78	2.15	-2.63	-1.00	Pass


UNII-6/7 straddle channel single antenna											
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)	Conducted Power Density with Duty Factor (dBm/MHz)	DG (dBi)	EIRP Power Density (dBm/MHz)	EIRP Power Density Limit (dBm)	Pass /Fail
						Ant 1	Ant 1	Ant 1	Ant 1		
11a	6Mbps	1	185	6875	Full	0.03	-5.56	2.82	-2.74	-1.00	Pass
HE20	MCS0	1	185	6875	Full	0.00	-5.66	2.82	-2.84	-1.00	Pass
HE20	MCS0	1	185	6875	26/8	0.00	-6.09	2.82	-3.27	-1.00	Pass
HE20	MCS0	1	185	6875	52/40	0.00	-6.71	2.82	-3.89	-1.00	Pass
HE20	MCS0	1	185	6875	106/54	0.00	-6.06	2.82	-3.24	-1.00	Pass
HE40	MCS0	1	187	6885	Full	0.00	-5.97	2.82	-3.15	-1.00	Pass
HE40	MCS0	1	187	6885	242/62	0.00	-5.62	2.82	-2.80	-1.00	Pass
HE80	MCS0	1	183	6865	Full	0.00	-5.61	2.82	-2.79	-1.00	Pass
HE80	MCS0	1	183	6865	484/66	0.00	-5.17	2.82	-2.35	-1.00	Pass
HE160	MCS0	1	175	6825	Full	0.00	-5.11	2.82	-2.29	-1.00	Pass
HE160	MCS0	1	175	6825	996/67	0.00	-4.62	2.82	-1.80	-1.00	Pass

TEST RESULTS DATA
EIRP Power Spectral Density

UNII-8 single antenna											
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)	Conducted Power Density with Duty Factor (dBm/MHz)	DG (dBi)	EIRP Power Density (dBm/MHz)	EIRP Power Density Limit (dBm)	Pass /Fail
						Ant 1	Ant 1	Ant 1	Ant 1		
11a	6Mbps	1	189	6895	Full	0.03	-5.66	2.82	-2.84	-1.00	Pass
11a	6Mbps	1	209	6995	Full	0.03	-6.23	2.82	-3.41	-1.00	Pass
11a	6Mbps	1	229	7095	Full	0.03	-6.65	2.82	-3.83	-1.00	Pass
HE20	MCS0	1	189	6895	Full	0.00	-5.76	2.82	-2.94	-1.00	Pass
HE20	MCS0	1	189	6895	26/0	0.00	-6.08	2.82	-3.26	-1.00	Pass
HE20	MCS0	1	189	6895	52/37	0.00	-6.67	2.82	-3.85	-1.00	Pass
HE20	MCS0	1	189	6895	106/53	0.00	-6.08	2.82	-3.26	-1.00	Pass
HE20	MCS0	1	209	6995	Full	0.00	-6.27	2.82	-3.45	-1.00	Pass
HE20	MCS0	1	209	6995	26/0	0.00	-6.54	2.82	-3.72	-1.00	Pass
HE20	MCS0	1	209	6995	52/37	0.00	-6.86	2.82	-4.04	-1.00	Pass
HE20	MCS0	1	209	6995	106/53	0.00	-6.50	2.82	-3.68	-1.00	Pass
HE20	MCS0	1	229	7095	Full	0.00	-6.63	2.82	-3.81	-1.00	Pass
HE20	MCS0	1	229	7095	26/8	0.00	-6.26	2.82	-3.44	-1.00	Pass
HE20	MCS0	1	229	7095	52/40	0.00	-6.56	2.82	-3.74	-1.00	Pass
HE20	MCS0	1	229	7095	106/54	0.00	-6.59	2.82	-3.77	-1.00	Pass
HE40	MCS0	1	195	6925	Full	0.00	-6.14	2.82	-3.32	-1.00	Pass
HE40	MCS0	1	195	6925	242/61	0.00	-5.76	2.82	-2.94	-1.00	Pass
HE40	MCS0	1	211	7005	Full	0.00	-6.33	2.82	-3.51	-1.00	Pass
HE40	MCS0	1	211	7005	242/61	0.00	-5.95	2.82	-3.13	-1.00	Pass
HE40	MCS0	1	227	7085	Full	0.00	-6.97	2.82	-4.15	-1.00	Pass
HE40	MCS0	1	227	7085	242/62	0.00	-6.49	2.82	-3.67	-1.00	Pass
HE80	MCS0	1	199	6945	Full	0.00	-5.99	2.82	-3.17	-1.00	Pass
HE80	MCS0	1	199	6945	484/65	0.00	-5.52	2.82	-2.70	-1.00	Pass
HE80	MCS0	1	215	7025	Full	0.00	-6.47	2.82	-3.65	-1.00	Pass
HE80	MCS0	1	215	7025	484/66	0.00	-6.19	2.82	-3.37	-1.00	Pass
HE160	MCS0	1	207	6985	Full	0.00	-5.14	2.82	-2.32	-1.00	Pass
HE160	MCS0	1	207	6985	996/S67	0.00	-5.38	2.82	-2.56	-1.00	Pass




Appendix B. AC Conducted Emission Test Results





Test Engineer :	Nathon	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
Condition : FCC 15E_QP LISN-N_2026 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.17	31.04	-23.68	54.72	11.10	9.78	10.16	Average
2	0.17	45.44	-19.28	64.72	25.50	9.78	10.16	QP
3	0.23	30.34	-22.14	52.48	10.40	9.78	10.16	Average
4 *	0.23	45.74	-16.74	62.48	25.80	9.78	10.16	QP
5	0.29	23.43	-27.11	50.54	3.50	9.78	10.15	Average
6	0.29	37.13	-23.41	60.54	17.20	9.78	10.15	QP
7	0.36	23.62	-25.07	48.69	3.69	9.78	10.15	Average
8	0.36	37.22	-21.47	58.69	17.29	9.78	10.15	QP
9	0.49	21.06	-25.17	46.23	1.20	9.72	10.14	Average
10	0.49	33.46	-22.77	56.23	13.60	9.72	10.14	QP
11	4.95	18.99	-27.01	46.00	-1.00	9.76	10.23	Average
12	4.95	29.79	-26.21	56.00	9.80	9.76	10.23	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix A. Radiated Spurious Emission

Test Engineer :	HuaCong Liang	Relative Humidity :	50%
		Temperature :	20-22°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	1	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	1	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	1	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	1	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 5	U-NII-5	5.925-6.425	1	802.11ax HE20	1	5955	MCS0	Partial_RU 26/0	-
Mode 6	U-NII-5	5.925-6.425	1	802.11ax HE20	1	5955	MCS0	Partial_RU 52/37	-
Mode 7	U-NII-5	5.925-6.425	1	802.11ax HE20	1	5955	MCS0	Partial_RU 106/53	-
Mode 8	U-NII-5	5.925-6.425	1	802.11ax HE20	49	6195	MCS0	Full RU	-
Mode 9	U-NII-5	5.925-6.425	1	802.11ax HE20	93	6415	MCS0	Full RU	-
Mode 10	U-NII-5	5.925-6.425	1	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 11	U-NII-5	5.925-6.425	1	802.11ax HE40	3	5965	MCS0	Partial_RU 242/61	-
Mode 12	U-NII-5	5.925-6.425	1	802.11ax HE40	51	6205	MCS0	Full RU	-
Mode 13	U-NII-5	5.925-6.425	1	802.11ax HE40	91	6405	MCS0	Full RU	-
Mode 14	U-NII-5	5.925-6.425	1	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	1	802.11ax HE80	7	5985	MCS0	Partial_RU 484/65	-
Mode 16	U-NII-5	5.925-6.425	1	802.11ax HE80	55	6225	MCS0	Full RU	-
Mode 17	U-NII-5	5.925-6.425	1	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 18	U-NII-5	5.925-6.425	1	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 19	U-NII-5	5.925-6.425	1	802.11ax HE160	15	6025	MCS0	Partial_RU 996/67	-
Mode 20	U-NII-5	5.925-6.425	1	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 21	U-NII-5	5.925-6.425	1	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 22	U-NII-6	6.425-6.525	1	802.11a	97	6435	6Mbps	-	-
Mode 23	U-NII-6	6.425-6.525	1	802.11a	105	6475	6Mbps	-	-
Mode 24	U-NII-6	6.425-6.525	1	802.11a	113	6515	6Mbps	-	-
Mode 25	U-NII-6	6.425-6.525	1	802.11ax HE20	97	6435	MCS0	Full RU	-
Mode 26	U-NII-6	6.425-6.525	1	802.11ax HE20	105	6475	MCS0	Full RU	-
Mode 27	U-NII-6	6.425-6.525	1	802.11ax HE20	113	6515	MCS0	Full RU	-
Mode 28	U-NII-6	6.425-6.525	1	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 29	U-NII-6	6.425-6.525	1	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 30	U-NII-6	6.425-6.525	1	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 31	U-NII-6	6.425-6.525	1	802.11ax HE80	103	6465	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 32	U-NII-6	6.425-6.525	1	802.11ax HE80	119	6545	MCS0	Full RU	-
Mode 33	U-NII-6	6.425-6.525	1	802.11ax HE160	111	6505	MCS0	Full RU	-
Mode 34	U-NII-7	6.525-6.875	1	802.11a	117	6535	6Mbps	-	-
Mode 35	U-NII-7	6.525-6.875	1	802.11a	149	6695	6Mbps	-	-
Mode 36	U-NII-7	6.525-6.875	1	802.11a	181	6855	6Mbps	-	-
Mode 37	U-NII-7	6.525-6.875	1	802.11a	185	6875	6Mbps	-	-
Mode 38	U-NII-7	6.525-6.875	1	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 39	U-NII-7	6.525-6.875	1	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 40	U-NII-7	6.525-6.875	1	802.11ax HE20	181	6855	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	1	802.11ax HE20	185	6875	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	1	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 43	U-NII-7	6.525-6.875	1	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 44	U-NII-7	6.525-6.875	1	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 45	U-NII-7	6.525-6.875	1	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 46	U-NII-7	6.525-6.875	1	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 47	U-NII-7	6.525-6.875	1	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 48	U-NII-7	6.525-6.875	1	802.11ax HE80	167	6785	MCS0	Full RU	-
Mode 49	U-NII-7	6.525-6.875	1	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 50	U-NII-7	6.525-6.875	1	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 51	U-NII-7	6.525-6.875	1	802.11ax HE160	175	6825	MCS0	Full RU	-
Mode 52	U-NII-8	6.875-7.125	1	802.11a	189	6895	6Mbps	-	-
Mode 53	U-NII-8	6.875-7.125	1	802.11a	209	6995	6Mbps	-	-
Mode 54	U-NII-8	6.875-7.125	1	802.11a	229	7095	6Mbps	-	-
Mode 55	U-NII-8	6.875-7.125	1	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 56	U-NII-8	6.875-7.125	1	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 57	U-NII-8	6.875-7.125	1	802.11ax HE20	229	7095	MCS0	Full RU	-
Mode 58	U-NII-8	6.875-7.125	1	802.11ax HE20	229	7095	MCS0	Partial_RU 26/8	-
Mode 59	U-NII-8	6.875-7.125	1	802.11ax HE20	229	7095	MCS0	Partial_RU 50/40	-
Mode 60	U-NII-8	6.875-7.125	1	802.11ax HE20	229	7095	MCS0	Partial_RU 106/54	-
Mode 61	U-NII-8	6.875-7.125	1	802.11ax HE40	195	6925	MCS0	Full RU	-
Mode 62	U-NII-8	6.875-7.125	1	802.11ax HE40	211	7005	MCS0	Full RU	-
Mode 63	U-NII-8	6.875-7.125	1	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 64	U-NII-8	6.875-7.125	1	802.11ax HE40	227	7085	MCS0	Partial_RU 242/62	-
Mode 65	U-NII-8	6.875-7.125	1	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 66	U-NII-8	6.875-7.125	1	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 67	U-NII-8	6.875-7.125	1	802.11ax HE80	215	7025	MCS0	Partial_RU 484/66	-
Mode 68	U-NII-8	6.875-7.125	1	802.11ax HE160	207	6985	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 69	U-NII-8	6.875-7.125	1	802.11ax HE160	207	6985	MCS0	Partial_RU 996/S67	-
Mode 70	U-NII-8	6.875-7.125	1	802.11ax HE160-LF	207	6985	MCS0	-	-
Mode 72	U-NII-8	6.875-7.125	1	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 73	U-NII-8	6.875-7.125	1	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 74	U-NII-8	6.875-7.125	1	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 75	U-NII-8	6.875-7.125	1	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 76	U-NII-8	6.875-7.125	1	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 77	U-NII-8	6.875-7.125	1	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 78	U-NII-8	6.875-7.125	1	802.11ax HE160_LF	207	6985	MCS0	Full RU	-

Note: Mode 72~77 were performed with sample 2~7 which is verified worse case of the sample 1.

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5923.98	42.94	68.20	-25.26	H	AVERAGE	Pass	Band Edge
1	802.11a	1	17865.00	48.08	74.00	-25.92	V	Peak	Pass	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	Band Edge
2	802.11a	49	12390.00	46.89	74.00	-27.11	H	Peak	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	48.50	88.20	-39.70	V	Peak	Pass	Harmonic
4	802.11ax HE20	1	5922.86	42.90	68.20	-25.30	H	AVERAGE	Pass	Band Edge
4	802.11ax HE20	1	11910.00	48.11	74.00	-25.89	V	Peak	Pass	Harmonic
5	802.11ax HE20	1	5914.46	42.74	68.20	-25.46	H	AVERAGE	Pass	Band Edge
5	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
6	802.11ax HE20	1	5902.56	42.61	68.20	-25.59	H	AVERAGE	Pass	Band Edge
6	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
7	802.11ax HE20	1	5847.40	42.61	68.20	-25.59	H	AVERAGE	Pass	Band Edge
7	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
8	802.11ax HE20	49	-	-	-	-	-	-	-	Band Edge
8	802.11ax HE20	49	12390.00	46.63	74.00	-27.37	V	Peak	Pass	Harmonic
9	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
9	802.11ax HE20	93	12830.00	47.29	88.20	-40.91	V	Peak	Pass	Harmonic
10	802.11ax HE40	3	5923.88	43.27	68.20	-24.93	H	AVERAGE	Pass	Band Edge
10	802.11ax HE40	3	11930.00	47.89	74.00	-26.11	H	Peak	Pass	Harmonic
11	802.11ax HE40	3	5896.36	43.24	68.20	-24.96	H	AVERAGE	Pass	Band Edge
11	802.11ax HE40	3	-	-	-	-	-	-	-	Harmonic
12	802.11ax HE40	51	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE40	51	12410.00	46.53	74.00	-27.47	V	Peak	Pass	Harmonic
13	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
13	802.11ax HE40	91	12810.00	47.42	88.20	-40.78	V	Peak	Pass	Harmonic
14	802.11ax HE80	7	5891.08	47.65	68.20	-20.55	H	AVERAGE	Pass	Band Edge
14	802.11ax HE80	7	11970.00	47.46	74.00	-26.54	V	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
15	802.11ax HE80	7	5924.68	50.62	68.20	-17.58	H	AVERAGE	Pass	Band Edge
15	802.11ax HE80	7	-	-	-	-	-	-	-	Harmonic
16	802.11ax HE80	55	-	-	-	-	-	-	-	Band Edge
16	802.11ax HE80	55	12450.00	46.77	74.00	-27.23	H	Peak	Pass	Harmonic
17	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE80	87	12770.00	47.99	88.20	-40.21	H	Peak	Pass	Harmonic
18	802.11ax HE160	15	5887.44	57.53	68.20	-10.67	H	AVERAGE	Pass	Band Edge
18	802.11ax HE160	15	12050.00	48.10	74.00	-25.90	H	Peak	Pass	Harmonic
19	802.11ax HE160	15	5924.40	63.26	68.20	-4.94	H	AVERAGE	Pass	Band Edge
19	802.11ax HE160	15	-	-	-	-	-	-	-	Harmonic
20	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE160	47	12370.00	46.84	74.00	-27.16	V	Peak	Pass	Harmonic
21	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE160	79	12690.00	48.15	74.00	-25.85	V	Peak	Pass	Harmonic
22	802.11a	97	-	-	-	-	-	-	-	Band Edge
22	802.11a	97	12870.00	47.97	88.20	-40.23	V	Peak	Pass	Harmonic
23	802.11a	105	-	-	-	-	-	-	-	Band Edge
23	802.11a	105	12950.00	47.34	88.20	-40.86	V	Peak	Pass	Harmonic
24	802.11a	113	-	-	-	-	-	-	-	Band Edge
24	802.11a	113	13030.00	47.25	88.20	-40.95	H	Peak	Pass	Harmonic
25	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
25	802.11ax HE20	97	12870.00	48.41	88.20	-39.79	H	Peak	Pass	Harmonic
26	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE20	105	12950.00	47.72	88.20	-40.48	H	Peak	Pass	Harmonic
27	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE20	113	13030.00	47.26	88.20	-40.94	V	Peak	Pass	Harmonic
28	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE40	99	12890.00	47.74	88.20	-40.46	V	Peak	Pass	Harmonic
29	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE40	107	12970.00	47.80	88.20	-40.40	H	Peak	Pass	Harmonic
30	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE40	115	13050.00	47.39	88.20	-40.81	H	Peak	Pass	Harmonic
31	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE80	103	12930.00	47.22	88.20	-40.98	V	Peak	Pass	Harmonic
32	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE80	119	13090.00	48.09	88.20	-40.11	V	Peak	Pass	Harmonic
33	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE160	111	13010.00	47.31	88.20	-40.89	V	Peak	Pass	Harmonic
34	802.11a	117	-	-	-	-	-	-	-	Band Edge
34	802.11a	117	13070.00	48.02	88.20	-40.18	V	Peak	Pass	Harmonic
35	802.11a	149	-	-	-	-	-	-	-	Band Edge
35	802.11a	149	13390.00	46.48	74.00	-27.52	H	Peak	Pass	Harmonic
36	802.11a	181	-	-	-	-	-	-	-	Band Edge
36	802.11a	181	13710.00	47.66	88.20	-40.54	V	Peak	Pass	Harmonic
37	802.11a	185	-	-	-	-	-	-	-	Band Edge







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
37	802.11a	185	13750.00	47.42	88.20	-40.78	V	Peak	Pass	Harmonic
38	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE20	117	13070.00	47.83	88.20	-40.37	V	Peak	Pass	Harmonic
39	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE20	149	13390.00	47.81	74.00	-26.19	V	Peak	Pass	Harmonic
40	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE20	181	13710.00	47.54	88.20	-40.66	H	Peak	Pass	Harmonic
41	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE20	185	13750.00	47.51	88.20	-40.69	H	Peak	Pass	Harmonic
42	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE40	123	13130.00	47.64	88.20	-40.56	V	Peak	Pass	Harmonic
43	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE40	147	13370.00	46.61	74.00	-27.39	H	Peak	Pass	Harmonic
44	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE40	179	13690.00	47.89	88.20	-40.31	H	Peak	Pass	Harmonic
45	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE40	187	13770.00	47.71	88.20	-40.49	H	Peak	Pass	Harmonic
46	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE80	135	13250.00	47.66	74.00	-26.34	H	Peak	Pass	Harmonic
47	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE80	151	13410.00	47.81	88.20	-40.39	H	Peak	Pass	Harmonic
48	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE80	167	13570.00	46.85	88.20	-41.35	V	Peak	Pass	Harmonic
49	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
49	802.11ax HE80	183	13730.00	47.12	88.20	-41.08	H	Peak	Pass	Harmonic
50	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
50	802.11ax HE160	143	13330.00	47.71	74.00	-26.29	V	Peak	Pass	Harmonic
51	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
51	802.11ax HE160	175	13650.00	47.94	88.20	-40.26	V	Peak	Pass	Harmonic
52	802.11a	189	-	-	-	-	-	-	-	Band Edge
52	802.11a	189	13790.00	47.98	88.20	-40.22	H	Peak	Pass	Harmonic
53	802.11a	209	-	-	-	-	-	-	-	Band Edge
53	802.11a	209	13990.00	47.77	88.20	-40.43	V	Peak	Pass	Harmonic
54	802.11a	229	7270.35	43.32	54.00	-10.68	H	AVERAGE	Pass	Band Edge
54	802.11a	229	14190.00	47.34	88.20	-40.86	V	Peak	Pass	Harmonic
55	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
55	802.11ax HE20	189	13790.00	47.99	88.20	-40.21	H	Peak	Pass	Harmonic
56	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE20	209	13990.00	47.83	88.20	-40.37	H	Peak	Pass	Harmonic
57	802.11ax HE20	229	7274.35	43.39	54.00	-10.61	H	AVERAGE	Pass	Band Edge
57	802.11ax HE20	229	14190.00	47.49	88.20	-40.71	H	Peak	Pass	Harmonic
58	802.11ax HE20	229	7305.06	43.33	54.00	-10.67	H	AVERAGE	Pass	Band Edge
58	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
59	802.11ax HE20	229	7287.26	43.41	54.00	-10.59	V	AVERAGE	Pass	Band Edge
59	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
60	802.11ax HE20	229	7311.73	43.35	54.00	-10.65	V	AVERAGE	Pass	Band Edge
60	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
61	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
61	802.11ax HE40	195	13850.00	47.82	88.20	-40.38	H	Peak	Pass	Harmonic
62	802.11ax HE40	211	-	-	-	-	-	-	-	Band Edge
62	802.11ax HE40	211	14010.00	47.88	88.20	-40.32	H	Peak	Pass	Harmonic
63	802.11ax HE40	227	7265.07	43.35	54.00	-10.65	H	AVERAGE	Pass	Band Edge
63	802.11ax HE40	227	14170.00	47.21	88.20	-40.99	V	Peak	Pass	Harmonic
64	802.11ax HE40	227	7304.97	43.36	54.00	-10.64	H	AVERAGE	Pass	Band Edge
64	802.11ax HE40	227	-	-	-	-	-	-	-	Harmonic
65	802.11ax HE80	199	7341.10	44.20	54.00	-9.80	V	AVERAGE	Pass	Band Edge
65	802.11ax HE80	199	13890.00	47.87	88.20	-40.33	V	Peak	Pass	Harmonic
66	802.11ax HE80	215	7301.46	44.30	54.00	-9.70	H	AVERAGE	Pass	Band Edge
66	802.11ax HE80	215	14050.00	47.93	88.20	-40.27	H	Peak	Pass	Harmonic
67	802.11ax HE80	215	7273.35	44.40	54.00	-9.60	H	AVERAGE	Pass	Band Edge
67	802.11ax HE80	215	-	-	-	-	-	-	-	Harmonic
68	802.11ax HE160	207	7251.88	49.09	54.00	-4.11	H	AVERAGE	Pass	Band Edge
68	802.11ax HE160	207	13970.00	47.82	88.20	-40.38	V	Peak	Pass	Harmonic
69	802.11ax HE160	207	7271.88	49.75	54.00	-4.25	H	AVERAGE	Pass	Band Edge
69	802.11ax HE160	207	-	-	-	-	-	-	-	Harmonic
70	802.11ax HE160	207	841.89	29.46	46.00	-16.54	V	Peak	Pass	LF
72	802.11ax HE160	207	7265.63	48.30	54.00	-5.70	H	AVERAGE	Pass	Band Edge
72	802.11ax HE160	207	13970.00	47.74	88.20	-40.46	V	Peak	Pass	Harmonic
73	802.11ax HE160	207	7258.75	47.46	54.00	-6.54	H	AVERAGE	Pass	Band Edge
73	802.11ax HE160	207	13970.00	47.69	88.20	-40.51	H	Peak	Pass	Harmonic
74	802.11ax HE160	207	7252.50	47.28	54.00	-6.72	H	AVERAGE	Pass	Band Edge
74	802.11ax HE160	207	13970.00	47.72	88.20	-40.48	H	Peak	Pass	Harmonic
75	802.11ax HE160	207	7250.63	44.25	54.00	-9.75	H	AVERAGE	Pass	Band Edge
75	802.11ax HE160	207	13970.00	49.62	88.20	-38.58	H	Peak	Pass	Harmonic
76	802.11ax HE160	207	7265.63	44.14	54.00	-9.86	V	AVERAGE	Pass	Band Edge
76	802.11ax HE160	207	13970.00	48.27	88.20	-39.93	V	Peak	Pass	Harmonic
77	802.11ax HE160	207	7255.00	44.29	54.00	-9.71	H	AVERAGE	Pass	Band Edge
77	802.11ax HE160	207	13970.00	47.10	88.20	-41.10	V	Peak	Pass	Harmonic
78	802.11ax HE160_LF	207	952.47	30.92	46	-15.08	V	Peak	Pass	LF





Mode	1																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Date: 2026-03-01  Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5919.50</td><td>53.18</td><td>88.20</td><td>-35.02</td><td>38.50</td><td>36.67</td><td>10.88</td><td>32.87</td><td>170</td><td>159 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5919.50	53.18	88.20	-35.02	38.50	36.67	10.88	32.87	170	159 PEAK	Date: 2026-03-01  Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>98.15</td><td>-----</td><td>-----</td><td>83.35</td><td>36.74</td><td>10.94</td><td>32.88</td><td>170</td><td>159 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	98.15	-----	-----	83.35	36.74	10.94	32.88	170	159 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5919.50	53.18	88.20	-35.02	38.50	36.67	10.88	32.87	170	159 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5955.00	98.15	-----	-----	83.35	36.74	10.94	32.88	170	159 PEAK																																																																									
Avg	Date: 2026-03-01  Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5923.98</td><td>42.94</td><td>68.20</td><td>-25.26</td><td>28.25</td><td>36.68</td><td>10.88</td><td>32.87</td><td>170</td><td>159 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5923.98	42.94	68.20	-25.26	28.25	36.68	10.88	32.87	170	159 AVERAGE	Date: 2026-03-01  Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>91.58</td><td>-----</td><td>-----</td><td>76.78</td><td>36.74</td><td>10.94</td><td>32.88</td><td>170</td><td>159 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	91.58	-----	-----	76.78	36.74	10.94	32.88	170	159 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5923.98	42.94	68.20	-25.26	28.25	36.68	10.88	32.87	170	159 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5955.00	91.58	-----	-----	76.78	36.74	10.94	32.88	170	159 AVERAGE																																																																									





Mode	1																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																									
ANT	1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Date: 2026-03-01 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5871.62</td><td>52.39</td><td>88.20</td><td>-35.81</td><td>37.81</td><td>36.59</td><td>10.84</td><td>32.85</td><td>360 177 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5871.62	52.39	88.20	-35.81	37.81	36.59	10.84	32.85	360 177 PEAK	Date: 2026-03-01 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>94.89</td><td>-----</td><td>-----</td><td>80.13</td><td>36.72</td><td>10.92</td><td>32.88</td><td>360 177 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	94.89	-----	-----	80.13	36.72	10.92	32.88	360 177 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5871.62	52.39	88.20	-35.81	37.81	36.59	10.84	32.85	360 177 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	94.89	-----	-----	80.13	36.72	10.92	32.88	360 177 PEAK																																																																		
Avg	Date: 2026-03-01 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5914.32</td><td>42.62</td><td>68.20</td><td>-25.58</td><td>27.96</td><td>36.66</td><td>10.87</td><td>32.87</td><td>360 177 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5914.32	42.62	68.20	-25.58	27.96	36.66	10.87	32.87	360 177 AVERAGE	Date: 2026-03-01 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>87.88</td><td>-----</td><td>-----</td><td>73.12</td><td>36.72</td><td>10.92</td><td>32.88</td><td>360 177 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	87.88	-----	-----	73.12	36.72	10.92	32.88	360 177 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5914.32	42.62	68.20	-25.58	27.96	36.66	10.87	32.87	360 177 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	87.88	-----	-----	73.12	36.72	10.92	32.88	360 177 AVERAGE																																																																		





Mode	1																																																																																																													
	Harmonic																																																																																																													
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal					Vertical																																																																																																								
Peak Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>47.75</td><td>74.00</td><td>-26.25</td><td>44.00</td><td>38.54</td><td>15.18</td><td>49.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>47.39</td><td>74.00</td><td>-26.61</td><td>40.69</td><td>42.89</td><td>17.85</td><td>54.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	47.75	74.00	-26.25	44.00	38.54	15.18	49.97	---	---	Peak	2 17865.00	47.39	74.00	-26.61	40.69	42.89	17.85	54.04	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>48.05</td><td>74.00</td><td>-25.95</td><td>44.30</td><td>38.54</td><td>15.18</td><td>49.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>48.08</td><td>74.00</td><td>-25.92</td><td>41.38</td><td>42.89</td><td>17.85</td><td>54.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	48.05	74.00	-25.95	44.30	38.54	15.18	49.97	---	---	Peak	2 17865.00	48.08	74.00	-25.92	41.38	42.89	17.85	54.04	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1 11910.00	47.75	74.00	-26.25	44.00	38.54	15.18	49.97	---	---	Peak																																																																																																				
2 17865.00	47.39	74.00	-26.61	40.69	42.89	17.85	54.04	---	---	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1 11910.00	48.05	74.00	-25.95	44.30	38.54	15.18	49.97	---	---	Peak																																																																																																				
2 17865.00	48.08	74.00	-25.92	41.38	42.89	17.85	54.04	---	---	Peak																																																																																																				



Mode	2																																																																																																							
	Harmonic																																																																																																							
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal										Vertical																																																																																													
Peak Avg																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12390.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>43.18</td><td>38.76</td><td>15.63</td><td>50.68</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12390.00	46.89	74.00	-27.11	43.18	38.76	15.63	50.68	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12390.00</td><td>46.51</td><td>74.00</td><td>-27.49</td><td>42.80</td><td>38.76</td><td>15.63</td><td>50.68</td><td>---</td><td>---</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12390.00	46.51	74.00	-27.49	42.80	38.76	15.63	50.68	---	---
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12390.00	46.89	74.00	-27.11	43.18	38.76	15.63	50.68	---	---	Peak																																																																																													
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12390.00	46.51	74.00	-27.49	42.80	38.76	15.63	50.68	---	---	Peak																																																																																													







Mode	3																																																																																										
	Harmonic																																																																																										
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.85</td><td>88.20</td><td>-40.35</td><td>43.87</td><td>38.93</td><td>16.08</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12830.00	47.85	88.20	-40.35	43.87	38.93	16.08	51.03	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>48.50</td><td>88.20</td><td>-39.70</td><td>44.52</td><td>38.93</td><td>16.08</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12830.00	48.50	88.20	-39.70	44.52	38.93	16.08	51.03	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	12830.00	47.85	88.20	-40.35	43.87	38.93	16.08	51.03	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	12830.00	48.50	88.20	-39.70	44.52	38.93	16.08	51.03	---	---	Peak																																																																																



Mode	4																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																			
ANT	1																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Date: 2026-03-01 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a blue line representing the measured signal and a red line representing the limit. The signal is below the limit until approximately 5937 MHz, where it rises sharply to meet the limit. The limit is labeled PEAK_BE(UNII)_6E. <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5832.28</td><td>52.94</td><td>88.20</td><td>-35.26</td><td>38.41</td><td>36.53</td><td>10.83</td><td>32.83</td><td>180</td><td>158 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5832.28	52.94	88.20	-35.26	38.41	36.53	10.83	32.83	180	158 PEAK	Date: 2026-03-01 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a blue line representing the measured signal and a red line representing the limit. The signal is below the limit until approximately 5960 MHz, where it rises sharply to meet the limit. The limit is labeled PEAK_BE(UNII)_6E. <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>101.91</td><td>-----</td><td>-----</td><td>87.13</td><td>36.73</td><td>10.93</td><td>32.88</td><td>180</td><td>158 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.91	-----	-----	87.13	36.73	10.93	32.88	180	158 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5832.28	52.94	88.20	-35.26	38.41	36.53	10.83	32.83	180	158 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	101.91	-----	-----	87.13	36.73	10.93	32.88	180	158 PEAK																																																																										
Avg	Date: 2026-03-01 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a blue line representing the measured signal and a red line representing the limit. The signal is below the limit until approximately 5937 MHz, where it rises sharply to meet the limit. The limit is labeled AVG_BE(UNII)_6E. <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.86</td><td>42.90</td><td>68.20</td><td>-25.30</td><td>28.21</td><td>36.68</td><td>10.88</td><td>32.87</td><td>180</td><td>158 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5922.86	42.90	68.20	-25.30	28.21	36.68	10.88	32.87	180	158 AVERAGE	Date: 2026-03-01 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a blue line representing the measured signal and a red line representing the limit. The signal is below the limit until approximately 5960 MHz, where it rises sharply to meet the limit. The limit is labeled AVG_BE(UNII)_6E. <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>91.34</td><td>-----</td><td>-----</td><td>76.53</td><td>36.75</td><td>10.95</td><td>32.89</td><td>180</td><td>158 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	91.34	-----	-----	76.53	36.75	10.95	32.89	180	158 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5922.86	42.90	68.20	-25.30	28.21	36.68	10.88	32.87	180	158 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	91.34	-----	-----	76.53	36.75	10.95	32.89	180	158 AVERAGE																																																																										







Mode	4																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																			
ANT	1																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2026-03-01  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5896.82</td><td>52.94</td><td>88.20</td><td>-35.26</td><td>38.33</td><td>36.63</td><td>10.84</td><td>32.86</td><td>360</td><td>177 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5896.82	52.94	88.20	-35.26	38.33	36.63	10.84	32.86	360	177 PEAK	Level (dBuV/m) Date: 2026-03-01  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>97.15</td><td>-----</td><td>-----</td><td>82.37</td><td>36.73</td><td>10.93</td><td>32.88</td><td>360</td><td>177 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	97.15	-----	-----	82.37	36.73	10.93	32.88	360	177 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5896.82	52.94	88.20	-35.26	38.33	36.63	10.84	32.86	360	177 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	97.15	-----	-----	82.37	36.73	10.93	32.88	360	177 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2026-03-01  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.32</td><td>42.57</td><td>68.20</td><td>-25.63</td><td>27.89</td><td>36.67</td><td>10.88</td><td>32.87</td><td>360</td><td>177 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5921.32	42.57	68.20	-25.63	27.89	36.67	10.88	32.87	360	177 AVERAGE	Level (dBuV/m) Date: 2026-03-01  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>87.56</td><td>-----</td><td>-----</td><td>72.80</td><td>36.72</td><td>10.92</td><td>32.88</td><td>360</td><td>177 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	87.56	-----	-----	72.80	36.72	10.92	32.88	360	177 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5921.32	42.57	68.20	-25.63	27.89	36.67	10.88	32.87	360	177 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	87.56	-----	-----	72.80	36.72	10.92	32.88	360	177 AVERAGE																																																																										







Mode	4																																																																																															
	Harmonic																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>47.31</td><td>74.00</td><td>-26.69</td><td>43.56</td><td>38.54</td><td>15.18</td></tr><tr><td>2</td><td>17865.00</td><td>46.66</td><td>74.00</td><td>-27.34</td><td>39.96</td><td>42.89</td><td>17.85</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11910.00	47.31	74.00	-26.69	43.56	38.54	15.18	2	17865.00	46.66	74.00	-27.34	39.96	42.89	17.85	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>48.11</td><td>74.00</td><td>-25.89</td><td>44.36</td><td>38.54</td><td>15.18</td></tr><tr><td>2</td><td>17865.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>40.37</td><td>42.89</td><td>17.85</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11910.00	48.11	74.00	-25.89	44.36	38.54	15.18	2	17865.00	47.07	74.00	-26.93	40.37	42.89	17.85
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11910.00	47.31	74.00	-26.69	43.56	38.54	15.18																																																																																									
2	17865.00	46.66	74.00	-27.34	39.96	42.89	17.85																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11910.00	48.11	74.00	-25.89	44.36	38.54	15.18																																																																																									
2	17865.00	47.07	74.00	-26.93	40.37	42.89	17.85																																																																																									
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>47.31</td><td>74.00</td><td>-26.69</td><td>43.56</td><td>38.54</td><td>15.18</td></tr><tr><td>2</td><td>17865.00</td><td>46.66</td><td>74.00</td><td>-27.34</td><td>39.96</td><td>42.89</td><td>17.85</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11910.00	47.31	74.00	-26.69	43.56	38.54	15.18	2	17865.00	46.66	74.00	-27.34	39.96	42.89	17.85	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>48.11</td><td>74.00</td><td>-25.89</td><td>44.36</td><td>38.54</td><td>15.18</td></tr><tr><td>2</td><td>17865.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>40.37</td><td>42.89</td><td>17.85</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11910.00	48.11	74.00	-25.89	44.36	38.54	15.18	2	17865.00	47.07	74.00	-26.93	40.37	42.89	17.85	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11910.00	47.31	74.00	-26.69	43.56	38.54	15.18																																																																																									
2	17865.00	46.66	74.00	-27.34	39.96	42.89	17.85																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11910.00	48.11	74.00	-25.89	44.36	38.54	15.18																																																																																									
2	17865.00	47.07	74.00	-26.93	40.37	42.89	17.85																																																																																									







Mode	5																																																																																		
	Band Edge																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU 26/0_5955MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Date: 2026-03-01 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5872.88</td><td>53.34</td><td>88.20</td><td>-34.86</td><td>38.75</td><td>36.60</td><td>10.84</td><td>32.85</td><td>185</td><td>157 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5872.88	53.34	88.20	-34.86	38.75	36.60	10.84	32.85	185	157 PEAK	Date: 2026-03-01 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>95.86</td><td>-----</td><td>81.10</td><td>36.72</td><td>10.92</td><td>32.88</td><td>185</td><td>157 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.86	-----	81.10	36.72	10.92	32.88	185	157 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5872.88	53.34	88.20	-34.86	38.75	36.60	10.84	32.85	185	157 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5955.00	95.86	-----	81.10	36.72	10.92	32.88	185	157 PEAK																																																																										
Avg	Date: 2026-03-01 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5914.46</td><td>42.74</td><td>68.20</td><td>-25.46</td><td>28.08</td><td>36.66</td><td>10.87</td><td>32.87</td><td>185</td><td>157 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5914.46	42.74	68.20	-25.46	28.08	36.66	10.87	32.87	185	157 AVERAGE	Date: 2026-03-01 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>89.42</td><td>-----</td><td>74.66</td><td>36.72</td><td>10.92</td><td>32.88</td><td>185</td><td>157 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	89.42	-----	74.66	36.72	10.92	32.88	185	157 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5914.46	42.74	68.20	-25.46	28.08	36.66	10.87	32.87	185	157 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5955.00	89.42	-----	74.66	36.72	10.92	32.88	185	157 AVERAGE																																																																										







Mode	5																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU 26/0_5955MHz																																																																																			
ANT	1																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Date: 2026-03-01 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5842.64</td><td>52.57</td><td>88.20</td><td>-35.63</td><td>38.03</td><td>36.55</td><td>10.83</td><td>32.84</td><td>345</td><td>177 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5842.64	52.57	88.20	-35.63	38.03	36.55	10.83	32.84	345	177 PEAK	Date: 2026-03-01 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>93.55</td><td>-----</td><td>-----</td><td>78.79</td><td>36.72</td><td>10.92</td><td>32.88</td><td>345</td><td>177 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	93.55	-----	-----	78.79	36.72	10.92	32.88	345	177 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5842.64	52.57	88.20	-35.63	38.03	36.55	10.83	32.84	345	177 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	93.55	-----	-----	78.79	36.72	10.92	32.88	345	177 PEAK																																																																										
Avg	Date: 2026-03-01 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.68</td><td>42.54</td><td>68.20</td><td>-25.66</td><td>27.85</td><td>36.68</td><td>10.88</td><td>32.87</td><td>345</td><td>177 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.68	42.54	68.20	-25.66	27.85	36.68	10.88	32.87	345	177 AVERAGE	Date: 2026-03-01 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>86.27</td><td>-----</td><td>-----</td><td>71.51</td><td>36.72</td><td>10.92</td><td>32.88</td><td>345</td><td>177 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	86.27	-----	-----	71.51	36.72	10.92	32.88	345	177 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5924.68	42.54	68.20	-25.66	27.85	36.68	10.88	32.87	345	177 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	86.27	-----	-----	71.51	36.72	10.92	32.88	345	177 AVERAGE																																																																										







Mode	6																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU 52/37_5955MHz																																																																																								
ANT	1																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5861.96</td><td>52.64</td><td>88.20</td><td>-35.56</td><td>38.07</td><td>36.58</td><td>10.83</td><td>32.84</td><td>184 154 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5861.96	52.64	88.20	-35.56	38.07	36.58	10.83	32.84	184 154 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>97.50</td><td>-----</td><td>82.74</td><td>36.72</td><td>10.92</td><td>32.88</td><td>184</td><td>154 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	97.50	-----	82.74	36.72	10.92	32.88	184
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5861.96	52.64	88.20	-35.56	38.07	36.58	10.83	32.84	184 154 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	97.50	-----	82.74	36.72	10.92	32.88	184	154 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5902.56</td><td>42.61</td><td>68.20</td><td>-25.59</td><td>27.98</td><td>36.64</td><td>10.85</td><td>32.86</td><td>184 154 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5902.56	42.61	68.20	-25.59	27.98	36.64	10.85	32.86	184 154 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>89.91</td><td>-----</td><td>75.15</td><td>36.72</td><td>10.92</td><td>32.88</td><td>184</td><td>154 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	89.91	-----	75.15	36.72	10.92	32.88	184
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5902.56	42.61	68.20	-25.59	27.98	36.64	10.85	32.86	184 154 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	89.91	-----	75.15	36.72	10.92	32.88	184	154 AVERAGE																																																																																







Mode	6																																					
	Band Edge																																					
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU 52/37_5955MHz																																					
ANT	1																																					
Pol.	Vertical	Fundamental																																				
Peak	Date: 2026-03-01  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5908.86</td><td>52.77</td><td>88.20</td><td>-35.43</td><td>38.12</td><td>36.65</td><td>10.86</td><td>32.86</td><td>345 177 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5908.86	52.77	88.20	-35.43	38.12	36.65	10.86	32.86	345 177 PEAK	Date: 2026-03-01  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>94.88</td><td>-----</td><td>-----</td><td>80.12</td><td>36.72</td><td>10.92</td><td>32.88</td><td>345 177 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	94.88	-----	-----	80.12	36.72	10.92	32.88	345 177 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																													
1 5908.86	52.77	88.20	-35.43	38.12	36.65	10.86	32.86	345 177 PEAK																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5955.00	94.88	-----	-----	80.12	36.72	10.92	32.88	345 177 PEAK																														
Avg	Date: 2026-03-01  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5921.88</td><td>42.50</td><td>68.20</td><td>-25.70</td><td>27.81</td><td>36.68</td><td>10.88</td><td>32.87</td><td>345 177 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5921.88	42.50	68.20	-25.70	27.81	36.68	10.88	32.87	345 177 AVERAGE	Date: 2026-03-01  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>86.48</td><td>-----</td><td>-----</td><td>71.72</td><td>36.72</td><td>10.92</td><td>32.88</td><td>345 177 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	86.48	-----	-----	71.72	36.72	10.92	32.88	345 177 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5921.88	42.50	68.20	-25.70	27.81	36.68	10.88	32.87	345 177 AVERAGE																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5955.00	86.48	-----	-----	71.72	36.72	10.92	32.88	345 177 AVERAGE																														





Mode	7																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU 106/53_5955MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2026-03-01  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5852.02</td><td>52.62</td><td>88.20</td><td>-35.58</td><td>38.07</td><td>36.56</td><td>10.83</td><td>32.84</td><td>184 154 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5852.02	52.62	88.20	-35.58	38.07	36.56	10.83	32.84	184 154 PEAK	Level (dBuV/m) Date: 2026-03-01  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>96.93</td><td>-----</td><td>-----</td><td>82.15</td><td>36.73</td><td>10.93</td><td>32.88</td><td>184 154 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.93	-----	-----	82.15	36.73	10.93	32.88	184 154 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5852.02	52.62	88.20	-35.58	38.07	36.56	10.83	32.84	184 154 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	96.93	-----	-----	82.15	36.73	10.93	32.88	184 154 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2026-03-01  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5847.40</td><td>42.61</td><td>68.20</td><td>-25.59</td><td>28.06</td><td>36.56</td><td>10.83</td><td>32.84</td><td>184 154 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5847.40	42.61	68.20	-25.59	28.06	36.56	10.83	32.84	184 154 AVERAGE	Level (dBuV/m) Date: 2026-03-01  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>89.36</td><td>-----</td><td>-----</td><td>74.60</td><td>36.72</td><td>10.92</td><td>32.88</td><td>184 154 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	89.36	-----	-----	74.60	36.72	10.92	32.88	184 154 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5847.40	42.61	68.20	-25.59	28.06	36.56	10.83	32.84	184 154 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	89.36	-----	-----	74.60	36.72	10.92	32.88	184 154 AVERAGE																																																																									





Mode	7																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU 106/53_5955MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	 Date: 2026-03-01 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5908.72</td><td>53.00</td><td>88.20</td><td>-35.20</td><td>38.35</td><td>36.65</td><td>10.86</td><td>32.86</td><td>344</td><td>178</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5908.72	53.00	88.20	-35.20	38.35	36.65	10.86	32.86	344	178	PEAK	 Date: 2026-03-01 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>93.64</td><td>-----</td><td>-----</td><td>78.88</td><td>36.72</td><td>10.92</td><td>32.88</td><td>344</td><td>178</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	93.64	-----	-----	78.88	36.72	10.92	32.88	344	178	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5908.72	53.00	88.20	-35.20	38.35	36.65	10.86	32.86	344	178	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5955.00	93.64	-----	-----	78.88	36.72	10.92	32.88	344	178	PEAK																																																																															
Avg	 Date: 2026-03-01 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5865.04</td><td>42.50</td><td>68.20</td><td>-25.70</td><td>27.94</td><td>36.58</td><td>10.83</td><td>32.85</td><td>344</td><td>178</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5865.04	42.50	68.20	-25.70	27.94	36.58	10.83	32.85	344	178	AVERAGE	 Date: 2026-03-01 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>86.13</td><td>-----</td><td>-----</td><td>71.37</td><td>36.72</td><td>10.92</td><td>32.88</td><td>344</td><td>178</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	86.13	-----	-----	71.37	36.72	10.92	32.88	344	178	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5865.04	42.50	68.20	-25.70	27.94	36.58	10.83	32.85	344	178	AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5955.00	86.13	-----	-----	71.37	36.72	10.92	32.88	344	178	AVERAGE																																																																															







Mode	8																																																																																																				
	Harmonic																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full RU_6195MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12390.00</td><td>46.09</td><td>74.00</td><td>-27.91</td><td>42.38</td><td>38.76</td><td>15.63</td><td>50.68</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12390.00	46.09	74.00	-27.91	42.38	38.76	15.63	50.68	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12390.00</td><td>46.63</td><td>74.00</td><td>-27.37</td><td>42.92</td><td>38.76</td><td>15.63</td><td>50.68</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12390.00	46.63	74.00	-27.37	42.92	38.76	15.63	50.68	---	---
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	12390.00	46.09	74.00	-27.91	42.38	38.76	15.63	50.68	---	---	Peak																																																																																										
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	12390.00	46.63	74.00	-27.37	42.92	38.76	15.63	50.68	---	---	Peak																																																																																										







Mode	9																																																																																										
	Harmonic																																																																																										
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>47.16</td><td>88.20</td><td>-41.04</td><td>43.18</td><td>38.93</td><td>16.08</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12830.00	47.16	88.20	-41.04	43.18	38.93	16.08	51.03	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>47.29</td><td>88.20</td><td>-40.91</td><td>43.31</td><td>38.93</td><td>16.08</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12830.00	47.29	88.20	-40.91	43.31	38.93	16.08	51.03	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	12830.00	47.16	88.20	-41.04	43.18	38.93	16.08	51.03	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	12830.00	47.29	88.20	-40.91	43.31	38.93	16.08	51.03	---	---	Peak																																																																																





Mode	10																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																			
ANT	1																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2026-03-01  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5856.36</td><td>53.29</td><td>88.20</td><td>-34.91</td><td>38.73</td><td>36.57</td><td>10.83</td><td>32.84</td><td>173</td><td>159 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5856.36	53.29	88.20	-34.91	38.73	36.57	10.83	32.84	173	159 PEAK	Level (dBuV/m) Date: 2026-03-01  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>100.89</td><td>-----</td><td>-----</td><td>86.11</td><td>36.73</td><td>10.93</td><td>32.88</td><td>173</td><td>159 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	100.89	-----	-----	86.11	36.73	10.93	32.88	173	159 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5856.36	53.29	88.20	-34.91	38.73	36.57	10.83	32.84	173	159 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5965.00	100.89	-----	-----	86.11	36.73	10.93	32.88	173	159 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2026-03-01  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.88</td><td>43.27</td><td>68.20</td><td>-24.93</td><td>28.58</td><td>36.68</td><td>10.88</td><td>32.87</td><td>173</td><td>159 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5923.88	43.27	68.20	-24.93	28.58	36.68	10.88	32.87	173	159 AVERAGE	Level (dBuV/m) Date: 2026-03-01  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>91.50</td><td>-----</td><td>-----</td><td>76.72</td><td>36.73</td><td>10.93</td><td>32.88</td><td>173</td><td>159 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	91.50	-----	-----	76.72	36.73	10.93	32.88	173	159 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5923.88	43.27	68.20	-24.93	28.58	36.68	10.88	32.87	173	159 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5965.00	91.50	-----	-----	76.72	36.73	10.93	32.88	173	159 AVERAGE																																																																										







Mode	10																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																			
ANT	1																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2026-03-01  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5879.56</td><td>52.78</td><td>88.20</td><td>-35.42</td><td>38.18</td><td>36.61</td><td>10.84</td><td>32.85</td><td>341</td><td>178 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5879.56	52.78	88.20	-35.42	38.18	36.61	10.84	32.85	341	178 PEAK	Level (dBuV/m) Date: 2026-03-01  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>96.73</td><td>-----</td><td>-----</td><td>81.95</td><td>36.73</td><td>10.93</td><td>32.88</td><td>341</td><td>178 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	96.73	-----	-----	81.95	36.73	10.93	32.88	341	178 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5879.56	52.78	88.20	-35.42	38.18	36.61	10.84	32.85	341	178 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5965.00	96.73	-----	-----	81.95	36.73	10.93	32.88	341	178 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2026-03-01  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5911.56</td><td>42.68</td><td>68.20</td><td>-25.52</td><td>28.02</td><td>36.66</td><td>10.86</td><td>32.86</td><td>341</td><td>178 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5911.56	42.68	68.20	-25.52	28.02	36.66	10.86	32.86	341	178 AVERAGE	Level (dBuV/m) Date: 2026-03-01  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>88.28</td><td>-----</td><td>-----</td><td>73.47</td><td>36.75</td><td>10.95</td><td>32.89</td><td>341</td><td>178 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	88.28	-----	-----	73.47	36.75	10.95	32.89	341	178 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5911.56	42.68	68.20	-25.52	28.02	36.66	10.86	32.86	341	178 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5965.00	88.28	-----	-----	73.47	36.75	10.95	32.89	341	178 AVERAGE																																																																										







Mode	10																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal					Vertical																																																																																																				
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>47.89</td><td>74.00</td><td>-26.11</td><td>44.11</td><td>38.55</td><td>15.19</td><td>49.96</td><td>---</td><td>--- Peak</td></tr><tr><td>2 17895.00</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>40.40</td><td>42.89</td><td>17.84</td><td>54.07</td><td>---</td><td>--- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	47.89	74.00	-26.11	44.11	38.55	15.19	49.96	---	--- Peak	2 17895.00	47.06	74.00	-26.94	40.40	42.89	17.84	54.07	---	--- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>43.91</td><td>38.55</td><td>15.19</td><td>49.96</td><td>---</td><td>--- Peak</td></tr><tr><td>2 17895.00</td><td>47.08</td><td>74.00</td><td>-26.92</td><td>40.42</td><td>42.89</td><td>17.84</td><td>54.07</td><td>---</td><td>--- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	47.69	74.00	-26.31	43.91	38.55	15.19	49.96	---	--- Peak	2 17895.00	47.08	74.00	-26.92	40.42	42.89	17.84	54.07	---	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 11930.00	47.89	74.00	-26.11	44.11	38.55	15.19	49.96	---	--- Peak																																																																																																	
2 17895.00	47.06	74.00	-26.94	40.40	42.89	17.84	54.07	---	--- Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 11930.00	47.69	74.00	-26.31	43.91	38.55	15.19	49.96	---	--- Peak																																																																																																	
2 17895.00	47.08	74.00	-26.92	40.42	42.89	17.84	54.07	---	--- Peak																																																																																																	





Mode	11																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial_RU 242/61_5965MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5879.88</td><td>53.12</td><td>88.20</td><td>-35.08</td><td>38.52</td><td>36.61</td><td>10.84</td><td>32.85</td><td>181</td><td>157 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5879.88	53.12	88.20	-35.08	38.52	36.61	10.84	32.85	181	157 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>103.92</td><td>-----</td><td>-----</td><td>89.14</td><td>36.73</td><td>10.93</td><td>32.88</td><td>181</td><td>157 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	103.92	-----	-----	89.14	36.73	10.93	32.88	181
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5879.88	53.12	88.20	-35.08	38.52	36.61	10.84	32.85	181	157 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5965.00	103.92	-----	-----	89.14	36.73	10.93	32.88	181	157 PEAK																																																																																		
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5896.36</td><td>43.24</td><td>68.20</td><td>-24.96</td><td>28.63</td><td>36.63</td><td>10.84</td><td>32.86</td><td>181</td><td>157 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5896.36	43.24	68.20	-24.96	28.63	36.63	10.84	32.86	181	157 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>94.75</td><td>-----</td><td>-----</td><td>79.97</td><td>36.73</td><td>10.93</td><td>32.88</td><td>181</td><td>157 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	94.75	-----	-----	79.97	36.73	10.93	32.88	181
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5896.36	43.24	68.20	-24.96	28.63	36.63	10.84	32.86	181	157 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5965.00	94.75	-----	-----	79.97	36.73	10.93	32.88	181	157 AVERAGE																																																																																		





Mode	11																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial_RU 242/61_5965MHz																																																																									
ANT	1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2026-03-01  PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5921.00</td><td>52.60</td><td>88.20</td><td>-35.60</td><td>37.92</td><td>36.67</td><td>10.88</td><td>32.87</td><td>341 178 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5921.00	52.60	88.20	-35.60	37.92	36.67	10.88	32.87	341 178 PEAK	Level (dBuV/m) Date: 2026-03-01  PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>99.08</td><td>-----</td><td>-----</td><td>84.28</td><td>36.74</td><td>10.94</td><td>32.88</td><td>341 178 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	99.08	-----	-----	84.28	36.74	10.94	32.88	341 178 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5921.00	52.60	88.20	-35.60	37.92	36.67	10.88	32.87	341 178 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5965.00	99.08	-----	-----	84.28	36.74	10.94	32.88	341 178 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2026-03-01  AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5905.80</td><td>42.74</td><td>68.20</td><td>-25.46</td><td>28.09</td><td>36.65</td><td>10.86</td><td>32.86</td><td>341 178 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5905.80	42.74	68.20	-25.46	28.09	36.65	10.86	32.86	341 178 AVERAGE	Level (dBuV/m) Date: 2026-03-01  AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>91.12</td><td>-----</td><td>-----</td><td>76.31</td><td>36.75</td><td>10.95</td><td>32.89</td><td>341 178 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	91.12	-----	-----	76.31	36.75	10.95	32.89	341 178 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5905.80	42.74	68.20	-25.46	28.09	36.65	10.86	32.86	341 178 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5965.00	91.12	-----	-----	76.31	36.75	10.95	32.89	341 178 AVERAGE																																																																		



		12																																																																																																																				
Mode		Harmonic																																																																																																																				
		U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz																																																																																																																				
ANT		1																																																																																																																				
Pol.		Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																						
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12410.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>41.64</td><td>38.76</td><td>15.65</td><td>50.72</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12410.00	45.33	74.00	-28.67	41.64	38.76	15.65	50.72	---	---	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12410.00</td><td>46.53</td><td>74.00</td><td>-27.47</td><td>42.84</td><td>38.76</td><td>15.65</td><td>50.72</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12410.00	46.53	74.00	-27.47	42.84	38.76	15.65	50.72	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1 12410.00	45.33	74.00	-28.67	41.64	38.76	15.65	50.72	---	---	Peak																																																																																																												
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1 12410.00	46.53	74.00	-27.47	42.84	38.76	15.65	50.72	---	---	Peak																																																																																																												







Mode	13																																																																																																
	Harmonic																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12810.00</td><td>46.46</td><td>88.20</td><td>-41.74</td><td>42.51</td><td>38.92</td><td>16.05</td><td>51.02</td><td>---</td><td>--- Peak</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	46.46	88.20	-41.74	42.51	38.92	16.05	51.02	---	--- Peak	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12810.00</td><td>47.42</td><td>88.20</td><td>-40.78</td><td>43.47</td><td>38.92</td><td>16.05</td><td>51.02</td><td>---</td><td>--- Peak</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	47.42	88.20	-40.78	43.47	38.92	16.05	51.02	---
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12810.00	46.46	88.20	-41.74	42.51	38.92	16.05	51.02	---	--- Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12810.00	47.42	88.20	-40.78	43.47	38.92	16.05	51.02	---	--- Peak																																																																																							





Mode	14																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																									
ANT	1																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2026-03-01 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5881.96</td><td>56.27</td><td>88.20</td><td>-31.93</td><td>41.67</td><td>36.61</td><td>10.84</td><td>32.85</td><td>183 155 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5881.96	56.27	88.20	-31.93	41.67	36.61	10.84	32.85	183 155 PEAK	Level (dBuV/m) Date: 2026-03-01 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>100.71</td><td>-----</td><td>-----</td><td>85.84</td><td>36.78</td><td>10.98</td><td>32.89</td><td>183 155 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	100.71	-----	-----	85.84	36.78	10.98	32.89	183 155 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5881.96	56.27	88.20	-31.93	41.67	36.61	10.84	32.85	183 155 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	100.71	-----	-----	85.84	36.78	10.98	32.89	183 155 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2026-03-01 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5891.08</td><td>47.65</td><td>68.20</td><td>-20.55</td><td>33.04</td><td>36.63</td><td>10.84</td><td>32.86</td><td>183 155 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5891.08	47.65	68.20	-20.55	33.04	36.63	10.84	32.86	183 155 AVERAGE	Level (dBuV/m) Date: 2026-03-01 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>91.90</td><td>-----</td><td>-----</td><td>76.98</td><td>36.79</td><td>11.03</td><td>32.90</td><td>183 155 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	91.90	-----	-----	76.98	36.79	11.03	32.90	183 155 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5891.08	47.65	68.20	-20.55	33.04	36.63	10.84	32.86	183 155 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	91.90	-----	-----	76.98	36.79	11.03	32.90	183 155 AVERAGE																																																																		







		14																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																							
ANT		1																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5909.48</td><td>54.56</td><td>88.20</td><td>-33.64</td><td>39.90</td><td>36.66</td><td>10.86</td><td>32.86</td><td>352</td><td>178 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5909.48	54.56	88.20	-33.64	39.90	36.66	10.86	32.86	352	178 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>98.79</td><td>-----</td><td>-----</td><td>83.89</td><td>36.79</td><td>11.01</td><td>32.90</td><td>352</td><td>178 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5985.00	98.79	-----	-----	83.89	36.79	11.01	32.90	352
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5909.48	54.56	88.20	-33.64	39.90	36.66	10.86	32.86	352	178 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5985.00	98.79	-----	-----	83.89	36.79	11.01	32.90	352	178 PEAK																																																																																
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5896.20</td><td>44.98</td><td>68.20</td><td>-23.22</td><td>30.37</td><td>36.63</td><td>10.84</td><td>32.86</td><td>352</td><td>178 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5896.20	44.98	68.20	-23.22	30.37	36.63	10.84	32.86	352	178 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>88.33</td><td>-----</td><td>-----</td><td>73.42</td><td>36.79</td><td>11.02</td><td>32.90</td><td>352</td><td>178 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5985.00	88.33	-----	-----	73.42	36.79	11.02	32.90	352
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5896.20	44.98	68.20	-23.22	30.37	36.63	10.84	32.86	352	178 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5985.00	88.33	-----	-----	73.42	36.79	11.02	32.90	352	178 AVERAGE																																																																																



Mode	14																																																																																															
	Harmonic																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal												Vertical																																																																																			
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11970.00</td><td>46.45</td><td>74.00</td><td>-27.55</td><td>42.58</td><td>38.58</td><td>15.21</td></tr><tr><td>2</td><td>17955.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>40.78</td><td>42.90</td><td>17.82</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11970.00	46.45	74.00	-27.55	42.58	38.58	15.21	2	17955.00	47.35	74.00	-26.65	40.78	42.90	17.82	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11970.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>43.59</td><td>38.58</td><td>15.21</td></tr><tr><td>2</td><td>17955.00</td><td>47.36</td><td>74.00</td><td>-26.64</td><td>40.79</td><td>42.90</td><td>17.82</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11970.00	47.46	74.00	-26.54	43.59	38.58	15.21	2	17955.00	47.36	74.00	-26.64	40.79	42.90	17.82
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11970.00	46.45	74.00	-27.55	42.58	38.58	15.21																																																																																									
2	17955.00	47.35	74.00	-26.65	40.78	42.90	17.82																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11970.00	47.46	74.00	-26.54	43.59	38.58	15.21																																																																																									
2	17955.00	47.36	74.00	-26.64	40.79	42.90	17.82																																																																																									





		15																																																																																			
Mode		Band Edge																																																																																			
		U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial_RU 484/65_5985MHz																																																																																			
ANT		1																																																																																			
Pol.		Horizontal					Fundamental																																																																														
Peak																																																																																					
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5922.28</td><td>62.45</td><td>88.20</td><td>-25.75</td><td>47.76</td><td>36.68</td><td>10.88</td><td>32.87</td><td>181</td><td>156 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5922.28	62.45	88.20	-25.75	47.76	36.68	10.88	32.87	181	156 PEAK	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>106.73</td><td>-----</td><td>-----</td><td>91.88</td><td>36.77</td><td>10.97</td><td>32.89</td><td>181</td><td>156 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5985.00	106.73	-----	-----	91.88	36.77	10.97	32.89	181
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																												
1 5922.28	62.45	88.20	-25.75	47.76	36.68	10.88	32.87	181	156 PEAK																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																												
1 5985.00	106.73	-----	-----	91.88	36.77	10.97	32.89	181	156 PEAK																																																																												
Avg																																																																																					
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.68</td><td>50.62</td><td>68.20</td><td>-17.58</td><td>35.93</td><td>36.68</td><td>10.88</td><td>32.87</td><td>181</td><td>156 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.68	50.62	68.20	-17.58	35.93	36.68	10.88	32.87	181	156 AVERAGE	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>96.73</td><td>-----</td><td>-----</td><td>81.93</td><td>36.74</td><td>10.94</td><td>32.88</td><td>181</td><td>156 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5985.00	96.73	-----	-----	81.93	36.74	10.94	32.88	181
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																												
1 5924.68	50.62	68.20	-17.58	35.93	36.68	10.88	32.87	181	156 AVERAGE																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																												
1 5985.00	96.73	-----	-----	81.93	36.74	10.94	32.88	181	156 AVERAGE																																																																												





Mode	15																																																																																					
	Band Edge																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial_RU 484/65_5985MHz																																																																																					
ANT	1																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-03-02 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5985 5987 5929 5961 5993 6025 PEAK_BE(U)NII_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.76</td><td>58.24</td><td>88.20</td><td>-29.96</td><td>43.55</td><td>36.68</td><td>10.88</td><td>32.87</td><td>361</td><td>185</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5922.76	58.24	88.20	-29.96	43.55	36.68	10.88	32.87	361	185	PEAK	Level (dBuV/m) Date: 2026-03-02 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 PEAK_BE(U)NII_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>100.49</td><td>-----</td><td>-----</td><td>85.71</td><td>36.73</td><td>10.93</td><td>32.88</td><td>361</td><td>185</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5985.00	100.49	-----	-----	85.71	36.73	10.93	32.88	361	185	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5922.76	58.24	88.20	-29.96	43.55	36.68	10.88	32.87	361	185	PEAK																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5985.00	100.49	-----	-----	85.71	36.73	10.93	32.88	361	185	PEAK																																																																											
Avg	Level (dBuV/m) Date: 2026-03-02 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5985 5987 5929 5961 5993 6025 AVG_BE(U)NII_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.84</td><td>47.40</td><td>68.20</td><td>-20.80</td><td>32.70</td><td>36.68</td><td>10.89</td><td>32.87</td><td>361</td><td>185</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5924.84	47.40	68.20	-20.80	32.70	36.68	10.89	32.87	361	185	AVERAGE	Level (dBuV/m) Date: 2026-03-02 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 AVG_BE(U)NII_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>90.80</td><td>-----</td><td>-----</td><td>76.02</td><td>36.73</td><td>10.93</td><td>32.88</td><td>361</td><td>185</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5985.00	90.80	-----	-----	76.02	36.73	10.93	32.88	361	185	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5924.84	47.40	68.20	-20.80	32.70	36.68	10.89	32.87	361	185	AVERAGE																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5985.00	90.80	-----	-----	76.02	36.73	10.93	32.88	361	185	AVERAGE																																																																											



Mode	16																																																																																														
	Harmonic																																																																																														
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12450.00</td><td>46.77</td><td>74.00</td><td>-27.23</td><td>43.10</td><td>38.78</td><td>15.69</td><td>50.80</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12450.00	46.77	74.00	-27.23	43.10	38.78	15.69	50.80	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12450.00</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>42.40</td><td>38.78</td><td>15.69</td><td>50.80</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12450.00	46.07	74.00	-27.93	42.40	38.78	15.69	50.80	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	12450.00	46.77	74.00	-27.23	43.10	38.78	15.69	50.80	---	---	Peak																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	12450.00	46.07	74.00	-27.93	42.40	38.78	15.69	50.80	---	---	Peak																																																																																				



Mode	17																																																																																																							
	Harmonic																																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal										Vertical																																																																																													
Peak Avg																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12770.00</td><td>47.99</td><td>88.20</td><td>-40.21</td><td>44.08</td><td>38.91</td><td>16.01</td><td>51.01</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12770.00	47.99	88.20	-40.21	44.08	38.91	16.01	51.01	---	---	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12770.00</td><td>47.89</td><td>88.20</td><td>-40.31</td><td>43.98</td><td>38.91</td><td>16.01</td><td>51.01</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12770.00	47.89	88.20	-40.31	43.98	38.91	16.01	51.01	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1 12770.00	47.99	88.20	-40.21	44.08	38.91	16.01	51.01	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1 12770.00	47.89	88.20	-40.31	43.98	38.91	16.01	51.01	---	---	Peak																																																																																														