









		18																																																																															
Mode		Band Edge																																																																															
		U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																															
ANT		1																																																																															
Pol.		Horizontal					Fundamental																																																																										
Peak																																																																																	
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5923.28</td><td>66.53</td><td>88.20</td><td>-21.67</td><td>51.84</td><td>36.68</td><td>10.88</td><td>32.87</td><td>168 159 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5923.28	66.53	88.20	-21.67	51.84	36.68	10.88	32.87	168 159 PEAK	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>104.42</td><td>-----</td><td>-----</td><td>89.50</td><td>36.79</td><td>11.03</td><td>32.90</td><td>168 159 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	104.42	-----	-----	89.50	36.79	11.03	32.90
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5923.28	66.53	88.20	-21.67	51.84	36.68	10.88	32.87	168 159 PEAK																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 6025.00	104.42	-----	-----	89.50	36.79	11.03	32.90	168 159 PEAK																																																																									
Avg																																																																																	
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5887.44</td><td>57.53</td><td>68.20</td><td>-10.67</td><td>42.92</td><td>36.62</td><td>10.84</td><td>32.85</td><td>168 159 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5887.44	57.53	68.20	-10.67	42.92	36.62	10.84	32.85	168 159 AVERAGE	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>94.39</td><td>-----</td><td>-----</td><td>79.48</td><td>36.78</td><td>11.04</td><td>32.91</td><td>168 159 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	94.39	-----	-----	79.48	36.78	11.04	32.91
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5887.44	57.53	68.20	-10.67	42.92	36.62	10.84	32.85	168 159 AVERAGE																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 6025.00	94.39	-----	-----	79.48	36.78	11.04	32.91	168 159 AVERAGE																																																																									







Mode	18																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																									
ANT	1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2026-03-02 179 PEAK <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5889.12</td><td>60.87</td><td>88.20</td><td>-27.33</td><td>46.27</td><td>36.62</td><td>10.84</td><td>32.86</td><td>351 179 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5889.12	60.87	88.20	-27.33	46.27	36.62	10.84	32.86	351 179 PEAK	Level (dBuV/m) Date: 2026-03-02 179 PEAK <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>98.50</td><td>-----</td><td>-----</td><td>83.59</td><td>36.78</td><td>11.04</td><td>32.91</td><td>351 179 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	98.50	-----	-----	83.59	36.78	11.04	32.91	351 179 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5889.12	60.87	88.20	-27.33	46.27	36.62	10.84	32.86	351 179 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	98.50	-----	-----	83.59	36.78	11.04	32.91	351 179 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2026-03-02 179 AVERAGE <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5887.44</td><td>52.49</td><td>68.20</td><td>-15.71</td><td>37.88</td><td>36.62</td><td>10.84</td><td>32.85</td><td>351 179 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5887.44	52.49	68.20	-15.71	37.88	36.62	10.84	32.85	351 179 AVERAGE	Level (dBuV/m) Date: 2026-03-02 179 AVERAGE <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>88.70</td><td>-----</td><td>-----</td><td>73.79</td><td>36.78</td><td>11.04</td><td>32.91</td><td>351 179 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	88.70	-----	-----	73.79	36.78	11.04	32.91	351 179 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5887.44	52.49	68.20	-15.71	37.88	36.62	10.84	32.85	351 179 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	88.70	-----	-----	73.79	36.78	11.04	32.91	351 179 AVERAGE																																																																		



Mode	18																																																																																											
	Harmonic																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>48.10</td><td>74.00</td><td>-25.90</td><td>44.20</td><td>38.62</td><td>15.28</td><td>50.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12050.00	48.10	74.00	-25.90	44.20	38.62	15.28	50.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>47.93</td><td>74.00</td><td>-26.07</td><td>44.03</td><td>38.62</td><td>15.28</td><td>50.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12050.00	47.93	74.00	-26.07	44.03	38.62	15.28	50.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12050.00	48.10	74.00	-25.90	44.20	38.62	15.28	50.00	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12050.00	47.93	74.00	-26.07	44.03	38.62	15.28	50.00	---	---	Peak																																																																																	





		19																																																																																									
Mode		Band Edge																																																																																									
		U-NII-5_5.925-6.425_802.11ax HE160_CH15_Partial_RU 996/67_6025MHz																																																																																									
ANT		1																																																																																									
Pol.		Horizontal					Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.68</td><td>77.27</td><td>88.20</td><td>-10.93</td><td>62.58</td><td>36.68</td><td>10.88</td><td>32.87</td><td>184</td><td>158 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.68	77.27	88.20	-10.93	62.58	36.68	10.88	32.87	184	158 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>103.55</td><td>-----</td><td>-----</td><td>88.72</td><td>36.76</td><td>10.96</td><td>32.89</td><td>184</td><td>158 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	103.55	-----	-----	88.72	36.76	10.96	32.89	184
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5924.68	77.27	88.20	-10.93	62.58	36.68	10.88	32.87	184	158 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6025.00	103.55	-----	-----	88.72	36.76	10.96	32.89	184	158 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.40</td><td>63.26</td><td>68.20</td><td>-4.94</td><td>48.57</td><td>36.68</td><td>10.88</td><td>32.87</td><td>184</td><td>158 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.40	63.26	68.20	-4.94	48.57	36.68	10.88	32.87	184	158 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>95.78</td><td>-----</td><td>-----</td><td>80.86</td><td>36.79</td><td>11.03</td><td>32.90</td><td>184</td><td>158 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	95.78	-----	-----	80.86	36.79	11.03	32.90	184
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5924.40	63.26	68.20	-4.94	48.57	36.68	10.88	32.87	184	158 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6025.00	95.78	-----	-----	80.86	36.79	11.03	32.90	184	158 AVERAGE																																																																																	





Mode	19																																																																													
	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Partial_RU 996/67_6025MHz																																																																													
ANT	1																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	Date: 2026-03-02 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.96</td><td>71.66</td><td>88.20</td><td>-16.54</td><td>56.96</td><td>36.68</td><td>10.89</td><td>32.87</td><td>359</td><td>186 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.96	71.66	88.20	-16.54	56.96	36.68	10.89	32.87	359	186 PEAK	Date: 2026-03-02 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>99.04</td><td>-----</td><td>-----</td><td>84.12</td><td>36.79</td><td>11.03</td><td>32.90</td><td>359</td><td>186 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6025.00	99.04	-----	-----	84.12	36.79	11.03	32.90	359	186 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5924.96	71.66	88.20	-16.54	56.96	36.68	10.89	32.87	359	186 PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 6025.00	99.04	-----	-----	84.12	36.79	11.03	32.90	359	186 PEAK																																																																					
Avg	Date: 2026-03-02 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5923.00</td><td>59.26</td><td>68.20</td><td>-8.94</td><td>44.57</td><td>36.68</td><td>10.88</td><td>32.87</td><td>359</td><td>186 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5923.00	59.26	68.20	-8.94	44.57	36.68	10.88	32.87	359	186 AVERAGE	Date: 2026-03-02 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>88.93</td><td>-----</td><td>-----</td><td>74.02</td><td>36.80</td><td>11.01</td><td>32.90</td><td>359</td><td>186 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6025.00	88.93	-----	-----	74.02	36.80	11.01	32.90	359	186 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5923.00	59.26	68.20	-8.94	44.57	36.68	10.88	32.87	359	186 AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 6025.00	88.93	-----	-----	74.02	36.80	11.01	32.90	359	186 AVERAGE																																																																					





Mode	20																																																						
	Harmonic																																																						
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz																																																						
ANT	1																																																						
Pol.	Horizontal																																																						
Peak Avg																																																							
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12370.00</td><td>46.21</td><td>74.00</td><td>-27.79</td><td>42.49</td><td>38.75</td><td>15.61</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>													Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	46.21	74.00	-27.79	42.49	38.75	15.61	50.64	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	12370.00	46.21	74.00	-27.79	42.49	38.75	15.61	50.64	---	---	Peak																																												
																																																							
<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12370.00</td><td>46.84</td><td>74.00</td><td>-27.16</td><td>43.12</td><td>38.75</td><td>15.61</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>													Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	46.84	74.00	-27.16	43.12	38.75	15.61	50.64	---	---	Peak	
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	12370.00	46.84	74.00	-27.16	43.12	38.75	15.61	50.64	---	---	Peak																																												





Mode	21																																																																																											
	Harmonic																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>47.65</td><td>74.00</td><td>-26.35</td><td>43.82</td><td>38.88</td><td>15.93</td><td>50.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12690.00	47.65	74.00	-26.35	43.82	38.88	15.93	50.98	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>48.15</td><td>74.00</td><td>-25.85</td><td>44.32</td><td>38.88</td><td>15.93</td><td>50.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12690.00	48.15	74.00	-25.85	44.32	38.88	15.93	50.98	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12690.00	47.65	74.00	-26.35	43.82	38.88	15.93	50.98	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12690.00	48.15	74.00	-25.85	44.32	38.88	15.93	50.98	---	---	Peak																																																																																	





Mode	22																																																																																																		
	Harmonic																																																																																																		
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.22</td><td>88.20</td><td>-40.98</td><td>43.20</td><td>38.95</td><td>16.12</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	47.22	88.20	-40.98	43.20	38.95	16.12	51.05	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.97</td><td>88.20</td><td>-40.23</td><td>43.95</td><td>38.95</td><td>16.12</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	47.97	88.20	-40.23	43.95	38.95	16.12	51.05	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12870.00	47.22	88.20	-40.98	43.20	38.95	16.12	51.05	---	---	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12870.00	47.97	88.20	-40.23	43.95	38.95	16.12	51.05	---	---	Peak																																																																																								





Mode	23																																																																																																								
	Harmonic																																																																																																								
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12950.00</td><td>46.99</td><td>88.20</td><td>-41.21</td><td>42.89</td><td>38.98</td><td>16.20</td><td>51.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12950.00	46.99	88.20	-41.21	42.89	38.98	16.20	51.08	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12950.00</td><td>47.34</td><td>88.20</td><td>-40.86</td><td>43.24</td><td>38.98</td><td>16.20</td><td>51.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12950.00	47.34	88.20	-40.86	43.24	38.98	16.20	51.08	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12950.00	46.99	88.20	-41.21	42.89	38.98	16.20	51.08	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12950.00	47.34	88.20	-40.86	43.24	38.98	16.20	51.08	---	---	Peak																																																																																														





Mode	24																																																																																																							
	Harmonic																																																																																																							
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal										Vertical																																																																																													
Peak Avg																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13030.00</td><td>47.25</td><td>88.20</td><td>-40.95</td><td>43.14</td><td>39.02</td><td>16.26</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13030.00	47.25	88.20	-40.95	43.14	39.02	16.26	51.17	---	---	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13030.00</td><td>45.92</td><td>88.20</td><td>-42.28</td><td>41.81</td><td>39.02</td><td>16.26</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13030.00	45.92	88.20	-42.28	41.81	39.02	16.26	51.17	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1 13030.00	47.25	88.20	-40.95	43.14	39.02	16.26	51.17	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1 13030.00	45.92	88.20	-42.28	41.81	39.02	16.26	51.17	---	---	Peak																																																																																														





Mode	25																																																																																													
	Harmonic																																																																																													
	U-NII-6_6.425-6.525_802.11ax HE20_CH97_Full RU_6435MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal										Vertical																																																																																			
Peak Avg																																																																																														
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12870.00</td><td>48.41</td><td>88.20</td><td>-39.79</td><td>44.39</td><td>38.95</td><td>16.12</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12870.00	48.41	88.20	-39.79	44.39	38.95	16.12	51.05	---	---	Peak	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12870.00</td><td>47.23</td><td>88.20</td><td>-40.97</td><td>43.21</td><td>38.95</td><td>16.12</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12870.00	47.23	88.20	-40.97	43.21	38.95	16.12	51.05	---	---
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 12870.00	48.41	88.20	-39.79	44.39	38.95	16.12	51.05	---	---	Peak																																																																																				
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 12870.00	47.23	88.20	-40.97	43.21	38.95	16.12	51.05	---	---	Peak																																																																																				





Mode	26																																																																																										
	Harmonic																																																																																										
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_Full RU_6475MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>47.72</td><td>88.20</td><td>-40.48</td><td>43.62</td><td>38.98</td><td>16.20</td><td>51.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12950.00	47.72	88.20	-40.48	43.62	38.98	16.20	51.08	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>47.57</td><td>88.20</td><td>-40.63</td><td>43.47</td><td>38.98</td><td>16.20</td><td>51.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12950.00	47.57	88.20	-40.63	43.47	38.98	16.20	51.08	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	12950.00	47.72	88.20	-40.48	43.62	38.98	16.20	51.08	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	12950.00	47.57	88.20	-40.63	43.47	38.98	16.20	51.08	---	---	Peak																																																																																





Mode	27																																																																																								
	Harmonic																																																																																								
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHz																																																																																								
ANT	1																																																																																								
Pol.	Horizontal					Vertical																																																																																			
Peak Avg																																																																																									
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13030.00</td><td>46.41</td><td>88.20</td><td>-41.79</td><td>42.30</td><td>39.02</td><td>16.26</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13030.00	46.41	88.20	-41.79	42.30	39.02	16.26	51.17	---	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13030.00</td><td>47.26</td><td>88.20</td><td>-40.94</td><td>43.15</td><td>39.02</td><td>16.26</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13030.00	47.26	88.20	-40.94	43.15	39.02	16.26	51.17	---	---
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 13030.00	46.41	88.20	-41.79	42.30	39.02	16.26	51.17	---	---	Peak																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 13030.00	47.26	88.20	-40.94	43.15	39.02	16.26	51.17	---	---	Peak																																																																															





Mode	28																																																																																										
	Harmonic																																																																																										
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>47.60</td><td>88.20</td><td>-40.60</td><td>43.56</td><td>38.96</td><td>16.14</td><td>51.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12890.00	47.60	88.20	-40.60	43.56	38.96	16.14	51.06	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>47.74</td><td>88.20</td><td>-40.46</td><td>43.70</td><td>38.96</td><td>16.14</td><td>51.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12890.00	47.74	88.20	-40.46	43.70	38.96	16.14	51.06	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	12890.00	47.60	88.20	-40.60	43.56	38.96	16.14	51.06	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	12890.00	47.74	88.20	-40.46	43.70	38.96	16.14	51.06	---	---	Peak																																																																																





		29																																																		
Mode		Harmonic																																																		
		U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz																																																		
ANT		1																																																		
Pol.		Horizontal					Vertical																																													
Peak Avg																																																				
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12970.00</td><td>47.80</td><td>88.20</td><td>-40.40</td><td>43.68</td><td>38.99</td><td>16.22</td><td>51.09</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	47.80	88.20	-40.40	43.68	38.99	16.22	51.09	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	12970.00	47.80	88.20	-40.40	43.68	38.99	16.22	51.09	---	---	Peak																																									
																																																				
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12970.00</td><td>47.77</td><td>88.20</td><td>-40.43</td><td>43.65</td><td>38.99</td><td>16.22</td><td>51.09</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	47.77	88.20	-40.43	43.65	38.99	16.22	51.09	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	12970.00	47.77	88.20	-40.43	43.65	38.99	16.22	51.09	---	---	Peak																																									





		30																																																																																																						
Mode		Harmonic																																																																																																						
		U-NII-6_6.425-6.525_802.11ax HE40_CH115_Full RU_6525MHz																																																																																																						
ANT		1																																																																																																						
Pol.		Horizontal						Vertical																																																																																																
Peak Avg																																																																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>47.39</td><td>88.20</td><td>-40.81</td><td>43.32</td><td>39.03</td><td>16.26</td><td>51.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13050.00	47.39	88.20	-40.81	43.32	39.03	16.26	51.22	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>47.30</td><td>88.20</td><td>-40.90</td><td>43.23</td><td>39.03</td><td>16.26</td><td>51.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13050.00	47.30	88.20	-40.90	43.23	39.03	16.26	51.22	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	13050.00	47.39	88.20	-40.81	43.32	39.03	16.26	51.22	---	---	Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	13050.00	47.30	88.20	-40.90	43.23	39.03	16.26	51.22	---	---	Peak																																																																																													





Mode	31																																																									
	Harmonic																																																									
	U-NII-6_6.425-6.525_802.11ax HE80_CH103_Full RU_6465MHz																																																									
ANT	1																																																									
Pol.	Horizontal																																																									
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12930.00</td><td>46.69</td><td>88.20</td><td>-41.51</td><td>42.61</td><td>38.97</td><td>16.18</td><td>51.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12930.00	46.69	88.20	-41.51	42.61	38.97	16.18	51.07	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	12930.00	46.69	88.20	-41.51	42.61	38.97	16.18	51.07	---	---	Peak																																															
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12930.00</td><td>47.22</td><td>88.20</td><td>-40.98</td><td>43.14</td><td>38.97</td><td>16.18</td><td>51.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12930.00	47.22	88.20	-40.98	43.14	38.97	16.18	51.07	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	12930.00	47.22	88.20	-40.98	43.14	38.97	16.18	51.07	---	---	Peak																																															





Mode	32																																																																																								
	Harmonic																																																																																								
	U-NII-6_6.425-6.525_802.11ax HE80_CH119_Full RU_6545MHz																																																																																								
ANT	1																																																																																								
Pol.	Horizontal						Vertical																																																																																		
Peak Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13090.00</td><td>46.69</td><td>88.20</td><td>-41.51</td><td>42.67</td><td>39.06</td><td>16.28</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13090.00	46.69	88.20	-41.51	42.67	39.06	16.28	51.32	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13090.00</td><td>48.09</td><td>88.20</td><td>-40.11</td><td>44.07</td><td>39.06</td><td>16.28</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13090.00	48.09	88.20	-40.11	44.07	39.06	16.28	51.32	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 13090.00	46.69	88.20	-41.51	42.67	39.06	16.28	51.32	---	---	Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 13090.00	48.09	88.20	-40.11	44.07	39.06	16.28	51.32	---	---	Peak																																																																															





Mode	33																																																									
	Harmonic																																																									
	U-NII-6_6.425-6.525_802.11ax HE160_CH111_Full RU_6505MHz																																																									
ANT	1																																																									
Pol.	Horizontal																																																									
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13010.00</td><td>46.87</td><td>88.20</td><td>-41.33</td><td>42.73</td><td>39.01</td><td>16.25</td><td>51.12</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13010.00	46.87	88.20	-41.33	42.73	39.01	16.25	51.12	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	13010.00	46.87	88.20	-41.33	42.73	39.01	16.25	51.12	---	---	Peak																																															
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13010.00</td><td>47.31</td><td>88.20</td><td>-40.89</td><td>43.17</td><td>39.01</td><td>16.25</td><td>51.12</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13010.00	47.31	88.20	-40.89	43.17	39.01	16.25	51.12	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	13010.00	47.31	88.20	-40.89	43.17	39.01	16.25	51.12	---	---	Peak																																															





Mode	34																																																																																																		
	Harmonic																																																																																																		
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>46.97</td><td>88.20</td><td>-41.23</td><td>42.92</td><td>39.05</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.97	88.20	-41.23	42.92	39.05	16.27	51.27	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>48.02</td><td>88.20</td><td>-40.18</td><td>43.97</td><td>39.05</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	48.02	88.20	-40.18	43.97	39.05	16.27	51.27	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13070.00	46.97	88.20	-41.23	42.92	39.05	16.27	51.27	---	---	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13070.00	48.02	88.20	-40.18	43.97	39.05	16.27	51.27	---	---	Peak																																																																																								





Mode	35																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal										Vertical																																																																																											
Peak Avg																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13390.00</td><td>46.48</td><td>74.00</td><td>-27.52</td><td>42.89</td><td>39.27</td><td>16.36</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13390.00	46.48	74.00	-27.52	42.89	39.27	16.36	52.04	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13390.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>42.07</td><td>39.27</td><td>16.36</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13390.00	45.66	74.00	-28.34	42.07	39.27	16.36	52.04	---	---
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 13390.00	46.48	74.00	-27.52	42.89	39.27	16.36	52.04	---	---	Peak																																																																																												
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 13390.00	45.66	74.00	-28.34	42.07	39.27	16.36	52.04	---	---	Peak																																																																																												





Mode	36																																																						
	Harmonic																																																						
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Vertical																																																
Peak Avg																																																							
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13710.00</td><td>46.90</td><td>88.20</td><td>-41.30</td><td>43.17</td><td>39.50</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>													Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	46.90	88.20	-41.30	43.17	39.50	16.45	52.22	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	13710.00	46.90	88.20	-41.30	43.17	39.50	16.45	52.22	---	---	Peak																																												
<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13710.00</td><td>47.66</td><td>88.20</td><td>-40.54</td><td>43.93</td><td>39.50</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>													Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	47.66	88.20	-40.54	43.93	39.50	16.45	52.22	---	---	Peak	
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	13710.00	47.66	88.20	-40.54	43.93	39.50	16.45	52.22	---	---	Peak																																												





Mode	37																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13750.00</td><td>46.39</td><td>88.20</td><td>-41.81</td><td>42.59</td><td>39.53</td><td>16.47</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13750.00	46.39	88.20	-41.81	42.59	39.53	16.47	52.20	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13750.00</td><td>47.42</td><td>88.20</td><td>-40.78</td><td>43.62</td><td>39.53</td><td>16.47</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13750.00	47.42	88.20	-40.78	43.62	39.53	16.47	52.20	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13750.00	46.39	88.20	-41.81	42.59	39.53	16.47	52.20	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13750.00	47.42	88.20	-40.78	43.62	39.53	16.47	52.20	---	---	Peak																																																																																														





		38																																																								
Mode		Harmonic																																																								
		U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz																																																								
ANT		1																																																								
Pol.		Horizontal					Vertical																																																			
Peak Avg																																																										
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>47.13</td><td>88.20</td><td>-41.07</td><td>43.08</td><td>39.05</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13070.00	47.13	88.20	-41.07	43.08	39.05	16.27	51.27	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	13070.00	47.13	88.20	-41.07	43.08	39.05	16.27	51.27	---	---	Peak																																															
																																																										
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>47.83</td><td>88.20</td><td>-40.37</td><td>43.78</td><td>39.05</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13070.00	47.83	88.20	-40.37	43.78	39.05	16.27	51.27	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	13070.00	47.83	88.20	-40.37	43.78	39.05	16.27	51.27	---	---	Peak																																															





Mode	39																																																																																										
	Harmonic																																																																																										
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13390.00</td><td>47.52</td><td>74.00</td><td>-26.48</td><td>43.93</td><td>39.27</td><td>16.36</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13390.00	47.52	74.00	-26.48	43.93	39.27	16.36	52.04	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13390.00</td><td>47.81</td><td>74.00</td><td>-26.19</td><td>44.22</td><td>39.27</td><td>16.36</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13390.00	47.81	74.00	-26.19	44.22	39.27	16.36	52.04	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	13390.00	47.52	74.00	-26.48	43.93	39.27	16.36	52.04	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	13390.00	47.81	74.00	-26.19	44.22	39.27	16.36	52.04	---	---	Peak																																																																																





Mode	40																																																																																																		
	Harmonic																																																																																																		
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_Full RU_6855MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.54</td><td>88.20</td><td>-40.66</td><td>43.81</td><td>39.50</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	47.54	88.20	-40.66	43.81	39.50	16.45	52.22	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.32</td><td>88.20</td><td>-40.88</td><td>43.59</td><td>39.50</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	47.32	88.20	-40.88	43.59	39.50	16.45	52.22	---	---
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13710.00	47.54	88.20	-40.66	43.81	39.50	16.45	52.22	---	---	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13710.00	47.32	88.20	-40.88	43.59	39.50	16.45	52.22	---	---	Peak																																																																																								





Mode	41																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6.525-6.875_802.11ax HE20_CH185_Full RU_6875MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13750.00</td><td>47.51</td><td>88.20</td><td>-40.69</td><td>43.71</td><td>39.53</td><td>16.47</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13750.00	47.51	88.20	-40.69	43.71	39.53	16.47	52.20	---	---	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13750.00</td><td>47.31</td><td>88.20</td><td>-40.89</td><td>43.51</td><td>39.53</td><td>16.47</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13750.00	47.31	88.20	-40.89	43.51	39.53	16.47	52.20	---	---	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 13750.00	47.51	88.20	-40.69	43.71	39.53	16.47	52.20	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 13750.00	47.31	88.20	-40.89	43.51	39.53	16.47	52.20	---	---	Peak																																																																																															





Mode	42																																																																																											
	Harmonic																																																																																											
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13130.00</td><td>47.37</td><td>88.20</td><td>-40.83</td><td>43.40</td><td>39.09</td><td>16.29</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13130.00	47.37	88.20	-40.83	43.40	39.09	16.29	51.41	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13130.00</td><td>47.64</td><td>88.20</td><td>-40.56</td><td>43.67</td><td>39.09</td><td>16.29</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13130.00	47.64	88.20	-40.56	43.67	39.09	16.29	51.41	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13130.00	47.37	88.20	-40.83	43.40	39.09	16.29	51.41	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13130.00	47.64	88.20	-40.56	43.67	39.09	16.29	51.41	---	---	Peak																																																																																	





Mode	43																																																																																										
	Harmonic																																																																																										
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>42.98</td><td>39.26</td><td>16.36</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13370.00	46.61	74.00	-27.39	42.98	39.26	16.36	51.99	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>46.11</td><td>74.00</td><td>-27.89</td><td>42.48</td><td>39.26</td><td>16.36</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13370.00	46.11	74.00	-27.89	42.48	39.26	16.36	51.99	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	13370.00	46.61	74.00	-27.39	42.98	39.26	16.36	51.99	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	13370.00	46.11	74.00	-27.89	42.48	39.26	16.36	51.99	---	---	Peak																																																																																





Mode	44																																																				
	Harmonic																																																				
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_Full RU_6845MHz																																																				
ANT	1																																																				
Pol.	Horizontal																																																				
Peak Avg																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13690.00</td><td>47.89</td><td>88.20</td><td>-40.31</td><td>44.18</td><td>39.48</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13690.00	47.89	88.20	-40.31	44.18	39.48	16.45	52.22	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1 13690.00	47.89	88.20	-40.31	44.18	39.48	16.45	52.22	---	---	Peak																																											
Vertical																																																					
Peak Avg																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13690.00</td><td>46.83</td><td>88.20</td><td>-41.37</td><td>43.12</td><td>39.48</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13690.00	46.83	88.20	-41.37	43.12	39.48	16.45	52.22	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1 13690.00	46.83	88.20	-41.37	43.12	39.48	16.45	52.22	---	---	Peak																																											





Mode	45																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6.525-6.875_802.11ax HE40_CH187_Full RU_6885MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13770.00</td><td>47.71</td><td>88.20</td><td>-40.49</td><td>43.89</td><td>39.54</td><td>16.47</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13770.00	47.71	88.20	-40.49	43.89	39.54	16.47	52.19	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13770.00</td><td>47.22</td><td>88.20</td><td>-40.98</td><td>43.40</td><td>39.54</td><td>16.47</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13770.00	47.22	88.20	-40.98	43.40	39.54	16.47	52.19	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13770.00	47.71	88.20	-40.49	43.89	39.54	16.47	52.19	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13770.00	47.22	88.20	-40.98	43.40	39.54	16.47	52.19	---	---	Peak																																																																																														





Mode	46																																																			
	Harmonic																																																			
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz																																																			
ANT	1																																																			
Pol.	Horizontal						Vertical																																													
Peak Avg																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>47.66</td><td>74.00</td><td>-26.34</td><td>43.87</td><td>39.17</td><td>16.32</td><td>51.70</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13250.00	47.66	74.00	-26.34	43.87	39.17	16.32	51.70	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	13250.00	47.66	74.00	-26.34	43.87	39.17	16.32	51.70	---	---	Peak																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>43.16</td><td>39.17</td><td>16.32</td><td>51.70</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13250.00	46.95	74.00	-27.05	43.16	39.17	16.32	51.70	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	13250.00	46.95	74.00	-27.05	43.16	39.17	16.32	51.70	---	---	Peak																																									





		47																																																																																																		
Mode		Harmonic																																																																																																		
		U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz																																																																																																		
ANT		1																																																																																																		
Pol.		Horizontal					Vertical																																																																																													
Peak Avg																																																																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>47.81</td><td>88.20</td><td>-40.39</td><td>44.23</td><td>39.29</td><td>16.37</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13410.00	47.81	88.20	-40.39	44.23	39.29	16.37	52.08	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>46.82</td><td>88.20</td><td>-41.38</td><td>43.24</td><td>39.29</td><td>16.37</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13410.00	46.82	88.20	-41.38	43.24	39.29	16.37	52.08	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	13410.00	47.81	88.20	-40.39	44.23	39.29	16.37	52.08	---	---	Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	13410.00	46.82	88.20	-41.38	43.24	39.29	16.37	52.08	---	---	Peak																																																																																									





Mode	48																																																			
	Harmonic																																																			
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_Full RU_6785MHz																																																			
ANT	1																																																			
Pol.	Horizontal						Vertical																																													
Peak Avg																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>46.78</td><td>88.20</td><td>-41.42</td><td>43.24</td><td>39.40</td><td>16.41</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13570.00	46.78	88.20	-41.42	43.24	39.40	16.41	52.27	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	13570.00	46.78	88.20	-41.42	43.24	39.40	16.41	52.27	---	---	Peak																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>46.85</td><td>88.20</td><td>-41.35</td><td>43.31</td><td>39.40</td><td>16.41</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13570.00	46.85	88.20	-41.35	43.31	39.40	16.41	52.27	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	13570.00	46.85	88.20	-41.35	43.31	39.40	16.41	52.27	---	---	Peak																																									





Mode	49																																																																																																			
	Harmonic																																																																																																			
	U-NII-7_6.525-6.875_802.11ax HE80_CH183_Full RU_6865MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal										Vertical																																																																																									
Peak Avg																																																																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13730.00</td><td>47.12</td><td>88.20</td><td>-41.08</td><td>43.36</td><td>39.51</td><td>16.46</td><td>52.21</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13730.00	47.12	88.20	-41.08	43.36	39.51	16.46	52.21	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13730.00</td><td>46.85</td><td>88.20</td><td>-41.35</td><td>43.09</td><td>39.51</td><td>16.46</td><td>52.21</td><td>---</td><td>---</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13730.00	46.85	88.20	-41.35	43.09	39.51	16.46	52.21	---	---
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 13730.00	47.12	88.20	-41.08	43.36	39.51	16.46	52.21	---	---	Peak																																																																																										
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 13730.00	46.85	88.20	-41.35	43.09	39.51	16.46	52.21	---	---	Peak																																																																																										





Mode	50																																																																																								
	Harmonic																																																																																								
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz																																																																																								
ANT	1																																																																																								
Pol.	Horizontal					Vertical																																																																																			
Peak Avg	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a series of pulses (red line) representing the peak signal level. The average signal level (blue line) is shown below the pulses. The frequency range is from 7200 to 18000 MHz, and the level range is from 0 to 140 dBuV/m. A vertical blue line marks the frequency 13330.00 MHz.					 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a series of pulses (red line) representing the peak signal level. The average signal level (blue line) is shown below the pulses. The frequency range is from 7200 to 18000 MHz, and the level range is from 0 to 140 dBuV/m. A vertical blue line marks the frequency 13330.00 MHz.																																																																																			
	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13330.00</td><td>46.62</td><td>74.00</td><td>-27.38</td><td>42.94</td><td>39.23</td><td>16.34</td><td>51.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13330.00	46.62	74.00	-27.38	42.94	39.23	16.34	51.89	---	---	Peak	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13330.00</td><td>47.71</td><td>74.00</td><td>-26.29</td><td>44.03</td><td>39.23</td><td>16.34</td><td>51.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13330.00	47.71	74.00	-26.29	44.03	39.23	16.34	51.89	---	---
Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 13330.00	46.62	74.00	-27.38	42.94	39.23	16.34	51.89	---	---	Peak																																																																															
Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 13330.00	47.71	74.00	-26.29	44.03	39.23	16.34	51.89	---	---	Peak																																																																															





Mode	51																																																									
	Harmonic																																																									
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz																																																									
ANT	1																																																									
Pol.	Horizontal																																																									
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13650.00</td><td>47.90</td><td>88.20</td><td>-40.30</td><td>44.24</td><td>39.46</td><td>16.44</td><td>52.24</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13650.00	47.90	88.20	-40.30	44.24	39.46	16.44	52.24	---	---	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1 13650.00	47.90	88.20	-40.30	44.24	39.46	16.44	52.24	---	---	Peak																																																
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13650.00</td><td>47.94</td><td>88.20</td><td>-40.26</td><td>44.28</td><td>39.46</td><td>16.44</td><td>52.24</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13650.00	47.94	88.20	-40.26	44.28	39.46	16.44	52.24	---	---	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1 13650.00	47.94	88.20	-40.26	44.28	39.46	16.44	52.24	---	---	Peak																																																







Mode	52																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13790.00</td><td>47.98</td><td>88.20</td><td>-40.22</td><td>44.13</td><td>39.55</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13790.00	47.98	88.20	-40.22	44.13	39.55	16.48	52.18	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13790.00</td><td>47.93</td><td>88.20</td><td>-40.27</td><td>44.08</td><td>39.55</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13790.00	47.93	88.20	-40.27	44.08	39.55	16.48	52.18	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13790.00	47.98	88.20	-40.22	44.13	39.55	16.48	52.18	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13790.00	47.93	88.20	-40.27	44.08	39.55	16.48	52.18	---	---	Peak																																																																																														







Mode	53																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13990.00</td><td>46.96</td><td>88.20</td><td>-41.24</td><td>42.83</td><td>39.69</td><td>16.54</td><td>52.10</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13990.00	46.96	88.20	-41.24	42.83	39.69	16.54	52.10	---	---	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13990.00</td><td>47.77</td><td>88.20</td><td>-40.43</td><td>43.64</td><td>39.69</td><td>16.54</td><td>52.10</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13990.00	47.77	88.20	-40.43	43.64	39.69	16.54	52.10	---	---	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 13990.00	46.96	88.20	-41.24	42.83	39.69	16.54	52.10	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 13990.00	47.77	88.20	-40.43	43.64	39.69	16.54	52.10	---	---	Peak																																																																																															





		54																																																																																				
Mode		Band Edge																																																																																				
		U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																				
ANT		1																																																																																				
Pol.		Horizontal					Fundamental																																																																															
Peak	 Level (dBuV/m) Date: 2026-03-02 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>7223.62</td><td>52.92</td><td>88.20</td><td>-35.28</td><td>37.83</td><td>36.37</td><td>11.86</td><td>33.14</td><td>119</td><td>173</td><td>PEAK</td></tr><tr><td>2</td><td>7267.23</td><td>53.28</td><td>74.00</td><td>-20.72</td><td>38.07</td><td>36.42</td><td>11.94</td><td>33.15</td><td>119</td><td>173</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	Remark	1	7223.62	52.92	88.20	-35.28	37.83	36.37	11.86	33.14	119	173	PEAK	2	7267.23	53.28	74.00	-20.72	38.07	36.42	11.94	33.15	119	173	PEAK	 Level (dBuV/m) Date: 2026-03-02 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>98.38</td><td>-----</td><td>-----</td><td>83.81</td><td>36.21</td><td>11.48</td><td>33.12</td><td>119</td><td>173</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	Remark	1	7095.00	98.38	-----	-----	83.81	36.21	11.48	33.12	119	173	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	Remark																																																																											
1	7223.62	52.92	88.20	-35.28	37.83	36.37	11.86	33.14	119	173	PEAK																																																																											
2	7267.23	53.28	74.00	-20.72	38.07	36.42	11.94	33.15	119	173	PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	Remark																																																																											
1	7095.00	98.38	-----	-----	83.81	36.21	11.48	33.12	119	173	PEAK																																																																											
Avg	 Level (dBuV/m) Date: 2026-03-02 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>7131.51</td><td>43.12</td><td>68.20</td><td>-25.08</td><td>28.40</td><td>36.26</td><td>11.59</td><td>33.13</td><td>119</td><td>173</td><td>AVERAGE</td></tr><tr><td>2</td><td>7270.35</td><td>43.32</td><td>54.00</td><td>-10.68</td><td>28.10</td><td>36.42</td><td>11.95</td><td>33.15</td><td>119</td><td>173</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	Remark	1	7131.51	43.12	68.20	-25.08	28.40	36.26	11.59	33.13	119	173	AVERAGE	2	7270.35	43.32	54.00	-10.68	28.10	36.42	11.95	33.15	119	173	AVERAGE	 Level (dBuV/m) Date: 2026-03-02 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>91.71</td><td>-----</td><td>-----</td><td>77.14</td><td>36.21</td><td>11.48</td><td>33.12</td><td>119</td><td>173</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	Remark	1	7095.00	91.71	-----	-----	77.14	36.21	11.48	33.12	119	173	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	Remark																																																																											
1	7131.51	43.12	68.20	-25.08	28.40	36.26	11.59	33.13	119	173	AVERAGE																																																																											
2	7270.35	43.32	54.00	-10.68	28.10	36.42	11.95	33.15	119	173	AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	Remark																																																																											
1	7095.00	91.71	-----	-----	77.14	36.21	11.48	33.12	119	173	AVERAGE																																																																											





Mode	54																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7222.73</td><td>53.76</td><td>88.20</td><td>-34.44</td><td>38.67</td><td>36.37</td><td>11.86</td><td>33.14</td><td>349</td><td>193 PEAK</td></tr><tr><td>2</td><td>7278.80</td><td>53.04</td><td>74.00</td><td>-20.96</td><td>37.81</td><td>36.43</td><td>11.96</td><td>33.16</td><td>349</td><td>193 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7222.73	53.76	88.20	-34.44	38.67	36.37	11.86	33.14	349	193 PEAK	2	7278.80	53.04	74.00	-20.96	37.81	36.43	11.96	33.16	349	193 PEAK	 Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>91.94</td><td>-----</td><td>-----</td><td>77.37</td><td>36.21</td><td>11.48</td><td>33.12</td><td>349</td><td>193 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	91.94	-----	-----	77.37	36.21	11.48	33.12	349	193 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7222.73	53.76	88.20	-34.44	38.67	36.37	11.86	33.14	349	193 PEAK																																																																																									
2	7278.80	53.04	74.00	-20.96	37.81	36.43	11.96	33.16	349	193 PEAK																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	91.94	-----	-----	77.37	36.21	11.48	33.12	349	193 PEAK																																																																																									
Avg	 Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7230.74</td><td>43.06</td><td>68.20</td><td>-25.14</td><td>27.95</td><td>36.38</td><td>11.88</td><td>33.15</td><td>349</td><td>193 AVERAGE</td></tr><tr><td>2</td><td>7269.01</td><td>43.28</td><td>54.00</td><td>-10.72</td><td>28.07</td><td>36.42</td><td>11.94</td><td>33.15</td><td>349</td><td>193 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7230.74	43.06	68.20	-25.14	27.95	36.38	11.88	33.15	349	193 AVERAGE	2	7269.01	43.28	54.00	-10.72	28.07	36.42	11.94	33.15	349	193 AVERAGE	 Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>85.13</td><td>-----</td><td>-----</td><td>70.56</td><td>36.21</td><td>11.48</td><td>33.12</td><td>349</td><td>193 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	85.13	-----	-----	70.56	36.21	11.48	33.12	349	193 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7230.74	43.06	68.20	-25.14	27.95	36.38	11.88	33.15	349	193 AVERAGE																																																																																									
2	7269.01	43.28	54.00	-10.72	28.07	36.42	11.94	33.15	349	193 AVERAGE																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	85.13	-----	-----	70.56	36.21	11.48	33.12	349	193 AVERAGE																																																																																									




Mode	54																																																																																																						
	Harmonic																																																																																																						
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal										Vertical																																																																																												
Peak Avg																																																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>47.33</td><td>88.20</td><td>-40.87</td><td>42.87</td><td>39.81</td><td>16.64</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	47.33	88.20	-40.87	42.87	39.81	16.64	51.99	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>47.34</td><td>88.20</td><td>-40.86</td><td>42.88</td><td>39.81</td><td>16.64</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	47.34	88.20	-40.86	42.88	39.81	16.64	51.99	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	14190.00	47.33	88.20	-40.87	42.87	39.81	16.64	51.99	---	---	Peak																																																																																												
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	14190.00	47.34	88.20	-40.86	42.88	39.81	16.64	51.99	---	---	Peak																																																																																												



Mode	55																																																																																																			
	Harmonic																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full RU_6895MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>47.99</td><td>88.20</td><td>-40.21</td><td>44.14</td><td>39.55</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	47.99	88.20	-40.21	44.14	39.55	16.48	52.18	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>47.11</td><td>88.20</td><td>-41.09</td><td>43.26</td><td>39.55</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	47.11	88.20	-41.09	43.26	39.55	16.48	52.18	---	---
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13790.00	47.99	88.20	-40.21	44.14	39.55	16.48	52.18	---	---	Peak																																																																																									
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13790.00	47.11	88.20	-41.09	43.26	39.55	16.48	52.18	---	---	Peak																																																																																									



Mode	56																																																									
	Harmonic																																																									
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full RU_6995MHz																																																									
ANT	1																																																									
Pol.	Horizontal																																																									
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13990.00</td><td>47.83</td><td>88.20</td><td>-40.37</td><td>43.70</td><td>39.69</td><td>16.54</td><td>52.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13990.00	47.83	88.20	-40.37	43.70	39.69	16.54	52.10	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	13990.00	47.83	88.20	-40.37	43.70	39.69	16.54	52.10	---	---	Peak																																															
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13990.00</td><td>47.37</td><td>88.20</td><td>-40.83</td><td>43.24</td><td>39.69</td><td>16.54</td><td>52.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13990.00	47.37	88.20	-40.83	43.24	39.69	16.54	52.10	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	13990.00	47.37	88.20	-40.83	43.24	39.69	16.54	52.10	---	---	Peak																																															





		57																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																																				
ANT		1																																																																																																				
Pol.		Horizontal					Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7137.29</td><td>53.45</td><td>88.20</td><td>-34.75</td><td>38.72</td><td>36.26</td><td>11.60</td><td>33.13</td><td>118</td><td>174</td><td>PEAK</td></tr><tr><td>2</td><td>7280.58</td><td>52.96</td><td>74.00</td><td>-21.04</td><td>37.72</td><td>36.44</td><td>11.96</td><td>33.16</td><td>118</td><td>174</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7137.29	53.45	88.20	-34.75	38.72	36.26	11.60	33.13	118	174	PEAK	2	7280.58	52.96	74.00	-21.04	37.72	36.44	11.96	33.16	118	174	PEAK	Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>100.99</td><td>-----</td><td>-----</td><td>86.42</td><td>36.21</td><td>11.48</td><td>33.12</td><td>118</td><td>174</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	100.99	-----	-----	86.42	36.21	11.48	33.12	118	174	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7137.29	53.45	88.20	-34.75	38.72	36.26	11.60	33.13	118	174	PEAK																																																																																											
2	7280.58	52.96	74.00	-21.04	37.72	36.44	11.96	33.16	118	174	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7095.00	100.99	-----	-----	86.42	36.21	11.48	33.12	118	174	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.50</td><td>43.13</td><td>68.20</td><td>-25.07</td><td>28.44</td><td>36.25</td><td>11.57</td><td>33.13</td><td>118</td><td>174</td><td>AVERAGE</td></tr><tr><td>2</td><td>7274.35</td><td>43.39</td><td>54.00</td><td>-10.61</td><td>28.16</td><td>36.43</td><td>11.95</td><td>33.15</td><td>118</td><td>174</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7127.50	43.13	68.20	-25.07	28.44	36.25	11.57	33.13	118	174	AVERAGE	2	7274.35	43.39	54.00	-10.61	28.16	36.43	11.95	33.15	118	174	AVERAGE	Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>91.63</td><td>-----</td><td>-----</td><td>77.06</td><td>36.21</td><td>11.48</td><td>33.12</td><td>118</td><td>174</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	91.63	-----	-----	77.06	36.21	11.48	33.12	118	174	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7127.50	43.13	68.20	-25.07	28.44	36.25	11.57	33.13	118	174	AVERAGE																																																																																											
2	7274.35	43.39	54.00	-10.61	28.16	36.43	11.95	33.15	118	174	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7095.00	91.63	-----	-----	77.06	36.21	11.48	33.12	118	174	AVERAGE																																																																																											







Mode	57																																																																																		
	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																		
ANT	1																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2026-03-02 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7161.32</td><td>53.66</td><td>88.20</td><td>-34.54</td><td>38.82</td><td>36.29</td><td>11.68</td><td>33.13 350 191 PEAK</td></tr><tr><td>2</td><td>7304.61</td><td>53.88</td><td>74.00</td><td>-20.12</td><td>38.56</td><td>36.47</td><td>12.01</td><td>33.16 350 191 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7161.32	53.66	88.20	-34.54	38.82	36.29	11.68	33.13 350 191 PEAK	2	7304.61	53.88	74.00	-20.12	38.56	36.47	12.01	33.16 350 191 PEAK	Level (dBuV/m) Date: 2026-03-02 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>94.91</td><td>-----</td><td>-----</td><td>80.34</td><td>36.21</td><td>11.48</td><td>33.12 350 191 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7095.00	94.91	-----	-----	80.34	36.21	11.48	33.12 350 191 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7161.32	53.66	88.20	-34.54	38.82	36.29	11.68	33.13 350 191 PEAK																																																																											
2	7304.61	53.88	74.00	-20.12	38.56	36.47	12.01	33.16 350 191 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7095.00	94.91	-----	-----	80.34	36.21	11.48	33.12 350 191 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2026-03-02 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7236.53</td><td>43.20</td><td>68.20</td><td>-25.00</td><td>28.08</td><td>36.38</td><td>11.89</td><td>33.15 350 191 AVERAGE</td></tr><tr><td>2</td><td>7287.26</td><td>43.35</td><td>54.00</td><td>-10.65</td><td>28.09</td><td>36.44</td><td>11.98</td><td>33.16 350 191 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7236.53	43.20	68.20	-25.00	28.08	36.38	11.89	33.15 350 191 AVERAGE	2	7287.26	43.35	54.00	-10.65	28.09	36.44	11.98	33.16 350 191 AVERAGE	Level (dBuV/m) Date: 2026-03-02 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>84.87</td><td>-----</td><td>-----</td><td>70.30</td><td>36.21</td><td>11.48</td><td>33.12 350 191 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7095.00	84.87	-----	-----	70.30	36.21	11.48	33.12 350 191 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7236.53	43.20	68.20	-25.00	28.08	36.38	11.89	33.15 350 191 AVERAGE																																																																											
2	7287.26	43.35	54.00	-10.65	28.09	36.44	11.98	33.16 350 191 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7095.00	84.87	-----	-----	70.30	36.21	11.48	33.12 350 191 AVERAGE																																																																											



Mode	57																																																																																													
	Harmonic																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal										Vertical																																																																																			
Peak Avg																																																																																														
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 14190.00</td><td>47.49</td><td>88.20</td><td>-40.71</td><td>43.03</td><td>39.81</td><td>16.64</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14190.00	47.49	88.20	-40.71	43.03	39.81	16.64	51.99	---	---	Peak	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 14190.00</td><td>47.45</td><td>88.20</td><td>-40.75</td><td>42.99</td><td>39.81</td><td>16.64</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14190.00	47.45	88.20	-40.75	42.99	39.81	16.64	51.99	---	---
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 14190.00	47.49	88.20	-40.71	43.03	39.81	16.64	51.99	---	---	Peak																																																																																				
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 14190.00	47.45	88.20	-40.75	42.99	39.81	16.64	51.99	---	---	Peak																																																																																				







Mode	58																																																																																																													
	Band Edge																																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU 26/8_7095MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak	Level (dBuV/m) Date: 2026-03-02  PEAK_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7230.74</td><td>53.09</td><td>88.20</td><td>-35.11</td><td>37.98</td><td>36.38</td><td>11.88</td><td>33.15</td><td>123</td><td>177</td></tr><tr><td>2</td><td>7309.51</td><td>53.14</td><td>74.00</td><td>-20.86</td><td>37.82</td><td>36.47</td><td>12.01</td><td>33.16</td><td>123</td><td>177</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		cm	deg		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB			1	7230.74	53.09	88.20	-35.11	37.98	36.38	11.88	33.15	123	177	2	7309.51	53.14	74.00	-20.86	37.82	36.47	12.01	33.16	123	177	Level (dBuV/m) Date: 2026-03-02  PEAK_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>97.03</td><td>-----</td><td>-----</td><td>82.44</td><td>36.22</td><td>11.49</td><td>33.12</td><td>123</td><td>177</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		cm	deg		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB			1	7095.00	97.03	-----	-----	82.44	36.22	11.49	33.12	123	177
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		cm	deg																																																																																																				
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																																																																																																						
1	7230.74	53.09	88.20	-35.11	37.98	36.38	11.88	33.15	123	177																																																																																																				
2	7309.51	53.14	74.00	-20.86	37.82	36.47	12.01	33.16	123	177																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		cm	deg																																																																																																				
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																																																																																																						
1	7095.00	97.03	-----	-----	82.44	36.22	11.49	33.12	123	177																																																																																																				
Avg	Level (dBuV/m) Date: 2026-03-02  AVG_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7227.18</td><td>43.28</td><td>68.20</td><td>-24.92</td><td>28.19</td><td>36.37</td><td>11.87</td><td>33.15</td><td>123</td><td>177</td></tr><tr><td>2</td><td>7305.06</td><td>43.33</td><td>54.00</td><td>-10.67</td><td>28.01</td><td>36.47</td><td>12.01</td><td>33.16</td><td>123</td><td>177</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		cm	deg		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB			1	7227.18	43.28	68.20	-24.92	28.19	36.37	11.87	33.15	123	177	2	7305.06	43.33	54.00	-10.67	28.01	36.47	12.01	33.16	123	177	Level (dBuV/m) Date: 2026-03-02  AVG_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>89.89</td><td>-----</td><td>-----</td><td>75.30</td><td>36.22</td><td>11.49</td><td>33.12</td><td>123</td><td>177</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		cm	deg		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB			1	7095.00	89.89	-----	-----	75.30	36.22	11.49	33.12	123	177
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		cm	deg																																																																																																				
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																																																																																																						
1	7227.18	43.28	68.20	-24.92	28.19	36.37	11.87	33.15	123	177																																																																																																				
2	7305.06	43.33	54.00	-10.67	28.01	36.47	12.01	33.16	123	177																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		cm	deg																																																																																																				
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																																																																																																						
1	7095.00	89.89	-----	-----	75.30	36.22	11.49	33.12	123	177																																																																																																				



Mode	58																																																																																																											
	Band Edge																																																																																																											
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU 26/8_7095MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2026-03-02 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7213.83</td><td>52.70</td><td>88.20</td><td>-35.50</td><td>37.63</td><td>36.36</td><td>11.85</td><td>33.14</td><td>358</td><td>191</td><td>PEAK</td></tr><tr><td>2</td><td>7257.44</td><td>53.36</td><td>74.00</td><td>-20.64</td><td>38.18</td><td>36.41</td><td>11.92</td><td>33.15</td><td>358</td><td>191</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7213.83	52.70	88.20	-35.50	37.63	36.36	11.85	33.14	358	191	PEAK	2	7257.44	53.36	74.00	-20.64	38.18	36.41	11.92	33.15	358	191	PEAK	Level (dBuV/m) Date: 2026-03-02 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>90.50</td><td>-----</td><td>-----</td><td>75.91</td><td>36.22</td><td>11.49</td><td>33.12</td><td>358</td><td>191</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	90.50	-----	-----	75.91	36.22	11.49	33.12	358	191	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7213.83	52.70	88.20	-35.50	37.63	36.36	11.85	33.14	358	191	PEAK																																																																																																	
2	7257.44	53.36	74.00	-20.64	38.18	36.41	11.92	33.15	358	191	PEAK																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7095.00	90.50	-----	-----	75.91	36.22	11.49	33.12	358	191	PEAK																																																																																																	
Avg	Level (dBuV/m) Date: 2026-03-02 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7159.99</td><td>43.12</td><td>68.20</td><td>-25.08</td><td>28.28</td><td>36.29</td><td>11.68</td><td>33.13</td><td>358</td><td>191</td><td>AVERAGE</td></tr><tr><td>2</td><td>7269.90</td><td>43.33</td><td>54.00</td><td>-10.67</td><td>28.12</td><td>36.42</td><td>11.94</td><td>33.15</td><td>358</td><td>191</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7159.99	43.12	68.20	-25.08	28.28	36.29	11.68	33.13	358	191	AVERAGE	2	7269.90	43.33	54.00	-10.67	28.12	36.42	11.94	33.15	358	191	AVERAGE	Level (dBuV/m) Date: 2026-03-02 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>83.46</td><td>-----</td><td>-----</td><td>68.87</td><td>36.22</td><td>11.49</td><td>33.12</td><td>358</td><td>191</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	83.46	-----	-----	68.87	36.22	11.49	33.12	358	191	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7159.99	43.12	68.20	-25.08	28.28	36.29	11.68	33.13	358	191	AVERAGE																																																																																																	
2	7269.90	43.33	54.00	-10.67	28.12	36.42	11.94	33.15	358	191	AVERAGE																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7095.00	83.46	-----	-----	68.87	36.22	11.49	33.12	358	191	AVERAGE																																																																																																	



Mode	59																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU 50/40_7095MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7204.04</td><td>52.78</td><td>88.20</td><td>-35.42</td><td>37.75</td><td>36.34</td><td>11.83</td><td>33.14</td><td>117</td><td>175 PEAK</td></tr><tr><td>2</td><td>7264.56</td><td>53.27</td><td>74.00</td><td>-20.73</td><td>38.06</td><td>36.42</td><td>11.94</td><td>33.15</td><td>117</td><td>175 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7204.04	52.78	88.20	-35.42	37.75	36.34	11.83	33.14	117	175 PEAK	2	7264.56	53.27	74.00	-20.73	38.06	36.42	11.94	33.15	117	175 PEAK	 Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>97.74</td><td>-----</td><td>-----</td><td>83.13</td><td>36.23</td><td>11.50</td><td>33.12</td><td>117</td><td>175 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	97.74	-----	-----	83.13	36.23	11.50	33.12	117	175 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7204.04	52.78	88.20	-35.42	37.75	36.34	11.83	33.14	117	175 PEAK																																																																																									
2	7264.56	53.27	74.00	-20.73	38.06	36.42	11.94	33.15	117	175 PEAK																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	97.74	-----	-----	83.13	36.23	11.50	33.12	117	175 PEAK																																																																																									
Avg	 Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7236.97</td><td>43.14</td><td>68.20</td><td>-25.06</td><td>28.02</td><td>36.38</td><td>11.89</td><td>33.15</td><td>117</td><td>175 AVERAGE</td></tr><tr><td>2</td><td>7277.47</td><td>43.24</td><td>54.00</td><td>-10.76</td><td>28.01</td><td>36.43</td><td>11.96</td><td>33.16</td><td>117</td><td>175 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7236.97	43.14	68.20	-25.06	28.02	36.38	11.89	33.15	117	175 AVERAGE	2	7277.47	43.24	54.00	-10.76	28.01	36.43	11.96	33.16	117	175 AVERAGE	 Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>90.05</td><td>-----</td><td>-----</td><td>75.46</td><td>36.22</td><td>11.49</td><td>33.12</td><td>117</td><td>175 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	90.05	-----	-----	75.46	36.22	11.49	33.12	117	175 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7236.97	43.14	68.20	-25.06	28.02	36.38	11.89	33.15	117	175 AVERAGE																																																																																									
2	7277.47	43.24	54.00	-10.76	28.01	36.43	11.96	33.16	117	175 AVERAGE																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	90.05	-----	-----	75.46	36.22	11.49	33.12	117	175 AVERAGE																																																																																									







Mode	59																																																																																		
	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU 50/40_7095MHz																																																																																		
ANT	1																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2026-03-02 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7168.89</td><td>53.35</td><td>88.20</td><td>-34.85</td><td>38.47</td><td>36.30</td><td>11.71</td><td>33.13 358 194 PEAK</td></tr><tr><td>2</td><td>7265.90</td><td>53.31</td><td>74.00</td><td>-20.69</td><td>38.10</td><td>36.42</td><td>11.94</td><td>33.15 358 194 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7168.89	53.35	88.20	-34.85	38.47	36.30	11.71	33.13 358 194 PEAK	2	7265.90	53.31	74.00	-20.69	38.10	36.42	11.94	33.15 358 194 PEAK	Level (dBuV/m) Date: 2026-03-02 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>91.55</td><td>-----</td><td>-----</td><td>76.96</td><td>36.22</td><td>11.49</td><td>33.12 358 194 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7095.00	91.55	-----	-----	76.96	36.22	11.49	33.12 358 194 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7168.89	53.35	88.20	-34.85	38.47	36.30	11.71	33.13 358 194 PEAK																																																																											
2	7265.90	53.31	74.00	-20.69	38.10	36.42	11.94	33.15 358 194 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7095.00	91.55	-----	-----	76.96	36.22	11.49	33.12 358 194 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2026-03-02 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7229.41</td><td>43.03</td><td>68.20</td><td>-25.17</td><td>27.93</td><td>36.38</td><td>11.87</td><td>33.15 358 194 AVERAGE</td></tr><tr><td>2</td><td>7287.26</td><td>43.41</td><td>54.00</td><td>-10.59</td><td>28.15</td><td>36.44</td><td>11.98</td><td>33.16 358 194 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7229.41	43.03	68.20	-25.17	27.93	36.38	11.87	33.15 358 194 AVERAGE	2	7287.26	43.41	54.00	-10.59	28.15	36.44	11.98	33.16 358 194 AVERAGE	Level (dBuV/m) Date: 2026-03-02 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>83.58</td><td>-----</td><td>-----</td><td>68.99</td><td>36.22</td><td>11.49</td><td>33.12 358 194 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7095.00	83.58	-----	-----	68.99	36.22	11.49	33.12 358 194 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7229.41	43.03	68.20	-25.17	27.93	36.38	11.87	33.15 358 194 AVERAGE																																																																											
2	7287.26	43.41	54.00	-10.59	28.15	36.44	11.98	33.16 358 194 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7095.00	83.58	-----	-----	68.99	36.22	11.49	33.12 358 194 AVERAGE																																																																											




Mode	60																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU 106/54_7095MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7198.70</td><td>52.94</td><td>88.20</td><td>-35.26</td><td>37.93</td><td>36.34</td><td>11.81</td><td>33.14</td><td>122</td><td>175</td><td>PEAK</td></tr><tr><td>2</td><td>7252.99</td><td>53.32</td><td>74.00</td><td>-20.68</td><td>38.16</td><td>36.40</td><td>11.91</td><td>33.15</td><td>122</td><td>175</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7198.70	52.94	88.20	-35.26	37.93	36.34	11.81	33.14	122	175	PEAK	2	7252.99	53.32	74.00	-20.68	38.16	36.40	11.91	33.15	122	175	PEAK	Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>99.40</td><td>-----</td><td>-----</td><td>84.81</td><td>36.22</td><td>11.49</td><td>33.12</td><td>122</td><td>175</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	99.40	-----	-----	84.81	36.22	11.49	33.12	122	175	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7198.70	52.94	88.20	-35.26	37.93	36.34	11.81	33.14	122	175	PEAK																																																																																											
2	7252.99	53.32	74.00	-20.68	38.16	36.40	11.91	33.15	122	175	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	99.40	-----	-----	84.81	36.22	11.49	33.12	122	175	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7231.63</td><td>43.31</td><td>68.20</td><td>-24.89</td><td>28.20</td><td>36.38</td><td>11.88</td><td>33.15</td><td>122</td><td>175</td><td>AVERAGE</td></tr><tr><td>2</td><td>7280.14</td><td>43.22</td><td>54.00</td><td>-10.78</td><td>27.98</td><td>36.44</td><td>11.96</td><td>33.16</td><td>122</td><td>175</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7231.63	43.31	68.20	-24.89	28.20	36.38	11.88	33.15	122	175	AVERAGE	2	7280.14	43.22	54.00	-10.78	27.98	36.44	11.96	33.16	122	175	AVERAGE	Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>91.02</td><td>-----</td><td>-----</td><td>76.43</td><td>36.22</td><td>11.49</td><td>33.12</td><td>122</td><td>175</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	91.02	-----	-----	76.43	36.22	11.49	33.12	122	175	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7231.63	43.31	68.20	-24.89	28.20	36.38	11.88	33.15	122	175	AVERAGE																																																																																											
2	7280.14	43.22	54.00	-10.78	27.98	36.44	11.96	33.16	122	175	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	91.02	-----	-----	76.43	36.22	11.49	33.12	122	175	AVERAGE																																																																																											




Mode	60																																																																		
	Band Edge																																																																		
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU 106/54_7095MHz																																																																		
ANT	1																																																																		
Pol.	Vertical						Fundamental																																																												
Peak	Level (dBuV/m) Date: 2026-03-02  PEAK_BE(UNII)_6E Freq Level Line (dB) Read Ant Cable Preamp APos TPos Remark <table><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td></td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>7228.52</td><td>53.63</td><td>88.20</td><td>-34.57</td><td>38.54</td><td>36.37</td><td>11.87</td><td>33.15</td><td>361</td><td>192 PEAK</td></tr><tr><td>2</td><td>7294.38</td><td>53.23</td><td>74.00</td><td>-20.77</td><td>37.95</td><td>36.45</td><td>11.99</td><td>33.16</td><td>361</td><td>192 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7228.52	53.63	88.20	-34.57	38.54	36.37	11.87	33.15	361	192 PEAK	2	7294.38	53.23	74.00	-20.77	37.95	36.45	11.99	33.16	361	192 PEAK	Level (dBuV/m) Date: 2026-03-02  PEAK_BE(UNII)_6E Freq Level Line (dB) Read Ant Cable Preamp APos TPos Remark <table><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td></td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>7095.00</td><td>94.78</td><td>-----</td><td>-----</td><td>80.21</td><td>36.21</td><td>11.48</td><td>33.12</td><td>361</td><td>192 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7095.00	94.78	-----	-----	80.21	36.21	11.48	33.12	361	192 PEAK
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																									
1	7228.52	53.63	88.20	-34.57	38.54	36.37	11.87	33.15	361	192 PEAK																																																									
2	7294.38	53.23	74.00	-20.77	37.95	36.45	11.99	33.16	361	192 PEAK																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																										
1	7095.00	94.78	-----	-----	80.21	36.21	11.48	33.12	361	192 PEAK																																																									
Avg	Level (dBuV/m) Date: 2026-03-02  AVG_BE(UNII)_6E Freq Level Line (dB) Read Ant Cable Preamp APos TPos Remark <table><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td></td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>7235.19</td><td>43.17</td><td>68.20</td><td>-25.03</td><td>28.06</td><td>36.38</td><td>11.88</td><td>33.15</td><td>361</td><td>192 AVERAGE</td></tr><tr><td>2</td><td>7311.73</td><td>43.35</td><td>54.00</td><td>-10.65</td><td>28.03</td><td>36.47</td><td>12.01</td><td>33.16</td><td>361</td><td>192 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7235.19	43.17	68.20	-25.03	28.06	36.38	11.88	33.15	361	192 AVERAGE	2	7311.73	43.35	54.00	-10.65	28.03	36.47	12.01	33.16	361	192 AVERAGE	Level (dBuV/m) Date: 2026-03-02  AVG_BE(UNII)_6E Freq Level Line (dB) Read Ant Cable Preamp APos TPos Remark <table><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td></td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>7095.00</td><td>84.74</td><td>-----</td><td>-----</td><td>70.17</td><td>36.21</td><td>11.48</td><td>33.12</td><td>361</td><td>192 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7095.00	84.74	-----	-----	70.17	36.21	11.48	33.12	361	192 AVERAGE
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																									
1	7235.19	43.17	68.20	-25.03	28.06	36.38	11.88	33.15	361	192 AVERAGE																																																									
2	7311.73	43.35	54.00	-10.65	28.03	36.47	12.01	33.16	361	192 AVERAGE																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																										
1	7095.00	84.74	-----	-----	70.17	36.21	11.48	33.12	361	192 AVERAGE																																																									



Mode	61																																																									
	Harmonic																																																									
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full RU_6925MHz																																																									
ANT	1																																																									
Pol.	Horizontal																																																									
Peak Avg																																																										
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13850.00</td><td>47.82</td><td>88.20</td><td>-40.38</td><td>43.88</td><td>39.60</td><td>16.50</td><td>52.16</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13850.00	47.82	88.20	-40.38	43.88	39.60	16.50	52.16	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	13850.00	47.82	88.20	-40.38	43.88	39.60	16.50	52.16	---	---	Peak																																															
<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13850.00</td><td>47.69</td><td>88.20</td><td>-40.51</td><td>43.75</td><td>39.60</td><td>16.50</td><td>52.16</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13850.00	47.69	88.20	-40.51	43.75	39.60	16.50	52.16	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	13850.00	47.69	88.20	-40.51	43.75	39.60	16.50	52.16	---	---	Peak																																															



Mode	62																																																									
	Harmonic																																																									
	U-NII-8_6.875-7.125_802.11ax HE40_CH211_Full RU_7005MHz																																																									
ANT	1																																																									
Pol.	Horizontal																																																									
Peak Avg																																																										
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>14010.00</td><td>47.88</td><td>88.20</td><td>-40.32</td><td>43.72</td><td>39.71</td><td>16.54</td><td>52.09</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14010.00	47.88	88.20	-40.32	43.72	39.71	16.54	52.09	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	14010.00	47.88	88.20	-40.32	43.72	39.71	16.54	52.09	---	---	Peak																																															
<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>14010.00</td><td>47.51</td><td>88.20</td><td>-40.69</td><td>43.35</td><td>39.71</td><td>16.54</td><td>52.09</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14010.00	47.51	88.20	-40.69	43.35	39.71	16.54	52.09	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	14010.00	47.51	88.20	-40.69	43.35	39.71	16.54	52.09	---	---	Peak																																															





Mode	63																																																																																																													
	Band Edge																																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak	Level (dBuV/m) Date: 2026-03-02 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7209.21</td><td>53.46</td><td>88.20</td><td>-34.74</td><td>38.41</td><td>36.35</td><td>11.84</td><td>33.14</td><td>118</td><td>173 PEAK</td></tr><tr><td>2</td><td>7323.78</td><td>52.79</td><td>74.00</td><td>-21.21</td><td>37.46</td><td>36.49</td><td>12.00</td><td>33.16</td><td>118</td><td>173 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7209.21	53.46	88.20	-34.74	38.41	36.35	11.84	33.14	118	173 PEAK	2	7323.78	52.79	74.00	-21.21	37.46	36.49	12.00	33.16	118	173 PEAK	Level (dBuV/m) Date: 2026-03-02 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>101.59</td><td>-----</td><td>-----</td><td>87.04</td><td>36.20</td><td>11.47</td><td>33.12</td><td>118</td><td>173 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	101.59	-----	-----	87.04	36.20	11.47	33.12	118	173 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	7209.21	53.46	88.20	-34.74	38.41	36.35	11.84	33.14	118	173 PEAK																																																																																																				
2	7323.78	52.79	74.00	-21.21	37.46	36.49	12.00	33.16	118	173 PEAK																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	7085.00	101.59	-----	-----	87.04	36.20	11.47	33.12	118	173 PEAK																																																																																																				
Avg	Level (dBuV/m) Date: 2026-03-02 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.13</td><td>43.32</td><td>68.20</td><td>-24.88</td><td>28.63</td><td>36.25</td><td>11.57</td><td>33.13</td><td>118</td><td>173 AVERAGE</td></tr><tr><td>2</td><td>7265.07</td><td>43.35</td><td>54.00</td><td>-10.65</td><td>28.14</td><td>36.42</td><td>11.94</td><td>33.15</td><td>118</td><td>173 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7127.13	43.32	68.20	-24.88	28.63	36.25	11.57	33.13	118	173 AVERAGE	2	7265.07	43.35	54.00	-10.65	28.14	36.42	11.94	33.15	118	173 AVERAGE	Level (dBuV/m) Date: 2026-03-02 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>91.34</td><td>-----</td><td>-----</td><td>76.79</td><td>36.20</td><td>11.47</td><td>33.12</td><td>118</td><td>173 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	91.34	-----	-----	76.79	36.20	11.47	33.12	118	173 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	7127.13	43.32	68.20	-24.88	28.63	36.25	11.57	33.13	118	173 AVERAGE																																																																																																				
2	7265.07	43.35	54.00	-10.65	28.14	36.42	11.94	33.15	118	173 AVERAGE																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	7085.00	91.34	-----	-----	76.79	36.20	11.47	33.12	118	173 AVERAGE																																																																																																				



Mode	63																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2026-03-02 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7133.97</td><td>52.96</td><td>88.20</td><td>-35.24</td><td>38.24</td><td>36.26</td><td>11.59</td><td>33.13</td><td>361</td><td>194 PEAK</td></tr><tr><td>2</td><td>7309.82</td><td>52.93</td><td>74.00</td><td>-21.07</td><td>37.61</td><td>36.47</td><td>12.01</td><td>33.16</td><td>361</td><td>194 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7133.97	52.96	88.20	-35.24	38.24	36.26	11.59	33.13	361	194 PEAK	2	7309.82	52.93	74.00	-21.07	37.61	36.47	12.01	33.16	361	194 PEAK	Level (dBuV/m) Date: 2026-03-02 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>94.24</td><td>-----</td><td>-----</td><td>79.67</td><td>36.21</td><td>11.48</td><td>33.12</td><td>361</td><td>194 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	94.24	-----	-----	79.67	36.21	11.48	33.12	361	194 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7133.97	52.96	88.20	-35.24	38.24	36.26	11.59	33.13	361	194 PEAK																																																																																							
2	7309.82	52.93	74.00	-21.07	37.61	36.47	12.01	33.16	361	194 PEAK																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7085.00	94.24	-----	-----	79.67	36.21	11.48	33.12	361	194 PEAK																																																																																							
Avg	Level (dBuV/m) Date: 2026-03-02 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7233.44</td><td>43.15</td><td>68.20</td><td>-25.05</td><td>28.04</td><td>36.38</td><td>11.88</td><td>33.15</td><td>361</td><td>194 AVERAGE</td></tr><tr><td>2</td><td>7271.91</td><td>43.33</td><td>54.00</td><td>-10.67</td><td>28.10</td><td>36.43</td><td>11.95</td><td>33.15</td><td>361</td><td>194 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7233.44	43.15	68.20	-25.05	28.04	36.38	11.88	33.15	361	194 AVERAGE	2	7271.91	43.33	54.00	-10.67	28.10	36.43	11.95	33.15	361	194 AVERAGE	Level (dBuV/m) Date: 2026-03-02 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>85.05</td><td>-----</td><td>-----</td><td>70.48</td><td>36.21</td><td>11.48</td><td>33.12</td><td>361</td><td>194 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	85.05	-----	-----	70.48	36.21	11.48	33.12	361	194 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7233.44	43.15	68.20	-25.05	28.04	36.38	11.88	33.15	361	194 AVERAGE																																																																																							
2	7271.91	43.33	54.00	-10.67	28.10	36.43	11.95	33.15	361	194 AVERAGE																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7085.00	85.05	-----	-----	70.48	36.21	11.48	33.12	361	194 AVERAGE																																																																																							



Mode	63																																																									
	Harmonic																																																									
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																									
ANT	1																																																									
Pol.	Horizontal																																																									
Peak Avg																																																										
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>14170.00</td><td>47.09</td><td>88.20</td><td>-41.11</td><td>42.66</td><td>39.80</td><td>16.63</td><td>52.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	14170.00	47.09	88.20	-41.11	42.66	39.80	16.63	52.00	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	14170.00	47.09	88.20	-41.11	42.66	39.80	16.63	52.00	---	---	Peak																																															
																																																										
<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>14170.00</td><td>47.21</td><td>88.20</td><td>-40.99</td><td>42.78</td><td>39.80</td><td>16.63</td><td>52.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	14170.00	47.21	88.20	-40.99	42.78	39.80	16.63	52.00	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	14170.00	47.21	88.20	-40.99	42.78	39.80	16.63	52.00	---	---	Peak																																															







Mode	64																																																																									
	Band Edge																																																																									
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial_RU 242/62_7085MHz																																																																									
ANT	1																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Date: 2026-03-02 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7220.04</td><td>53.36</td><td>88.20</td><td>-34.84</td><td>38.28</td><td>36.36</td><td>11.86</td></tr><tr><td>2</td><td>7278.75</td><td>53.37</td><td>74.00</td><td>-20.63</td><td>38.14</td><td>36.43</td><td>11.96</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	1	7220.04	53.36	88.20	-34.84	38.28	36.36	11.86	2	7278.75	53.37	74.00	-20.63	38.14	36.43	11.96	Date: 2026-03-02 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>103.51</td><td>-----</td><td>-----</td><td>88.94</td><td>36.21</td><td>11.48</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	1	7085.00	103.51	-----	-----	88.94	36.21	11.48
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm																																																																			
1	7220.04	53.36	88.20	-34.84	38.28	36.36	11.86																																																																			
2	7278.75	53.37	74.00	-20.63	38.14	36.43	11.96																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm																																																																			
1	7085.00	103.51	-----	-----	88.94	36.21	11.48																																																																			
Avg	Date: 2026-03-02 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7129.13</td><td>43.29</td><td>68.20</td><td>-24.91</td><td>28.59</td><td>36.25</td><td>11.58</td></tr><tr><td>2</td><td>7304.97</td><td>43.36</td><td>54.00</td><td>-10.64</td><td>28.04</td><td>36.47</td><td>12.01</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	1	7129.13	43.29	68.20	-24.91	28.59	36.25	11.58	2	7304.97	43.36	54.00	-10.64	28.04	36.47	12.01	Date: 2026-03-02 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>93.98</td><td>-----</td><td>-----</td><td>79.41</td><td>36.21</td><td>11.48</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	1	7085.00	93.98	-----	-----	79.41	36.21	11.48
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm																																																																			
1	7129.13	43.29	68.20	-24.91	28.59	36.25	11.58																																																																			
2	7304.97	43.36	54.00	-10.64	28.04	36.47	12.01																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm																																																																			
1	7085.00	93.98	-----	-----	79.41	36.21	11.48																																																																			







		64																																																																																																																			
Mode		Band Edge																																																																																																																			
		U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial_RU 242/62_7085MHz																																																																																																																			
ANT		1																																																																																																																			
Pol.		Vertical					Fundamental																																																																																																														
Peak		Level (dBuV/m) Date: 2026-03-02 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7232.58</td><td>52.88</td><td>88.20</td><td>-35.32</td><td>37.77</td><td>36.38</td><td>11.88</td><td>33.15</td><td>361</td><td>192</td><td>PEAK</td></tr><tr><td>2</td><td>7295.57</td><td>53.13</td><td>74.00</td><td>-20.87</td><td>37.85</td><td>36.45</td><td>11.99</td><td>33.16</td><td>361</td><td>192</td><td>PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1	7232.58	52.88	88.20	-35.32	37.77	36.38	11.88	33.15	361	192	PEAK	2	7295.57	53.13	74.00	-20.87	37.85	36.45	11.99	33.16	361	192	PEAK	Level (dBuV/m) Date: 2026-03-02 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>96.74</td><td>-----</td><td>-----</td><td>82.17</td><td>36.21</td><td>11.48</td><td>33.12</td><td>361</td><td>192</td><td>PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1	7085.00	96.74	-----	-----	82.17	36.21	11.48	33.12	361	192	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																																																												
1	7232.58	52.88	88.20	-35.32	37.77	36.38	11.88	33.15	361	192	PEAK																																																																																																										
2	7295.57	53.13	74.00	-20.87	37.85	36.45	11.99	33.16	361	192	PEAK																																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																																																												
1	7085.00	96.74	-----	-----	82.17	36.21	11.48	33.12	361	192	PEAK																																																																																																										
Avg		Level (dBuV/m) Date: 2026-03-02 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7237.71</td><td>43.19</td><td>68.20</td><td>-25.01</td><td>28.06</td><td>36.39</td><td>11.89</td><td>33.15</td><td>361</td><td>192</td><td>AVERAGE</td></tr><tr><td>2</td><td>7269.63</td><td>43.27</td><td>54.00</td><td>-10.73</td><td>28.06</td><td>36.42</td><td>11.94</td><td>33.15</td><td>361</td><td>192</td><td>AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1	7237.71	43.19	68.20	-25.01	28.06	36.39	11.89	33.15	361	192	AVERAGE	2	7269.63	43.27	54.00	-10.73	28.06	36.42	11.94	33.15	361	192	AVERAGE	Level (dBuV/m) Date: 2026-03-02 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>88.20</td><td>-----</td><td>-----</td><td>73.63</td><td>36.21</td><td>11.48</td><td>33.12</td><td>361</td><td>192</td><td>AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1	7085.00	88.20	-----	-----	73.63	36.21	11.48	33.12	361	192	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																																																												
1	7237.71	43.19	68.20	-25.01	28.06	36.39	11.89	33.15	361	192	AVERAGE																																																																																																										
2	7269.63	43.27	54.00	-10.73	28.06	36.42	11.94	33.15	361	192	AVERAGE																																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																																																												
1	7085.00	88.20	-----	-----	73.63	36.21	11.48	33.12	361	192	AVERAGE																																																																																																										





Mode	65																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2026-03-02  PEAK_BE(UNII_6E) 17.5 35.0 52.5 70.0 87.5 105.0 122.5 140 6905 6994. 7083. 7172. 7261. 7350 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7227.18</td><td>53.11</td><td>88.20</td><td>-35.09</td><td>38.02</td><td>36.37</td><td>11.87</td><td>33.15</td><td>127 174 PEAK</td></tr><tr><td>2</td><td>7335.76</td><td>53.80</td><td>74.00</td><td>-20.20</td><td>38.47</td><td>36.50</td><td>12.00</td><td>33.17</td><td>127 174 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7227.18	53.11	88.20	-35.09	38.02	36.37	11.87	33.15	127 174 PEAK	2	7335.76	53.80	74.00	-20.20	38.47	36.50	12.00	33.17	127 174 PEAK	Level (dBuV/m) Date: 2026-03-02  PEAK_BE(UNII_6E) 35.0 52.5 70.0 87.5 105.0 122.5 140 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6945.00</td><td>99.88</td><td>-----</td><td>85.50</td><td>36.16</td><td>11.30</td><td>33.08</td><td>127</td><td>174 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6945.00	99.88	-----	85.50	36.16	11.30	33.08	127	174 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7227.18	53.11	88.20	-35.09	38.02	36.37	11.87	33.15	127 174 PEAK																																																																																											
2	7335.76	53.80	74.00	-20.20	38.47	36.50	12.00	33.17	127 174 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6945.00	99.88	-----	85.50	36.16	11.30	33.08	127	174 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2026-03-02  AVG_BE(UNII_6E) 17.5 35.0 52.5 70.0 87.5 105.0 122.5 140 6905 6994. 7083. 7172. 7261. 7350 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.72</td><td>43.34</td><td>68.20</td><td>-24.86</td><td>28.65</td><td>36.25</td><td>11.57</td><td>33.13</td><td>127 174 AVERAGE</td></tr><tr><td>2</td><td>7273.91</td><td>43.43</td><td>54.00</td><td>-10.57</td><td>28.20</td><td>36.43</td><td>11.95</td><td>33.15</td><td>127 174 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.72	43.34	68.20	-24.86	28.65	36.25	11.57	33.13	127 174 AVERAGE	2	7273.91	43.43	54.00	-10.57	28.20	36.43	11.95	33.15	127 174 AVERAGE	Level (dBuV/m) Date: 2026-03-02  AVG_BE(UNII_6E) 35.0 52.5 70.0 87.5 105.0 122.5 140 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6945.00</td><td>90.20</td><td>-----</td><td>75.80</td><td>36.12</td><td>11.38</td><td>33.10</td><td>127</td><td>174 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6945.00	90.20	-----	75.80	36.12	11.38	33.10	127	174 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7125.72	43.34	68.20	-24.86	28.65	36.25	11.57	33.13	127 174 AVERAGE																																																																																											
2	7273.91	43.43	54.00	-10.57	28.20	36.43	11.95	33.15	127 174 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6945.00	90.20	-----	75.80	36.12	11.38	33.10	127	174 AVERAGE																																																																																											



Mode	65																																																																																													
	Band Edge																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz																																																																																													
ANT	1																																																																																													
Pol.	Vertical					Fundamental																																																																																								
Peak	 Level (dBuV/m) Date: 2026-03-02 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7240.98</td><td>52.77</td><td>88.20 -35.43</td><td>37.64</td><td>36.39</td><td>11.89</td><td>33.15</td><td>364</td><td>193 PEAK</td></tr><tr><td>2</td><td>7285.92</td><td>53.25</td><td>74.00 -20.75</td><td>38.00</td><td>36.44</td><td>11.97</td><td>33.16</td><td>364</td><td>193 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7240.98	52.77	88.20 -35.43	37.64	36.39	11.89	33.15	364	193 PEAK	2	7285.92	53.25	74.00 -20.75	38.00	36.44	11.97	33.16	364	193 PEAK	 Level (dBuV/m) Date: 2026-03-02 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6945.00</td><td>94.21</td><td>-----</td><td>79.81</td><td>36.13</td><td>11.36</td><td>33.09</td><td>364</td><td>193 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6945.00	94.21	-----	79.81	36.13	11.36	33.09	364	193 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7240.98	52.77	88.20 -35.43	37.64	36.39	11.89	33.15	364	193 PEAK																																																																																					
2	7285.92	53.25	74.00 -20.75	38.00	36.44	11.97	33.16	364	193 PEAK																																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6945.00	94.21	-----	79.81	36.13	11.36	33.09	364	193 PEAK																																																																																					
Avg	 Level (dBuV/m) Date: 2026-03-02 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7237.42</td><td>44.02</td><td>68.20 -24.18</td><td>28.90</td><td>36.38</td><td>11.89</td><td>33.15</td><td>364</td><td>193 AVERAGE</td></tr><tr><td>2</td><td>7341.10</td><td>44.20</td><td>54.00 -9.80</td><td>28.86</td><td>36.51</td><td>12.00</td><td>33.17</td><td>364</td><td>193 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7237.42	44.02	68.20 -24.18	28.90	36.38	11.89	33.15	364	193 AVERAGE	2	7341.10	44.20	54.00 -9.80	28.86	36.51	12.00	33.17	364	193 AVERAGE	 Level (dBuV/m) Date: 2026-03-02 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6945.00</td><td>84.60</td><td>-----</td><td>70.20</td><td>36.13</td><td>11.36</td><td>33.09</td><td>364</td><td>193 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6945.00	84.60	-----	70.20	36.13	11.36	33.09	364	193 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7237.42	44.02	68.20 -24.18	28.90	36.38	11.89	33.15	364	193 AVERAGE																																																																																					
2	7341.10	44.20	54.00 -9.80	28.86	36.51	12.00	33.17	364	193 AVERAGE																																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6945.00	84.60	-----	70.20	36.13	11.36	33.09	364	193 AVERAGE																																																																																					



Mode	65																																																																																										
	Harmonic																																																																																										
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13890.00</td><td>47.61</td><td>88.20</td><td>-40.59</td><td>43.62</td><td>39.62</td><td>16.51</td><td>52.14</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13890.00	47.61	88.20	-40.59	43.62	39.62	16.51	52.14	---	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13890.00</td><td>47.87</td><td>88.20</td><td>-40.33</td><td>43.88</td><td>39.62</td><td>16.51</td><td>52.14</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13890.00	47.87	88.20	-40.33	43.88	39.62	16.51	52.14	---	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 13890.00	47.61	88.20	-40.59	43.62	39.62	16.51	52.14	---	---	Peak																																																																																	
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 13890.00	47.87	88.20	-40.33	43.88	39.62	16.51	52.14	---	---	Peak																																																																																	





Mode	66																																																																																		
	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7164.95</td><td>52.78</td><td>88.20</td><td>-35.42</td><td>37.91</td><td>36.30</td><td>11.70</td><td>33.13</td><td>107 174 PEAK</td></tr><tr><td>2 7269.70</td><td>53.45</td><td>74.00</td><td>-20.55</td><td>38.24</td><td>36.42</td><td>11.94</td><td>33.15</td><td>107 174 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7164.95	52.78	88.20	-35.42	37.91	36.30	11.70	33.13	107 174 PEAK	2 7269.70	53.45	74.00	-20.55	38.24	36.42	11.94	33.15	107 174 PEAK	Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>100.76</td><td>-----</td><td>-----</td><td>86.25</td><td>36.17</td><td>11.45</td><td>33.11</td><td>107 174 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7025.00	100.76	-----	-----	86.25	36.17	11.45	33.11	107 174 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7164.95	52.78	88.20	-35.42	37.91	36.30	11.70	33.13	107 174 PEAK																																																																											
2 7269.70	53.45	74.00	-20.55	38.24	36.42	11.94	33.15	107 174 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7025.00	100.76	-----	-----	86.25	36.17	11.45	33.11	107 174 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.53</td><td>45.00</td><td>68.20</td><td>-23.20</td><td>30.31</td><td>36.25</td><td>11.57</td><td>33.13</td><td>107 174 AVERAGE</td></tr><tr><td>2 7301.46</td><td>44.30</td><td>54.00</td><td>-9.70</td><td>29.00</td><td>36.46</td><td>12.00</td><td>33.16</td><td>107 174 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7125.53	45.00	68.20	-23.20	30.31	36.25	11.57	33.13	107 174 AVERAGE	2 7301.46	44.30	54.00	-9.70	29.00	36.46	12.00	33.16	107 174 AVERAGE	Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>91.43</td><td>-----</td><td>-----</td><td>76.90</td><td>36.18</td><td>11.46</td><td>33.11</td><td>107 174 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7025.00	91.43	-----	-----	76.90	36.18	11.46	33.11	107 174 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7125.53	45.00	68.20	-23.20	30.31	36.25	11.57	33.13	107 174 AVERAGE																																																																											
2 7301.46	44.30	54.00	-9.70	29.00	36.46	12.00	33.16	107 174 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7025.00	91.43	-----	-----	76.90	36.18	11.46	33.11	107 174 AVERAGE																																																																											



Mode	66																																																											
	Band Edge																																																											
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																											
ANT	1																																																											
Pol.	Vertical					Fundamental																																																						
Peak	Level (dBuV/m) Date: 2026-03-02 PEAK_BE(UNII_6E) Freq Level Line (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 7206.92</td><td>52.85</td><td>88.20</td><td>-35.35</td><td>37.81</td><td>36.35</td><td>11.83</td><td>33.14</td><td>367</td><td>191 PEAK</td></tr><tr><td>2 7345.62</td><td>53.68</td><td>74.00</td><td>-20.32</td><td>38.34</td><td>36.51</td><td>12.00</td><td>33.17</td><td>367</td><td>191 PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 7206.92	52.85	88.20	-35.35	37.81	36.35	11.83	33.14	367	191 PEAK	2 7345.62	53.68	74.00	-20.32	38.34	36.51	12.00	33.17	367	191 PEAK	Level (dBuV/m) Date: 2026-03-02 PEAK_BE(UNII_6E) Freq Level Line (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 7025.00</td><td>93.88</td><td>-----</td><td>-----</td><td>79.40</td><td>36.15</td><td>11.44</td><td>33.11</td><td>367</td><td>191 PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 7025.00	93.88	-----	-----	79.40	36.15	11.44	33.11	367	191 PEAK
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																																		
1 7206.92	52.85	88.20	-35.35	37.81	36.35	11.83	33.14	367	191 PEAK																																																			
2 7345.62	53.68	74.00	-20.32	38.34	36.51	12.00	33.17	367	191 PEAK																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																																			
1 7025.00	93.88	-----	-----	79.40	36.15	11.44	33.11	367	191 PEAK																																																			
Avg	Level (dBuV/m) Date: 2026-03-02 AVG_BE(UNII_6E) Freq Level Line (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 7129.54</td><td>43.98</td><td>68.20</td><td>-24.22</td><td>29.27</td><td>36.26</td><td>11.58</td><td>33.13</td><td>367</td><td>191 AVERAGE</td></tr><tr><td>2 7288.32</td><td>44.14</td><td>54.00</td><td>-9.86</td><td>28.87</td><td>36.45</td><td>11.98</td><td>33.16</td><td>367</td><td>191 AVERAGE</td></tr></table>					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 7129.54	43.98	68.20	-24.22	29.27	36.26	11.58	33.13	367	191 AVERAGE	2 7288.32	44.14	54.00	-9.86	28.87	36.45	11.98	33.16	367	191 AVERAGE	Level (dBuV/m) Date: 2026-03-02 AVG_BE(UNII_6E) Freq Level Line (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 7025.00</td><td>85.52</td><td>-----</td><td>-----</td><td>71.01</td><td>36.17</td><td>11.45</td><td>33.11</td><td>367</td><td>191 AVERAGE</td></tr></table>					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 7025.00	85.52	-----	-----	71.01	36.17	11.45	33.11	367	191 AVERAGE
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																																		
1 7129.54	43.98	68.20	-24.22	29.27	36.26	11.58	33.13	367	191 AVERAGE																																																			
2 7288.32	44.14	54.00	-9.86	28.87	36.45	11.98	33.16	367	191 AVERAGE																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																																			
1 7025.00	85.52	-----	-----	71.01	36.17	11.45	33.11	367	191 AVERAGE																																																			



Mode	66																																																																																											
	Harmonic																																																																																											
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>47.93</td><td>88.20</td><td>-40.27</td><td>43.70</td><td>39.73</td><td>16.57</td><td>52.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14050.00	47.93	88.20	-40.27	43.70	39.73	16.57	52.07	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>47.82</td><td>88.20</td><td>-40.38</td><td>43.59</td><td>39.73</td><td>16.57</td><td>52.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14050.00	47.82	88.20	-40.38	43.59	39.73	16.57	52.07	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14050.00	47.93	88.20	-40.27	43.70	39.73	16.57	52.07	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14050.00	47.82	88.20	-40.38	43.59	39.73	16.57	52.07	---	---	Peak																																																																																	







	67																																																																																													
Mode	Band Edge																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Partial_RU 484/66_7025MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7147.43</td><td>61.71</td><td>88.20</td><td>-26.49</td><td>46.92</td><td>36.28</td><td>11.64</td><td>33.13</td><td>110</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>7306.93</td><td>53.90</td><td>74.00</td><td>-20.10</td><td>38.58</td><td>36.47</td><td>12.01</td><td>33.16</td><td>110</td><td>176</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7147.43	61.71	88.20	-26.49	46.92	36.28	11.64	33.13	110	176	PEAK	2	7306.93	53.90	74.00	-20.10	38.58	36.47	12.01	33.16	110	176	PEAK	Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>104.60</td><td>-----</td><td>-----</td><td>90.07</td><td>36.18</td><td>11.46</td><td>33.11</td><td>110</td><td>176</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	104.60	-----	-----	90.07	36.18	11.46	33.11	110	176	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7147.43	61.71	88.20	-26.49	46.92	36.28	11.64	33.13	110	176	PEAK																																																																																			
2	7306.93	53.90	74.00	-20.10	38.58	36.47	12.01	33.16	110	176	PEAK																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7025.00	104.60	-----	-----	90.07	36.18	11.46	33.11	110	176	PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7129.18</td><td>48.60</td><td>68.20</td><td>-19.60</td><td>33.89</td><td>36.26</td><td>11.58</td><td>33.13</td><td>110</td><td>176</td><td>AVERAGE</td></tr><tr><td>2</td><td>7273.35</td><td>44.40</td><td>54.00</td><td>-9.60</td><td>29.17</td><td>36.43</td><td>11.95</td><td>33.15</td><td>110</td><td>176</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7129.18	48.60	68.20	-19.60	33.89	36.26	11.58	33.13	110	176	AVERAGE	2	7273.35	44.40	54.00	-9.60	29.17	36.43	11.95	33.15	110	176	AVERAGE	Level (dBuV/m) Date: 2026-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>94.40</td><td>-----</td><td>-----</td><td>79.90</td><td>36.16</td><td>11.45</td><td>33.11</td><td>110</td><td>176</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	94.40	-----	-----	79.90	36.16	11.45	33.11	110	176	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7129.18	48.60	68.20	-19.60	33.89	36.26	11.58	33.13	110	176	AVERAGE																																																																																			
2	7273.35	44.40	54.00	-9.60	29.17	36.43	11.95	33.15	110	176	AVERAGE																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7025.00	94.40	-----	-----	79.90	36.16	11.45	33.11	110	176	AVERAGE																																																																																			







Mode	67																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Partial_RU 484/66_7025MHz																																																																																											
ANT	1																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-03-02 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7132.10</td><td>55.42</td><td>88.20</td><td>-32.78</td><td>40.70</td><td>36.26</td><td>11.59</td><td>33.13</td><td>366 192 PEAK</td></tr><tr><td>2</td><td>7278.10</td><td>54.01</td><td>74.00</td><td>-19.99</td><td>38.78</td><td>36.43</td><td>11.96</td><td>33.16</td><td>366 192 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7132.10	55.42	88.20	-32.78	40.70	36.26	11.59	33.13	366 192 PEAK	2	7278.10	54.01	74.00	-19.99	38.78	36.43	11.96	33.16	366 192 PEAK	Level (dBuV/m) Date: 2026-03-02 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>96.75</td><td>-----</td><td>-----</td><td>82.22</td><td>36.18</td><td>11.46</td><td>33.11</td><td>366 192 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	96.75	-----	-----	82.22	36.18	11.46	33.11	366 192 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7132.10	55.42	88.20	-32.78	40.70	36.26	11.59	33.13	366 192 PEAK																																																																																			
2	7278.10	54.01	74.00	-19.99	38.78	36.43	11.96	33.16	366 192 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7025.00	96.75	-----	-----	82.22	36.18	11.46	33.11	366 192 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2026-03-02 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7131.37</td><td>44.49</td><td>68.20</td><td>-23.71</td><td>29.78</td><td>36.26</td><td>11.58</td><td>33.13</td><td>366 192 AVERAGE</td></tr><tr><td>2</td><td>7343.80</td><td>44.07</td><td>54.00</td><td>-9.93</td><td>28.73</td><td>36.51</td><td>12.00</td><td>33.17</td><td>366 192 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7131.37	44.49	68.20	-23.71	29.78	36.26	11.58	33.13	366 192 AVERAGE	2	7343.80	44.07	54.00	-9.93	28.73	36.51	12.00	33.17	366 192 AVERAGE	Level (dBuV/m) Date: 2026-03-02 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>88.25</td><td>-----</td><td>-----</td><td>73.74</td><td>36.17</td><td>11.45</td><td>33.11</td><td>366 192 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	88.25	-----	-----	73.74	36.17	11.45	33.11	366 192 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7131.37	44.49	68.20	-23.71	29.78	36.26	11.58	33.13	366 192 AVERAGE																																																																																			
2	7343.80	44.07	54.00	-9.93	28.73	36.51	12.00	33.17	366 192 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7025.00	88.25	-----	-----	73.74	36.17	11.45	33.11	366 192 AVERAGE																																																																																			





Mode	68																																																														
	Band Edge																																																														
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																														
ANT	1																																																														
Pol.	Horizontal																																																														
Peak																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7194.38</td><td>65.04</td><td>88.20</td><td>-23.16</td><td>50.06</td><td>36.33</td><td>11.79</td><td>33.14</td><td>103</td><td>163</td><td>PEAK</td></tr><tr><td>2</td><td>7257.50</td><td>58.40</td><td>74.00</td><td>-15.60</td><td>43.22</td><td>36.41</td><td>11.92</td><td>33.15</td><td>103</td><td>163</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7194.38	65.04	88.20	-23.16	50.06	36.33	11.79	33.14	103	163	PEAK	2	7257.50	58.40	74.00	-15.60	43.22	36.41	11.92	33.15	103	163	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	7194.38	65.04	88.20	-23.16	50.06	36.33	11.79	33.14	103	163	PEAK																																																				
2	7257.50	58.40	74.00	-15.60	43.22	36.41	11.92	33.15	103	163	PEAK																																																				
Fundamental																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>99.10</td><td>-----</td><td>-----</td><td>84.62</td><td>36.15</td><td>11.44</td><td>33.11</td><td>103</td><td>163</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	99.10	-----	-----	84.62	36.15	11.44	33.11	103	163	PEAK												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	6985.00	99.10	-----	-----	84.62	36.15	11.44	33.11	103	163	PEAK																																																				
Avg																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7167.50</td><td>54.03</td><td>68.20</td><td>-14.17</td><td>39.16</td><td>36.30</td><td>11.70</td><td>33.13</td><td>103</td><td>163</td><td>AVERAGE</td></tr><tr><td>2</td><td>7251.88</td><td>49.89</td><td>54.00</td><td>-4.11</td><td>34.73</td><td>36.40</td><td>11.91</td><td>33.15</td><td>103</td><td>163</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7167.50	54.03	68.20	-14.17	39.16	36.30	11.70	33.13	103	163	AVERAGE	2	7251.88	49.89	54.00	-4.11	34.73	36.40	11.91	33.15	103	163	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	7167.50	54.03	68.20	-14.17	39.16	36.30	11.70	33.13	103	163	AVERAGE																																																				
2	7251.88	49.89	54.00	-4.11	34.73	36.40	11.91	33.15	103	163	AVERAGE																																																				
Fundamental																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>89.04</td><td>-----</td><td>-----</td><td>74.64</td><td>36.12</td><td>11.38</td><td>33.10</td><td>103</td><td>163</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	89.04	-----	-----	74.64	36.12	11.38	33.10	103	163	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	6985.00	89.04	-----	-----	74.64	36.12	11.38	33.10	103	163	AVERAGE																																																				







		68																																																																																										
Mode		Band Edge																																																																																										
		U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																										
ANT		1																																																																																										
Pol.		Vertical					Fundamental																																																																																					
Peak																																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7160.63	57.96	88.20	-30.24	43.12	36.29	11.68	33.13	356	191	PEAK	2	7253.75	54.40	74.00	-19.60	39.23	36.40	11.92	33.15	356	191	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>93.14</td><td>-----</td><td>-----</td><td>78.70</td><td>36.12</td><td>11.42</td><td>33.10</td><td>356</td><td>191</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	93.14	-----	-----	78.70	36.12	11.42	33.10	356	191
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	7160.63	57.96	88.20	-30.24	43.12	36.29	11.68	33.13	356	191	PEAK																																																																																	
2	7253.75	54.40	74.00	-19.60	39.23	36.40	11.92	33.15	356	191	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	6985.00	93.14	-----	-----	78.70	36.12	11.42	33.10	356	191	PEAK																																																																																	
Avg																																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7175.00	47.92	68.20	-20.28	33.01	36.31	11.73	33.13	356	191	AVERAGE	2	7268.75	45.42	54.00	-8.58	30.21	36.42	11.94	33.15	356	191	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>83.81</td><td>-----</td><td>-----</td><td>69.38</td><td>36.11</td><td>11.42</td><td>33.10</td><td>356</td><td>191</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	83.81	-----	-----	69.38	36.11	11.42	33.10	356	191
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	7175.00	47.92	68.20	-20.28	33.01	36.31	11.73	33.13	356	191	AVERAGE																																																																																	
2	7268.75	45.42	54.00	-8.58	30.21	36.42	11.94	33.15	356	191	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	6985.00	83.81	-----	-----	69.38	36.11	11.42	33.10	356	191	AVERAGE																																																																																	



Mode	68																																																																																										
	Harmonic																																																																																										
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>47.14</td><td>88.20</td><td>-41.06</td><td>43.04</td><td>39.68</td><td>16.53</td><td>52.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13970.00	47.14	88.20	-41.06	43.04	39.68	16.53	52.11	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>47.82</td><td>88.20</td><td>-40.38</td><td>43.72</td><td>39.68</td><td>16.53</td><td>52.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13970.00	47.82	88.20	-40.38	43.72	39.68	16.53	52.11	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	13970.00	47.14	88.20	-41.06	43.04	39.68	16.53	52.11	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	13970.00	47.82	88.20	-40.38	43.72	39.68	16.53	52.11	---	---	Peak																																																																																





		69																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-8_6.875-7.125_802.11ax HE160_CH207_Partial_RU 996/S67_6985MHz																																																																																																		
ANT		1																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-03-02  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7210.63</td><td>66.22</td><td>88.20</td><td>-21.98</td><td>51.17</td><td>36.35</td><td>11.84</td><td>33.14</td><td>120 176 PEAK</td></tr><tr><td>2</td><td>7277.50</td><td>61.75</td><td>74.00</td><td>-12.25</td><td>46.52</td><td>36.43</td><td>11.96</td><td>33.16</td><td>120 176 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7210.63	66.22	88.20	-21.98	51.17	36.35	11.84	33.14	120 176 PEAK	2	7277.50	61.75	74.00	-12.25	46.52	36.43	11.96	33.16	120 176 PEAK	Level (dBuV/m) Date: 2026-03-02  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>99.21</td><td>-----</td><td>-----</td><td>84.71</td><td>36.16</td><td>11.45</td><td>33.11</td><td>120 176 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	6985.00	99.21	-----	-----	84.71	36.16	11.45	33.11	120 176 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7210.63	66.22	88.20	-21.98	51.17	36.35	11.84	33.14	120 176 PEAK																																																																																											
2	7277.50	61.75	74.00	-12.25	46.52	36.43	11.96	33.16	120 176 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	6985.00	99.21	-----	-----	84.71	36.16	11.45	33.11	120 176 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2026-03-02  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7211.88</td><td>52.59</td><td>68.20</td><td>-15.61</td><td>37.54</td><td>36.35</td><td>11.84</td><td>33.14</td><td>120 176 AVERAGE</td></tr><tr><td>2</td><td>7271.88</td><td>49.75</td><td>54.00</td><td>-4.25</td><td>34.52</td><td>36.43</td><td>11.95</td><td>33.15</td><td>120 176 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7211.88	52.59	68.20	-15.61	37.54	36.35	11.84	33.14	120 176 AVERAGE	2	7271.88	49.75	54.00	-4.25	34.52	36.43	11.95	33.15	120 176 AVERAGE	Level (dBuV/m) Date: 2026-03-02  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>89.76</td><td>-----</td><td>-----</td><td>75.36</td><td>36.10</td><td>11.40</td><td>33.10</td><td>120 176 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	6985.00	89.76	-----	-----	75.36	36.10	11.40	33.10	120 176 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7211.88	52.59	68.20	-15.61	37.54	36.35	11.84	33.14	120 176 AVERAGE																																																																																											
2	7271.88	49.75	54.00	-4.25	34.52	36.43	11.95	33.15	120 176 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	6985.00	89.76	-----	-----	75.36	36.10	11.40	33.10	120 176 AVERAGE																																																																																											







Mode	69																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Partial_RU 996/S67_6985MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2026-03-02 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7203.75</td><td>57.19</td><td>88.20</td><td>-31.01</td><td>42.16</td><td>36.34</td><td>11.83</td><td>33.14</td><td>367 193 PEAK</td></tr><tr><td>2</td><td>7273.75</td><td>55.87</td><td>74.00</td><td>-18.13</td><td>40.64</td><td>36.43</td><td>11.95</td><td>33.15</td><td>367 193 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7203.75	57.19	88.20	-31.01	42.16	36.34	11.83	33.14	367 193 PEAK	2	7273.75	55.87	74.00	-18.13	40.64	36.43	11.95	33.15	367 193 PEAK	Level (dBuV/m) Date: 2026-03-02 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>92.66</td><td>-----</td><td>-----</td><td>78.15</td><td>36.17</td><td>11.45</td><td>33.11</td><td>367 193 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	92.66	-----	-----	78.15	36.17	11.45	33.11	367 193 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7203.75	57.19	88.20	-31.01	42.16	36.34	11.83	33.14	367 193 PEAK																																																																																											
2	7273.75	55.87	74.00	-18.13	40.64	36.43	11.95	33.15	367 193 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6985.00	92.66	-----	-----	78.15	36.17	11.45	33.11	367 193 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2026-03-02 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7202.50</td><td>45.89</td><td>68.20</td><td>-22.31</td><td>30.87</td><td>36.34</td><td>11.82</td><td>33.14</td><td>367 193 AVERAGE</td></tr><tr><td>2</td><td>7266.88</td><td>45.20</td><td>54.00</td><td>-8.80</td><td>29.99</td><td>36.42</td><td>11.94</td><td>33.15</td><td>367 193 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7202.50	45.89	68.20	-22.31	30.87	36.34	11.82	33.14	367 193 AVERAGE	2	7266.88	45.20	54.00	-8.80	29.99	36.42	11.94	33.15	367 193 AVERAGE	Level (dBuV/m) Date: 2026-03-02 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>84.11</td><td>-----</td><td>-----</td><td>69.60</td><td>36.17</td><td>11.45</td><td>33.11</td><td>367 193 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	84.11	-----	-----	69.60	36.17	11.45	33.11	367 193 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7202.50	45.89	68.20	-22.31	30.87	36.34	11.82	33.14	367 193 AVERAGE																																																																																											
2	7266.88	45.20	54.00	-8.80	29.99	36.42	11.94	33.15	367 193 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6985.00	84.11	-----	-----	69.60	36.17	11.45	33.11	367 193 AVERAGE																																																																																											







Mode	70																																																																																																																																																																																	
	LF																																																																																																																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																																																																																																	
ANT	1																																																																																																																																																																																	
Pol.	Horizontal								Vertical																																																																																																																																																																									
Peak																																																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.97</td><td>22.00</td><td>40.00</td><td>-18.00</td><td>27.55</td><td>24.62</td><td>1.03</td><td>31.20 --- Peak</td></tr><tr><td>2</td><td>136.70</td><td>14.06</td><td>43.50</td><td>-29.44</td><td>25.49</td><td>17.58</td><td>2.12</td><td>31.13 --- Peak</td></tr><tr><td>3</td><td>348.16</td><td>20.13</td><td>46.00</td><td>-25.87</td><td>27.11</td><td>20.46</td><td>3.36</td><td>30.80 --- Peak</td></tr><tr><td>4</td><td>521.79</td><td>23.56</td><td>46.00</td><td>-22.44</td><td>26.02</td><td>24.26</td><td>4.11</td><td>30.83 --- Peak</td></tr><tr><td>5</td><td>663.41</td><td>27.01</td><td>46.00</td><td>-18.99</td><td>28.05</td><td>25.20</td><td>4.63</td><td>30.87 --- Peak</td></tr><tr><td>6</td><td>764.29</td><td>28.50</td><td>46.00</td><td>-17.50</td><td>28.56</td><td>25.96</td><td>4.97</td><td>30.99 --- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	30.97	22.00	40.00	-18.00	27.55	24.62	1.03	31.20 --- Peak	2	136.70	14.06	43.50	-29.44	25.49	17.58	2.12	31.13 --- Peak	3	348.16	20.13	46.00	-25.87	27.11	20.46	3.36	30.80 --- Peak	4	521.79	23.56	46.00	-22.44	26.02	24.26	4.11	30.83 --- Peak	5	663.41	27.01	46.00	-18.99	28.05	25.20	4.63	30.87 --- Peak	6	764.29	28.50	46.00	-17.50	28.56	25.96	4.97	30.99 --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.00</td><td>21.75</td><td>40.00</td><td>-18.25</td><td>26.74</td><td>25.20</td><td>1.01</td><td>31.20 --- Peak</td></tr><tr><td>2</td><td>173.56</td><td>14.99</td><td>43.50</td><td>-28.51</td><td>27.99</td><td>15.62</td><td>2.39</td><td>31.01 --- Peak</td></tr><tr><td>3</td><td>356.89</td><td>20.47</td><td>46.00</td><td>-25.53</td><td>27.17</td><td>20.69</td><td>3.40</td><td>30.79 --- Peak</td></tr><tr><td>4</td><td>542.16</td><td>25.59</td><td>46.00</td><td>-20.41</td><td>27.55</td><td>24.80</td><td>4.19</td><td>30.95 --- Peak</td></tr><tr><td>5</td><td>701.24</td><td>25.94</td><td>46.00</td><td>-20.06</td><td>26.79</td><td>25.21</td><td>4.74</td><td>30.80 --- Peak</td></tr><tr><td>6</td><td>841.89</td><td>29.46</td><td>46.00</td><td>-16.54</td><td>28.87</td><td>26.44</td><td>5.21</td><td>31.06 --- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	30.00	21.75	40.00	-18.25	26.74	25.20	1.01	31.20 --- Peak	2	173.56	14.99	43.50	-28.51	27.99	15.62	2.39	31.01 --- Peak	3	356.89	20.47	46.00	-25.53	27.17	20.69	3.40	30.79 --- Peak	4	542.16	25.59	46.00	-20.41	27.55	24.80	4.19	30.95 --- Peak	5	701.24	25.94	46.00	-20.06	26.79	25.21	4.74	30.80 --- Peak	6	841.89	29.46	46.00	-16.54	28.87	26.44	5.21	31.06 --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																																										
1	30.97	22.00	40.00	-18.00	27.55	24.62	1.03	31.20 --- Peak																																																																																																																																																																										
2	136.70	14.06	43.50	-29.44	25.49	17.58	2.12	31.13 --- Peak																																																																																																																																																																										
3	348.16	20.13	46.00	-25.87	27.11	20.46	3.36	30.80 --- Peak																																																																																																																																																																										
4	521.79	23.56	46.00	-22.44	26.02	24.26	4.11	30.83 --- Peak																																																																																																																																																																										
5	663.41	27.01	46.00	-18.99	28.05	25.20	4.63	30.87 --- Peak																																																																																																																																																																										
6	764.29	28.50	46.00	-17.50	28.56	25.96	4.97	30.99 --- Peak																																																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																																										
1	30.00	21.75	40.00	-18.25	26.74	25.20	1.01	31.20 --- Peak																																																																																																																																																																										
2	173.56	14.99	43.50	-28.51	27.99	15.62	2.39	31.01 --- Peak																																																																																																																																																																										
3	356.89	20.47	46.00	-25.53	27.17	20.69	3.40	30.79 --- Peak																																																																																																																																																																										
4	542.16	25.59	46.00	-20.41	27.55	24.80	4.19	30.95 --- Peak																																																																																																																																																																										
5	701.24	25.94	46.00	-20.06	26.79	25.21	4.74	30.80 --- Peak																																																																																																																																																																										
6	841.89	29.46	46.00	-16.54	28.87	26.44	5.21	31.06 --- Peak																																																																																																																																																																										





Mode	72																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7155.00</td><td>64.99</td><td>88.20</td><td>-23.21</td><td>50.17</td><td>36.29</td><td>11.66</td><td>33.13</td><td>100</td><td>148</td><td>PEAK</td></tr><tr><td>2</td><td>7279.38</td><td>58.86</td><td>74.00</td><td>-15.14</td><td>43.62</td><td>36.44</td><td>11.96</td><td>33.16</td><td>100</td><td>148</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7155.00	64.99	88.20	-23.21	50.17	36.29	11.66	33.13	100	148	PEAK	2	7279.38	58.86	74.00	-15.14	43.62	36.44	11.96	33.16	100	148	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>99.48</td><td>-----</td><td>-----</td><td>85.08</td><td>36.11</td><td>11.39</td><td>33.10</td><td>100</td><td>148</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	99.48	-----	-----	85.08	36.11	11.39	33.10	100	148
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7155.00	64.99	88.20	-23.21	50.17	36.29	11.66	33.13	100	148	PEAK																																																																																												
2	7279.38	58.86	74.00	-15.14	43.62	36.44	11.96	33.16	100	148	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	6985.00	99.48	-----	-----	85.08	36.11	11.39	33.10	100	148	PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7164.38</td><td>53.24</td><td>68.20</td><td>-14.96</td><td>38.38</td><td>36.30</td><td>11.69</td><td>33.13</td><td>100</td><td>148</td><td>AVERAGE</td></tr><tr><td>2</td><td>7265.63</td><td>48.30</td><td>54.00</td><td>-5.70</td><td>33.09</td><td>36.42</td><td>11.94</td><td>33.15</td><td>100</td><td>148</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7164.38	53.24	68.20	-14.96	38.38	36.30	11.69	33.13	100	148	AVERAGE	2	7265.63	48.30	54.00	-5.70	33.09	36.42	11.94	33.15	100	148	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>90.09</td><td>-----</td><td>-----</td><td>75.69</td><td>36.11</td><td>11.39</td><td>33.10</td><td>100</td><td>148</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	90.09	-----	-----	75.69	36.11	11.39	33.10	100	148
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7164.38	53.24	68.20	-14.96	38.38	36.30	11.69	33.13	100	148	AVERAGE																																																																																												
2	7265.63	48.30	54.00	-5.70	33.09	36.42	11.94	33.15	100	148	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	6985.00	90.09	-----	-----	75.69	36.11	11.39	33.10	100	148	AVERAGE																																																																																												







Mode	72																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7137.50</td><td>56.65</td><td>88.20</td><td>-31.55</td><td>41.92</td><td>36.26</td><td>11.60</td><td>33.13</td><td>272</td><td>199 PEAK</td></tr><tr><td>2</td><td>7310.63</td><td>53.81</td><td>74.00</td><td>-20.19</td><td>38.49</td><td>36.47</td><td>12.01</td><td>33.16</td><td>272</td><td>199 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7137.50	56.65	88.20	-31.55	41.92	36.26	11.60	33.13	272	199 PEAK	2	7310.63	53.81	74.00	-20.19	38.49	36.47	12.01	33.16	272	199 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>92.08</td><td>-----</td><td>-----</td><td>77.67</td><td>36.10</td><td>11.41</td><td>33.10</td><td>272</td><td>199 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	92.08	-----	-----	77.67	36.10	11.41	33.10	272
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7137.50	56.65	88.20	-31.55	41.92	36.26	11.60	33.13	272	199 PEAK																																																																																								
2	7310.63	53.81	74.00	-20.19	38.49	36.47	12.01	33.16	272	199 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	6985.00	92.08	-----	-----	77.67	36.10	11.41	33.10	272	199 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7138.75</td><td>46.53</td><td>68.20</td><td>-21.67</td><td>31.78</td><td>36.27</td><td>11.61</td><td>33.13</td><td>272</td><td>199 AVERAGE</td></tr><tr><td>2</td><td>7303.13</td><td>44.38</td><td>54.00</td><td>-9.62</td><td>29.08</td><td>36.46</td><td>12.00</td><td>33.16</td><td>272</td><td>199 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7138.75	46.53	68.20	-21.67	31.78	36.27	11.61	33.13	272	199 AVERAGE	2	7303.13	44.38	54.00	-9.62	29.08	36.46	12.00	33.16	272	199 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>83.02</td><td>-----</td><td>-----</td><td>68.65</td><td>36.17</td><td>11.28</td><td>33.08</td><td>272</td><td>199 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	83.02	-----	-----	68.65	36.17	11.28	33.08	272
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7138.75	46.53	68.20	-21.67	31.78	36.27	11.61	33.13	272	199 AVERAGE																																																																																								
2	7303.13	44.38	54.00	-9.62	29.08	36.46	12.00	33.16	272	199 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	6985.00	83.02	-----	-----	68.65	36.17	11.28	33.08	272	199 AVERAGE																																																																																								







Mode	72																																																																																										
	Harmonic																																																																																										
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>47.10</td><td>88.20</td><td>-41.10</td><td>43.00</td><td>39.68</td><td>16.53</td><td>52.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13970.00	47.10	88.20	-41.10	43.00	39.68	16.53	52.11	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>47.74</td><td>88.20</td><td>-40.46</td><td>43.64</td><td>39.68</td><td>16.53</td><td>52.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13970.00	47.74	88.20	-40.46	43.64	39.68	16.53	52.11	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	13970.00	47.10	88.20	-41.10	43.00	39.68	16.53	52.11	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	13970.00	47.74	88.20	-40.46	43.64	39.68	16.53	52.11	---	---	Peak																																																																																





		73																																																																																																													
Mode		Band Edge																																																																																																													
		U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																													
ANT		1																																																																																																													
Pol.		Horizontal					Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7198.75</td><td>62.39</td><td>88.20</td><td>-25.81</td><td>47.38</td><td>36.34</td><td>11.81</td><td>33.14</td><td>158</td><td>162</td><td>PEAK</td></tr><tr><td>2</td><td>7251.25</td><td>58.41</td><td>74.00</td><td>-15.59</td><td>43.25</td><td>36.40</td><td>11.91</td><td>33.15</td><td>158</td><td>162</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7198.75	62.39	88.20	-25.81	47.38	36.34	11.81	33.14	158	162	PEAK	2	7251.25	58.41	74.00	-15.59	43.25	36.40	11.91	33.15	158	162	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>99.13</td><td>-----</td><td>-----</td><td>84.65</td><td>36.15</td><td>11.44</td><td>33.11</td><td>158</td><td>162</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	99.13	-----	-----	84.65	36.15	11.44	33.11	158	162
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	7198.75	62.39	88.20	-25.81	47.38	36.34	11.81	33.14	158	162	PEAK																																																																																																				
2	7251.25	58.41	74.00	-15.59	43.25	36.40	11.91	33.15	158	162	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	6985.00	99.13	-----	-----	84.65	36.15	11.44	33.11	158	162	PEAK																																																																																																				
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7190.00</td><td>50.79</td><td>68.20</td><td>-17.41</td><td>35.82</td><td>36.33</td><td>11.78</td><td>33.14</td><td>158</td><td>162</td><td>AVERAGE</td></tr><tr><td>2</td><td>7258.75</td><td>47.46</td><td>54.00</td><td>-6.54</td><td>32.28</td><td>36.41</td><td>11.92</td><td>33.15</td><td>158</td><td>162</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7190.00	50.79	68.20	-17.41	35.82	36.33	11.78	33.14	158	162	AVERAGE	2	7258.75	47.46	54.00	-6.54	32.28	36.41	11.92	33.15	158	162	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>90.27</td><td>-----</td><td>-----</td><td>75.87</td><td>36.10</td><td>11.40</td><td>33.10</td><td>158</td><td>162</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	90.27	-----	-----	75.87	36.10	11.40	33.10	158	162
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	7190.00	50.79	68.20	-17.41	35.82	36.33	11.78	33.14	158	162	AVERAGE																																																																																																				
2	7258.75	47.46	54.00	-6.54	32.28	36.41	11.92	33.15	158	162	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	6985.00	90.27	-----	-----	75.87	36.10	11.40	33.10	158	162	AVERAGE																																																																																																				







Mode	73																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7166.88</td><td>54.60</td><td>88.20</td><td>-33.60</td><td>39.73</td><td>36.30</td><td>11.70</td><td>33.13</td><td>136</td><td>199</td><td>PEAK</td></tr><tr><td>2</td><td>7263.75</td><td>53.70</td><td>74.00</td><td>-20.30</td><td>38.50</td><td>36.42</td><td>11.93</td><td>33.15</td><td>136</td><td>199</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7166.88	54.60	88.20	-33.60	39.73	36.30	11.70	33.13	136	199	PEAK	2	7263.75	53.70	74.00	-20.30	38.50	36.42	11.93	33.15	136	199	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>92.21</td><td>-----</td><td>-----</td><td>77.71</td><td>36.16</td><td>11.45</td><td>33.11</td><td>136</td><td>199</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	92.21	-----	-----	77.71	36.16	11.45	33.11	136	199
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7166.88	54.60	88.20	-33.60	39.73	36.30	11.70	33.13	136	199	PEAK																																																																																											
2	7263.75	53.70	74.00	-20.30	38.50	36.42	11.93	33.15	136	199	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	6985.00	92.21	-----	-----	77.71	36.16	11.45	33.11	136	199	PEAK																																																																																											
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7170.63</td><td>44.97</td><td>68.20</td><td>-23.23</td><td>30.08</td><td>36.30</td><td>11.72</td><td>33.13</td><td>136</td><td>199</td><td>AVERAGE</td></tr><tr><td>2</td><td>7272.50</td><td>43.61</td><td>54.00</td><td>-10.39</td><td>28.38</td><td>36.43</td><td>11.95</td><td>33.15</td><td>136</td><td>199</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7170.63	44.97	68.20	-23.23	30.08	36.30	11.72	33.13	136	199	AVERAGE	2	7272.50	43.61	54.00	-10.39	28.38	36.43	11.95	33.15	136	199	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>82.62</td><td>-----</td><td>-----</td><td>68.22</td><td>36.10</td><td>11.40</td><td>33.10</td><td>136</td><td>199</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	82.62	-----	-----	68.22	36.10	11.40	33.10	136	199
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7170.63	44.97	68.20	-23.23	30.08	36.30	11.72	33.13	136	199	AVERAGE																																																																																											
2	7272.50	43.61	54.00	-10.39	28.38	36.43	11.95	33.15	136	199	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	6985.00	82.62	-----	-----	68.22	36.10	11.40	33.10	136	199	AVERAGE																																																																																											







Mode	73																																																																																										
	Harmonic																																																																																										
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>47.69</td><td>88.20</td><td>-40.51</td><td>43.59</td><td>39.68</td><td>16.53</td><td>52.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13970.00	47.69	88.20	-40.51	43.59	39.68	16.53	52.11	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>47.02</td><td>88.20</td><td>-41.18</td><td>42.92</td><td>39.68</td><td>16.53</td><td>52.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13970.00	47.02	88.20	-41.18	42.92	39.68	16.53	52.11	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	13970.00	47.69	88.20	-40.51	43.59	39.68	16.53	52.11	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	13970.00	47.02	88.20	-41.18	42.92	39.68	16.53	52.11	---	---	Peak																																																																																





		74																																																																																																													
Mode		Band Edge																																																																																																													
		U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																													
ANT		1																																																																																																													
Pol.		Horizontal					Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7201.88</td><td>62.54</td><td>88.20</td><td>-25.66</td><td>47.52</td><td>36.34</td><td>11.82</td><td>33.14</td><td>100</td><td>164</td><td>PEAK</td></tr><tr><td>2</td><td>7267.50</td><td>57.43</td><td>74.00</td><td>-16.57</td><td>42.22</td><td>36.42</td><td>11.94</td><td>33.15</td><td>100</td><td>164</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7201.88	62.54	88.20	-25.66	47.52	36.34	11.82	33.14	100	164	PEAK	2	7267.50	57.43	74.00	-16.57	42.22	36.42	11.94	33.15	100	164	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>99.38</td><td>-----</td><td>-----</td><td>84.98</td><td>36.12</td><td>11.38</td><td>33.10</td><td>100</td><td>164</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	99.38	-----	-----	84.98	36.12	11.38	33.10	100	164
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	7201.88	62.54	88.20	-25.66	47.52	36.34	11.82	33.14	100	164	PEAK																																																																																																				
2	7267.50	57.43	74.00	-16.57	42.22	36.42	11.94	33.15	100	164	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	6985.00	99.38	-----	-----	84.98	36.12	11.38	33.10	100	164	PEAK																																																																																																				
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7166.88</td><td>50.80</td><td>68.20</td><td>-17.40</td><td>35.93</td><td>36.30</td><td>11.70</td><td>33.13</td><td>100</td><td>164</td><td>AVERAGE</td></tr><tr><td>2</td><td>7252.50</td><td>47.28</td><td>54.00</td><td>-6.72</td><td>32.12</td><td>36.40</td><td>11.91</td><td>33.15</td><td>100</td><td>164</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7166.88	50.80	68.20	-17.40	35.93	36.30	11.70	33.13	100	164	AVERAGE	2	7252.50	47.28	54.00	-6.72	32.12	36.40	11.91	33.15	100	164	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>89.61</td><td>-----</td><td>-----</td><td>75.21</td><td>36.12</td><td>11.38</td><td>33.10</td><td>100</td><td>164</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	89.61	-----	-----	75.21	36.12	11.38	33.10	100	164
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	7166.88	50.80	68.20	-17.40	35.93	36.30	11.70	33.13	100	164	AVERAGE																																																																																																				
2	7252.50	47.28	54.00	-6.72	32.12	36.40	11.91	33.15	100	164	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	6985.00	89.61	-----	-----	75.21	36.12	11.38	33.10	100	164	AVERAGE																																																																																																				







		74																																																																																							
Mode		Band Edge																																																																																							
		U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																							
ANT		1																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak																																																																																									
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7220.00	53.48	88.20	-34.72	38.40	36.36	11.86	33.14	367	21 PEAK	2	7285.63	53.54	74.00	-20.46	38.29	36.44	11.97	33.16	367	21 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>91.36</td><td>-----</td><td>-----</td><td>76.93</td><td>36.11</td><td>11.42</td><td>33.10</td><td>367</td><td>21 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	91.36	-----	-----	76.93	36.11	11.42	33.10	367
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7220.00	53.48	88.20	-34.72	38.40	36.36	11.86	33.14	367	21 PEAK																																																																															
2	7285.63	53.54	74.00	-20.46	38.29	36.44	11.97	33.16	367	21 PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6985.00	91.36	-----	-----	76.93	36.11	11.42	33.10	367	21 PEAK																																																																															
Avg																																																																																									
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7146.88	43.79	68.20	-24.41	29.00	36.28	11.64	33.13	367	21 AVERAGE	2	7261.25	43.50	54.00	-10.50	28.31	36.41	11.93	33.15	367	21 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>81.57</td><td>-----</td><td>-----</td><td>67.17</td><td>36.11</td><td>11.39</td><td>33.10</td><td>367</td><td>21 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	81.57	-----	-----	67.17	36.11	11.39	33.10	367
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7146.88	43.79	68.20	-24.41	29.00	36.28	11.64	33.13	367	21 AVERAGE																																																																															
2	7261.25	43.50	54.00	-10.50	28.31	36.41	11.93	33.15	367	21 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6985.00	81.57	-----	-----	67.17	36.11	11.39	33.10	367	21 AVERAGE																																																																															







Mode	74																																																																																																	
	Harmonic																																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13790.00</td><td>47.72</td><td>88.20</td><td>-40.48</td><td>43.87</td><td>39.55</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13790.00	47.72	88.20	-40.48	43.87	39.55	16.48	52.18	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13790.00</td><td>47.46</td><td>88.20</td><td>-40.74</td><td>43.61</td><td>39.55</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13790.00	47.46	88.20	-40.74	43.61	39.55	16.48	52.18	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 13790.00	47.72	88.20	-40.48	43.87	39.55	16.48	52.18	---	---	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 13790.00	47.46	88.20	-40.74	43.61	39.55	16.48	52.18	---	---	Peak																																																																																								





Mode	75																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7191.25</td><td>59.03</td><td>88.20</td><td>-29.17</td><td>45.65</td><td>35.60</td><td>11.36</td><td>33.58</td><td>134</td><td>159</td><td>PEAK</td></tr><tr><td>2</td><td>7251.25</td><td>53.94</td><td>74.00</td><td>-20.06</td><td>40.54</td><td>35.60</td><td>11.40</td><td>33.60</td><td>134</td><td>159</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7191.25	59.03	88.20	-29.17	45.65	35.60	11.36	33.58	134	159	PEAK	2	7251.25	53.94	74.00	-20.06	40.54	35.60	11.40	33.60	134	159	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>99.32</td><td>-----</td><td>-----</td><td>84.96</td><td>36.45</td><td>11.25</td><td>33.34</td><td>134</td><td>159</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	99.32	-----	-----	84.96	36.45	11.25	33.34	134	159
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7191.25	59.03	88.20	-29.17	45.65	35.60	11.36	33.58	134	159	PEAK																																																																																												
2	7251.25	53.94	74.00	-20.06	40.54	35.60	11.40	33.60	134	159	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	6985.00	99.32	-----	-----	84.96	36.45	11.25	33.34	134	159	PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7165.63</td><td>48.72</td><td>68.20</td><td>-19.48</td><td>35.36</td><td>35.60</td><td>11.35</td><td>33.59</td><td>134</td><td>159</td><td>AVERAGE</td></tr><tr><td>2</td><td>7250.63</td><td>44.25</td><td>54.00</td><td>-9.75</td><td>30.85</td><td>35.60</td><td>11.40</td><td>33.60</td><td>134</td><td>159</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7165.63	48.72	68.20	-19.48	35.36	35.60	11.35	33.59	134	159	AVERAGE	2	7250.63	44.25	54.00	-9.75	30.85	35.60	11.40	33.60	134	159	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>89.79</td><td>-----</td><td>-----</td><td>76.09</td><td>35.72</td><td>11.29</td><td>33.31</td><td>134</td><td>159</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	89.79	-----	-----	76.09	35.72	11.29	33.31	134	159
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7165.63	48.72	68.20	-19.48	35.36	35.60	11.35	33.59	134	159	AVERAGE																																																																																												
2	7250.63	44.25	54.00	-9.75	30.85	35.60	11.40	33.60	134	159	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	6985.00	89.79	-----	-----	76.09	35.72	11.29	33.31	134	159	AVERAGE																																																																																												







	75																																																																																																					
Mode	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7195.63</td><td>53.99</td><td>88.20</td><td>-34.21</td><td>40.60</td><td>35.60</td><td>11.36</td><td>33.57</td><td>400</td><td>297</td><td>PEAK</td></tr><tr><td>2</td><td>7287.50</td><td>52.73</td><td>74.00</td><td>-21.27</td><td>39.30</td><td>35.60</td><td>11.43</td><td>33.60</td><td>400</td><td>297</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7195.63	53.99	88.20	-34.21	40.60	35.60	11.36	33.57	400	297	PEAK	2	7287.50	52.73	74.00	-21.27	39.30	35.60	11.43	33.60	400	297	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>92.69</td><td>-----</td><td>-----</td><td>78.89</td><td>35.84</td><td>11.29</td><td>33.33</td><td>400</td><td>297</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	92.69	-----	-----	78.89	35.84	11.29	33.33	400	297
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7195.63	53.99	88.20	-34.21	40.60	35.60	11.36	33.57	400	297	PEAK																																																																																											
2	7287.50	52.73	74.00	-21.27	39.30	35.60	11.43	33.60	400	297	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	6985.00	92.69	-----	-----	78.89	35.84	11.29	33.33	400	297	PEAK																																																																																											
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7180.63</td><td>44.62</td><td>68.20</td><td>-23.58</td><td>31.25</td><td>35.60</td><td>11.35</td><td>33.58</td><td>400</td><td>297</td><td>AVERAGE</td></tr><tr><td>2</td><td>7280.00</td><td>43.44</td><td>54.00</td><td>-10.56</td><td>30.02</td><td>35.60</td><td>11.42</td><td>33.60</td><td>400</td><td>297</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7180.63	44.62	68.20	-23.58	31.25	35.60	11.35	33.58	400	297	AVERAGE	2	7280.00	43.44	54.00	-10.56	30.02	35.60	11.42	33.60	400	297	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>84.40</td><td>-----</td><td>-----</td><td>70.70</td><td>35.72</td><td>11.29</td><td>33.31</td><td>400</td><td>297</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	84.40	-----	-----	70.70	35.72	11.29	33.31	400	297
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7180.63	44.62	68.20	-23.58	31.25	35.60	11.35	33.58	400	297	AVERAGE																																																																																											
2	7280.00	43.44	54.00	-10.56	30.02	35.60	11.42	33.60	400	297	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	6985.00	84.40	-----	-----	70.70	35.72	11.29	33.31	400	297	AVERAGE																																																																																											







Mode	75																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13970.00</td><td>49.62</td><td>88.20</td><td>-38.58</td><td>54.01</td><td>39.01</td><td>15.25</td><td>58.65</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13970.00	49.62	88.20	-38.58	54.01	39.01	15.25	58.65	--	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13970.00</td><td>48.60</td><td>88.20</td><td>-39.60</td><td>52.99</td><td>39.01</td><td>15.25</td><td>58.65</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13970.00	48.60	88.20	-39.60	52.99	39.01	15.25	58.65	--	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 13970.00	49.62	88.20	-38.58	54.01	39.01	15.25	58.65	--	--	--	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 13970.00	48.60	88.20	-39.60	52.99	39.01	15.25	58.65	--	--	--	Peak																																																																																														









Mode	76																																																																																																							
	Band Edge																																																																																																							
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																		
Peak																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7151.88</td><td>57.50</td><td>88.20</td><td>-30.70</td><td>44.14</td><td>35.60</td><td>11.34</td><td>33.58</td><td>100</td><td>309 PEAK</td></tr><tr><td>2</td><td>7336.88</td><td>52.84</td><td>74.00</td><td>-21.16</td><td>39.32</td><td>35.64</td><td>11.47</td><td>33.59</td><td>100</td><td>309 PEAK</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7151.88	57.50	88.20	-30.70	44.14	35.60	11.34	33.58	100	309 PEAK	2	7336.88	52.84	74.00	-21.16	39.32	35.64	11.47	33.59	100	309 PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>92.87</td><td>-----</td><td>-----</td><td>79.27</td><td>35.60</td><td>11.30</td><td>33.30</td><td>100</td><td>309 PEAK</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	92.87	-----	-----	79.27	35.60	11.30	33.30	100
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7151.88	57.50	88.20	-30.70	44.14	35.60	11.34	33.58	100	309 PEAK																																																																																														
2	7336.88	52.84	74.00	-21.16	39.32	35.64	11.47	33.59	100	309 PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	6985.00	92.87	-----	-----	79.27	35.60	11.30	33.30	100	309 PEAK																																																																																														
Avg																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7142.50</td><td>49.15</td><td>68.20</td><td>-19.05</td><td>35.77</td><td>35.60</td><td>11.34</td><td>33.56</td><td>100</td><td>309 AVERAGE</td></tr><tr><td>2</td><td>7262.50</td><td>43.41</td><td>54.00</td><td>-10.59</td><td>30.00</td><td>35.60</td><td>11.41</td><td>33.60</td><td>100</td><td>309 AVERAGE</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7142.50	49.15	68.20	-19.05	35.77	35.60	11.34	33.56	100	309 AVERAGE	2	7262.50	43.41	54.00	-10.59	30.00	35.60	11.41	33.60	100	309 AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>83.08</td><td>-----</td><td>-----</td><td>69.44</td><td>35.65</td><td>11.30</td><td>33.31</td><td>100</td><td>309 AVERAGE</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	83.08	-----	-----	69.44	35.65	11.30	33.31	100
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7142.50	49.15	68.20	-19.05	35.77	35.60	11.34	33.56	100	309 AVERAGE																																																																																														
2	7262.50	43.41	54.00	-10.59	30.00	35.60	11.41	33.60	100	309 AVERAGE																																																																																														
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	6985.00	83.08	-----	-----	69.44	35.65	11.30	33.31	100	309 AVERAGE																																																																																														







Mode	76																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7150.00</td><td>62.59</td><td>88.20</td><td>-25.61</td><td>49.23</td><td>35.60</td><td>11.34</td><td>33.58</td><td>100</td><td>185</td><td>PEAK</td></tr><tr><td>2</td><td>7257.50</td><td>53.41</td><td>74.00</td><td>-20.59</td><td>40.01</td><td>35.60</td><td>11.40</td><td>33.60</td><td>100</td><td>185</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7150.00	62.59	88.20	-25.61	49.23	35.60	11.34	33.58	100	185	PEAK	2	7257.50	53.41	74.00	-20.59	40.01	35.60	11.40	33.60	100	185	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>99.37</td><td>-----</td><td>-----</td><td>85.53</td><td>35.90</td><td>11.28</td><td>33.34</td><td>100</td><td>185</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	99.37	-----	-----	85.53	35.90	11.28	33.34	100	185
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7150.00	62.59	88.20	-25.61	49.23	35.60	11.34	33.58	100	185	PEAK																																																																																												
2	7257.50	53.41	74.00	-20.59	40.01	35.60	11.40	33.60	100	185	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	6985.00	99.37	-----	-----	85.53	35.90	11.28	33.34	100	185	PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7142.50</td><td>52.51</td><td>68.20</td><td>-15.69</td><td>39.13</td><td>35.60</td><td>11.34</td><td>33.56</td><td>100</td><td>185</td><td>AVERAGE</td></tr><tr><td>2</td><td>7265.63</td><td>44.14</td><td>54.00</td><td>-9.86</td><td>30.73</td><td>35.60</td><td>11.41</td><td>33.60</td><td>100</td><td>185</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7142.50	52.51	68.20	-15.69	39.13	35.60	11.34	33.56	100	185	AVERAGE	2	7265.63	44.14	54.00	-9.86	30.73	35.60	11.41	33.60	100	185	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>88.20</td><td>-----</td><td>-----</td><td>74.30</td><td>35.96</td><td>11.28</td><td>33.34</td><td>100</td><td>185</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	88.20	-----	-----	74.30	35.96	11.28	33.34	100	185
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7142.50	52.51	68.20	-15.69	39.13	35.60	11.34	33.56	100	185	AVERAGE																																																																																												
2	7265.63	44.14	54.00	-9.86	30.73	35.60	11.41	33.60	100	185	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	6985.00	88.20	-----	-----	74.30	35.96	11.28	33.34	100	185	AVERAGE																																																																																												





Mode	76																																																																																																	
	Harmonic																																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>47.24</td><td>88.20</td><td>-40.96</td><td>51.63</td><td>39.01</td><td>15.25</td><td>58.65</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13970.00	47.24	88.20	-40.96	51.63	39.01	15.25	58.65	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>48.27</td><td>88.20</td><td>-39.93</td><td>52.66</td><td>39.01</td><td>15.25</td><td>58.65</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13970.00	48.27	88.20	-39.93	52.66	39.01	15.25	58.65	--	--
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	13970.00	47.24	88.20	-40.96	51.63	39.01	15.25	58.65	--	--	Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	13970.00	48.27	88.20	-39.93	52.66	39.01	15.25	58.65	--	--	Peak																																																																																							

Mode	77																																																																																						
	Band Edge																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																						
ANT	1																																																																																						
Pol.	Horizontal					Fundamental																																																																																	
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue line representing the measured signal and a red line representing the limit. Two peaks are identified: Peak 1 at 7195.63 MHz and Peak 2 at 7253.13 MHz. The limit is 122.5 dBuV/m. <table border="1"> <thead> <tr> <th></th><th>Limit Freq</th><th>Limit Level</th><th>Limit Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss Factor</th><th>Preamp Loss Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr> </thead> <tbody> <tr> <td>1</td><td>7195.63</td><td>57.28</td><td>88.20</td><td>-30.92</td><td>43.89</td><td>35.60</td><td>11.36</td><td>33.57</td><td>242</td><td>42 PEAK</td></tr> <tr> <td>2</td><td>7253.13</td><td>52.83</td><td>74.00</td><td>-21.17</td><td>39.43</td><td>35.60</td><td>11.40</td><td>33.60</td><td>242</td><td>42 PEAK</td></tr> </tbody> </table>						Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss Factor	Preamp Loss Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7195.63	57.28	88.20	-30.92	43.89	35.60	11.36	33.57	242	42 PEAK	2	7253.13	52.83	74.00	-21.17	39.43	35.60	11.40	33.60	242	42 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue line representing the measured signal and a red line representing the limit. One peak is identified: Peak 1 at 6985.00 MHz. The limit is 122.5 dBuV/m. <table border="1"> <thead> <tr> <th></th><th>Limit Freq</th><th>Limit Level</th><th>Limit Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss Factor</th><th>Preamp Loss Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr> </thead> <tbody> <tr> <td>1</td><td>6985.00</td><td>98.05</td><td>-----</td><td>83.93</td><td>36.20</td><td>11.27</td><td>33.35</td><td>242</td><td>42</td><td>PEAK</td></tr> </tbody> </table>						Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss Factor	Preamp Loss Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6985.00	98.05	-----	83.93	36.20	11.27	33.35	242	42	PEAK
	Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss Factor	Preamp Loss Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7195.63	57.28	88.20	-30.92	43.89	35.60	11.36	33.57	242	42 PEAK																																																																													
2	7253.13	52.83	74.00	-21.17	39.43	35.60	11.40	33.60	242	42 PEAK																																																																													
	Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss Factor	Preamp Loss Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	6985.00	98.05	-----	83.93	36.20	11.27	33.35	242	42	PEAK																																																																													
Avg	 Horizontal Avg Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue line representing the measured signal and a red line representing the limit. Two peaks are identified: Peak 1 at 7183.13 MHz and Peak 2 at 7255.00 MHz. The limit is 122.5 dBuV/m. <table border="1"> <thead> <tr> <th></th><th>Limit Freq</th><th>Limit Level</th><th>Limit Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss Factor</th><th>Preamp Loss Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr> </thead> <tbody> <tr> <td>1</td><td>7183.13</td><td>47.90</td><td>68.20</td><td>-20.30</td><td>34.53</td><td>35.60</td><td>11.35</td><td>33.58</td><td>242</td><td>42 AVERAGE</td></tr> <tr> <td>2</td><td>7255.00</td><td>44.29</td><td>54.00</td><td>-9.71</td><td>30.89</td><td>35.60</td><td>11.40</td><td>33.60</td><td>242</td><td>42 AVERAGE</td></tr> </tbody> </table>						Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss Factor	Preamp Loss Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7183.13	47.90	68.20	-20.30	34.53	35.60	11.35	33.58	242	42 AVERAGE	2	7255.00	44.29	54.00	-9.71	30.89	35.60	11.40	33.60	242	42 AVERAGE	 Fundamental Avg Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue line representing the measured signal and a red line representing the limit. One peak is identified: Peak 1 at 6985.00 MHz. The limit is 122.5 dBuV/m. <table border="1"> <thead> <tr> <th></th><th>Limit Freq</th><th>Limit Level</th><th>Limit Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss Factor</th><th>Preamp Loss Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr> </thead> <tbody> <tr> <td>1</td><td>6985.00</td><td>88.82</td><td>-----</td><td>75.02</td><td>35.84</td><td>11.29</td><td>33.33</td><td>242</td><td>42</td><td>AVERAGE</td></tr> </tbody> </table>						Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss Factor	Preamp Loss Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6985.00	88.82	-----	75.02	35.84	11.29	33.33	242	42	AVERAGE
	Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss Factor	Preamp Loss Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7183.13	47.90	68.20	-20.30	34.53	35.60	11.35	33.58	242	42 AVERAGE																																																																													
2	7255.00	44.29	54.00	-9.71	30.89	35.60	11.40	33.60	242	42 AVERAGE																																																																													
	Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss Factor	Preamp Loss Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	6985.00	88.82	-----	75.02	35.84	11.29	33.33	242	42	AVERAGE																																																																													





		77																																																																																																													
Mode		Band Edge																																																																																																													
		U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																													
ANT		1																																																																																																													
Pol.		Vertical					Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7158.13</td><td>53.31</td><td>88.20</td><td>-34.89</td><td>39.95</td><td>35.60</td><td>11.35</td><td>33.59</td><td>113</td><td>56</td><td>PEAK</td></tr><tr><td>2</td><td>7291.25</td><td>52.55</td><td>74.00</td><td>-21.45</td><td>39.12</td><td>35.60</td><td>11.43</td><td>33.60</td><td>113</td><td>56</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7158.13	53.31	88.20	-34.89	39.95	35.60	11.35	33.59	113	56	PEAK	2	7291.25	52.55	74.00	-21.45	39.12	35.60	11.43	33.60	113	56	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>89.74</td><td>-----</td><td>-----</td><td>76.04</td><td>35.72</td><td>11.29</td><td>33.31</td><td>113</td><td>56</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	89.74	-----	-----	76.04	35.72	11.29	33.31	113	56
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	7158.13	53.31	88.20	-34.89	39.95	35.60	11.35	33.59	113	56	PEAK																																																																																																				
2	7291.25	52.55	74.00	-21.45	39.12	35.60	11.43	33.60	113	56	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	6985.00	89.74	-----	-----	76.04	35.72	11.29	33.31	113	56	PEAK																																																																																																				
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7160.63</td><td>43.71</td><td>68.20</td><td>-24.49</td><td>30.35</td><td>35.60</td><td>11.35</td><td>33.59</td><td>113</td><td>56</td><td>AVERAGE</td></tr><tr><td>2</td><td>7282.50</td><td>43.35</td><td>54.00</td><td>-10.65</td><td>29.93</td><td>35.60</td><td>11.42</td><td>33.60</td><td>113</td><td>56</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7160.63	43.71	68.20	-24.49	30.35	35.60	11.35	33.59	113	56	AVERAGE	2	7282.50	43.35	54.00	-10.65	29.93	35.60	11.42	33.60	113	56	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>79.58</td><td>-----</td><td>-----</td><td>65.88</td><td>35.72</td><td>11.29</td><td>33.31</td><td>113</td><td>56</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	79.58	-----	-----	65.88	35.72	11.29	33.31	113	56
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	7160.63	43.71	68.20	-24.49	30.35	35.60	11.35	33.59	113	56	AVERAGE																																																																																																				
2	7282.50	43.35	54.00	-10.65	29.93	35.60	11.42	33.60	113	56	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	6985.00	79.58	-----	-----	65.88	35.72	11.29	33.31	113	56	AVERAGE																																																																																																				



Mode	77																																																																																											
	Harmonic																																																																																											
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>47.02</td><td>88.20</td><td>-41.18</td><td>51.41</td><td>39.01</td><td>15.25</td><td>58.65</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13970.00	47.02	88.20	-41.18	51.41	39.01	15.25	58.65	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>47.10</td><td>88.20</td><td>-41.10</td><td>51.49</td><td>39.01</td><td>15.25</td><td>58.65</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13970.00	47.10	88.20	-41.10	51.49	39.01	15.25	58.65	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13970.00	47.02	88.20	-41.18	51.41	39.01	15.25	58.65	--	--	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13970.00	47.10	88.20	-41.10	51.49	39.01	15.25	58.65	--	--	Peak																																																																																	



Mode	78																																																																																																																																																																											
	LF																																																																																																																																																																											
	U-NII-8_6.875-7.125_802.11ax HE160_LF_CH207_Full RU_6985MHz																																																																																																																																																																											
ANT	1																																																																																																																																																																											
Pol.	Horizontal					Vertical																																																																																																																																																																						
QPI/ Peak																																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>47.46</td><td>17.03</td><td>40.00</td><td>-22.97</td><td>31.52</td><td>19.62</td><td>0.81</td><td>34.92 -- -- Peak</td></tr><tr><td>2</td><td>170.65</td><td>17.32</td><td>43.50</td><td>-26.18</td><td>32.92</td><td>17.75</td><td>1.55</td><td>34.90 -- -- Peak</td></tr><tr><td>3</td><td>287.05</td><td>17.11</td><td>46.00</td><td>-28.89</td><td>31.10</td><td>18.72</td><td>2.02</td><td>34.73 -- -- Peak</td></tr><tr><td>4</td><td>455.83</td><td>21.93</td><td>46.00</td><td>-24.07</td><td>31.17</td><td>22.82</td><td>2.53</td><td>34.59 -- -- Peak</td></tr><tr><td>5</td><td>604.24</td><td>24.60</td><td>46.00</td><td>-21.40</td><td>29.97</td><td>26.10</td><td>2.93</td><td>34.40 -- -- Peak</td></tr><tr><td>6</td><td>807.94</td><td>28.40</td><td>46.00</td><td>-17.60</td><td>31.11</td><td>27.99</td><td>3.39</td><td>34.09 -- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	47.46	17.03	40.00	-22.97	31.52	19.62	0.81	34.92 -- -- Peak	2	170.65	17.32	43.50	-26.18	32.92	17.75	1.55	34.90 -- -- Peak	3	287.05	17.11	46.00	-28.89	31.10	18.72	2.02	34.73 -- -- Peak	4	455.83	21.93	46.00	-24.07	31.17	22.82	2.53	34.59 -- -- Peak	5	604.24	24.60	46.00	-21.40	29.97	26.10	2.93	34.40 -- -- Peak	6	807.94	28.40	46.00	-17.60	31.11	27.99	3.39	34.09 -- -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>40.67</td><td>18.76</td><td>40.00</td><td>-21.24</td><td>33.35</td><td>19.35</td><td>0.76</td><td>34.70 -- -- Peak</td></tr><tr><td>2</td><td>141.55</td><td>17.16</td><td>43.50</td><td>-26.34</td><td>32.39</td><td>18.27</td><td>1.40</td><td>34.90 -- -- Peak</td></tr><tr><td>3</td><td>333.61</td><td>18.92</td><td>46.00</td><td>-27.08</td><td>31.60</td><td>19.86</td><td>2.16</td><td>34.70 -- -- Peak</td></tr><tr><td>4</td><td>612.00</td><td>26.30</td><td>46.00</td><td>-19.70</td><td>31.63</td><td>26.13</td><td>2.94</td><td>34.40 -- -- Peak</td></tr><tr><td>5</td><td>774.96</td><td>28.68</td><td>46.00</td><td>-17.32</td><td>31.80</td><td>27.72</td><td>3.31</td><td>34.15 -- -- Peak</td></tr><tr><td>6</td><td>952.47</td><td>30.92</td><td>46.00</td><td>-15.08</td><td>31.48</td><td>29.78</td><td>3.66</td><td>34.00 -- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	40.67	18.76	40.00	-21.24	33.35	19.35	0.76	34.70 -- -- Peak	2	141.55	17.16	43.50	-26.34	32.39	18.27	1.40	34.90 -- -- Peak	3	333.61	18.92	46.00	-27.08	31.60	19.86	2.16	34.70 -- -- Peak	4	612.00	26.30	46.00	-19.70	31.63	26.13	2.94	34.40 -- -- Peak	5	774.96	28.68	46.00	-17.32	31.80	27.72	3.31	34.15 -- -- Peak	6	952.47	30.92	46.00	-15.08	31.48	29.78	3.66	34.00 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																																				
1	47.46	17.03	40.00	-22.97	31.52	19.62	0.81	34.92 -- -- Peak																																																																																																																																																																				
2	170.65	17.32	43.50	-26.18	32.92	17.75	1.55	34.90 -- -- Peak																																																																																																																																																																				
3	287.05	17.11	46.00	-28.89	31.10	18.72	2.02	34.73 -- -- Peak																																																																																																																																																																				
4	455.83	21.93	46.00	-24.07	31.17	22.82	2.53	34.59 -- -- Peak																																																																																																																																																																				
5	604.24	24.60	46.00	-21.40	29.97	26.10	2.93	34.40 -- -- Peak																																																																																																																																																																				
6	807.94	28.40	46.00	-17.60	31.11	27.99	3.39	34.09 -- -- Peak																																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																																				
1	40.67	18.76	40.00	-21.24	33.35	19.35	0.76	34.70 -- -- Peak																																																																																																																																																																				
2	141.55	17.16	43.50	-26.34	32.39	18.27	1.40	34.90 -- -- Peak																																																																																																																																																																				
3	333.61	18.92	46.00	-27.08	31.60	19.86	2.16	34.70 -- -- Peak																																																																																																																																																																				
4	612.00	26.30	46.00	-19.70	31.63	26.13	2.94	34.40 -- -- Peak																																																																																																																																																																				
5	774.96	28.68	46.00	-17.32	31.80	27.72	3.31	34.15 -- -- Peak																																																																																																																																																																				
6	952.47	30.92	46.00	-15.08	31.48	29.78	3.66	34.00 -- -- Peak																																																																																																																																																																				



<Co-location mode>





Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 71	CO-TX	6.875-7.125	1	802.11ax HE160	207	6985	MCS0	Full RU	-
		2400-2483.5	1	Bluetooth-LE_GFSK	39	2480	2Mbps	-	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
71	802.11ax HE160+ Bluetooth-LE_GFSK	207+39	7263.75	49.75	54.00	-4.25	H	AVERAGE	Pass	Band Edge
			7440.00	46.09	74.00	-27.91	V	Peak	Pass	Harmonic



Mode	71																																																																																																										
	Band Edge																																																																																																										
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz+2400-2483.5_Bluetooth-LE_GFSK _CH39_2480MHz																																																																																																										
ANT	1																																																																																																										
Pol.	Horizontal					Fundamental																																																																																																					
Peak	 Level (dBuV/m) Date: 2026-03-05 Frequency (MHz) <table><thead><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 7166.25</td><td>63.66</td><td>88.20</td><td>-24.54</td><td>48.79</td><td>36.30</td><td>11.70</td><td>33.13</td><td>100</td><td>165</td><td>PEAK</td></tr><tr><td>2 7263.75</td><td>58.48</td><td>74.00</td><td>-15.52</td><td>43.28</td><td>36.42</td><td>11.93</td><td>33.15</td><td>100</td><td>165</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 7166.25	63.66	88.20	-24.54	48.79	36.30	11.70	33.13	100	165	PEAK	2 7263.75	58.48	74.00	-15.52	43.28	36.42	11.93	33.15	100	165	PEAK	 Level (dBuV/m) Date: 2026-03-05 Frequency (MHz) <table><thead><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 6985.00</td><td>99.82</td><td>-----</td><td>-----</td><td>85.42</td><td>36.12</td><td>11.38</td><td>33.10</td><td>100</td><td>165</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 6985.00	99.82	-----	-----	85.42	36.12	11.38	33.10	100	165	PEAK
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1 7166.25	63.66	88.20	-24.54	48.79	36.30	11.70	33.13	100	165	PEAK																																																																																																	
2 7263.75	58.48	74.00	-15.52	43.28	36.42	11.93	33.15	100	165	PEAK																																																																																																	
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1 6985.00	99.82	-----	-----	85.42	36.12	11.38	33.10	100	165	PEAK																																																																																																	
Avg	 Level (dBuV/m) Date: 2026-03-05 Frequency (MHz) <table><thead><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 7163.13</td><td>54.43</td><td>68.20</td><td>-13.77</td><td>39.57</td><td>36.30</td><td>11.69</td><td>33.13</td><td>100</td><td>165</td><td>AVERAGE</td></tr><tr><td>2 7263.75</td><td>49.75</td><td>54.00</td><td>-4.25</td><td>34.55</td><td>36.42</td><td>11.93</td><td>33.15</td><td>100</td><td>165</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 7163.13	54.43	68.20	-13.77	39.57	36.30	11.69	33.13	100	165	AVERAGE	2 7263.75	49.75	54.00	-4.25	34.55	36.42	11.93	33.15	100	165	AVERAGE	 Level (dBuV/m) Date: 2026-03-05 Frequency (MHz) <table><thead><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 6985.00</td><td>90.15</td><td>-----</td><td>-----</td><td>75.75</td><td>36.11</td><td>11.39</td><td>33.10</td><td>100</td><td>165</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 6985.00	90.15	-----	-----	75.75	36.11	11.39	33.10	100	165	AVERAGE
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1 7163.13	54.43	68.20	-13.77	39.57	36.30	11.69	33.13	100	165	AVERAGE																																																																																																	
2 7263.75	49.75	54.00	-4.25	34.55	36.42	11.93	33.15	100	165	AVERAGE																																																																																																	
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1 6985.00	90.15	-----	-----	75.75	36.11	11.39	33.10	100	165	AVERAGE																																																																																																	







Mode	71																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz+2400-2483.5_Bluetooth-LE_GFSK _CH39_2480MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical	Fundamental																																																																																																		
Peak	Level (dBuV/m) Date: 2026-03-05 PEAK_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7184.38</td><td>58.52</td><td>88.20</td><td>-29.68</td><td>43.58</td><td>36.32</td><td>11.76</td><td>33.14</td><td>236</td><td>190</td><td>PEAK</td></tr><tr><td>2</td><td>7255.00</td><td>54.36</td><td>74.00</td><td>-19.64</td><td>39.18</td><td>36.41</td><td>11.92</td><td>33.15</td><td>236</td><td>190</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7184.38	58.52	88.20	-29.68	43.58	36.32	11.76	33.14	236	190	PEAK	2	7255.00	54.36	74.00	-19.64	39.18	36.41	11.92	33.15	236	190	PEAK	Level (dBuV/m) PEAK_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>92.19</td><td>-----</td><td>-----</td><td>77.69</td><td>36.16</td><td>11.45</td><td>33.11</td><td>236</td><td>190</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	92.19	-----	-----	77.69	36.16	11.45	33.11	236	190	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7184.38	58.52	88.20	-29.68	43.58	36.32	11.76	33.14	236	190	PEAK																																																																																									
2	7255.00	54.36	74.00	-19.64	39.18	36.41	11.92	33.15	236	190	PEAK																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	92.19	-----	-----	77.69	36.16	11.45	33.11	236	190	PEAK																																																																																									
Avg	Level (dBuV/m) Date: 2026-03-05 AVG_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7196.25</td><td>48.75</td><td>68.20</td><td>-19.45</td><td>33.75</td><td>36.34</td><td>11.80</td><td>33.14</td><td>236</td><td>190</td><td>AVERAGE</td></tr><tr><td>2</td><td>7270.00</td><td>45.76</td><td>54.00</td><td>-8.24</td><td>30.55</td><td>36.42</td><td>11.94</td><td>33.15</td><td>236</td><td>190</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7196.25	48.75	68.20	-19.45	33.75	36.34	11.80	33.14	236	190	AVERAGE	2	7270.00	45.76	54.00	-8.24	30.55	36.42	11.94	33.15	236	190	AVERAGE	Level (dBuV/m) AVG_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>83.36</td><td>-----</td><td>-----</td><td>68.85</td><td>36.17</td><td>11.45</td><td>33.11</td><td>236</td><td>190</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	83.36	-----	-----	68.85	36.17	11.45	33.11	236	190	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7196.25	48.75	68.20	-19.45	33.75	36.34	11.80	33.14	236	190	AVERAGE																																																																																									
2	7270.00	45.76	54.00	-8.24	30.55	36.42	11.94	33.15	236	190	AVERAGE																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	83.36	-----	-----	68.85	36.17	11.45	33.11	236	190	AVERAGE																																																																																									



Mode	71																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz+2400-2483.5_Bluetooth-LE_GFSK _CH39_2480MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>57.72</td><td>74.00</td><td>-16.28</td><td>52.86</td><td>30.49</td><td>6.98</td><td>32.61</td><td>160</td><td>72</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.56	57.72	74.00	-16.28	52.86	30.49	6.98	32.61	160	72	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>98.66</td><td>-----</td><td>-----</td><td>93.82</td><td>30.48</td><td>6.97</td><td>32.61</td><td>160</td><td>72</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2480.00	98.66	-----	-----	93.82	30.48	6.97	32.61	160	72	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	2483.56	57.72	74.00	-16.28	52.86	30.49	6.98	32.61	160	72	PEAK																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	2480.00	98.66	-----	-----	93.82	30.48	6.97	32.61	160	72	PEAK																																																																							
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>45.44</td><td>54.00</td><td>-8.56</td><td>40.58</td><td>30.49</td><td>6.98</td><td>32.61</td><td>160</td><td>72</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.62	45.44	54.00	-8.56	40.58	30.49	6.98	32.61	160	72	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.36</td><td>-----</td><td>-----</td><td>92.52</td><td>30.48</td><td>6.97</td><td>32.61</td><td>160</td><td>72</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2480.00	97.36	-----	-----	92.52	30.48	6.97	32.61	160	72	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	2483.62	45.44	54.00	-8.56	40.58	30.49	6.98	32.61	160	72	AVERAGE																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	2480.00	97.36	-----	-----	92.52	30.48	6.97	32.61	160	72	AVERAGE																																																																							



Mode	71																																																																																					
	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz+2400-2483.5_Bluetooth-LE_GFSK _CH39_2480MHz																																																																																					
ANT	1																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.52</td><td>61.35</td><td>74.00</td><td>-12.65</td><td>56.49</td><td>30.49</td><td>6.98</td><td>32.61</td><td>259</td><td>211</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.52	61.35	74.00	-12.65	56.49	30.49	6.98	32.61	259	211	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>100.42</td><td>-----</td><td>-----</td><td>95.58</td><td>30.48</td><td>6.97</td><td>32.61</td><td>259</td><td>211</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	100.42	-----	-----	95.58	30.48	6.97	32.61	259	211	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2483.52	61.35	74.00	-12.65	56.49	30.49	6.98	32.61	259	211	PEAK																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2480.00	100.42	-----	-----	95.58	30.48	6.97	32.61	259	211	PEAK																																																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.54</td><td>49.47</td><td>54.00</td><td>-4.53</td><td>44.61</td><td>30.49</td><td>6.98</td><td>32.61</td><td>259</td><td>211</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.54	49.47	54.00	-4.53	44.61	30.49	6.98	32.61	259	211	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>99.92</td><td>-----</td><td>-----</td><td>95.08</td><td>30.48</td><td>6.97</td><td>32.61</td><td>259</td><td>211</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	99.92	-----	-----	95.08	30.48	6.97	32.61	259	211	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2483.54	49.47	54.00	-4.53	44.61	30.49	6.98	32.61	259	211	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2480.00	99.92	-----	-----	95.08	30.48	6.97	32.61	259	211	AVERAGE																																																																											




Mode	71																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz+2400-2483.5_Bluetooth-LE_GFSK _CH39_2480MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal					Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>43.73</td><td>74.00</td><td>-30.27</td><td>50.36</td><td>35.71</td><td>10.34</td><td>52.68</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.31</td><td>36.63</td><td>12.00</td><td>52.28</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>13970.00</td><td>47.47</td><td>88.20</td><td>-40.73</td><td>43.37</td><td>39.68</td><td>16.53</td><td>52.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	43.73	74.00	-30.27	50.36	35.71	10.34	52.68	---	---	Peak	2	7440.00	45.66	74.00	-28.34	49.31	36.63	12.00	52.28	---	---	Peak	3	13970.00	47.47	88.20	-40.73	43.37	39.68	16.53	52.11	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>44.28</td><td>74.00</td><td>-29.72</td><td>50.91</td><td>35.71</td><td>10.34</td><td>52.68</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>46.09</td><td>74.00</td><td>-27.91</td><td>49.74</td><td>36.63</td><td>12.00</td><td>52.28</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>13970.00</td><td>47.92</td><td>88.20</td><td>-40.28</td><td>43.82</td><td>39.68</td><td>16.53</td><td>52.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	44.28	74.00	-29.72	50.91	35.71	10.34	52.68	---	---	Peak	2	7440.00	46.09	74.00	-27.91	49.74	36.63	12.00	52.28	---	---	Peak	3	13970.00	47.92	88.20	-40.28	43.82	39.68	16.53	52.11	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	4960.00	43.73	74.00	-30.27	50.36	35.71	10.34	52.68	---	---	Peak																																																																																																																																													
2	7440.00	45.66	74.00	-28.34	49.31	36.63	12.00	52.28	---	---	Peak																																																																																																																																													
3	13970.00	47.47	88.20	-40.73	43.37	39.68	16.53	52.11	---	---	Peak																																																																																																																																													
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	4960.00	44.28	74.00	-29.72	50.91	35.71	10.34	52.68	---	---	Peak																																																																																																																																													
2	7440.00	46.09	74.00	-27.91	49.74	36.63	12.00	52.28	---	---	Peak																																																																																																																																													
3	13970.00	47.92	88.20	-40.28	43.82	39.68	16.53	52.11	---	---	Peak																																																																																																																																													

Note: For co-location mode, the frequency points over limit line are fundamental signals, which can be ignored.


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.05	-	-	10Hz
802.11ax HE20 (Full RU/Partial RU)	99.63	-	-	10Hz
802.11ax HE40 (Full RU/Partial RU)	98.20	-	-	10Hz
802.11ax HE80 (Full RU/Partial RU)	97.58	0.805	1.242	3KHz
802.11ax HE160 (Full RU/Partial RU)	97.44	0.684	1.462	3KHz


802.11a



802.11ax HE20




802.11ax HE40





802.11ax HE80



802.11ax HE160

