

Power State A for WLAN

<WLAN 6GHz>		WiFi 6E					Ant 1	
	Band	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %	
WiFi 6E	U-NII-5	802.11a 6Mbps	1	5955	5.54	7.00	99.05	
			49	6195	5.56	7.00		
			63	6415	5.65	7.00		
		802.11ax-HE20 MCS0	1	5955	6.25	7.00	100	
			49	6195	6.34	7.00		
			63	6415	6.26	7.00		
		802.11ax-HE40 MCS0	3	5955	6.31	7.00	100	
			51	6205	6.18	7.00		
			91	6405	6.53	7.00		
		802.11ax-HE80 MCS0	7	5985	6.25	7.00	100	
			25	6225	6.23	7.00		
			87	6385	6.31	7.00		
		802.11ax-HE160 MCS0	15	6255	6.64	7.00	100	
			47	6185	6.63	7.00		
			79	6345	6.72	7.00		
	U-NII-6	802.11a 6Mbps	97	6435	6.10	8.00	99.05	
			105	6475	6.30	8.00		
			113	6515	6.25	8.00		
		802.11ax-HE20 MCS0	97	6435	6.73	8.00	100	
			105	6475	6.80	8.00		
			113	6515	6.83	8.00		
		802.11ax-HE40 MCS0	99	6445	8.22	9.00	100	
			107	6485	8.32	9.00		
			115	6525	8.25	9.00		
		802.11ax-HE80 MCS0	103	6465	8.33	9.00	100	
			119	6545	8.40	9.00		
			117	6505	8.73	9.00		
	U-NII-7	802.11a 6Mbps	117	6535	4.54	6.50	99.05	
			149	6695	4.90	6.50		
			181	6855	4.53	6.50		
		802.11ax-HE20 MCS0	117	6535	5.32	7.00	100	
			149	6695	5.74	7.00		
			181	6855	5.31	7.00		
		802.11ax-HE40 MCS0	123	6565	8.00	8.50	100	
			147	6689	8.12	8.50		
			175	6845	7.68	8.50		
		802.11ax-HE80 MCS0	135	6625	7.81	8.50	100	
			167	6785	7.99	8.50		
			167	6785	7.70	8.50		
		802.11ax-HE160 MCS0	143	6665	8.06	8.50	100	
			175	6825	7.97	8.50		
			189	6805	2.61	4.50		
	U-NII-8	802.11a 6Mbps	209	6955	3.06	4.50	99.05	
			229	7095	2.62	4.50		
			189	6895	3.77	5.50		
		802.11ax-HE20 MCS0	209	6955	4.44	5.50	100	
			229	7095	3.85	5.50		
			195	6925	7.61	8.25		
		802.11ax-HE40 MCS0	217	7065	7.71	8.25	100	
			227	7095	6.62	8.25		
			199	6845	7.74	8.25		
		802.11ax-HE80 MCS0	215	7055	7.56	8.25	100	
			207	6985	5.15	8.25		

Power State B for WLAN

<WLAN 6GHz>		WiFi 6E			Art.1		
	Band	Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-to-Go Limit	Duty Cycle %
WiFi 6E	U-NII-5	802.11a 6Mbps	1	5955	1.17	2.25	99.05
			49	6195	1.15	2.25	
			83	6415	1.27	2.25	
		802.11ax-HE20 MCS0	1	5955	1.18	2.25	100
			49	6195	1.11	2.25	
			83	6415	1.04	2.25	
		802.11ax-HE40 MCS0	3	5965	1.35	2.25	100
			51	6205	1.15	2.25	
			91	6405	1.40	2.25	
		802.11ax-HE80 MCS0	7	5985	1.27	2.25	100
			35	6225	1.22	2.25	
			87	6385	1.39	2.25	
		802.11ax-HE160 MCS0	15	6025	1.71	2.25	100
			47	6165	1.66	2.25	
			75	6345	1.77	2.25	
	U-NII-6	802.11a 6Mbps	97	6435	2.24	3.25	99.05
			105	6475	2.40	3.25	
			113	6515	2.36	3.25	
		802.11ax-HE20 MCS0	97	6435	2.21	3.25	100
			105	6475	2.33	3.25	
			113	6515	2.35	3.25	
		802.11ax-HE40 MCS0	99	6445	2.17	3.25	100
			107	6485	2.34	3.25	
			115	6525	2.23	3.25	
		802.11ax-HE80 MCS0	103	6465	2.30	3.25	100
			119	6545	2.45	3.25	
			111	6505	2.23	3.25	
	U-NII-7	802.11a 6Mbps	117	6535	1.65	2.50	99.05
			149	6695	2.05	2.50	
			181	6855	1.67	2.50	
		802.11ax-HE20 MCS0	117	6535	1.81	2.50	100
			149	6695	2.30	2.50	
			181	6855	1.77	2.50	
		802.11ax-HE40 MCS0	123	6565	2.01	2.50	100
			147	6685	2.17	2.50	
			179	6845	1.66	2.50	
		802.11ax-HE80 MCS0	125	6595	1.83	2.50	100
			151	6705	2.04	2.50	
			167	6785	1.74	2.50	
		802.11ax-HE160 MCS0	143	6665	2.17	2.50	100
			175	6825	2.01	2.50	
			185	6895	1.67	2.50	
	U-NII-8	802.11a 6Mbps	209	6995	2.23	2.50	99.05
			229	7095	1.64	2.50	
			189	6895	1.75	2.50	
		802.11ax-HE20 MCS0	209	6995	2.25	2.50	100
			229	7095	1.70	2.50	
			195	6925	2.03	2.50	
		802.11ax-HE40 MCS0	211	7005	2.21	2.50	100
			227	7065	1.61	2.50	
			199	6945	2.06	2.50	
		802.11ax-HE160 MCS0	215	7025	1.82	2.50	100
			207	6985	2.06	2.50	

Power State C for WLAN

WLAN 6GHz						
Band	Mode	WIFI 6E			Avg 1	
		Channel	Frequency (MHz)	Average power (dBm)	Time-Up Limit	Duty Cycle %
U-NB-5	802.11a 6Mbps	1	5955	5.54	6.50	90.05
		49	5155	5.56	6.50	
		93	5415	5.65	6.50	
	802.11ax-HE20 MCS0	1	5955	6.75	7.50	100
		49	5155	6.14	7.00	
	802.11ax-HE40 MCS0	3	5955	9.81	10.50	100
		51	6205	9.66	10.50	
	802.11ax-HE80 MCS0	91	6405	9.83	10.50	100
		7	5955	12.25	13.00	
	802.11ax-HE160 MCS0	55	6225	12.23	13.00	100
		87	6385	12.31	13.00	
	U-NB-6	802.11a 6Mbps	13	6025	14.21	14.50
		47	6185	14.10	14.50	
		79	6345	14.27	14.50	
802.11a 6Mbps		97	6435	6.10	7.00	100
		105	6475	6.28	7.00	
802.11ax-HE20 MCS0		113	6515	6.25	7.00	100
		97	6435	6.13	7.00	
802.11ax-HE40 MCS0		105	6475	6.80	7.50	100
		99	6445	9.72	11.50	
802.11ax-HE80 MCS0		113	6525	9.75	10.00	100
		103	6465	12.33	14.00	
802.11ax-HE160 MCS0		119	6545	12.40	12.50	100
	111	6505	13.26	13.25		
U-NB-7	802.11a 6Mbps	117	6535	4.54	6.50	90.05
		149	6695	4.90	6.50	
		161	6835	4.53	6.50	
	802.11ax-HE20 MCS0	117	6535	5.32	7.00	100
		149	6695	5.74	7.00	
	802.11ax-HE40 MCS0	161	6855	5.31	7.00	100
		123	6565	6.50	10.00	
	802.11ax-HE80 MCS0	147	6685	8.62	10.00	100
		179	6845	8.18	10.00	
	802.11ax-HE160 MCS0	135	6825	10.81	12.50	100
		161	6705	10.60	12.50	
	U-NB-8	802.11a 6Mbps	143	6655	12.92	13.25
		175	6825	12.76	13.25	
		189	6895	2.61	4.50	
802.11ax-HE20 MCS0		209	6995	3.06	4.50	100
		229	7095	2.62	4.50	
802.11ax-HE40 MCS0		189	6895	3.77	6.50	100
		209	6995	4.44	6.50	
802.11ax-HE80 MCS0		229	7095	3.85	6.50	100
		195	6925	7.01	8.50	
802.11ax-HE160 MCS0		211	7005	7.17	8.50	100
		227	7085	6.62	8.50	
802.11ax-HE80 MCS0		199	6945	9.49	11.00	100
	215	7025	9.33	11.00		
802.11ax-HE160 MCS0	207	6985	12.31	13.50	100	

Power State D for WLAN

<WLAN 6GHz>									
	Band	Mode	Channel	Frequency (MHz)	WiFi 6E		Act 1		
					RU Config	Average power (dBm)	Time-Use Limit	Duty Cycle %	
WiFi 6E	U-NII-5	802.11a 6Mbps	1	5955	FdL	5.94	7.50	99.05	
			49	6195	FdL	5.96	7.50		
			93	6415	FdL	5.95	7.50		
					FdL	6.75	8.50		
		802.11ax-HE20 MCS0	1	5955		2603	-2.87	-2.00	100
						5237	-0.95	-2.00	
						10653	3.12	5.50	
						FdL	5.74	8.50	
			49	6195		2604	-3.00	-1.00	
						5239	-0.02	2.00	
			93	6415		10653	3.08	5.00	
						FdL	6.76	8.50	
		802.11ax-HE40 MCS0	3	5965		24201	8.91	10.50	100
						24201	8.71	8.50	
			51	6205		FdL	8.69	11.50	
						24202	8.54	8.50	100
			91	6405		FdL	8.83	11.50	
						24202	6.61	8.50	
		802.11ax-HE80 MCS0	7	5985		48405	9.60	11.50	100
						FdL	12.23	14.00	
			55	6225		48405	9.62	11.50	
						FdL	12.31	14.00	100
			87	6385		48406	9.58	11.50	
						FdL	15.14	16.50	
		802.11ax-HE160 MCS0	15	6025		99607	12.19	14.00	100
						FdL	15.13	16.50	
			47	6185		99607	12.22	14.00	
						FdL	15.22	16.50	100
			79	6345		99607	12.18	14.00	
						FdL	6.10	8.00	
	U-NII-6	802.11a 6Mbps	87	6435		FdL	6.28	8.00	99.05
			105	6475		FdL	6.25	8.00	
			113	6515		FdL	6.25	8.00	
						FdL	6.73	8.50	100
		802.11ax-HE20 MCS0	97	6435		2603	-1.97	-0.50	
						5237	1.09	2.50	
						10653	3.69	5.50	
						FdL	6.69	8.50	
						2604	-1.90	-0.50	
						5239	1.35	2.50	
			105	6475		10654	3.87	5.50	
						FdL	6.83	8.50	100
		802.11ax-HE40 MCS0	99	6445		24201	8.72	11.50	
						24201	8.55	8.50	
			107	6485		FdL	9.82	11.50	
						24202	6.60	8.50	
			115	6525		FdL	8.75	10.00	
						24202	6.63	8.50	
		802.11ax-HE80 MCS0	103	6465		FdL	12.30	14.00	100
						48405	9.63	11.50	
			119	6545		FdL	12.40	12.50	
						48406	9.61	11.50	100
		802.11ax-HE160 MCS0	111	6505		FdL	15.23	15.25	
						99607	11.85	13.50	
			117	6535		FdL	4.54	6.50	
	U-NII-7	802.11a 6Mbps	149	6695		FdL	4.90	6.50	99.05
			181	6855		FdL	4.53	6.50	
			185	6875		FdL	4.50	4.50	
						FdL	5.32	7.00	100
		802.11ax-HE20 MCS0	117	6535		2603	-3.96	-2.50	
						5237	-0.96	0.50	
						10653	1.95	3.50	
						FdL	5.74	7.00	
						2604	-3.78	-2.50	
						5238	-0.88	0.50	
			149	6695		10653	2.10	3.50	100
						FdL	5.31	7.00	
						2603	-4.33	-2.50	
						5240	-1.44	0.50	
			181	6855		10654	1.63	3.50	
						FdL	5.94	5.50	
			185	6875		2605	-4.38	-2.50	
						5240	-1.04	0.50	
						10654	1.77	3.50	100
		802.11ax-HE40 MCS0	123	6565		FdL	8.50	10.00	
						24201	5.15	7.00	
			147	6685		FdL	8.62	10.00	
						24201	5.18	7.00	
			179	6845		FdL	8.18	10.00	
						24202	5.23	7.00	
		802.11ax-HE80 MCS0	187	6885		FdL	8.15	8.50	100
						24202	5.13	7.00	
			135	6625		FdL	10.81	12.50	
						48405	8.11	10.00	
			151	6705		FdL	10.96	12.50	
						48405	8.14	10.00	
		802.11ax-HE160 MCS0	167	6785		FdL	10.70	12.50	100
						48406	8.13	10.00	
			183	6865		FdL	10.85	11.00	
						48406	8.11	10.00	100
		802.11ax-HE160 MCS0	143	6665		FdL	13.56	15.00	
						99607	10.63	12.50	
			175	6825		FdL	13.47	13.50	
						99607	10.54	12.50	99.05
		802.11a 6Mbps	189	6895		FdL	2.61	4.50	
			209	6995		FdL	3.08	4.50	
			229	7095		FdL	2.62	4.50	
	U-NII-8	802.11ax-HE20 MCS0				FdL	3.77	6.50	100
						2603	-5.38	4.00	
						5237	-2.94	-1.00	
						10653	0.10	2.00	
						FdL	4.44	5.50	
						2604	-5.95	-4.00	
		802.11ax-HE40 MCS0	189	6895		5238	-2.87	-1.00	100
						10653	0.06	2.00	
						FdL	3.85	5.50	
						2605	-5.63	-4.00	
						5240	-2.99	-1.00	
						10654	0.62	2.00	
	802.11ax-HE80 MCS0	802.11ax-HE40 MCS0	195	6925		FdL	7.01	8.50	100
						24201	3.63	5.50	
			211	7005		FdL	7.17	8.50	
						24202	3.69	5.50	100
			227	7085		FdL	6.62	8.50	
						24202	3.65	5.50	
		802.11ax-HE80 MCS0	199	6945		FdL	9.49	11.00	100
						48405	6.56	8.50	
			215	7025		FdL	8.63	10.00	
		802.11ax-HE160 MCS0				48405	6.54	8.50	100
			207	6985		FdL	12.90	13.50	
						99607	9.21	11.50	