





Plot on Channel 6855MHz 106RU54




Date: 18.MAR.2025 16:46:24

Plot on Channel 6875MHz 26RU8




Date: 18.MAR.2025 16:49:17

Plot on Channel 6875MHz 52RU40



Date: 18.MAR.2025 16:52:55


Plot on Channel 6875MHz 106RU54



Date: 18.MAR.2025 16:54:26




Plot on Channel 6895MHz 26RU0




Date: 18.MAR.2025 16:56:36

Plot on Channel 6895MHz 52RU37




Date: 18.MAR.2025 16:58:29

Plot on Channel 6895MHz 106RU53




Date: 18.MAR.2025 17:00:04

Plot on Channel 6995MHz 26RU4



Date: 18.MAR.2025 17:02:14


Plot on Channel 6995MHz 52RU38




Date: 18.MAR.2025 17:03:28




Plot on Channel 6995MHz 106RU53




Plot on Channel 7095MHz 26RU8



Plot on Channel 7095MHz 52RU40




Plot on Channel 7095MHz 106RU54






EUT Mode : 802.11ax HE40


Plot on Channel 5965MHz 242RU61




Plot on Channel 6205MHz 242RU61




Plot on Channel 6405MHz 242RU62




Plot on Channel 6445MHz 242RU61



Plot on Channel 6485MHz 242RU62




Plot on Channel 6565MHz 242RU61







Plot on Channel 6685MHz 242RU61




Plot on Channel 6845MHz 242RU62




Plot on Channel 6885MHz 242RU62




Plot on Channel 6925MHz 242RU61



Plot on Channel 7005MHz 242RU62




Plot on Channel 7085MHz 242RU62






EUT Mode : 802.11ax HE80

Plot on Channel 5985MHz 484RU65




Date: 3.APR.2025 15:17:26

Plot on Channel 6225MHz 484RU65




Date: 3.APR.2025 15:18:57

Plot on Channel 6385MHz 484RU66




Date: 3.APR.2025 15:20:35

Plot on Channel 6465MHz 484RU65




Date: 3.APR.2025 15:22:40

Plot on Channel 6545MHz 484RU66



Date: 3.APR.2025 15:23:54


Plot on Channel 6625MHz 484RU65




Date: 29.MAR.2025 14:14:53




Plot on Channel 6705MHz 484RU65




Plot on Channel 6785MHz 484RU66




Plot on Channel 6865MHz 484RU66



Plot on Channel 6945MHz 484RU65




Plot on Channel 7025MHz 484RU65






EUT Mode : 802.11ax HE160


Plot on Channel 6025MHz 996RU67




Plot on Channel 6185MHz 996RU67




Plot on Channel 6345MHz 996RU67




Plot on Channel 6505MHz 996RU67



Plot on Channel 6665MHz 996RU67




Plot on Channel 6825MHz 996RU67





Plot on Channel 6985MHz 996RU67



3.5 Unwanted Emissions Measurement

This section is to measure unwanted emissions through radiated measurement for band edge spurious emissions and out of band emissions measurement.

3.5.1 Limit of Unwanted Emissions

- (1) For transmitters operating within the 5.925-7.125 GHz band: Any emissions outside of the 5.925-7.125 GHz band must not exceed an e.i.r.p. of -27 dBm/MHz.

EIRP (dBm)	Field Strength at 3m (dBμV/m)
- 27 (RMS)	68.3
- 7 (Peak)	88.3

Unwanted emissions outside of restricted bands are measured with a RMS detector.

In addition, 15.35(b) applies where the peak emissions must be limited to no more than 20 dB above the average limit

- (2) Unwanted spurious emissions fallen in restricted bands shall comply with the general field strength limits as below table:

Frequency (MHz)	Field Strength (microvolts/meter)	Measurement Distance (meters)
0.009 – 0.490	2400/F(kHz)	300
0.490 – 1.705	24000/F(kHz)	30
1.705 – 30.0	30	30
30 – 88	100	3
88 – 216	150	3
216 - 960	200	3
Above 960	500	3

Note: The following formula is used to convert the EIRP to field strength.

$$E = \frac{1000000\sqrt{30P}}{3} \mu\text{V/m, where P is the eirp (Watts)}$$

3.5.2 Measuring Instruments

See list of measuring equipment of this test report.




3.5.3 Test Procedures


1. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01.
Section G) Unwanted emissions measurement.
(1) Procedure for Unwanted Emissions Measurements Below 1000MHz
 - RBW = 120 kHz
 - VBW = 300 kHz
 - Detector = Peak
 - Trace mode = max hold
(2) Procedure for Peak Unwanted Emissions Measurements Above 1000 MHz
 - RBW = 1 MHz
 - VBW $\geq$ 3 MHz
 - Detector = Peak
 - Sweep time = auto
 - Trace mode = max hold
(3) Procedures for Average Unwanted Emissions Measurements Above 1000MHz
 - RBW = 1 MHz
 - VBW = 10 Hz, when duty cycle is no less than 98 percent.
 - VBW $\geq$ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.
2. The EUT was placed on a turntable with 0.8 meter for frequency below 1GHz and 1.5 meter for frequency above 1GHz respectively above ground.
3. The EUT was set 3 meters from the interference receiving antenna which was mounted on the top of a variable height antenna tower.
4. The antenna is a broadband antenna and its height is adjusted between one meter and four meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
5. For each suspected emission, the EUT was arranged to its worst case and then adjust the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
6. For testing below 1GHz, if the emission level of the EUT in peak mode was 3 dB lower than the limit specified, then peak values of EUT will be reported, otherwise, the emissions will be repeated one by one using the CISPR quasi-peak method and reported.
7. For testing above 1GHz, the emission level of the EUT in peak mode was 20dB lower than average limit (that means the emission level in average mode also complies with the limit in average mode), then peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.

3.5.4 Test Setup


For radiated emissions below 30MHz



For radiated emissions from 30MHz to 1GHz



For radiated emissions above 1GHz





3.5.5 Test Results of Radiated Spurious Emissions (9 kHz ~ 30 MHz)

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

There is adequate comparison measurement of both open-field test site and alternative test site - semi-Anechoic chamber according to 414788 D01 Radiated Test Site v01r01, and the result came out very similar.

3.5.6 Test Result of Radiated Spurious at Band Edges

Please refer to Appendix C

3.5.7 Duty Cycle

Please refer to Appendix D.

3.5.8 Test Result of Radiated Spurious Emissions (30MHz ~ 10th Harmonic)

Please refer to Appendix C.

The emission level above 18GHz is checked that the emission level is noise floor only, so it is not reflected in the report.

3.6 AC Conducted Emission Measurement

3.6.1 Limit of AC Conducted Emission

For equipment that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies within the band 150 kHz to 30 MHz shall not exceed the limits in the following table.

Frequency of emission (MHz)	Conducted limit (dBμV)	
	Quasi-peak	Average
0.15-0.5	66 to 56*	56 to 46*
0.5-5	56	46
5-30	60	50

*Decreases with the logarithm of the frequency.


3.6.2 Measuring Instruments

See list of measuring equipment of this test report.

3.6.3 Test Procedures

1. The EUT was placed 0.4 meter from the conducting wall of the shielding room was kept at least 80 centimeters from any other grounded conducting surface.
2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
3. All the support units are connecting to the other LISN.
4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
6. Both sides of AC line were checked for maximum conducted interference.
7. The frequency range from 150 kHz to 30 MHz was searched.
8. Set the test-receiver system to Peak Detect Function and specified bandwidth with Maximum Hold Mode.

3.6.4 Test Setup



3.6.5 Test Result of AC Conducted Emission

Please refer to Appendix B.



3.7 Antenna Requirements

3.7.1 Standard Applicable

§15.203: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.

3.7.2 Antenna Anti-Replacement Construction

An embedded-in antenna design is used. The EUT complies with the requirement of 15.203.

3.7.3 Antenna Gain

The antenna peak gain of EUT is less than 6 dBi. Therefore, it is not necessary to reduce maximum peak output power limit.



4 List of Measuring Equipment

Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101078	10Hz~40GHz	Apr. 01, 2026	Mar. 15, 2025~ Apr. 03, 2025	Apr. 02, 2025	Conducted (TH01-SZ)
Spectrum Analyzer	R&S	FSV40	101078	10Hz~40GHz	Apr. 02, 2025		Apr. 01, 2026	Conducted (TH01-SZ)
Pulse Power Sensor	Anritsu	MA2411B	1339473	30MHz~40GHz	Dec. 25, 2024	Mar. 15, 2025~ Apr. 03, 2025	Dec. 24, 2025	Conducted (TH01-SZ)
Power Meter	Anritsu	ML2495A	1218010	50MHz Bandwidth	Oct.14, 2024	Mar. 15, 2025~ Apr. 03, 2025	Oct. 13, 2025	Conducted (TH01-SZ)
EMI Test Receiver&SA	KEYSIGHT	N9038A	MY54450083	20Hz~8.4GHz	Apr. 02, 2025	May 16, 2025	Apr. 01, 2026	Radiation (03CH03-SZ)
EXA Signal Analyzer	KEYSIGHT	N9010B	MY59071191	10KHz~44GHz	Apr. 02, 2025	May 16, 2025	Apr. 01, 2026	Radiation (03CH03-SZ)
Loop Antenna	R&S	HFH2-Z2E	101141	9kHz~30MHz	Dec. 28, 2024	May 16, 2025	Dec. 27, 2025	Radiation (03CH03-SZ)
Bilog Antenna	TeseQ	CBL6112D	35408	30MHz~2GHz	Aug. 20, 2023	May 16, 2025	Aug. 19, 2025	Radiation (03CH03-SZ)
Double Ridge Guide Antenna	ETS-Lindgren	Burgeon-3117	00240107	1GHz~18GHz	Jul. 13, 2024	May 16, 2025	Jul. 12, 2025	Radiation (03CH03-SZ)
HF Amplifier	MITEQ	TTA1840-35-HG	1871923	18GHz~40GHz	Jul. 03, 2024	May 16, 2025	Jul. 02, 2025	Radiation (03CH03-SZ)
SHF-EHF Horn	com-power	AH-840	101071	18GHz~40GHz	Apr. 03, 2025	May 16, 2025	Apr. 02, 2027	Radiation (03CH03-SZ)
Amplifier	EM Electronics	EM330	060756	0.01Hz~3000MHz	Apr. 02, 2025	May 16, 2025	Apr. 01, 2026	Radiation (03CH03-SZ)
HF Amplifier	MITEQ	AMF-7D-00101800-30-10P-R	1943528	1GHz~18GHz	Oct. 14, 2024	May 16, 2025	Oct. 13, 2025	Radiation (03CH03-SZ)
HF Amplifier	Keysight	83017A	MY53270357	500MHz~26.5GHz	Apr. 02, 2025	May 16, 2025	Apr. 01, 2026	Radiation (03CH03-SZ)
AC Power Source	Chroma	61601	616010002729	N/A	Oct. 18, 2024	May 16, 2025	Oct. 17, 2025	Radiation (03CH03-SZ)
Turn Table	EM	EM1000	N/A	0~360 degree	NCR	May 16, 2025	NCR	Radiation (03CH03-SZ)
Antenna Mast	EM	EM1000	N/A	1 m~4 m	NCR	May 16, 2025	NCR	Radiation (03CH03-SZ)
EMI Receiver	R&S	ESR7	102297	9kHz~7GHz;	Jul. 03, 2024	May 19, 2025	Jul. 02, 2025	Conduction (CO02-SZ)
AC LISN	R&S	ENV216	101499	9kHz~30MHz	Jul. 03, 2024	May 19, 2025	Jul. 02, 2025	Conduction (CO02-SZ)
AC Power Source	CHROMA	61601	616010002470	100Vac~250Vac	Dec. 25, 2024	May 19, 2025	Dec. 24, 2025	Conduction (CO02-SZ)

NCR: No Calibration Required

5 Measurement Uncertainty

Uncertainty of Conducted Measurement

Test Item	Uncertainty
Conducted Spurious Emission & Bandedge	±1.34 dB
Occupied Channel Bandwidth	±0.012 MHz
Conducted Power	±1.34 dB
Conducted Power Spectral Density	±1.32 dB
Frequency	±1.3 Hz
Conducted Generated signal Levels	±0.62 dB
Conducted Time	0.38%

Uncertainty of AC Conducted Emission Measurement (0.15 MHz ~ 30 MHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	2.5 dB
---	--------

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	5.0 dB
---	--------

Uncertainty of Radiated Emission Measurement (1 GHz ~ 18 GHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	4.9 dB
---	--------

Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	5.0 dB
---	--------

----- THE END -----



Appendix A. Conducted Test Results

A1. Conducted Test Results

Test Engineer:	Liu Qiu Qiu	Temperature:	21~25	°C
Test Date:	2025/3/15~2025/4/3	Relative Humidity:	51~54	%

TEST RESULTS DATA
26dB and 99% OBW

Band V single antenna							
Mod.	Data Rate	N _{TX}	Freq. (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)	26 dB Bandwidth Limit (MHz)	Pass /Fail
				Ant 1	Ant 1		
11a	6Mbps	1	5955	16.90	22.32	320	Pass
11a	6Mbps	1	6195	16.91	22.44	320	Pass
11a	6Mbps	1	6415	16.89	22.26	320	Pass

TEST RESULTS DATA

EIRP Power Table

Band V single antenna										Power Setting
Mod.	Data Rate	NTX	Freq. (MHz)	Duty Factor (dB)	Conducted Power with duty factor (dBm)	DG (dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail	
				Ant 1	Ant 1	Ant 1	Ant 1			
11a	6Mbps	1	5955	0.04	5.54	2.03	7.57	24.00	Pass	
11a	6Mbps	1	6195	0.04	5.56	2.03	7.59	24.00	Pass	
11a	6Mbps	1	6415	0.04	5.65	2.03	7.68	24.00	Pass	

TEST RESULTS DATA
EIRP Power Spectral Density

Band V single antenna									
Mod.	Data Rate	N _{TX}	Freq. (MHz)	Duty Factor (dB)	Conducted Power Density (dBm/MHz)	DG (dBi)	EIRP Power Density (dBm/MHz)	EIRP Power Density Limit (dBm)	Pass /Fail
				Ant 1	Ant 1	Ant 1	Ant 1		
11a	6Mbps	1	5955	0.04	-6.41	2.03	-4.38	-1.00	Pass
11a	6Mbps	1	6195	0.04	-6.67	2.03	-4.64	-1.00	Pass
11a	6Mbps	1	6415	0.04	-6.85	2.03	-4.82	-1.00	Pass

TEST RESULTS DATA
26dB and 99% OBW

Band VI single antenna							
Mod.	Data Rate	NTX	Freq. (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)	26 dB Bandwidth Limit (MHz)	Pass /Fail
				Ant 1	Ant 1		
11a	6Mbps	1	6435	16.87	22.38	320	Pass
11a	6Mbps	1	6475	16.89	22.20	320	Pass
11a	6Mbps	1	6515	16.91	22.26	320	Pass

TEST RESULTS DATA

EIRP Power Table

Band VI single antenna									
Mod.	Data Rate	NTX	Freq. (MHz)	Duty Factor (dB)	Conducted Power with duty factor (dBm)	DG (dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail
				Ant 1	Ant 1	Ant 1	Ant 1		
11a	6Mbps	1	6435	0.04	6.10	1.81	7.91	24.00	Pass
11a	6Mbps	1	6475	0.04	6.28	1.81	8.09	24.00	Pass
11a	6Mbps	1	6515	0.04	6.25	1.81	8.06	24.00	Pass

Power Setting
Ant 1
6
6
6

TEST RESULTS DATA
EIRP Power Spectral Density

Band VI single antenna									
Mod.	Data Rate	NTX	Freq. (MHz)	Duty Factor (dB)	Conducted Power Density (dBm/MHz)	DG (dBi)	EIRP Power Density (dBm/MHz)	EIRP Power Density Limit (dBm)	Pass /Fail
				Ant 1	Ant 1	Ant 1	Ant 1		
11a	6Mbps	1	6435	0.04	-6.31	1.81	-4.50	-1.00	Pass
11a	6Mbps	1	6475	0.04	-6.44	1.81	-4.63	-1.00	Pass
11a	6Mbps	1	6515	0.04	-6.27	1.81	-4.46	-1.00	Pass

TEST RESULTS DATA
26dB and 99% OBW

Band VII single antenna							
Mod.	Data Rate	NTX	Freq. (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)	26 dB Bandwidth Limit (MHz)	Pass /Fail
				Ant 1	Ant 1		
11a	6Mbps	1	6535	16.90	22.14	320	Pass
11a	6Mbps	1	6695	16.90	22.32	320	Pass
11a	6Mbps	1	6855	16.90	22.38	320	Pass

TEST RESULTS DATA

EIRP Power Table

Band VII single antenna									
Mod.	Data Rate	NTX	Freq. (MHz)	Duty Factor (dB)	Conducted Power with duty factor (dBm)	DG (dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail
				Ant 1	Ant 1	Ant 1	Ant 1		
11a	6Mbps	1	6535	0.04	4.54	3.37	7.91	24.00	Pass
11a	6Mbps	1	6695	0.04	4.90	3.37	8.27	24.00	Pass
11a	6Mbps	1	6855	0.04	4.53	3.37	7.90	24.00	Pass

Power Setting
Ant 1
4.5
4.5
4.5

TEST RESULTS DATA
EIRP Power Spectral Density

Band VII single antenna									
Mod.	Data Rate	NTX	Freq. (MHz)	Duty Factor (dB)	Conducted Power Density (dBm/MHz)	DG (dBi)	EIRP Power Density (dBm/MHz)	EIRP Power Density Limit (dBm)	Pass /Fail
				Ant 1	Ant 1	Ant 1	Ant 1		
11a	6Mbps	1	6535	0.04	-7.44	3.37	-4.07	-1.00	Pass
11a	6Mbps	1	6695	0.04	-7.83	3.37	-4.46	-1.00	Pass
11a	6Mbps	1	6855	0.04	-8.12	3.37	-4.75	-1.00	Pass

TEST RESULTS DATA
26dB EBW and 99% OBW

Band VIII single antenna							
Mod.	Data Rate	NTX	Freq. (MHz)	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)	26 dB Bandwidth Limit (MHz)	Pass /Fail
				Ant 1	Ant 1		
11a	6Mbps	1	6875	16.89	22.32	320	Pass
11a	6Mbps	1	6895	16.88	22.38	320	Pass
11a	6Mbps	1	6995	16.89	22.44	320	Pass
11a	6Mbps	1	7095	16.90	22.26	320	Pass

TEST RESULTS DATA
EIRP Power Table

Band VIII single antenna									
Mod.	Data Rate	NTX	Freq. (MHz)	Duty Factor (dB)	Conducted Power with duty factor (dBm)	DG (dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail
				Ant 1	Ant 1	Ant 1	Ant 1		
11a	6Mbps	1	6875	0.04	4.46	5.08	9.54	24.00	Pass
11a	6Mbps	1	6895	0.04	2.61	5.08	7.69	24.00	Pass
11a	6Mbps	1	6995	0.04	3.06	5.08	8.14	24.00	Pass
11a	6Mbps	1	7095	0.04	2.62	5.08	7.70	24.00	Pass

Power Setting
Ant 1
4.5
2.5
2.5
2.5

TEST RESULTS DATA
EIRP Power Spectral Density

Band VIII single antenna									
Mod.	Data Rate	NTX	Freq. (MHz)	Duty Factor (dB)	Conducted Power Density (dBm/MHz)	DG (dBi)	EIRP Power Density (dBm/MHz)	EIRP Power Density Limit (dBm)	Pass /Fail
				Ant 1	Ant 1	Ant 1	Ant 1		
11a	6Mbps	1	6875	0.04	-7.92	5.08	-2.84	-1.00	Pass
11a	6Mbps	1	6895	0.04	-9.93	5.08	-4.85	-1.00	Pass
11a	6Mbps	1	6995	0.04	-10.41	5.08	-5.33	-1.00	Pass
11a	6Mbps	1	7095	0.04	-10.96	5.08	-5.88	-1.00	Pass

TEST RESULTS DATA
26dB and 99% OBW

Band V single antenna								
Mod.	Data Rate	NTX	Freq. (MHz)	RU Config.	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)	26 dB Bandwidth Limit (MHz)	Pass /Fail
					Ant 1	Ant 1		
HE20	MCS0	1	5955	Full	19.12	22.68	320	Pass
HE20	MCS0	1	6195	Full	19.14	22.86	320	Pass
HE20	MCS0	1	6415	Full	19.11	22.68	320	Pass
HE40	MCS0	1	5965	Full	38.06	44.64	320	Pass
HE40	MCS0	1	6205	Full	38.04	44.76	320	Pass
HE40	MCS0	1	6405	Full	38.04	44.64	320	Pass
HE80	MCS0	1	5985	Full	77.90	89.04	320	Pass
HE80	MCS0	1	6225	Full	77.92	89.04	320	Pass
HE80	MCS0	1	6385	Full	77.91	90.24	320	Pass
HE160	MCS0	1	6025	Full	157.66	176.64	320	Pass
HE160	MCS0	1	6185	Full	157.88	175.68	320	Pass
HE160	MCS0	1	6345	Full	157.74	175.20	320	Pass

TEST RESULTS DATA
EIRP Power Table

Band V single antenna										
Mod.	Data Rate	NTX	Freq. (MHz)	RU Config.	Duty Factor (dB)	Conducted Power with duty factor (dBm)	DG (dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail
					Ant 1	Ant 1	Ant 1	Ant 1		
HE20	MCS0	1	5955	Full	0.00	6.75	2.03	8.78	24.00	Pass
HE20	MCS0	1	5955	26/0	0.00	-2.97	2.03	-0.94	24.00	Pass
HE20	MCS0	1	5955	52/37	0.00	0.05	2.03	2.08	24.00	Pass
HE20	MCS0	1	5955	106/53	0.00	3.12	2.03	5.15	24.00	Pass
HE20	MCS0	1	6195	Full	0.00	6.74	2.03	8.77	24.00	Pass
HE20	MCS0	1	6195	26/4	0.00	-3.00	2.03	-0.97	24.00	Pass
HE20	MCS0	1	6195	52/39	0.00	0.02	2.03	2.05	24.00	Pass
HE20	MCS0	1	6195	106/53	0.00	3.08	2.03	5.11	24.00	Pass
HE20	MCS0	1	6415	Full	0.00	6.76	2.03	8.79	24.00	Pass
HE20	MCS0	1	6415	26/8	0.00	-2.98	2.03	-0.95	24.00	Pass
HE20	MCS0	1	6415	52/40	0.00	0.01	2.03	2.04	24.00	Pass
HE20	MCS0	1	6415	106/54	0.00	3.05	2.03	5.08	24.00	Pass
HE40	MCS0	1	5965	Full	0.00	9.81	2.03	11.84	24.00	Pass
HE40	MCS0	1	5965	242/61	0.00	6.71	2.03	8.74	24.00	Pass
HE40	MCS0	1	6205	Full	0.00	9.66	2.03	11.69	24.00	Pass
HE40	MCS0	1	6205	242/61	0.00	6.54	2.03	8.57	24.00	Pass
HE40	MCS0	1	6405	Full	0.00	9.83	2.03	11.86	24.00	Pass
HE40	MCS0	1	6405	242/62	0.00	6.61	2.03	8.64	24.00	Pass
HE80	MCS0	1	5985	Full	0.00	12.25	2.03	14.28	24.00	Pass
HE80	MCS0	1	5985	484/65	0.00	9.60	2.03	11.63	24.00	Pass
HE80	MCS0	1	6225	Full	0.00	12.23	2.03	14.26	24.00	Pass
HE80	MCS0	1	6225	484/65	0.00	9.62	2.03	11.65	24.00	Pass
HE80	MCS0	1	6385	Full	0.00	12.31	2.03	14.34	24.00	Pass
HE80	MCS0	1	6385	484/66	0.00	9.58	2.03	11.61	24.00	Pass
HE160	MCS0	1	6025	Full	0.00	15.14	2.03	17.17	24.00	Pass
HE160	MCS0	1	6025	996/67	0.00	12.19	2.03	14.22	24.00	Pass
HE160	MCS0	1	6185	Full	0.00	15.13	2.03	17.16	24.00	Pass
HE160	MCS0	1	6185	996/67	0.00	12.22	2.03	14.25	24.00	Pass
HE160	MCS0	1	6345	Full	0.00	15.22	2.03	17.25	24.00	Pass
HE160	MCS0	1	6345	996/S67	0.00	12.18	2.03	14.21	24.00	Pass

Power Setting
Ant 1
6.5
-3
0
3
6.5
-3
0
3
6.5
-3
0
3
9.5
6.5
9.5
6.5
9.5
6.5
12
9.5
12
9.5
12
9.5
14.5
12
14.5
12
14.5
12

TEST RESULTS DATA
EIRP Power Spectral Density

Band V single antenna										
Mod.	Data Rate	N _{TX}	Freq. (MHz)	RU Config.	Duty Factor (dB)	Conducted Power Density (dBm/MHz)	DG (dBi)	EIRP Power Density (dBm/MHz)	EIRP Power Density Limit (dBm)	Pass /Fail
					Ant 1	Ant 1	Ant 1	Ant 1		
HE20	MCS0	1	5955	Full	0.00	-6.15	2.03	-4.12	-1.00	Pass
HE20	MCS0	1	5955	26/0	0.00	-4.28	2.03	-2.25	-1.00	Pass
HE20	MCS0	1	5955	52/37	0.00	-6.34	2.03	-4.31	-1.00	Pass
HE20	MCS0	1	5955	106/53	0.00	-6.60	2.03	-4.57	-1.00	Pass
HE20	MCS0	1	6195	Full	0.00	-6.40	2.03	-4.37	-1.00	Pass
HE20	MCS0	1	6195	26/4	0.00	-5.23	2.03	-3.20	-1.00	Pass
HE20	MCS0	1	6195	52/39	0.00	-5.66	2.03	-3.63	-1.00	Pass
HE20	MCS0	1	6195	106/53	0.00	-5.94	2.03	-3.91	-1.00	Pass
HE20	MCS0	1	6415	Full	0.00	-6.56	2.03	-4.53	-1.00	Pass
HE20	MCS0	1	6415	26/8	0.00	-4.11	2.03	-2.08	-1.00	Pass
HE20	MCS0	1	6415	52/40	0.00	-5.33	2.03	-3.30	-1.00	Pass
HE20	MCS0	1	6415	106/54	0.00	-5.01	2.03	-2.98	-1.00	Pass
HE40	MCS0	1	5965	Full	0.00	-6.21	2.03	-4.18	-1.00	Pass
HE40	MCS0	1	5965	242/61	0.00	-4.76	2.03	-2.73	-1.00	Pass
HE40	MCS0	1	6205	Full	0.00	-6.29	2.03	-4.26	-1.00	Pass
HE40	MCS0	1	6205	242/61	0.00	-4.29	2.03	-2.26	-1.00	Pass
HE40	MCS0	1	6405	Full	0.00	-6.54	2.03	-4.51	-1.00	Pass
HE40	MCS0	1	6405	242/62	0.00	-4.75	2.03	-2.72	-1.00	Pass
HE80	MCS0	1	5985	Full	0.00	-6.50	2.03	-4.47	-1.00	Pass
HE80	MCS0	1	5985	484/65	0.00	-4.41	2.03	-2.38	-1.00	Pass
HE80	MCS0	1	6225	Full	0.00	-6.39	2.03	-4.36	-1.00	Pass
HE80	MCS0	1	6225	484/65	0.00	-4.42	2.03	-2.39	-1.00	Pass
HE80	MCS0	1	6385	Full	0.00	-6.82	2.03	-4.79	-1.00	Pass
HE80	MCS0	1	6385	484/66	0.00	-4.32	2.03	-2.29	-1.00	Pass
HE160	MCS0	1	6025	Full	0.00	-6.08	2.03	-4.05	-1.00	Pass
HE160	MCS0	1	6025	996/67	0.00	-4.20	2.03	-2.17	-1.00	Pass
HE160	MCS0	1	6185	Full	0.00	-5.99	2.03	-3.96	-1.00	Pass
HE160	MCS0	1	6185	996/67	0.00	-4.48	2.03	-2.45	-1.00	Pass
HE160	MCS0	1	6345	Full	0.00	-6.35	2.03	-4.32	-1.00	Pass
HE160	MCS0	1	6345	996/S67	0.00	-4.22	2.03	-2.19	-1.00	Pass

TEST RESULTS DATA
26dB and 99% OBW

Band VI single antenna								
Mod.	Data Rate	NTX	Freq. (MHz)	RU Config.	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)	26 dB Bandwidth Limit (MHz)	Pass /Fail
					Ant 1	Ant 1		
HE20	MCS0	1	6435	Full	19.12	23.28	320	Pass
HE20	MCS0	1	6475	Full	19.12	22.50	320	Pass
HE20	MCS0	1	6515	Full	19.14	23.22	320	Pass
HE40	MCS0	1	6445	Full	38.10	45.36	320	Pass
HE40	MCS0	1	6485	Full	38.06	44.04	320	Pass
HE80	MCS0	1	6465	Full	77.96	90.48	320	Pass

TEST RESULTS DATA
EIRP Power Table

Band VI single antenna											
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)	Conducted Power with duty factor (dBm)	DG (dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail
						Ant 1	Ant 1	Ant 1	Ant 1		
HE20	MCS0	1	097	6435	Full	0.00	6.73	1.81	8.54	24.00	Pass
HE20	MCS0	1	097	6435	26/0	0.00	-1.97	1.81	-0.16	24.00	Pass
HE20	MCS0	1	097	6435	52/37	0.00	1.09	1.81	2.90	24.00	Pass
HE20	MCS0	1	097	6435	106/53	0.00	3.69	1.81	5.50	24.00	Pass
HE20	MCS0	1	105	6475	Full	0.00	6.80	1.81	8.61	24.00	Pass
HE20	MCS0	1	105	6475	26/4	0.00	-1.90	1.81	-0.09	24.00	Pass
HE20	MCS0	1	105	6475	52/39	0.00	1.35	1.81	3.16	24.00	Pass
HE20	MCS0	1	105	6475	106/54	0.00	3.87	1.81	5.68	24.00	Pass
HE20	MCS0	1	113	6515	Full	0.00	6.83	1.81	8.64	24.00	Pass
HE20	MCS0	1	113	6515	26/8	0.00	-1.86	1.81	-0.05	24.00	Pass
HE20	MCS0	1	113	6515	52/40	0.00	1.41	1.81	3.22	24.00	Pass
HE20	MCS0	1	113	6515	106/54	0.00	3.74	1.81	5.55	24.00	Pass
HE40	MCS0	1	099	6445	Full	0.00	9.72	1.81	11.53	24.00	Pass
HE40	MCS0	1	099	6445	242/61	0.00	6.55	1.81	8.36	24.00	Pass
HE40	MCS0	1	107	6485	Full	0.00	9.82	1.81	11.63	24.00	Pass
HE40	MCS0	1	107	6485	242/62	0.00	6.60	1.81	8.41	24.00	Pass
HE80	MCS0	1	103	6465	Full	0.00	12.33	1.81	14.14	24.00	Pass
HE80	MCS0	1	103	6465	484/65	0.00	9.63	1.81	11.44	24.00	Pass

Power Setting
Ant 1
6.5
-2.5
0.5
3.5
6.5
-2.5
0.5
3.5
6.5
-2.5
0.5
3.5
9.5
6.5
9.5
6.5
12
9.5

TEST RESULTS DATA
EIRP Power Spectral Density

Band VI single antenna										
Mod.	Data Rate	N _{TX}	Freq. (MHz)	RU Config.	Duty Factor (dB)	Conducted Power Density (dBm/MHz)	DG (dBi)	EIRP Power Density (dBm/MHz)	EIRP Power Density Limit (dBm)	Pass /Fail
					Ant 1	Ant 1	Ant 1	Ant 1		
HE20	MCS0	1	6435	Full	0.00	-6.48	1.81	-4.67	-1.00	Pass
HE20	MCS0	1	6435	26/0	0.00	-4.14	1.81	-2.33	-1.00	Pass
HE20	MCS0	1	6435	52/37	0.00	-4.20	1.81	-2.39	-1.00	Pass
HE20	MCS0	1	6435	106/53	0.00	-4.16	1.81	-2.35	-1.00	Pass
HE20	MCS0	1	6475	Full	0.00	-6.64	1.81	-4.83	-1.00	Pass
HE20	MCS0	1	6475	26/4	0.00	-4.45	1.81	-2.64	-1.00	Pass
HE20	MCS0	1	6475	52/39	0.00	-3.86	1.81	-2.05	-1.00	Pass
HE20	MCS0	1	6475	106/54	0.00	-3.88	1.81	-2.07	-1.00	Pass
HE20	MCS0	1	6515	Full	0.00	-6.44	1.81	-4.63	-1.00	Pass
HE20	MCS0	1	6515	26/8	0.00	-3.82	1.81	-2.01	-1.00	Pass
HE20	MCS0	1	6515	52/40	0.00	-4.27	1.81	-2.46	-1.00	Pass
HE20	MCS0	1	6515	106/54	0.00	-3.96	1.81	-2.15	-1.00	Pass
HE40	MCS0	1	6445	Full	0.00	-6.54	1.81	-4.73	-1.00	Pass
HE40	MCS0	1	6445	242/61	0.00	-4.36	1.81	-2.55	-1.00	Pass
HE40	MCS0	1	6485	Full	0.00	-6.67	1.81	-4.86	-1.00	Pass
HE40	MCS0	1	6485	242/62	0.00	-4.18	1.81	-2.37	-1.00	Pass
HE80	MCS0	1	6465	Full	0.00	-6.75	1.81	-4.94	-1.00	Pass
HE80	MCS0	1	6465	484/65	0.00	-5.46	1.81	-3.65	-1.00	Pass

TEST RESULTS DATA
26dB and 99% OBW

Band VII single antenna								
Mod.	Data Rate	NTX	Freq. (MHz)	RU Config.	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)	26 dB Bandwidth Limit (MHz)	Pass /Fail
					Ant 1	Ant 1		
HE20	MCS0	1	6535	Full	19.12	22.62	320	Pass
HE20	MCS0	1	6695	Full	19.12	22.62	320	Pass
HE20	MCS0	1	6855	Full	19.13	22.62	320	Pass
HE40	MCS0	1	6525	Full	38.04	44.64	320	Pass
HE40	MCS0	1	6565	Full	38.05	44.88	320	Pass
HE40	MCS0	1	6685	Full	38.08	45.00	320	Pass
HE40	MCS0	1	6845	Full	38.07	44.76	320	Pass
HE80	MCS0	1	6545	Full	77.87	91.20	320	Pass
HE80	MCS0	1	6625	Full	77.92	89.04	320	Pass
HE80	MCS0	1	6705	Full	77.87	88.32	320	Pass
HE80	MCS0	1	6785	Full	77.82	90.00	320	Pass
HE160	MCS0	1	6505	Full	157.71	176.64	320	Pass
HE160	MCS0	1	6665	Full	157.95	173.76	320	Pass

TEST RESULTS DATA
EIRP Power Table

Band VII single antenna											
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)	Conducted Power with duty factor (dBm)	DG (dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail
						Ant 1	Ant 1	Ant 1	Ant 1		
HE20	MCS0	1	117	6535	Full	0.00	5.32	3.37	8.69	24.00	Pass
HE20	MCS0	1	117	6535	26/0	0.00	-3.92	3.37	-0.55	24.00	Pass
HE20	MCS0	1	117	6535	52/37	0.00	-0.96	3.37	2.41	24.00	Pass
HE20	MCS0	1	117	6535	106/53	0.00	1.95	3.37	5.32	24.00	Pass
HE20	MCS0	1	149	6695	Full	0.00	5.74	3.37	9.11	24.00	Pass
HE20	MCS0	1	149	6695	26/4	0.00	-3.76	3.37	-0.39	24.00	Pass
HE20	MCS0	1	149	6695	52/38	0.00	-0.86	3.37	2.51	24.00	Pass
HE20	MCS0	1	149	6695	106/53	0.00	2.10	3.37	5.47	24.00	Pass
HE20	MCS0	1	181	6855	Full	0.00	5.31	3.37	8.68	24.00	Pass
HE20	MCS0	1	181	6855	26/8	0.00	-4.33	3.37	-0.96	24.00	Pass
HE20	MCS0	1	181	6855	52/40	0.00	-1.44	3.37	1.93	24.00	Pass
HE20	MCS0	1	181	6855	106/54	0.00	1.53	3.37	4.90	24.00	Pass
HE40	MCS0	1	115	6525	Full	0.00	9.75	3.37	13.12	24.00	Pass
HE40	MCS0	1	115	6525	242/61	0.00	6.63	3.37	10.00	24.00	Pass
HE40	MCS0	1	123	6565	Full	0.00	8.50	3.37	11.87	24.00	Pass
HE40	MCS0	1	123	6565	242/61	0.00	5.15	3.37	8.52	24.00	Pass
HE40	MCS0	1	147	6685	Full	0.00	8.62	3.37	11.99	24.00	Pass
HE40	MCS0	1	147	6685	242/61	0.00	5.18	3.37	8.55	24.00	Pass
HE40	MCS0	1	179	6845	Full	0.00	8.18	3.37	11.55	24.00	Pass
HE40	MCS0	1	179	6845	242/62	0.00	5.23	3.37	8.60	24.00	Pass
HE80	MCS0	1	119	6545	Full	0.00	12.40	3.37	15.77	24.00	Pass
HE80	MCS0	1	119	6545	484/66	0.00	9.61	3.37	12.98	24.00	Pass
HE80	MCS0	1	135	6625	Full	0.00	10.81	3.37	14.18	24.00	Pass
HE80	MCS0	1	135	6625	484/65	0.00	8.11	3.37	11.48	24.00	Pass
HE80	MCS0	1	151	6705	Full	0.00	10.99	3.37	14.36	24.00	Pass
HE80	MCS0	1	151	6705	484/65	0.00	8.14	3.37	11.51	24.00	Pass
HE80	MCS0	1	167	6785	Full	0.00	10.70	3.37	14.07	24.00	Pass
HE80	MCS0	1	167	6785	484/66	0.00	8.13	3.37	11.50	24.00	Pass
HE160	MCS0	1	111	6505	Full	0.00	15.23	3.37	18.60	24.00	Pass
HE160	MCS0	1	111	6505	996/67	0.00	11.85	3.37	15.22	24.00	Pass
HE160	MCS0	1	143	6665	Full	0.00	13.56	3.37	16.93	24.00	Pass
HE160	MCS0	1	143	6665	996/67	0.00	10.63	3.37	14.00	24.00	Pass

Power Setting
Ant 1
5
-4.5
-1.5
1.5
5
-4.5
-1.5
1.5
5
-4.5
-1.5
1.5
9.5
6.5
8
5
8
5
8
5
12
9.5
10.5
8
10.5
8
10.5
8
14.5
11.5
13
10.5

TEST RESULTS DATA
EIRP Power Spectral Density

Band VII single antenna										
Mod.	Data Rate	NTx	Freq. (MHz)	RU Config.	Duty Factor (dB)	Conducted Power Density (dBm/MHz)	DG (dBi)	EIRP Power Density (dBm/MHz)	EIRP Power Density Limit (dBm)	Pass /Fail
					Ant 1	Ant 1	Ant 1	Ant 1		
HE20	MCS0	1	6535	Full	0.00	-7.70	3.37	-4.33	-1.00	Pass
HE20	MCS0	1	6535	26/0	0.00	-5.72	3.37	-2.35	-1.00	Pass
HE20	MCS0	1	6535	52/37	0.00	-5.37	3.37	-2.00	-1.00	Pass
HE20	MCS0	1	6535	106/53	0.00	-5.71	3.37	-2.34	-1.00	Pass
HE20	MCS0	1	6695	Full	0.00	-8.13	3.37	-4.76	-1.00	Pass
HE20	MCS0	1	6695	26/4	0.00	-6.52	3.37	-3.15	-1.00	Pass
HE20	MCS0	1	6695	52/38	0.00	-5.73	3.37	-2.36	-1.00	Pass
HE20	MCS0	1	6695	106/53	0.00	-5.66	3.37	-2.29	-1.00	Pass
HE20	MCS0	1	6855	Full	0.00	-8.50	3.37	-5.13	-1.00	Pass
HE20	MCS0	1	6855	26/8	0.00	-6.32	3.37	-2.95	-1.00	Pass
HE20	MCS0	1	6855	52/40	0.00	-5.77	3.37	-2.40	-1.00	Pass
HE20	MCS0	1	6855	106/54	0.00	-5.88	3.37	-2.51	-1.00	Pass
HE40	MCS0	1	6525	Full	0.00	-6.44	3.37	-3.07	-1.00	Pass
HE40	MCS0	1	6525	242/61	0.00	-5.78	3.37	-2.41	-1.00	Pass
HE40	MCS0	1	6565	Full	0.00	-7.83	3.37	-4.46	-1.00	Pass
HE40	MCS0	1	6565	242/61	0.00	-7.00	3.37	-3.63	-1.00	Pass
HE40	MCS0	1	6685	Full	0.00	-8.42	3.37	-5.05	-1.00	Pass
HE40	MCS0	1	6685	242/61	0.00	-6.77	3.37	-3.40	-1.00	Pass
HE40	MCS0	1	6845	Full	0.00	-8.45	3.37	-5.08	-1.00	Pass
HE40	MCS0	1	6845	242/62	0.00	-7.53	3.37	-4.16	-1.00	Pass
HE80	MCS0	1	6545	Full	0.00	-6.43	3.37	-3.06	-1.00	Pass
HE80	MCS0	1	6545	484/66	0.00	-5.42	3.37	-2.05	-1.00	Pass
HE80	MCS0	1	6625	Full	0.00	-8.37	3.37	-5.00	-1.00	Pass
HE80	MCS0	1	6625	484/65	0.00	-7.42	3.37	-4.05	-1.00	Pass
HE80	MCS0	1	6705	Full	0.00	-8.74	3.37	-5.37	-1.00	Pass
HE80	MCS0	1	6705	484/65	0.00	-6.60	3.37	-3.23	-1.00	Pass
HE80	MCS0	1	6785	Full	0.00	-8.71	3.37	-5.34	-1.00	Pass
HE80	MCS0	1	6785	484/66	0.00	-7.38	3.37	-4.01	-1.00	Pass
HE160	MCS0	1	6505	Full	0.00	-6.21	3.37	-2.84	-1.00	Pass
HE160	MCS0	1	6505	996/67	0.00	-5.76	3.37	-2.39	-1.00	Pass
HE160	MCS0	1	6665	Full	0.00	-7.98	3.37	-4.61	-1.00	Pass
HE160	MCS0	1	6665	996/67	0.00	-6.42	3.37	-3.05	-1.00	Pass

TEST RESULTS DATA
26dB EBW and 99% OBW

Band VIII single antenna								
Mod.	Data Rate	N _{TX}	Freq. (MHz)	RU Config.	99% Bandwidth (MHz)	26 dB Bandwidth (MHz)	26 dB Bandwidth Limit (MHz)	Pass /Fail
					Ant 1	Ant 1		
HE20	MCS0	1	6875	Full	19.12	22.80	320	Pass
HE20	MCS0	1	6895	Full	19.11	22.80	320	Pass
HE20	MCS0	1	6995	Full	19.12	23.10	320	Pass
HE20	MCS0	1	7095	Full	19.10	22.50	320	Pass
HE40	MCS0	1	6885	Full	38.06	44.28	320	Pass
HE40	MCS0	1	6925	Full	38.09	44.28	320	Pass
HE40	MCS0	1	7005	Full	38.03	44.28	320	Pass
HE40	MCS0	1	7085	Full	38.07	44.88	320	Pass
HE80	MCS0	1	6865	Full	77.92	90.00	320	Pass
HE80	MCS0	1	6945	Full	77.81	88.56	320	Pass
HE80	MCS0	1	7025	Full	77.72	88.56	320	Pass
HE160	MCS0	1	6825	Full	157.83	175.20	320	Pass
HE160	MCS0	1	6985	Full	157.26	173.28	320	Pass

TEST RESULTS DATA
EIRP Power Table

VIII single antenna											
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)	Conducted Power with duty factor (dBm)	DG (dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail
						Ant 1	Ant 1	Ant 1	Ant 1		
HE20	MCS0	1	185	6875	Full	0.00	5.24	5.08	10.32	24.00	Pass
HE20	MCS0	1	185	6875	26/8	0.00	-4.36	5.08	0.72	24.00	Pass
HE20	MCS0	1	185	6875	52/40	0.00	-1.04	5.08	4.04	24.00	Pass
HE20	MCS0	1	185	6875	106/54	0.00	1.77	5.08	6.85	24.00	Pass
HE20	MCS0	1	189	6895	Full	0.00	3.77	5.08	8.85	24.00	Pass
HE20	MCS0	1	189	6895	26/0	0.00	-5.98	5.08	-0.90	24.00	Pass
HE20	MCS0	1	189	6895	52/37	0.00	-2.94	5.08	2.14	24.00	Pass
HE20	MCS0	1	189	6895	106/53	0.00	0.10	5.08	5.18	24.00	Pass
HE20	MCS0	1	209	6995	Full	0.00	4.44	5.08	9.52	24.00	Pass
HE20	MCS0	1	209	6995	26/4	0.00	-5.95	5.08	-0.87	24.00	Pass
HE20	MCS0	1	209	6995	52/38	0.00	-2.87	5.08	2.21	24.00	Pass
HE20	MCS0	1	209	6995	106/53	0.00	0.06	5.08	5.14	24.00	Pass
HE20	MCS0	1	229	7095	Full	0.00	3.85	5.08	8.93	24.00	Pass
HE20	MCS0	1	229	7095	26/8	0.00	-5.93	5.08	-0.85	24.00	Pass
HE20	MCS0	1	229	7095	52/40	0.00	-2.99	5.08	2.09	24.00	Pass
HE20	MCS0	1	229	7095	106/54	0.00	0.02	5.08	5.10	24.00	Pass
HE40	MCS0	1	187	6885	Full	0.00	8.15	5.08	13.23	24.00	Pass
HE40	MCS0	1	187	6885	242/61	0.00	5.13	5.08	10.21	24.00	Pass
HE40	MCS0	1	195	6925	Full	0.00	7.01	5.08	12.09	24.00	Pass
HE40	MCS0	1	195	6925	242/61	0.00	3.63	5.08	8.71	24.00	Pass
HE40	MCS0	1	211	7005	Full	0.00	7.17	5.08	12.25	24.00	Pass
HE40	MCS0	1	211	7005	242/62	0.00	3.68	5.08	8.76	24.00	Pass
HE40	MCS0	1	227	7085	Full	0.00	6.62	5.08	11.70	24.00	Pass
HE40	MCS0	1	227	7085	242/62	0.00	3.55	5.08	8.63	24.00	Pass
HE80	MCS0	1	183	6865	Full	0.00	10.65	5.08	15.73	24.00	Pass
HE80	MCS0	1	183	6865	484/66	0.00	8.11	5.08	13.19	24.00	Pass
HE80	MCS0	1	199	6945	Full	0.00	9.49	5.08	14.57	24.00	Pass
HE80	MCS0	1	199	6945	484/65	0.00	6.56	5.08	11.64	24.00	Pass
HE80	MCS0	1	215	7025	Full	0.00	9.33	5.08	14.41	24.00	Pass
HE80	MCS0	1	215	7025	484/65	0.00	6.54	5.08	11.62	24.00	Pass
HE160	MCS0	1	175	6825	Full	0.00	13.47	5.08	18.55	24.00	Pass
HE160	MCS0	1	175	6825	996/S67	0.00	10.54	5.08	15.62	24.00	Pass
HE160	MCS0	1	207	6985	Full	0.00	12.50	5.08	17.58	24.00	Pass
HE160	MCS0	1	207	6985	996/67	0.00	9.21	5.08	14.29	24.00	Pass

Power Setting
Ant 1
5
-4.5
-1.5
1.5
3.5
-6
-3
0
3.5
-6
-3
0
3.5
-6
-3
0
8
5
6.5
3.5
6.5
3.5
6.5
3.5
10.5
8
9
6.5
9
6.5
13
10.5
11.5
9


TEST RESULTS DATA
EIRP Power Spectral Density

Band VIII single antenna										
Mod.	Data Rate	NTX	Freq. (MHz)	RU Config.	Duty Factor (dB)	Conducted Power Density (dBm/MHz)	DG (dBi)	EIRP Power Density (dBm/MHz)	EIRP Power Density Limit (dBm)	Pass /Fail
					Ant 1	Ant 1	Ant 1	Ant 1		
HE20	MCS0	1	6875	Full	0.00	-8.25	5.08	-3.17	-1.00	Pass
HE20	MCS0	1	6875	26/8	0.00	-7.39	5.08	-2.31	-1.00	Pass
HE20	MCS0	1	6875	52/40	0.00	-7.17	5.08	-2.09	-1.00	Pass
HE20	MCS0	1	6875	106/54	0.00	-7.09	5.08	-2.01	-1.00	Pass
HE20	MCS0	1	6895	Full	0.00	-9.87	5.08	-4.79	-1.00	Pass
HE20	MCS0	1	6895	26/0	0.00	-7.84	5.08	-2.76	-1.00	Pass
HE20	MCS0	1	6895	52/37	0.00	-7.09	5.08	-2.01	-1.00	Pass
HE20	MCS0	1	6895	106/53	0.00	-7.77	5.08	-2.69	-1.00	Pass
HE20	MCS0	1	6995	Full	0.00	-10.28	5.08	-5.20	-1.00	Pass
HE20	MCS0	1	6995	26/4	0.00	-8.75	5.08	-3.67	-1.00	Pass
HE20	MCS0	1	6995	52/38	0.00	-7.13	5.08	-2.05	-1.00	Pass
HE20	MCS0	1	6995	106/53	0.00	-7.88	5.08	-2.80	-1.00	Pass
HE20	MCS0	1	7095	Full	0.00	-11.35	5.08	-6.27	-1.00	Pass
HE20	MCS0	1	7095	26/8	0.00	-7.99	5.08	-2.91	-1.00	Pass
HE20	MCS0	1	7095	52/40	0.00	-7.99	5.08	-2.91	-1.00	Pass
HE20	MCS0	1	7095	106/54	0.00	-7.44	5.08	-2.36	-1.00	Pass
HE40	MCS0	1	6885	Full	0.00	-8.28	5.08	-3.20	-1.00	Pass
HE40	MCS0	1	6885	242/61	0.00	-7.33	5.08	-2.25	-1.00	Pass
HE40	MCS0	1	6925	Full	0.00	-9.59	5.08	-4.51	-1.00	Pass
HE40	MCS0	1	6925	242/61	0.00	-7.92	5.08	-2.84	-1.00	Pass
HE40	MCS0	1	7005	Full	0.00	-10.18	5.08	-5.10	-1.00	Pass
HE40	MCS0	1	7005	242/62	0.00	-7.20	5.08	-2.12	-1.00	Pass
HE40	MCS0	1	7085	Full	0.00	-11.15	5.08	-6.07	-1.00	Pass
HE40	MCS0	1	7085	242/62	0.00	-8.70	5.08	-3.62	-1.00	Pass
HE80	MCS0	1	6865	Full	0.00	-8.60	5.08	-3.52	-1.00	Pass
HE80	MCS0	1	6865	484/66	0.00	-8.13	5.08	-3.05	-1.00	Pass
HE80	MCS0	1	6945	Full	0.00	-10.38	5.08	-5.30	-1.00	Pass
HE80	MCS0	1	6945	484/65	0.00	-7.25	5.08	-2.17	-1.00	Pass
HE80	MCS0	1	7025	Full	0.00	-11.02	5.08	-5.94	-1.00	Pass
HE80	MCS0	1	7025	484/65	0.00	-7.52	5.08	-2.44	-1.00	Pass
HE160	MCS0	1	6825	Full	0.00	-8.38	5.08	-3.30	-1.00	Pass
HE160	MCS0	1	6825	996/S67	0.00	-7.26	5.08	-2.18	-1.00	Pass
HE160	MCS0	1	6985	Full	0.00	-10.02	5.08	-4.94	-1.00	Pass
HE160	MCS0	1	6985	996/67	0.00	-7.58	5.08	-2.50	-1.00	Pass



Appendix B. AC Conducted Emission Test Results


Test Engineer :	Xu Ruibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
Condition : FCC 15E_QP LISN_2025-L LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.15	33.95	-22.01	55.96	14.10	9.66	10.19	Average
2	0.15	47.25	-18.71	65.96	27.40	9.66	10.19	QP
3	0.20	37.69	-15.80	53.49	17.80	9.71	10.18	Average
4 *	0.20	51.09	-12.40	63.49	31.20	9.71	10.18	QP
5	0.24	27.51	-24.57	52.08	7.60	9.72	10.19	Average
6	0.24	39.91	-22.17	62.08	20.00	9.72	10.19	QP
7	0.30	26.67	-23.52	50.19	6.70	9.76	10.21	Average
8	0.30	40.37	-19.82	60.19	20.40	9.76	10.21	QP
9	0.53	22.01	-23.99	46.00	2.10	9.67	10.24	Average
10	0.53	32.31	-23.69	56.00	12.40	9.67	10.24	QP
11	0.58	22.20	-23.80	46.00	2.30	9.66	10.24	Average
12	0.58	33.40	-22.60	56.00	13.50	9.66	10.24	QP

Test Engineer :	Xu Ruibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
Condition : FCC 15E_QP LISN_2025-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.16	33.42	-22.18	55.60	13.60	9.63	10.19	Average
2	0.16	46.22	-19.38	65.60	26.40	9.63	10.19	QP
3	0.20	34.53	-19.18	53.71	14.50	9.85	10.18	Average
4 *	0.20	49.53	-14.18	63.71	29.50	9.85	10.18	QP
5	0.23	26.87	-25.74	52.61	7.00	9.68	10.19	Average
6	0.23	38.87	-23.74	62.61	19.00	9.68	10.19	QP
7	0.29	25.04	-25.50	50.54	5.01	9.83	10.20	Average
8	0.29	39.04	-21.50	60.54	19.01	9.83	10.20	QP
9	0.39	23.83	-24.16	47.99	3.80	9.81	10.22	Average
10	0.39	33.83	-24.16	57.99	13.80	9.81	10.22	QP
11	0.61	22.68	-23.32	46.00	2.79	9.65	10.24	Average
12	0.61	34.28	-21.72	56.00	14.39	9.65	10.24	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Ried Huang	Relative Humidity :	48~49%
		Temperature :	24~25°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	1	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	1	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	1	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-6	6.425-6.525	1	802.11a	97	6435	6Mbps	-	-
Mode 5	U-NII-6	6.425-6.525	1	802.11a	105	6475	6Mbps	-	-
Mode 6	U-NII-6	6.425-6.525	1	802.11a	113	6515	6Mbps	-	-
Mode 7	U-NII-7	6.525-6.875	1	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6.525-6.875	1	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6.525-6.875	1	802.11a	181	6855	6Mbps	-	-
Mode 10	U-NII-7	6.525-6.875	1	802.11a	185	6875	6Mbps	-	-
Mode 11	U-NII-8	6.875-7.125	1	802.11a	189	6895	6Mbps	-	-
Mode 12	U-NII-8	6.875-7.125	1	802.11a	209	6995	6Mbps	-	-
Mode 13	U-NII-8	6.875-7.125	1	802.11a	229	7095	6Mbps	-	-
Mode 14	U-NII-5	5.925-6.425	1	802.11ax HE20	1	5955	MCS0	-	-
Mode 15	U-NII-5	5.925-6.425	1	802.11ax HE20	1	5955	MCS0	Partial RU26/0	-
Mode 16	U-NII-5	5.925-6.425	1	802.11ax HE20	1	5955	MCS0	Partial RU52/37	-
Mode 17	U-NII-5	5.925-6.425	1	802.11ax HE20	1	5955	MCS0	Partial RU106/53	-
Mode 18	U-NII-5	5.925-6.425	1	802.11ax HE20	49	6195	MCS0	-	-
Mode 19	U-NII-5	5.925-6.425	1	802.11ax HE20	93	6415	MCS0	-	-
Mode 20	U-NII-6	6.425-6.525	1	802.11ax HE20	97	6435	MCS0	Full RU	-
Mode 21	U-NII-6	6.425-6.525	1	802.11ax HE20	105	6475	MCS0	Full RU	-
Mode 22	U-NII-6	6.425-6.525	1	802.11ax HE20	113	6515	MCS0	Full RU	-
Mode 23	U-NII-7	6.525-6.875	1	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 24	U-NII-7	6.525-6.875	1	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 25	U-NII-7	6.525-6.875	1	802.11ax HE20	181	6855	MCS0	Full RU	-
Mode 26	U-NII-7	6.525-6.875	1	802.11ax HE20	185	6875	MCS0	Full RU	-
Mode 27	U-NII-8	6.875-7.125	1	802.11ax HE20	189	6895	MCS0	-	-
Mode 28	U-NII-8	6.875-7.125	1	802.11ax HE20	209	6995	MCS0	-	-
Mode 29	U-NII-8	6.875-7.125	1	802.11ax HE20	229	7095	MCS0	Full RU	-
Mode 30	U-NII-8	6.875-7.125	1	802.11ax HE20	229	7095	MCS0	Partial RU26/8	-
Mode 31	U-NII-8	6.875-7.125	1	802.11ax HE20	229	7095	MCS0	Partial RU52/40	-
Mode 32	U-NII-8	6.875-7.125	1	802.11ax HE20	229	7095	MCS0	Partial RU106/54	-
Mode 33	U-NII-5	5.925-6.425	1	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 34	U-NII-5	5.925-6.425	1	802.11ax HE40	3	5965	MCS0	Partial	-



								RU242/61	
Mode 35	U-NII-5	5.925-6.425	1	802.11ax HE40	51	6205	MCS0	Full RU	-
Mode 36	U-NII-5	5.925-6.425	1	802.11ax HE40	91	6405	MCS0	Full RU	-
Mode 37	U-NII-6	6.425-6.525	1	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 38	U-NII-6	6.425-6.525	1	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 39	U-NII-6	6.425-6.525	1	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 40	U-NII-7	6.525-6.875	1	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	1	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	1	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 43	U-NII-7	6.525-6.875	1	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 44	U-NII-8	6.875-7.125	1	802.11ax HE40	195	6925	MCS0	Full RU	-
Mode 45	U-NII-8	6.875-7.125	1	802.11ax HE40	211	7005	MCS0	Full RU	-
Mode 46	U-NII-8	6.875-7.125	1	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 47	U-NII-8	6.875-7.125	1	802.11ax HE40	227	7085	MCS0	Partial RU242/62	-
Mode 48	U-NII-5	5.925-6.425	1	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 49	U-NII-5	5.925-6.425	1	802.11ax HE80	55	6225	MCS0	Full RU	-
Mode 50	U-NII-5	5.925-6.425	1	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 51	U-NII-6	6.425-6.525	1	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 52	U-NII-6	6.425-6.525	1	802.11ax HE80	119	6545	MCS0	Full RU	-
Mode 53	U-NII-7	6.525-6.875	1	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 54	U-NII-7	6.525-6.875	1	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 55	U-NII-7	6.525-6.875	1	802.11ax HE80	167	6785	MCS0	Full RU	-
Mode 56	U-NII-7	6.525-6.875	1	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 57	U-NII-8	6.875-7.125	1	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 58	U-NII-8	6.875-7.125	1	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 59	U-NII-8	6.875-7.125	1	802.11ax HE80	215	7025	MCS0	Partial RU484/66	-
Mode 60	U-NII-5	5.925-6.425	1	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 61	U-NII-5	5.925-6.425	1	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 62	U-NII-5	5.925-6.425	1	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 63	U-NII-6	6.425-6.525	1	802.11ax HE160	111	6505	MCS0	Full RU	-
Mode 64	U-NII-7	6.525-6.875	1	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 65	U-NII-7	6.525-6.875	1	802.11ax HE160	175	6825	MCS0	Full RU	-
Mode 66	U-NII-8	6.875-7.125	1	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 67	U-NII-8	6.875-7.125	1	802.11ax HE160	207	6985	MCS0	Partial RU996/67	-
Mode 68	U-NII-8	6.875-7.125	1	802.11ax HE160_LF	207	6985	MCS0	Full RU	-
Mode 69	CO-TX	2400-2483.5	1	Bluetooth-LE_GSFK	39	-	-	-	-
		6.875-7.125	1	802.11ax HE160	207	6985	MCS0	Full RU	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5910.02	40.14	68.20	-28.06	V	AVERAGE	Pass	Band Edge
1	802.11a	1	17865.00	49.36	74.00	-24.64	V	Peak	Pass	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	Band Edge
2	802.11a	49	12380.00	47.59	74.00	-26.41	V	Peak	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	48.68	88.20	-39.52	V	Peak	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	48.51	88.20	-39.69	V	Peak	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	48.01	88.20	-40.19	H	Peak	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	49.24	88.20	-38.96	H	Peak	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	49.32	88.20	-38.88	V	Peak	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	48.97	74.00	-25.03	V	Peak	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	49.92	88.20	-38.28	V	Peak	Pass	Harmonic
10	802.11a	185	-	-	-	-	-	-	-	Band Edge
10	802.11a	185	13750.00	49.24	88.20	-38.96	V	Peak	Pass	Harmonic
11	802.11a	189	-	-	-	-	-	-	-	Band Edge
11	802.11a	189	13790.00	49.14	88.20	-39.06	H	Peak	Pass	Harmonic
12	802.11a	209	-	-	-	-	-	-	-	Band Edge
12	802.11a	209	13990.00	49.69	88.20	-38.51	V	Peak	Pass	Harmonic
13	802.11a	229	7344.39	40.61	54.00	-13.39	V	AVERAGE	Pass	Band Edge
13	802.11a	229	14190.00	49.93	88.20	-38.27	V	Peak	Pass	Harmonic
14	802.11ax HE20	1	5881.68	40.09	68.20	-28.11	V	AVERAGE	Pass	Band Edge
14	802.11ax HE20	1	17865.00	49.99	74.00	-24.01	H	Peak	Pass	Harmonic
15	802.11ax HE20	1	5840.21	39.91	68.20	-28.29	V	AVERAGE	Pass	Band Edge
15	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
16	802.11ax HE20	1	5849.96	39.94	68.20	-28.26	V	AVERAGE	Pass	Band Edge
16	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
17	802.11ax HE20	1	5920.29	39.92	68.20	-28.28	V	AVERAGE	Pass	Band Edge
17	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
18	802.11ax HE20	49	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE20	49	12380.00	47.46	74.00	-26.54	H	Peak	Pass	Harmonic
19	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE20	93	12830.00	47.61	88.20	-40.59	H	Peak	Pass	Harmonic
20	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE20	97	12870.00	45.62	88.20	-42.58	H	Peak	Pass	Harmonic
21	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE20	105	12950.00	46.70	88.20	-41.50	V	Peak	Pass	Harmonic
22	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE20	113	13030.00	47.52	88.20	-40.68	V	Peak	Pass	Harmonic
23	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE20	117	13070.00	46.44	88.20	-41.76	V	Peak	Pass	Harmonic
24	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE20	149	13390.00	48.07	74.00	-25.93	H	Peak	Pass	Harmonic
25	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge







25	802.11ax HE20	181	13710.00	47.95	88.20	-40.25	V	Peak	Pass	Harmonic
26	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE20	185	13750.00	48.08	88.20	-40.12	H	Peak	Pass	Harmonic
27	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE20	189	13790.00	47.12	88.20	-41.08	V	Peak	Pass	Harmonic
28	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE20	209	13990.00	47.36	88.20	-40.84	H	Peak	Pass	Harmonic
29	802.11ax HE20	229	7338.78	40.71	54.00	-13.29	V	AVERAGE	Pass	Band Edge
29	802.11ax HE20	229	14190.00	50.88	88.20	-37.32	V	Peak	Pass	Harmonic
30	802.11ax HE20	229	7250.81	40.78	54.00	-13.22	V	AVERAGE	Pass	Band Edge
30	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE20	229	7289.31	40.80	54.00	-13.20	V	AVERAGE	Pass	Band Edge
31	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
32	802.11ax HE20	229	7259.22	40.74	54.00	-13.26	V	AVERAGE	Pass	Band Edge
32	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
33	802.11ax HE40	3	5925.00	40.63	68.20	-27.57	V	AVERAGE	Pass	Band Edge
33	802.11ax HE40	3	17895.00	49.30	74.00	-24.70	V	Peak	Pass	Harmonic
34	802.11ax HE40	3	5861.16	40.11	68.20	-28.09	V	AVERAGE	Pass	Band Edge
34	802.11ax HE40	3	-	-	-	-	-	-	-	Harmonic
35	802.11ax HE40	51	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE40	51	12390.00	47.89	74.00	-26.11	H	Peak	Pass	Harmonic
36	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE40	91	12810.00	45.63	88.20	-42.57	H	Peak	Pass	Harmonic
37	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE40	99	12890.00	48.38	88.20	-39.82	H	Peak	Pass	Harmonic
38	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE40	107	12970.00	47.47	88.20	-40.73	V	Peak	Pass	Harmonic
39	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE40	115	13050.00	46.25	88.20	-41.95	V	Peak	Pass	Harmonic
40	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE40	123	13130.00	46.11	88.20	-42.09	H	Peak	Pass	Harmonic
41	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE40	147	13370.00	46.88	74.00	-27.12	V	Peak	Pass	Harmonic
42	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE40	179	13690.00	46.77	88.20	-41.43	V	Peak	Pass	Harmonic
43	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE40	187	13770.00	47.23	88.20	-40.97	H	Peak	Pass	Harmonic
44	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE40	195	13850.00	47.79	88.20	-40.41	V	Peak	Pass	Harmonic
45	802.11ax HE40	211	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE40	211	13850	48.31	88.2	-39.89	V	Peak	Pass	Harmonic
46	802.11ax HE40	227	7264.41	40.72	54.00	-13.28	V	AVERAGE	Pass	Band Edge
46	802.11ax HE40	227	14170.00	48.40	88.20	-39.80	H	Peak	Pass	Harmonic
47	802.11ax HE40	227	7310.25	40.77	54.00	-13.23	V	AVERAGE	Pass	Band Edge
47	802.11ax HE40	227	-	-	-	-	-	-	-	Harmonic
48	802.11ax HE80	7	5922.60	44.16	68.20	-24.04	V	AVERAGE	Pass	Band Edge
48	802.11ax HE80	7	17955.00	47.91	74.00	-26.09	H	Peak	Pass	Harmonic
49	802.11ax HE80	55	-	-	-	-	-	-	-	Band Edge
49	802.11ax HE80	55	12430	47.13	74	-26.87	V	Peak	Pass	Harmonic
50	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
50	802.11ax HE80	87	12770.00	47.29	88.20	-40.91	V	Peak	Pass	Harmonic
51	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge







51	802.11ax HE80	103	12930.00	46.28	88.20	-41.92	V	Peak	Pass	Harmonic
52	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE80	119	13090.00	45.72	88.20	-42.48	V	Peak	Pass	Harmonic
53	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
53	802.11ax HE80	135	13250.00	48.72	74.00	-25.28	V	Peak	Pass	Harmonic
54	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
54	802.11ax HE80	151	13400	48.83	74	-25.17	V	Peak	Pass	Harmonic
55	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
55	802.11ax HE80	167	13570.00	48.65	88.20	-39.55	V	Peak	Pass	Harmonic
56	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE80	183	13730.00	47.18	88.20	-41.02	V	Peak	Pass	Harmonic
57	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
57	802.11ax HE80	199	13890.00	46.50	88.20	-41.70	H	Peak	Pass	Harmonic
58	802.11ax HE80	215	7261.60	41.00	54.00	-13.00	V	AVERAGE	Pass	Band Edge
58	802.11ax HE80	215	14050.00	48.20	88.20	-40.00	V	Peak	Pass	Harmonic
59	802.11ax HE80	215	7261.93	40.74	54.00	-13.26	V	AVERAGE	Pass	Band Edge
59	802.11ax HE80	215	-	-	-	-	-	-	-	Harmonic
60	802.11ax HE160	15	5924.68	51.67	68.20	-16.53	V	AVERAGE	Pass	Band Edge
60	802.11ax HE160	15	12050.00	47.58	74.00	-26.42	V	Peak	Pass	Harmonic
61	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
61	802.11ax HE160	47	12370.00	46.37	74.00	-27.63	V	Peak	Pass	Harmonic
62	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
62	802.11ax HE160	79	12690.00	46.07	74.00	-27.93	V	Peak	Pass	Harmonic
63	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
63	802.11ax HE160	111	13010.00	47.32	88.20	-40.88	H	Peak	Pass	Harmonic
64	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
64	802.11ax HE160	143	13330.00	47.48	74.00	-26.52	V	Peak	Pass	Harmonic
65	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
65	802.11ax HE160	175	13650.00	47.43	88.20	-40.77	V	Peak	Pass	Harmonic
66	802.11ax HE160	207	7258.75	41.63	54.00	-12.37	V	AVERAGE	Pass	Band Edge
66	802.11ax HE160	207	13970.00	47.42	88.20	-40.78	V	Peak	Pass	Harmonic
67	802.11ax HE160	207	7323.13	41.49	54.00	-12.51	V	AVERAGE	Pass	Band Edge
67	802.11ax HE160	207	-	-	-	-	-	-	-	Harmonic
68	802.11ax HE160_LF	207	141.55	29.36	43.50	-14.14	V	Peak	Pass	LF
69	CO-TX	-	2483.52	44.72	54.00	-9.28	V	Average	Pass	Band Edge
		-	4960	44.1	74	-29.9	V	Peak	Pass	Harmonic





Mode	1																																																			
	Band Edge																																																			
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																			
ANT	1																																																			
Pol.	Horizontal																																																			
Peak																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>49.73</td><td>88.20</td><td>-38.47</td><td>38.90</td><td>34.84</td><td>8.87</td><td>32.88</td><td>275</td><td>119</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	49.73	88.20	-38.47	38.90	34.84	8.87	32.88	275	119	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5853.60	49.73	88.20	-38.47	38.90	34.84	8.87	32.88	275	119	PEAK																																									
Fundamental																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>90.55</td><td>-----</td><td>-----</td><td>79.73</td><td>35.03</td><td>8.75</td><td>32.96</td><td>275</td><td>119</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	90.55	-----	-----	79.73	35.03	8.75	32.96	275	119	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5955.00	90.55	-----	-----	79.73	35.03	8.75	32.96	275	119	PEAK																																									
Avg																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5833.84</td><td>40.14</td><td>68.20</td><td>-28.06</td><td>29.30</td><td>34.80</td><td>8.90</td><td>32.86</td><td>275</td><td>119</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5833.84	40.14	68.20	-28.06	29.30	34.80	8.90	32.86	275	119	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5833.84	40.14	68.20	-28.06	29.30	34.80	8.90	32.86	275	119	AVERAGE																																									
AVERAGE																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>83.70</td><td>-----</td><td>-----</td><td>72.88</td><td>35.03</td><td>8.75</td><td>32.96</td><td>275</td><td>119</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	83.70	-----	-----	72.88	35.03	8.75	32.96	275	119	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5955.00	83.70	-----	-----	72.88	35.03	8.75	32.96	275	119	AVERAGE																																									





Mode	1																																																			
	Band Edge																																																			
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																			
ANT	1																																																			
Pol.	Vertical																																																			
Peak																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5885.06</td><td>50.71</td><td>88.20</td><td>-37.49</td><td>39.88</td><td>34.89</td><td>8.84</td><td>32.90</td><td>100</td><td>79</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5885.06	50.71	88.20	-37.49	39.88	34.89	8.84	32.90	100	79
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5885.06	50.71	88.20	-37.49	39.88	34.89	8.84	32.90	100	79	PEAK																																									
Fundamental																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>95.34</td><td>-----</td><td>-----</td><td>84.52</td><td>35.03</td><td>8.75</td><td>32.96</td><td>100</td><td>79</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.34	-----	-----	84.52	35.03	8.75	32.96	100	79
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5955.00	95.34	-----	-----	84.52	35.03	8.75	32.96	100	79	PEAK																																									
Avg																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5910.02</td><td>40.14</td><td>68.20</td><td>-28.06</td><td>29.31</td><td>34.94</td><td>8.81</td><td>32.92</td><td>100</td><td>79</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5910.02	40.14	68.20	-28.06	29.31	34.94	8.81	32.92	100	79
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5910.02	40.14	68.20	-28.06	29.31	34.94	8.81	32.92	100	79	AVERAGE																																									
Fundamental																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>86.62</td><td>-----</td><td>-----</td><td>75.80</td><td>35.03</td><td>8.75</td><td>32.96</td><td>100</td><td>79</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	86.62	-----	-----	75.80	35.03	8.75	32.96	100	79
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5955.00	86.62	-----	-----	75.80	35.03	8.75	32.96	100	79	AVERAGE																																									





Mode	1																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>55.25</td><td>38.25</td><td>11.66</td><td>57.30</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>49.34</td><td>74.00</td><td>-24.66</td><td>50.67</td><td>42.45</td><td>13.31</td><td>57.09</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	47.86	74.00	-26.14	55.25	38.25	11.66	57.30	--	--	Peak	2	17865.00	49.34	74.00	-24.66	50.67	42.45	13.31	57.09	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>48.05</td><td>74.00</td><td>-25.95</td><td>55.44</td><td>38.25</td><td>11.66</td><td>57.30</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>49.36</td><td>74.00</td><td>-24.64</td><td>50.69</td><td>42.45</td><td>13.31</td><td>57.09</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	48.05	74.00	-25.95	55.44	38.25	11.66	57.30	--	--	Peak	2	17865.00	49.36	74.00	-24.64	50.69	42.45	13.31	57.09	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11910.00	47.86	74.00	-26.14	55.25	38.25	11.66	57.30	--	--	Peak																																																																																																									
2	17865.00	49.34	74.00	-24.66	50.67	42.45	13.31	57.09	--	--	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11910.00	48.05	74.00	-25.95	55.44	38.25	11.66	57.30	--	--	Peak																																																																																																									
2	17865.00	49.36	74.00	-24.64	50.69	42.45	13.31	57.09	--	--	Peak																																																																																																									





Mode	2																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12380.00</td><td>47.41</td><td>74.00</td><td>-26.59</td><td>55.30</td><td>37.80</td><td>11.78</td><td>57.47</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor				MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12380.00	47.41	74.00	-26.59	55.30	37.80	11.78	57.47	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12380.00</td><td>47.59</td><td>74.00</td><td>-26.41</td><td>55.48</td><td>37.80</td><td>11.78</td><td>57.47</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor				MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12380.00	47.59	74.00	-26.41	55.48	37.80	11.78	57.47	--	--
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq		Level	Line Margin	Level	Factor	Loss Factor																																																																																												
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm		deg																																																																																							
1	12380.00	47.41	74.00	-26.59	55.30	37.80	11.78	57.47	--	--	Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq		Level	Line Margin	Level	Factor	Loss Factor																																																																																												
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm		deg																																																																																							
1	12380.00	47.59	74.00	-26.41	55.48	37.80	11.78	57.47	--	--	Peak																																																																																							





Mode	3																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12830.00</td><td>46.95</td><td>88.20</td><td>-41.25</td><td>54.60</td><td>38.26</td><td>11.87</td><td>57.78</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12830.00	46.95	88.20	-41.25	54.60	38.26	11.87	57.78	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12830.00</td><td>48.68</td><td>88.20</td><td>-39.52</td><td>56.33</td><td>38.26</td><td>11.87</td><td>57.78</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12830.00	48.68	88.20	-39.52	56.33	38.26	11.87	57.78	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12830.00	46.95	88.20	-41.25	54.60	38.26	11.87	57.78	--	--	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12830.00	48.68	88.20	-39.52	56.33	38.26	11.87	57.78	--	--	Peak																																																																																														





Mode	4																																																																																																		
	Harmonic																																																																																																		
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>48.20</td><td>88.20</td><td>-40.00</td><td>55.79</td><td>38.34</td><td>11.88</td><td>57.81</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	48.20	88.20	-40.00	55.79	38.34	11.88	57.81	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>48.51</td><td>88.20</td><td>-39.69</td><td>56.10</td><td>38.34</td><td>11.88</td><td>57.81</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	48.51	88.20	-39.69	56.10	38.34	11.88	57.81	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12870.00	48.20	88.20	-40.00	55.79	38.34	11.88	57.81	--	--	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12870.00	48.51	88.20	-39.69	56.10	38.34	11.88	57.81	--	--	Peak																																																																																								





Mode	5																																																																																												
	Harmonic																																																																																												
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																												
ANT	1																																																																																												
Pol.	Horizontal										Vertical																																																																																		
Peak Avg																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12950.00</td><td>48.01</td><td>88.20</td><td>-40.19</td><td>55.47</td><td>38.50</td><td>11.90</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	48.01	88.20	-40.19	55.47	38.50	11.90	57.86	--	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12950.00</td><td>47.96</td><td>88.20</td><td>-40.24</td><td>55.42</td><td>38.50</td><td>11.90</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	47.96	88.20	-40.24	55.42	38.50	11.90	57.86	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12950.00	48.01	88.20	-40.19	55.47	38.50	11.90	57.86	--	--	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12950.00	47.96	88.20	-40.24	55.42	38.50	11.90	57.86	--	--	Peak																																																																																		





Mode	6																																																									
	Harmonic																																																									
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																									
ANT	1																																																									
Pol.	Horizontal																																																									
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13030.00</td><td>49.24</td><td>88.20</td><td>-38.96</td><td>56.65</td><td>38.59</td><td>11.93</td><td>57.93</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13030.00	49.24	88.20	-38.96	56.65	38.59	11.93	57.93	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	13030.00	49.24	88.20	-38.96	56.65	38.59	11.93	57.93	--	--	Peak																																															
Vertical																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13030.00</td><td>48.21</td><td>88.20</td><td>-39.99</td><td>55.62</td><td>38.59</td><td>11.93</td><td>57.93</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13030.00	48.21	88.20	-39.99	55.62	38.59	11.93	57.93	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	13030.00	48.21	88.20	-39.99	55.62	38.59	11.93	57.93	--	--	Peak																																															





Mode	7																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>13070.00</td><td>48.68</td><td>88.20</td><td>-39.52</td><td>56.10</td><td>38.59</td><td>11.96</td><td>57.97</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	13070.00	48.68	88.20	-39.52	56.10	38.59	11.96	57.97	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>13070.00</td><td>49.32</td><td>88.20</td><td>-38.88</td><td>56.74</td><td>38.59</td><td>11.96</td><td>57.97</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	13070.00	49.32	88.20	-38.88	56.74	38.59	11.96	57.97	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	13070.00	48.68	88.20	-39.52	56.10	38.59	11.96	57.97	--	--	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	13070.00	49.32	88.20	-38.88	56.74	38.59	11.96	57.97	--	--	Peak																																																																																														





Mode	8																																																																																						
	Harmonic																																																																																						
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																						
ANT	1																																																																																						
Pol.	Horizontal										Vertical																																																																												
Peak Avg																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13390.00</td><td>48.61</td><td>74.00</td><td>-25.39</td><td>56.19</td><td>38.52</td><td>12.23</td><td>58.33</td><td>--</td><td>-- Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	48.61	74.00	-25.39	56.19	38.52	12.23	58.33	--	-- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13390.00</td><td>48.97</td><td>74.00</td><td>-25.03</td><td>56.55</td><td>38.52</td><td>12.23</td><td>58.33</td><td>--</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	48.97	74.00	-25.03	56.55	38.52	12.23	58.33	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 13390.00	48.61	74.00	-25.39	56.19	38.52	12.23	58.33	--	-- Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 13390.00	48.97	74.00	-25.03	56.55	38.52	12.23	58.33	--	-- Peak																																																																														





Mode	9																																																																																																
	Harmonic																																																																																																
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal										Vertical																																																																																						
Peak Avg																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13710.00</td><td>49.54</td><td>88.20</td><td>-38.66</td><td>57.05</td><td>38.67</td><td>12.50</td><td>58.68</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13710.00	49.54	88.20	-38.66	57.05	38.67	12.50	58.68	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13710.00</td><td>49.92</td><td>88.20</td><td>-38.28</td><td>57.43</td><td>38.67</td><td>12.50</td><td>58.68</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13710.00	49.92	88.20	-38.28	57.43	38.67	12.50	58.68	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 13710.00	49.54	88.20	-38.66	57.05	38.67	12.50	58.68	--	--	Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 13710.00	49.92	88.20	-38.28	57.43	38.67	12.50	58.68	--	--	Peak																																																																																							





Mode	10																																																																																							
	Harmonic																																																																																							
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>48.45</td><td>88.20</td><td>-39.75</td><td>55.94</td><td>38.70</td><td>12.53</td><td>58.72</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13750.00	48.45	88.20	-39.75	55.94	38.70	12.53	58.72	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>49.24</td><td>88.20</td><td>-38.96</td><td>56.73</td><td>38.70</td><td>12.53</td><td>58.72</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13750.00	49.24	88.20	-38.96	56.73	38.70	12.53	58.72	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	13750.00	48.45	88.20	-39.75	55.94	38.70	12.53	58.72	--	Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	13750.00	49.24	88.20	-38.96	56.73	38.70	12.53	58.72	--	Peak																																																																														







Mode	11																																																																																																			
	Harmonic																																																																																																			
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>49.14</td><td>88.20</td><td>-39.06</td><td>56.61</td><td>38.73</td><td>12.56</td><td>58.76</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	49.14	88.20	-39.06	56.61	38.73	12.56	58.76	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>48.77</td><td>88.20</td><td>-39.43</td><td>56.24</td><td>38.73</td><td>12.56</td><td>58.76</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	48.77	88.20	-39.43	56.24	38.73	12.56	58.76	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13790.00	49.14	88.20	-39.06	56.61	38.73	12.56	58.76	--	--	Peak																																																																																									
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13790.00	48.77	88.20	-39.43	56.24	38.73	12.56	58.76	--	--	Peak																																																																																									







Mode	12																																																																																																
	Harmonic																																																																																																
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal										Vertical																																																																																						
Peak Avg																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13990.00</td><td>48.76</td><td>88.20</td><td>-39.44</td><td>56.12</td><td>38.89</td><td>12.73</td><td>58.98</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13990.00	48.76	88.20	-39.44	56.12	38.89	12.73	58.98	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13990.00</td><td>49.69</td><td>88.20</td><td>-38.51</td><td>57.05</td><td>38.89</td><td>12.73</td><td>58.98</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13990.00	49.69	88.20	-38.51	57.05	38.89	12.73	58.98	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 13990.00	48.76	88.20	-39.44	56.12	38.89	12.73	58.98	--	--	Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 13990.00	49.69	88.20	-38.51	57.05	38.89	12.73	58.98	--	--	Peak																																																																																							





Mode	13																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7160.03</td><td>49.96</td><td>88.20</td><td>-38.24</td><td>38.96</td><td>36.30</td><td>8.63</td><td>33.93</td><td>181</td><td>107</td><td>PEAK</td></tr><tr><td>2</td><td>7255.65</td><td>50.11</td><td>74.00</td><td>-23.89</td><td>39.07</td><td>36.30</td><td>8.75</td><td>34.01</td><td>181</td><td>107</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	7160.03	49.96	88.20	-38.24	38.96	36.30	8.63	33.93	181	107	PEAK	2	7255.65	50.11	74.00	-23.89	39.07	36.30	8.75	34.01	181	107	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>86.11</td><td>-----</td><td>-----</td><td>74.95</td><td>36.30</td><td>8.73</td><td>33.87</td><td>181</td><td>107</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	7095.00	86.11	-----	-----	74.95	36.30	8.73	33.87	181	107
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																													
1	7160.03	49.96	88.20	-38.24	38.96	36.30	8.63	33.93	181	107	PEAK																																																																																									
2	7255.65	50.11	74.00	-23.89	39.07	36.30	8.75	34.01	181	107	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																													
1	7095.00	86.11	-----	-----	74.95	36.30	8.73	33.87	181	107	PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7127.39</td><td>40.52</td><td>68.20</td><td>-27.68</td><td>29.44</td><td>36.30</td><td>8.68</td><td>33.90</td><td>181</td><td>107</td><td>AVERAGE</td></tr><tr><td>2</td><td>7329.09</td><td>40.51</td><td>54.00</td><td>-13.49</td><td>29.29</td><td>36.30</td><td>8.99</td><td>34.07</td><td>181</td><td>107</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	7127.39	40.52	68.20	-27.68	29.44	36.30	8.68	33.90	181	107	AVERAGE	2	7329.09	40.51	54.00	-13.49	29.29	36.30	8.99	34.07	181	107	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>79.65</td><td>99.20</td><td>-19.55</td><td>68.49</td><td>36.30</td><td>8.73</td><td>33.87</td><td>181</td><td>107</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	7095.00	79.65	99.20	-19.55	68.49	36.30	8.73	33.87	181	107
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																													
1	7127.39	40.52	68.20	-27.68	29.44	36.30	8.68	33.90	181	107	AVERAGE																																																																																									
2	7329.09	40.51	54.00	-13.49	29.29	36.30	8.99	34.07	181	107	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																													
1	7095.00	79.65	99.20	-19.55	68.49	36.30	8.73	33.87	181	107	AVERAGE																																																																																									







Mode	13																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7159.52</td><td>50.50</td><td>88.20</td><td>-37.70</td><td>39.49</td><td>36.30</td><td>8.64</td><td>33.93</td><td>100</td><td>121</td><td>PEAK</td></tr><tr><td>2</td><td>7323.74</td><td>50.73</td><td>74.00</td><td>-23.27</td><td>39.52</td><td>36.30</td><td>8.97</td><td>34.06</td><td>100</td><td>121</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7159.52	50.50	88.20	-37.70	39.49	36.30	8.64	33.93	100	121	PEAK	2	7323.74	50.73	74.00	-23.27	39.52	36.30	8.97	34.06	100	121	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>95.15</td><td>-----</td><td>-----</td><td>83.99</td><td>36.30</td><td>8.73</td><td>33.87</td><td>100</td><td>121</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	95.15	-----	-----	83.99	36.30	8.73	33.87	100	121
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7159.52	50.50	88.20	-37.70	39.49	36.30	8.64	33.93	100	121	PEAK																																																																																											
2	7323.74	50.73	74.00	-23.27	39.52	36.30	8.97	34.06	100	121	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7095.00	95.15	-----	-----	83.99	36.30	8.73	33.87	100	121	PEAK																																																																																											
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.13</td><td>40.62</td><td>68.20</td><td>-27.58</td><td>29.54</td><td>36.30</td><td>8.68</td><td>33.90</td><td>100</td><td>121</td><td>AVERAGE</td></tr><tr><td>2</td><td>7344.39</td><td>40.61</td><td>54.00</td><td>-13.39</td><td>29.35</td><td>36.30</td><td>9.04</td><td>34.08</td><td>100</td><td>121</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7127.13	40.62	68.20	-27.58	29.54	36.30	8.68	33.90	100	121	AVERAGE	2	7344.39	40.61	54.00	-13.39	29.35	36.30	9.04	34.08	100	121	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>88.25</td><td>-----</td><td>-----</td><td>77.11</td><td>36.30</td><td>8.72</td><td>33.88</td><td>100</td><td>121</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	88.25	-----	-----	77.11	36.30	8.72	33.88	100	121
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7127.13	40.62	68.20	-27.58	29.54	36.30	8.68	33.90	100	121	AVERAGE																																																																																											
2	7344.39	40.61	54.00	-13.39	29.35	36.30	9.04	34.08	100	121	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7095.00	88.25	-----	-----	77.11	36.30	8.72	33.88	100	121	AVERAGE																																																																																											







Mode	13																																																																																																		
	Harmonic																																																																																																		
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>49.05</td><td>88.20</td><td>-39.15</td><td>56.16</td><td>39.05</td><td>12.73</td><td>58.89</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	49.05	88.20	-39.15	56.16	39.05	12.73	58.89	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>49.93</td><td>88.20</td><td>-38.27</td><td>57.04</td><td>39.05</td><td>12.73</td><td>58.89</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	49.93	88.20	-38.27	57.04	39.05	12.73	58.89	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	14190.00	49.05	88.20	-39.15	56.16	39.05	12.73	58.89	--	--	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	14190.00	49.93	88.20	-38.27	57.04	39.05	12.73	58.89	--	--	Peak																																																																																								





Mode	14																																																		
	Band Edge																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																		
ANT	1																																																		
Pol.	Horizontal																																																		
Peak																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5905.86</td><td>49.80</td><td>88.20</td><td>-38.40</td><td>38.98</td><td>34.93</td><td>8.81</td><td>32.92</td><td>283</td><td>207</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5905.86	49.80	88.20	-38.40	38.98	34.93	8.81	32.92	283	207	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5905.86	49.80	88.20	-38.40	38.98	34.93	8.81	32.92	283	207	PEAK																																								
Fundamental																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>94.92</td><td>-----</td><td>-----</td><td>84.10</td><td>35.03</td><td>8.75</td><td>32.96</td><td>283</td><td>207</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	94.92	-----	-----	84.10	35.03	8.75	32.96	283	207	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5955.00	94.92	-----	-----	84.10	35.03	8.75	32.96	283	207	PEAK																																								
Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.08</td><td>39.97</td><td>68.20</td><td>-28.23</td><td>29.15</td><td>34.95</td><td>8.80</td><td>32.93</td><td>283</td><td>207</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.08	39.97	68.20	-28.23	29.15	34.95	8.80	32.93	283	207	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5918.08	39.97	68.20	-28.23	29.15	34.95	8.80	32.93	283	207	AVERAGE																																								
AVERAGE																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>85.63</td><td>-----</td><td>-----</td><td>74.81</td><td>35.04</td><td>8.74</td><td>32.96</td><td>283</td><td>207</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	85.63	-----	-----	74.81	35.04	8.74	32.96	283	207	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5955.00	85.63	-----	-----	74.81	35.04	8.74	32.96	283	207	AVERAGE																																								







Mode	14																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5869.59</td><td>50.35</td><td>88.20</td><td>-37.85</td><td>39.52</td><td>34.87</td><td>8.85</td><td>32.89</td><td>100</td><td>85</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5869.59	50.35	88.20	-37.85	39.52	34.87	8.85	32.89	100	85	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>97.31</td><td>-----</td><td>-----</td><td>86.49</td><td>35.03</td><td>8.75</td><td>32.96</td><td>100</td><td>85</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	97.31	-----	-----	86.49	35.03	8.75	32.96	100	85
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5869.59	50.35	88.20	-37.85	39.52	34.87	8.85	32.89	100	85	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5955.00	97.31	-----	-----	86.49	35.03	8.75	32.96	100	85	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5881.68</td><td>40.09</td><td>68.20</td><td>-28.11</td><td>29.26</td><td>34.89</td><td>8.84</td><td>32.90</td><td>100</td><td>85</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5881.68	40.09	68.20	-28.11	29.26	34.89	8.84	32.90	100	85	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5881.68</td><td>40.09</td><td>68.20</td><td>-28.11</td><td>29.26</td><td>34.89</td><td>8.84</td><td>32.90</td><td>100</td><td>85</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5881.68	40.09	68.20	-28.11	29.26	34.89	8.84	32.90	100	85
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5881.68	40.09	68.20	-28.11	29.26	34.89	8.84	32.90	100	85	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5881.68	40.09	68.20	-28.11	29.26	34.89	8.84	32.90	100	85	AVERAGE																																																																															







Mode	14																																																																																	
	Harmonic																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11910.00</td><td>48.07</td><td>74.00</td><td>-25.93</td><td>55.46</td><td>38.25</td><td>11.66</td><td>57.30</td></tr><tr><td>2 17865.00</td><td>49.99</td><td>74.00</td><td>-24.01</td><td>51.32</td><td>42.45</td><td>13.31</td><td>57.09</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11910.00	48.07	74.00	-25.93	55.46	38.25	11.66	57.30	2 17865.00	49.99	74.00	-24.01	51.32	42.45	13.31	57.09	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11910.00</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>55.34</td><td>38.25</td><td>11.66</td><td>57.30</td></tr><tr><td>2 17865.00</td><td>49.92</td><td>74.00</td><td>-24.08</td><td>51.25</td><td>42.45</td><td>13.31</td><td>57.09</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11910.00	47.95	74.00	-26.05	55.34	38.25	11.66	57.30	2 17865.00	49.92	74.00	-24.08	51.25	42.45	13.31	57.09
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 11910.00	48.07	74.00	-25.93	55.46	38.25	11.66	57.30																																																																											
2 17865.00	49.99	74.00	-24.01	51.32	42.45	13.31	57.09																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 11910.00	47.95	74.00	-26.05	55.34	38.25	11.66	57.30																																																																											
2 17865.00	49.92	74.00	-24.08	51.25	42.45	13.31	57.09																																																																											







Mode	15																																																																																													
	Band Edge																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU26/0_5955MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5846.84</td><td>49.46</td><td>88.20</td><td>-38.74</td><td>38.63</td><td>34.82</td><td>8.88</td><td>32.87</td><td>268</td><td>215</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5846.84	49.46	88.20	-38.74	38.63	34.82	8.88	32.87	268	215	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>93.12</td><td>-----</td><td>-----</td><td>82.30</td><td>35.01</td><td>8.76</td><td>32.95</td><td>268</td><td>215</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	93.12	-----	-----	82.30	35.01	8.76	32.95	268	215
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5846.84	49.46	88.20	-38.74	38.63	34.82	8.88	32.87	268	215	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5955.00	93.12	-----	-----	82.30	35.01	8.76	32.95	268	215	PEAK																																																																																			
Avg																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5906.90</td><td>39.86</td><td>68.20</td><td>-28.34</td><td>29.04</td><td>34.93</td><td>8.81</td><td>32.92</td><td>268</td><td>215</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5906.90	39.86	68.20	-28.34	29.04	34.93	8.81	32.92	268	215	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>85.90</td><td>-----</td><td>-----</td><td>75.08</td><td>35.01</td><td>8.76</td><td>32.95</td><td>268</td><td>215</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	85.90	-----	-----	75.08	35.01	8.76	32.95	268	215
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5906.90	39.86	68.20	-28.34	29.04	34.93	8.81	32.92	268	215	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5955.00	85.90	-----	-----	75.08	35.01	8.76	32.95	268	215	AVERAGE																																																																																			







Mode	15																																																																																													
	Band Edge																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU26/0_5955MHz																																																																																													
ANT	1																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5881.81</td><td>49.70</td><td>88.20</td><td>-38.50</td><td>38.87</td><td>34.89</td><td>8.84</td><td>32.90</td><td>104</td><td>85</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5881.81	49.70	88.20	-38.50	38.87	34.89	8.84	32.90	104	85	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>95.76</td><td>-----</td><td>-----</td><td>84.94</td><td>35.01</td><td>8.76</td><td>32.95</td><td>104</td><td>85</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.76	-----	-----	84.94	35.01	8.76	32.95	104	85
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5881.81	49.70	88.20	-38.50	38.87	34.89	8.84	32.90	104	85	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5955.00	95.76	-----	-----	84.94	35.01	8.76	32.95	104	85	PEAK																																																																																			
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5840.21</td><td>39.91</td><td>68.20</td><td>-28.29</td><td>29.08</td><td>34.81</td><td>8.89</td><td>32.87</td><td>104</td><td>85</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5840.21	39.91	68.20	-28.29	29.08	34.81	8.89	32.87	104	85	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>87.72</td><td>-----</td><td>-----</td><td>76.90</td><td>35.01</td><td>8.76</td><td>32.95</td><td>104</td><td>85</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	87.72	-----	-----	76.90	35.01	8.76	32.95	104	85
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5840.21	39.91	68.20	-28.29	29.08	34.81	8.89	32.87	104	85	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5955.00	87.72	-----	-----	76.90	35.01	8.76	32.95	104	85	AVERAGE																																																																																			







Mode	16																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU52/37_5955MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5839.69</td><td>49.33</td><td>88.20</td><td>-38.87</td><td>38.50</td><td>34.81</td><td>8.89</td><td>32.87</td><td>285</td><td>211</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5839.69	49.33	88.20	-38.87	38.50	34.81	8.89	32.87	285	211	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>90.78</td><td>-----</td><td>-----</td><td>79.96</td><td>35.01</td><td>8.76</td><td>32.95</td><td>285</td><td>211</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	90.78	-----	-----	79.96	35.01	8.76	32.95	285	211
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5839.69	49.33	88.20	-38.87	38.50	34.81	8.89	32.87	285	211	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	90.78	-----	-----	79.96	35.01	8.76	32.95	285	211	PEAK																																																																																	
Avg																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5915.22</td><td>39.91</td><td>68.20</td><td>-28.29</td><td>29.09</td><td>34.95</td><td>8.80</td><td>32.93</td><td>285</td><td>211</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.22	39.91	68.20	-28.29	29.09	34.95	8.80	32.93	285	211	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>82.10</td><td>-----</td><td>-----</td><td>71.28</td><td>35.01</td><td>8.76</td><td>32.95</td><td>285</td><td>211</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	82.10	-----	-----	71.28	35.01	8.76	32.95	285	211
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5915.22	39.91	68.20	-28.29	29.09	34.95	8.80	32.93	285	211	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	82.10	-----	-----	71.28	35.01	8.76	32.95	285	211	AVERAGE																																																																																	







Mode	16																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU52/37_5955MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5830.07</td><td>49.69</td><td>88.20</td><td>-38.51</td><td>38.86</td><td>34.79</td><td>8.90</td><td>32.86</td><td>106</td><td>83</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5830.07	49.69	88.20	-38.51	38.86	34.79	8.90	32.86	106	83	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>93.29</td><td>-----</td><td>-----</td><td>82.47</td><td>35.01</td><td>8.76</td><td>32.95</td><td>106</td><td>83</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	93.29	-----	-----	82.47	35.01	8.76	32.95	106	83
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5830.07	49.69	88.20	-38.51	38.86	34.79	8.90	32.86	106	83	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5955.00	93.29	-----	-----	82.47	35.01	8.76	32.95	106	83	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5849.96</td><td>39.94</td><td>68.20</td><td>-28.26</td><td>29.11</td><td>34.83</td><td>8.88</td><td>32.88</td><td>106</td><td>83</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5849.96	39.94	68.20	-28.26	29.11	34.83	8.88	32.88	106	83	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>84.80</td><td>-----</td><td>-----</td><td>73.98</td><td>35.01</td><td>8.76</td><td>32.95</td><td>106</td><td>83</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	84.80	-----	-----	73.98	35.01	8.76	32.95	106	83
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5849.96	39.94	68.20	-28.26	29.11	34.83	8.88	32.88	106	83	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5955.00	84.80	-----	-----	73.98	35.01	8.76	32.95	106	83	AVERAGE																																																																															





Mode	17																																																																																													
	Band Edge																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5870.50</td><td>50.11</td><td>88.20</td><td>-38.09</td><td>39.28</td><td>34.87</td><td>8.85</td><td>32.89</td><td>285</td><td>208</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5870.50	50.11	88.20	-38.09	39.28	34.87	8.85	32.89	285	208	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>90.40</td><td>-----</td><td>-----</td><td>79.58</td><td>35.01</td><td>8.76</td><td>32.95</td><td>285</td><td>208</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	90.40	-----	-----	79.58	35.01	8.76	32.95	285	208
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5870.50	50.11	88.20	-38.09	39.28	34.87	8.85	32.89	285	208	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5955.00	90.40	-----	-----	79.58	35.01	8.76	32.95	285	208	PEAK																																																																																			
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5904.43</td><td>39.89</td><td>68.20</td><td>-28.31</td><td>29.07</td><td>34.93</td><td>8.81</td><td>32.92</td><td>285</td><td>208</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5904.43	39.89	68.20	-28.31	29.07	34.93	8.81	32.92	285	208	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>82.17</td><td>-----</td><td>-----</td><td>71.35</td><td>35.01</td><td>8.76</td><td>32.95</td><td>285</td><td>208</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	82.17	-----	-----	71.35	35.01	8.76	32.95	285	208
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5904.43	39.89	68.20	-28.31	29.07	34.93	8.81	32.92	285	208	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5955.00	82.17	-----	-----	71.35	35.01	8.76	32.95	285	208	AVERAGE																																																																																			





Mode	17																																																																																													
	Band Edge																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz																																																																																													
ANT	1																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5842.29</td><td>49.91</td><td>88.20</td><td>-38.29</td><td>39.07</td><td>34.82</td><td>8.89</td><td>32.87</td><td>107</td><td>84</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5842.29	49.91	88.20	-38.29	39.07	34.82	8.89	32.87	107	84	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5955.00</td><td>93.40</td><td>-----</td><td>-----</td><td>82.58</td><td>35.01</td><td>8.76</td><td>32.95</td><td>107</td><td>84</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	93.40	-----	-----	82.58	35.01	8.76	32.95	107	84
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5842.29	49.91	88.20	-38.29	39.07	34.82	8.89	32.87	107	84	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5955.00	93.40	-----	-----	82.58	35.01	8.76	32.95	107	84	PEAK																																																																																			
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5920.29</td><td>39.92</td><td>68.20</td><td>-28.28</td><td>29.10</td><td>34.96</td><td>8.79</td><td>32.93</td><td>107</td><td>84</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5920.29	39.92	68.20	-28.28	29.10	34.96	8.79	32.93	107	84	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5955.00</td><td>84.30</td><td>-----</td><td>-----</td><td>73.48</td><td>35.01</td><td>8.76</td><td>32.95</td><td>107</td><td>84</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	84.30	-----	-----	73.48	35.01	8.76	32.95	107	84
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5920.29	39.92	68.20	-28.28	29.10	34.96	8.79	32.93	107	84	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5955.00	84.30	-----	-----	73.48	35.01	8.76	32.95	107	84	AVERAGE																																																																																			





Mode	18																																																																																			
	Harmonic																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_6195MHz																																																																																			
ANT	1																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12380.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>55.35</td><td>37.80</td><td>11.78</td><td>57.47</td><td>--</td><td>-- Peak</td></tr></table>						Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12380.00	47.46	74.00	-26.54	55.35	37.80	11.78	57.47	--	-- Peak	<table><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12380.00</td><td>47.20</td><td>74.00</td><td>-26.80</td><td>55.09</td><td>37.80</td><td>11.78</td><td>57.47</td><td>--</td><td>-- Peak</td></tr></table>					Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12380.00	47.20	74.00	-26.80	55.09	37.80	11.78	57.47	--
Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 12380.00	47.46	74.00	-26.54	55.35	37.80	11.78	57.47	--	-- Peak																																																																											
Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 12380.00	47.20	74.00	-26.80	55.09	37.80	11.78	57.47	--	-- Peak																																																																											





Mode	19																																																									
	Harmonic																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_6415MHz																																																									
ANT	1																																																									
Pol.	Horizontal																																																									
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12830.00</td><td>47.61</td><td>88.20</td><td>-40.59</td><td>55.26</td><td>38.26</td><td>11.87</td><td>57.78</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12830.00	47.61	88.20	-40.59	55.26	38.26	11.87	57.78	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	12830.00	47.61	88.20	-40.59	55.26	38.26	11.87	57.78	--	--	Peak																																															
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12830.00</td><td>47.10</td><td>88.20</td><td>-41.10</td><td>54.75</td><td>38.26</td><td>11.87</td><td>57.78</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12830.00	47.10	88.20	-41.10	54.75	38.26	11.87	57.78	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	12830.00	47.10	88.20	-41.10	54.75	38.26	11.87	57.78	--	--	Peak																																															





Mode	20																																																																																																		
	Harmonic																																																																																																		
	U-NII-6_6.425-6.525_802.11ax HE20_CH97_Full RU_6435MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>45.62</td><td>88.20</td><td>-42.58</td><td>53.21</td><td>38.34</td><td>11.88</td><td>57.81</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	45.62	88.20	-42.58	53.21	38.34	11.88	57.81	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>45.50</td><td>88.20</td><td>-42.70</td><td>53.09</td><td>38.34</td><td>11.88</td><td>57.81</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	45.50	88.20	-42.70	53.09	38.34	11.88	57.81	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12870.00	45.62	88.20	-42.58	53.21	38.34	11.88	57.81	--	--	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12870.00	45.50	88.20	-42.70	53.09	38.34	11.88	57.81	--	--	Peak																																																																																								




Mode	21																																																																																										
	Harmonic																																																																																										
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_Full RU_6475MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>45.95</td><td>88.20</td><td>-42.25</td><td>53.41</td><td>38.50</td><td>11.90</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12950.00	45.95	88.20	-42.25	53.41	38.50	11.90	57.86	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>46.70</td><td>88.20</td><td>-41.50</td><td>54.16</td><td>38.50</td><td>11.90</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12950.00	46.70	88.20	-41.50	54.16	38.50	11.90	57.86	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	12950.00	45.95	88.20	-42.25	53.41	38.50	11.90	57.86	--	--	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	12950.00	46.70	88.20	-41.50	54.16	38.50	11.90	57.86	--	--	Peak																																																																																




Mode	22																																																																																												
	Harmonic																																																																																												
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHz																																																																																												
ANT	1																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>46.45</td><td>88.20</td><td>-41.75</td><td>53.86</td><td>38.59</td><td>11.93</td><td>57.93</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	46.45	88.20	-41.75	53.86	38.59	11.93	57.93	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>47.52</td><td>88.20</td><td>-40.68</td><td>54.93</td><td>38.59</td><td>11.93</td><td>57.93</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	47.52	88.20	-40.68	54.93	38.59	11.93	57.93	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13030.00	46.45	88.20	-41.75	53.86	38.59	11.93	57.93	--	--	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13030.00	47.52	88.20	-40.68	54.93	38.59	11.93	57.93	--	--	Peak																																																																																		





Mode	23																																																						
	Harmonic																																																						
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz																																																						
ANT	1																																																						
Pol.	Horizontal																																																						
Peak Avg																																																							
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>46.29</td><td>88.20</td><td>-41.91</td><td>53.71</td><td>38.59</td><td>11.96</td><td>57.97</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>													Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.29	88.20	-41.91	53.71	38.59	11.96	57.97	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	13070.00	46.29	88.20	-41.91	53.71	38.59	11.96	57.97	--	--	Peak																																												
<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>46.44</td><td>88.20</td><td>-41.76</td><td>53.86</td><td>38.59</td><td>11.96</td><td>57.97</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>													Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.44	88.20	-41.76	53.86	38.59	11.96	57.97	--	--	Peak	
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	13070.00	46.44	88.20	-41.76	53.86	38.59	11.96	57.97	--	--	Peak																																												





Mode	24																																																				
	Harmonic																																																				
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz																																																				
ANT	1																																																				
Pol.	Horizontal																																																				
Peak Avg																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13390.00</td><td>48.07</td><td>74.00</td><td>-25.93</td><td>55.65</td><td>38.52</td><td>12.23</td><td>58.33</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13390.00	48.07	74.00	-25.93	55.65	38.52	12.23	58.33	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	13390.00	48.07	74.00	-25.93	55.65	38.52	12.23	58.33	--	--	Peak																																										
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13390.00</td><td>48.03</td><td>74.00</td><td>-25.97</td><td>55.61</td><td>38.52</td><td>12.23</td><td>58.33</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13390.00	48.03	74.00	-25.97	55.61	38.52	12.23	58.33	--	--	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	13390.00	48.03	74.00	-25.97	55.61	38.52	12.23	58.33	--	--	Peak																																										





Mode	25																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_Full RU_6855MHz																																																																																																																	
ANT	1																																																																																																																	
Pol.	Horizontal										Vertical																																																																																																							
Peak Avg																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13710.00</td><td>46.89</td><td>88.20</td><td>-41.31</td><td>54.40</td><td>38.67</td><td>12.50</td><td>58.68</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13710.00	46.89	88.20	-41.31	54.40	38.67	12.50	58.68	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13710.00</td><td>47.95</td><td>88.20</td><td>-40.25</td><td>55.46</td><td>38.67</td><td>12.50</td><td>58.68</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13710.00	47.95	88.20	-40.25	55.46	38.67	12.50	58.68	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	13710.00	46.89	88.20	-41.31	54.40	38.67	12.50	58.68	--	--	Peak																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	13710.00	47.95	88.20	-40.25	55.46	38.67	12.50	58.68	--	--	Peak																																																																																																							





Mode	26																																																																																																				
	Harmonic																																																																																																				
	U-NII-7_6.525-6.875_802.11ax HE20_CH185_Full RU_6875MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal										Vertical																																																																																										
Peak Avg																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13750.00</td><td>48.08</td><td>88.20</td><td>-40.12</td><td>55.57</td><td>38.70</td><td>12.53</td><td>58.72</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13750.00	48.08	88.20	-40.12	55.57	38.70	12.53	58.72	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13750.00</td><td>47.84</td><td>88.20</td><td>-40.36</td><td>55.33</td><td>38.70</td><td>12.53</td><td>58.72</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13750.00	47.84	88.20	-40.36	55.33	38.70	12.53	58.72	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 13750.00	48.08	88.20	-40.12	55.57	38.70	12.53	58.72	--	--	Peak																																																																																											
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 13750.00	47.84	88.20	-40.36	55.33	38.70	12.53	58.72	--	--	Peak																																																																																											







Mode	27																																																																																																		
	Harmonic																																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_6895MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>46.83</td><td>88.20</td><td>-41.37</td><td>54.30</td><td>38.73</td><td>12.56</td><td>58.76</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	46.83	88.20	-41.37	54.30	38.73	12.56	58.76	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>47.12</td><td>88.20</td><td>-41.08</td><td>54.59</td><td>38.73</td><td>12.56</td><td>58.76</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	47.12	88.20	-41.08	54.59	38.73	12.56	58.76	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13790.00	46.83	88.20	-41.37	54.30	38.73	12.56	58.76	--	--	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13790.00	47.12	88.20	-41.08	54.59	38.73	12.56	58.76	--	--	Peak																																																																																								







		28																																																	
Mode		Harmonic																																																	
		U-NII-8_6.875-7.125_802.11ax HE20_CH209_6995MHz																																																	
ANT		1																																																	
Pol.		Horizontal					Vertical																																												
Peak Avg																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13990.00</td><td>47.36</td><td>88.20</td><td>-40.84</td><td>54.72</td><td>38.89</td><td>12.73</td><td>58.98</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13990.00	47.36	88.20	-40.84	54.72	38.89	12.73	58.98	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	13990.00	47.36	88.20	-40.84	54.72	38.89	12.73	58.98	--	--	Peak																																								
																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13990.00</td><td>47.03</td><td>88.20</td><td>-41.17</td><td>54.39</td><td>38.89</td><td>12.73</td><td>58.98</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13990.00	47.03	88.20	-41.17	54.39	38.89	12.73	58.98	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	13990.00	47.03	88.20	-41.17	54.39	38.89	12.73	58.98	--	--	Peak																																								



Mode	29																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7220.21</td><td>50.70</td><td>88.20</td><td>-37.50</td><td>39.74</td><td>36.30</td><td>8.64</td><td>33.98</td><td>100</td><td>291</td><td>PEAK</td></tr><tr><td>2</td><td>7306.14</td><td>50.15</td><td>74.00</td><td>-23.85</td><td>38.99</td><td>36.30</td><td>8.91</td><td>34.05</td><td>100</td><td>291</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7220.21	50.70	88.20	-37.50	39.74	36.30	8.64	33.98	100	291	PEAK	2	7306.14	50.15	74.00	-23.85	38.99	36.30	8.91	34.05	100	291	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>90.14</td><td>-----</td><td>-----</td><td>79.00</td><td>36.30</td><td>8.72</td><td>33.88</td><td>100</td><td>291</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	90.14	-----	-----	79.00	36.30	8.72	33.88	100	291
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7220.21	50.70	88.20	-37.50	39.74	36.30	8.64	33.98	100	291	PEAK																																																																																												
2	7306.14	50.15	74.00	-23.85	38.99	36.30	8.91	34.05	100	291	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7095.00	90.14	-----	-----	79.00	36.30	8.72	33.88	100	291	PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7244.94</td><td>40.66</td><td>68.20</td><td>-27.54</td><td>29.64</td><td>36.30</td><td>8.72</td><td>34.00</td><td>100</td><td>291</td><td>AVERAGE</td></tr><tr><td>2</td><td>7291.35</td><td>40.61</td><td>54.00</td><td>-13.39</td><td>29.48</td><td>36.30</td><td>8.87</td><td>34.04</td><td>100</td><td>291</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7244.94	40.66	68.20	-27.54	29.64	36.30	8.72	34.00	100	291	AVERAGE	2	7291.35	40.61	54.00	-13.39	29.48	36.30	8.87	34.04	100	291	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>80.86</td><td>-----</td><td>-----</td><td>69.70</td><td>36.30</td><td>8.73</td><td>33.87</td><td>100</td><td>291</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	80.86	-----	-----	69.70	36.30	8.73	33.87	100	291
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7244.94	40.66	68.20	-27.54	29.64	36.30	8.72	34.00	100	291	AVERAGE																																																																																												
2	7291.35	40.61	54.00	-13.39	29.48	36.30	8.87	34.04	100	291	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7095.00	80.86	-----	-----	69.70	36.30	8.73	33.87	100	291	AVERAGE																																																																																												







Mode	29																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7146.26</td><td>50.63</td><td>88.20</td><td>-37.57</td><td>39.60</td><td>36.30</td><td>8.65</td><td>33.92</td><td>100</td><td>119</td><td>PEAK</td></tr><tr><td>2</td><td>7275.80</td><td>50.00</td><td>74.00</td><td>-24.00</td><td>38.90</td><td>36.30</td><td>8.82</td><td>34.02</td><td>100</td><td>119</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7146.26	50.63	88.20	-37.57	39.60	36.30	8.65	33.92	100	119	PEAK	2	7275.80	50.00	74.00	-24.00	38.90	36.30	8.82	34.02	100	119	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>98.78</td><td>-----</td><td>-----</td><td>87.64</td><td>36.30</td><td>8.72</td><td>33.88</td><td>100</td><td>119</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	98.78	-----	-----	87.64	36.30	8.72	33.88	100	119
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7146.26	50.63	88.20	-37.57	39.60	36.30	8.65	33.92	100	119	PEAK																																																																																												
2	7275.80	50.00	74.00	-24.00	38.90	36.30	8.82	34.02	100	119	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7095.00	98.78	-----	-----	87.64	36.30	8.72	33.88	100	119	PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7129.17</td><td>40.75</td><td>68.20</td><td>-27.45</td><td>29.67</td><td>36.30</td><td>8.68</td><td>33.90</td><td>100</td><td>119</td><td>AVERAGE</td></tr><tr><td>2</td><td>7338.78</td><td>40.71</td><td>54.00</td><td>-13.29</td><td>29.46</td><td>36.30</td><td>9.02</td><td>34.07</td><td>100</td><td>119</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7129.17	40.75	68.20	-27.45	29.67	36.30	8.68	33.90	100	119	AVERAGE	2	7338.78	40.71	54.00	-13.29	29.46	36.30	9.02	34.07	100	119	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>89.11</td><td>-----</td><td>-----</td><td>77.95</td><td>36.30</td><td>8.73</td><td>33.87</td><td>100</td><td>119</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	89.11	-----	-----	77.95	36.30	8.73	33.87	100	119
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7129.17	40.75	68.20	-27.45	29.67	36.30	8.68	33.90	100	119	AVERAGE																																																																																												
2	7338.78	40.71	54.00	-13.29	29.46	36.30	9.02	34.07	100	119	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7095.00	89.11	-----	-----	77.95	36.30	8.73	33.87	100	119	AVERAGE																																																																																												







Mode	29																																																																							
	Harmonic																																																																							
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																							
ANT	1																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table><thead><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 14190.00</td><td>48.50</td><td>88.20 -39.70</td><td>55.61</td><td>39.05</td><td>12.73</td><td>58.89</td><td>--</td><td>-- Peak</td></tr></tbody></table>	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14190.00	48.50	88.20 -39.70	55.61	39.05	12.73	58.89	--	-- Peak	<table><thead><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 14190.00</td><td>50.88</td><td>88.20 -37.32</td><td>57.99</td><td>39.05</td><td>12.73</td><td>58.89</td><td>--</td><td>-- Peak</td></tr></tbody></table>	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14190.00	50.88	88.20 -37.32	57.99	39.05	12.73	58.89	--	-- Peak
	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 14190.00	48.50	88.20 -39.70	55.61	39.05	12.73	58.89	--	-- Peak																																																																
Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 14190.00	50.88	88.20 -37.32	57.99	39.05	12.73	58.89	--	-- Peak																																																																







Mode	30																																																																																
	Band Edge																																																																																
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_RU26/8_7095MHz																																																																																
ANT	1																																																																																
Pol.	Horizontal					Fundamental																																																																											
Peak																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7205.67</td><td>50.11</td><td>88.20</td><td>-38.09</td><td>39.19</td><td>36.30</td><td>8.59</td><td>33.97</td></tr><tr><td>2 7262.79</td><td>50.78</td><td>74.00</td><td>-23.22</td><td>39.71</td><td>36.30</td><td>8.78</td><td>34.01</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 7205.67	50.11	88.20	-38.09	39.19	36.30	8.59	33.97	2 7262.79	50.78	74.00	-23.22	39.71	36.30	8.78	34.01	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7095.00</td><td>87.44</td><td>-----</td><td>-----</td><td>76.31</td><td>36.30</td><td>8.71</td><td>33.88</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 7095.00	87.44	-----	-----	76.31	36.30	8.71
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																										
1 7205.67	50.11	88.20	-38.09	39.19	36.30	8.59	33.97																																																																										
2 7262.79	50.78	74.00	-23.22	39.71	36.30	8.78	34.01																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																										
1 7095.00	87.44	-----	-----	76.31	36.30	8.71	33.88																																																																										
Avg																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7244.69</td><td>40.62</td><td>68.20</td><td>-27.58</td><td>29.60</td><td>36.30</td><td>8.72</td><td>34.00</td></tr><tr><td>2 7295.69</td><td>40.66</td><td>54.00</td><td>-13.34</td><td>29.52</td><td>36.30</td><td>8.88</td><td>34.04</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 7244.69	40.62	68.20	-27.58	29.60	36.30	8.72	34.00	2 7295.69	40.66	54.00	-13.34	29.52	36.30	8.88	34.04	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7095.00</td><td>80.31</td><td>-----</td><td>-----</td><td>69.19</td><td>36.30</td><td>8.71</td><td>33.89</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 7095.00	80.31	-----	-----	69.19	36.30	8.71
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																										
1 7244.69	40.62	68.20	-27.58	29.60	36.30	8.72	34.00																																																																										
2 7295.69	40.66	54.00	-13.34	29.52	36.30	8.88	34.04																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																										
1 7095.00	80.31	-----	-----	69.19	36.30	8.71	33.89																																																																										







Mode	30																																																																																															
	Band Edge																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_RU26/8_7095MHz																																																																																															
ANT	1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7181.19	50.43	88.20	-37.77	39.47	36.30	8.61	33.95	103	121	PEAK	2	7333.68	50.38	74.00	-23.62	39.15	36.30	9.00	34.07	103	121	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>96.88</td><td>-----</td><td>-----</td><td>85.75</td><td>36.30</td><td>8.71</td><td>33.88</td><td>103</td><td>121</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	96.88	-----	-----	85.75	36.30	8.71	33.88	103	121
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	7181.19	50.43	88.20	-37.77	39.47	36.30	8.61	33.95	103	121	PEAK																																																																																					
2	7333.68	50.38	74.00	-23.62	39.15	36.30	9.00	34.07	103	121	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	7095.00	96.88	-----	-----	85.75	36.30	8.71	33.88	103	121	PEAK																																																																																					
Avg																																																																																																
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7147.79	40.67	68.20	-27.53	29.64	36.30	8.65	33.92	103	121	AVERAGE	2	7250.81	40.78	54.00	-13.22	29.74	36.30	8.74	34.00	103	121	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>90.10</td><td>-----</td><td>-----</td><td>78.97</td><td>36.30</td><td>8.71</td><td>33.88</td><td>103</td><td>121</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	90.10	-----	-----	78.97	36.30	8.71	33.88	103	121
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	7147.79	40.67	68.20	-27.53	29.64	36.30	8.65	33.92	103	121	AVERAGE																																																																																					
2	7250.81	40.78	54.00	-13.22	29.74	36.30	8.74	34.00	103	121	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	7095.00	90.10	-----	-----	78.97	36.30	8.71	33.88	103	121	AVERAGE																																																																																					







		31																																																												
Mode	Band Edge																																																													
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_RU52/40_7095MHz																																																													
ANT	1																																																													
Pol.	Horizontal																																																													
Peak																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7163.60</td><td>51.11</td><td>88.20</td><td>-37.09</td><td>40.11</td><td>36.30</td><td>8.63</td><td>33.93</td><td>107</td><td>291</td><td>PEAK</td></tr><tr><td>2</td><td>7326.29</td><td>50.03</td><td>74.00</td><td>-23.97</td><td>38.81</td><td>36.30</td><td>8.98</td><td>34.06</td><td>107</td><td>291</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7163.60	51.11	88.20	-37.09	40.11	36.30	8.63	33.93	107	291	PEAK	2	7326.29	50.03	74.00	-23.97	38.81	36.30	8.98	34.06	107	291
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	7163.60	51.11	88.20	-37.09	40.11	36.30	8.63	33.93	107	291	PEAK																																																			
2	7326.29	50.03	74.00	-23.97	38.81	36.30	8.98	34.06	107	291	PEAK																																																			
Fundamental																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>91.13</td><td>-----</td><td>-----</td><td>80.00</td><td>36.30</td><td>8.71</td><td>33.88</td><td>107</td><td>291</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	91.13	-----	-----	80.00	36.30	8.71	33.88	107	291	PEAK											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	7095.00	91.13	-----	-----	80.00	36.30	8.71	33.88	107	291	PEAK																																																			
Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7131.98</td><td>40.84</td><td>68.20</td><td>-27.36</td><td>29.78</td><td>36.30</td><td>8.67</td><td>33.91</td><td>107</td><td>291</td><td>AVERAGE</td></tr><tr><td>2</td><td>7319.40</td><td>40.62</td><td>54.00</td><td>-13.38</td><td>29.42</td><td>36.30</td><td>8.96</td><td>34.06</td><td>107</td><td>291</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7131.98	40.84	68.20	-27.36	29.78	36.30	8.67	33.91	107	291	AVERAGE	2	7319.40	40.62	54.00	-13.38	29.42	36.30	8.96	34.06	107	291
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	7131.98	40.84	68.20	-27.36	29.78	36.30	8.67	33.91	107	291	AVERAGE																																																			
2	7319.40	40.62	54.00	-13.38	29.42	36.30	8.96	34.06	107	291	AVERAGE																																																			
Fundamental																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>81.64</td><td>-----</td><td>-----</td><td>70.51</td><td>36.30</td><td>8.71</td><td>33.88</td><td>107</td><td>291</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	81.64	-----	-----	70.51	36.30	8.71	33.88	107	291	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	7095.00	81.64	-----	-----	70.51	36.30	8.71	33.88	107	291	AVERAGE																																																			



Mode	31																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_RU52/40_7095MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7192.92</td><td>50.33</td><td>88.20</td><td>-37.87</td><td>39.40</td><td>36.30</td><td>8.59</td><td>33.96</td><td>103</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>7347.45</td><td>49.64</td><td>74.00</td><td>-24.36</td><td>38.37</td><td>36.30</td><td>9.05</td><td>34.08</td><td>103</td><td>118</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7192.92	50.33	88.20	-37.87	39.40	36.30	8.59	33.96	103	118	PEAK	2	7347.45	49.64	74.00	-24.36	38.37	36.30	9.05	34.08	103	118	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>98.03</td><td>-----</td><td>-----</td><td>86.90</td><td>36.30</td><td>8.71</td><td>33.88</td><td>103</td><td>118</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	98.03	-----	-----	86.90	36.30	8.71	33.88	103	118
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7192.92	50.33	88.20	-37.87	39.40	36.30	8.59	33.96	103	118	PEAK																																																																																											
2	7347.45	49.64	74.00	-24.36	38.37	36.30	9.05	34.08	103	118	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7095.00	98.03	-----	-----	86.90	36.30	8.71	33.88	103	118	PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7173.80</td><td>40.59</td><td>68.20</td><td>-27.61</td><td>29.61</td><td>36.30</td><td>8.62</td><td>33.94</td><td>103</td><td>118</td><td>AVERAGE</td></tr><tr><td>2</td><td>7289.31</td><td>40.80</td><td>54.00</td><td>-13.20</td><td>29.67</td><td>36.30</td><td>8.86</td><td>34.03</td><td>103</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7173.80	40.59	68.20	-27.61	29.61	36.30	8.62	33.94	103	118	AVERAGE	2	7289.31	40.80	54.00	-13.20	29.67	36.30	8.86	34.03	103	118	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>90.54</td><td>-----</td><td>-----</td><td>79.41</td><td>36.30</td><td>8.71</td><td>33.88</td><td>103</td><td>118</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	90.54	-----	-----	79.41	36.30	8.71	33.88	103	118
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7173.80	40.59	68.20	-27.61	29.61	36.30	8.62	33.94	103	118	AVERAGE																																																																																											
2	7289.31	40.80	54.00	-13.20	29.67	36.30	8.86	34.03	103	118	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7095.00	90.54	-----	-----	79.41	36.30	8.71	33.88	103	118	AVERAGE																																																																																											



Mode	32																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_RU106/54_7095MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7186.55</td><td>50.56</td><td>88.20</td><td>-37.64</td><td>39.61</td><td>36.30</td><td>8.60</td><td>33.95</td><td>106</td><td>298</td><td>PEAK</td></tr><tr><td>2</td><td>7309.20</td><td>51.73</td><td>74.00</td><td>-22.27</td><td>40.56</td><td>36.30</td><td>8.92</td><td>34.05</td><td>106</td><td>298</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7186.55	50.56	88.20	-37.64	39.61	36.30	8.60	33.95	106	298	PEAK	2	7309.20	51.73	74.00	-22.27	40.56	36.30	8.92	34.05	106	298	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>88.25</td><td>-----</td><td>-----</td><td>77.13</td><td>36.30</td><td>8.71</td><td>33.89</td><td>106</td><td>298</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	88.25	-----	-----	77.13	36.30	8.71	33.89	106	298
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7186.55	50.56	88.20	-37.64	39.61	36.30	8.60	33.95	106	298	PEAK																																																																																											
2	7309.20	51.73	74.00	-22.27	40.56	36.30	8.92	34.05	106	298	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7095.00	88.25	-----	-----	77.13	36.30	8.71	33.89	106	298	PEAK																																																																																											
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7224.80</td><td>40.56</td><td>68.20</td><td>-27.64</td><td>29.58</td><td>36.30</td><td>8.66</td><td>33.98</td><td>106</td><td>298</td><td>AVERAGE</td></tr><tr><td>2</td><td>7307.93</td><td>40.63</td><td>54.00</td><td>-13.37</td><td>29.46</td><td>36.30</td><td>8.92</td><td>34.05</td><td>106</td><td>298</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7224.80	40.56	68.20	-27.64	29.58	36.30	8.66	33.98	106	298	AVERAGE	2	7307.93	40.63	54.00	-13.37	29.46	36.30	8.92	34.05	106	298	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>80.36</td><td>-----</td><td>-----</td><td>69.23</td><td>36.30</td><td>8.71</td><td>33.88</td><td>106</td><td>298</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	80.36	-----	-----	69.23	36.30	8.71	33.88	106	298
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7224.80	40.56	68.20	-27.64	29.58	36.30	8.66	33.98	106	298	AVERAGE																																																																																											
2	7307.93	40.63	54.00	-13.37	29.46	36.30	8.92	34.05	106	298	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7095.00	80.36	-----	-----	69.23	36.30	8.71	33.88	106	298	AVERAGE																																																																																											