














WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																																
ANT	802.11ax HE20 Partial 26/0 CH01 5955MHz																																																																																																
1+2	Vertical	Fundamental																																																																																															
Peak	 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Date: 5 117 Level (dBm/100m) 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5825 5850 5870 5890 5915 5930 5950 5965 Frequency (MHz) WIFI 4E PEAK 93.6 dBm/100m Site : 030904-KS Condition : WIFI 4E PEAK 3m 3117 5900240138 VERTICAL Project : R8W 1000 0000Hz V8W 3000 0000Hz SRT:Auto Model : FR222304-01 Mode : 6 MEI : 89 Plane : Y Full-directivity : Y PowerSetting : -10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><td>1 5899.20</td><td>55.59</td><td>-32.71</td><td>88.30</td><td>41.77</td><td>35.30</td><td>10.49</td><td>31.97</td><td>280</td><td>23 Peak VERTICAL</td></tr></table> Date: 7 117 Level (dBm/100m) 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000 Frequency (MHz) WIFI 4E PEAK 93.6 dBm/100m Site : 030904-KS Condition : WIFI 4E PEAK 3m 3117 5900240138 VERTICAL Project : R8W 1000 0000Hz V8W 3000 0000Hz SRT:Auto Model : FR222304-01 Mode : 6 MEI : 89 Plane : Y Full-directivity : Y PowerSetting : -10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><td>1 * 5950.00</td><td>92.47</td><td>4.17</td><td>88.30</td><td>78.55</td><td>35.40</td><td>10.53</td><td>32.01</td><td>280</td><td>23 Peak VERTICAL</td></tr><tr><td>2 * 5950.00</td><td>84.75</td><td>16.45</td><td>68.30</td><td>70.83</td><td>35.40</td><td>10.53</td><td>32.01</td><td>280</td><td>23 Average VERTICAL</td></tr></table> <tr><td rowspan="2">Avg.</td><td>  No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Date: 8 117 Level (dBm/100m) 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5825 5850 5870 5890 5915 5930 5950 5965 Frequency (MHz) WIFI 4E (AVG) 93.6 dBm/100m Site : 030904-KS Condition : WIFI 4E (AVG) 3m 3117 5900240138 VERTICAL Project : R8W 1000 0000Hz V8W 3000 0000Hz SRT:Auto Model : FR222304-01 Mode : 6 MEI : 89 Plane : Y Full-directivity : Y PowerSetting : -10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><td>1 5903.68</td><td>45.60</td><td>-22.70</td><td>68.30</td><td>31.78</td><td>35.30</td><td>10.49</td><td>31.97</td><td>280</td><td>23 Average VERTICAL</td></tr></table> Left blank </td></tr>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	deg	cm	deg	1 5899.20	55.59	-32.71	88.30	41.77	35.30	10.49	31.97	280	23 Peak VERTICAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	deg	cm	deg	1 * 5950.00	92.47	4.17	88.30	78.55	35.40	10.53	32.01	280	23 Peak VERTICAL	2 * 5950.00	84.75	16.45	68.30	70.83	35.40	10.53	32.01	280	23 Average VERTICAL	Avg.	 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Date: 8 117 Level (dBm/100m) 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5825 5850 5870 5890 5915 5930 5950 5965 Frequency (MHz) WIFI 4E (AVG) 93.6 dBm/100m Site : 030904-KS Condition : WIFI 4E (AVG) 3m 3117 5900240138 VERTICAL Project : R8W 1000 0000Hz V8W 3000 0000Hz SRT:Auto Model : FR222304-01 Mode : 6 MEI : 89 Plane : Y Full-directivity : Y PowerSetting : -10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><td>1 5903.68</td><td>45.60</td><td>-22.70</td><td>68.30</td><td>31.78</td><td>35.30</td><td>10.49</td><td>31.97</td><td>280</td><td>23 Average VERTICAL</td></tr></table> Left blank	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	deg	cm	deg	1 5903.68	45.60	-22.70	68.30	31.78	35.30	10.49	31.97	280	23 Average VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																								
MHz	dBm/100m	dB	dBm/100m	dB	dB	deg	cm	deg																																																																																									
1 5899.20	55.59	-32.71	88.30	41.77	35.30	10.49	31.97	280	23 Peak VERTICAL																																																																																								
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																									
MHz	dBm/100m	dB	dBm/100m	dB	dB	deg	cm	deg																																																																																									
1 * 5950.00	92.47	4.17	88.30	78.55	35.40	10.53	32.01	280	23 Peak VERTICAL																																																																																								
2 * 5950.00	84.75	16.45	68.30	70.83	35.40	10.53	32.01	280	23 Average VERTICAL																																																																																								
Avg.	 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Date: 8 117 Level (dBm/100m) 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5825 5850 5870 5890 5915 5930 5950 5965 Frequency (MHz) WIFI 4E (AVG) 93.6 dBm/100m Site : 030904-KS Condition : WIFI 4E (AVG) 3m 3117 5900240138 VERTICAL Project : R8W 1000 0000Hz V8W 3000 0000Hz SRT:Auto Model : FR222304-01 Mode : 6 MEI : 89 Plane : Y Full-directivity : Y PowerSetting : -10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><td>1 5903.68</td><td>45.60</td><td>-22.70</td><td>68.30</td><td>31.78</td><td>35.30</td><td>10.49</td><td>31.97</td><td>280</td><td>23 Average VERTICAL</td></tr></table> Left blank	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	deg	cm	deg	1 5903.68	45.60	-22.70	68.30	31.78	35.30	10.49	31.97	280	23 Average VERTICAL																																																																				
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																								
MHz	dBm/100m	dB	dBm/100m	dB	dB	deg	cm	deg																																																																																									
1 5903.68	45.60	-22.70	68.30	31.78	35.30	10.49	31.97	280	23 Average VERTICAL																																																																																								



U-NII 5 - 5925-6425MHz
WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)




WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 52/37 CH01 5955MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 032004-KS Condition : WIFI AE PEAK 3m 3117 590240138 HORIZONTAL Project : RSM 1000 0000Hz YSR 3000 0000Hz SRT Auto Model : 7F0 222304-01 Mode : #B Plane : #B PowerSetting : Full-directivity Over Limit ReadAntenna Cable Presamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV dB dB cm deg 1 5924.96 56.06 -32.24 88.30 42.16 35.37 10.52 31.99 311 353 Peak HORIZONTAL	 Site : 032004-KS Condition : WIFI AE PEAK 3m 3117 590240138 HORIZONTAL Project : RSM 1000 0000Hz YSR 3000 0000Hz SRT Auto Model : 7F0 222304-01 Mode : #B Plane : #B PowerSetting : Full-directivity Over Limit ReadAntenna Cable Presamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV dB dB cm deg 1 5950.00 86.11 7.81 88.30 82.19 35.40 10.53 32.01 311 353 Peak HORIZONTAL 2 5950.00 87.67 10.37 88.30 73.19 35.40 10.53 32.01 311 353 Average HORIZONTAL
Avg.	 Site : 032004-KS Condition : WIFI AE (Ave) 3m 3117 590240138 HORIZONTAL Project : RSM 1000 0000Hz YSR 0.01000Hz SRT Auto Model : 7F0 222304-01 Mode : #B Plane : #B PowerSetting : Full-directivity Over Limit ReadAntenna Cable Presamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV dB dB cm deg 1 5899.76 45.65 -22.65 68.30 31.83 35.30 10.49 31.97 311 353 Average HORIZONTAL	Left blank






WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m		
ANT	802.11ax HE20 Partial 52/37 CH01 5955MHz		
1+2	Vertical	Fundamental	
Peak	 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 5 117 Level (dBm/100m) 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5825 5850 5870 5890 5915 5930 5950 5965 Frequency (MHz) WIFI 6E PEAK WIFI 6E (AVG) Site Condition Project Mode Plane Full-directivity Power setting Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase Freq Level Limit Line Level Factor Loss Factor dB dB cm deg 1 5845.58 55.94 -32.36 88.30 42.23 35.20 10.44 31.93 100 22 Peak VERTICAL Data: 7 117 Level (dBm/100m) 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000 Frequency (MHz) WIFI 6E PEAK WIFI 6E (AVG) Site Condition Project Mode Plane Full-directivity Power setting Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase Freq Level Limit Line Level Factor Loss Factor dB dB cm deg 1 5950.00 92.53 4.23 88.30 78.61 35.40 10.53 32.01 100 22 Peak VERTICAL 2 5950.00 83.45 15.15 68.30 69.53 35.40 10.53 32.01 100 22 Average VERTICAL <tr><td>Avg.</td><td>  No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 6 117 Level (dBm/100m) 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5825 5850 5870 5890 5915 5930 5950 5965 Frequency (MHz) WIFI 6E (AVG) WIFI 6E (AVG) Site Condition Project Mode Plane Full-directivity Power setting Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase Freq Level Limit Line Level Factor Loss Factor dB dB cm deg 1 5903.54 45.62 -22.68 68.30 31.80 35.30 10.49 31.97 100 22 Average VERTICAL Left blank </td></tr>	Avg.	 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 6 117 Level (dBm/100m) 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5825 5850 5870 5890 5915 5930 5950 5965 Frequency (MHz) WIFI 6E (AVG) WIFI 6E (AVG) Site Condition Project Mode Plane Full-directivity Power setting Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase Freq Level Limit Line Level Factor Loss Factor dB dB cm deg 1 5903.54 45.62 -22.68 68.30 31.80 35.30 10.49 31.97 100 22 Average VERTICAL Left blank
Avg.	 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 6 117 Level (dBm/100m) 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5825 5850 5870 5890 5915 5930 5950 5965 Frequency (MHz) WIFI 6E (AVG) WIFI 6E (AVG) Site Condition Project Mode Plane Full-directivity Power setting Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase Freq Level Limit Line Level Factor Loss Factor dB dB cm deg 1 5903.54 45.62 -22.68 68.30 31.80 35.30 10.49 31.97 100 22 Average VERTICAL Left blank		



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)




WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/53 CH01 5955MHz	
1+2	Horizontal	Fundamental
Peak	 Site Condition : 032004-KS WIFI 6E PEAK 3m 3117 590240138 HORIZONTA RBM 1000.000KHz VSW:3.000 500KHz SRT:Auto Project : (FG) 222304-01 Mode : B MEI : #8 Plane : T Full-directivity Powersetting : Over Limit ReadAntenna Cable Preamp A/Pos T/Pos MHz dBuV/m dB dBuV/m dB dB dB cm deg 1 5835.64 55.83 -32.47 88.30 42.20 35.13 10.42 31.93 310 353 Peak HORIZONT	 Site Condition : 032004-KS WIFI 6E PEAK 3m 3117 590240138 HORIZONTA RBM 1000.000KHz VSW:3.000 500KHz SRT:Auto Project : (FG) 222304-01 Mode : B MEI : #8 Plane : T Full-directivity Powersetting : Over Limit ReadAntenna Cable Preamp A/Pos T/Pos MHz dBuV/m dB dBuV/m dB dB dB cm deg 1 5950.00 96.30 8.00 88.30 82.38 35.40 10.53 32.01 310 353 Peak HORIZONT 2 5950.00 88.23 10.93 68.30 74.31 35.40 10.53 32.01 310 353 Average HORIZONT
Avg.	 Site Condition : 032004-KS WIFI 6E (Ave) 3m 3117 590240138 HORIZONTA RBM 1000.000KHz VSW:0.010KHz SRT:Auto Project : (FG) 222304-01 Mode : B MEI : #8 Plane : T Full-directivity Powersetting : Over Limit ReadAntenna Cable Preamp A/Pos T/Pos MHz dBuV/m dB dBuV/m dB dB dB cm deg 1 5910.96 45.53 -22.77 68.30 31.68 35.33 10.51 31.99 310 353 Average HORIZONT	Left blank








WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE20 Partial 106/53 CH01 5955MHz																																																																												
1+2	Vertical	Fundamental																																																																											
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. DATA: 5 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5825 5850 5870 5890 5910 5930 5950 5965 Frequency (MHz) WIFI PEAK Site : 03DH05-KS Condition : WIFI 45 PEAK 3m 3117 5800240138 VERTICAL Project : RSM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : B MEI : FREQ222304-01 Plane : #9 Full-directivity : Y Power setting : -5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5900.04</td><td>55.80</td><td>-32.50</td><td>88.30</td><td>41.98</td><td>35.30</td><td>10.49</td><td>31.97</td><td>280</td><td>22</td><td>Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1	5900.04	55.80	-32.50	88.30	41.98	35.30	10.49	31.97	280	22	Peak	VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. DATA: 7 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000 Frequency (MHz) WIFI PEAK Site : 03DH05-KS Condition : WIFI 45 PEAK 3m 3117 5800240138 VERTICAL Project : RSM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : B MEI : FREQ222304-01 Plane : #9 Full-directivity : Y Power setting : -5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>* 5950.00</td><td>92.76</td><td>5.46</td><td>88.30</td><td>79.84</td><td>35.40</td><td>10.53</td><td>32.01</td><td>280</td><td>22</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>* 5950.00</td><td>84.83</td><td>16.53</td><td>68.30</td><td>70.91</td><td>35.40</td><td>10.53</td><td>32.01</td><td>280</td><td>22</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1	* 5950.00	92.76	5.46	88.30	79.84	35.40	10.53	32.01	280	22	Peak	VERTICAL	2	* 5950.00	84.83	16.53	68.30	70.91	35.40	10.53	32.01	280	22	Average	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																				
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																																							
1	5900.04	55.80	-32.50	88.30	41.98	35.30	10.49	31.97	280	22	Peak	VERTICAL																																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																																							
1	* 5950.00	92.76	5.46	88.30	79.84	35.40	10.53	32.01	280	22	Peak	VERTICAL																																																																	
2	* 5950.00	84.83	16.53	68.30	70.91	35.40	10.53	32.01	280	22	Average	VERTICAL																																																																	
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. DATA: 6 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5825 5850 5870 5890 5910 5930 5950 5965 Frequency (MHz) WIFI (AVG) Site : 03DH05-KS Condition : WIFI 45 (AVG) 3m 3117 5800240138 VERTICAL Project : RSM 1000.000kHz VBR 0.01000kHz SRT Auto Mode : B MEI : FREQ222304-01 Plane : #9 Full-directivity : Y Power setting : -5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5903.26</td><td>45.60</td><td>-22.70</td><td>68.30</td><td>31.78</td><td>35.30</td><td>10.49</td><td>31.97</td><td>280</td><td>22</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1	5903.26	45.60	-22.70	68.30	31.78	35.30	10.49	31.97	280	22	Average	VERTICAL	Left blank																																												
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																																							
1	5903.26	45.60	-22.70	68.30	31.78	35.30	10.49	31.97	280	22	Average	VERTICAL																																																																	



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)




WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 5965MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 030904-KS Condition : WIFI 6E PEAK 3m 3117 590240138 HORIZONTA RBM 1000.000KHz VBM 3000.000KHz SWT Auto Project : (FQ) 222304-01 Mode : 11 Ant : #8 Plane : F Power setting : Full-directivity Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV dB dB cm deg 1 5913.48 56.26 -32.04 88.30 42.41 35.33 10.51 31.99 308 353 Peak HORIZONT	 Site : 030904-KS Condition : WIFI 6E PEAK 3m 3117 590240138 HORIZONTA RBM 1000.000KHz VBM 3000.000KHz SWT Auto Project : (FQ) 222304-01 Mode : 11 Ant : #8 Plane : F Power setting : Full-directivity Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV dB dB cm deg 1 5968.00 88.19 9.89 88.30 84.27 35.40 10.55 32.03 308 353 Peak HORIZONT 2 5968.00 89.37 21.07 88.30 75.45 35.40 10.55 32.03 308 353 Average HORIZONT
Avg.	 Site : 030904-KS Condition : WIFI 6E (AVG) 3m 3117 590240138 HORIZONTA RBM 1000.000KHz VBM 0.010KHz SWT Auto Project : (FQ) 222304-01 Mode : 11 Ant : #8 Plane : F Power setting : Full-directivity Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV dB dB cm deg 1 5923.56 45.82 -22.48 68.30 31.92 35.37 10.52 31.99 308 353 Average HORIZONT	Left blank






WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																																												
ANT	802.11ax HE40 Full H03 5965MHz																																																																																																												
1+2	Vertical	Fundamental																																																																																																											
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117 5800240138 VERTICAL Project : RSM 1000.000kHz VBR 3000.000kHz SRT:Auto FREQ222304-01 Mode : 11 MEI : #9 Plane : Y Full-directivity : Y Powersetting : 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5919.78</td><td>56.14</td><td>-32.16</td><td>88.30</td><td>42.29</td><td>35.33</td><td>10.51</td><td>31.99</td><td>311</td><td>27</td><td>Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117 5800240138 VERTICAL Project : RSM 1000.000kHz VBR 3000.000kHz SRT:Auto FREQ222304-01 Mode : 11 MEI : #9 Plane : Y Full-directivity : Y Powersetting : 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5950.00</td><td>95.80</td><td>7.50</td><td>88.30</td><td>81.88</td><td>35.40</td><td>10.53</td><td>32.01</td><td>311</td><td>27</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5950.00</td><td>86.21</td><td>17.91</td><td>68.30</td><td>72.29</td><td>35.40</td><td>10.53</td><td>32.01</td><td>311</td><td>27</td><td>Average</td><td>VERTICAL</td></tr></table> <tr><td rowspan="2">Avg.</td><td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E (AVG) 3m 3117 5800240138 VERTICAL Project : RSM 1000.000kHz VBR 0.01000kHz SRT:Auto FREQ222304-01 Mode : 11 MEI : #9 Plane : Y Full-directivity : Y Powersetting : 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5912.50</td><td>45.70</td><td>-22.60</td><td>68.30</td><td>31.85</td><td>35.33</td><td>10.51</td><td>31.99</td><td>311</td><td>27</td><td>Average</td><td>VERTICAL</td></tr></table> Left blank </td></tr>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dB	cm	deg			1	5919.78	56.14	-32.16	88.30	42.29	35.33	10.51	31.99	311	27	Peak	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dB	cm	deg			1	5950.00	95.80	7.50	88.30	81.88	35.40	10.53	32.01	311	27	Peak	VERTICAL	2	5950.00	86.21	17.91	68.30	72.29	35.40	10.53	32.01	311	27	Average	VERTICAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E (AVG) 3m 3117 5800240138 VERTICAL Project : RSM 1000.000kHz VBR 0.01000kHz SRT:Auto FREQ222304-01 Mode : 11 MEI : #9 Plane : Y Full-directivity : Y Powersetting : 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5912.50</td><td>45.70</td><td>-22.60</td><td>68.30</td><td>31.85</td><td>35.33</td><td>10.51</td><td>31.99</td><td>311</td><td>27</td><td>Average</td><td>VERTICAL</td></tr></table> Left blank	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dB	cm	deg			1	5912.50	45.70	-22.60	68.30	31.85	35.33	10.51	31.99	311	27	Average	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																				
MHz	dBm/100kHz	dB	dBm/100kHz	dB	cm	deg																																																																																																							
1	5919.78	56.14	-32.16	88.30	42.29	35.33	10.51	31.99	311	27	Peak	VERTICAL																																																																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																					
MHz	dBm/100kHz	dB	dBm/100kHz	dB	cm	deg																																																																																																							
1	5950.00	95.80	7.50	88.30	81.88	35.40	10.53	32.01	311	27	Peak	VERTICAL																																																																																																	
2	5950.00	86.21	17.91	68.30	72.29	35.40	10.53	32.01	311	27	Average	VERTICAL																																																																																																	
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E (AVG) 3m 3117 5800240138 VERTICAL Project : RSM 1000.000kHz VBR 0.01000kHz SRT:Auto FREQ222304-01 Mode : 11 MEI : #9 Plane : Y Full-directivity : Y Powersetting : 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5912.50</td><td>45.70</td><td>-22.60</td><td>68.30</td><td>31.85</td><td>35.33</td><td>10.51</td><td>31.99</td><td>311</td><td>27</td><td>Average</td><td>VERTICAL</td></tr></table> Left blank	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dB	cm	deg			1	5912.50	45.70	-22.60	68.30	31.85	35.33	10.51	31.99	311	27	Average	VERTICAL																																																																													
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																				
MHz	dBm/100kHz	dB	dBm/100kHz	dB	cm	deg																																																																																																							
1	5912.50	45.70	-22.60	68.30	31.85	35.33	10.51	31.99	311	27	Average	VERTICAL																																																																																																	



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)




WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE80 Full CH07 5985MHz																																																																														
1+2	Horizontal	Fundamental																																																																													
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900168 Fax: +86-512-57900958 http://www.sparton.co.uk.cn Site : 030804-KS Condition : WIFI 802.11ax HE80 Full CH07 5985MHz Project : FR222304-01 Mode : 14 Plane : H Power setting : Full-directivity <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5910.92</td><td>56.43</td><td>-31.87</td><td>88.30</td><td>42.58</td><td>35.33</td><td>10.51</td><td>31.99</td><td>322</td><td>355 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1	5910.92	56.43	-31.87	88.30	42.58	35.33	10.51	31.99	322	355 Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900168 Fax: +86-512-57900958 http://www.sparton.co.uk.cn Site : 030804-KS Condition : WIFI 802.11ax HE80 Full CH07 5985MHz Project : FR222304-01 Mode : 14 Plane : H Power setting : Full-directivity <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5986.00</td><td>96.44</td><td>8.14</td><td>88.30</td><td>82.63</td><td>35.40</td><td>10.56</td><td>32.05</td><td>322</td><td>355 Peak</td></tr><tr><td>2</td><td>5986.00</td><td>88.03</td><td>19.73</td><td>68.30</td><td>74.12</td><td>35.40</td><td>10.56</td><td>32.05</td><td>322</td><td>355 Average</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1	5986.00	96.44	8.14	88.30	82.63	35.40	10.56	32.05	322	355 Peak	2	5986.00	88.03	19.73	68.30	74.12	35.40	10.56	32.05	322	355 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																							
1	5910.92	56.43	-31.87	88.30	42.58	35.33	10.51	31.99	322	355 Peak																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																							
1	5986.00	96.44	8.14	88.30	82.63	35.40	10.56	32.05	322	355 Peak																																																																					
2	5986.00	88.03	19.73	68.30	74.12	35.40	10.56	32.05	322	355 Average																																																																					
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900168 Fax: +86-512-57900958 http://www.sparton.co.uk.cn Site : 030804-KS Condition : WIFI 802.11ax HE80 Full CH07 5985MHz Project : FR222304-01 Mode : 14 Plane : H Power setting : Full-directivity <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5912.68</td><td>46.11</td><td>-22.19</td><td>68.30</td><td>32.26</td><td>35.33</td><td>10.51</td><td>31.99</td><td>322</td><td>355 Average</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1	5912.68	46.11	-22.19	68.30	32.26	35.33	10.51	31.99	322	355 Average	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																							
1	5912.68	46.11	-22.19	68.30	32.26	35.33	10.51	31.99	322	355 Average																																																																					






WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																								
ANT	802.11ax HE80 Full CH07 5985MHz																																																								
1+2	Vertical	Fundamental																																																							
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn SPORTON LAB DATA: 5 Level (dBm/100m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5865 5890 5910 5930 5950 5970 5990 6010 6025 Frequency (MHz) Site Condition Project Mode MEI Plane Power setting Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>5865.80</td><td>58.69</td><td>-31.61</td><td>88.30</td><td>42.95</td><td>35.33</td><td>10.46</td><td>31.95</td><td>305</td><td>27</td><td>Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn SPORTON LAB DATA: 7 Level (dBm/100m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000 Frequency (MHz) Site Condition Project Mode MEI Plane Power setting Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>5968.00</td><td>84.37</td><td>6.07</td><td>88.30</td><td>80.45</td><td>35.40</td><td>10.55</td><td>32.03</td><td>305</td><td>27</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5968.00</td><td>85.54</td><td>17.24</td><td>68.30</td><td>71.62</td><td>35.40</td><td>10.55</td><td>32.03</td><td>305</td><td>27</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Line	Level Factor	Loss Factor		cn	deg	1	5865.80	58.69	-31.61	88.30	42.95	35.33	10.46	31.95	305	27	Peak	VERTICAL	Freq	Level	Line	Level Factor	Loss Factor		cn	deg	1	5968.00	84.37	6.07	88.30	80.45	35.40	10.55	32.03	305	27	Peak	VERTICAL	2	5968.00	85.54	17.24	68.30	71.62	35.40	10.55	32.03	305	27	Average	VERTICAL	
Freq	Level	Line	Level Factor	Loss Factor		cn	deg																																																		
1	5865.80	58.69	-31.61	88.30	42.95	35.33	10.46	31.95	305	27	Peak	VERTICAL																																													
Freq	Level	Line	Level Factor	Loss Factor		cn	deg																																																		
1	5968.00	84.37	6.07	88.30	80.45	35.40	10.55	32.03	305	27	Peak	VERTICAL																																													
2	5968.00	85.54	17.24	68.30	71.62	35.40	10.55	32.03	305	27	Average	VERTICAL																																													
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn SPORTON LAB DATA: 6 Level (dBm/100m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5865 5890 5910 5930 5950 5970 5990 6010 6025 Frequency (MHz) Site Condition Project Mode MEI Plane Power setting Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>45.88</td><td>-22.42</td><td>68.30</td><td>31.98</td><td>35.37</td><td>10.52</td><td>31.99</td><td>305</td><td>27</td><td>Average</td><td>VERTICAL</td></tr></table> Left blank	Freq	Level	Line	Level Factor	Loss Factor		cn	deg	1	5925.00	45.88	-22.42	68.30	31.98	35.37	10.52	31.99	305	27	Average	VERTICAL																																			
Freq	Level	Line	Level Factor	Loss Factor		cn	deg																																																		
1	5925.00	45.88	-22.42	68.30	31.98	35.37	10.52	31.99	305	27	Average	VERTICAL																																													



U-NII 5 - 5925-6425MHz
WIFI 802.11ax HE160 Full (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m	
ANT	802.11ax HE160 Full CH15 6025MHz	
1+2	Horizontal	Fundamental
Peak	 Site: 030904-KS Condition: WIFI 6E PEAK 3m 3117 580240138 HORIZONTA RBM 1000.000KHz VSW:3.000 500KHz SWT:Auto Project: (FU) 222304-01 Mode: 17 HE1 Plane: #8 Powersetting: Full-directivity Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas MHz dBuV/m dB dBuV/m dB dB dB cm deg 1 5916.84 60.88 -27.42 88.30 47.03 35.33 10.51 31.99 100 180 Peak HORIZONT	 Site: 030904-KS Condition: WIFI 6E PEAK 3m 3117 580240138 HORIZONTA RBM 1000.000KHz VSW:3.000 500KHz SWT:Auto Project: (FU) 222304-01 Mode: 17 HE1 Plane: #8 Powersetting: Full-directivity Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas MHz dBuV/m dB dBuV/m dB dB dB cm deg 1 6049.00 99.72 11.42 88.30 85.79 35.40 10.62 32.09 100 180 Peak HORIZONT 2 6049.00 89.87 21.59 68.30 75.16 35.40 10.62 32.09 100 180 Average HORIZONT
Avg.	 Site: 030904-KS Condition: WIFI 6E (Ave) 3m 3117 580240138 HORIZONTA RBM 1000.000KHz VSW:3.000 500KHz SWT:Auto Project: (FU) 222304-01 Mode: 17 HE1 Plane: #8 Powersetting: Full-directivity Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas MHz dBuV/m dB dBuV/m dB dB dB cm deg 1 5912.68 47.87 -20.43 68.30 34.02 35.33 10.51 31.99 100 180 Average HORIZONT	Left blank





WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																																						
ANT	802.11ax HE160 Full CH15 6025MHz																																																																																																						
1+2	Vertical	Fundamental																																																																																																					
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117 5800240138 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : FR222304-01 MEI : 17 Plane : 48 Full-directivity : Y Powersetting : 6 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>cn</th><th>deg</th><th></th></tr><tr><td>1</td><td>5917.80</td><td>57.00</td><td>-31.30</td><td>88.30</td><td>43.15</td><td>35.33</td><td>10.51</td><td>31.99</td><td>137</td><td>151</td><td>Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117 5800240138 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : FR222304-01 MEI : 17 Plane : 48 Full-directivity : Y Powersetting : 6 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>cn</th><th>deg</th><th></th></tr><tr><td>1</td><td>6040.00</td><td>95.21</td><td>6.91</td><td>88.30</td><td>81.29</td><td>35.40</td><td>10.61</td><td>32.09</td><td>137</td><td>151</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>6040.00</td><td>86.21</td><td>17.91</td><td>68.30</td><td>72.29</td><td>35.40</td><td>10.61</td><td>32.09</td><td>137</td><td>151</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	cn	deg		1	5917.80	57.00	-31.30	88.30	43.15	35.33	10.51	31.99	137	151	Peak	VERTICAL	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	cn	deg		1	6040.00	95.21	6.91	88.30	81.29	35.40	10.61	32.09	137	151	Peak	VERTICAL	2	6040.00	86.21	17.91	68.30	72.29	35.40	10.61	32.09	137	151	Average	VERTICAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E (AVG) 3m 3117 5800240138 VERTICAL Project : RSM 1000.000KHz VBR 0.0100KHz SRT:Auto Mode : FR222304-01 MEI : 17 Plane : 48 Full-directivity : Y Powersetting : 6 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>cn</th><th>deg</th><th></th></tr><tr><td>1</td><td>5918.12</td><td>46.34</td><td>-21.96</td><td>68.30</td><td>32.49</td><td>35.33</td><td>10.51</td><td>31.99</td><td>137</td><td>151</td><td>Average</td><td>VERTICAL</td></tr></table> Left blank	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	cn	deg		1	5918.12	46.34	-21.96	68.30	32.49	35.33	10.51	31.99	137	151	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																
Freq	Level	Line	Level Factor	Loss Factor	cn	deg																																																																																																	
1	5917.80	57.00	-31.30	88.30	43.15	35.33	10.51	31.99	137	151	Peak	VERTICAL																																																																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																
Freq	Level	Line	Level Factor	Loss Factor	cn	deg																																																																																																	
1	6040.00	95.21	6.91	88.30	81.29	35.40	10.61	32.09	137	151	Peak	VERTICAL																																																																																											
2	6040.00	86.21	17.91	68.30	72.29	35.40	10.61	32.09	137	151	Average	VERTICAL																																																																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																
Freq	Level	Line	Level Factor	Loss Factor	cn	deg																																																																																																	
1	5918.12	46.34	-21.96	68.30	32.49	35.33	10.51	31.99	137	151	Average	VERTICAL																																																																																											






U-NII 5 - 5925-6425MHzMHz



WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																							
ANT	802.11ax HE20 Full CH01 5955MHz																																																																							
1+2	Horizontal						Vertical																																																																	
Peak Avg.	 Site : 03DH06-KS Condition : WIFI 6E PEAK 3m 3117 00340133 HORIZONTAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto Plane : FR222304 Mode : 2- full-directivity Flare : #3 IME1 : 16.5 PowerSetting : 16.5 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>WZ</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>45.19</td><td>-28.81</td><td>74.00</td><td>54.25</td><td>38.65</td><td>17.51</td><td>65.22</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>						Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	WZ	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	11910.00	45.19	-28.81	74.00	54.25	38.65	17.51	65.22	300	0 Peak	HORIZONTAL	 Site : 03DH06-KS Condition : WIFI 6E PEAK 3m 3117 00340133 VERTICAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto Plane : FR222304 Mode : 2- full-directivity Flare : #3 IME1 : 16.5 PowerSetting : 16.5 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>WZ</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>45.04</td><td>-28.96</td><td>74.00</td><td>54.10</td><td>38.65</td><td>17.51</td><td>65.22</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>						Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	WZ	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	11910.00	45.04	-28.96	74.00	54.10	38.65	17.51	65.22	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																															
WZ	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																	
1	11910.00	45.19	-28.81	74.00	54.25	38.65	17.51	65.22	300	0 Peak	HORIZONTAL																																																													
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																
WZ	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																	
1	11910.00	45.04	-28.96	74.00	54.10	38.65	17.51	65.22	100	0 Peak	VERTICAL																																																													






WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																														
ANT	802.11ax HE20 Full CH45 6175MHz																																																														
1+2	Horizontal	Vertical																																																													
Peak	 Site : 035004-KS Condition : WIFI 4E PEAK 3m 3117 5800240135 HORIZONTAL Project : FR222304-01 Mode : 60 MEI : 67 Plane : Full-directivity 16.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/1% dBm</th><th>dBm/1% dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12382.00</td><td>44.49</td><td>-29.51</td><td>74.00</td><td>51.57</td><td>38.80</td><td>15.55</td><td>61.43</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></table> <td>  Site : 035004-KS Condition : WIFI 4E PEAK 3m 3117 5800240135 VERTICAL Project : FR222304-01 Mode : 60 MEI : 67 Plane : Full-directivity 16.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/1% dBm</th><th>dBm/1% dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12382.00</td><td>47.32</td><td>-26.68</td><td>74.00</td><td>54.40</td><td>38.80</td><td>15.55</td><td>61.43</td><td>100</td><td>0 Peak VERTICAL</td></tr></table> <td>Avg.</td></td>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm/1% dBm	dBm/1% dBm	dBm	dBm	dBm	cm	deg			1 12382.00	44.49	-29.51	74.00	51.57	38.80	15.55	61.43	300	0 Peak HORIZONTAL	 Site : 035004-KS Condition : WIFI 4E PEAK 3m 3117 5800240135 VERTICAL Project : FR222304-01 Mode : 60 MEI : 67 Plane : Full-directivity 16.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/1% dBm</th><th>dBm/1% dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12382.00</td><td>47.32</td><td>-26.68</td><td>74.00</td><td>54.40</td><td>38.80</td><td>15.55</td><td>61.43</td><td>100</td><td>0 Peak VERTICAL</td></tr></table> <td>Avg.</td>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm/1% dBm	dBm/1% dBm	dBm	dBm	dBm	cm	deg			1 12382.00	47.32	-26.68	74.00	54.40	38.80	15.55	61.43	100	0 Peak VERTICAL	Avg.
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																						
MHz	dBm/1% dBm	dBm/1% dBm	dBm	dBm	dBm	cm	deg																																																								
1 12382.00	44.49	-29.51	74.00	51.57	38.80	15.55	61.43	300	0 Peak HORIZONTAL																																																						
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																						
MHz	dBm/1% dBm	dBm/1% dBm	dBm	dBm	dBm	cm	deg																																																								
1 12382.00	47.32	-26.68	74.00	54.40	38.80	15.55	61.43	100	0 Peak VERTICAL																																																						





WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																			
ANT	802.11ax HE20 Full CH93 6415MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sparton.com.cn SPORTON LAB. Date: 1 Level (dBuV/m) 117 102.4 87.8 73.1 58.5 43.9 29.3 14.6 10000 11000 12000 13000 14000 15000 16000 17000 18000 Frequency (MHz) WIFI 6E PEAK -dBm WIFI 6E PEAK -dBm Site Condition : 03PH05-KS Project : WIFI 6E PEAK 3m 3117.00240132 HORIZONTAL Mode : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Plane : FR222304 Polar : 2 - full-directivity Power : 16.5 power setting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12830.00</td><td>44.63</td><td>-43.67</td><td>88.30</td><td>52.31</td><td>38.87</td><td>18.06</td><td>64.61</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12830.00	44.63	-43.67	88.30	52.31	38.87	18.06	64.61	300	0 Peak	HORIZONTAL	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sparton.com.cn SPORTON LAB. Date: 2 Level (dBuV/m) 117 102.4 87.8 73.1 58.5 43.9 29.3 14.6 10000 11000 12000 13000 14000 15000 16000 17000 18000 Frequency (MHz) WIFI 6E PEAK -dBm WIFI 6E PEAK -dBm Site Condition : 03PH05-KS Project : WIFI 6E PEAK 3m 3117.00240132 VERTICAL Mode : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Plane : FR222304 Polar : 2 - full-directivity Power : 16.5 power setting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12830.00</td><td>43.77</td><td>-44.53</td><td>88.30</td><td>51.45</td><td>38.87</td><td>18.06</td><td>64.61</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12830.00	43.77	-44.53	88.30	51.45	38.87	18.06	64.61	100	0 Peak	VERTICAL
	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 12830.00	44.63	-43.67	88.30	52.31	38.87	18.06	64.61	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 12830.00	43.77	-44.53	88.30	51.45	38.87	18.06	64.61	100	0 Peak	VERTICAL																																																										







U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																	
ANT	802.11ax HE40 Full CH03 5965MHz																																																	
1+2	Horizontal	Vertical																																																
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. SPORTON LAB. Site Condition Project Model Plane MEI power setting : : : : : : : 032004-KS WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL RRM-1000-0000Hz VSW-3000-0000Hz DRT-Auto (FR)222304 11 2- full-directivity 63 16 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><td>1 11928.00</td><td>44.74</td><td>-29.26</td><td>74.00</td><td>53.76</td><td>38.66</td><td>17.53</td><td>65.21 300 0 Peak HORIZONTAL</td></tr></table> <td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. SPORTON LAB. Site Condition Project Model Plane MEI power setting : : : : : : : 032004-KS WIFI 6E PEAK 3m 3117 00240132 VERTICAL RRM-1000-0000Hz VSW-3000-0000Hz DRT-Auto (FR)222304 11 2- full-directivity 63 16 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><td>1 11928.00</td><td>44.69</td><td>-29.31</td><td>74.00</td><td>53.71</td><td>38.66</td><td>17.53</td><td>65.21 100 0 Peak VERTICAL</td></tr></table> </td>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level Factor	Loss Factor				1 11928.00	44.74	-29.26	74.00	53.76	38.66	17.53	65.21 300 0 Peak HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. SPORTON LAB. Site Condition Project Model Plane MEI power setting : : : : : : : 032004-KS WIFI 6E PEAK 3m 3117 00240132 VERTICAL RRM-1000-0000Hz VSW-3000-0000Hz DRT-Auto (FR)222304 11 2- full-directivity 63 16 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><td>1 11928.00</td><td>44.69</td><td>-29.31</td><td>74.00</td><td>53.71</td><td>38.66</td><td>17.53</td><td>65.21 100 0 Peak VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level Factor	Loss Factor				1 11928.00	44.69	-29.31	74.00	53.71	38.66	17.53	65.21 100 0 Peak VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																										
Freq	Level	Limit	Level Factor	Loss Factor																																														
1 11928.00	44.74	-29.26	74.00	53.76	38.66	17.53	65.21 300 0 Peak HORIZONTAL																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																											
Freq	Level	Limit	Level Factor	Loss Factor																																														
1 11928.00	44.69	-29.31	74.00	53.71	38.66	17.53	65.21 100 0 Peak VERTICAL																																											





WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																			
ANT	802.11ax HE40 Full CH43 6165MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00040132 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto FR222304 Plane : 2- full-directivity Node : 17 Polar : #3 Power : 16.5 power setting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12330.00</td><td>45.88</td><td>-28.12</td><td>74.00</td><td>54.29</td><td>38.76</td><td>17.78</td><td>64.95</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12330.00	45.88	-28.12	74.00	54.29	38.76	17.78	64.95	300	0 Peak	HORIZONTAL	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00040132 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto FR222304 Plane : 2- full-directivity Node : 17 Polar : #3 Power : 16.5 power setting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12330.00</td><td>45.17</td><td>-28.83</td><td>74.00</td><td>53.58</td><td>38.76</td><td>17.78</td><td>64.95</td><td>118</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12330.00	45.17	-28.83	74.00	53.58	38.76	17.78	64.95	118	0 Peak	VERTICAL
	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 12330.00	45.88	-28.12	74.00	54.29	38.76	17.78	64.95	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 12330.00	45.17	-28.83	74.00	53.58	38.76	17.78	64.95	118	0 Peak	VERTICAL																																																										





WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																																																																																					
ANT	802.11ax HE40 Full CH91 6405MHz																																																																																																																																					
1+2	Horizontal	Vertical																																																																																																																																				
Peak Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00040132 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FR222304 Plane : 2- full-directivity JMEI : #3 powersetting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th></tr><tr><td>1 12810.00</td><td>44.24</td><td>-44.06</td><td>88.30</td><td>51.95</td><td>38.86</td><td>18.05</td><td>64.62</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00040132 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FR222304 Plane : 2- full-directivity JMEI : #3 powersetting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th></tr><tr><td>1 12810.00</td><td>44.24</td><td>-44.06</td><td>88.30</td><td>51.95</td><td>38.86</td><td>18.05</td><td>64.62</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg	1 12810.00	44.24	-44.06	88.30	51.95	38.86	18.05	64.62	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg	1 12810.00	44.24	-44.06	88.30	51.95	38.86	18.05	64.62	300	0 Peak	HORIZONTAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00040132 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FR222304 Plane : 2- full-directivity JMEI : #3 powersetting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th></tr><tr><td>1 12810.00</td><td>43.68</td><td>-44.62</td><td>88.30</td><td>51.39</td><td>38.86</td><td>18.05</td><td>64.62</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00040132 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FR222304 Plane : 2- full-directivity JMEI : #3 powersetting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th></tr><tr><td>1 12810.00</td><td>43.68</td><td>-44.62</td><td>88.30</td><td>51.39</td><td>38.86</td><td>18.05</td><td>64.62</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg	1 12810.00	43.68	-44.62	88.30	51.39	38.86	18.05	64.62	100	0 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg	1 12810.00	43.68	-44.62	88.30	51.39	38.86	18.05	64.62	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																											
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																																																																												
1 12810.00	44.24	-44.06	88.30	51.95	38.86	18.05	64.62	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																																																																												
1 12810.00	44.24	-44.06	88.30	51.95	38.86	18.05	64.62	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																																																																												
1 12810.00	43.68	-44.62	88.30	51.39	38.86	18.05	64.62	100	0 Peak	VERTICAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																																																																												
1 12810.00	43.68	-44.62	88.30	51.39	38.86	18.05	64.62	100	0 Peak	VERTICAL																																																																																																																												





U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH07 5985MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 032004-KS Condition : WIFI 802.11ax HE80 Full HORIZONTAL Project : FR222304 Mode : 14 Plane : 2 - full-directivity Antenna : 14 Power setting : 10.0 Over Limit : 10.0 Frag Level : 44.58 -29.42 74.00 53.53 38.68 17.56 65.19 300 0 Peak HORIZONTAL	 Site : 032004-KS Condition : WIFI 802.11ax HE80 Full VERTICAL Project : FR222304 Mode : 14 Plane : 2 - full-directivity Antenna : 14 Power setting : 10.0 Over Limit : 10.0 Frag Level : 44.85 -29.15 74.00 53.80 38.68 17.56 65.19 100 0 Peak VERTICAL





WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																		
ANT	802.11ax HE80 Full CH39 6145MHz																																																																		
1+2	Horizontal	Vertical																																																																	
Peak Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03PH05-KS Condition : WIFI DE PEAK 3m 3117.00240132 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FR222304 Plane : 2- full-directivity JMEI : #3 powersetting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12290.00</td><td>44.57 -29.43</td><td>74.00</td><td>53.02</td><td>38.76</td><td>17.76</td><td>64.97</td><td>300</td><td>0</td><td>Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03PH05-KS Condition : WIFI DE PEAK 3m 3117.00240132 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FR222304 Plane : 2- full-directivity JMEI : #3 powersetting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12290.00</td><td>44.29 -29.71</td><td>74.00</td><td>52.74</td><td>38.76</td><td>17.76</td><td>64.97</td><td>100</td><td>0</td><td>Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12290.00	44.57 -29.43	74.00	53.02	38.76	17.76	64.97	300	0	Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12290.00	44.29 -29.71	74.00	52.74	38.76	17.76	64.97	100	0	Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																											
1 12290.00	44.57 -29.43	74.00	53.02	38.76	17.76	64.97	300	0	Peak	HORIZONTAL																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																											
1 12290.00	44.29 -29.71	74.00	52.74	38.76	17.76	64.97	100	0	Peak	VERTICAL																																																									





WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																			
ANT	802.11ax HE80 Full CH87 6385MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 1  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00040132 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FR222304 Plane : 2' full-directivity JME1 : #3 powersetting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12768.00</td><td>44.14</td><td>-44.16</td><td>88.30</td><td>51.92</td><td>38.85</td><td>18.02</td><td>64.65</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12768.00	44.14	-44.16	88.30	51.92	38.85	18.02	64.65	300	0 Peak	HORIZONTAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 2  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00040132 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FR222304 Plane : 2' full-directivity JME1 : #3 powersetting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12768.00</td><td>44.43</td><td>-43.87</td><td>88.30</td><td>52.21</td><td>38.85</td><td>18.02</td><td>64.65</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12768.00	44.43	-43.87	88.30	52.21	38.85	18.02	64.65	100	0 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 12768.00	44.14	-44.16	88.30	51.92	38.85	18.02	64.65	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 12768.00	44.43	-43.87	88.30	52.21	38.85	18.02	64.65	100	0 Peak	VERTICAL																																																										





U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																							
ANT	802.11ax HE160 Full CH15 6025MHz																																																							
1+2	Horizontal	Vertical																																																						
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 15 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Mode : 17 Plane : 2- full-directivity MEI : 83 power setting : 15 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1 12050.00</td><td>45.40</td><td>-28.60</td><td>74.00</td><td>54.20</td><td>38.71</td><td>17.63</td><td>65.14</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level Factor	Loss Factor				1 12050.00	45.40	-28.60	74.00	54.20	38.71	17.63	65.14	300	0 Peak	HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 16 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 VERTICAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Mode : 17 Plane : 2- full-directivity MEI : 83 power setting : 15 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1 12050.00</td><td>44.74</td><td>-29.26</td><td>74.00</td><td>53.54</td><td>38.71</td><td>17.63</td><td>65.14</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level Factor	Loss Factor				1 12050.00	44.74	-29.26	74.00	53.54	38.71	17.63	65.14	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																
Freq	Level	Limit	Level Factor	Loss Factor																																																				
1 12050.00	45.40	-28.60	74.00	54.20	38.71	17.63	65.14	300	0 Peak	HORIZONTAL																																														
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																	
Freq	Level	Limit	Level Factor	Loss Factor																																																				
1 12050.00	44.74	-29.26	74.00	53.54	38.71	17.63	65.14	100	0 Peak	VERTICAL																																														



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																			
ANT	802.11ax HE160 Full CH47 6185MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 1  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00240132 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FR222304 Plane : 1B IME1 : #3 PowerSetting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12370.00</td><td>44.27</td><td>-29.73</td><td>74.00</td><td>52.62</td><td>38.77</td><td>17.80</td><td>64.92</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12370.00	44.27	-29.73	74.00	52.62	38.77	17.80	64.92	300	0 Peak	HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 2  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00240132 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FR222304 Plane : 1B IME1 : #3 PowerSetting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12370.00</td><td>44.48</td><td>-29.52</td><td>74.00</td><td>52.83</td><td>38.77</td><td>17.80</td><td>64.92</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12370.00	44.48	-29.52	74.00	52.83	38.77	17.80	64.92	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 12370.00	44.27	-29.73	74.00	52.62	38.77	17.80	64.92	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 12370.00	44.48	-29.52	74.00	52.83	38.77	17.80	64.92	100	0 Peak	VERTICAL																																																										





WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																			
ANT	802.11ax HE160 Full CH79 6345MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 1  Site : 03PH05-KS Condition : WIFI DE PEAK 3m 3117.00240132 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FR222304 Plane : 19 IMEI : #3 PowerSetting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12690.00</td><td>44.13</td><td>-29.87</td><td>74.00</td><td>52.01</td><td>38.84</td><td>17.98</td><td>64.70</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12690.00	44.13	-29.87	74.00	52.01	38.84	17.98	64.70	300	0 Peak	HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 2  Site : 03PH05-KS Condition : WIFI DE PEAK 3m 3117.00240132 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FR222304 Plane : 19 IMEI : #3 PowerSetting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12690.00</td><td>44.61</td><td>-29.39</td><td>74.00</td><td>52.49</td><td>38.84</td><td>17.98</td><td>64.70</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12690.00	44.61	-29.39	74.00	52.49	38.84	17.98	64.70	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 12690.00	44.13	-29.87	74.00	52.01	38.84	17.98	64.70	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 12690.00	44.61	-29.39	74.00	52.49	38.84	17.98	64.70	100	0 Peak	VERTICAL																																																										







U-NII 6 - 6425-6525MHzMHz

WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																														
ANT	802.11ax HE20 Full CH97 6435MHz																																																																														
1+2	Horizontal	Vertical																																																																													
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-5790058 fax: +86-512-5790058 http://www.sporton.com.cn Site : 030H06-KS Condition : WIFI 6E PEAK 3m 3117 00340132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz SRT Auto Bode : FR222304 Plane : 2 - full-directivity IME1 : #3 PowerSetting : 16.5 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WZ</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>WZ</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>44.53</td><td>-43.77</td><td>88.30</td><td>52.16</td><td>38.87</td><td>18.08</td><td>64.58</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-5790058 fax: +86-512-5790058 http://www.sporton.com.cn Site : 030H06-KS Condition : WIFI 6E PEAK 3m 3117 00340132 VERTICAL Project : RRM 1000.000KHz VSW 3000.000KHz SRT Auto Bode : FR222304 Plane : 2 - full-directivity IME1 : #3 PowerSetting : 16.5 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WZ</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>WZ</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>44.63</td><td>-43.67</td><td>88.30</td><td>52.26</td><td>38.87</td><td>18.08</td><td>64.58</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WZ	Level	Line	Level	Factor	Loss	Factor			WZ	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1	12870.00	44.53	-43.77	88.30	52.16	38.87	18.08	64.58	300	0 Peak	HORIZONTAL	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WZ	Level	Line	Level	Factor	Loss	Factor			WZ	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1	12870.00	44.63	-43.67	88.30	52.26	38.87	18.08	64.58	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																						
WZ	Level	Line	Level	Factor	Loss	Factor																																																																									
WZ	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																							
1	12870.00	44.53	-43.77	88.30	52.16	38.87	18.08	64.58	300	0 Peak	HORIZONTAL																																																																				
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
WZ	Level	Line	Level	Factor	Loss	Factor																																																																									
WZ	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																							
1	12870.00	44.63	-43.67	88.30	52.26	38.87	18.08	64.58	100	0 Peak	VERTICAL																																																																				





WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																																																																																					
ANT	802.11ax HE20 Full CH113 6515MHz																																																																																																																																					
1+2	Horizontal	Vertical																																																																																																																																				
Peak Avg.	 Site : 03PH06-KS Condition : WIFI 6E PEAK 3m 3117.00240132 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SMT-Auto Plane : FR222304 Mode : 27 Plane : 27 Full-directivity IMEI : #3 Power setting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13030.00</td><td>45.95</td><td>-42.75</td><td>88.30</td><td>52.93</td><td>38.91</td><td>18.18</td><td>64.47</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  Site : 03PH06-KS Condition : WIFI 6E PEAK 3m 3117.00240132 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SMT-Auto Plane : FR222304 Mode : 27 Plane : 27 Full-directivity IMEI : #3 Power setting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13030.00</td><td>45.95</td><td>-42.75</td><td>88.30</td><td>52.93</td><td>38.91</td><td>18.18</td><td>64.47</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBm	dB	dB	cm	deg			1 13030.00	45.95	-42.75	88.30	52.93	38.91	18.18	64.47	300	0 Peak	HORIZONTAL	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBm	dB	dB	cm	deg			1 13030.00	45.95	-42.75	88.30	52.93	38.91	18.18	64.47	300	0 Peak	HORIZONTAL	 Site : 03PH06-KS Condition : WIFI 6E PEAK 3m 3117.00240132 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SMT-Auto Plane : FR222304 Mode : 27 Plane : 27 Full-directivity IMEI : #3 Power setting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13030.00</td><td>45.27</td><td>-43.03</td><td>88.30</td><td>52.65</td><td>38.91</td><td>18.18</td><td>64.47</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>  Site : 03PH06-KS Condition : WIFI 6E PEAK 3m 3117.00240132 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SMT-Auto Plane : FR222304 Mode : 27 Plane : 27 Full-directivity IMEI : #3 Power setting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13030.00</td><td>45.27</td><td>-43.03</td><td>88.30</td><td>52.65</td><td>38.91</td><td>18.18</td><td>64.47</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBm	dB	dB	cm	deg			1 13030.00	45.27	-43.03	88.30	52.65	38.91	18.18	64.47	100	0 Peak	VERTICAL	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBm	dB	dB	cm	deg			1 13030.00	45.27	-43.03	88.30	52.65	38.91	18.18	64.47	100	0 Peak	VERTICAL
	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBm	dB	dB	cm	deg																																																																																																																														
1 13030.00	45.95	-42.75	88.30	52.93	38.91	18.18	64.47	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBm	dB	dB	cm	deg																																																																																																																														
1 13030.00	45.95	-42.75	88.30	52.93	38.91	18.18	64.47	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBm	dB	dB	cm	deg																																																																																																																														
1 13030.00	45.27	-43.03	88.30	52.65	38.91	18.18	64.47	100	0 Peak	VERTICAL																																																																																																																												
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBm	dB	dB	cm	deg																																																																																																																														
1 13030.00	45.27	-43.03	88.30	52.65	38.91	18.18	64.47	100	0 Peak	VERTICAL																																																																																																																												



U-NII 6 - 6425-6525MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH99 6445 MHz	
1+2	Horizontal	Vertical
Peak Avg.	Site: 032050-KS Condition: WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Project: 808-1000-0000Hz VSW-3000-0000Hz DRT-Auto Project: (FR) 222304 Mode: 22 Plane: 22 Polar: 22 Power: 16.9 PowerSetting: 16.9 Over Limit: 16.9 Level: 16.9 Level Factor: 16.9 Loss Factor: 16.9 A/P: 16.9 T/P: 16.9 Remark: 16.9 Pol/Phas: 16.9 1 12890.00 43.92 -44.38 88.30 51.52 38.88 18.09 64.57 300 0 Peak HORIZONTAL	Site: 032050-KS Condition: WIFI 6E PEAK 3m 3117 00240132 VERTICAL Project: 808-1000-0000Hz VSW-3000-0000Hz DRT-Auto Project: (FR) 222304 Mode: 22 Plane: 22 Polar: 22 Power: 16.9 PowerSetting: 16.9 Over Limit: 16.9 Level: 16.9 Level Factor: 16.9 Loss Factor: 16.9 A/P: 16.9 T/P: 16.9 Remark: 16.9 Pol/Phas: 16.9 1 12890.00 44.64 -43.66 88.30 52.34 38.88 18.09 64.57 100 0 Peak VERTICAL
	Site: 032050-KS Condition: WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Project: 808-1000-0000Hz VSW-3000-0000Hz DRT-Auto Project: (FR) 222304 Mode: 22 Plane: 22 Polar: 22 Power: 16.9 PowerSetting: 16.9 Over Limit: 16.9 Level: 16.9 Level Factor: 16.9 Loss Factor: 16.9 A/P: 16.9 T/P: 16.9 Remark: 16.9 Pol/Phas: 16.9 1 12890.00 43.92 -44.38 88.30 51.52 38.88 18.09 64.57 300 0 Peak HORIZONTAL	Site: 032050-KS Condition: WIFI 6E PEAK 3m 3117 00240132 VERTICAL Project: 808-1000-0000Hz VSW-3000-0000Hz DRT-Auto Project: (FR) 222304 Mode: 22 Plane: 22 Polar: 22 Power: 16.9 PowerSetting: 16.9 Over Limit: 16.9 Level: 16.9 Level Factor: 16.9 Loss Factor: 16.9 A/P: 16.9 T/P: 16.9 Remark: 16.9 Pol/Phas: 16.9 1 12890.00 44.64 -43.66 88.30 52.34 38.88 18.09 64.57 100 0 Peak VERTICAL



WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																		
ANT	802.11ax HE40 Full CH107 6485 MHz																																																																		
1+2	Horizontal	Vertical																																																																	
Peak Avg.	 No. 1098 Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Date: 1  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00240132 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Plane : 2'-full-directivity Node : 24 Plane : 2'-full-directivity Node : 43 Power setting : 16.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12970.00</td><td>44.77</td><td>-43.53</td><td>88.30</td><td>52.25</td><td>38.89</td><td>18.14</td><td>64.51</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098 Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Date: 2  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00240132 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Plane : 2'-full-directivity Node : 24 Plane : 2'-full-directivity Node : 43 Power setting : 16.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12970.00</td><td>43.47</td><td>-44.83</td><td>88.30</td><td>50.95</td><td>38.89</td><td>18.14</td><td>64.51</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 12970.00	44.77	-43.53	88.30	52.25	38.89	18.14	64.51	300	0 Peak	HORIZONTAL	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 12970.00	43.47	-44.83	88.30	50.95	38.89	18.14	64.51	100	0 Peak	VERTICAL
	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																											
1 12970.00	44.77	-43.53	88.30	52.25	38.89	18.14	64.51	300	0 Peak	HORIZONTAL																																																									
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																											
1 12970.00	43.47	-44.83	88.30	50.95	38.89	18.14	64.51	100	0 Peak	VERTICAL																																																									





U-NII 6 - 6425-6525MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH103 6465MHz	
1+2	Horizontal	Vertical
Peak Avg.	Site : 032004-KS Condition : WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Mode : 25 Plane : 2- full-directivity MEI : 43 power setting : 18.0 Over Limit : 18.0 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 12930.00 45.18 -43.12 88.30 52.71 38.89 18.12 64.54 300 0 Peak HORIZONTAL	Site : 032004-KS Condition : WIFI 6E PEAK 3m 3117 00240132 VERTICAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Mode : 25 Plane : 2- full-directivity MEI : 43 power setting : 18.0 Over Limit : 18.0 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 12930.00 44.08 -44.22 88.30 51.61 38.89 18.12 64.54 100 0 Peak VERTICAL
	Site : 032004-KS Condition : WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Mode : 25 Plane : 2- full-directivity MEI : 43 power setting : 18.0 Over Limit : 18.0 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 12930.00 45.18 -43.12 88.30 52.71 38.89 18.12 64.54 300 0 Peak HORIZONTAL	Site : 032004-KS Condition : WIFI 6E PEAK 3m 3117 00240132 VERTICAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Mode : 25 Plane : 2- full-directivity MEI : 43 power setting : 18.0 Over Limit : 18.0 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 12930.00 44.08 -44.22 88.30 51.61 38.89 18.12 64.54 100 0 Peak VERTICAL







U-NII 6 - Straddle Channel

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	U-NII 6 Straddle Channel Harmonic @ 3m																																																													
ANT	802.11ax HE40 Full CH115 6525MHz																																																													
1+2	Horizontal	Vertical																																																												
Peak Avg.	 Site : 03DH06-KS Condition : WIFI 6E PEAK 3m 3117 00340133 HORIZONTAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto FR222304 Mode : 26 Plane : 2 - full-directivity Flare : #3 IMEI : 16.5 Power setting : 16.5 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>WIZ</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>45.13</td><td>-43.17</td><td>88.30</td><td>52.49</td><td>38.91</td><td>18.20</td><td>64.47</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	WIZ	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	1	13050.00	45.13	-43.17	88.30	52.49	38.91	18.20	64.47	300	0 Peak	HORIZONTAL	 Site : 03DH06-KS Condition : WIFI 6E PEAK 3m 3117 00340133 VERTICAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto FR222304 Mode : 26 Plane : 2 - full-directivity Flare : #3 IMEI : 16.5 Power setting : 16.5 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>WIZ</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>45.06</td><td>-43.24</td><td>88.30</td><td>52.42</td><td>38.91</td><td>18.20</td><td>64.47</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	WIZ	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	1	13050.00	45.06	-43.24	88.30	52.42	38.91	18.20	64.47	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																					
WIZ	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																						
1	13050.00	45.13	-43.17	88.30	52.49	38.91	18.20	64.47	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																						
WIZ	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																						
1	13050.00	45.06	-43.24	88.30	52.42	38.91	18.20	64.47	100	0 Peak	VERTICAL																																																			



U-NII 6 – Straddle Channel
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	U-NII 6 Straddle Channel Harmonic @ 3m																									
ANT	802.11ax HE80 Full CH119 6545MHz																									
1+2	Horizontal	Vertical																								
Peak	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Project : 808-1000-0000Hz VSW-3000-0000Hz DRT-Auto Mode : 27 Plane : 27 Polar : 27 Power : 16.9 Power setting : 16.9 Over Limit : 16.9 Level : 16.9 Level Factor : 16.9 Loss Factor : 16.9 A/Pos : 16.9 T/Pos : 16.9 Remark : 16.9 Pol/Phas : 16.9 <table><tr><th>1</th><th>13090.00</th><th>45.13</th><th>-43.17</th><th>88.30</th><th>52.43</th><th>38.92</th><th>18.23</th><th>64.45</th><th>300</th><th>0 Peak</th><th>HORIZONTAL</th></tr></table>	1	13090.00	45.13	-43.17	88.30	52.43	38.92	18.23	64.45	300	0 Peak	HORIZONTAL	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 VERTICAL Project : 808-1000-0000Hz VSW-3000-0000Hz DRT-Auto Mode : 27 Plane : 27 Polar : 27 Power : 16.9 Power setting : 16.9 Over Limit : 16.9 Level : 16.9 Level Factor : 16.9 Loss Factor : 16.9 A/Pos : 16.9 T/Pos : 16.9 Remark : 16.9 Pol/Phas : 16.9 <table><tr><th>1</th><th>13090.00</th><th>46.14</th><th>-42.16</th><th>88.30</th><th>53.44</th><th>38.92</th><th>18.23</th><th>64.45</th><th>100</th><th>0 Peak</th><th>VERTICAL</th></tr></table>	1	13090.00	46.14	-42.16	88.30	53.44	38.92	18.23	64.45	100	0 Peak	VERTICAL
1	13090.00	45.13	-43.17	88.30	52.43	38.92	18.23	64.45	300	0 Peak	HORIZONTAL															
1	13090.00	46.14	-42.16	88.30	53.44	38.92	18.23	64.45	100	0 Peak	VERTICAL															
Avg.	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Project : 808-1000-0000Hz VSW-3000-0000Hz DRT-Auto Mode : 27 Plane : 27 Polar : 27 Power : 16.9 Power setting : 16.9 Over Limit : 16.9 Level : 16.9 Level Factor : 16.9 Loss Factor : 16.9 A/Pos : 16.9 T/Pos : 16.9 Remark : 16.9 Pol/Phas : 16.9 <table><tr><th>1</th><th>13090.00</th><th>45.13</th><th>-43.17</th><th>88.30</th><th>52.43</th><th>38.92</th><th>18.23</th><th>64.45</th><th>300</th><th>0 Peak</th><th>HORIZONTAL</th></tr></table>	1	13090.00	45.13	-43.17	88.30	52.43	38.92	18.23	64.45	300	0 Peak	HORIZONTAL	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 VERTICAL Project : 808-1000-0000Hz VSW-3000-0000Hz DRT-Auto Mode : 27 Plane : 27 Polar : 27 Power : 16.9 Power setting : 16.9 Over Limit : 16.9 Level : 16.9 Level Factor : 16.9 Loss Factor : 16.9 A/Pos : 16.9 T/Pos : 16.9 Remark : 16.9 Pol/Phas : 16.9 <table><tr><th>1</th><th>13090.00</th><th>46.14</th><th>-42.16</th><th>88.30</th><th>53.44</th><th>38.92</th><th>18.23</th><th>64.45</th><th>100</th><th>0 Peak</th><th>VERTICAL</th></tr></table>	1	13090.00	46.14	-42.16	88.30	53.44	38.92	18.23	64.45	100	0 Peak	VERTICAL
1	13090.00	45.13	-43.17	88.30	52.43	38.92	18.23	64.45	300	0 Peak	HORIZONTAL															
1	13090.00	46.14	-42.16	88.30	53.44	38.92	18.23	64.45	100	0 Peak	VERTICAL															



U-NII 6 – Straddle Channel
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI	U-NII 6 Straddle Channel Harmonic @ 3m	
ANT	802.11ax HE160 Full CH111 6505MHz	
1+2	Horizontal	Vertical
Peak Avg.	Site : 032054-KS Condition : WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Project : 808-1000-0000Hz VSW-3000-0000Hz DRT-Auto Project : (FR) 222304 Mode : 27 Plane : 27 Polar : 27 Power : 16.9 Power setting : 16.9 Over Limit : 16.9 Level : 16.9 Level Factor : 16.9 Loss Factor : 16.9 A/Pos : 16.9 T/Pos : 16.9 Remark : 16.9 Pol/Phas : 16.9 1 13010.00 44.18 -44.12 88.30 51.62 38.90 18.15 64.49 300 0 Peak HORIZONTAL	Site : 032054-KS Condition : WIFI 6E PEAK 3m 3117 00240132 VERTICAL Project : 808-1000-0000Hz VSW-3000-0000Hz DRT-Auto Project : (FR) 222304 Mode : 27 Plane : 27 Polar : 27 Power : 16.9 Power setting : 16.9 Over Limit : 16.9 Level : 16.9 Level Factor : 16.9 Loss Factor : 16.9 A/Pos : 16.9 T/Pos : 16.9 Remark : 16.9 Pol/Phas : 16.9 1 13010.00 44.64 -43.66 88.30 52.08 38.90 18.15 64.49 100 0 Peak VERTICAL
	Site : 032054-KS Condition : WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Project : 808-1000-0000Hz VSW-3000-0000Hz DRT-Auto Project : (FR) 222304 Mode : 27 Plane : 27 Polar : 27 Power : 16.9 Power setting : 16.9 Over Limit : 16.9 Level : 16.9 Level Factor : 16.9 Loss Factor : 16.9 A/Pos : 16.9 T/Pos : 16.9 Remark : 16.9 Pol/Phas : 16.9 1 13010.00 44.18 -44.12 88.30 51.62 38.90 18.15 64.49 300 0 Peak HORIZONTAL	Site : 032054-KS Condition : WIFI 6E PEAK 3m 3117 00240132 VERTICAL Project : 808-1000-0000Hz VSW-3000-0000Hz DRT-Auto Project : (FR) 222304 Mode : 27 Plane : 27 Polar : 27 Power : 16.9 Power setting : 16.9 Over Limit : 16.9 Level : 16.9 Level Factor : 16.9 Loss Factor : 16.9 A/Pos : 16.9 T/Pos : 16.9 Remark : 16.9 Pol/Phas : 16.9 1 13010.00 44.64 -43.66 88.30 52.08 38.90 18.15 64.49 100 0 Peak VERTICAL







U-NII 7 - 6525~6875MHz

WIFI 802.11ax HE20 Full (Harmonic @ 3m)



WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																													
ANT	802.11ax HE20 Full CH117 6535MHz																																																													
1+2	Horizontal	Vertical																																																												
Peak Avg.	Site : 030H06-KS Condition : WIFI 6E PEAK 3m 3117 00340132 HORIZONTAL Project : RRM 1000.000KHz VBM 3000.000KHz SMT Auto Bode : FR222304 Plane : 2 - full-directivity IME1 : #3 PowerSetting : 16.5 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WIZ</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13070.00</td><td>45.79</td><td>-42.51</td><td>88.30</td><td>53.13</td><td>38.91</td><td>18.21</td><td>64.46</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table> Site : 030H06-KS Condition : WIFI 6E PEAK 3m 3117 00340132 VERTICAL Project : RRM 1000.000KHz VBM 3000.000KHz SMT Auto Bode : FR222304 Plane : 2 - full-directivity IME1 : #3 PowerSetting : 16.5 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WIZ</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13070.00</td><td>47.84</td><td>-40.46</td><td>88.30</td><td>55.18</td><td>38.91</td><td>18.21</td><td>64.46</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WIZ	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	13070.00	45.79	-42.51	88.30	53.13	38.91	18.21	64.46	300	0 Peak	HORIZONTAL	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WIZ	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	13070.00	47.84	-40.46	88.30	55.18	38.91	18.21	64.46	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
WIZ	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1	13070.00	45.79	-42.51	88.30	53.13	38.91	18.21	64.46	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
WIZ	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																						
1	13070.00	47.84	-40.46	88.30	55.18	38.91	18.21	64.46	100	0 Peak	VERTICAL																																																			





U-NII 7 6525~6875MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH123 6565MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 032054-KS Condition : WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Model : (FR) 222304 Mode : 21 Plane : 2- full-directivity MEI : 61 power setting : 16.5 Over Limit : 16.5 Freq Level Limit Line Level Factor A/Pos T/Pos Remark Pol/Phas 1 13128.00 45.39 -42.91 88.30 52.65 38.92 18.26 64.44 300 0 Peak HORIZONTAL	 Site : 032054-KS Condition : WIFI 6E PEAK 3m 3117 00240132 VERTICAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Model : (FR) 222304 Mode : 21 Plane : 2- full-directivity MEI : 61 power setting : 16.5 Over Limit : 16.5 Freq Level Limit Line Level Factor A/Pos T/Pos Remark Pol/Phas 1 13128.00 45.93 -42.37 88.30 53.19 38.92 18.26 64.44 100 0 Peak VERTICAL
	 Site : 032054-KS Condition : WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Model : (FR) 222304 Mode : 21 Plane : 2- full-directivity MEI : 61 power setting : 16.5 Over Limit : 16.5 Freq Level Limit Line Level Factor A/Pos T/Pos Remark Pol/Phas 1 13128.00 45.39 -42.91 88.30 52.65 38.92 18.26 64.44 300 0 Peak HORIZONTAL	 Site : 032054-KS Condition : WIFI 6E PEAK 3m 3117 00240132 VERTICAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Model : (FR) 222304 Mode : 21 Plane : 2- full-directivity MEI : 61 power setting : 16.5 Over Limit : 16.5 Freq Level Limit Line Level Factor A/Pos T/Pos Remark Pol/Phas 1 13128.00 45.93 -42.37 88.30 53.19 38.92 18.26 64.44 100 0 Peak VERTICAL







WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE40 Full CH147 6685MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak	 No. 1098 Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Date: 1  117 102.4 87.6 73.1 58.5 43.9 29.3 14.6 Level (dBuV/m) Frequency (MHz) WIFI 6E PEAK (dBuV/m) WIFI 6E AVG (dBuV/m) Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00240132 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Plane : FR222304 Mode : 2- full-directivity Polar : #3 Power : 16.5 power setting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13370.00</td><td>45.84</td><td>-28.16</td><td>74.00</td><td>52.71</td><td>38.97</td><td>18.48</td><td>64.32</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 13370.00	45.84	-28.16	74.00	52.71	38.97	18.48	64.32	300	0 Peak	HORIZONTAL	 No. 1098 Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Date: 2  117 102.4 87.6 73.1 58.5 43.9 29.3 14.6 Level (dBuV/m) Frequency (MHz) WIFI 6E PEAK (dBuV/m) WIFI 6E AVG (dBuV/m) Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00240132 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Plane : FR222304 Mode : 2- full-directivity Polar : #3 Power : 16.5 power setting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13370.00</td><td>44.73</td><td>-29.27</td><td>74.00</td><td>51.60</td><td>38.97</td><td>18.48</td><td>64.32</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 13370.00	44.73	-29.27	74.00	51.60	38.97	18.48	64.32	100	0 Peak	VERTICAL
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 13370.00	45.84	-28.16	74.00	52.71	38.97	18.48	64.32	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 13370.00	44.73	-29.27	74.00	51.60	38.97	18.48	64.32	100	0 Peak	VERTICAL																																																										





WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																		
ANT	802.11ax HE40 Full CH179 6845MHz																																																																		
1+2	Horizontal	Vertical																																																																	
Peak Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Date: 1  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00240132 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Plane : FR222304 Mode : 27 Plane : 27 Full-directivity IMEI : #3 Power setting : 16.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13690.00</td><td>44.74</td><td>-43.56</td><td>88.30</td><td>51.13</td><td>39.04</td><td>18.75</td><td>64.18</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Date: 2  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00240132 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Plane : FR222304 Mode : 27 Plane : 27 Full-directivity IMEI : #3 Power setting : 16.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13690.00</td><td>44.41</td><td>-43.89</td><td>88.30</td><td>50.80</td><td>39.04</td><td>18.75</td><td>64.18</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 13690.00	44.74	-43.56	88.30	51.13	39.04	18.75	64.18	300	0 Peak	HORIZONTAL	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 13690.00	44.41	-43.89	88.30	50.80	39.04	18.75	64.18	100	0 Peak	VERTICAL
	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																											
1 13690.00	44.74	-43.56	88.30	51.13	39.04	18.75	64.18	300	0 Peak	HORIZONTAL																																																									
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																											
1 13690.00	44.41	-43.89	88.30	50.80	39.04	18.75	64.18	100	0 Peak	VERTICAL																																																									



U-NII 7 6525~6875MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)





WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH135 6625MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Power : 1000.000MHz VSW:3.000 500MHz DUT:Auto Project : (FR)222304 Mode : 34 Plane : 2- full-directivity Ant : 83 power setting : 16.5 Over Limit : 16.5 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 13250.00 45.11 -28.89 74.00 52.16 38.95 18.38 64.38 300 0 Peak HORIZONTAL	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 VERTICAL Power : 1000.000MHz VSW:3.000 500MHz DUT:Auto Project : (FR)222304 Mode : 34 Plane : 2- full-directivity Ant : 83 power setting : 16.5 Over Limit : 16.5 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 13250.00 46.43 -27.57 74.00 53.48 38.95 18.38 64.38 100 0 Peak VERTICAL
	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Power : 1000.000MHz VSW:3.000 500MHz DUT:Auto Project : (FR)222304 Mode : 34 Plane : 2- full-directivity Ant : 83 power setting : 16.5 Over Limit : 16.5 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 13250.00 45.11 -28.89 74.00 52.16 38.95 18.38 64.38 300 0 Peak HORIZONTAL	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 VERTICAL Power : 1000.000MHz VSW:3.000 500MHz DUT:Auto Project : (FR)222304 Mode : 34 Plane : 2- full-directivity Ant : 83 power setting : 16.5 Over Limit : 16.5 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 13250.00 46.43 -27.57 74.00 53.48 38.95 18.38 64.38 100 0 Peak VERTICAL



WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																													
ANT	802.11ax HE80 Full CH151 6705MHz																																																													
1+2	Horizontal	Vertical																																																												
Peak Avg.	 No. 109B, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/P</th><th>T/P</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th></tr><tr><td>13410.00</td><td>45.14</td><td>-43.16</td><td>88.30</td><td>51.96</td><td>38.98</td><td>18.51</td><td>64.31</td><td>300</td><td>0</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/P	T/P	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg	13410.00	45.14	-43.16	88.30	51.96	38.98	18.51	64.31	300	0	 No. 109B, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/P</th><th>T/P</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th></tr><tr><td>13410.00</td><td>45.02</td><td>-43.28</td><td>88.30</td><td>51.84</td><td>38.98</td><td>18.51</td><td>64.31</td><td>100</td><td>0</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/P	T/P	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg	13410.00	45.02	-43.28	88.30	51.84	38.98	18.51	64.31	100	0
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/P	T/P	Remark	Pol/Phas																																																				
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																					
13410.00	45.14	-43.16	88.30	51.96	38.98	18.51	64.31	300	0																																																					
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/P	T/P	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																					
13410.00	45.02	-43.28	88.30	51.84	38.98	18.51	64.31	100	0																																																					





U-NII 7 6525~6875MHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE160 Full CH143 6665MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Mode : 3a Plane : 2- full-directivity Ant : 83 power setting : 16.9 Over Limit : 16.9 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 13328.00 44.76 -29.24 74.00 51.71 38.96 18.44 64.35 300 0 Peak HORIZONTAL	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 VERTICAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Mode : 3a Plane : 2- full-directivity Ant : 83 power setting : 16.9 Over Limit : 16.9 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 13328.00 45.96 -28.04 74.00 52.91 38.96 18.44 64.35 100 0 Peak VERTICAL
	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Mode : 3a Plane : 2- full-directivity Ant : 83 power setting : 16.9 Over Limit : 16.9 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 13328.00 44.76 -29.24 74.00 51.71 38.96 18.44 64.35 300 0 Peak HORIZONTAL	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 VERTICAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Mode : 3a Plane : 2- full-directivity Ant : 83 power setting : 16.9 Over Limit : 16.9 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 13328.00 45.96 -28.04 74.00 52.91 38.96 18.44 64.35 100 0 Peak VERTICAL







U-NII 7 - Straddle Channel

WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	U-NII 7 Straddle Channel Harmonic @ 3m																																																					
ANT	802.11ax HE20 Full CH185 6875MHz																																																					
1+2	Horizontal	Vertical																																																				
Peak Avg.	 SPORTON LAB. No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.co.uk.cn Date: 1  117 Level (dBuV/m) Frequency (MHz) WIFI 6E PEAK 3m 3117 00240133 HORIZONTAL WIFI 6E PEAK 3m 3117 00240133 HORIZONTAL Site : 030H06-KS Condition : WIFI 6E PEAK 3m 3117 00240133 HORIZONTAL Project : RSM 1000.000KHz VSW 3000.000KHz SRT Auto FR222304 Mode : 27 Plane : 2- full-directivity Flare : #3 IME1 : 16.5 Power setting : 16.5 <table><tr><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>WZ</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>45.00</td><td>-43.30</td><td>88.30</td><td>51.29</td><td>39.05</td><td>18.81</td><td>64.15</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	WZ	dBuV/m	dB	dBuV/m	dB	cm	deg	1	13750.00	45.00	-43.30	88.30	51.29	39.05	18.81	64.15	300	0 Peak	HORIZONTAL	 SPORTON LAB. No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.co.uk.cn Date: 2  117 Level (dBuV/m) Frequency (MHz) WIFI 6E PEAK 3m 3117 00240133 VERTICAL WIFI 6E PEAK 3m 3117 00240133 VERTICAL Site : 030H06-KS Condition : WIFI 6E PEAK 3m 3117 00240133 VERTICAL Project : RSM 1000.000KHz VSW 3000.000KHz SRT Auto FR222304 Mode : 27 Plane : 2- full-directivity Flare : #3 IME1 : 16.5 Power setting : 16.5 <table><tr><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>WZ</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>43.73</td><td>-44.57</td><td>88.30</td><td>50.02</td><td>39.05</td><td>18.81</td><td>64.15</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	WZ	dBuV/m	dB	dBuV/m	dB	cm	deg	1	13750.00	43.73	-44.57	88.30	50.02	39.05	18.81	64.15	100	0 Peak	VERTICAL
	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																															
WZ	dBuV/m	dB	dBuV/m	dB	cm	deg																																																
1	13750.00	45.00	-43.30	88.30	51.29	39.05	18.81	64.15	300	0 Peak	HORIZONTAL																																											
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																
WZ	dBuV/m	dB	dBuV/m	dB	cm	deg																																																
1	13750.00	43.73	-44.57	88.30	50.02	39.05	18.81	64.15	100	0 Peak	VERTICAL																																											







U-NII 7 - Straddle Channel
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	U-NII 7 Straddle Channel Harmonic @ 3m	
ANT	802.11ax HE80 Full CH183 6865MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Power : 1000.000MHz VSW:3.000 000MHz DRT:Auto Project : (FR) 222304 Mode : 3B Plane : 2- full-directivity Ant : 83 power setting : 16.5 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor cm dbm 1 13730.00 44.23 -44.67 88.30 50.54 39.05 18.80 64.16 300 0 Peak HORIZONTAL	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 VERTICAL Power : 1000.000MHz VSW:3.000 000MHz DRT:Auto Project : (FR) 222304 Mode : 3B Plane : 2- full-directivity Ant : 83 power setting : 16.5 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor cm dbm 1 13730.00 43.43 -44.87 88.30 49.74 39.05 18.80 64.16 100 0 Peak VERTICAL
	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Power : 1000.000MHz VSW:3.000 000MHz DRT:Auto Project : (FR) 222304 Mode : 3B Plane : 2- full-directivity Ant : 83 power setting : 16.5 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor cm dbm 1 13730.00 44.23 -44.67 88.30 50.54 39.05 18.80 64.16 300 0 Peak HORIZONTAL	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 VERTICAL Power : 1000.000MHz VSW:3.000 000MHz DRT:Auto Project : (FR) 222304 Mode : 3B Plane : 2- full-directivity Ant : 83 power setting : 16.5 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor cm dbm 1 13730.00 43.43 -44.87 88.30 49.74 39.05 18.80 64.16 100 0 Peak VERTICAL






U-NII 7 – Straddle Channel
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI	U-NII 7 Straddle Channel Harmonic @ 3m	
ANT	802.11ax HE160 Full CH175 6825MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Mode : 3B Plane : 2- full-directivity MEI : 43 power setting : 16.9 Over Limit : 16.9 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 13650.00 44.19 -44.11 88.30 50.64 39.03 18.72 64.20 300 0 Peak HORIZONTAL	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 VERTICAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Mode : 3B Plane : 2- full-directivity MEI : 43 power setting : 16.9 Over Limit : 16.9 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 13650.00 45.91 -43.29 88.30 51.46 39.03 18.72 64.20 100 0 Peak VERTICAL
	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Mode : 3B Plane : 2- full-directivity MEI : 43 power setting : 16.9 Over Limit : 16.9 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 13650.00 44.19 -44.11 88.30 50.64 39.03 18.72 64.20 300 0 Peak HORIZONTAL	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 VERTICAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Mode : 3B Plane : 2- full-directivity MEI : 43 power setting : 16.9 Over Limit : 16.9 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 13650.00 45.91 -43.29 88.30 51.46 39.03 18.72 64.20 100 0 Peak VERTICAL



U-NII 8 - 6875-7125MHzMHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)







WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																									
ANT	802.11ax HE20 Full CH229 7095MHz																																																									
1+2	Horizontal	Fundamental																																																								
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane Powersetting : 032004-KS : WIFI 6E PEAK 3m 3117 580240138 HORIZONTAL : RRM 1000.000KHz VSW 3000.000KHz SMT Auto : (F0) 222304-01 : 42 : #B : Full-directivity <table><thead><tr><th></th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7223.24</td><td>56.93</td><td>-31.37</td><td>88.30</td><td>42.52</td><td>35.60</td><td>11.66 32.85 302 346 Peak HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane Powersetting : 032004-KS : WIFI 6E PEAK 3m 3117 580240138 HORIZONTAL : RRM 1000.000KHz VSW 3000.000KHz SMT Auto : (F0) 222304-01 : 42 : #B : Full-directivity <table><thead><tr><th></th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7093.00</td><td>95.17</td><td>6.87</td><td>88.30</td><td>80.78</td><td>35.60</td><td>11.56 32.77 302 346 Peak HORIZONTAL</td></tr><tr><td>2</td><td>7093.00</td><td>87.36</td><td>19.06</td><td>68.30</td><td>72.97</td><td>35.60</td><td>11.56 32.77 302 346 Average HORIZONTAL</td></tr></tbody></table>		Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	deg		1	7223.24	56.93	-31.37	88.30	42.52	35.60	11.66 32.85 302 346 Peak HORIZONTAL		Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	deg		1	7093.00	95.17	6.87	88.30	80.78	35.60	11.56 32.77 302 346 Peak HORIZONTAL	2	7093.00	87.36	19.06	68.30	72.97	35.60	11.56 32.77 302 346 Average HORIZONTAL	
	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																			
Freq	Level	Line	Level Factor	Loss Factor	dB	deg																																																				
1	7223.24	56.93	-31.37	88.30	42.52	35.60	11.66 32.85 302 346 Peak HORIZONTAL																																																			
	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																			
Freq	Level	Line	Level Factor	Loss Factor	dB	deg																																																				
1	7093.00	95.17	6.87	88.30	80.78	35.60	11.56 32.77 302 346 Peak HORIZONTAL																																																			
2	7093.00	87.36	19.06	68.30	72.97	35.60	11.56 32.77 302 346 Average HORIZONTAL																																																			
Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane Powersetting : 032004-KS : WIFI 6E (AVG) 3m 3117 580240138 HORIZONTAL : RRM 1000.000KHz VSW 0.01000KHz SMT Auto : (F0) 222304-01 : 42 : #B : Full-directivity <table><thead><tr><th></th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7149.64</td><td>46.60</td><td>-21.70</td><td>68.30</td><td>32.19</td><td>35.60</td><td>11.61 32.80 302 346 Average HORIZONTAL</td></tr></tbody></table> Left blank		Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	deg		1	7149.64	46.60	-21.70	68.30	32.19	35.60	11.61 32.80 302 346 Average HORIZONTAL																																	
	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																			
Freq	Level	Line	Level Factor	Loss Factor	dB	deg																																																				
1	7149.64	46.60	-21.70	68.30	32.19	35.60	11.61 32.80 302 346 Average HORIZONTAL																																																			






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																										
ANT	802.11ax HE20 Full CH229 7095MHz																																																																										
1+2	Vertical	Fundamental																																																																									
Peak	Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.5M02040138 VERTICAL Project : R8W-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : (FR222304-01) MEI : 42 Plane : 48 Full-directivity : Y Power setting : 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7214.60</td><td>56.64</td><td>-31.66</td><td>88.30</td><td>42.23</td><td>35.60</td><td>11.66</td><td>32.85</td><td>302</td><td>73 Peak VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	cm	deg	1	7214.60	56.64	-31.66	88.30	42.23	35.60	11.66	32.85	302	73 Peak VERTICAL	Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.5M02040138 VERTICAL Project : R8W-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : (FR222304-01) MEI : 42 Plane : 48 Full-directivity : Y Power setting : 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7093.00</td><td>95.24</td><td>6.94</td><td>88.30</td><td>80.85</td><td>35.60</td><td>11.56</td><td>32.77</td><td>302</td><td>73 Peak VERTICAL</td></tr><tr><td>2</td><td>7093.00</td><td>86.68</td><td>18.38</td><td>68.30</td><td>72.29</td><td>35.60</td><td>11.56</td><td>32.77</td><td>302</td><td>73 Average VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	cm	deg	1	7093.00	95.24	6.94	88.30	80.85	35.60	11.56	32.77	302	73 Peak VERTICAL	2	7093.00	86.68	18.38	68.30	72.29	35.60	11.56	32.77	302	73 Average VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	cm	deg																																																																		
1	7214.60	56.64	-31.66	88.30	42.23	35.60	11.66	32.85	302	73 Peak VERTICAL																																																																	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	cm	deg																																																																		
1	7093.00	95.24	6.94	88.30	80.85	35.60	11.56	32.77	302	73 Peak VERTICAL																																																																	
2	7093.00	86.68	18.38	68.30	72.29	35.60	11.56	32.77	302	73 Average VERTICAL																																																																	
Avg.	Site : 03DH05-KS Condition : WIFI 6E (AVG) 3m 3117.5M02040138 VERTICAL Project : R8W-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : (FR222304-01) MEI : 42 Plane : 48 Full-directivity : Y Power setting : 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7147.56</td><td>46.62</td><td>-21.68</td><td>68.30</td><td>32.21</td><td>35.60</td><td>11.61</td><td>32.80</td><td>302</td><td>73 Average VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	cm	deg	1	7147.56	46.62	-21.68	68.30	32.21	35.60	11.61	32.80	302	73 Average VERTICAL	Left blank																																										
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	cm	deg																																																																		
1	7147.56	46.62	-21.68	68.30	32.21	35.60	11.61	32.80	302	73 Average VERTICAL																																																																	



U-NII 8 - 6875-7125MHzMHz
WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)




WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																																																				
ANT	802.11ax HE20 Partial 26/8 CH229 7095MHz																																																																																																				
1+2	Horizontal	Fundamental																																																																																																			
Peak	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB Logo Data: 1  Site Condition : 030904-KS Project : RIFI 6E PEAK 3m 3117 5M0240138 HORIZONTAL Mode : RRM 1000.000KHz VSW:3000.000KHz SRT:Auto Plane : 43 Plane : #8 PowerSetting : Full-directivity <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7145.96</td><td>56.40</td><td>-31.90</td><td>88.30</td><td>41.99</td><td>35.60</td><td>11.61</td><td>32.80</td><td>302</td><td>343 Peak</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7145.96	56.40	-31.90	88.30	41.99	35.60	11.61	32.80	302	343 Peak											HORIZONTAL	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB Logo Data: 3  Site Condition : 030904-KS Project : RIFI 6E PEAK 3m 3117 5M0240138 HORIZONTAL Mode : RRM 1000.000KHz VSW:3000.000KHz SRT:Auto Plane : 43 Plane : #8 PowerSetting : Full-directivity <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7102.00</td><td>64.87</td><td>6.57</td><td>88.30</td><td>80.47</td><td>35.60</td><td>11.57</td><td>32.77</td><td>302</td><td>343 Peak</td></tr><tr><td>2</td><td>7102.00</td><td>67.71</td><td>10.41</td><td>68.30</td><td>73.31</td><td>35.60</td><td>11.57</td><td>32.77</td><td>302</td><td>343 Average</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7102.00	64.87	6.57	88.30	80.47	35.60	11.57	32.77	302	343 Peak	2	7102.00	67.71	10.41	68.30	73.31	35.60	11.57	32.77	302	343 Average											HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7145.96	56.40	-31.90	88.30	41.99	35.60	11.61	32.80	302	343 Peak																																																																																											
										HORIZONTAL																																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7102.00	64.87	6.57	88.30	80.47	35.60	11.57	32.77	302	343 Peak																																																																																											
2	7102.00	67.71	10.41	68.30	73.31	35.60	11.57	32.77	302	343 Average																																																																																											
										HORIZONTAL																																																																																											
Avg.	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB Logo Data: 2  Site Condition : 030904-KS Project : RIFI 6E (Ave) 3m 3117 5M0240138 HORIZONTAL Mode : RRM 1000.000KHz VSW:0.010KHz SRT:Auto Plane : 43 Plane : #8 PowerSetting : Full-directivity <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7176.20</td><td>46.55</td><td>-21.75</td><td>68.30</td><td>32.15</td><td>35.60</td><td>11.62</td><td>32.82</td><td>302</td><td>343 Average</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7176.20	46.55	-21.75	68.30	32.15	35.60	11.62	32.82	302	343 Average											HORIZONTAL	Left blank																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7176.20	46.55	-21.75	68.30	32.15	35.60	11.62	32.82	302	343 Average																																																																																											
										HORIZONTAL																																																																																											






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE20 Partial 26/8 CH229 7095MHz																																																																												
1+2	Vertical	Fundamental																																																																											
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DHS-KS Condition : WIFI DE PEAK 3m 3117.5M02240138 VERTICAL Project : R8W 1000.000MHz VBR 3000.000MHz SRT:Auto Bode : FR222304-01 Mtx : 43 Pole : 48 Plane : Full-directivity Power setting : -8 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7225.32</td><td>57.01</td><td>-31.29</td><td>88.30</td><td>42.60</td><td>35.60</td><td>11.66</td><td>32.85</td><td>254</td><td>356</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1	7225.32	57.01	-31.29	88.30	42.60	35.60	11.66	32.85	254	356	Peak	VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DHS-KS Condition : WIFI DE PEAK 3m 3117.5M02240138 VERTICAL Project : R8W 1000.000MHz VBR 3000.000MHz SRT:Auto Bode : FR222304-01 Mtx : 43 Pole : 48 Plane : Full-directivity Power setting : -8 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7102.00</td><td>97.54</td><td>9.24</td><td>88.30</td><td>83.14</td><td>35.60</td><td>11.57</td><td>32.77</td><td>254</td><td>356</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7102.00</td><td>87.13</td><td>18.83</td><td>68.30</td><td>72.73</td><td>35.60</td><td>11.57</td><td>32.77</td><td>254</td><td>356</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1	7102.00	97.54	9.24	88.30	83.14	35.60	11.57	32.77	254	356	Peak	VERTICAL	2	7102.00	87.13	18.83	68.30	72.73	35.60	11.57	32.77	254	356	Average	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																					
1	7225.32	57.01	-31.29	88.30	42.60	35.60	11.66	32.85	254	356	Peak	VERTICAL																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																					
1	7102.00	97.54	9.24	88.30	83.14	35.60	11.57	32.77	254	356	Peak	VERTICAL																																																																	
2	7102.00	87.13	18.83	68.30	72.73	35.60	11.57	32.77	254	356	Average	VERTICAL																																																																	
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DHS-KS Condition : WIFI DE (AVG) 3m 3117.5M02240138 VERTICAL Project : R8W 1000.000MHz VBR 3000.000MHz SRT:Auto Bode : FR222304-01 Mtx : 43 Pole : 48 Plane : Full-directivity Power setting : -8 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7149.32</td><td>46.47</td><td>-21.83</td><td>68.30</td><td>32.66</td><td>35.60</td><td>11.61</td><td>32.80</td><td>254</td><td>356</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1	7149.32	46.47	-21.83	68.30	32.66	35.60	11.61	32.80	254	356	Average	VERTICAL	Left blank																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																					
1	7149.32	46.47	-21.83	68.30	32.66	35.60	11.61	32.80	254	356	Average	VERTICAL																																																																	



U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)




WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 52/40 CH229 7095MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 030804-KS Condition : WIFI 6E PEAK 3m 3117 5M0240138 HORIZONTAL Project : RRM 1000.000KHz VSW 3.000 0.000KHz SWT Auto Mode : 44 Ref : #8 Plane : F Power setting : Full-directivity Over Limit ReadAntenna Cable Presamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV dB dB cm deg 1 7245.00 57.44 -30.86 88.30 43.04 35.60 11.66 32.86 301 343 Peak HORIZONTAL	 Site : 030804-KS Condition : WIFI 6E PEAK 3m 3117 5M0240138 HORIZONTAL Project : RRM 1000.000KHz VSW 3.000 0.000KHz SWT Auto Mode : 44 Ref : #8 Plane : F Power setting : Full-directivity Over Limit ReadAntenna Cable Presamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV dB dB cm deg 1 7102.00 84.73 6.43 88.30 80.83 35.60 11.57 32.77 301 343 Peak HORIZONTAL 2 7102.00 87.28 10.98 88.30 72.88 35.60 11.57 32.77 301 343 Average HORIZONTAL
Avg.	 Site : 030804-KS Condition : WIFI 6E (Ave) 3m 3117 5M0240138 HORIZONTAL Project : RRM 1000.000KHz VSW 0.010KHz SWT Auto Mode : 44 Ref : #8 Plane : F Power setting : Full-directivity Over Limit ReadAntenna Cable Presamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV dB dB cm deg 1 7174.60 46.54 -21.76 68.30 32.14 35.60 11.62 32.82 301 343 Average HORIZONTAL	Left blank










WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 52/40 CH229 7095MHz	
1+2	Vertical	Fundamental
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DHS-KS Condition : WIFI 6E PEAK 3m 3117 5M00240138 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : 44 MEI : 89 Plane : Y Full-directivity Power setting : -6 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase Freq Level Limit Line Level Factor Loss Factor cm deg 1 7204.84 56.67 -31.63 88.30 42.25 35.60 11.65 32.83 106 356 Peak VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DHS-KS Condition : WIFI 6E PEAK 3m 3117 5M00240138 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : 44 MEI : 89 Plane : Y Full-directivity Power setting : -6 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase Freq Level Limit Line Level Factor Loss Factor cm deg 1 * 7102.00 95.03 6.73 88.30 80.63 35.60 11.57 32.77 106 356 Peak VERTICAL 2 * 7102.00 86.90 18.60 68.30 72.50 35.60 11.57 32.77 106 356 Average VERTICAL
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DHS-KS Condition : WIFI 6E (AVG) 3m 3117 5M00240138 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : 44 MEI : 89 Plane : Y Full-directivity Power setting : -6 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase Freq Level Limit Line Level Factor Loss Factor cm deg 1 7174.44 46.57 -21.73 68.30 32.17 35.60 11.62 32.82 106 356 Average VERTICAL	Left blank






U-NII 8 - 6875-7125MHzMHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																			
ANT	802.11ax HE20 Partial 106/54 CH229 7095MHz																																																																			
1+2	Horizontal	Fundamental																																																																		
Peak	 Site Condition : 030904-KS Condition : WIFI 6E PEAK 3m 3117 5M0240138 HORIZONTA Power : 1000.000000 WVR 3000.000000 SWT Auto Project : (F0) 222304-01 Mode : 45 Plane : #8 Plane : F Power : Full-directivity <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th></tr><tr><td>7101.08</td><td>96.56</td><td>-31.74</td><td>88.30</td><td>42.15</td><td>35.40</td><td>11.61</td><td>32.80</td><td>301</td><td>344 Peak</td><td>HORIZONT</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	7101.08	96.56	-31.74	88.30	42.15	35.40	11.61	32.80	301	344 Peak	HORIZONT	 Site Condition : 030904-KS Condition : WIFI 6E PEAK 3m 3117 5M0240138 HORIZONTA Power : 1000.000000 WVR 3000.000000 SWT Auto Project : (F0) 222304-01 Mode : 45 Plane : #8 Plane : F Power : Full-directivity <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th></tr><tr><td>7102.00</td><td>96.56</td><td>-31.74</td><td>88.30</td><td>42.15</td><td>35.40</td><td>11.61</td><td>32.77</td><td>301</td><td>344 Average</td><td>HORIZONT</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	7102.00	96.56	-31.74	88.30	42.15	35.40	11.61	32.77	301	344 Average	HORIZONT
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm																																																										
7101.08	96.56	-31.74	88.30	42.15	35.40	11.61	32.80	301	344 Peak	HORIZONT																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm																																																										
7102.00	96.56	-31.74	88.30	42.15	35.40	11.61	32.77	301	344 Average	HORIZONT																																																										
Avg.	 Site Condition : 030904-KS Condition : WIFI 6E (AVG) 3m 3117 5M0240138 HORIZONTA Power : 1000.000000 WVR 0.010000 SWT Auto Project : (F0) 222304-01 Mode : 45 Plane : #8 Plane : F Power : Full-directivity <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th></tr><tr><td>7109.04</td><td>46.55</td><td>-21.75</td><td>68.30</td><td>32.14</td><td>35.40</td><td>11.61</td><td>32.80</td><td>301</td><td>344 Average</td><td>HORIZONT</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	7109.04	46.55	-21.75	68.30	32.14	35.40	11.61	32.80	301	344 Average	HORIZONT	Left blank																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm																																																										
7109.04	46.55	-21.75	68.30	32.14	35.40	11.61	32.80	301	344 Average	HORIZONT																																																										






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m				
ANT	802.11ax HE20 Partial 106/54 CH229 7095MHz				
1+2	Vertical	Fundamental			
Peak	 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900058 http://www.sporton.com.cn SPORTON LAB. DATA: 5 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 Frequency (MHz) 7085 7110 7130 7150 7170 7190 7210 7230 7245 Site Condition Project Mode MEI Plane Power setting Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase 03DH05-KS WIFI 6E PEAK 3m 3117.5M00240138 VERTICAL RSM-1000.000KHz VBR-3000.000KHz SRT-Auto (FR)222304-01 45 48 Full-directivity -3 dBm/Vm dBm/Vm dBm/Vm dBm/Vm dB cn deg 68 Peak VERTICAL Freq Level Limit Line Level Factor Loss Factor 1 7175.72 56.88 -31.42 88.30 42.48 35.60 11.62 32.82 296 68 Peak VERTICAL <td>  No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900058 http://www.sporton.com.cn SPORTON LAB. DATA: 7 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 Frequency (MHz) 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000 Site Condition Project Mode MEI Plane Power setting Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase 03DH05-KS WIFI 6E PEAK 3m 3117.5M00240138 VERTICAL RSM-1000.000KHz VBR-3000.000KHz SRT-Auto (FR)222304-01 45 48 Full-directivity -3 dBm/Vm dBm/Vm dBm/Vm dBm/Vm dB cn deg 68 Average VERTICAL Freq Level Limit Line Level Factor Loss Factor 1 7102.00 94.01 5.71 88.30 79.61 35.60 11.57 32.77 296 68 Peak VERTICAL 2 7102.00 86.92 18.62 68.30 72.52 35.60 11.57 32.77 296 68 Average VERTICAL <tr><td>Avg.</td><td>  No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900058 http://www.sporton.com.cn SPORTON LAB. DATA: 6 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 Frequency (MHz) 7085 7110 7130 7150 7170 7190 7210 7230 7245 Site Condition Project Mode MEI Plane Power setting Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase 03DH05-KS WIFI 6E (AVG) 3m 3117.5M00240138 VERTICAL RSM-1000.000KHz VBR-0.0100KHz SRT-Auto (FR)222304-01 45 48 Full-directivity -3 dBm/Vm dBm/Vm dBm/Vm dBm/Vm dB cn deg 68 Average VERTICAL Freq Level Limit Line Level Factor Loss Factor 1 7152.20 46.58 -21.72 68.30 32.17 35.60 11.61 32.80 296 68 Average VERTICAL <td>Left blank</td></td></tr></td>	 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900058 http://www.sporton.com.cn SPORTON LAB. DATA: 7 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 Frequency (MHz) 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000 Site Condition Project Mode MEI Plane Power setting Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase 03DH05-KS WIFI 6E PEAK 3m 3117.5M00240138 VERTICAL RSM-1000.000KHz VBR-3000.000KHz SRT-Auto (FR)222304-01 45 48 Full-directivity -3 dBm/Vm dBm/Vm dBm/Vm dBm/Vm dB cn deg 68 Average VERTICAL Freq Level Limit Line Level Factor Loss Factor 1 7102.00 94.01 5.71 88.30 79.61 35.60 11.57 32.77 296 68 Peak VERTICAL 2 7102.00 86.92 18.62 68.30 72.52 35.60 11.57 32.77 296 68 Average VERTICAL <tr><td>Avg.</td><td>  No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900058 http://www.sporton.com.cn SPORTON LAB. DATA: 6 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 Frequency (MHz) 7085 7110 7130 7150 7170 7190 7210 7230 7245 Site Condition Project Mode MEI Plane Power setting Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase 03DH05-KS WIFI 6E (AVG) 3m 3117.5M00240138 VERTICAL RSM-1000.000KHz VBR-0.0100KHz SRT-Auto (FR)222304-01 45 48 Full-directivity -3 dBm/Vm dBm/Vm dBm/Vm dBm/Vm dB cn deg 68 Average VERTICAL Freq Level Limit Line Level Factor Loss Factor 1 7152.20 46.58 -21.72 68.30 32.17 35.60 11.61 32.80 296 68 Average VERTICAL <td>Left blank</td></td></tr>	Avg.	 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900058 http://www.sporton.com.cn SPORTON LAB. DATA: 6 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 Frequency (MHz) 7085 7110 7130 7150 7170 7190 7210 7230 7245 Site Condition Project Mode MEI Plane Power setting Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase 03DH05-KS WIFI 6E (AVG) 3m 3117.5M00240138 VERTICAL RSM-1000.000KHz VBR-0.0100KHz SRT-Auto (FR)222304-01 45 48 Full-directivity -3 dBm/Vm dBm/Vm dBm/Vm dBm/Vm dB cn deg 68 Average VERTICAL Freq Level Limit Line Level Factor Loss Factor 1 7152.20 46.58 -21.72 68.30 32.17 35.60 11.61 32.80 296 68 Average VERTICAL <td>Left blank</td>	Left blank
	Avg.	 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900058 http://www.sporton.com.cn SPORTON LAB. DATA: 6 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 Frequency (MHz) 7085 7110 7130 7150 7170 7190 7210 7230 7245 Site Condition Project Mode MEI Plane Power setting Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase 03DH05-KS WIFI 6E (AVG) 3m 3117.5M00240138 VERTICAL RSM-1000.000KHz VBR-0.0100KHz SRT-Auto (FR)222304-01 45 48 Full-directivity -3 dBm/Vm dBm/Vm dBm/Vm dBm/Vm dB cn deg 68 Average VERTICAL Freq Level Limit Line Level Factor Loss Factor 1 7152.20 46.58 -21.72 68.30 32.17 35.60 11.61 32.80 296 68 Average VERTICAL <td>Left blank</td>	Left blank		






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																							
ANT	802.11ax HE40 Full H227 7085MHz																																																																							
1+2	Vertical	Fundamental																																																																						
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900958 http://www.sporton.com.cn Site Condition : 03DH05-KS : WIFI 6E PEAK 3m 3117.5M00240138 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT Auto Mode : FREQ 222304-01 MEI : 47 Plane : 88 Full-directivity Power setting : 3.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7233.66</td><td>56.48</td><td>-31.82</td><td>88.30</td><td>42.07</td><td>35.60</td><td>11.66</td><td>32.85</td><td>232</td><td>356 Peak VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	cm	deg	1 7233.66	56.48	-31.82	88.30	42.07	35.60	11.66	32.85	232	356 Peak VERTICAL	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900958 http://www.sporton.com.cn Site Condition : 03DH05-KS : WIFI 6E PEAK 3m 3117.5M00240138 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT Auto Mode : FREQ 222304-01 MEI : 47 Plane : 88 Full-directivity Power setting : 3.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 * 7075.00</td><td>97.11</td><td>8.81</td><td>88.30</td><td>82.73</td><td>35.60</td><td>11.54</td><td>32.76</td><td>232</td><td>356 Peak VERTICAL</td></tr><tr><td>2 * 7075.00</td><td>88.97</td><td>20.67</td><td>68.30</td><td>74.59</td><td>35.60</td><td>11.54</td><td>32.76</td><td>232</td><td>356 Average VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	cm	deg	1 * 7075.00	97.11	8.81	88.30	82.73	35.60	11.54	32.76	232	356 Peak VERTICAL	2 * 7075.00	88.97	20.67	68.30	74.59	35.60	11.54	32.76	232	356 Average VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	cm	deg																																																															
1 7233.66	56.48	-31.82	88.30	42.07	35.60	11.66	32.85	232	356 Peak VERTICAL																																																															
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	cm	deg																																																															
1 * 7075.00	97.11	8.81	88.30	82.73	35.60	11.54	32.76	232	356 Peak VERTICAL																																																															
2 * 7075.00	88.97	20.67	68.30	74.59	35.60	11.54	32.76	232	356 Average VERTICAL																																																															
Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900958 http://www.sporton.com.cn Site Condition : 03DH05-KS : WIFI 6E (AVG) 3m 3117.5M00240138 VERTICAL Project : RRM 1000.000KHz VBR 0.0100KHz SRT Auto Mode : FREQ 222304-01 MEI : 47 Plane : 88 Full-directivity Power setting : 3.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7149.06</td><td>46.69</td><td>-21.61</td><td>68.30</td><td>32.28</td><td>35.60</td><td>11.61</td><td>32.80</td><td>232</td><td>356 Average VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	cm	deg	1 7149.06	46.69	-21.61	68.30	32.28	35.60	11.61	32.80	232	356 Average VERTICAL	Left blank																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	cm	deg																																																															
1 7149.06	46.69	-21.61	68.30	32.28	35.60	11.61	32.80	232	356 Average VERTICAL																																																															



U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11ax HE80 Full CH215 7025MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 030804-KS Condition : WIFI EE PEAK 3m 3117 5M0240138 HORIZONTAL Project : RRM 1000.000KHz VSW:3.000 500KHz SWT:Auto Mode : 49 Ref : #8 Plane : T PowerSetting : Full-directivity Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV dB dB cm deg 1 7129.64 56.12 -32.18 88.30 41.71 35.60 11.60 32.79 307 346 Peak HORIZONTAL	 Site : 030804-KS Condition : WIFI EE PEAK 3m 3117 5M0240138 HORIZONTAL Project : RRM 1000.000KHz VSW:3.000 500KHz SWT:Auto Mode : 49 Ref : #8 Plane : T PowerSetting : Full-directivity Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV dB dB cm deg 1 6984.00 88.92 10.62 88.30 84.64 35.60 11.49 32.71 307 346 Peak HORIZONTAL 2 6994.00 89.41 21.11 88.30 75.52 35.60 11.49 32.71 307 346 Average HORIZONTAL
Avg.	 Site : 030804-KS Condition : WIFI EE (Ave) 3m 3117 5M0240138 HORIZONTAL Project : RRM 1000.000KHz VSW:0.010KHz SWT:Auto Mode : 49 Ref : #8 Plane : T PowerSetting : Full-directivity Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV dB dB cm deg 1 7143.08 46.83 -21.47 68.30 32.43 35.60 11.60 32.80 307 346 Average HORIZONTAL	Left blank






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																								
ANT	802.11ax HE80 Full CH215 7025MHz																																								
1+2	Vertical	Fundamental																																							
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 5 Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.5M02040138 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SRT Auto Mode : (FR) 222304-01 MEI : 49 Plane : 49 Full-directivity : Y Power setting : 5.5 Over Limit : 5.5 ReadAntenna : 5.5 Cable Preamp : 5.5 A/Pos : 5.5 T/Pos : 5.5 Remark : 5.5 Pol/Phas : 5.5 <table><thead><tr><th>1</th><th>7128.20</th><th>55.97</th><th>-32.33</th><th>88.30</th><th>41.58</th><th>35.60</th><th>11.58</th><th>32.79</th><th>264</th><th>358</th><th>Peak</th><th>VERTICAL</th></tr></thead></table>	1	7128.20	55.97	-32.33	88.30	41.58	35.60	11.58	32.79	264	358	Peak	VERTICAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 7 Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.5M02040138 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SRT Auto Mode : (FR) 222304-01 MEI : 49 Plane : 49 Full-directivity : Y Power setting : 5.5 Over Limit : 5.5 ReadAntenna : 5.5 Cable Preamp : 5.5 A/Pos : 5.5 T/Pos : 5.5 Remark : 5.5 Pol/Phas : 5.5 <table><thead><tr><th>1</th><th>7030.00</th><th>98.53</th><th>10.23</th><th>88.30</th><th>84.14</th><th>35.60</th><th>11.52</th><th>32.73</th><th>264</th><th>358</th><th>Peak</th><th>VERTICAL</th></tr><tr><th>2</th><th>7030.00</th><th>89.53</th><th>21.23</th><th>68.30</th><th>75.14</th><th>35.60</th><th>11.52</th><th>32.73</th><th>264</th><th>358</th><th>Average</th><th>VERTICAL</th></tr></thead></table>	1	7030.00	98.53	10.23	88.30	84.14	35.60	11.52	32.73	264	358	Peak	VERTICAL	2	7030.00	89.53	21.23	68.30	75.14	35.60	11.52	32.73	264	358	Average	VERTICAL
1	7128.20	55.97	-32.33	88.30	41.58	35.60	11.58	32.79	264	358	Peak	VERTICAL																													
1	7030.00	98.53	10.23	88.30	84.14	35.60	11.52	32.73	264	358	Peak	VERTICAL																													
2	7030.00	89.53	21.23	68.30	75.14	35.60	11.52	32.73	264	358	Average	VERTICAL																													
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 8 Site : 03DH05-KS Condition : WIFI 6E (AVG) 3m 3117.5M02040138 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SRT Auto Mode : (FR) 222304-01 MEI : 49 Plane : 49 Full-directivity : Y Power setting : 5.5 Over Limit : 5.5 ReadAntenna : 5.5 Cable Preamp : 5.5 A/Pos : 5.5 T/Pos : 5.5 Remark : 5.5 Pol/Phas : 5.5 <table><thead><tr><th>1</th><th>7142.60</th><th>46.82</th><th>-21.48</th><th>68.30</th><th>32.42</th><th>35.60</th><th>11.60</th><th>32.80</th><th>264</th><th>358</th><th>Average</th><th>VERTICAL</th></tr></thead></table>	1	7142.60	46.82	-21.48	68.30	32.42	35.60	11.60	32.80	264	358	Average	VERTICAL	Left blank																										
1	7142.60	46.82	-21.48	68.30	32.42	35.60	11.60	32.80	264	358	Average	VERTICAL																													






U-NII 8 - 6875-7125MHzMHz

WIFI 802.11ax HE160 Full (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11ax HE160 Full CH207 6985MHz	
1+2	Horizontal	Fundamental
Peak	 Site Condition: 032004-KS Condition: WIFI 6E PEAK 3m 3117 5M0240138 HORIZONT Project: RRM 1000.000KHz VSW:3.000 500KHz SWT:Auto Mode: (F0) 222304-01 Ref: S0 Plane: Y Power: Full-directivity Over Limit: ReadAntenna Cable Preamp A/Pos T/Pos Line Level Factor Loss Factor dB cm deg 1 7185.64 57.08 -31.22 88.30 38.54 35.90 15.47 32.83 100 170 Peak HORIZONT	 Site Condition: 032004-KS Condition: WIFI 6E PEAK 3m 3117 5M0240138 HORIZONT Project: RRM 1000.000KHz VSW:3.000 500KHz SWT:Auto Mode: (F0) 222304-01 Ref: S0 Plane: Y Power: Full-directivity Over Limit: ReadAntenna Cable Preamp A/Pos T/Pos Line Level Factor Loss Factor dB cm deg 1 6922.00 99.01 10.71 88.30 80.34 35.88 15.47 32.68 100 170 Peak HORIZONT 2 6922.00 88.20 10.90 68.30 69.52 35.88 15.47 32.68 100 170 Average HORIZONT
Avg.	 Site Condition: 032004-KS Condition: WIFI 6E (AVG) 3m 3117 5M0240138 HORIZONT Project: RRM 1000.000KHz VSW:0.010KHz SWT:Auto Mode: (F0) 222304-01 Ref: S0 Plane: Y Power: Full-directivity Over Limit: ReadAntenna Cable Preamp A/Pos T/Pos Line Level Factor Loss Factor dB cm deg 1 7139.88 48.29 -20.01 68.30 29.71 35.90 15.48 32.80 100 170 Average HORIZONT	Left blank







WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE160 Full CH207 6985MHz																																																																												
1+2	Vertical	Fundamental																																																																											
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI DE PEAK 3m 3117.5M02040138 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SRT:Auto FREQ 222304-01 Mode : SO MEI : #8 Plane : Y Full-directivity : Y Power setting : 7 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7205.48</td><td>56.58</td><td>-31.72</td><td>88.30</td><td>38.04</td><td>35.90</td><td>15.47</td><td>32.83</td><td>163</td><td>175</td><td>Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg	1	7205.48	56.58	-31.72	88.30	38.04	35.90	15.47	32.83	163	175	Peak	VERTICAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI DE PEAK 3m 3117.5M02040138 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SRT:Auto FREQ 222304-01 Mode : SO MEI : #8 Plane : Y Full-directivity : Y Power setting : 7 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6994.00</td><td>98.25</td><td>9.95</td><td>88.30</td><td>79.56</td><td>35.90</td><td>15.50</td><td>32.71</td><td>163</td><td>175</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>6994.00</td><td>88.50</td><td>20.20</td><td>68.30</td><td>69.81</td><td>35.90</td><td>15.50</td><td>32.71</td><td>163</td><td>175</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg	1	6994.00	98.25	9.95	88.30	79.56	35.90	15.50	32.71	163	175	Peak	VERTICAL	2	6994.00	88.50	20.20	68.30	69.81	35.90	15.50	32.71	163	175	Average	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																					
1	7205.48	56.58	-31.72	88.30	38.04	35.90	15.47	32.83	163	175	Peak	VERTICAL																																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																					
1	6994.00	98.25	9.95	88.30	79.56	35.90	15.50	32.71	163	175	Peak	VERTICAL																																																																	
2	6994.00	88.50	20.20	68.30	69.81	35.90	15.50	32.71	163	175	Average	VERTICAL																																																																	
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI DE (AVG) 3m 3117.5M02040138 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SRT:Auto FREQ 222304-01 Mode : SO MEI : #8 Plane : Y Full-directivity : Y Power setting : 7 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7130.28</td><td>47.01</td><td>-21.29</td><td>68.30</td><td>28.42</td><td>35.90</td><td>15.48</td><td>32.79</td><td>163</td><td>175</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg	1	7130.28	47.01	-21.29	68.30	28.42	35.90	15.48	32.79	163	175	Average	VERTICAL	Left blank																																												
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																					
1	7130.28	47.01	-21.29	68.30	28.42	35.90	15.48	32.79	163	175	Average	VERTICAL																																																																	







U-NII 8 - 6875-7125MHz



WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																																																									
ANT	802.11ax HE20 Full CH189 6895MHz																																																																																																									
1+2	Horizontal	Vertical																																																																																																								
Peak Avg.	 Site : 030H06-KS Condition : WIFI 6E PEAK 3m 3117 00240133 HORIZONTAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto FR222304 Mode : 27 Plane : Z- full-directivity Flare : #3 IME1 : 16.5 Power setting : 16.5 <table><tr><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>WZ</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>43.92</td><td>-44.38</td><td>88.30</td><td>50.16</td><td>39.06</td><td>18.84</td><td>64.14</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  Site : 030H06-KS Condition : WIFI 6E PEAK 3m 3117 00240133 HORIZONTAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto FR222304 Mode : 27 Plane : Z- full-directivity Flare : #3 IME1 : 16.5 Power setting : 16.5 <table><tr><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>WZ</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>43.92</td><td>-44.38</td><td>88.30</td><td>50.16</td><td>39.06</td><td>18.84</td><td>64.14</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	WZ	dBuV/m	dB	dBuV/m	dB	cm	deg	1	13790.00	43.92	-44.38	88.30	50.16	39.06	18.84	64.14	300	0 Peak	HORIZONTAL	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	WZ	dBuV/m	dB	dBuV/m	dB	cm	deg	1	13790.00	43.92	-44.38	88.30	50.16	39.06	18.84	64.14	300	0 Peak	HORIZONTAL	 Site : 030H06-KS Condition : WIFI 6E PEAK 3m 3117 00240133 VERTICAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto FR222304 Mode : 27 Plane : Z- full-directivity Flare : #3 IME1 : 16.5 Power setting : 16.5 <table><tr><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>WZ</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>43.29</td><td>-45.01</td><td>88.30</td><td>49.53</td><td>39.06</td><td>18.84</td><td>64.14</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>  Site : 030H06-KS Condition : WIFI 6E PEAK 3m 3117 00240133 VERTICAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto FR222304 Mode : 27 Plane : Z- full-directivity Flare : #3 IME1 : 16.5 Power setting : 16.5 <table><tr><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>WZ</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>43.29</td><td>-45.01</td><td>88.30</td><td>49.53</td><td>39.06</td><td>18.84</td><td>64.14</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	WZ	dBuV/m	dB	dBuV/m	dB	cm	deg	1	13790.00	43.29	-45.01	88.30	49.53	39.06	18.84	64.14	100	0 Peak	VERTICAL	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	WZ	dBuV/m	dB	dBuV/m	dB	cm	deg	1	13790.00	43.29	-45.01	88.30	49.53	39.06	18.84	64.14	100	0 Peak	VERTICAL
	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																			
WZ	dBuV/m	dB	dBuV/m	dB	cm	deg																																																																																																				
1	13790.00	43.92	-44.38	88.30	50.16	39.06	18.84	64.14	300	0 Peak	HORIZONTAL																																																																																															
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																				
WZ	dBuV/m	dB	dBuV/m	dB	cm	deg																																																																																																				
1	13790.00	43.92	-44.38	88.30	50.16	39.06	18.84	64.14	300	0 Peak	HORIZONTAL																																																																																															
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																				
WZ	dBuV/m	dB	dBuV/m	dB	cm	deg																																																																																																				
1	13790.00	43.29	-45.01	88.30	49.53	39.06	18.84	64.14	100	0 Peak	VERTICAL																																																																																															
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																				
WZ	dBuV/m	dB	dBuV/m	dB	cm	deg																																																																																																				
1	13790.00	43.29	-45.01	88.30	49.53	39.06	18.84	64.14	100	0 Peak	VERTICAL																																																																																															







WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																									
ANT	802.11ax HE20 Full CH209 6995 MHz																																																																									
1+2	Horizontal	Vertical																																																																								
Peak Avg.	 No. 1098 Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn  SPORTON LAB. Date: 1  Site Condition Project Mode Plane IMEI Power setting : 03PH05-KS : WIFI 6E PEAK 3m 3117.00240132 HORIZONTAL : RSM-1000.000KHz VBR-3000.000KHz SMT-Auto : FR222304 : 41 : 2- full-directivity : #3 : 16.5 <table><tr><th></th><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>13990.00</td><td>44.49</td><td>-43.81</td><td>88.30</td><td>50.42</td><td>39.10</td><td>19.02</td><td>64.05</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>		Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	13990.00	44.49	-43.81	88.30	50.42	39.10	19.02	64.05	300	0 Peak	HORIZONTAL	 No. 1098 Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn  SPORTON LAB. Date: 2  Site Condition Project Mode Plane IMEI Power setting : 03PH05-KS : WIFI 6E PEAK 3m 3117.00240132 VERTICAL : RSM-1000.000KHz VBR-3000.000KHz SMT-Auto : FR222304 : 41 : 2- full-directivity : #3 : 16.5 <table><tr><th></th><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>13990.00</td><td>44.19</td><td>-44.11</td><td>88.30</td><td>50.12</td><td>39.10</td><td>19.02</td><td>64.05</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>		Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	13990.00	44.19	-44.11	88.30	50.12	39.10	19.02	64.05	100	0 Peak	VERTICAL
		Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																	
1	13990.00	44.49	-43.81	88.30	50.42	39.10	19.02	64.05	300	0 Peak	HORIZONTAL																																																															
	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																	
1	13990.00	44.19	-44.11	88.30	50.12	39.10	19.02	64.05	100	0 Peak	VERTICAL																																																															







WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE20 Full CH229 7095 MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 Site : 03PH05-KS Condition : WIFI @ PEAK 3m 3117.00240132 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Plane : 2- full-directivity Mode : 42 FREQ : 222304 Polarization : 43 Power setting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14192.00</td><td>43.98</td><td>-44.32</td><td>88.30</td><td>49.69</td><td>39.29</td><td>19.11</td><td>64.11</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 14192.00	43.98	-44.32	88.30	49.69	39.29	19.11	64.11	300	0 Peak	HORIZONTAL	 Site : 03PH05-KS Condition : WIFI @ PEAK 3m 3117.00240132 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Plane : 2- full-directivity Mode : 42 FREQ : 222304 Polarization : 43 Power setting : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14192.00</td><td>43.51</td><td>-44.79</td><td>88.30</td><td>49.22</td><td>39.29</td><td>19.11</td><td>64.11</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 14192.00	43.51	-44.79	88.30	49.22	39.29	19.11	64.11	100	0 Peak	VERTICAL
	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 14192.00	43.98	-44.32	88.30	49.69	39.29	19.11	64.11	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 14192.00	43.51	-44.79	88.30	49.22	39.29	19.11	64.11	100	0 Peak	VERTICAL																																																										



U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)



WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH203 6965MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Power : 1000.000MHz VSW:3.000 000MHz DUT:Auto Project : (FR)222304 Mode : 40 Plane : 2- full-directivity Ant : 83 power setting : 16.5 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 13930.00 44.00 -44.30 88.30 50.00 39.09 18.98 64.07 300 0 Peak HORIZONTAL	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 VERTICAL Power : 1000.000MHz VSW:3.000 000MHz DUT:Auto Project : (FR)222304 Mode : 40 Plane : 2- full-directivity Ant : 83 power setting : 16.5 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 13930.00 43.76 -44.54 88.30 49.76 39.09 18.98 64.07 100 0 Peak VERTICAL
	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 HORIZONTAL Power : 1000.000MHz VSW:3.000 000MHz DUT:Auto Project : (FR)222304 Mode : 40 Plane : 2- full-directivity Ant : 83 power setting : 16.5 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 13930.00 44.00 -44.30 88.30 50.00 39.09 18.98 64.07 300 0 Peak HORIZONTAL	 Site : 032050-KS Condition : WIFI 6E PEAK 3m 3117 00240132 VERTICAL Power : 1000.000MHz VSW:3.000 000MHz DUT:Auto Project : (FR)222304 Mode : 40 Plane : 2- full-directivity Ant : 83 power setting : 16.5 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 13930.00 43.76 -44.54 88.30 49.76 39.09 18.98 64.07 100 0 Peak VERTICAL





WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE40 Full CH227 7085MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00240132 HORIZONTAL Project : FR222304 RSM : 1000.000KHz VBR : 3000.000KHz SRT : Auto Plane : 2- full-directivity Node : 47 Polar : 43 Power : 16.5 power : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14170.00</td><td>44.12</td><td>-44.18</td><td>88.30</td><td>49.85</td><td>39.27</td><td>19.11</td><td>64.11</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 14170.00	44.12	-44.18	88.30	49.85	39.27	19.11	64.11	300	0 Peak	HORIZONTAL	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00240132 VERTICAL Project : FR222304 RSM : 1000.000KHz VBR : 3000.000KHz SRT : Auto Plane : 2- full-directivity Node : 47 Polar : 43 Power : 16.5 power : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14170.00</td><td>44.36</td><td>-43.94</td><td>88.30</td><td>50.09</td><td>39.27</td><td>19.11</td><td>64.11</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 14170.00	44.36	-43.94	88.30	50.09	39.27	19.11	64.11	100	0 Peak	VERTICAL
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 14170.00	44.12	-44.18	88.30	49.85	39.27	19.11	64.11	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 14170.00	44.36	-43.94	88.30	50.09	39.27	19.11	64.11	100	0 Peak	VERTICAL																																																										
Avg.	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00240132 HORIZONTAL Project : FR222304 RSM : 1000.000KHz VBR : 3000.000KHz SRT : Auto Plane : 2- full-directivity Node : 47 Polar : 43 Power : 16.5 power : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14170.00</td><td>44.12</td><td>-44.18</td><td>88.30</td><td>49.85</td><td>39.27</td><td>19.11</td><td>64.11</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 14170.00	44.12	-44.18	88.30	49.85	39.27	19.11	64.11	300	0 Peak	HORIZONTAL	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00240132 VERTICAL Project : FR222304 RSM : 1000.000KHz VBR : 3000.000KHz SRT : Auto Plane : 2- full-directivity Node : 47 Polar : 43 Power : 16.5 power : 16.5 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14170.00</td><td>44.36</td><td>-43.94</td><td>88.30</td><td>50.09</td><td>39.27</td><td>19.11</td><td>64.11</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 14170.00	44.36	-43.94	88.30	50.09	39.27	19.11	64.11	100	0 Peak	VERTICAL
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 14170.00	44.12	-44.18	88.30	49.85	39.27	19.11	64.11	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 14170.00	44.36	-43.94	88.30	50.09	39.27	19.11	64.11	100	0 Peak	VERTICAL																																																										



U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH199 6945MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 030604-KS Condition : WIFI 802.11ax HE80 Full HORIZONTAL Project : FR222304 Mode : 47 Plane : 2- full-directivity Antenna : 83 power setting : 16.5 Over Limit : 16.5 Frag Level : 44.72 -44.08 88.30 50.30 39.08 18.93 64.09 300 0 Peak HORIZONTAL	 Site : 030604-KS Condition : WIFI 802.11ax HE80 Full VERTICAL Project : FR222304 Mode : 47 Plane : 2- full-directivity Antenna : 83 power setting : 16.5 Over Limit : 16.5 Frag Level : 43.31 -44.99 88.30 49.39 39.08 18.93 64.09 100 0 Peak VERTICAL



WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																		
ANT	802.11ax HE80 Full CH215 7025MHz																																																																		
1+2	Horizontal	Vertical																																																																	
Peak Avg.	 No. 109B, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn DATA: 7  Site Condition : 03PH05-KS Project : WIFI 6E PEAK 3m 3117.00240132 HORIZONTAL Bode : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Plane : FR222304 IMEI : 49 PowerSetting : 2- full-directivity <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>14050.00</td><td>43.68</td><td>-44.62</td><td>88.30</td><td>49.53</td><td>39.15</td><td>19.06</td><td>64.06</td><td></td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  No. 109B, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn DATA: 8  Site Condition : 03PH05-KS Project : WIFI 6E PEAK 3m 3117.00240132 VERTICAL Bode : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Plane : FR222304 IMEI : 49 PowerSetting : 2- full-directivity <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>14050.00</td><td>43.44</td><td>-44.86</td><td>88.30</td><td>49.29</td><td>39.15</td><td>19.06</td><td>64.06</td><td></td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm	dB	dB	cm	deg			14050.00	43.68	-44.62	88.30	49.53	39.15	19.06	64.06		0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm	dB	dB	cm	deg			14050.00	43.44	-44.86	88.30	49.29	39.15	19.06	64.06		0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBm/Vm	dB	dBm/Vm	dBm	dB	dB	cm	deg																																																											
14050.00	43.68	-44.62	88.30	49.53	39.15	19.06	64.06		0 Peak	HORIZONTAL																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/Vm	dB	dBm/Vm	dBm	dB	dB	cm	deg																																																											
14050.00	43.44	-44.86	88.30	49.29	39.15	19.06	64.06		0 Peak	VERTICAL																																																									





U-NII 8 - Straddle Channel

WIFI 802.11ax HE40 Full (Harmonic @ 3m)





WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																								
ANT	802.11ax HE40 Full CH187 6885MHz																																																																								
1+2	Horizontal						Vertical																																																																		
Peak																																																																									
	Site : 030H06-KS Condition : WIFI 6E PEAK 3m 3117 00340133 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz SRT Auto Bode : FR222304 Plane : 2 - full-directivity Mode : 50 Flare : #3 IME1 : powersetting : 16 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>WIC</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13770.00</td><td>44.00</td><td>-44.30</td><td>88.30</td><td>50.27</td><td>39.05</td><td>18.83</td><td>64.15</td><td>100</td><td>360</td><td>Peak</td><td>HORIZONTAL</td></tr></tbody></table>						Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	WIC	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	13770.00	44.00	-44.30	88.30	50.27	39.05	18.83	64.15	100	360	Peak	HORIZONTAL	Site : 030H06-KS Condition : WIFI 6E PEAK 3m 3117 00340133 VERTICAL Project : RRM 1000.000KHz VSW 3000.000KHz SRT Auto Bode : FR222304 Plane : 2 - full-directivity Mode : 50 Flare : #3 IME1 : powersetting : 16 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>WIC</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13770.00</td><td>43.54</td><td>-44.76</td><td>88.30</td><td>49.81</td><td>39.05</td><td>18.83</td><td>64.15</td><td>100</td><td>0</td><td>Peak</td><td>VERTICAL</td></tr></tbody></table>						Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	WIC	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	13770.00	43.54	-44.76	88.30	49.81	39.05	18.83	64.15	100	0	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																	
WIC	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																		
1	13770.00	44.00	-44.30	88.30	50.27	39.05	18.83	64.15	100	360	Peak	HORIZONTAL																																																													
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																	
WIC	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																		
1	13770.00	43.54	-44.76	88.30	49.81	39.05	18.83	64.15	100	0	Peak	VERTICAL																																																													



Emission below 1GHz
6GHz WIFI 802.11ax HE160 Full (LF)



WIFI	6GHz WIFI																																																																																																																																																																												
ANT	802.11ax HE160 Full LF																																																																																																																																																																												
1+2	Horizontal	Vertical																																																																																																																																																																											
QP / Peak	 Site : 030904-KS Condition : WIFI 4E PEAK 3m CBLA1100N23188 HORIZONTAL Project : RSM 100.000000 VSW 300.000000 SMT Auto Mode : (FCI)22304-01 Plane : 50 Polar : Full-directivity IMEI : 88 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>30.00</td><td>23.17</td><td>-6.83</td><td>40.00</td><td>39.22</td><td>25.15</td><td>0.58</td><td>31.23</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>117.30</td><td>23.30</td><td>-93.00</td><td>43.50</td><td>36.09</td><td>17.12</td><td>1.76</td><td>31.67</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>3</td><td>164.63</td><td>29.17</td><td>-14.24</td><td>43.50</td><td>42.27</td><td>16.26</td><td>2.07</td><td>31.33</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>4</td><td>288.99</td><td>30.16</td><td>-10.84</td><td>46.00</td><td>39.93</td><td>19.06</td><td>2.79</td><td>31.58</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>5</td><td>689.60</td><td>35.19</td><td>-10.81</td><td>46.00</td><td>36.98</td><td>25.13</td><td>4.27</td><td>31.19</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>6</td><td>843.83</td><td>38.48</td><td>-7.52</td><td>46.00</td><td>38.44</td><td>26.62</td><td>4.73</td><td>31.31</td><td>Peak</td><td>HORIZONTAL</td></tr></tbody></table>  Site : 030904-KS Condition : WIFI 4E PEAK 3m CBLA1100N23188 VERTICAL Project : RSM 100.000000 VSW 300.000000 SMT Auto Mode : (FCI)22304-01 Plane : 50 Polar : Full-directivity IMEI : 88 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>30.00</td><td>23.04</td><td>-6.94</td><td>40.00</td><td>38.21</td><td>25.05</td><td>0.58</td><td>31.23</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>61.04</td><td>26.41</td><td>-13.59</td><td>40.00</td><td>43.69</td><td>13.38</td><td>1.04</td><td>31.70</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>3</td><td>170.65</td><td>24.85</td><td>-15.65</td><td>43.50</td><td>37.66</td><td>17.01</td><td>2.11</td><td>31.33</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>4</td><td>312.09</td><td>32.80</td><td>-13.12</td><td>46.00</td><td>35.78</td><td>24.83</td><td>3.67</td><td>31.40</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>5</td><td>582.90</td><td>35.47</td><td>-10.58</td><td>46.00</td><td>37.75</td><td>25.64</td><td>3.93</td><td>31.40</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>6</td><td>843.83</td><td>32.71</td><td>-13.29</td><td>46.00</td><td>32.13</td><td>27.16</td><td>4.73</td><td>31.31</td><td>Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dB	dB	dB	dB	deg	1	30.00	23.17	-6.83	40.00	39.22	25.15	0.58	31.23	Peak	HORIZONTAL	2	117.30	23.30	-93.00	43.50	36.09	17.12	1.76	31.67	Peak	HORIZONTAL	3	164.63	29.17	-14.24	43.50	42.27	16.26	2.07	31.33	Peak	HORIZONTAL	4	288.99	30.16	-10.84	46.00	39.93	19.06	2.79	31.58	Peak	HORIZONTAL	5	689.60	35.19	-10.81	46.00	36.98	25.13	4.27	31.19	Peak	HORIZONTAL	6	843.83	38.48	-7.52	46.00	38.44	26.62	4.73	31.31	Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dB	dB	dB	dB	deg	1	30.00	23.04	-6.94	40.00	38.21	25.05	0.58	31.23	Peak	VERTICAL	2	61.04	26.41	-13.59	40.00	43.69	13.38	1.04	31.70	Peak	VERTICAL	3	170.65	24.85	-15.65	43.50	37.66	17.01	2.11	31.33	Peak	VERTICAL	4	312.09	32.80	-13.12	46.00	35.78	24.83	3.67	31.40	Peak	VERTICAL	5	582.90	35.47	-10.58	46.00	37.75	25.64	3.93	31.40	Peak	VERTICAL	6	843.83	32.71	-13.29	46.00	32.13	27.16	4.73	31.31	Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																			
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dB	dB	dB	dB	deg																																																																																																																																																																				
1	30.00	23.17	-6.83	40.00	39.22	25.15	0.58	31.23	Peak	HORIZONTAL																																																																																																																																																																			
2	117.30	23.30	-93.00	43.50	36.09	17.12	1.76	31.67	Peak	HORIZONTAL																																																																																																																																																																			
3	164.63	29.17	-14.24	43.50	42.27	16.26	2.07	31.33	Peak	HORIZONTAL																																																																																																																																																																			
4	288.99	30.16	-10.84	46.00	39.93	19.06	2.79	31.58	Peak	HORIZONTAL																																																																																																																																																																			
5	689.60	35.19	-10.81	46.00	36.98	25.13	4.27	31.19	Peak	HORIZONTAL																																																																																																																																																																			
6	843.83	38.48	-7.52	46.00	38.44	26.62	4.73	31.31	Peak	HORIZONTAL																																																																																																																																																																			
Freq	Level	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																				
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dB	dB	dB	dB	deg																																																																																																																																																																				
1	30.00	23.04	-6.94	40.00	38.21	25.05	0.58	31.23	Peak	VERTICAL																																																																																																																																																																			
2	61.04	26.41	-13.59	40.00	43.69	13.38	1.04	31.70	Peak	VERTICAL																																																																																																																																																																			
3	170.65	24.85	-15.65	43.50	37.66	17.01	2.11	31.33	Peak	VERTICAL																																																																																																																																																																			
4	312.09	32.80	-13.12	46.00	35.78	24.83	3.67	31.40	Peak	VERTICAL																																																																																																																																																																			
5	582.90	35.47	-10.58	46.00	37.75	25.64	3.93	31.40	Peak	VERTICAL																																																																																																																																																																			
6	843.83	32.71	-13.29	46.00	32.13	27.16	4.73	31.31	Peak	VERTICAL																																																																																																																																																																			



BLE(2M)	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE(2M) CH39 2480MHz	
2	Vertical	Fundamental
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C 3m 3117 5000240138 VERTICAL Project : RSM 1000.000MHz VBR 3000.000MHz SMT-Auto Model : F02222304-01 Mode : S1 MEI : #8 Plane : Y PowerSetting : Full-directivity GE:7 NSP:4 BTS:0 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV dBm dB cm deg 1 2495.68 55.83 -18.17 74.00 49.45 32.20 6.75 32.57 100 131 Peak VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C 3m 3117 5000240138 VERTICAL Project : RSM 1000.000MHz VBR 3000.000MHz SMT-Auto Model : F02222304-01 Mode : S1 MEI : #8 Plane : Y PowerSetting : Full-directivity GE:7 NSP:4 BTS:0 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV dBm dB cm deg 1 2480.00 101.08 27.08 74.00 94.79 32.20 6.73 32.64 100 131 Peak VERTICAL
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C (AVG) 3m 3117 5000240138 VERTICAL Project : RSM 1000.000MHz VBR 1.000MHz SMT-Auto Model : F02222304-01 Mode : S1 MEI : #8 Plane : Y PowerSetting : Full-directivity GE:7 NSP:4 BTS:0 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV dBm dB cm deg 1 2483.50 48.93 -5.07 54.00 42.64 32.20 6.73 32.64 100 131 Average VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C (AVG) 3m 3117 5000240138 VERTICAL Project : RSM 1000.000MHz VBR 1.000MHz SMT-Auto Model : F02222304-01 Mode : S1 MEI : #8 Plane : Y PowerSetting : Full-directivity GE:7 NSP:4 BTS:0 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV dBm dB cm deg 1 2480.00 98.94 44.94 54.00 92.65 32.20 6.73 32.64 100 131 Average VERTICAL







BLE(2M) (Harmonic @ 3m)

BLE(2M)	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																								
ANT	BLE(2M) CH39 2480MHz																																																																																								
2	Horizontal	Vertical																																																																																							
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 29  Site : 032050-KS Condition : FCC PART 15C 3m 3117 5M0240138 HORIZONTAL Power : 1000.000000 WPM:3000.000000z DBT:Auto Project : (FG) 222304-01 Mode : S1 IMEI : #8 Plane : Y Full-directivity : Power setting : DE 7 WPM: 4 BT5.0 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>on</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>40.36</td><td>-33.64</td><td>74.00</td><td>54.29</td><td>34.53</td><td>13.25</td><td>61.71</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7440.00</td><td>43.25</td><td>-30.75</td><td>74.00</td><td>53.99</td><td>35.90</td><td>15.43</td><td>62.07</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 30  Site : 032050-KS Condition : FCC PART 15C 3m 3117 5M0240138 VERTICAL Power : 1000.000000 WPM:3000.000000z DBT:Auto Project : (FG) 222304-01 Mode : S1 IMEI : #8 Plane : Y Full-directivity : Power setting : DE 7 WPM: 4 BT5.0 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>on</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>40.19</td><td>-33.81</td><td>74.00</td><td>54.12</td><td>34.53</td><td>13.25</td><td>61.71</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7440.00</td><td>42.76</td><td>-31.24</td><td>74.00</td><td>53.90</td><td>35.90</td><td>15.43</td><td>62.07</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	on	deg	1	4960.00	40.36	-33.64	74.00	54.29	34.53	13.25	61.71	300	0 Peak	HORIZONTAL	2	7440.00	43.25	-30.75	74.00	53.99	35.90	15.43	62.07	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	on	deg	1	4960.00	40.19	-33.81	74.00	54.12	34.53	13.25	61.71	100	0 Peak	VERTICAL	2	7440.00	42.76	-31.24	74.00	53.90	35.90	15.43	62.07	100	0 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	on	deg																																																																																
1	4960.00	40.36	-33.64	74.00	54.29	34.53	13.25	61.71	300	0 Peak	HORIZONTAL																																																																														
2	7440.00	43.25	-30.75	74.00	53.99	35.90	15.43	62.07	300	0 Peak	HORIZONTAL																																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	on	deg																																																																																
1	4960.00	40.19	-33.81	74.00	54.12	34.53	13.25	61.71	100	0 Peak	VERTICAL																																																																														
2	7440.00	42.76	-31.24	74.00	53.90	35.90	15.43	62.07	100	0 Peak	VERTICAL																																																																														





WIFI 802.11ax HE160 Full (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11ax HE160 Full CH207 6985MHz																																																																																																																																						
1+2	Horizontal	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : WIFI 6E PEAK 3m 3117 5M0240138 HORIZONTAL Power : 1000.000000 WVR:3000.000000 SWT:Auto Project : (F0) 222304-01 Mode : S1 MEI : #8 Plane : Y Full-directivity : Full-directivity Power : 6E 7 MFP 4 B15.0 Power : 6E <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>7141.80</td><td>57.60</td><td>-30.70</td><td>88.30</td><td>43.20</td><td>35.60</td><td>11.60</td><td>32.80</td><td>100</td><td>189 Peak</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : WIFI 6E PEAK 3m 3117 5M0240138 HORIZONTAL Power : 1000.000000 WVR:3000.000000 SWT:Auto Project : (F0) 222304-01 Mode : S1 MEI : #8 Plane : Y Full-directivity : Full-directivity Power : 6E 7 MFP 4 B15.0 Power : 6E <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>6922.00</td><td>97.45</td><td>9.15</td><td>88.30</td><td>83.12</td><td>35.60</td><td>11.41</td><td>32.68</td><td>100</td><td>189 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg			1	7141.80	57.60	-30.70	88.30	43.20	35.60	11.60	32.80	100	189 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg			1	6922.00	97.45	9.15	88.30	83.12	35.60	11.41	32.68	100	189 Peak	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : WIFI 6E AVERAGE 3m 3117 5M0240138 HORIZONTAL Power : 1000.000000 WVR:0.010000 SWT:Auto Project : (F0) 222304-01 Mode : S1 MEI : #8 Plane : Y Full-directivity : Full-directivity Power : 6E 7 MFP 4 B15.0 Power : 6E <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>7130.92</td><td>46.69</td><td>-21.61</td><td>68.30</td><td>32.28</td><td>35.60</td><td>11.60</td><td>32.79</td><td>100</td><td>189 Average</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : WIFI 6E AVERAGE 3m 3117 5M0240138 HORIZONTAL Power : 1000.000000 WVR:0.010000 SWT:Auto Project : (F0) 222304-01 Mode : S1 MEI : #8 Plane : Y Full-directivity : Full-directivity Power : 6E 7 MFP 4 B15.0 Power : 6E <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>6958.00</td><td>87.59</td><td>19.29</td><td>68.30</td><td>73.25</td><td>35.60</td><td>11.44</td><td>32.70</td><td>100</td><td>189 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg			1	7130.92	46.69	-21.61	68.30	32.28	35.60	11.60	32.79	100	189 Average	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg			1	6958.00	87.59	19.29	68.30	73.25	35.60	11.44	32.70	100	189 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																																																																															
1	7141.80	57.60	-30.70	88.30	43.20	35.60	11.60	32.80	100	189 Peak																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																																																																															
1	6922.00	97.45	9.15	88.30	83.12	35.60	11.41	32.68	100	189 Peak																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																																																																															
1	7130.92	46.69	-21.61	68.30	32.28	35.60	11.60	32.79	100	189 Average																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																																																																															
1	6958.00	87.59	19.29	68.30	73.25	35.60	11.44	32.70	100	189 Average																																																																																																																													







WIFI 802.11ax HE160 Full (Harmonic @ 3m)





WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																		
ANT	802.11ax HE160 Full CH207 6985MHz																																																																		
1+2	Horizontal	Vertical																																																																	
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900158 http://www.sporton.com.cn Date: 25 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 0 10000 11000 12000 13000 14000 15000 16000 17000 18000 Frequency (MHz) WIFI DE PEAK dBm WIFI DE PEAK dBm Site Condition : 032005-KS RIFI 6E PEAK 3m 3117.5M00240138 HORIZONTAL Project : R08-1000-000000- V08-3000-000000- DRT-Auto Model : T70-22304-01 Make : GS IMEI : #8 Plane : Y Full-directivity Power setting : 6E-7 NRP 4.875.0 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13968.00</td><td>44.22</td><td>-44.08</td><td>88.30</td><td>50.59</td><td>38.80</td><td>16.50</td><td>61.67</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900158 http://www.sporton.com.cn Date: 26 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 0 10000 11000 12000 13000 14000 15000 16000 17000 18000 Frequency (MHz) WIFI DE PEAK dBm WIFI DE PEAK dBm Site Condition : 032005-KS RIFI 6E PEAK 3m 3117.5M00240138 VERTICAL Project : R08-1000-000000- V08-3000-000000- DRT-Auto Model : T70-22304-01 Make : GS IMEI : #8 Plane : Y Full-directivity Power setting : 6E-7 NRP 4.875.0 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13968.00</td><td>44.98</td><td>-43.32</td><td>88.30</td><td>51.35</td><td>38.80</td><td>16.50</td><td>61.67</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 13968.00	44.22	-44.08	88.30	50.59	38.80	16.50	61.67	300	0 Peak	HORIZONTAL	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 13968.00	44.98	-43.32	88.30	51.35	38.80	16.50	61.67	100	0 Peak	VERTICAL
	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																										
1 13968.00	44.22	-44.08	88.30	50.59	38.80	16.50	61.67	300	0 Peak	HORIZONTAL																																																									
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																										
1 13968.00	44.98	-43.32	88.30	51.35	38.80	16.50	61.67	100	0 Peak	VERTICAL																																																									



nRF (Band Edge @ 3m)



nRF	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	nRF CH38 2478MHz																																																																					
3	Horizontal	Fundamental																																																																				
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C 3m 3117 5M00240138 HORIZONTAL Project : R08 1000.000KHz V08.3000.000KHz SRT:Auto Mode : S1 MEI : #8 Plane : F Full-directivity : Full-directivity AE : 7 MF : 4 B75.0 Powersetting : MF <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2484.52</td><td>56.86</td><td>-17.14</td><td>74.00</td><td>50.57</td><td>32.20</td><td>6.73</td><td>32.64</td><td>400</td><td>91 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C 3m 3117 5M00240138 HORIZONTAL Project : R08 1000.000KHz V08.3000.000KHz SRT:Auto Mode : S1 MEI : #8 Plane : F Full-directivity : Full-directivity AE : 7 MF : 4 B75.0 Powersetting : MF <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2478.00</td><td>98.17</td><td>24.17</td><td>74.00</td><td>91.88</td><td>32.20</td><td>6.73</td><td>32.64</td><td>400</td><td>91 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	2484.52	56.86	-17.14	74.00	50.57	32.20	6.73	32.64	400	91 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	2478.00	98.17	24.17	74.00	91.88	32.20	6.73	32.64	400	91 Peak	HORIZONTAL	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																														
1	2484.52	56.86	-17.14	74.00	50.57	32.20	6.73	32.64	400	91 Peak	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																														
1	2478.00	98.17	24.17	74.00	91.88	32.20	6.73	32.64	400	91 Peak	HORIZONTAL																																																											
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C (AVG) 3m 3117 5M00240138 HORIZONTAL Project : R08 1000.000KHz V08.10.000KHz SRT:Auto Mode : S1 MEI : #8 Plane : F Full-directivity : Full-directivity AE : 7 MF : 4 B75.0 Powersetting : MF <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>49.48</td><td>-4.52</td><td>54.00</td><td>43.19</td><td>32.20</td><td>6.73</td><td>32.64</td><td>400</td><td>91 Average</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C (AVG) 3m 3117 5M00240138 HORIZONTAL Project : R08 1000.000KHz V08.10.000KHz SRT:Auto Mode : S1 MEI : #8 Plane : F Full-directivity : Full-directivity AE : 7 MF : 4 B75.0 Powersetting : MF <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2478.00</td><td>95.31</td><td>41.31</td><td>54.00</td><td>89.02</td><td>32.20</td><td>6.73</td><td>32.64</td><td>400</td><td>91 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	2483.50	49.48	-4.52	54.00	43.19	32.20	6.73	32.64	400	91 Average	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	2478.00	95.31	41.31	54.00	89.02	32.20	6.73	32.64	400	91 Peak	HORIZONTAL	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																														
1	2483.50	49.48	-4.52	54.00	43.19	32.20	6.73	32.64	400	91 Average	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																														
1	2478.00	95.31	41.31	54.00	89.02	32.20	6.73	32.64	400	91 Peak	HORIZONTAL																																																											



nRF	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																		
ANT	nRF CH38 2478MHZ																																																																																																																																		
3	Vertical	Fundamental																																																																																																																																	
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Date: 5 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 Level (dBuV/m) Frequency (MHz) FCC PART 15C 64dB Site : 030904-KS Condition : FCC PART 15C 3m 3117 5M00240138 VERTICAL Project : RRM 1000.000MHz VBR-3000.000MHz SMT-Auto Model : F0222304-01 MEI : S1 Plane : #9 PowerSetting : Full-directivity AE-7 NSP -4 BTS.0 NSP <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2485.72</td><td>57.05</td><td>-16.95</td><td>74.00</td><td>50.76</td><td>32.20</td><td>6.73</td><td>32.64</td><td>320</td><td>6 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Date: 7 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 Level (dBuV/m) Frequency (MHz) FCC PART 15C 64dB Site : 030904-KS Condition : FCC PART 15C 3m 3117 5M00240138 VERTICAL Project : RRM 1000.000MHz VBR-3000.000MHz SMT-Auto Model : F0222304-01 MEI : S1 Plane : #9 PowerSetting : Full-directivity AE-7 NSP -4 BTS.0 NSP <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2478.00</td><td>99.24</td><td>25.24</td><td>74.00</td><td>92.95</td><td>32.20</td><td>6.73</td><td>32.64</td><td>320</td><td>6 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2485.72	57.05	-16.95	74.00	50.76	32.20	6.73	32.64	320	6 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2478.00	99.24	25.24	74.00	92.95	32.20	6.73	32.64	320	6 Peak	VERTICAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Date: 6 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) 64dB Site : 030904-KS Condition : FCC PART 15C (AVG) 3m 3117 5M00240138 VERTICAL Project : RRM 1000.000MHz VBR-10.000MHz SMT-Auto Model : F0222304-01 MEI : S1 Plane : #9 PowerSetting : Full-directivity AE-7 NSP -4 BTS.0 NSP <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2484.44</td><td>48.08</td><td>-5.92</td><td>54.00</td><td>41.79</td><td>32.20</td><td>6.73</td><td>32.64</td><td>320</td><td>6 Average</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Date: 8 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) 64dB Site : 030904-KS Condition : FCC PART 15C (AVG) 3m 3117 5M00240138 VERTICAL Project : RRM 1000.000MHz VBR-10.000MHz SMT-Auto Model : F0222304-01 MEI : S1 Plane : #9 PowerSetting : Full-directivity AE-7 NSP -4 BTS.0 NSP <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2478.00</td><td>98.52</td><td>44.52</td><td>54.00</td><td>92.23</td><td>32.20</td><td>6.73</td><td>32.64</td><td>320</td><td>6 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2484.44	48.08	-5.92	54.00	41.79	32.20	6.73	32.64	320	6 Average	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2478.00	98.52	44.52	54.00	92.23	32.20	6.73	32.64	320	6 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																																												
1	2485.72	57.05	-16.95	74.00	50.76	32.20	6.73	32.64	320	6 Peak	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																																												
1	2478.00	99.24	25.24	74.00	92.95	32.20	6.73	32.64	320	6 Peak	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																																												
1	2484.44	48.08	-5.92	54.00	41.79	32.20	6.73	32.64	320	6 Average	VERTICAL																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																																												
1	2478.00	98.52	44.52	54.00	92.23	32.20	6.73	32.64	320	6 Average	VERTICAL																																																																																																																								







nRF (Harmonic @ 3m)

nRF	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																													
ANT	nRF CH38 2478MHz																																																																																													
3	Horizontal	Vertical																																																																																												
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 27 Level (dBuV/m)  Site Condition : 032050-KS Condition : FCC PART 15C 3m 3117 500240138 HORIZONTAL Power : 1000.000000 WPM 3000.000000 dBm Auto Project : (FR) 222304-01 Mode : S1 IMEI : #8 Plane : T Full-directivity : Full-directivity Power setting : 6E-7 WPM 0 dBm 0 M07 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>4956.00</td><td>45.66</td><td>-28.34</td><td>74.00</td><td>59.59</td><td>34.53</td><td>13.25</td><td>61.71</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7434.00</td><td>43.25</td><td>-30.75</td><td>74.00</td><td>53.98</td><td>35.90</td><td>15.44</td><td>62.07</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dBm	dB	dB	dB	dB	deg		1	4956.00	45.66	-28.34	74.00	59.59	34.53	13.25	61.71	300	0 Peak	HORIZONTAL	2	7434.00	43.25	-30.75	74.00	53.98	35.90	15.44	62.07	300	0 Peak	HORIZONTAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 28 Level (dBuV/m)  Site Condition : 032050-KS Condition : FCC PART 15C 3m 3117 500240138 VERTICAL Power : 1000.000000 WPM 3000.000000 dBm Auto Project : (FR) 222304-01 Mode : S1 IMEI : #8 Plane : T Full-directivity : Full-directivity Power setting : 6E-7 WPM 0 dBm 0 M07 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>4956.00</td><td>43.29</td><td>-30.71</td><td>74.00</td><td>57.22</td><td>34.53</td><td>13.25</td><td>61.71</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7434.00</td><td>42.76</td><td>-31.24</td><td>74.00</td><td>53.49</td><td>35.90</td><td>15.44</td><td>62.07</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dBm	dB	dB	dB	dB	deg		1	4956.00	43.29	-30.71	74.00	57.22	34.53	13.25	61.71	100	0 Peak	VERTICAL	2	7434.00	42.76	-31.24	74.00	53.49	35.90	15.44	62.07	100	0 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBm	dB	dB	dB	dB	deg																																																																																					
1	4956.00	45.66	-28.34	74.00	59.59	34.53	13.25	61.71	300	0 Peak	HORIZONTAL																																																																																			
2	7434.00	43.25	-30.75	74.00	53.98	35.90	15.44	62.07	300	0 Peak	HORIZONTAL																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBm	dB	dB	dB	dB	deg																																																																																					
1	4956.00	43.29	-30.71	74.00	57.22	34.53	13.25	61.71	100	0 Peak	VERTICAL																																																																																			
2	7434.00	42.76	-31.24	74.00	53.49	35.90	15.44	62.07	100	0 Peak	VERTICAL																																																																																			











WIFI 2.4G 802.11 ax HE20 Full_CH11 + WIFI 6G 802.11ax HE160 Full_CH207 + nRF_CH38

WIFI 802.11ax HE20 Full (Band Edge @ 3m)



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	802.11ax HE20 Full CH11 2462MHz																																																													
1+2	Horizontal	Fundamental																																																												
Peak	 Site : 030904-KS Condition : FCC PART 15C 3m 3117 5M00240138 HORIZONTAL Project : RRM 1000 000000 V0M 3000 000000 SRT Auto Mode : S2 Polar : #8 Plane : Y Full-directivity : 0E-12 2.40:12.5 M0F-4 Power setting : 2.40 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/V/m</th><th>dBm/V/m</th><th>dBm/V/m</th><th>dBm/V/m</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2462.74</td><td>61.55</td><td>-12.45</td><td>74.00</td><td>55.26</td><td>32.20</td><td>6.73</td><td>32.64</td><td>118</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  Site : 030904-KS Condition : FCC PART 15C 3m 3117 5M00240138 HORIZONTAL Project : RRM 1000 000000 V0M 3000 000000 SRT Auto Mode : S2 Polar : #8 Plane : Y Full-directivity : 0E-12 2.40:12.5 M0F-4 Power setting : 2.40 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/V/m</th><th>dBm/V/m</th><th>dBm/V/m</th><th>dBm/V/m</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2464.00</td><td>107.18</td><td>33.18</td><td>74.00</td><td>100.99</td><td>32.20</td><td>6.70</td><td>32.71</td><td>118</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/V/m	dBm/V/m	dBm/V/m	dBm/V/m	cm	deg			1	2462.74	61.55	-12.45	74.00	55.26	32.20	6.73	32.64	118	0 Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/V/m	dBm/V/m	dBm/V/m	dBm/V/m	cm	deg			1	2464.00	107.18	33.18	74.00	100.99	32.20	6.70	32.71	118	0 Peak	HORIZONTAL	Fundamental
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBm/V/m	dBm/V/m	dBm/V/m	dBm/V/m	cm	deg																																																								
1	2462.74	61.55	-12.45	74.00	55.26	32.20	6.73	32.64	118	0 Peak	HORIZONTAL																																																			
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBm/V/m	dBm/V/m	dBm/V/m	dBm/V/m	cm	deg																																																								
1	2464.00	107.18	33.18	74.00	100.99	32.20	6.70	32.71	118	0 Peak	HORIZONTAL																																																			
Avg.	 Site : 030904-KS Condition : FCC PART 15C (AVG) 3m 3117 5M00240138 HORIZONTAL Project : RRM 1000 000000 V0M 0.010000 SRT Auto Mode : S2 Polar : #8 Plane : Y Full-directivity : 0E-12 2.40:12.5 M0F-4 Power setting : 2.40 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/V/m</th><th>dBm/V/m</th><th>dBm/V/m</th><th>dBm/V/m</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2462.00</td><td>48.27</td><td>-5.73</td><td>54.00</td><td>41.98</td><td>32.20</td><td>6.73</td><td>32.64</td><td>118</td><td>0 Average</td><td>HORIZONTAL</td></tr></table>  Site : 030904-KS Condition : FCC PART 15C (AVG) 3m 3117 5M00240138 HORIZONTAL Project : RRM 1000 000000 V0M 0.010000 SRT Auto Mode : S2 Polar : #8 Plane : Y Full-directivity : 0E-12 2.40:12.5 M0F-4 Power setting : 2.40 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/V/m</th><th>dBm/V/m</th><th>dBm/V/m</th><th>dBm/V/m</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2462.00</td><td>97.79</td><td>43.79</td><td>54.00</td><td>91.60</td><td>32.20</td><td>6.70</td><td>32.71</td><td>118</td><td>0 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/V/m	dBm/V/m	dBm/V/m	dBm/V/m	cm	deg			1	2462.00	48.27	-5.73	54.00	41.98	32.20	6.73	32.64	118	0 Average	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/V/m	dBm/V/m	dBm/V/m	dBm/V/m	cm	deg			1	2462.00	97.79	43.79	54.00	91.60	32.20	6.70	32.71	118	0 Average	HORIZONTAL	Fundamental
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBm/V/m	dBm/V/m	dBm/V/m	dBm/V/m	cm	deg																																																								
1	2462.00	48.27	-5.73	54.00	41.98	32.20	6.73	32.64	118	0 Average	HORIZONTAL																																																			
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBm/V/m	dBm/V/m	dBm/V/m	dBm/V/m	cm	deg																																																								
1	2462.00	97.79	43.79	54.00	91.60	32.20	6.70	32.71	118	0 Average	HORIZONTAL																																																			



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																						
ANT	802.11ax HE20 Full CH11 2462MHz																																																																																																																						
1+2	Vertical	Fundamental																																																																																																																					
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C 3m 3117 5N00240138 VERTICAL Project : RSM 1000.000MHz VBR-3000.000MHz SMT-Auto Model : F20222304-01 MEI : S2 Plane : 0 PowerSetting : Full-directivity Over Limit : 6E-7 2.46:12.5 NBF-4 2.46 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.56</td><td>61.39</td><td>-12.61</td><td>74.00</td><td>55.10</td><td>32.20</td><td>6.73 32.64</td><td>124</td><td>130 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C 3m 3117 5N00240138 VERTICAL Project : RSM 1000.000MHz VBR-3000.000MHz SMT-Auto Model : F20222304-01 MEI : S2 Plane : 0 PowerSetting : Full-directivity Over Limit : 6E-7 2.46:12.5 NBF-4 2.46 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2468.00</td><td>106.51</td><td>32.51</td><td>74.00</td><td>100.25</td><td>32.20</td><td>6.70 32.64</td><td>124</td><td>130 Peak</td><td>VERTICAL</td></tr></table> <tr><td rowspan="2">Avg.</td><td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C (AVG) 3m 3117 5N00240138 VERTICAL Project : RSM 1000.000MHz VBR-0.0100MHz SMT-Auto Model : F20222304-01 MEI : S2 Plane : 0 PowerSetting : Full-directivity Over Limit : 6E-7 2.46:12.5 NBF-4 2.46 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.50</td><td>47.48</td><td>-6.92</td><td>54.00</td><td>41.19</td><td>32.20</td><td>6.73 32.64</td><td>124</td><td>130 Average</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C (AVG) 3m 3117 5N00240138 VERTICAL Project : RSM 1000.000MHz VBR-0.0100MHz SMT-Auto Model : F20222304-01 MEI : S2 Plane : 0 PowerSetting : Full-directivity Over Limit : 6E-7 2.46:12.5 NBF-4 2.46 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2464.00</td><td>94.99</td><td>42.99</td><td>54.00</td><td>90.80</td><td>32.20</td><td>6.70 32.71</td><td>124</td><td>130 Average</td><td>VERTICAL</td></tr></table> </td></tr>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	2483.56	61.39	-12.61	74.00	55.10	32.20	6.73 32.64	124	130 Peak	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	2468.00	106.51	32.51	74.00	100.25	32.20	6.70 32.64	124	130 Peak	VERTICAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C (AVG) 3m 3117 5N00240138 VERTICAL Project : RSM 1000.000MHz VBR-0.0100MHz SMT-Auto Model : F20222304-01 MEI : S2 Plane : 0 PowerSetting : Full-directivity Over Limit : 6E-7 2.46:12.5 NBF-4 2.46 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.50</td><td>47.48</td><td>-6.92</td><td>54.00</td><td>41.19</td><td>32.20</td><td>6.73 32.64</td><td>124</td><td>130 Average</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C (AVG) 3m 3117 5N00240138 VERTICAL Project : RSM 1000.000MHz VBR-0.0100MHz SMT-Auto Model : F20222304-01 MEI : S2 Plane : 0 PowerSetting : Full-directivity Over Limit : 6E-7 2.46:12.5 NBF-4 2.46 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2464.00</td><td>94.99</td><td>42.99</td><td>54.00</td><td>90.80</td><td>32.20</td><td>6.70 32.71</td><td>124</td><td>130 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	2483.50	47.48	-6.92	54.00	41.19	32.20	6.73 32.64	124	130 Average	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	2464.00	94.99	42.99	54.00	90.80	32.20	6.70 32.71	124	130 Average	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																
1	2483.56	61.39	-12.61	74.00	55.10	32.20	6.73 32.64	124	130 Peak	VERTICAL																																																																																																													
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																
1	2468.00	106.51	32.51	74.00	100.25	32.20	6.70 32.64	124	130 Peak	VERTICAL																																																																																																													
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C (AVG) 3m 3117 5N00240138 VERTICAL Project : RSM 1000.000MHz VBR-0.0100MHz SMT-Auto Model : F20222304-01 MEI : S2 Plane : 0 PowerSetting : Full-directivity Over Limit : 6E-7 2.46:12.5 NBF-4 2.46 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.50</td><td>47.48</td><td>-6.92</td><td>54.00</td><td>41.19</td><td>32.20</td><td>6.73 32.64</td><td>124</td><td>130 Average</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C (AVG) 3m 3117 5N00240138 VERTICAL Project : RSM 1000.000MHz VBR-0.0100MHz SMT-Auto Model : F20222304-01 MEI : S2 Plane : 0 PowerSetting : Full-directivity Over Limit : 6E-7 2.46:12.5 NBF-4 2.46 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2464.00</td><td>94.99</td><td>42.99</td><td>54.00</td><td>90.80</td><td>32.20</td><td>6.70 32.71</td><td>124</td><td>130 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	2483.50	47.48	-6.92	54.00	41.19	32.20	6.73 32.64	124	130 Average	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	2464.00	94.99	42.99	54.00	90.80	32.20	6.70 32.71	124	130 Average	VERTICAL																																																												
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																
1	2483.50	47.48	-6.92	54.00	41.19	32.20	6.73 32.64	124	130 Average	VERTICAL																																																																																																													
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																
1	2464.00	94.99	42.99	54.00	90.80	32.20	6.70 32.71	124	130 Average	VERTICAL																																																																																																													







WIFI 802.11 ax HE20 Full (Harmonic @ 3m)





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																				
ANT	802.11 ax HE20 Full CH11 2462MHz																																																																																				
1+2	Horizontal	Vertical																																																																																			
Peak Avg.	 No. 1098 Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 27  Site : 032050-K5 Condition : FCC PART 15C 3m 3117 5M00240138 HORIZONTAL Power : 1000.000000 WPM 3000.000000 dBm Auto Project : (FQ) 222304-01 Mode : S2 MEI : #8 Plane : Y Power setting : Full-directivity AE: 7.46:12.5 MFF:4 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>40.64</td><td>-33.46</td><td>74.00</td><td>54.52</td><td>34.56</td><td>13.20</td><td>61.74</td><td>300</td><td>0 Peak HORIZONTAL</td></tr><tr><td>2</td><td>7386.00</td><td>41.63</td><td>-32.17</td><td>74.00</td><td>52.56</td><td>35.90</td><td>15.44</td><td>62.07</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></tbody></table>  No. 1098 Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 28  Site : 032050-K5 Condition : FCC PART 15C 3m 3117 5M00240138 VERTICAL Power : 1000.000000 WPM 3000.000000 dBm Auto Project : (FQ) 222304-01 Mode : S2 MEI : #8 Plane : Y Power setting : Full-directivity AE: 7.46:12.5 MFF:4 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>39.21</td><td>-34.79</td><td>74.00</td><td>53.19</td><td>34.56</td><td>13.20</td><td>61.74</td><td>100</td><td>0 Peak VERTICAL</td></tr><tr><td>2</td><td>7386.00</td><td>43.26</td><td>-30.74</td><td>74.00</td><td>53.19</td><td>35.90</td><td>15.44</td><td>62.07</td><td>100</td><td>0 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	4924.00	40.64	-33.46	74.00	54.52	34.56	13.20	61.74	300	0 Peak HORIZONTAL	2	7386.00	41.63	-32.17	74.00	52.56	35.90	15.44	62.07	300	0 Peak HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	4924.00	39.21	-34.79	74.00	53.19	34.56	13.20	61.74	100	0 Peak VERTICAL	2	7386.00	43.26	-30.74	74.00	53.19	35.90	15.44	62.07	100	0 Peak VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																												
1	4924.00	40.64	-33.46	74.00	54.52	34.56	13.20	61.74	300	0 Peak HORIZONTAL																																																																											
2	7386.00	41.63	-32.17	74.00	52.56	35.90	15.44	62.07	300	0 Peak HORIZONTAL																																																																											
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																												
1	4924.00	39.21	-34.79	74.00	53.19	34.56	13.20	61.74	100	0 Peak VERTICAL																																																																											
2	7386.00	43.26	-30.74	74.00	53.19	35.90	15.44	62.07	100	0 Peak VERTICAL																																																																											



WIFI 802.11ax HE160 Full (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11ax HE160 Full CH207 6985MHz																																																																																																																																						
1+2	Horizontal	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : WIFI 6E PEAK 3m 3117 5M02240138 HORIZONTAL Project : RSM 1000.000KHz VBR 0.000KHz SMT-Auto Mode : S2 MEI : #8 Plane : Full-directivity Powersetting : AE 7 2.46 12.5 MFF-4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 7129.00</td><td>57.34</td><td>-30.96</td><td>88.30</td><td>42.93</td><td>35.60</td><td>11.60</td><td>32.79</td><td>100</td><td>191 Peak</td><td>HORIZONT</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : WIFI 6E PEAK 3m 3117 5M02240138 HORIZONTAL Project : RSM 1000.000KHz VBR 0.000KHz SMT-Auto Mode : S2 MEI : #8 Plane : Full-directivity Powersetting : AE 7 2.46 12.5 MFF-4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 7012.00</td><td>97.77</td><td>9.47</td><td>88.30</td><td>83.40</td><td>35.60</td><td>11.50</td><td>32.73</td><td>100</td><td>191 Peak</td><td>HORIZONT</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7129.00	57.34	-30.96	88.30	42.93	35.60	11.60	32.79	100	191 Peak	HORIZONT	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7012.00	97.77	9.47	88.30	83.40	35.60	11.50	32.73	100	191 Peak	HORIZONT	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : WIFI 6E AVERAGE 3m 3117 5M02240138 HORIZONTAL Project : RSM 1000.000KHz VBR 0.010KHz SMT-Auto Mode : S2 MEI : #8 Plane : Full-directivity Powersetting : AE 7 2.46 12.5 MFF-4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 7128.36</td><td>46.77</td><td>-21.53</td><td>68.30</td><td>32.38</td><td>35.60</td><td>11.58</td><td>32.79</td><td>100</td><td>191 Average</td><td>HORIZONT</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : WIFI 6E AVERAGE 3m 3117 5M02240138 HORIZONTAL Project : RSM 1000.000KHz VBR 0.010KHz SMT-Auto Mode : S2 MEI : #8 Plane : Full-directivity Powersetting : AE 7 2.46 12.5 MFF-4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 7003.00</td><td>87.50</td><td>19.20</td><td>68.30</td><td>73.12</td><td>35.60</td><td>11.49</td><td>32.71</td><td>100</td><td>191 Average</td><td>HORIZONT</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7128.36	46.77	-21.53	68.30	32.38	35.60	11.58	32.79	100	191 Average	HORIZONT	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7003.00	87.50	19.20	68.30	73.12	35.60	11.49	32.71	100	191 Average	HORIZONT
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																															
1 7129.00	57.34	-30.96	88.30	42.93	35.60	11.60	32.79	100	191 Peak	HORIZONT																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																															
1 7012.00	97.77	9.47	88.30	83.40	35.60	11.50	32.73	100	191 Peak	HORIZONT																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																															
1 7128.36	46.77	-21.53	68.30	32.38	35.60	11.58	32.79	100	191 Average	HORIZONT																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																															
1 7003.00	87.50	19.20	68.30	73.12	35.60	11.49	32.71	100	191 Average	HORIZONT																																																																																																																													



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																	
ANT	802.11ax HE160 Full CH207 6985MHz																																																	
1+2	Vertical	Fundamental																																																
Peak	SPORTON LAB No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 5  117 Level (dBm/100m) 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 6905 6930 6950 6970 6990 7010 7030 7050 7070 7090 7110 7130 7150 7170 7190 7225 Frequency (MHz) WIFI 6E PEAK (dBm) Site Condition: 030804-KS WIFI 6E PEAK 3m 3117 5800240138 VERTICAL Project: RSM 1000 000000 VBR 3000 000000 SRT Auto F00 222304-01 Mode: S2 MEI: #8 Plane: Y Full-directivity: 6E-7 2.46:12.5 NF-4 Power setting: 6E <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7161.00</td><td>57.63</td><td>-30.67</td><td>88.30</td><td>43.24</td><td>35.60</td><td>11.61 32.82 120 178 Peak VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	7161.00	57.63	-30.67	88.30	43.24	35.60	11.61 32.82 120 178 Peak VERTICAL	SPORTON LAB No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 7  117 Level (dBm/100m) 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 6905 6930 6950 6970 6990 7010 7030 7050 7070 7090 7110 7130 7150 7170 7190 7225 Frequency (MHz) WIFI 6E PEAK (dBm) Site Condition: 030804-KS WIFI 6E PEAK 3m 3117 5800240138 VERTICAL Project: RSM 1000 000000 VBR 3000 000000 SRT Auto F00 222304-01 Mode: S2 MEI: #8 Plane: Y Full-directivity: 6E-7 2.46:12.5 NF-4 Power setting: 6E <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6922.00</td><td>97.44</td><td>9.14</td><td>88.30</td><td>83.11</td><td>35.60</td><td>11.41 32.68 120 178 Peak VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	6922.00	97.44	9.14	88.30	83.11	35.60	11.41 32.68 120 178 Peak VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																										
MHz	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																											
1	7161.00	57.63	-30.67	88.30	43.24	35.60	11.61 32.82 120 178 Peak VERTICAL																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																											
MHz	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																											
1	6922.00	97.44	9.14	88.30	83.11	35.60	11.41 32.68 120 178 Peak VERTICAL																																											
Avg.	SPORTON LAB No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 6  117 Level (dBm/100m) 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 6905 6930 6950 6970 6990 7010 7030 7050 7070 7090 7110 7130 7150 7170 7190 7225 Frequency (MHz) WIFI 6E (AVG) (dBm) Site Condition: 030804-KS WIFI 6E (AVG) 3m 3117 5800240138 VERTICAL Project: RSM 1000 000000 VBR 0 010000 SRT Auto F00 222304-01 Mode: S2 MEI: #8 Plane: Y Full-directivity: 6E-7 2.46:12.5 NF-4 Power setting: 6E <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7130.92</td><td>46.90</td><td>-21.40</td><td>68.30</td><td>32.49</td><td>35.60</td><td>11.60 32.79 120 178 Average VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	7130.92	46.90	-21.40	68.30	32.49	35.60	11.60 32.79 120 178 Average VERTICAL	SPORTON LAB No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 8  117 Level (dBm/100m) 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 6905 6930 6950 6970 6990 7010 7030 7050 7070 7090 7110 7130 7150 7170 7190 7225 Frequency (MHz) WIFI 6E (AVG) (dBm) Site Condition: 030804-KS WIFI 6E (AVG) 3m 3117 5800240138 VERTICAL Project: RSM 1000 000000 VBR 0 010000 SRT Auto F00 222304-01 Mode: S2 MEI: #8 Plane: Y Full-directivity: 6E-7 2.46:12.5 NF-4 Power setting: 6E <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6967.00</td><td>88.59</td><td>20.29</td><td>68.30</td><td>74.23</td><td>35.60</td><td>11.46 32.70 120 178 Average VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	6967.00	88.59	20.29	68.30	74.23	35.60	11.46 32.70 120 178 Average VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																										
MHz	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																											
1	7130.92	46.90	-21.40	68.30	32.49	35.60	11.60 32.79 120 178 Average VERTICAL																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																											
MHz	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																											
1	6967.00	88.59	20.29	68.30	74.23	35.60	11.46 32.70 120 178 Average VERTICAL																																											

WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI

U-NII 8 - 6875-7125MHz Harmonic @ 3m

ANT

802.11ax HE160 Full CH207 6985MHz

1+2

Horizontal

Vertical

No. 1098, Pengxi North Road, Kunshan
Economic & Technical Development
Zone, Jiangsu, China
Tel: +86-512-57900158
Fax: +86-512-57900158
http://www.spurton.com.cn

Data: 25

Level (dBuV/m)

Site Condition : 03CH06-KS
R/F: 16 PEAK 3m 3117.0000240138 HORIZONTAL
Project : 170.222304-01
Mode : S2
Ref : Y
Plane : V
Power setting : 6E-7 2.4G 12.5 MHz

Peak	Freq	Level	Line	Level Factor	Loss Factor	Remark	Pol/Phas				
	MHz	dBuV/m	dB	dBuV/m	dB/n	dB	cn				
1	13968.00	44.73	-43.57	88.30	51.10	38.80	16.50	61.67	300	0 Peak	HORIZONTAL

No. 1098, Pengxi North Road, Kunshan
Economic & Technical Development
Zone, Jiangsu, China
Tel: +86-512-57900158
Fax: +86-512-57900158
http://www.spurton.com.cn

Data: 26

Level (dBuV/m)

Site Condition : 03CH06-KS
R/F: 16 PEAK 3m 3117.0000240138 VERTICAL
Project : 170.222304-01
Mode : S2
Ref : Y
Plane : V
Power setting : 6E-7 2.4G 12.5 MHz





Peak	Freq	Level	Line	Level Factor	Loss Factor	Remark	Pol/Phas				
	MHz	dBuV/m	dB	dBuV/m	dB/n	dB	cn				
1	13968.00	44.70	-43.60	88.30	51.07	38.80	16.50	61.67	100	0 Peak	VERTICAL

Peak





Avg.



nRF (Band Edge @ 3m)



nRF	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	nRF CH38 2478MHz	
3	Horizontal	Fundamental
Peak	Site: 030804-KS Condition: FCC PART 15C 3m 3117 5M00240138 HORIZONTAL Project: R88-1000-0000KHz VBR-3000-0000KHz SRT-Auto Mode: S2 MEI: #8 Plane: F Full-directivity: DE-7 2.40-72.5 nRF-4 Power setting: NF  1 2483.56 57.01 -16.99 74.00 50.72 32.20 6.73 32.64 373 111 Peak HORIZONTAL	Site: 030804-KS Condition: FCC PART 15C 3m 3117 5M00240138 HORIZONTAL Project: R88-1000-0000KHz VBR-3000-0000KHz SRT-Auto Mode: S2 MEI: #8 Plane: F Full-directivity: DE-7 2.40-72.5 nRF-4 Power setting: NF  1 * 2478.00 93.50 19.50 74.00 87.21 32.20 6.73 32.64 373 111 Peak HORIZONTAL
Avg.	Site: 030804-KS Condition: FCC PART 15C (AVG) 3m 3117 5M00240138 HORIZONTAL Project: R88-1000-0000KHz VBR-10-0000KHz SRT-Auto Mode: S2 MEI: #8 Plane: F Full-directivity: DE-7 2.40-72.5 nRF-4 Power setting: NF  1 2484.16 48.27 -5.73 54.00 41.98 32.20 6.73 32.64 373 111 Average HORIZONTAL	Site: 030804-KS Condition: FCC PART 15C (AVG) 3m 3117 5M00240138 HORIZONTAL Project: R88-1000-0000KHz VBR-10-0000KHz SRT-Auto Mode: S2 MEI: #8 Plane: F Full-directivity: DE-7 2.40-72.5 nRF-4 Power setting: NF  1 * 2478.00 92.92 38.92 54.00 86.63 32.20 6.73 32.64 373 111 Average HORIZONTAL



nRF	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																										
ANT	nRF CH38 2478MHz																																																																																																																										
3	Vertical	Fundamental																																																																																																																									
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C 3m 3117 5M00240138 VERTICAL Project : RRM 1000.000MHz VBR-3000.000MHz SMT-Auto Model : F20222304-01 MEI : S2 Plane : H PowerSetting : Full-directivity Over Limit : 6E-7 2.4E-12 5 NBF-4 NBF <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2485.60</td><td>55.75</td><td>-18.25</td><td>74.00</td><td>49.46</td><td>32.20</td><td>6.73</td><td>32.64</td><td>319</td><td>11 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C 3m 3117 5M00240138 VERTICAL Project : RRM 1000.000MHz VBR-3000.000MHz SMT-Auto Model : F20222304-01 MEI : S2 Plane : H PowerSetting : Full-directivity Over Limit : 6E-7 2.4E-12 5 NBF-4 NBF <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2478.00</td><td>97.69</td><td>23.69</td><td>74.00</td><td>91.40</td><td>32.20</td><td>6.73</td><td>32.64</td><td>319</td><td>11 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm	cm	deg		1	2485.60	55.75	-18.25	74.00	49.46	32.20	6.73	32.64	319	11 Peak	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm	cm	deg		1	2478.00	97.69	23.69	74.00	91.40	32.20	6.73	32.64	319	11 Peak	VERTICAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C (AVG) 3m 3117 5M00240138 VERTICAL Project : RRM 1000.000MHz VBR-10.000MHz SMT-Auto Model : F20222304-01 MEI : S2 Plane : H PowerSetting : Full-directivity Over Limit : 6E-7 2.4E-12 5 NBF-4 NBF <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.04</td><td>47.94</td><td>-6.06</td><td>54.00</td><td>41.65</td><td>32.20</td><td>6.73</td><td>32.64</td><td>319</td><td>11 Average</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030904-KS Condition : FCC PART 15C (AVG) 3m 3117 5M00240138 VERTICAL Project : RRM 1000.000MHz VBR-10.000MHz SMT-Auto Model : F20222304-01 MEI : S2 Plane : H PowerSetting : Full-directivity Over Limit : 6E-7 2.4E-12 5 NBF-4 NBF <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2478.00</td><td>97.11</td><td>43.11</td><td>54.00</td><td>90.82</td><td>32.20</td><td>6.73</td><td>32.64</td><td>319</td><td>11 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm	cm	deg		1	2484.04	47.94	-6.06	54.00	41.65	32.20	6.73	32.64	319	11 Average	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm	cm	deg		1	2478.00	97.11	43.11	54.00	90.82	32.20	6.73	32.64	319	11 Average	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																			
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm	cm	deg																																																																																																																				
1	2485.60	55.75	-18.25	74.00	49.46	32.20	6.73	32.64	319	11 Peak	VERTICAL																																																																																																																
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																			
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm	cm	deg																																																																																																																				
1	2478.00	97.69	23.69	74.00	91.40	32.20	6.73	32.64	319	11 Peak	VERTICAL																																																																																																																
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																			
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm	cm	deg																																																																																																																				
1	2484.04	47.94	-6.06	54.00	41.65	32.20	6.73	32.64	319	11 Average	VERTICAL																																																																																																																
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																			
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm	cm	deg																																																																																																																				
1	2478.00	97.11	43.11	54.00	90.82	32.20	6.73	32.64	319	11 Average	VERTICAL																																																																																																																




nRF (Harmonic @ 3m)

nRF	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																
ANT	nRF CH38 2478MHz																																																																																																
3	Horizontal	Vertical																																																																																															
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 29  Site : 032050-K5 Condition : FCC PART 15C 3m 3117 5M00240138 HORIZONTAL Power : 1000.000000 WPM 3000.000000 dBm Auto Project : (F0) 222304-01 Mode : S2 MEI : #8 Plane : Y Power setting : Full - directivity AE: 7.46112.5 MFF: 4 <table><tr><th>Line</th><th>Freq</th><th>Level</th><th>Unit</th><th>Read</th><th>Antenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>29.82</td><td>-34.18</td><td>74.00</td><td>53.75</td><td>34.53</td><td>13.25</td><td>61.71</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7436.00</td><td>42.10</td><td>-21.10</td><td>74.00</td><td>53.63</td><td>35.10</td><td>15.46</td><td>62.07</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 30  Site : 032050-K5 Condition : FCC PART 15C 3m 3117 5M00240138 VERTICAL Power : 1000.000000 WPM 3000.000000 dBm Auto Project : (F0) 222304-01 Mode : S2 MEI : #8 Plane : Y Power setting : Full - directivity AE: 7.46112.5 MFF: 4 <table><tr><th>Line</th><th>Freq</th><th>Level</th><th>Unit</th><th>Read</th><th>Antenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>29.57</td><td>-34.48</td><td>74.00</td><td>53.45</td><td>34.53</td><td>13.25</td><td>61.71</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7436.00</td><td>42.91</td><td>-21.09</td><td>74.00</td><td>53.64</td><td>35.10</td><td>15.46</td><td>62.07</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Line	Freq	Level	Unit	Read	Antenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	deg	1	4956.00	29.82	-34.18	74.00	53.75	34.53	13.25	61.71	300	0 Peak	HORIZONTAL	2	7436.00	42.10	-21.10	74.00	53.63	35.10	15.46	62.07	300	0 Peak	HORIZONTAL	Line	Freq	Level	Unit	Read	Antenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	deg	1	4956.00	29.57	-34.48	74.00	53.45	34.53	13.25	61.71	100	0 Peak	VERTICAL	2	7436.00	42.91	-21.09	74.00	53.64	35.10	15.46	62.07	100	0 Peak	VERTICAL
Line	Freq	Level	Unit	Read	Antenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	deg																																																																																						
1	4956.00	29.82	-34.18	74.00	53.75	34.53	13.25	61.71	300	0 Peak	HORIZONTAL																																																																																						
2	7436.00	42.10	-21.10	74.00	53.63	35.10	15.46	62.07	300	0 Peak	HORIZONTAL																																																																																						
Line	Freq	Level	Unit	Read	Antenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	deg																																																																																						
1	4956.00	29.57	-34.48	74.00	53.45	34.53	13.25	61.71	100	0 Peak	VERTICAL																																																																																						
2	7436.00	42.91	-21.09	74.00	53.64	35.10	15.46	62.07	100	0 Peak	VERTICAL																																																																																						

Appendix E. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1/2	802.11ax HE20-Full RU	98.70	-	-	10Hz
1/2	802.11ax HE20-RU26	98.54	-	-	10Hz
1/2	802.11ax HE20-RU52	98.96	-	-	10Hz
1/2	802.11ax HE20-RU106	98.87	-	-	10Hz
1/2	802.11ax HE40	98.69	-	-	10Hz
1/2	802.11ax HE80	97.95	1.036	0.965	1kHz
1/2	802.11ax HE160	97.93	1.029	0.972	1kHz

802.11ax HE20-Full RU






802.11ax HE20-RU26




802.11ax HE20-RU52






802.11ax HE20-RU106




802.11ax HE40





802.11ax HE80



802.11ax HE160

