


SIERRA WIRELESS, INC.

FCC Part 22, 24 / RSS 132, 133	SL9090	July 28, 2012	Page 17 of 31
--------------------------------	--------	---------------	---------------


Plot 6.4.3) Out of Band Emissions at Antenna Terminals

CDMA2000, High Channel, 848.31 MHz, 30 MHz to 20 GHz



Plot 6.4.4) Out of Band Emissions at Antenna Terminals

CDMA2000, Low channel, 1851.25 MHz, 30 MHz to 20 GHz



© 2012 Sierra Wireless, Inc.


The contents of this page are subject to the confidentiality information on page one.

Plot 6.4.5) Out of Band Emissions at Antenna Terminals

CDMA2000, Middle channel, 1880.0 MHz, 30 MHz to 20 GHz

**Plot 6.4.6) Out of Band Emissions at Antenna Terminals**

CDMA2000, High channel, 1908.75MHz, 1 MHz to 1 GHz




SIERRA WIRELESS, INC.

FCC Part 22, 24 / RSS 132, 133	SL9090	July 28, 2012	Page 19 of 31
--------------------------------	--------	---------------	---------------


Plot 6.4.7) Out of Band Emissions at Antenna Terminals

EVDO, Low channel, 824.70 MHz, 30 MHz to 20 GHz




Plot 6.4.8) Out of Band Emissions at Antenna Terminals

EVDO, Mid Channel, 836.52 MHz, 30 MHz to 20 GHz




Plot 6.4.9) Out of Band Emissions at Antenna Terminals

EVDO, High Channel, 848.31MHz, 30 MHz to 20 GHz

**Plot 6.4.10) Out of Band Emissions at Antenna Terminals**

EVDO, Low channel, 1851.25MHz, 30 MHz to 20 GHz




Plot 6.4.11) Out of Band Emissions at Antenna Terminals

EVDO, Middle channel, 1880.00MHz, 30 MHz to 20 GHz



Plot 6.4.12) Out of Band Emissions at Antenna Terminals

EVDO, High channel, 1908.75MHz, 1 MHz to 1 GHz




7 Block Edge Compliance

FCC Part 22H/24E

7.1 Test Procedure

The transmitter output was connected to a Rohde & Schwarz CMU200 Test Set, through a coaxial RF cable and a directional coupler, and configured to operate at maximum power. The block edge emissions were measured at the required operating frequencies in each band on the Spectrum Analyzer.

Test Setup



7.2 Test Equipment


EQUIPMENT	MANUFACTURER	MODEL NO.	SERIAL NO.	CAL. DATE
Control Computer	TC	Generic PC	100488	N/A
Wireless Test Set	Agilent	8960	MY50260409	2011-09-05
Spectrum Analyzer	Agilent	E4440A	MY48250234	2011-09-22
DC Power Supply	HP	66311B	MY43006721	2011-10-13
Interface Board	Shop built		N/A	N/A
Directional Coupler	Krytar	152010	111269	N/A

7.3 Test Results

Block Test	Frequency Boundaries (MHz)	Channels Tested	Corresponding Plots	Result
1	CDMA2000: Below 824 MHz, above 849 MHz	1013, 777	7.4.1, 7.4.2	Complies
2	CDMA2000: Below 1850MHz, above 1910MHz	25, 1175	7.4.3, 7.4.4	Complies
Block Test	Frequency Boundaries (MHz)	Channels Tested	Corresponding Plots	Result
1	EVDO: Below 824MHz, above 849MHz	1013, 777	7.4.5, 7.4.6	Complies
2	EVDO: Below 1850MHz, above 1910MHz	25, 1175	7.4.7, 7.4.8	Complies

7.4 Test Plots

Plot 7.4.1) CDMA2000; Cellular low channel, below 824 MHz



Plot 7.4.2) CDMA2000; Cellular high channel, above 849 MHz

