





Band2-9538-5-1000~30000MHz-PASS



Band2-9538-5-3000~20000MHz-PASS



AppendixF:Frequency Stability

Test Result(WCDMA)

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	-12.02	-0.006489	±2.5	PASS
Band2	9262	VL	NT	-12.16	-0.006564	±2.5	PASS
Band2	9262	VH	NT	-12.43	-0.006710	±2.5	PASS
Band2	9400	VN	NT	-8.47	-0.004505	±2.5	PASS
Band2	9400	VL	NT	-10.12	-0.005383	±2.5	PASS
Band2	9400	VH	NT	-9.12	-0.004851	±2.5	PASS
Band2	9538	VN	NT	-12.90	-0.006762	±2.5	PASS
Band2	9538	VL	NT	-10.14	-0.005316	±2.5	PASS
Band2	9538	VH	NT	-9.93	-0.005205	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	-13.38	-0.007223	±2.5	PASS
Band2	9262	NV	-20	-12.12	-0.006543	±2.5	PASS
Band2	9262	NV	-10	-11.22	-0.006057	±2.5	PASS
Band2	9262	NV	0	-12.02	-0.006489	±2.5	PASS
Band2	9262	NV	10	-12.87	-0.006948	±2.5	PASS
Band2	9262	NV	20	-12.13	-0.006548	±2.5	PASS
Band2	9262	NV	30	-11.54	-0.006230	±2.5	PASS
Band2	9262	NV	40	-12.15	-0.006559	±2.5	PASS
Band2	9262	NV	50	-9.68	-0.005226	±2.5	PASS
Band2	9400	NV	-30	-7.83	-0.004165	±2.5	PASS
Band2	9400	NV	-20	-7.73	-0.004112	±2.5	PASS
Band2	9400	NV	-10	-13.55	-0.007207	±2.5	PASS
Band2	9400	NV	0	-11.79	-0.006271	±2.5	PASS
Band2	9400	NV	10	-10.86	-0.005777	±2.5	PASS
Band2	9400	NV	20	-10.04	-0.005340	±2.5	PASS
Band2	9400	NV	30	-11.14	-0.005926	±2.5	PASS
Band2	9400	NV	40	-10.34	-0.005500	±2.5	PASS
Band2	9400	NV	50	-12.56	-0.006681	±2.5	PASS
Band2	9538	NV	-30	-11.44	-0.005997	±2.5	PASS
Band2	9538	NV	-20	-12.05	-0.006317	±2.5	PASS
Band2	9538	NV	-10	-13.19	-0.006914	±2.5	PASS
Band2	9538	NV	0	-8.51	-0.004461	±2.5	PASS
Band2	9538	NV	10	-9.81	-0.005143	±2.5	PASS

Band2	9538	NV	20	-11.39	-0.005971	±2.5	PASS
Band2	9538	NV	30	-11.06	-0.005798	±2.5	PASS
Band2	9538	NV	40	-12.76	-0.006689	±2.5	PASS
Band2	9538	NV	50	-12.29	-0.006443	±2.5	PASS

Test Result(HSDPA)

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-10.14	-0.005474	±2.5	PASS
Band2	9262	1	VL	NT	-10.44	-0.005636	±2.5	PASS
Band2	9262	1	VH	NT	-11.30	-0.006100	±2.5	PASS
Band2	9262	2	VN	NT	-14.33	-0.007736	±2.5	PASS
Band2	9262	2	VL	NT	-13.52	-0.007299	±2.5	PASS
Band2	9262	2	VH	NT	-13.39	-0.007228	±2.5	PASS
Band2	9262	3	VN	NT	-14.15	-0.007639	±2.5	PASS
Band2	9262	3	VL	NT	-7.62	-0.004114	±2.5	PASS
Band2	9262	3	VH	NT	-7.57	-0.004087	±2.5	PASS
Band2	9262	4	VN	NT	-9.33	-0.005037	±2.5	PASS
Band2	9262	4	VL	NT	-12.41	-0.006699	±2.5	PASS
Band2	9262	4	VH	NT	-4.09	-0.002208	±2.5	PASS
Band2	9400	1	VN	NT	-17.15	-0.009122	±2.5	PASS
Band2	9400	1	VL	NT	-8.90	-0.004734	±2.5	PASS
Band2	9400	1	VH	NT	-10.41	-0.005537	±2.5	PASS
Band2	9400	2	VN	NT	-10.17	-0.005410	±2.5	PASS
Band2	9400	2	VL	NT	-8.95	-0.004761	±2.5	PASS
Band2	9400	2	VH	NT	-8.96	-0.004766	±2.5	PASS
Band2	9400	3	VN	NT	-15.90	-0.008457	±2.5	PASS
Band2	9400	3	VL	NT	-10.90	-0.005798	±2.5	PASS
Band2	9400	3	VH	NT	-10.68	-0.005681	±2.5	PASS
Band2	9400	4	VN	NT	-9.94	-0.005287	±2.5	PASS
Band2	9400	4	VL	NT	-4.85	-0.002580	±2.5	PASS
Band2	9400	4	VH	NT	-7.80	-0.004149	±2.5	PASS
Band2	9538	1	VN	NT	-9.08	-0.004760	±2.5	PASS
Band2	9538	1	VL	NT	-9.68	-0.005074	±2.5	PASS
Band2	9538	1	VH	NT	-6.78	-0.003554	±2.5	PASS
Band2	9538	2	VN	NT	-8.91	-0.004671	±2.5	PASS
Band2	9538	2	VL	NT	-5.14	-0.002694	±2.5	PASS
Band2	9538	2	VH	NT	-7.99	-0.004189	±2.5	PASS
Band2	9538	3	VN	NT	-5.50	-0.002883	±2.5	PASS
Band2	9538	3	VL	NT	-7.05	-0.003696	±2.5	PASS
Band2	9538	3	VH	NT	-10.20	-0.005347	±2.5	PASS

Band2	9538	4	VN	NT	-6.64	-0.003481	±2.5	PASS
Band2	9538	4	VL	NT	-11.04	-0.005787	±2.5	PASS
Band2	9538	4	VH	NT	-11.52	-0.006039	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-11.31	-0.006106	±2.5	PASS
Band2	9262	1	NV	-20	-13.15	-0.007099	±2.5	PASS
Band2	9262	1	NV	-10	-9.46	-0.005107	±2.5	PASS
Band2	9262	1	NV	0	-14.35	-0.007747	±2.5	PASS
Band2	9262	1	NV	10	-11.40	-0.006154	±2.5	PASS
Band2	9262	1	NV	20	-9.73	-0.005253	±2.5	PASS
Band2	9262	1	NV	30	-12.52	-0.006759	±2.5	PASS
Band2	9262	1	NV	40	-12.79	-0.006905	±2.5	PASS
Band2	9262	1	NV	50	-14.95	-0.008071	±2.5	PASS
Band2	9262	2	NV	-30	-14.55	-0.007855	±2.5	PASS
Band2	9262	2	NV	-20	-15.90	-0.008583	±2.5	PASS
Band2	9262	2	NV	-10	-4.16	-0.002246	±2.5	PASS
Band2	9262	2	NV	0	-5.92	-0.003196	±2.5	PASS
Band2	9262	2	NV	10	-7.74	-0.004178	±2.5	PASS
Band2	9262	2	NV	20	-7.35	-0.003968	±2.5	PASS
Band2	9262	2	NV	30	-13.63	-0.007358	±2.5	PASS
Band2	9262	2	NV	40	-13.75	-0.007423	±2.5	PASS
Band2	9262	2	NV	50	-11.62	-0.006273	±2.5	PASS
Band2	9262	3	NV	-30	-10.05	-0.005425	±2.5	PASS
Band2	9262	3	NV	-20	-9.51	-0.005134	±2.5	PASS
Band2	9262	3	NV	-10	-6.37	-0.003439	±2.5	PASS
Band2	9262	3	NV	0	-13.60	-0.007342	±2.5	PASS
Band2	9262	3	NV	10	-10.61	-0.005728	±2.5	PASS
Band2	9262	3	NV	20	-15.03	-0.008114	±2.5	PASS
Band2	9262	3	NV	30	-8.46	-0.004567	±2.5	PASS
Band2	9262	3	NV	40	-10.48	-0.005658	±2.5	PASS
Band2	9262	3	NV	50	-8.71	-0.004702	±2.5	PASS
Band2	9262	4	NV	-30	-8.53	-0.004605	±2.5	PASS
Band2	9262	4	NV	-20	-1.72	-0.000929	±2.5	PASS
Band2	9262	4	NV	-10	-8.96	-0.004837	±2.5	PASS
Band2	9262	4	NV	0	-13.25	-0.007153	±2.5	PASS
Band2	9262	4	NV	10	-8.61	-0.004648	±2.5	PASS
Band2	9262	4	NV	20	-12.70	-0.006856	±2.5	PASS
Band2	9262	4	NV	30	-10.94	-0.005906	±2.5	PASS
Band2	9262	4	NV	40	-6.97	-0.003763	±2.5	PASS

Band2	9262	4	NV	50	-11.36	-0.006133	±2.5	PASS
Band2	9400	1	NV	-30	-6.32	-0.003362	±2.5	PASS
Band2	9400	1	NV	-20	-7.71	-0.004101	±2.5	PASS
Band2	9400	1	NV	-10	-10.31	-0.005484	±2.5	PASS
Band2	9400	1	NV	0	-9.81	-0.005218	±2.5	PASS
Band2	9400	1	NV	10	-7.94	-0.004223	±2.5	PASS
Band2	9400	1	NV	20	-10.31	-0.005484	±2.5	PASS
Band2	9400	1	NV	30	-11.98	-0.006372	±2.5	PASS
Band2	9400	1	NV	40	-11.67	-0.006207	±2.5	PASS
Band2	9400	1	NV	50	-12.27	-0.006527	±2.5	PASS
Band2	9400	2	NV	-30	-9.45	-0.005027	±2.5	PASS
Band2	9400	2	NV	-20	-12.88	-0.006851	±2.5	PASS
Band2	9400	2	NV	-10	-10.12	-0.005383	±2.5	PASS
Band2	9400	2	NV	0	-10.31	-0.005484	±2.5	PASS
Band2	9400	2	NV	10	-12.79	-0.006803	±2.5	PASS
Band2	9400	2	NV	20	-10.99	-0.005846	±2.5	PASS
Band2	9400	2	NV	30	-8.99	-0.004782	±2.5	PASS
Band2	9400	2	NV	40	-11.75	-0.006250	±2.5	PASS
Band2	9400	2	NV	50	-9.03	-0.004803	±2.5	PASS
Band2	9400	3	NV	-30	-8.55	-0.004548	±2.5	PASS
Band2	9400	3	NV	-20	-10.04	-0.005340	±2.5	PASS
Band2	9400	3	NV	-10	-10.54	-0.005606	±2.5	PASS
Band2	9400	3	NV	0	-10.37	-0.005516	±2.5	PASS
Band2	9400	3	NV	10	-8.78	-0.004670	±2.5	PASS
Band2	9400	3	NV	20	-8.40	-0.004468	±2.5	PASS
Band2	9400	3	NV	30	-13.35	-0.007101	±2.5	PASS
Band2	9400	3	NV	40	-11.36	-0.006043	±2.5	PASS
Band2	9400	3	NV	50	-11.80	-0.006277	±2.5	PASS
Band2	9400	4	NV	-30	-12.09	-0.006431	±2.5	PASS
Band2	9400	4	NV	-20	-10.75	-0.005718	±2.5	PASS
Band2	9400	4	NV	-10	-11.90	-0.006330	±2.5	PASS
Band2	9400	4	NV	0	-6.74	-0.003585	±2.5	PASS
Band2	9400	4	NV	10	-11.02	-0.005862	±2.5	PASS
Band2	9400	4	NV	20	-13.28	-0.007064	±2.5	PASS
Band2	9400	4	NV	30	-9.31	-0.004952	±2.5	PASS
Band2	9400	4	NV	40	-7.90	-0.004202	±2.5	PASS
Band2	9400	4	NV	50	-6.17	-0.003282	±2.5	PASS
Band2	9538	1	NV	-30	-12.68	-0.006647	±2.5	PASS
Band2	9538	1	NV	-20	-13.10	-0.006867	±2.5	PASS
Band2	9538	1	NV	-10	-12.82	-0.006720	±2.5	PASS
Band2	9538	1	NV	0	-13.18	-0.006909	±2.5	PASS

Band2	9538	1	NV	10	-7.60	-0.003984	±2.5	PASS
Band2	9538	1	NV	20	-9.41	-0.004933	±2.5	PASS
Band2	9538	1	NV	30	-12.45	-0.006527	±2.5	PASS
Band2	9538	1	NV	40	-14.63	-0.007669	±2.5	PASS
Band2	9538	1	NV	50	-9.59	-0.005027	±2.5	PASS
Band2	9538	2	NV	-30	-9.77	-0.005122	±2.5	PASS
Band2	9538	2	NV	-20	-8.08	-0.004236	±2.5	PASS
Band2	9538	2	NV	-10	-10.74	-0.005630	±2.5	PASS
Band2	9538	2	NV	0	-6.02	-0.003156	±2.5	PASS
Band2	9538	2	NV	10	-11.34	-0.005945	±2.5	PASS
Band2	9538	2	NV	20	-10.58	-0.005546	±2.5	PASS
Band2	9538	2	NV	30	-10.26	-0.005378	±2.5	PASS
Band2	9538	2	NV	40	-12.36	-0.006479	±2.5	PASS
Band2	9538	2	NV	50	-10.31	-0.005405	±2.5	PASS
Band2	9538	3	NV	-30	-9.77	-0.005122	±2.5	PASS
Band2	9538	3	NV	-20	-6.38	-0.003345	±2.5	PASS
Band2	9538	3	NV	-10	-10.05	-0.005268	±2.5	PASS
Band2	9538	3	NV	0	-8.91	-0.004671	±2.5	PASS
Band2	9538	3	NV	10	-11.38	-0.005966	±2.5	PASS
Band2	9538	3	NV	20	-10.86	-0.005693	±2.5	PASS
Band2	9538	3	NV	30	-9.01	-0.004723	±2.5	PASS
Band2	9538	3	NV	40	-11.68	-0.006123	±2.5	PASS
Band2	9538	3	NV	50	-9.21	-0.004828	±2.5	PASS
Band2	9538	4	NV	-30	-8.14	-0.004267	±2.5	PASS
Band2	9538	4	NV	-20	-11.03	-0.005782	±2.5	PASS
Band2	9538	4	NV	-10	-8.55	-0.004482	±2.5	PASS
Band2	9538	4	NV	0	-9.01	-0.004723	±2.5	PASS
Band2	9538	4	NV	10	-12.42	-0.006511	±2.5	PASS
Band2	9538	4	NV	20	-6.98	-0.003659	±2.5	PASS
Band2	9538	4	NV	30	-12.15	-0.006369	±2.5	PASS
Band2	9538	4	NV	40	-8.73	-0.004576	±2.5	PASS
Band2	9538	4	NV	50	-12.23	-0.006411	±2.5	PASS

Test Result(HSUPA)

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-9.44	-0.005096	±2.5	PASS
Band2	9262	1	VL	NT	-10.58	-0.005712	±2.5	PASS
Band2	9262	1	VH	NT	-7.77	-0.004195	±2.5	PASS
Band2	9262	2	VN	NT	-13.05	-0.007045	±2.5	PASS

Band2	9262	2	VL	NT	-11.65	-0.006289	±2.5	PASS
Band2	9262	2	VH	NT	-9.71	-0.005242	±2.5	PASS
Band2	9262	3	VN	NT	-13.78	-0.007439	±2.5	PASS
Band2	9262	3	VL	NT	-7.53	-0.004065	±2.5	PASS
Band2	9262	3	VH	NT	-10.24	-0.005528	±2.5	PASS
Band2	9262	4	VN	NT	-12.06	-0.006510	±2.5	PASS
Band2	9262	4	VL	NT	-11.71	-0.006322	±2.5	PASS
Band2	9262	4	VH	NT	-9.65	-0.005209	±2.5	PASS
Band2	9262	5	VN	NT	-13.10	-0.007072	±2.5	PASS
Band2	9262	5	VL	NT	-16.56	-0.008940	±2.5	PASS
Band2	9262	5	VH	NT	-11.62	-0.006273	±2.5	PASS
Band2	9400	1	VN	NT	-10.99	-0.005846	±2.5	PASS
Band2	9400	1	VL	NT	-6.29	-0.003346	±2.5	PASS
Band2	9400	1	VH	NT	-9.13	-0.004856	±2.5	PASS
Band2	9400	2	VN	NT	-17.22	-0.009160	±2.5	PASS
Band2	9400	2	VL	NT	-10.11	-0.005378	±2.5	PASS
Band2	9400	2	VH	NT	-11.24	-0.005979	±2.5	PASS
Band2	9400	3	VN	NT	-12.12	-0.006447	±2.5	PASS
Band2	9400	3	VL	NT	-5.27	-0.002803	±2.5	PASS
Band2	9400	3	VH	NT	-8.03	-0.004271	±2.5	PASS
Band2	9400	4	VN	NT	-8.59	-0.004569	±2.5	PASS
Band2	9400	4	VL	NT	-12.16	-0.006468	±2.5	PASS
Band2	9400	4	VH	NT	-8.05	-0.004282	±2.5	PASS
Band2	9400	5	VN	NT	-13.64	-0.007255	±2.5	PASS
Band2	9400	5	VL	NT	-8.01	-0.004261	±2.5	PASS
Band2	9400	5	VH	NT	-7.80	-0.004149	±2.5	PASS
Band2	9538	1	VN	NT	-12.28	-0.006437	±2.5	PASS
Band2	9538	1	VL	NT	-6.91	-0.003622	±2.5	PASS
Band2	9538	1	VH	NT	-7.90	-0.004141	±2.5	PASS
Band2	9538	2	VN	NT	-11.59	-0.006076	±2.5	PASS
Band2	9538	2	VL	NT	-14.42	-0.007559	±2.5	PASS
Band2	9538	2	VH	NT	-10.41	-0.005457	±2.5	PASS
Band2	9538	3	VN	NT	-13.56	-0.007108	±2.5	PASS
Band2	9538	3	VL	NT	-10.89	-0.005709	±2.5	PASS
Band2	9538	3	VH	NT	-11.03	-0.005782	±2.5	PASS
Band2	9538	4	VN	NT	-11.24	-0.005892	±2.5	PASS
Band2	9538	4	VL	NT	-10.64	-0.005578	±2.5	PASS
Band2	9538	4	VH	NT	-7.75	-0.004063	±2.5	PASS
Band2	9538	5	VN	NT	-17.12	-0.008975	±2.5	PASS
Band2	9538	5	VL	NT	-13.76	-0.007213	±2.5	PASS
Band2	9538	5	VH	NT	-11.52	-0.006039	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-10.86	-0.005863	±2.5	PASS
Band2	9262	1	NV	-20	-13.98	-0.007547	±2.5	PASS
Band2	9262	1	NV	-10	-6.89	-0.003719	±2.5	PASS
Band2	9262	1	NV	0	-13.04	-0.007040	±2.5	PASS
Band2	9262	1	NV	10	-14.25	-0.007693	±2.5	PASS
Band2	9262	1	NV	20	-9.77	-0.005274	±2.5	PASS
Band2	9262	1	NV	30	-11.53	-0.006224	±2.5	PASS
Band2	9262	1	NV	40	-14.65	-0.007909	±2.5	PASS
Band2	9262	1	NV	50	-6.92	-0.003736	±2.5	PASS
Band2	9262	2	NV	-30	-9.66	-0.005215	±2.5	PASS
Band2	9262	2	NV	-20	-13.76	-0.007428	±2.5	PASS
Band2	9262	2	NV	-10	-8.37	-0.004518	±2.5	PASS
Band2	9262	2	NV	0	-6.72	-0.003628	±2.5	PASS
Band2	9262	2	NV	10	-12.53	-0.006764	±2.5	PASS
Band2	9262	2	NV	20	-9.24	-0.004988	±2.5	PASS
Band2	9262	2	NV	30	-10.16	-0.005485	±2.5	PASS
Band2	9262	2	NV	40	-14.48	-0.007817	±2.5	PASS
Band2	9262	2	NV	50	-11.19	-0.006041	±2.5	PASS
Band2	9262	3	NV	-30	-9.77	-0.005274	±2.5	PASS
Band2	9262	3	NV	-20	-11.78	-0.006359	±2.5	PASS
Band2	9262	3	NV	-10	-13.58	-0.007331	±2.5	PASS
Band2	9262	3	NV	0	-9.96	-0.005377	±2.5	PASS
Band2	9262	3	NV	10	-12.91	-0.006969	±2.5	PASS
Band2	9262	3	NV	20	-10.61	-0.005728	±2.5	PASS
Band2	9262	3	NV	30	-12.87	-0.006948	±2.5	PASS
Band2	9262	3	NV	40	-11.79	-0.006365	±2.5	PASS
Band2	9262	3	NV	50	-10.25	-0.005533	±2.5	PASS
Band2	9262	4	NV	-30	-13.35	-0.007207	±2.5	PASS
Band2	9262	4	NV	-20	-12.74	-0.006878	±2.5	PASS
Band2	9262	4	NV	-10	-12.00	-0.006478	±2.5	PASS
Band2	9262	4	NV	0	-13.12	-0.007083	±2.5	PASS
Band2	9262	4	NV	10	-6.41	-0.003460	±2.5	PASS
Band2	9262	4	NV	20	-10.43	-0.005631	±2.5	PASS
Band2	9262	4	NV	30	-13.49	-0.007282	±2.5	PASS
Band2	9262	4	NV	40	-12.25	-0.006613	±2.5	PASS
Band2	9262	4	NV	50	-13.88	-0.007493	±2.5	PASS
Band2	9262	5	NV	-30	-7.62	-0.004114	±2.5	PASS
Band2	9262	5	NV	-20	-12.27	-0.006624	±2.5	PASS
Band2	9262	5	NV	-10	-7.32	-0.003952	±2.5	PASS

Band2	9262	5	NV	0	-10.54	-0.005690	±2.5	PASS
Band2	9262	5	NV	10	-12.04	-0.006500	±2.5	PASS
Band2	9262	5	NV	20	-12.76	-0.006888	±2.5	PASS
Band2	9262	5	NV	30	-8.99	-0.004853	±2.5	PASS
Band2	9262	5	NV	40	-9.01	-0.004864	±2.5	PASS
Band2	9262	5	NV	50	-14.86	-0.008022	±2.5	PASS
Band2	9400	1	NV	-30	-9.11	-0.004846	±2.5	PASS
Band2	9400	1	NV	-20	-2.94	-0.001564	±2.5	PASS
Band2	9400	1	NV	-10	-15.53	-0.008261	±2.5	PASS
Band2	9400	1	NV	0	-13.02	-0.006926	±2.5	PASS
Band2	9400	1	NV	10	-10.67	-0.005676	±2.5	PASS
Band2	9400	1	NV	20	-12.54	-0.006670	±2.5	PASS
Band2	9400	1	NV	30	-17.58	-0.009351	±2.5	PASS
Band2	9400	1	NV	40	-11.24	-0.005979	±2.5	PASS
Band2	9400	1	NV	50	-15.69	-0.008346	±2.5	PASS
Band2	9400	2	NV	-30	-11.44	-0.006085	±2.5	PASS
Band2	9400	2	NV	-20	-16.76	-0.008915	±2.5	PASS
Band2	9400	2	NV	-10	-10.18	-0.005415	±2.5	PASS
Band2	9400	2	NV	0	-11.66	-0.006202	±2.5	PASS
Band2	9400	2	NV	10	-14.43	-0.007676	±2.5	PASS
Band2	9400	2	NV	20	-4.64	-0.002468	±2.5	PASS
Band2	9400	2	NV	30	-4.32	-0.002298	±2.5	PASS
Band2	9400	2	NV	40	-9.11	-0.004846	±2.5	PASS
Band2	9400	2	NV	50	-2.86	-0.001521	±2.5	PASS
Band2	9400	3	NV	-30	-10.86	-0.005777	±2.5	PASS
Band2	9400	3	NV	-20	-7.01	-0.003729	±2.5	PASS
Band2	9400	3	NV	-10	-7.79	-0.004144	±2.5	PASS
Band2	9400	3	NV	0	-4.99	-0.002654	±2.5	PASS
Band2	9400	3	NV	10	-9.14	-0.004862	±2.5	PASS
Band2	9400	3	NV	20	-9.25	-0.004920	±2.5	PASS
Band2	9400	3	NV	30	-6.33	-0.003367	±2.5	PASS
Band2	9400	3	NV	40	-7.55	-0.004016	±2.5	PASS
Band2	9400	3	NV	50	-5.44	-0.002894	±2.5	PASS
Band2	9400	4	NV	-30	-6.14	-0.003266	±2.5	PASS
Band2	9400	4	NV	-20	-5.94	-0.003160	±2.5	PASS
Band2	9400	4	NV	-10	-15.34	-0.008160	±2.5	PASS
Band2	9400	4	NV	0	-10.31	-0.005484	±2.5	PASS
Band2	9400	4	NV	10	-6.24	-0.003319	±2.5	PASS
Band2	9400	4	NV	20	-11.25	-0.005984	±2.5	PASS
Band2	9400	4	NV	30	-8.26	-0.004394	±2.5	PASS
Band2	9400	4	NV	40	-6.41	-0.003410	±2.5	PASS

Band2	9400	4	NV	50	-8.36	-0.004447	±2.5	PASS
Band2	9400	5	NV	-30	-8.40	-0.004468	±2.5	PASS
Band2	9400	5	NV	-20	-10.14	-0.005394	±2.5	PASS
Band2	9400	5	NV	-10	-13.35	-0.007101	±2.5	PASS
Band2	9400	5	NV	0	-13.10	-0.006968	±2.5	PASS
Band2	9400	5	NV	10	-7.46	-0.003968	±2.5	PASS
Band2	9400	5	NV	20	-11.09	-0.005899	±2.5	PASS
Band2	9400	5	NV	30	-10.63	-0.005654	±2.5	PASS
Band2	9400	5	NV	40	-11.32	-0.006021	±2.5	PASS
Band2	9400	5	NV	50	-11.87	-0.006314	±2.5	PASS
Band2	9538	1	NV	-30	-5.61	-0.002941	±2.5	PASS
Band2	9538	1	NV	-20	-8.09	-0.004241	±2.5	PASS
Band2	9538	1	NV	-10	-11.59	-0.006076	±2.5	PASS
Band2	9538	1	NV	0	-6.13	-0.003213	±2.5	PASS
Band2	9538	1	NV	10	-7.28	-0.003816	±2.5	PASS
Band2	9538	1	NV	20	-10.76	-0.005641	±2.5	PASS
Band2	9538	1	NV	30	-8.85	-0.004639	±2.5	PASS
Band2	9538	1	NV	40	-8.46	-0.004435	±2.5	PASS
Band2	9538	1	NV	50	-14.61	-0.007659	±2.5	PASS
Band2	9538	2	NV	-30	-10.41	-0.005457	±2.5	PASS
Band2	9538	2	NV	-20	-14.80	-0.007758	±2.5	PASS
Band2	9538	2	NV	-10	-13.09	-0.006862	±2.5	PASS
Band2	9538	2	NV	0	-14.49	-0.007596	±2.5	PASS
Band2	9538	2	NV	10	-7.67	-0.004021	±2.5	PASS
Band2	9538	2	NV	20	-5.89	-0.003088	±2.5	PASS
Band2	9538	2	NV	30	-10.49	-0.005499	±2.5	PASS
Band2	9538	2	NV	40	-5.52	-0.002894	±2.5	PASS
Band2	9538	2	NV	50	-8.13	-0.004262	±2.5	PASS
Band2	9538	3	NV	-30	-8.02	-0.004204	±2.5	PASS
Band2	9538	3	NV	-20	-12.35	-0.006474	±2.5	PASS
Band2	9538	3	NV	-10	-12.62	-0.006616	±2.5	PASS
Band2	9538	3	NV	0	-12.24	-0.006416	±2.5	PASS
Band2	9538	3	NV	10	-9.02	-0.004728	±2.5	PASS
Band2	9538	3	NV	20	-10.80	-0.005662	±2.5	PASS
Band2	9538	3	NV	30	-12.16	-0.006375	±2.5	PASS
Band2	9538	3	NV	40	-13.76	-0.007213	±2.5	PASS
Band2	9538	3	NV	50	-7.24	-0.003795	±2.5	PASS
Band2	9538	4	NV	-30	-8.03	-0.004209	±2.5	PASS
Band2	9538	4	NV	-20	-11.87	-0.006222	±2.5	PASS
Band2	9538	4	NV	-10	-14.09	-0.007386	±2.5	PASS
Band2	9538	4	NV	0	-13.70	-0.007182	±2.5	PASS

Band2	9538	4	NV	10	-10.07	-0.005279	±2.5	PASS
Band2	9538	4	NV	20	-10.36	-0.005431	±2.5	PASS
Band2	9538	4	NV	30	-10.39	-0.005447	±2.5	PASS
Band2	9538	4	NV	40	-14.91	-0.007816	±2.5	PASS
Band2	9538	4	NV	50	-14.20	-0.007444	±2.5	PASS
Band2	9538	5	NV	-30	-8.07	-0.004230	±2.5	PASS
Band2	9538	5	NV	-20	-10.74	-0.005630	±2.5	PASS
Band2	9538	5	NV	-10	-8.04	-0.004215	±2.5	PASS
Band2	9538	5	NV	0	-10.31	-0.005405	±2.5	PASS
Band2	9538	5	NV	10	-12.90	-0.006762	±2.5	PASS
Band2	9538	5	NV	20	-10.62	-0.005567	±2.5	PASS
Band2	9538	5	NV	30	-13.60	-0.007129	±2.5	PASS
Band2	9538	5	NV	40	-13.78	-0.007224	±2.5	PASS
Band2	9538	5	NV	50	-16.42	-0.008608	±2.5	PASS

Appendix G: Modulation Characteristics

Test Result(WCDMA)

Band	Channel	Result	Verdict
Band2	9262	PASS	PASS
Band2	9400	PASS	PASS
Band2	9538	PASS	PASS

Test Graphs(WCDMA)

