



Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5820.17	35.65	17.65	53.30	-	-	Horizontal	NA
2	12369.41	42.51	5.63	48.14	74.00	25.86	Horizontal	PASS
3	13688.89	41.49	9.34	50.83	68.20	17.37	Horizontal	PASS
4	17994.63	39.52	13.71	53.23	74.00	20.77	Horizontal	PASS
5	5821.27	29.00	17.65	46.65	-	-	Horizontal	NA
6	12654.62	33.86	6.15	40.01	54.00	13.99	Horizontal	PASS
7	15896.20	33.27	7.97	41.24	54.00	12.76	Horizontal	PASS
8	17991.95	32.19	13.68	45.87	54.00	8.13	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12007.53	43.51	5.26	48.77	74.00	25.23	Vertical	PASS
2	15077.75	41.57	9.11	50.68	68.20	17.52	Vertical	PASS
3	17900.33	39.74	13.34	53.08	74.00	20.92	Vertical	PASS
4	12421.16	34.22	5.83	40.05	54.00	13.95	Vertical	PASS
5	15843.68	33.10	8.10	41.20	54.00	12.80	Vertical	PASS
6	17999.62	31.53	13.79	45.32	54.00	8.68	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	61.63	14.91	76.54	-	-	Horizontal	NA
2	10923.81	35.81	4.95	40.76	54.00	13.24	Horizontal	PASS
3	12404.30	35.25	6.17	41.42	54.00	12.58	Horizontal	PASS
4	17852.80	32.21	13.96	46.17	54.00	7.83	Horizontal	PASS
5	5727.59	66.42	14.91	81.33	-	-	Horizontal	NA
6	10923.43	43.65	4.94	48.59	74.00	25.41	Horizontal	PASS
7	12481.35	42.60	5.39	47.99	74.00	26.01	Horizontal	PASS
8	17998.85	39.35	13.78	53.13	74.00	20.87	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:A		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.77	60.01	14.91	74.92	-	-	Vertical	NA
2	11182.96	36.32	4.45	40.77	54.00	13.23	Vertical	PASS
3	12214.92	35.75	5.30	41.05	54.00	12.95	Vertical	PASS
4	17981.22	32.88	13.51	46.39	54.00	7.61	Vertical	PASS
5	5727.77	64.03	14.91	78.94	-	-	Vertical	NA
6	11210.17	43.05	4.66	47.71	74.00	26.29	Vertical	PASS
7	12188.09	43.31	5.15	48.46	74.00	25.54	Vertical	PASS
8	17847.81	38.87	13.90	52.77	74.00	21.23	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5177.46	39.16	15.40	54.56	-	-	Horizontal	NA
2	12656.16	41.82	6.15	47.97	74.00	26.03	Horizontal	PASS
3	13694.64	40.41	9.38	49.79	68.20	18.41	Horizontal	PASS
4	17982.75	39.18	13.54	52.72	74.00	21.28	Horizontal	PASS
5	5176.63	32.68	15.39	48.07	-	-	Horizontal	NA
6	9034.68	35.71	2.38	38.09	54.00	15.91	Horizontal	PASS
7	12698.71	34.19	5.94	40.13	54.00	13.87	Horizontal	PASS
8	17986.97	31.20	13.60	44.80	54.00	9.20	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5175.53	35.90	15.39	51.29	-	-	Vertical	NA
2	12653.09	41.55	6.16	47.71	74.00	26.29	Vertical	PASS
3	14362.43	41.73	8.86	50.59	68.20	17.61	Vertical	PASS
4	17847.04	38.82	13.86	52.68	74.00	21.32	Vertical	PASS
5	5178.56	28.69	15.39	44.08	-	-	Vertical	NA
6	9032.00	35.66	2.39	38.05	54.00	15.95	Vertical	PASS
7	11470.85	35.38	4.96	40.34	54.00	13.66	Vertical	PASS
8	17984.67	31.81	13.57	45.38	54.00	8.62	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	40
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12692.96	42.04	5.96	48.00	74.00	26.00	Horizontal	PASS
2	14349.39	41.76	9.01	50.77	68.20	17.43	Horizontal	PASS
3	17990.80	38.46	13.65	52.11	74.00	21.89	Horizontal	PASS
4	9130.14	35.66	2.85	38.51	54.00	15.49	Horizontal	PASS
5	11353.16	35.41	5.06	40.47	54.00	13.53	Horizontal	PASS
6	17864.68	31.40	13.80	45.20	54.00	8.80	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	40
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12405.45	41.61	6.15	47.76	74.00	26.24	Vertical	PASS
2	13688.12	41.07	9.34	50.41	68.20	17.79	Vertical	PASS
3	17993.48	39.73	13.69	53.42	74.00	20.58	Vertical	PASS
4	9171.54	35.10	3.15	38.25	54.00	15.75	Vertical	PASS
5	12409.28	33.80	6.07	39.87	54.00	14.13	Vertical	PASS
6	17995.40	31.84	13.72	45.56	54.00	8.44	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	48
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12641.59	42.77	5.99	48.76	74.00	25.24	Horizontal	PASS
2	13695.02	41.56	9.39	50.95	68.20	17.25	Horizontal	PASS
3	17981.22	39.55	13.51	53.06	74.00	20.94	Horizontal	PASS
4	9168.86	35.33	3.18	38.51	54.00	15.49	Horizontal	PASS
5	12242.52	35.02	5.36	40.38	54.00	13.62	Horizontal	PASS
6	17981.60	31.85	13.53	45.38	54.00	8.62	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	48
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12699.09	42.22	5.94	48.16	74.00	25.84	Vertical	PASS
2	15092.70	41.69	9.05	50.74	68.20	17.46	Vertical	PASS
3	17860.85	39.74	13.85	53.59	74.00	20.41	Vertical	PASS
4	9188.41	35.46	2.98	38.44	54.00	15.56	Vertical	PASS
5	12685.67	34.32	6.01	40.33	54.00	13.67	Vertical	PASS
6	17989.27	31.51	13.64	45.15	54.00	8.85	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	52
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12643.50	42.32	6.03	48.35	74.00	25.65	Horizontal	PASS
2	14665.66	41.79	9.51	51.30	68.20	16.90	Horizontal	PASS
3	17849.34	39.07	13.96	53.03	74.00	20.97	Horizontal	PASS
4	9147.00	34.91	3.29	38.20	54.00	15.80	Horizontal	PASS
5	12380.91	34.76	5.86	40.62	54.00	13.38	Horizontal	PASS
6	17848.96	31.41	13.95	45.36	54.00	8.64	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	52
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12408.90	42.25	6.07	48.32	74.00	25.68	Vertical	PASS
2	14670.26	41.79	9.40	51.19	68.20	17.01	Vertical	PASS
3	17978.53	39.35	13.48	52.83	74.00	21.17	Vertical	PASS
4	9040.82	36.88	2.34	39.22	54.00	14.78	Vertical	PASS
5	12672.64	34.29	6.06	40.35	54.00	13.65	Vertical	PASS
6	17995.02	31.69	13.72	45.41	54.00	8.59	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	60
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12377.46	42.75	5.79	48.54	74.00	25.46	Horizontal	PASS
2	13683.91	41.33	9.30	50.63	68.20	17.57	Horizontal	PASS
3	17982.37	39.34	13.54	52.88	74.00	21.12	Horizontal	PASS
4	9176.14	35.70	3.11	38.81	54.00	15.19	Horizontal	PASS
5	12381.68	34.62	5.88	40.50	54.00	13.50	Horizontal	PASS
6	17861.61	31.16	13.84	45.00	54.00	9.00	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	60
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12400.46	42.15	6.25	48.40	74.00	25.60	Vertical	PASS
2	15251.03	40.86	9.92	50.78	68.20	17.42	Vertical	PASS
3	17893.43	39.37	13.43	52.80	74.00	21.20	Vertical	PASS
4	9151.61	35.16	3.36	38.52	54.00	15.48	Vertical	PASS
5	12659.99	34.51	6.13	40.64	54.00	13.36	Vertical	PASS
6	17985.43	31.57	13.58	45.15	54.00	8.85	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5322.67	36.84	16.18	53.02	-	-	Horizontal	NA
2	12664.21	42.52	6.10	48.62	74.00	25.38	Horizontal	PASS
3	15239.14	41.97	9.58	51.55	68.20	16.65	Horizontal	PASS
4	17986.97	40.22	13.60	53.82	74.00	20.18	Horizontal	PASS
5	5322.39	28.81	16.18	44.99	-	-	Horizontal	NA
6	9141.64	35.11	3.16	38.27	54.00	15.73	Horizontal	PASS
7	12420.01	34.83	5.85	40.68	54.00	13.32	Horizontal	PASS
8	17846.28	31.67	13.83	45.50	54.00	8.50	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12198.82	42.96	5.26	48.22	74.00	25.78	Vertical	PASS
2	13679.31	40.90	9.27	50.17	68.20	18.03	Vertical	PASS
3	17985.82	39.47	13.58	53.05	74.00	20.95	Vertical	PASS
4	9139.34	35.70	3.10	38.80	54.00	15.20	Vertical	PASS
5	12629.70	32.19	5.73	37.92	54.00	13.16	Vertical	PASS
6	17849.34	31.41	13.96	45.37	54.00	8.63	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	100
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5499.50	36.72	16.44	53.16	-	-	Horizontal	NA
2	9137.42	43.70	3.04	46.74	74.00	27.26	Horizontal	PASS
3	15252.94	41.16	9.86	51.02	68.20	17.18	Horizontal	PASS
4	17990.80	41.28	13.65	54.93	74.00	19.07	Horizontal	PASS
5	5501.70	29.79	16.44	46.23	-	-	Horizontal	NA
6	9012.07	36.20	2.51	38.71	54.00	15.29	Horizontal	PASS
7	12658.46	34.42	6.14	40.56	54.00	13.44	Horizontal	PASS
8	17840.53	31.92	13.59	45.51	54.00	8.49	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	100
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9183.04	43.93	3.03	46.96	74.00	27.04	Vertical	PASS
2	15245.27	41.63	9.79	51.42	68.20	16.78	Vertical	PASS
3	17405.81	41.02	12.06	53.08	68.20	15.12	Vertical	PASS
4	9182.27	35.66	3.05	38.71	54.00	15.29	Vertical	PASS
5	12420.01	35.00	5.85	40.85	54.00	13.15	Vertical	PASS
6	17999.62	31.64	13.79	45.43	54.00	8.57	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	120
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9022.42	44.22	2.45	46.67	74.00	27.33	Horizontal	PASS
2	14329.08	41.72	8.86	50.58	68.20	17.62	Horizontal	PASS
3	17368.25	40.80	12.18	52.98	68.20	15.22	Horizontal	PASS
4	9137.80	35.69	3.05	38.74	54.00	15.26	Horizontal	PASS
5	12395.10	34.73	6.16	40.89	54.00	13.11	Horizontal	PASS
6	17839.38	32.09	13.54	45.63	54.00	8.37	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	120
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9132.05	44.25	2.91	47.16	74.00	26.84	Vertical	PASS
2	15246.81	41.05	9.84	50.89	68.20	17.31	Vertical	PASS
3	17846.66	40.39	13.84	54.23	74.00	19.77	Vertical	PASS
4	9184.19	35.90	3.02	38.92	54.00	15.08	Vertical	PASS
5	12656.92	34.65	6.15	40.80	54.00	13.20	Vertical	PASS
6	17978.92	32.19	13.49	45.68	54.00	8.32	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	140
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5704.66	37.03	17.19	54.22	-	-	Horizontal	NA
2	9140.87	43.14	3.13	46.27	74.00	27.73	Horizontal	PASS
3	15251.79	40.78	9.89	50.67	68.20	17.53	Horizontal	PASS
4	17908.00	40.09	13.29	53.38	74.00	20.62	Horizontal	PASS
5	5701.09	29.21	17.18	46.39	-	-	Horizontal	NA
6	9038.52	36.66	2.36	39.02	54.00	14.98	Horizontal	PASS
7	12412.35	35.29	6.01	41.30	54.00	12.70	Horizontal	PASS
8	17893.05	31.80	13.43	45.23	54.00	8.77	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	140
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9135.89	43.74	3.00	46.74	74.00	27.26	Vertical	PASS
2	15064.72	41.55	9.17	50.72	68.20	17.48	Vertical	PASS
3	17992.33	39.80	13.68	53.48	74.00	20.52	Vertical	PASS
4	9033.92	36.72	2.38	39.10	54.00	14.90	Vertical	PASS
5	12466.02	35.59	5.31	40.90	54.00	13.10	Vertical	PASS
6	17856.63	31.70	13.90	45.60	54.00	8.40	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9154.29	43.08	3.32	46.40	74.00	27.60	Horizontal	PASS
2	14522.67	42.71	7.72	50.43	68.20	17.77	Horizontal	PASS
3	17965.12	40.50	13.29	53.79	74.00	20.21	Horizontal	PASS
4	9178.82	35.99	3.07	39.06	54.00	14.94	Horizontal	PASS
5	12395.48	34.28	6.17	40.45	54.00	13.55	Horizontal	PASS
6	17988.50	32.40	13.62	46.02	54.00	7.98	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9145.09	43.30	3.24	46.54	74.00	27.46	Vertical	PASS
2	15243.36	40.88	9.73	50.61	68.20	17.59	Vertical	PASS
3	17844.74	39.01	13.77	52.78	74.00	21.22	Vertical	PASS
4	9134.74	35.91	2.97	38.88	54.00	15.12	Vertical	PASS
5	12652.32	34.13	6.17	40.30	54.00	13.70	Vertical	PASS
6	17999.23	31.49	13.78	45.27	54.00	8.73	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	157
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9190.32	43.53	2.96	46.49	74.00	27.51	Horizontal	PASS
2	15070.85	41.58	9.14	50.72	68.20	17.48	Horizontal	PASS
3	17995.40	39.82	13.72	53.54	74.00	20.46	Horizontal	PASS
4	9184.19	35.62	3.02	38.64	54.00	15.36	Horizontal	PASS
5	12656.16	34.17	6.15	40.32	54.00	13.68	Horizontal	PASS
6	17993.87	32.03	13.71	45.74	54.00	8.26	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	157
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9161.96	43.37	3.25	46.62	74.00	27.38	Vertical	PASS
2	15240.29	40.71	9.62	50.33	68.20	17.87	Vertical	PASS
3	17851.26	39.43	13.97	53.40	74.00	20.60	Vertical	PASS
4	9030.47	36.25	2.40	38.65	54.00	15.35	Vertical	PASS
5	11380.00	35.47	5.25	40.72	54.00	13.28	Vertical	PASS
6	17849.34	31.23	13.96	45.19	54.00	8.81	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5821.54	35.23	17.65	52.88	-	-	Horizontal	NA
2	8990.22	43.39	2.36	45.75	68.20	22.45	Horizontal	PASS
3	15232.62	41.43	9.37	50.80	68.20	17.40	Horizontal	PASS
4	17859.70	39.78	13.86	53.64	74.00	20.36	Horizontal	PASS
5	5821.27	28.27	17.65	45.92	-	-	Horizontal	NA
6	9067.27	36.42	2.21	38.63	54.00	15.37	Horizontal	PASS
7	12659.61	33.97	6.13	40.10	54.00	13.90	Horizontal	PASS
8	17849.34	32.20	13.96	46.16	54.00	7.84	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9133.20	43.44	2.93	46.37	74.00	27.63	Vertical	PASS
2	13693.11	40.72	9.37	50.09	68.20	18.11	Vertical	PASS
3	17980.07	39.93	13.50	53.43	74.00	20.57	Vertical	PASS
4	9195.69	35.82	2.91	38.73	54.00	15.27	Vertical	PASS
5	12395.48	34.76	6.17	40.93	54.00	13.07	Vertical	PASS
6	17992.33	31.82	13.68	45.50	54.00	8.50	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.14	62.08	14.91	76.99	-	-	Horizontal	NA
2	11381.15	35.67	5.26	40.93	54.00	13.07	Horizontal	PASS
3	12379.38	35.26	5.84	41.10	54.00	12.90	Horizontal	PASS
4	17848.58	31.87	13.93	45.80	54.00	8.20	Horizontal	PASS
5	5727.41	66.66	14.91	81.57	-	-	Horizontal	NA
6	11424.08	42.55	5.24	47.79	74.00	26.21	Horizontal	PASS
7	12364.43	42.70	5.53	48.23	74.00	25.77	Horizontal	PASS
8	17813.31	40.48	12.43	52.91	74.00	21.09	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	5720
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT:B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	55.63	14.91	70.54	-	-	Vertical	NA
2	11479.28	36.07	4.92	40.99	54.00	13.01	Vertical	PASS
3	12415.80	35.24	5.94	41.18	54.00	12.82	Vertical	PASS
4	17845.51	32.52	13.80	46.32	54.00	7.68	Vertical	PASS
5	5727.59	61.50	14.91	76.41	-	-	Vertical	NA
6	11599.65	42.25	5.74	47.99	74.00	26.01	Vertical	PASS
7	12411.96	42.83	6.02	48.85	74.00	25.15	Vertical	PASS
8	17979.30	40.31	13.49	53.80	74.00	20.20	Vertical	PASS


Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5180
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5176.66	38.28	13.91	52.19	-	-	Horizontal	NA
2	11594.29	35.45	5.65	41.10	54.00	12.90	Horizontal	PASS
3	12397.40	35.06	6.20	41.26	54.00	12.74	Horizontal	PASS
4	17990.42	32.47	13.65	46.12	54.00	7.88	Horizontal	PASS
5	5176.66	46.55	13.91	60.46	-	-	Horizontal	NA
6	11462.03	43.52	5.01	48.53	74.00	25.47	Horizontal	PASS
7	12277.79	43.23	5.13	48.36	74.00	25.64	Horizontal	PASS
8	17981.22	39.57	13.51	53.08	74.00	20.92	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5180
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5175.56	35.64	13.90	49.54	-	-	Vertical	NA
2	11441.71	35.77	5.12	40.89	54.00	13.11	Vertical	PASS
3	12398.55	35.11	6.23	41.34	54.00	12.66	Vertical	PASS
4	17974.70	32.88	13.43	46.31	54.00	7.69	Vertical	PASS
5	5175.37	42.54	13.90	56.44	-	-	Vertical	NA
6	11493.08	42.75	4.85	47.60	74.00	26.40	Vertical	PASS
7	12249.04	42.74	5.37	48.11	74.00	25.89	Vertical	PASS
8	17974.32	41.10	13.42	54.52	74.00	19.48	Vertical	PASS


Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5200
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11452.07	35.67	5.06	40.73	54.00	13.27	Horizontal	PASS
2	12383.60	35.01	5.92	40.93	54.00	13.07	Horizontal	PASS
3	17985.43	32.75	13.58	46.33	54.00	7.67	Horizontal	PASS
4	11558.25	42.68	5.04	47.72	74.00	26.28	Horizontal	PASS
5	12369.03	42.27	5.62	47.89	74.00	26.11	Horizontal	PASS
6	17859.31	39.48	13.87	53.35	74.00	20.65	Horizontal	PASS


Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5200
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11244.67	36.03	4.85	40.88	54.00	13.12	Vertical	PASS
2	12083.82	35.42	5.26	40.68	54.00	13.32	Vertical	PASS
3	17980.07	33.13	13.50	46.63	54.00	7.37	Vertical	PASS
4	10983.23	42.81	5.08	47.89	74.00	26.11	Vertical	PASS
5	11944.66	43.27	5.05	48.32	74.00	25.68	Vertical	PASS
6	17870.43	40.39	13.72	54.11	74.00	19.89	Vertical	PASS


Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5240
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11441.33	35.41	5.13	40.54	54.00	13.46	Horizontal	PASS
2	12402.00	35.30	6.22	41.52	54.00	12.48	Horizontal	PASS
3	17880.78	32.46	13.59	46.05	54.00	7.95	Horizontal	PASS
4	11414.88	42.56	5.30	47.86	74.00	26.14	Horizontal	PASS
5	12405.06	42.00	6.16	48.16	74.00	25.84	Horizontal	PASS
6	17979.30	39.71	13.49	53.20	74.00	20.80	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	5240
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11386.51	35.32	5.29	40.61	54.00	13.39	Vertical	PASS
2	12066.95	36.15	5.35	41.50	54.00	12.50	Vertical	PASS
3	17886.91	32.81	13.51	46.32	54.00	7.68	Vertical	PASS
4	11430.98	42.12	5.19	47.31	74.00	26.69	Vertical	PASS
5	12003.32	42.85	5.24	48.09	74.00	25.91	Vertical	PASS
6	17995.40	39.43	13.72	53.15	74.00	20.85	Vertical	PASS


Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5260
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11423.70	35.30	5.24	40.54	54.00	13.46	Horizontal	PASS
2	12402.76	35.53	6.20	41.73	54.00	12.27	Horizontal	PASS
3	17843.21	32.54	13.70	46.24	54.00	7.76	Horizontal	PASS
4	11467.40	42.51	4.98	47.49	74.00	26.51	Horizontal	PASS
5	12255.18	43.05	5.32	48.37	74.00	25.63	Horizontal	PASS
6	17984.28	39.44	13.57	53.01	74.00	20.99	Horizontal	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5260
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11364.28	35.71	5.14	40.85	54.00	13.15	Vertical	PASS
2	12401.23	35.39	6.24	41.63	54.00	12.37	Vertical	PASS
3	17975.85	32.72	13.44	46.16	54.00	7.84	Vertical	PASS
4	11225.89	43.43	4.75	48.18	74.00	25.82	Vertical	PASS
5	12404.30	42.56	6.17	48.73	74.00	25.27	Vertical	PASS
6	17849.73	40.18	13.98	54.16	74.00	19.84	Vertical	PASS

Project Information			
Mode:	802.11ax-HE20	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	5300
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11248.89	36.03	4.87	40.90	54.00	13.10	Horizontal	PASS
2	12397.78	35.32	6.22	41.54	54.00	12.46	Horizontal	PASS
3	17838.99	33.43	13.52	46.95	54.00	7.05	Horizontal	PASS
4	11331.69	42.70	4.89	47.59	74.00	26.41	Horizontal	PASS
5	12405.06	42.40	6.16	48.56	74.00	25.44	Horizontal	PASS
6	17838.61	39.49	13.51	53.00	74.00	21.00	Horizontal	PASS