



Project Information			
Mode:	802.11n-HT20	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2459.60	34.56	2.33	36.89	-	-	Vertical	NA
2	10100.50	36.57	3.19	39.76	54.00	14.24	Vertical	PASS
3	14348.00	34.41	9.30	43.71	54.00	10.29	Vertical	PASS
4	17348.50	32.87	12.79	45.66	54.00	8.34	Vertical	PASS
5	2460.60	42.27	2.33	44.60	-	-	Vertical	NA
6	10079.00	42.98	3.43	46.41	74.00	27.59	Vertical	PASS
7	14633.50	41.54	9.53	51.07	74.00	22.93	Vertical	PASS
8	17996.00	39.61	12.77	52.38	74.00	21.62	Vertical	PASS

Project Information			
Mode:	802.11n-HT40	Band:	/
Bandwidth	40MHz	Channel	3
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	46.69	2.27	48.96	-	-	Horizontal	NA
2	11420.00	35.60	5.20	40.80	54.00	13.20	Horizontal	PASS
3	15063.00	34.52	8.93	43.45	54.00	10.55	Horizontal	PASS
4	17351.00	33.11	12.82	45.93	54.00	8.07	Horizontal	PASS
5	2429.60	52.82	2.27	55.09	-	-	Horizontal	NA
6	11599.00	41.80	5.44	47.24	74.00	26.76	Horizontal	PASS
7	14672.00	41.74	9.31	51.05	74.00	22.95	Horizontal	PASS
8	17353.50	40.23	12.72	52.95	74.00	21.05	Horizontal	PASS

Project Information			
Mode:	802.11n-HT40	Band:	/
Bandwidth	40MHz	Channel	3
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	43.54	2.27	45.81	-	-	Vertical	NA
2	11476.50	35.34	4.93	40.27	54.00	13.73	Vertical	PASS
3	15239.50	34.97	9.10	44.07	54.00	9.93	Vertical	PASS
4	17346.50	33.88	12.70	46.58	54.00	7.42	Vertical	PASS
5	2429.60	50.09	2.27	52.36	-	-	Vertical	NA
6	11435.50	42.73	5.09	47.82	74.00	26.18	Vertical	PASS
7	15072.00	41.83	8.96	50.79	74.00	23.21	Vertical	PASS
8	17346.00	40.18	12.68	52.86	74.00	21.14	Vertical	PASS

Project Information			
Mode:	802.11n-HT40	Band:	/
Bandwidth	40MHz	Channel	6
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	47.16	2.27	49.43	-	-	Horizontal	NA
2	11434.00	35.99	5.11	41.10	54.00	12.90	Horizontal	PASS
3	15233.00	34.50	8.95	43.45	54.00	10.55	Horizontal	PASS
4	17864.50	32.83	12.63	45.46	54.00	8.54	Horizontal	PASS
5	2429.40	53.15	2.27	55.42	-	-	Horizontal	NA
6	11470.00	42.46	4.95	47.41	74.00	26.59	Horizontal	PASS
7	14634.50	41.03	9.55	50.58	74.00	23.42	Horizontal	PASS
8	17801.50	40.99	12.09	53.08	74.00	20.92	Horizontal	PASS

Project Information			
Mode:	802.11n-HT40	Band:	/
Bandwidth	40MHz	Channel	6
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	44.06	2.27	46.33	-	-	Vertical	NA
2	10977.00	36.04	4.73	40.77	54.00	13.23	Vertical	PASS
3	14633.50	34.58	9.53	44.11	54.00	9.89	Vertical	PASS
4	17348.50	32.95	12.79	45.74	54.00	8.26	Vertical	PASS
5	2429.40	50.93	2.27	53.20	-	-	Vertical	NA
6	11454.00	43.17	4.99	48.16	74.00	25.84	Vertical	PASS
7	14633.00	42.31	9.52	51.83	74.00	22.17	Vertical	PASS
8	17359.00	39.86	12.51	52.37	74.00	21.63	Vertical	PASS

Project Information			
Mode:	802.11n-HT40	Band:	/
Bandwidth	40MHz	Channel	9
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.00	38.32	2.32	40.64	-	-	Horizontal	NA
2	11300.00	36.15	4.57	40.72	54.00	13.28	Horizontal	PASS
3	14326.50	34.77	8.77	43.54	54.00	10.46	Horizontal	PASS
4	17356.00	34.19	12.63	46.82	54.00	7.18	Horizontal	PASS
5	2454.20	44.69	2.32	47.01	-	-	Horizontal	NA
6	11299.50	42.98	4.57	47.55	74.00	26.45	Horizontal	PASS
7	14083.50	42.57	8.08	50.65	74.00	23.35	Horizontal	PASS
8	17349.00	39.85	12.82	52.67	74.00	21.33	Horizontal	PASS

Project Information			
Mode:	802.11n-HT40	Band:	/
Bandwidth	40MHz	Channel	9
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.40	35.69	2.32	38.01	-	-	Vertical	NA
2	10934.00	35.74	4.72	40.46	54.00	13.54	Vertical	PASS
3	14668.00	34.23	9.42	43.65	54.00	10.35	Vertical	PASS
4	17348.50	32.99	12.79	45.78	54.00	8.22	Vertical	PASS
5	2454.60	42.30	2.32	44.62	-	-	Vertical	NA
6	10917.50	42.30	4.75	47.05	74.00	26.95	Vertical	PASS
7	14641.00	40.53	9.71	50.24	74.00	23.76	Vertical	PASS
8	17826.50	39.92	12.45	52.37	74.00	21.63	Vertical	PASS

Project Information

Mode:	802.11ax-ax20	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2408.20	38.67	2.23	40.90	-	-	Horizontal	NA
2	10793.00	35.90	4.32	40.22	54.00	13.78	Horizontal	PASS
3	14684.00	34.06	8.98	43.04	54.00	10.96	Horizontal	PASS
4	17354.00	33.19	12.70	45.89	54.00	8.11	Horizontal	PASS
5	2409.00	47.07	2.24	49.31	-	-	Horizontal	NA
6	10792.50	43.48	4.32	47.80	74.00	26.20	Horizontal	PASS
7	14629.50	40.94	9.44	50.38	74.00	23.62	Horizontal	PASS
8	17343.50	39.88	12.56	52.44	74.00	21.56	Horizontal	PASS

Project Information

Mode:	802.11ax-ax20	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2408.20	34.78	2.23	37.01	-	-	Vertical	NA
2	11325.50	36.14	4.74	40.88	54.00	13.12	Vertical	PASS
3	14375.50	34.60	8.80	43.40	54.00	10.60	Vertical	PASS
4	17343.50	33.22	12.56	45.78	54.00	8.22	Vertical	PASS
5	2408.20	43.37	2.23	45.60	-	-	Vertical	NA
6	11382.50	42.12	5.19	47.31	74.00	26.69	Vertical	PASS
7	15076.50	41.52	8.98	50.50	74.00	23.50	Vertical	PASS
8	17343.00	40.56	12.54	53.10	74.00	20.90	Vertical	PASS

Project Information

Mode:	802.11ax-ax20	Band:	/
Bandwidth	20MHz	Channel	6
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	47.00	2.27	49.27	-	-	Horizontal	NA
2	11544.00	36.29	4.70	40.99	54.00	13.01	Horizontal	PASS
3	14083.00	35.35	8.07	43.42	54.00	10.58	Horizontal	PASS
4	17348.50	32.66	12.79	45.45	54.00	8.55	Horizontal	PASS
5	2429.40	55.34	2.27	57.61	-	-	Horizontal	NA
6	11593.00	42.06	5.34	47.40	74.00	26.60	Horizontal	PASS
7	14351.50	41.23	9.32	50.55	74.00	23.45	Horizontal	PASS
8	17345.00	40.36	12.64	53.00	74.00	21.00	Horizontal	PASS

Project Information

Mode:	802.11ax-ax20	Band:	/
Bandwidth	20MHz	Channel	6
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.80	43.66	2.27	45.93	-	-	Vertical	NA
2	11433.00	35.89	5.12	41.01	54.00	12.99	Vertical	PASS
3	15121.00	34.61	8.77	43.38	54.00	10.62	Vertical	PASS
4	17351.00	32.85	12.82	45.67	54.00	8.33	Vertical	PASS
5	2429.40	52.01	2.27	54.28	-	-	Vertical	NA
6	11461.00	42.86	4.97	47.83	74.00	26.17	Vertical	PASS
7	15241.50	40.80	9.15	49.95	74.00	24.05	Vertical	PASS
8	17333.50	40.68	12.10	52.78	74.00	21.22	Vertical	PASS

Project Information

Mode:	802.11ax-ax20	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2460.60	38.93	2.33	41.26	-	-	Horizontal	NA
2	11392.50	35.34	5.27	40.61	54.00	13.39	Horizontal	PASS
3	14666.50	34.10	9.46	43.56	54.00	10.44	Horizontal	PASS
4	17351.00	33.71	12.82	46.53	54.00	7.47	Horizontal	PASS
5	2459.80	46.92	2.33	49.25	-	-	Horizontal	NA
6	11450.50	42.74	5.00	47.74	74.00	26.26	Horizontal	PASS
7	14565.50	43.66	7.58	51.24	74.00	22.76	Horizontal	PASS
8	17346.50	40.45	12.70	53.15	74.00	20.85	Horizontal	PASS

Project Information

Mode:	802.11ax-ax20	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2459.60	35.93	2.33	38.26	-	-	Vertical	NA
2	11449.50	35.68	5.00	40.68	54.00	13.32	Vertical	PASS
3	15248.00	34.04	9.30	43.34	54.00	10.66	Vertical	PASS
4	17363.00	33.79	12.35	46.14	54.00	7.86	Vertical	PASS
5	2460.40	43.27	2.33	45.60	-	-	Vertical	NA
6	11471.50	42.81	4.95	47.76	74.00	26.24	Vertical	PASS
7	15070.00	41.18	8.96	50.14	74.00	23.86	Vertical	PASS
8	17348.50	40.79	12.79	53.58	74.00	20.42	Vertical	PASS

Project Information			
Mode:	802.11ax-ax40	Band:	/
Bandwidth	40MHz	Channel	3
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	45.65	2.27	47.92	-	-	Horizontal	NA
2	9601.50	36.77	2.84	39.61	54.00	14.39	Horizontal	PASS
3	14345.00	33.99	9.23	43.22	54.00	10.78	Horizontal	PASS
4	17351.00	33.02	12.82	45.84	54.00	8.16	Horizontal	PASS
5	2429.40	53.45	2.27	55.72	-	-	Horizontal	NA
6	9603.00	43.87	2.84	46.71	74.00	27.29	Horizontal	PASS
7	14066.50	42.01	7.98	49.99	74.00	24.01	Horizontal	PASS
8	17352.00	39.69	12.78	52.47	74.00	21.53	Horizontal	PASS

Project Information

Mode:	802.11ax-ax40	Band:	/
Bandwidth	40MHz	Channel	3
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.80	43.37	2.27	45.64	-	-	Vertical	NA
2	10768.50	36.10	4.32	40.42	54.00	13.58	Vertical	PASS
3	14821.50	35.18	8.77	43.95	54.00	10.05	Vertical	PASS
4	17339.50	33.99	12.38	46.37	54.00	7.63	Vertical	PASS
5	2429.00	50.10	2.27	52.37	-	-	Vertical	NA
6	10900.00	43.10	4.77	47.87	74.00	26.13	Vertical	PASS
7	14623.50	41.46	9.29	50.75	74.00	23.25	Vertical	PASS
8	17345.00	40.45	12.64	53.09	74.00	20.91	Vertical	PASS

Project Information			
Mode:	802.11ax-ax40	Band:	/
Bandwidth	40MHz	Channel	6
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	46.75	2.27	49.02	-	-	Horizontal	NA
2	10914.00	35.51	4.75	40.26	54.00	13.74	Horizontal	PASS
3	15068.50	34.51	8.95	43.46	54.00	10.54	Horizontal	PASS
4	17355.00	33.20	12.67	45.87	54.00	8.13	Horizontal	PASS
5	2429.20	55.76	2.27	58.03	-	-	Horizontal	NA
6	10812.00	43.16	4.17	47.33	74.00	26.67	Horizontal	PASS
7	15252.50	41.30	9.31	50.61	74.00	23.39	Horizontal	PASS
8	17363.00	40.42	12.35	52.77	74.00	21.23	Horizontal	PASS

Project Information			
Mode:	802.11ax-ax40	Band:	/
Bandwidth	40MHz	Channel	6
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	43.96	2.27	46.23	-	-	Vertical	NA
2	11587.50	35.63	5.26	40.89	54.00	13.11	Vertical	PASS
3	14318.00	34.91	8.56	43.47	54.00	10.53	Vertical	PASS
4	17362.00	33.35	12.39	45.74	54.00	8.26	Vertical	PASS
5	2429.00	52.77	2.27	55.04	-	-	Vertical	NA
6	11496.50	43.01	4.88	47.89	74.00	26.11	Vertical	PASS
7	14661.50	40.30	9.60	49.90	74.00	24.10	Vertical	PASS
8	17361.50	40.09	12.41	52.50	74.00	21.50	Vertical	PASS

Project Information

Mode:	802.11ax-ax40	Band:	/
Bandwidth	40MHz	Channel	9
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.60	37.90	2.32	40.22	-	-	Horizontal	NA
2	10772.00	36.66	4.32	40.98	54.00	13.02	Horizontal	PASS
3	14643.50	33.78	9.77	43.55	54.00	10.45	Horizontal	PASS
4	17345.50	32.89	12.66	45.55	54.00	8.45	Horizontal	PASS
5	2443.00	45.45	2.29	47.74	-	-	Horizontal	NA
6	10774.00	43.30	4.32	47.62	74.00	26.38	Horizontal	PASS
7	14641.50	40.50	9.72	50.22	74.00	23.78	Horizontal	PASS
8	17355.50	40.19	12.65	52.84	74.00	21.16	Horizontal	PASS

Project Information

Mode:	802.11ax-ax40	Band:	/
Bandwidth	40MHz	Channel	9
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.80	34.22	2.32	36.54	-	-	Vertical	NA
2	11473.00	35.47	4.95	40.42	54.00	13.58	Vertical	PASS
3	15234.50	34.62	8.99	43.61	54.00	10.39	Vertical	PASS
4	17353.50	33.33	12.72	46.05	54.00	7.95	Vertical	PASS
5	2460.40	42.08	2.33	44.41	-	-	Vertical	NA
6	11323.50	43.09	4.73	47.82	74.00	26.18	Vertical	PASS
7	15285.00	41.90	8.77	50.67	74.00	23.33	Vertical	PASS
8	17357.50	39.81	12.57	52.38	74.00	21.62	Vertical	PASS

Project Information			
Mode:	802.11ax20 26t-0	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.80	38.53	2.22	40.75	-	-	Horizontal	NA
2	11591.00	35.57	5.31	40.88	54.00	13.12	Horizontal	PASS
3	14509.50	35.31	8.07	43.38	54.00	10.62	Horizontal	PASS
4	17347.00	33.02	12.73	45.75	54.00	8.25	Horizontal	PASS
5	2391.00	49.70	2.21	51.91	-	-	Horizontal	NA
6	11454.50	42.59	4.99	47.58	74.00	26.42	Horizontal	PASS
7	14210.50	43.11	7.31	50.42	74.00	23.58	Horizontal	PASS
8	17344.50	39.95	12.60	52.55	74.00	21.45	Horizontal	PASS

Project Information			
Mode:	802.11ax20 26t-0	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2403.00	35.06	2.22	37.28	-	-	Vertical	NA
2	11492.50	35.68	4.90	40.58	54.00	13.42	Vertical	PASS
3	14368.00	34.95	8.97	43.92	54.00	10.08	Vertical	PASS
4	17353.50	33.68	12.72	46.40	54.00	7.60	Vertical	PASS
5	2390.60	47.34	2.21	49.55	-	-	Vertical	NA
6	11496.50	42.75	4.88	47.63	74.00	26.37	Vertical	PASS
7	14093.50	42.52	8.13	50.65	74.00	23.35	Vertical	PASS
8	17351.50	40.03	12.80	52.83	74.00	21.17	Vertical	PASS

Project Information			
Mode:	802.11ax20 26t-0	Band:	/
Bandwidth	20MHz	Channel	6
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.20	56.53	2.27	58.80	-	-	Horizontal	NA
2	11343.00	36.21	4.87	41.08	54.00	12.92	Horizontal	PASS
3	15239.50	34.41	9.10	43.51	54.00	10.49	Horizontal	PASS
4	17843.50	33.32	12.71	46.03	54.00	7.97	Horizontal	PASS
5	2428.80	63.88	2.27	66.15	-	-	Horizontal	NA
6	11480.50	42.60	4.93	47.53	74.00	26.47	Horizontal	PASS
7	15072.50	41.90	8.97	50.87	74.00	23.13	Horizontal	PASS
8	17351.00	39.38	12.82	52.20	74.00	21.80	Horizontal	PASS

Project Information

Mode:	802.11ax20 26t-0	Band:	/
Bandwidth	20MHz	Channel	6
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	53.16	2.27	55.43	-	-	Vertical	NA
2	9153.50	36.70	3.22	39.92	54.00	14.08	Vertical	PASS
3	13811.00	35.09	8.11	43.20	54.00	10.80	Vertical	PASS
4	17337.50	33.99	12.29	46.28	54.00	7.72	Vertical	PASS
5	2428.80	61.04	2.27	63.31	-	-	Vertical	NA
6	9139.50	43.46	2.97	46.43	74.00	27.57	Vertical	PASS
7	13818.50	42.61	8.23	50.84	74.00	23.16	Vertical	PASS
8	17366.00	41.01	12.24	53.25	74.00	20.75	Vertical	PASS

Project Information			
Mode:	802.11ax20 26t-0	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.00	50.27	2.32	52.59	-	-	Horizontal	NA
2	11373.50	35.69	5.11	40.80	54.00	13.20	Horizontal	PASS
3	15065.50	34.62	8.94	43.56	54.00	10.44	Horizontal	PASS
4	17352.50	33.19	12.76	45.95	54.00	8.05	Horizontal	PASS
5	2453.80	57.51	2.32	59.83	-	-	Horizontal	NA
6	11482.50	42.64	4.92	47.56	74.00	26.44	Horizontal	PASS
7	15085.00	41.72	9.01	50.73	74.00	23.27	Horizontal	PASS
8	17338.50	40.23	12.33	52.56	74.00	21.44	Horizontal	PASS

Project Information

Mode:	802.11ax20 26t-0	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2453.80	45.04	2.32	47.36	-	-	Vertical	NA
2	9154.00	36.54	3.22	39.76	54.00	14.24	Vertical	PASS
3	13814.50	35.22	8.16	43.38	54.00	10.62	Vertical	PASS
4	17360.00	33.39	12.47	45.86	54.00	8.14	Vertical	PASS
5	2453.60	52.77	2.31	55.08	-	-	Vertical	NA
6	9150.00	43.37	3.26	46.63	74.00	27.37	Vertical	PASS
7	13839.50	41.96	8.56	50.52	74.00	23.48	Vertical	PASS
8	17354.50	40.13	12.68	52.81	74.00	21.19	Vertical	PASS

Project Information

Mode:	802.11ax40 242t-61	Band:	/
Bandwidth	40MHz	Channel	3
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2407.80	38.33	2.23	40.56	-	-	Horizontal	NA
2	11289.00	36.35	4.61	40.96	54.00	13.04	Horizontal	PASS
3	13842.50	34.98	8.61	43.59	54.00	10.41	Horizontal	PASS
4	17348.50	33.76	12.79	46.55	54.00	7.45	Horizontal	PASS
5	2407.80	45.61	2.23	47.84	-	-	Horizontal	NA
6	11484.00	42.90	4.92	47.82	74.00	26.18	Horizontal	PASS
7	13795.50	41.63	7.84	49.47	74.00	24.53	Horizontal	PASS
8	17331.50	40.50	12.01	52.51	74.00	21.49	Horizontal	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	/
Bandwidth	40MHz	Channel	3
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12405.50	35.52	5.63	41.15	54.00	12.85	Vertical	PASS
2	15084.50	34.97	9.01	43.98	54.00	10.02	Vertical	PASS
3	17353.50	33.14	12.72	45.86	54.00	8.14	Vertical	PASS
4	12410.50	43.00	5.55	48.55	74.00	25.45	Vertical	PASS
5	15070.50	41.12	8.96	50.08	74.00	23.92	Vertical	PASS
6	17358.50	39.98	12.53	52.51	74.00	21.49	Vertical	PASS

Project Information

Mode:	802.11ax40 242t-61	Band:	/
Bandwidth	40MHz	Channel	6
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	48.34	2.27	50.61	-	-	Horizontal	NA
2	11588.00	35.49	5.27	40.76	54.00	13.24	Horizontal	PASS
3	14332.50	34.71	8.92	43.63	54.00	10.37	Horizontal	PASS
4	17345.50	33.51	12.66	46.17	54.00	7.83	Horizontal	PASS
5	2429.20	57.01	2.27	59.28	-	-	Horizontal	NA
6	11590.50	42.39	5.30	47.69	74.00	26.31	Horizontal	PASS
7	14338.00	41.31	9.05	50.36	74.00	23.64	Horizontal	PASS
8	17345.00	40.40	12.64	53.04	74.00	20.96	Horizontal	PASS

Project Information

Mode:	802.11ax40 242t-61	Band:	/
Bandwidth	40MHz	Channel	6
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	46.96	2.27	49.23	-	-	Vertical	NA
2	11589.50	35.17	5.29	40.46	54.00	13.54	Vertical	PASS
3	14630.00	33.96	9.45	43.41	54.00	10.59	Vertical	PASS
4	17347.00	33.36	12.73	46.09	54.00	7.91	Vertical	PASS
5	2429.20	53.01	2.27	55.28	-	-	Vertical	NA
6	11385.50	42.43	5.20	47.63	74.00	26.37	Vertical	PASS
7	14619.50	41.12	9.20	50.32	74.00	23.68	Vertical	PASS
8	17344.50	40.38	12.60	52.98	74.00	21.02	Vertical	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	/
Bandwidth	40MHz	Channel	9
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2455.00	40.58	2.32	42.90	-	-	Horizontal	NA
2	11379.50	35.70	5.16	40.86	54.00	13.14	Horizontal	PASS
3	14669.00	33.92	9.40	43.32	54.00	10.68	Horizontal	PASS
4	17349.00	33.12	12.82	45.94	54.00	8.06	Horizontal	PASS
5	2492.00	52.08	2.39	54.47	-	-	Horizontal	NA
6	11706.50	43.14	4.64	47.78	74.00	26.22	Horizontal	PASS
7	14621.00	41.36	9.24	50.60	74.00	23.40	Horizontal	PASS
8	17884.00	41.10	12.40	53.50	74.00	20.50	Horizontal	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	/
Bandwidth	40MHz	Channel	9
IMEI:	863547050056742	Engineer:	Shen Zhuang
Remark:	Polarity: Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2459.80	36.28	2.33	38.61	-	-	Vertical	NA
2	11992.00	35.29	5.41	40.70	54.00	13.30	Vertical	PASS
3	15074.00	34.63	8.97	43.60	54.00	10.40	Vertical	PASS
4	17347.50	33.13	12.75	45.88	54.00	8.12	Vertical	PASS
5	2494.40	45.85	2.40	48.25	-	-	Vertical	NA
6	11970.50	42.70	5.47	48.17	74.00	25.83	Vertical	PASS
7	14683.00	41.71	9.01	50.72	74.00	23.28	Vertical	PASS
8	17346.00	40.68	12.68	53.36	74.00	20.64	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT A		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2370.80	34.13	1.44	35.57	54.00	18.43	Horizontal	PASS
2	2376.14	34.26	1.43	35.69	54.00	18.31	Horizontal	PASS
3	2386.48	34.42	1.43	35.85	54.00	18.15	Horizontal	PASS
4	2370.46	44.67	1.44	46.11	74.00	27.89	Horizontal	PASS
5	2379.72	44.67	1.43	46.10	74.00	27.90	Horizontal	PASS
6	2388.46	44.97	1.43	46.40	74.00	27.60	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT A		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2375.21	33.99	1.43	35.42	54.00	18.58	Vertical	PASS
2	2380.70	34.12	1.43	35.55	54.00	18.45	Vertical	PASS
3	2388.16	34.05	1.43	35.48	54.00	18.52	Vertical	PASS
4	2372.26	44.95	1.43	46.38	74.00	27.62	Vertical	PASS
5	2381.18	44.38	1.43	45.81	74.00	28.19	Vertical	PASS
6	2387.98	44.75	1.43	46.18	74.00	27.82	Vertical	PASS


Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT A		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.89	30.85	1.87	32.72	54.00	21.28	Horizontal	PASS
2	2487.47	30.75	1.90	32.65	54.00	21.35	Horizontal	PASS
3	2493.47	30.55	1.96	32.51	54.00	21.49	Horizontal	PASS
4	2483.65	41.61	1.86	43.47	74.00	30.53	Horizontal	PASS
5	2487.23	41.94	1.90	43.84	74.00	30.16	Horizontal	PASS
6	2493.20	41.49	1.96	43.45	74.00	30.55	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT A		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.22	30.43	1.87	32.30	54.00	21.70	Vertical	PASS
2	2488.81	30.21	1.92	32.13	54.00	21.87	Vertical	PASS
3	2493.16	30.28	1.96	32.24	54.00	21.76	Vertical	PASS
4	2484.51	41.12	1.87	42.99	74.00	31.01	Vertical	PASS
5	2489.60	40.79	1.92	42.71	74.00	31.29	Vertical	PASS
6	2493.80	41.49	1.97	43.46	74.00	30.54	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT A		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2373.04	34.05	1.44	35.49	54.00	18.51	Horizontal	PASS
2	2380.99	34.15	1.43	35.58	54.00	18.42	Horizontal	PASS
3	2389.43	34.28	1.43	35.71	54.00	18.29	Horizontal	PASS
4	2371.06	44.83	1.44	46.27	74.00	27.73	Horizontal	PASS
5	2379.95	45.00	1.43	46.43	74.00	27.57	Horizontal	PASS
6	2389.47	44.05	1.43	45.48	74.00	28.52	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT A		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2364.00	34.02	1.44	35.46	54.00	18.54	Vertical	PASS
2	2377.86	33.77	1.44	35.21	54.00	18.79	Vertical	PASS
3	2388.91	34.06	1.43	35.49	54.00	18.51	Vertical	PASS
4	2363.14	45.03	1.45	46.48	74.00	27.52	Vertical	PASS
5	2376.66	44.99	1.43	46.42	74.00	27.58	Vertical	PASS
6	2389.02	44.49	1.43	45.92	74.00	28.08	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT A		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.39	31.00	1.87	32.87	54.00	21.13	Horizontal	PASS
2	2486.00	30.98	1.88	32.86	54.00	21.14	Horizontal	PASS
3	2489.07	30.59	1.92	32.51	54.00	21.49	Horizontal	PASS
4	2484.01	42.19	1.87	44.06	74.00	29.94	Horizontal	PASS
5	2486.79	42.23	1.90	44.13	74.00	29.87	Horizontal	PASS
6	2489.63	41.60	1.92	43.52	74.00	30.48	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT A		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.06	30.50	1.87	32.37	54.00	21.63	Vertical	PASS
2	2486.43	30.31	1.89	32.20	54.00	21.80	Vertical	PASS
3	2490.64	30.06	1.93	31.99	54.00	22.01	Vertical	PASS
4	2484.06	41.78	1.87	43.65	74.00	30.35	Vertical	PASS
5	2486.82	40.76	1.90	42.66	74.00	31.34	Vertical	PASS
6	2489.99	41.20	1.93	43.13	74.00	30.87	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT B		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2361.28	33.94	1.44	35.38	54.00	18.62	Horizontal	PASS
2	2371.88	34.05	1.43	35.48	54.00	18.52	Horizontal	PASS
3	2385.96	34.33	1.43	35.76	54.00	18.24	Horizontal	PASS
4	2364.15	44.90	1.44	46.34	74.00	27.66	Horizontal	PASS
5	2374.12	44.64	1.44	46.08	74.00	27.92	Horizontal	PASS
6	2386.48	45.00	1.43	46.43	74.00	27.57	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT B		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2368.07	33.99	1.44	35.43	54.00	18.57	Vertical	PASS
2	2379.84	33.86	1.43	35.29	54.00	18.71	Vertical	PASS
3	2387.31	34.53	1.42	35.95	54.00	18.05	Vertical	PASS
4	2367.25	45.04	1.44	46.48	74.00	27.52	Vertical	PASS
5	2379.02	44.29	1.43	45.72	74.00	28.28	Vertical	PASS
6	2388.46	45.57	1.43	47.00	74.00	27.00	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.79	31.77	1.87	33.64	54.00	20.36	Horizontal	PASS
2	2486.34	31.53	1.89	33.42	54.00	20.58	Horizontal	PASS
3	2490.40	31.86	1.93	33.79	54.00	20.21	Horizontal	PASS
4	2483.62	41.63	1.86	43.49	74.00	30.51	Horizontal	PASS
5	2488.98	41.87	1.92	43.79	74.00	30.21	Horizontal	PASS
6	2491.98	42.44	1.95	44.39	74.00	29.61	Horizontal	PASS


Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.67	31.39	1.86	33.25	54.00	20.75	Vertical	PASS
2	2486.39	31.51	1.89	33.40	54.00	20.60	Vertical	PASS
3	2488.91	31.38	1.92	33.30	54.00	20.70	Vertical	PASS
4	2484.01	42.02	1.87	43.89	74.00	30.11	Vertical	PASS
5	2486.19	42.85	1.88	44.73	74.00	29.27	Vertical	PASS
6	2489.75	41.89	1.92	43.81	74.00	30.19	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT B		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2367.77	34.30	1.44	35.74	54.00	18.26	Horizontal	PASS
2	2380.14	34.08	1.43	35.51	54.00	18.49	Horizontal	PASS
3	2388.95	34.26	1.43	35.69	54.00	18.31	Horizontal	PASS
4	2376.25	44.89	1.43	46.32	74.00	27.68	Horizontal	PASS
5	2383.20	44.85	1.43	46.28	74.00	27.72	Horizontal	PASS
6	2389.21	45.19	1.43	46.62	74.00	27.38	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	863947050056809	Engineer:	Shen Zhuang
Remark:	Polarity: Y ANT B		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2365.98	33.84	1.44	35.28	54.00	18.72	Vertical	PASS
2	2379.20	33.79	1.43	35.22	54.00	18.78	Vertical	PASS
3	2389.21	34.21	1.43	35.64	54.00	18.36	Vertical	PASS
4	2365.98	44.71	1.44	46.15	74.00	27.85	Vertical	PASS
5	2378.23	44.42	1.44	45.86	74.00	28.14	Vertical	PASS
6	2389.25	45.08	1.43	46.51	74.00	27.49	Vertical	PASS