







15.6"

1366x768px

型号: F154A



15.6"


1366x768px

+

10.6"

1200x800px

型号: F154B



15.6"


1920x1080px

+

15.6"

1920x1080px

型号: F154C




将适配器的另一端插到市电插座上
按开关键，屏幕点亮，进入首次开机界面，按提示操作即可

- 关机状态下，短按开机启动
- 使用状态下，长按2-3秒可选择关机或重启
- 死机状态下，长按11秒强制关机




指纹键（选配）

开机键指纹识别功能



*NFC功能（选配）

15.6副屏右侧



- (一) 符合“微功率短距离无线电发射设备目录和技术要求”第一条通用微功率设备第3款C类设备的规定，内置环形NFC天线， $1.5\text{A/m} \leq \text{磁场强度} \leq 7.5\text{A/m}$ ，用户可通过“设置-已连接的设备-连接偏好设置-NFC”来打开和关闭此功能；
- (二) 不得擅自改变使用场景或使用条件、扩大发射频率范围、加大发射功率(包括额外加装射频功率放大器)，不得擅自更改发射天线；
- (三) 不得对其他合法的无线电台(站)产生有害干扰，也不得提出免受有害干扰保护；
- (四) 应当承受辐射射频能量的工业、科学及医疗(ISM)应用设备的干扰或其他合法的无线电台(站)干扰；
- (五) 如对其他合法的无线电台(站)产生有害干扰时，应立即停止使用，并采取措施消除干扰后方可继续使用；
- (六) 在航空器内和依据法律法规、国家有关规定、标准划设的射电天文台、气象雷达站、卫星地球站(含测控、测距、接收、导航站)等军民用无线电台(站)、机场等的电磁环境保护区域内使用微功率设备，应当遵守电磁环境保护及相关行业主管部门的规定；
- (七) 禁止在以机场跑道中心点为圆心、半径5000米的区域内使用各类模型遥控器；
- (八) 本产品的NFC功能可在常温下工作，由自带适配器供电。



Wi-Fi设置

- 点击【设置】按钮，开启WLAN，进入WLAN搜索界面，等待其列出可用的WLAN热点；
 - 点击要连接的WLAN，若选择一个加密的网络，则需要输入访问密码方可连接。
-

注意事项

安全警告

- 请将交流电插头插入与配件电源适配器上标识输入相对应的交流电插座中。
 - 严禁在存有任何潜在爆炸性气体的场所使用。
 - 请在温度0°C ~ 40°C范围内使用本设备，并在-20°C ~ 60°C范围内存放设备及配件
 - 非专业人员不要随意打开电源适配器，以免发生危险。
 - 仅适用于海拔5000m及以下地区安全使用。
-

重要安全说明

- 避免在雷电期间安装或使用，否则有被雷电电击的危险。
 - 当您发现有异常气味，过热或烟雾情形下，请立刻切断电源！
-

建议

- 不要在靠近水或潮湿环境中使用，避免液体落入终端中。
- 不要在极端冷、热环境中使用，例如靠近火源或点燃的香烟。
- 不要摔、投掷或弯折。
- 尽量在清洁无尘环境中使用，避免细小物品落入终端中。
- 在未获允许的情况下，不要在医疗设备附近使用。

声明

本公司不对以下行为负责：

- 不在本指南说明的条件下使用和维护所造成的损坏。
 - 对于如何因选件或耗材（非本公司提供之最初产品或认可产品）造成的损坏或问题，本公司将不承担任何责任。
 - 未经本公司同意，无权进行产品修改或变动。
-

免责申明

由于产品的更新，此文档的某些细节可能与产品不符，请以实物为准，此文档的解释权归本公司。保留不预先通知的情况下，修改本说明书的权利。

应用/软件

本收银机适用于商超、购物中心、百货、便利店、餐饮等不同业态的商业客户收银环境。相关应用可在联网模式下，打开应用市场，浏览并下载应用即可完成安装。软件详细信息查询方法：选择“设置->应用”，选择相应软件名称进行查看信息；软件卸载方法：选择“设置->应用->管理应用->卸载”卸载应用；或长按图标，拖曳到垃圾桶卸载。

本产品有毒有害物质名称及含量标识表

部件名称	有毒有害物质或元素					
	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr(VI))	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
电路板组件	×	○	○	○	○	○
壳体组件	○	○	○	○	○	○

○：表示该有毒有害物质在该部件所有均质材料中的含量均在 SJ/T11363-2014 规定的限量要求以下。

×：表示该有毒有害物质至少在该部件的某一均质材料中的含量超出SJ/T11363-2014 规定的限量要求；但是上表中打“×”的部件，其含量超出是因为目前业界还没有成熟的可替代的技术。

对达到或超出环保使用年限的产品，应依据《电子信息产品控制管理办法》规定进行回收再利用，不应随意丢弃。

产品保修卡

产品名称：_____

产品型号：_____

产品编号：_____

购买日期：_____

保修期限：自购买之日起，我公司提供 ____ 天保修服务。


联系方式：_____

公司地址：_____

联系电话：_____

以下情况恕不提供免费保修：

- 未经允许擅自拆卸修理的产品。
- 产品条码、易碎贴破损及保修卡涂改、残缺的。
- 未按照说明书的要求操作设备所引起的故障。
- 因进水或跌落而造成的故障、划伤或破损的人为损坏。
- 因不可抗拒因素造成的故障或损坏。
- 保修期限外。



Connect the power cable.

Connect the other end of the adapter to an AC power socket.


Press the power button to turn on the screen and enter into the boot interface, then you can operate in accordance with the guidance.

- Press the button to boot up the device when it is off.
- Press and hold the button for 2-3 seconds to power off or reboot the device when it is on.
- Press and hold the button for 11 seconds to power off the device when it crashes.



Fingerprint button (optional)


Fingerprint ID is available for terminal unlock.





* NFC-Funktion (optional)

15,6-Zoll-Kundendisplay rechte Seite (optional)



Network settings

Wi-Fi setting

- Click “Setting” button, and then enable WLAN, enter WLAN search interface to wait for its searching and listing available WLAN hotspots;
- Click WLAN to be connected. If an encrypted network is selected, you are required to enter the access password to get connected.

Points for Attention

Safety Warning

- Please insert the AC plug into the AC socket corresponding to the input voltage of the power adapter;
 - It is strictly forbidden to use it at a site with the existence of any potential explosive gas;
 - Operating temperature: 0°C ~ 40°C, Storage temperature: -20°C ~ 60°C.
 - To avoid injury, unauthorized persons shall not open the power adapter;
 - Only suitable for safe use at altitudes up to 5000 meters
-

Important Safety Instructions

- Do not install or use the device during lightning storms to avoid the potential risks of lightning shock;
- When you have discovered unusual odor, overheat or smoke, please cut off the power supply at once!

Declaration

SUNMI will not assume responsibilities for the results of the following actions:

- Damages caused by use and maintenance without complying with the conditions specified in this user guide;
 - Damages or problems caused by using optional items or consumables that are not the initial products provided or approved by SUNMI;
 - Modification or changing of the product without the permission of SUNMI is not allowed;
 - The operating system of this product only supports official system updates. If the user uses a thirdparty ROM system to update the device or modifies the system files by cracking, it may lead to system instability and may bring safety risks and threats.
-

Disclaimer

Due to product update, certain details of this document may be inconsistent with the product, and the real device shall prevail. SUNMI owns the interpretative right of this document, and reserves the right to modify this user guide without prior notice.

Suggestions

- Do not use it near water or in humid environment to avoid fluid to fall into the terminal;
- Do not use it in extreme cold or hot environment. For example: near an ignition source or a lighted cigarette;
- Do not drop, throw or bend the device;
- Try best to use it in a clean and dust-free environment, to prevent small items from dropping into the terminal;
- Do not use the device near medical facilities without permission.

App/Software

Use the POS terminal to accept payments from customers in supermarkets, shopping malls, department stores, convenience stores or restaurants, etc. You can connect the terminal to a network and open the App Store to get relevant apps.

How to check app details: select "Setting->App" and select the app name to check its details; How to uninstall apps: select "Setting->App->Manage App" to uninstall an app, or you can drag the app to the trash to uninstall it.

FCC compliance statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: The user is cautioned that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

INFORMATION ABOUT THE SOFTWARE

The description of accessories and components, including software, which allow the radio equipment to operate as intended, can be obtained in the full text of the EU declaration of conformity at the following internet address:

<https://developer.sunmi.com/docs/read/en-US/maaeghjk480>.

RESTRICTIONS OF USE

This product may be used in the following European member states subject to the following restrictions. For products that operate in the frequency band 5.150 to 5.350 GHz, wireless access systems (WAS), including radio local area networks (RLANs), shall be restricted to indoor use.

RF Exposure Statement (SAR)

- This equipment complies with EU, FCC and IC RSS-102 radiation exposure limits set forth for an uncontrolled environment.
- This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

The device will be automatically switched in 10 mins display sleep(default), if there is no any operation.

The time of auto screen off can be change in the setting menu.

Auto screen off (default 10mins) has been selected for compliance with ENERGY STAR®, And are recommended by the ENERGY STAR® program for optimal energy savings



扫码了解更多
Scan to know more

产品合格证

已检验合格

上海商米科技集团股份有限公司

地 址：上海市杨浦区淞沪路388号505室

网 址：www.sunmi.com 服务热线：400-6666-509