




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 741 of 1085

802.11ax20_Channel 60



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7371.5	53.86	36.59	-38.61	51.84	74.00	22.16	Vertical
2	10600	50.31	39.30	-35.40	54.21	68.20	13.99	Vertical
3	15900	47.29	37.70	-29.19	55.80	74.00	18.20	Vertical
4	15900	38.52	37.70	-29.19	47.03	54.00	6.97	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 742 of 1085

802.11ax20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7381	53.74	36.62	-38.58	51.78	74.00	22.22	Horizontal
2	10640	50.52	39.38	-35.44	54.46	74.00	19.54	Horizontal
3	15960	47.89	37.82	-29.41	56.30	74.00	17.70	Horizontal
4	10640	41.38	39.38	-35.44	45.32	54.00	8.68	Horizontal
5	15960	38.78	37.82	-29.41	47.19	54.00	6.81	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 743 of 1085

802.11ax20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7423	52.93	36.75	-38.40	51.28	74.00	22.72	Vertical
2	10640	50.68	39.38	-35.44	54.62	74.00	19.38	Vertical
3	15960	48.40	37.82	-29.41	56.81	74.00	17.19	Vertical
4	10640	41.80	39.38	-35.44	45.74	54.00	8.26	Vertical
5	15960	38.99	37.82	-29.41	47.40	54.00	6.60	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 744 of 1085

802.11ax20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7496	53.16	36.89	-38.51	51.54	74.00	22.46	Horizontal
2	11000	49.25	40.10	-34.91	54.44	74.00	19.56	Horizontal
3	16500	49.48	39.30	-29.41	59.37	68.20	8.83	Horizontal
4	11000	40.57	40.10	-34.91	45.76	54.00	8.24	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 745 of 1085

802.11ax20_Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7426.5	53.04	36.75	-38.38	51.41	74.00	22.59	Vertical
2	11000	48.54	40.10	-34.91	53.73	74.00	20.27	Vertical
3	16500	49.17	39.30	-29.41	59.06	68.20	9.14	Vertical
4	11000	39.97	40.10	-34.91	45.16	54.00	8.84	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 746 of 1085

802.11ax20_Channel 116




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7400	52.96	36.70	-38.52	51.14	74.00	22.86	Horizontal
2	11160	50.07	40.20	-35.61	54.66	74.00	19.34	Horizontal
3	16740	48.19	39.48	-32.04	55.63	68.20	12.57	Horizontal
4	11160	41.06	40.20	-35.61	45.65	54.00	8.35	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 747 of 1085

802.11ax20_Channel 116




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7499	53.49	36.90	-38.52	51.87	74.00	22.13	Vertical
2	11160	49.58	40.20	-35.61	54.17	74.00	19.83	Vertical
3	16740	47.16	39.48	-32.04	54.60	68.20	13.60	Vertical
4	11160	41.44	40.20	-35.61	46.03	54.00	7.97	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 748 of 1085

802.11ax20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7505	53.44	36.85	-38.52	51.77	74.00	22.23	Horizontal
2	11400	50.07	40.30	-35.16	55.21	74.00	18.79	Horizontal
3	17100	49.31	42.10	-34.87	56.54	68.20	11.66	Horizontal
4	11400	41.48	40.30	-35.16	46.62	54.00	7.38	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 749 of 1085

802.11ax20_Channel 140



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7397.5	53.08	36.69	-38.53	51.24	74.00	22.76	Vertical
2	11400	50.42	40.30	-35.16	55.56	74.00	18.44	Vertical
3	17100	50.04	42.10	-34.87	57.27	68.20	10.93	Vertical
4	11400	41.51	40.30	-35.16	46.65	54.00	7.35	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 750 of 1085

802.11ax20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7949.5	53.21	36.40	-37.56	52.05	68.20	16.15	Horizontal
2	11490	49.89	40.21	-35.41	54.69	74.00	19.31	Horizontal
3	17235	48.11	42.78	-36.19	54.70	68.20	13.50	Horizontal
4	11490	41.53	40.21	-35.41	46.33	54.00	7.67	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 751 of 1085

802.11ax20_Channel 149



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7452.5	53.15	36.81	-38.26	51.70	74.00	22.30	Vertical
2	11490	49.97	40.21	-35.41	54.77	74.00	19.23	Vertical
3	17235	49.46	42.78	-36.19	56.05	68.20	12.15	Vertical
4	11490	40.86	40.21	-35.41	45.66	54.00	8.34	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 752 of 1085

802.11ax20_Channel 157




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7809	52.82	36.64	-37.67	51.79	68.20	16.41	Horizontal
2	11570	49.13	40.27	-35.25	54.15	74.00	19.85	Horizontal
3	17355	48.52	43.96	-37.34	55.14	68.20	13.06	Horizontal
4	11570	40.34	40.27	-35.25	45.36	54.00	8.64	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 753 of 1085

802.11ax20_Channel 157




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7426.5	53.15	36.75	-38.38	51.52	74.00	22.48	Vertical
2	11570	49.87	40.27	-35.25	54.89	74.00	19.11	Vertical
3	17355	48.42	43.96	-37.34	55.04	68.20	13.16	Vertical
4	11570	40.13	40.27	-35.25	45.15	54.00	8.85	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 754 of 1085

802.11ax20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7693	53.28	36.77	-38.16	51.89	74.00	22.11	Horizontal
2	11650	52.26	40.10	-35.79	56.57	74.00	17.43	Horizontal
3	17475	46.95	44.73	-37.12	54.56	68.20	13.64	Horizontal
4	11650	40.29	40.10	-35.79	44.60	54.00	9.40	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 755 of 1085

802.11ax20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7402.5	52.70	36.71	-38.51	50.90	74.00	23.10	Vertical
2	11650	49.66	40.10	-35.79	53.97	74.00	20.03	Vertical
3	17475	47.23	44.73	-37.12	54.84	68.20	13.36	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 756 of 1085

802.11ax40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7387	53.49	36.65	-38.56	51.58	74.00	22.42	Horizontal
2	10380	49.99	39.18	-35.44	53.73	68.20	14.47	Horizontal
3	15570	48.06	38.62	-29.33	57.35	74.00	16.65	Horizontal
4	15570	38.53	38.62	-29.33	47.82	54.00	6.18	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 757 of 1085

802.11ax40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6920	57.67	35.36	-39.68	53.35	68.20	14.85	Vertical
2	10380	50.45	39.18	-35.44	54.19	68.20	14.01	Vertical
3	15570	47.89	38.62	-29.33	57.18	74.00	16.82	Vertical
4	15570	38.31	38.62	-29.33	47.60	54.00	6.40	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 758 of 1085

802.11ax40_Channel 46




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6973.5	56.35	35.44	-39.33	52.46	68.20	15.74	Horizontal
2	10460	49.96	39.02	-35.57	53.41	68.20	14.79	Horizontal
3	15690	46.85	38.50	-28.66	56.69	74.00	17.31	Horizontal
4	15690	37.90	38.50	-28.66	47.74	54.00	6.26	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 759 of 1085

802.11ax40_Channel 46




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6973.5	59.36	35.44	-39.33	55.47	68.20	12.73	Vertical
2	10460	49.83	39.02	-35.57	53.28	68.20	14.92	Vertical
3	15690	46.55	38.50	-28.66	56.39	74.00	17.61	Vertical
4	15690	37.52	38.50	-28.66	47.36	54.00	6.64	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 760 of 1085

802.11ax40_Channel 54




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7501	52.97	36.89	-38.53	51.33	74.00	22.67	Horizontal
2	10540	49.04	39.06	-35.49	52.61	68.20	15.59	Horizontal
3	15810	47.36	38.06	-30.40	55.02	74.00	18.98	Horizontal
4	15810	36.69	38.06	-30.40	44.35	54.00	9.65	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 761 of 1085

802.11ax40_Channel 54




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7027	54.44	35.92	-39.16	51.20	68.20	17.00	Vertical
2	10540	48.93	39.06	-35.49	52.50	68.20	15.70	Vertical
3	15810	45.73	38.06	-30.40	53.39	74.00	20.61	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 762 of 1085

802.11ax40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7510	53.09	36.80	-38.52	51.37	74.00	22.63	Horizontal
2	10620	49.77	39.34	-35.42	53.69	74.00	20.31	Horizontal
3	15930	46.92	37.76	-29.35	55.33	74.00	18.67	Horizontal
4	15930	37.46	37.76	-29.35	45.87	54.00	8.13	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 763 of 1085

802.11ax40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7431.5	52.62	36.76	-38.35	51.03	74.00	22.97	Vertical
2	10620	50.06	39.34	-35.42	53.98	74.00	20.02	Vertical
3	15930	47.00	37.76	-29.35	55.41	74.00	18.59	Vertical
4	15930	37.20	37.76	-29.35	45.61	54.00	8.39	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 764 of 1085

802.11ax40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7370.5	52.69	36.58	-38.61	50.66	74.00	23.34	Horizontal
2	11020	48.17	40.12	-35.13	53.16	74.00	20.84	Horizontal
3	16530	46.84	39.36	-29.72	56.48	68.20	11.72	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 765 of 1085

802.11ax40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7491.5	52.40	36.88	-38.48	50.80	74.00	23.20	Vertical
2	11020	47.54	40.12	-35.13	52.53	74.00	21.47	Vertical
3	16530	46.59	39.36	-29.72	56.23	68.20	11.97	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 766 of 1085

802.11ax40_Channel 110




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7512	52.23	36.78	-38.52	50.49	74.00	23.51	Horizontal
2	11100	49.59	40.20	-35.55	54.24	74.00	19.76	Horizontal
3	16650	47.17	39.45	-31.98	54.64	68.20	13.56	Horizontal
4	11100	39.85	40.20	-35.55	44.50	54.00	9.50	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 767 of 1085

802.11ax40_Channel 110




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7436.5	52.11	36.77	-38.32	50.56	74.00	23.44	Vertical
2	11100	49.89	40.20	-35.55	54.54	74.00	19.46	Vertical
3	16650	45.86	39.45	-31.98	53.33	68.20	14.87	Vertical
4	11100	39.95	40.20	-35.55	44.60	54.00	9.40	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 768 of 1085

802.11ax40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7498	52.48	36.90	-38.52	50.86	74.00	23.14	Horizontal
2	11340	50.19	40.18	-35.58	54.79	74.00	19.21	Horizontal
3	17010	46.30	41.38	-33.72	53.96	68.20	14.24	Horizontal
4	11340	40.07	40.18	-35.58	44.67	54.00	9.33	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 769 of 1085

802.11ax40_Channel 134



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7407.5	52.68	36.72	-38.48	50.92	74.00	23.08	Vertical
2	11340	49.40	40.18	-35.58	54.00	74.00	20.00	Vertical
3	17010	45.44	41.38	-33.72	53.10	68.20	15.10	Vertical
4	11340	39.90	40.18	-35.58	44.50	54.00	9.50	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 770 of 1085

802.11ax40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7930.5	53.00	36.44	-37.63	51.81	68.20	16.39	Horizontal
2	11510	48.22	40.21	-35.42	53.01	74.00	20.99	Horizontal
3	17265	46.29	43.02	-36.91	52.40	68.20	15.80	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 771 of 1085

802.11ax40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7408	53.41	36.72	-38.48	51.65	74.00	22.35	Vertical
2	11510	50.01	40.21	-35.42	54.80	74.00	19.20	Vertical
3	17265	46.58	43.02	-36.91	52.69	68.20	15.51	Vertical
4	11510	38.67	40.21	-35.42	43.46	54.00	10.54	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 772 of 1085

802.11ax40_Channel159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7421	52.78	36.74	-38.41	51.11	74.00	22.89	Horizontal
2	11590	47.66	40.29	-35.04	52.91	74.00	21.09	Horizontal
3	17385	45.56	44.32	-37.39	52.49	68.20	15.71	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 773 of 1085

802.11ax40_Channel159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7459	52.31	36.82	-38.30	50.83	74.00	23.17	Vertical
2	11590	47.36	40.29	-35.04	52.61	74.00	21.39	Vertical
3	17385	46.98	44.32	-37.39	53.91	68.20	14.29	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 774 of 1085

802.11ax80_Channel42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6946.5	55.94	35.31	-39.57	51.68	68.20	16.52	Horizontal
2	10420	49.11	39.14	-35.46	52.79	68.20	15.41	Horizontal
3	15630	45.85	38.50	-29.88	54.47	74.00	19.53	Horizontal
4	15630	36.58	38.50	-29.88	45.20	54.00	8.80	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 775 of 1085

802.11ax80_Channel42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6947	56.55	35.31	-39.57	52.29	68.20	15.91	Vertical
2	10420	48.68	39.14	-35.46	52.36	68.20	15.84	Vertical
3	15630	45.39	38.50	-29.88	54.01	74.00	19.99	Vertical
4	15630	36.87	38.50	-29.88	45.49	54.00	8.51	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 776 of 1085

802.11ax80_Channel58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7492.5	52.19	36.89	-38.49	50.59	74.00	23.41	Horizontal
2	10580	49.22	39.22	-35.44	53.00	68.20	15.20	Horizontal
3	15870	45.83	37.82	-29.39	54.26	74.00	19.74	Horizontal
4	15870	37.09	37.82	-29.39	45.52	54.00	8.48	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 777 of 1085

802.11ax80_Channel58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7053.5	54.54	36.18	-39.22	51.50	68.20	16.70	Vertical
2	10580	49.47	39.22	-35.44	53.25	68.20	14.95	Vertical
3	15870	46.24	37.82	-29.39	54.67	74.00	19.33	Vertical
4	15870	38.15	37.82	-29.39	46.58	54.00	7.42	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 778 of 1085

802.11ax80_Channel106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7421.5	52.04	36.74	-38.40	50.38	74.00	23.62	Horizontal
2	11060	48.48	40.16	-35.49	53.15	74.00	20.85	Horizontal
3	16590	45.85	39.48	-30.71	54.62	68.20	13.58	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 779 of 1085

802.11ax80_Channel106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7925.5	51.84	36.45	-37.65	50.64	68.20	17.56	Vertical
2	11060	48.64	40.16	-35.49	53.31	74.00	20.69	Vertical
3	16590	45.82	39.48	-30.71	54.59	68.20	13.61	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 780 of 1085

802.11ax80_Channel122



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7521	52.68	36.69	-38.50	50.87	74.00	23.13	Horizontal
2	11220	50.02	40.18	-35.76	54.44	74.00	19.56	Horizontal
3	16830	45.90	39.78	-32.40	53.28	68.20	14.92	Horizontal
4	11220	40.53	40.18	-35.76	44.95	54.00	9.05	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 781 of 1085

802.11ax80_Channel122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7873.5	52.26	36.66	-37.96	50.96	68.20	17.24	Vertical
2	11220	50.10	40.18	-35.76	54.52	74.00	19.48	Vertical
3	16830	45.45	39.78	-32.40	52.83	68.20	15.37	Vertical
4	11220	40.41	40.18	-35.76	44.83	54.00	9.17	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 782 of 1085

802.11ax80_Channel155




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7874.5	52.61	36.65	-37.95	51.31	68.20	16.89	Horizontal
2	11550	47.59	40.25	-35.45	52.39	74.00	21.61	Horizontal
3	17325	47.45	43.60	-37.62	53.43	68.20	14.77	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 783 of 1085

802.11ax80_Channel155




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7385.5	52.30	36.64	-38.56	50.38	74.00	23.62	Vertical
2	11550	48.43	40.25	-35.45	53.23	74.00	20.77	Vertical
3	17325	47.13	43.60	-37.62	53.11	68.20	15.09	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 784 of 1085

802.11ax160_Channel50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7000	54.53	35.60	-39.08	51.05	68.20	17.15	Horizontal
2	10500	49.16	38.90	-35.43	52.63	68.20	15.57	Horizontal
3	15750	46.33	38.30	-29.48	55.15	74.00	18.85	Horizontal
4	15750	37.29	38.30	-29.48	46.11	54.00	7.89	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 785 of 1085

802.11ax160_Channel50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7000	55.67	35.60	-39.08	52.19	68.20	16.01	Vertical
2	10500	48.75	38.90	-35.43	52.22	68.20	15.98	Vertical
3	15750	47.14	38.30	-29.48	55.96	74.00	18.04	Vertical
4	15750	36.84	38.30	-29.48	45.66	54.00	8.34	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 786 of 1085

802.11ax160_Channel114



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7460.5	52.99	36.82	-38.31	51.50	74.00	22.50	Horizontal
2	11140	48.50	40.20	-35.58	53.12	74.00	20.88	Horizontal
3	16710	47.57	39.42	-31.60	55.39	68.20	12.81	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 787 of 1085

802.11ax160_Channel114



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7412.5	52.49	36.73	-38.45	50.77	74.00	23.23	Vertical
2	11140	49.57	40.20	-35.58	54.19	74.00	19.81	Vertical
3	16710	45.87	39.42	-31.60	53.69	68.20	14.51	Vertical
4	11140	41.12	40.20	-35.58	45.74	54.00	8.26	Vertical

Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:
Level = Reading(dBμV) + AF(dB/m) + Factor(dB):
AF = Antenna Factor(dB/m)
Factor = Cable Factor(dB) - Preamplifier gain(dB)
Margin = Limit(dBμV/m) – Level(dBμV/m)
- 2) All channels have been tested, but only the worst case data displayed in this report.
- 3) Both peak and average measured complies with the limit line, so test result is "PASS"



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004


Rev.: 01

Page: 788 of 1085

Restricted bands around fundamental frequency

F961A:

802.11a_Channel 36



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.1611	43.41	33.58	-15.50	61.49	74.00	12.51	Horizontal
2	5147.974	44.29	33.60	-15.55	62.34	74.00	11.66	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 789 of 1085

802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.5228	23.05	33.59	-15.53	41.11	54.00	12.89	Horizontal
2	5149.8649	25.68	33.60	-15.57	43.71	54.00	10.29	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 790 of 1085

802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.7719	47.42	33.59	-15.51	65.50	74.00	8.50	Vertical
2	5148.4642	48.85	33.60	-15.56	66.89	74.00	7.11	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 791 of 1085

802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.0715	27.66	33.59	-15.51	45.74	54.00	8.26	Vertical
2	5148.5343	31.16	33.60	-15.56	49.20	54.00	4.80	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 792 of 1085

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.025	46.69	33.20	-15.13	64.76	74.00	9.24	Horizontal
2	5353.0265	47.62	33.19	-15.17	65.64	74.00	8.36	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 793 of 1085

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.8259	31.76	33.20	-15.15	49.81	54.00	4.19	Horizontal
2	5352.8764	31.10	33.19	-15.17	49.12	54.00	4.88	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 794 of 1085

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5350.4002	48.98	33.20	-15.14	67.04	74.00	6.96	Vertical
2	5352.8764	47.44	33.19	-15.17	65.46	74.00	8.54	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 795 of 1085

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.025	32.62	33.20	-15.13	50.69	54.00	3.31	Vertical
2	5350.9255	30.27	33.20	-15.14	48.33	54.00	5.67	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 796 of 1085

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.6288	38.33	33.35	-14.82	56.86	74.00	17.14	Horizontal
2	5468.1641	43.07	33.29	-14.82	61.54	68.30	6.76	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 797 of 1085

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5456.7284	19.47	33.36	-14.82	38.01	54.00	15.99	Horizontal
2	5459.97	19.32	33.34	-14.82	37.84	54.00	16.16	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 798 of 1085

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5458.3492	39.90	33.35	-14.82	58.43	74.00	15.57	Vertical
2	5469.965	44.83	33.28	-14.82	63.29	68.30	5.01	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 799 of 1085

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.3067	22.63	33.38	-14.81	41.20	54.00	12.80	Vertical
2	5458.7994	23.20	33.35	-14.82	41.73	54.00	12.27	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 800 of 1085

802.11a_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.3727	40.05	33.70	-14.88	58.87	68.30	9.43	Horizontal
2	5727.3987	41.32	33.72	-14.86	60.18	68.30	8.12	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 801 of 1085

802.11a_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.1476	23.75	33.70	-14.88	42.57	54.00	11.43	Horizontal
2	5728.2241	24.82	33.73	-14.85	43.70	54.00	10.30	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 802 of 1085

802.11a_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.7479	42.23	33.71	-14.88	61.06	68.30	7.24	Vertical
2	5730.025	41.43	33.74	-14.83	60.34	68.30	7.96	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 803 of 1085

802.11a_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.4232	24.82	33.71	-14.87	43.66	54.00	10.34	Vertical
2	5731.0005	23.47	33.75	-14.85	42.37	54.00	11.63	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 804 of 1085

802.11a_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5711.3957	47.91	33.59	-14.97	66.53	108.49	41.96	Horizontal
2	5714.7574	50.79	33.62	-14.96	69.45	109.43	39.98	Horizontal
3	5718.3592	55.46	33.65	-14.95	74.16	110.44	36.28	Horizontal
4	5722.3612	60.42	33.68	-14.91	79.19	116.28	37.09	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 805 of 1085

802.11a_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5712.1161	53.63	33.60	-14.97	72.26	108.69	36.43	Vertical
2	5717.3187	57.60	33.64	-14.95	76.29	110.15	33.86	Vertical
3	5722.3612	63.27	33.68	-14.91	82.04	116.28	34.24	Vertical
4	5724.7624	63.46	33.70	-14.89	82.27	121.76	39.49	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 806 of 1085

802.11a_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.3982	48.68	34.11	-12.88	69.91	119.11	49.20	Horizontal
2	5858.084	48.21	34.13	-12.90	69.44	110.04	40.60	Horizontal
3	5861.7159	44.48	34.15	-12.91	65.72	109.02	43.30	Horizontal
4	5864.8524	41.25	34.16	-12.92	62.49	108.14	45.65	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 807 of 1085

802.11a_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.2331	52.29	34.10	-12.88	73.51	119.49	45.98	Vertical
2	5857.2586	51.52	34.13	-12.90	72.75	110.27	37.52	Vertical
3	5861.9635	48.73	34.15	-12.91	69.97	108.95	38.98	Vertical
4	5865.9255	46.61	34.16	-12.92	67.85	107.84	39.99	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 808 of 1085

802.11AC20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.083	46.50	33.59	-15.53	64.56	74.00	9.44	Horizontal
2	5149.7249	44.28	33.60	-15.57	62.31	74.00	11.69	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 809 of 1085

802.11AC20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.044	30.85	33.60	-15.55	48.90	54.00	5.10	Horizontal
2	5149.6548	30.86	33.60	-15.57	48.89	54.00	5.11	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 810 of 1085

802.11AC20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5135.6478	48.45	33.57	-15.53	66.49	74.00	7.51	Vertical
2	5146.6433	50.30	33.59	-15.54	68.35	74.00	5.65	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 811 of 1085

802.11AC20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.3437	32.33	33.59	-15.55	50.37	54.00	3.63	Vertical
2	5149.6548	31.12	33.60	-15.57	49.15	54.00	4.85	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 812 of 1085

802.11AC20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.4752	45.99	33.20	-15.14	64.05	74.00	9.95	Horizontal
2	5354.3772	44.22	33.19	-15.19	62.22	74.00	11.78	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 813 of 1085

802.11AC20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.025	29.39	33.20	-15.13	47.46	54.00	6.54	Horizontal
2	5351.7509	26.75	33.20	-15.15	44.80	54.00	9.20	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 814 of 1085

802.11AC20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.901	51.18	33.20	-15.15	69.23	74.00	4.77	Vertical
2	5356.2531	50.19	33.19	-15.21	68.17	74.00	5.83	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 815 of 1085

802.11AC20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.1	28.33	33.20	-15.13	46.40	54.00	7.60	Vertical
2	5355.2026	26.78	33.19	-15.20	44.77	54.00	9.23	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 816 of 1085

802.11AC20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5459.5198	37.85	33.34	-14.82	56.37	74.00	17.63	Horizontal
2	5469.4247	38.29	33.28	-14.82	56.75	68.30	11.55	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 817 of 1085

802.11AC20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.1361	17.79	33.39	-14.81	36.37	54.00	17.63	Horizontal
2	5458.7994	18.18	33.35	-14.82	36.71	54.00	17.29	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 818 of 1085

802.11AC20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5459.0695	36.89	33.35	-14.82	55.42	74.00	18.58	Vertical
2	5467.1736	43.43	33.30	-14.82	61.91	68.30	6.39	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 819 of 1085

802.11AC20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5451.5058	20.86	33.39	-14.81	39.44	54.00	14.56	Vertical
2	5459.7899	21.35	33.34	-14.82	39.87	54.00	14.13	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 820 of 1085

802.11AC20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.3727	44.60	33.70	-14.88	63.42	68.30	4.88	Horizontal
2	5727.0985	44.78	33.72	-14.86	63.64	68.30	4.66	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 821 of 1085

802.11AC20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.2976	27.64	33.70	-14.88	46.46	54.00	7.54	Horizontal
2	5727.3237	27.64	33.72	-14.86	46.50	54.00	7.50	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 822 of 1085

802.11AC20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.5978	40.62	33.70	-14.88	59.44	68.30	8.86	Vertical
2	5731.3006	39.36	33.75	-14.85	58.26	68.30	10.04	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 823 of 1085

802.11AC20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.1476	26.92	33.70	-14.88	45.74	54.00	8.26	Vertical
2	5726.1981	25.15	33.71	-14.87	43.99	54.00	10.01	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 824 of 1085

802.11AC20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5713.3167	48.77	33.61	-14.97	67.41	109.03	41.62	Horizontal
2	5714.9975	49.77	33.62	-14.96	68.43	109.50	41.07	Horizontal
3	5716.3582	52.09	33.63	-14.95	70.77	109.88	39.11	Horizontal
4	5723.3217	58.25	33.69	-14.90	77.04	118.47	41.43	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 825 of 1085

802.11AC20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5705.4727	43.95	33.54	-14.74	62.75	106.83	44.08	Vertical
2	5713.3167	52.23	33.61	-14.97	70.87	109.03	38.16	Vertical
3	5719.7999	56.91	33.66	-14.94	75.63	110.84	35.21	Vertical
4	5723.4817	62.36	33.69	-14.90	81.15	118.84	37.69	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 826 of 1085

802.11AC20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.2331	48.01	34.10	-12.88	69.23	119.49	50.26	Horizontal
2	5854.5348	46.24	34.12	-12.89	67.47	111.96	44.49	Horizontal
3	5857.7539	44.85	34.13	-12.90	66.08	110.13	44.05	Horizontal
4	5860.8079	42.26	34.14	-12.91	63.49	109.27	45.78	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 827 of 1085

802.11AC20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5852.4712	48.81	34.11	-12.89	70.03	116.67	46.64	Vertical
2	5854.4522	51.56	34.12	-12.89	72.79	112.15	39.36	Vertical
3	5857.919	51.97	34.13	-12.90	73.20	110.08	36.88	Vertical
4	5868.2366	40.62	34.17	-12.92	61.87	107.19	45.32	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 828 of 1085

802.11AC40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.6748	49.52	33.60	-15.57	67.55	74.00	6.45	Horizontal
2	5354.2271	37.15	33.19	-15.18	55.16	74.00	18.84	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 829 of 1085

802.11AC40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.5248	31.52	33.60	-15.57	49.55	54.00	4.45	Horizontal
2	5352.5763	17.71	33.19	-15.16	35.74	54.00	18.26	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 830 of 1085

802.11AC40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.3227	49.82	33.59	-15.53	67.88	74.00	6.12	Vertical
2	5359.93	38.34	33.18	-15.26	56.26	74.00	17.74	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 831 of 1085

802.11AC40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.5233	31.99	33.59	-15.54	50.04	54.00	3.96	Vertical
2	5357.979	19.27	33.18	-15.23	37.22	54.00	16.78	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 832 of 1085

802.11AC40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.1711	37.58	33.58	-15.50	55.66	74.00	18.34	Horizontal
2	5352.5763	44.78	33.19	-15.16	62.81	74.00	11.19	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 833 of 1085

802.11AC40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.2231	17.97	33.59	-15.54	36.02	54.00	17.98	Horizontal
2	5351.8259	27.66	33.20	-15.15	45.71	54.00	8.29	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 834 of 1085

802.11AC40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.5723	37.54	33.59	-15.52	55.61	74.00	18.39	Vertical
2	5350.3252	46.64	33.20	-15.13	64.71	74.00	9.29	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 835 of 1085

802.11AC40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.5738	18.91	33.60	-15.55	36.96	54.00	17.04	Vertical
2	5350.025	32.92	33.20	-15.13	50.99	54.00	3.01	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 836 of 1085

802.11AC40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5458.1616	36.70	33.35	-14.82	55.23	74.00	18.77	Horizontal
2	5466.4657	37.62	33.30	-14.82	56.10	68.30	12.20	Horizontal
3	5750.8829	37.97	33.90	-14.92	56.95	68.30	11.35	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 837 of 1085

802.11AC40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5444.0445	18.33	33.36	-14.85	36.84	54.00	17.16	Horizontal
2	5459.6148	18.81	33.34	-14.82	37.33	54.00	16.67	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 838 of 1085

802.11AC40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.954	39.67	33.35	-14.82	58.20	74.00	15.80	Vertical
2	5469.995	45.78	33.28	-14.82	64.24	68.30	4.06	Vertical
3	5729.7074	38.76	33.74	-14.83	57.67	68.30	10.63	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 839 of 1085

802.11AC40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.2346	22.63	33.40	-14.81	41.22	54.00	12.78	Vertical
2	5459.8224	24.51	33.34	-14.82	43.03	54.00	10.97	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 840 of 1085

802.11AC40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.8399	37.74	33.37	-14.81	56.30	74.00	17.70	Horizontal
2	5469.5798	37.77	33.28	-14.82	56.23	68.30	12.07	Horizontal
3	5727.8389	44.60	33.72	-14.85	63.47	68.30	4.83	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 841 of 1085

802.11AC40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.0065	17.10	33.36	-14.85	35.61	54.00	18.39	Horizontal
2	5455.6703	16.95	33.37	-14.82	35.50	54.00	18.50	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 842 of 1085

802.11AC40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.1236	36.20	33.36	-14.82	54.74	74.00	19.26	Vertical
2	5468.7494	35.55	33.29	-14.82	54.02	68.30	14.28	Vertical
3	5727.4237	43.35	33.72	-14.86	62.21	68.30	6.09	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 843 of 1085

802.11AC40_Channel 134



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5444.6673	17.44	33.37	-14.84	35.97	54.00	18.03	Vertical
2	5456.5008	17.39	33.36	-14.82	35.93	54.00	18.07	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 844 of 1085

802.11AC40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5707.9165	54.26	33.56	-14.87	72.95	107.52	34.57	Horizontal
2	5713.6068	57.83	33.61	-14.97	76.47	109.11	32.64	Horizontal
3	5720.4352	61.45	33.66	-14.94	80.17	111.89	31.72	Horizontal
4	5723.8494	61.86	33.69	-14.90	80.65	119.68	39.03	Horizontal
5	5865.4577	35.04	34.16	-14.67	54.53	107.97	53.44	Horizontal
6	5879.9275	36.30	34.22	-14.70	55.82	101.65	45.83	Horizontal
7	5900.0875	34.28	34.30	-14.62	53.96	86.74	32.78	Horizontal
8	5921.7109	34.29	34.34	-14.37	54.26	70.73	16.47	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 845 of 1085

802.11AC40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5678.3267	46.05	33.41	-14.57	64.89	89.26	24.37	Vertical
2	5687.4312	45.73	33.45	-14.63	64.55	96.00	31.45	Vertical
3	5707.4287	57.92	33.56	-14.84	76.64	107.38	30.74	Vertical
4	5718.972	64.18	33.65	-14.94	82.89	110.61	27.72	Vertical
5	5852.1261	34.96	34.11	-14.42	54.65	117.45	62.80	Vertical
6	5865.4577	34.58	34.16	-14.67	54.07	107.97	53.90	Vertical
7	5880.4152	34.50	34.22	-14.70	54.02	101.29	47.27	Vertical
8	5887.5688	35.27	34.25	-14.65	54.87	96.00	41.13	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 846 of 1085

802.11AC40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5703.8519	35.81	33.53	-14.65	54.69	106.38	51.69	Horizontal
2	5707.9165	36.81	33.56	-14.87	55.50	107.52	52.02	Horizontal
3	5712.9565	38.80	33.60	-14.97	57.43	108.93	51.50	Horizontal
4	5720.5978	42.54	33.66	-14.93	61.27	112.26	50.99	Horizontal
5	5850.988	44.65	34.10	-14.34	64.41	120.05	55.64	Horizontal
6	5856.3532	44.27	34.13	-14.69	63.71	110.52	46.81	Horizontal
7	5861.5558	42.50	34.15	-14.86	61.79	109.06	47.27	Horizontal
8	5872.9365	40.54	34.19	-14.53	60.20	105.88	45.68	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 847 of 1085

802.11AC40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5705.8029	39.63	33.55	-14.76	58.42	106.92	48.50	Vertical
2	5708.079	41.31	33.56	-14.88	59.99	107.56	47.57	Vertical
3	5720.7604	44.22	33.67	-14.93	62.96	112.63	49.67	Vertical
4	5724.012	45.66	33.69	-14.90	64.45	120.05	55.60	Vertical
5	5854.5648	47.73	34.12	-14.58	67.27	111.89	44.62	Vertical
6	5860.4177	46.02	34.14	-14.91	65.25	109.38	44.13	Vertical
7	5864.1571	45.76	34.16	-14.73	65.19	108.34	43.15	Vertical
8	5866.7584	44.26	34.17	-14.61	63.82	107.61	43.79	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 848 of 1085

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.0225	50.90	33.59	-15.53	68.96	74.00	5.04	Horizontal
2	5350.4752	38.49	33.20	-15.14	56.55	74.00	17.45	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 849 of 1085

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.5218	32.15	33.59	-15.51	50.23	54.00	3.77	Horizontal
2	5352.8764	20.21	33.19	-15.17	38.23	54.00	15.77	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 850 of 1085

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.1741	50.82	33.60	-15.55	68.87	74.00	5.13	Vertical
2	5350.9255	37.13	33.20	-15.14	55.19	74.00	18.81	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 851 of 1085

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.8234	32.00	33.59	-15.54	50.05	54.00	3.95	Vertical
2	5350.4752	19.59	33.20	-15.14	37.65	54.00	16.35	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 852 of 1085

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.0225	38.36	33.59	-15.53	56.42	74.00	17.58	Horizontal
2	5364.7324	41.78	33.17	-15.32	59.63	74.00	14.37	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 853 of 1085

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.3747	18.62	33.60	-15.56	36.66	54.00	17.34	Horizontal
2	5354.3772	28.76	33.19	-15.19	46.76	54.00	7.24	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 854 of 1085

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.5723	38.44	33.59	-15.52	56.51	74.00	17.49	Vertical
2	5357.0785	46.67	33.19	-15.22	64.64	74.00	9.36	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 855 of 1085

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.5723	20.46	33.59	-15.52	38.53	54.00	15.47	Vertical
2	5357.0785	32.80	33.19	-15.22	50.77	54.00	3.23	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 856 of 1085

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.5388	40.33	33.35	-14.82	58.86	74.00	15.14	Horizontal
2	5467.919	41.82	33.29	-14.82	60.29	68.30	8.01	Horizontal
3	5728.0465	38.26	33.72	-14.85	57.13	68.30	11.17	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 857 of 1085

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5444.2521	25.12	33.37	-14.84	43.65	54.00	10.35	Horizontal
2	5454.4247	26.68	33.37	-14.81	45.24	54.00	8.76	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 858 of 1085

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5451.3107	43.25	33.39	-14.81	61.83	74.00	12.17	Vertical
2	5461.8984	45.09	33.33	-14.82	63.60	68.30	4.70	Vertical
3	5728.0465	37.57	33.72	-14.85	56.44	68.30	11.86	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 859 of 1085

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.3487	31.41	33.39	-14.81	49.99	54.00	4.01	Vertical
2	5459.8224	30.43	33.34	-14.82	48.95	54.00	5.05	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 860 of 1085

802.11ac80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5456.2931	40.84	33.36	-14.82	59.38	74.00	14.62	Horizontal
2	5466.0505	42.33	33.30	-14.82	60.81	68.30	7.49	Horizontal
3	5732.8214	44.08	33.76	-14.88	62.96	68.30	5.34	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 861 of 1085

802.11ac80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5444.0445	20.56	33.36	-14.85	39.07	54.00	14.93	Horizontal
2	5454.0095	21.21	33.38	-14.81	39.78	54.00	14.22	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 862 of 1085

802.11ac80_Channel 122




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5456.0855	44.64	33.36	-14.82	63.18	74.00	10.82	Vertical
2	5467.7114	44.24	33.29	-14.82	62.71	68.30	5.59	Vertical
3	5728.4617	45.21	33.73	-14.85	64.09	68.30	4.21	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 863 of 1085

802.11ac80_Channel 122



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5446.951	25.68	33.38	-14.83	44.23	54.00	9.77	Vertical
2	5456.5008	28.06	33.36	-14.82	46.60	54.00	7.40	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004

Rev.: 01

Page: 864 of 1085

802.11ac80_Channel 155



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5678.8144	47.94	33.42	-14.57	66.79	89.62	22.83	Horizontal
2	5691.008	51.05	33.46	-14.63	69.88	98.65	28.77	Horizontal
3	5704.6648	52.07	33.54	-14.70	70.91	106.61	35.70	Horizontal
4	5716.3707	55.55	33.63	-14.95	74.23	109.88	35.65	Horizontal
5	5857.4912	47.53	34.13	-14.77	66.89	110.20	43.31	Horizontal
6	5867.7339	45.88	34.17	-14.57	65.48	107.33	41.85	Horizontal
7	5875.3752	41.15	34.20	-14.59	60.76	105.02	44.26	Horizontal
8	5893.9095	38.62	34.28	-14.63	58.27	91.31	33.04	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 865 of 1085

802.11ac80_Channel 155




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5647.924	45.71	33.30	-14.62	64.39	68.30	3.91	Vertical
2	5657.5163	48.39	33.33	-14.59	67.13	73.86	6.73	Vertical
3	5690.1951	55.77	33.46	-14.65	74.58	98.04	23.46	Vertical
4	5724.9875	63.36	33.70	-14.89	82.17	122.27	40.10	Vertical
5	5854.5648	52.42	34.12	-14.58	71.96	111.89	39.93	Vertical
6	5876.5133	46.89	34.21	-14.62	66.48	104.18	37.70	Vertical
7	5882.041	45.43	34.23	-14.69	64.97	100.09	35.12	Vertical
8	5900.7379	40.99	34.30	-14.62	60.67	86.25	25.58	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 866 of 1085

802.11ac160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.3212	43.39	33.58	-15.50	61.47	74.00	12.53	Horizontal
2	5353.927	45.19	33.19	-15.18	63.20	74.00	10.80	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 867 of 1085

802.11ac160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5133.4667	28.90	33.57	-15.56	46.91	54.00	7.09	Horizontal
2	5354.077	29.05	33.19	-15.18	47.06	54.00	6.94	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 868 of 1085

802.11ac160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.6228	48.31	33.59	-15.53	66.37	74.00	7.63	Vertical
2	5357.979	45.61	33.18	-15.23	63.56	74.00	10.44	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 869 of 1085

802.11ac160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5136.6183	31.79	33.57	-15.52	49.84	54.00	4.16	Vertical
2	5355.8779	30.86	33.19	-15.21	48.84	54.00	5.16	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 870 of 1085

802.11ac160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.5388	41.59	33.35	-14.82	60.12	74.00	13.88	Horizontal
2	5466.0505	42.77	33.30	-14.82	61.25	68.30	7.05	Horizontal
3	5730.953	41.46	33.75	-14.85	60.36	68.30	7.94	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 871 of 1085

802.11ac160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5450.2726	28.37	33.40	-14.81	46.96	54.00	7.04	Horizontal
2	5459.8224	28.23	33.34	-14.82	46.75	54.00	7.25	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 872 of 1085

802.11ac160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5436.7784	49.59	33.32	-14.87	68.04	74.00	5.96	Vertical
2	5463.3517	45.79	33.32	-14.82	64.29	68.30	4.01	Vertical
3	5726.1781	45.29	33.71	-14.87	64.13	68.30	4.17	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 873 of 1085

802.11ac160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.2141	31.70	33.36	-14.85	50.21	54.00	3.79	Vertical
2	5453.5943	31.44	33.38	-14.81	50.01	54.00	3.99	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 874 of 1085

802.11ax20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.083	49.37	33.59	-15.53	67.43	74.00	6.57	Horizontal
2	5149.4447	49.93	33.60	-15.57	67.96	74.00	6.04	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 875 of 1085

802.11ax20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.6743	23.07	33.60	-15.56	41.11	54.00	12.89	Horizontal
2	5149.5148	23.98	33.60	-15.57	42.01	54.00	11.99	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 876 of 1085

802.11ax20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.3127	51.34	33.59	-15.53	69.40	74.00	4.60	Vertical
2	5147.4137	52.65	33.59	-15.55	70.69	74.00	3.31	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 877 of 1085

802.11ax20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.5733	30.79	33.59	-15.54	48.84	54.00	5.16	Vertical
2	5148.2541	29.69	33.60	-15.55	47.74	54.00	6.26	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 878 of 1085

802.11ax20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.3006	48.65	33.20	-15.15	66.70	74.00	7.30	Horizontal
2	5353.6268	49.63	33.19	-15.18	67.64	74.00	6.36	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 879 of 1085

802.11ax20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.1	27.86	33.20	-15.13	45.93	54.00	8.07	Horizontal
2	5354.6023	25.69	33.19	-15.19	43.69	54.00	10.31	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 880 of 1085

802.11ax20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.1	50.26	33.20	-15.13	68.33	74.00	5.67	Vertical
2	5351.8259	51.45	33.20	-15.15	69.50	74.00	4.50	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 881 of 1085

802.11ax20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.1	28.44	33.20	-15.13	46.51	54.00	7.49	Vertical
2	5352.8764	26.59	33.19	-15.17	44.61	54.00	9.39	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 882 of 1085

802.11ax20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5459.0695	36.76	33.35	-14.82	55.29	74.00	18.71	Horizontal
2	5465.8229	43.03	33.31	-14.82	61.52	68.30	6.78	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 883 of 1085

802.11ax20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.9275	18.05	33.37	-14.81	36.61	54.00	17.39	Horizontal
2	5459.8799	18.25	33.34	-14.82	36.77	54.00	17.23	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 884 of 1085

802.11ax20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5459.1596	41.30	33.35	-14.82	59.83	74.00	14.17	Vertical
2	5468.3442	46.54	33.29	-14.82	65.01	68.30	3.29	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 885 of 1085

802.11ax20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.6573	21.03	33.37	-14.81	39.59	54.00	14.41	Vertical
2	5457.989	22.05	33.35	-14.82	40.58	54.00	13.42	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 886 of 1085

802.11ax20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.2731	40.68	33.71	-14.87	59.52	68.30	8.78	Horizontal
2	5729.1996	43.28	33.73	-14.84	62.17	68.30	6.13	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 887 of 1085

802.11ax20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.9485	24.77	33.72	-14.86	43.63	54.00	10.37	Horizontal
2	5730.1751	22.28	33.74	-14.83	41.19	54.00	12.81	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 888 of 1085

802.11ax20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.2226	42.75	33.70	-14.88	61.57	68.30	6.73	Vertical
2	5727.3987	39.79	33.72	-14.86	58.65	68.30	9.65	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 889 of 1085

802.11ax20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.1476	27.74	33.70	-14.88	46.56	54.00	7.44	Vertical
2	5727.0985	24.28	33.72	-14.86	43.14	54.00	10.86	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 890 of 1085

802.11ax20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5706.2731	46.15	33.55	-14.78	64.92	107.06	42.14	Horizontal
2	5709.955	47.42	33.58	-14.98	66.02	108.09	42.07	Horizontal
3	5720.2001	56.95	33.66	-14.94	75.67	111.36	35.69	Horizontal
4	5721.8009	60.14	33.67	-14.92	78.89	115.01	36.12	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 891 of 1085

802.11ax20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5713.2366	52.31	33.61	-14.97	70.95	109.01	38.06	Vertical
2	5720.5203	60.57	33.66	-14.93	79.30	112.09	32.79	Vertical
3	5722.8414	64.03	33.68	-14.91	82.80	117.38	34.58	Vertical
4	5724.7624	66.13	33.70	-14.89	84.94	121.76	36.82	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 892 of 1085

802.11ax20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.2331	51.51	34.10	-12.88	72.73	119.49	46.76	Horizontal
2	5856.1031	46.90	34.12	-12.89	68.13	110.59	42.46	Horizontal
3	5857.8364	48.04	34.13	-12.90	69.27	110.11	40.84	Horizontal
4	5859.0745	48.32	34.14	-12.90	69.56	109.76	40.20	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 893 of 1085

802.11ax20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.3157	53.55	34.11	-12.88	74.78	119.30	44.52	Vertical
2	5856.4332	51.84	34.13	-12.90	73.07	110.50	37.43	Vertical
3	5859.1571	49.50	34.14	-12.90	70.74	109.74	39.00	Vertical
4	5866.4207	44.65	34.17	-12.92	65.90	107.70	41.80	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 894 of 1085

802.11ax40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.2216	43.93	33.59	-15.51	62.01	74.00	11.99	Horizontal
2	5357.6788	36.49	33.18	-15.23	54.44	74.00	19.56	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 895 of 1085

802.11ax40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.6748	30.42	33.60	-15.57	48.45	54.00	5.55	Horizontal
2	5351.8259	17.48	33.20	-15.15	35.53	54.00	18.47	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 896 of 1085

802.11ax40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.6748	49.63	33.60	-15.57	67.66	74.00	6.34	Vertical
2	5358.1291	38.63	33.18	-15.24	56.57	74.00	17.43	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 897 of 1085

802.11ax40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.972	31.82	33.59	-15.52	49.89	54.00	4.11	Vertical
2	5354.5273	18.52	33.19	-15.19	36.52	54.00	17.48	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 898 of 1085

802.11ax40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5130.1651	37.94	33.56	-15.60	55.90	74.00	18.10	Horizontal
2	5350.9255	40.64	33.20	-15.14	58.70	74.00	15.30	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 899 of 1085

802.11ax40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.6228	18.06	33.59	-15.53	36.12	54.00	17.88	Horizontal
2	5351.0755	25.62	33.20	-15.14	43.68	54.00	10.32	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 900 of 1085

802.11ax40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5137.3687	38.57	33.57	-15.51	56.63	74.00	17.37	Vertical
2	5350.9255	47.14	33.20	-15.14	65.20	74.00	8.80	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 901 of 1085

802.11ax40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.2231	19.23	33.59	-15.54	37.28	54.00	16.72	Vertical
2	5350.025	31.85	33.20	-15.13	49.92	54.00	4.08	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 902 of 1085

802.11ax40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5455.8779	41.64	32.22	-12.61	61.25	74.00	12.75	Horizontal
2	5462.3137	39.97	32.25	-12.60	59.62	68.30	8.68	Horizontal
3	5732.6138	37.28	32.50	-12.49	57.29	68.30	11.01	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 903 of 1085

802.11ax40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5446.5358	22.71	32.22	-12.63	42.30	54.00	11.70	Horizontal
2	5455.8779	23.21	32.22	-12.61	42.82	54.00	11.18	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 904 of 1085

802.11ax40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5458.1616	39.90	32.23	-12.60	59.53	74.00	14.47	Vertical
2	5460.6528	42.79	32.24	-12.60	62.43	68.30	5.87	Vertical
3	5739.4647	37.69	32.50	-12.50	57.69	68.30	10.61	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 905 of 1085

802.11ax40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5429.9275	22.83	32.32	-12.68	42.47	54.00	11.53	Vertical
2	5458.992	23.49	32.24	-12.60	43.13	54.00	10.87	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 906 of 1085

802.11ax40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5391.5208	35.90	32.45	-12.75	55.60	74.00	18.40	Horizontal
2	5466.0505	35.18	32.26	-12.59	54.85	68.30	13.45	Horizontal
3	5726.3857	42.07	32.50	-12.49	62.08	68.30	6.22	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 907 of 1085

802.11ax40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5361.003	22.34	32.27	-12.70	41.91	54.00	12.09	Horizontal
2	5419.5473	22.26	32.38	-12.71	41.93	54.00	12.07	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 908 of 1085

802.11ax40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5420.1701	35.41	32.38	-12.70	55.09	74.00	18.91	Vertical
2	5468.5418	35.03	32.27	-12.58	54.72	68.30	13.58	Vertical
3	5725	44.14	32.50	-12.49	64.15	68.30	4.15	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 909 of 1085

802.11ax40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5398.7869	22.41	32.49	-12.76	42.14	54.00	11.86	Vertical
2	5418.7169	22.37	32.39	-12.71	42.05	54.00	11.95	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017004
Rev.: 01
Page: 910 of 1085

802.11ax40_Channel 151



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5683.6918	44.81	33.43	-14.60	63.64	93.23	29.59	Horizontal
2	5691.3332	47.25	33.47	-14.62	66.10	98.89	32.79	Horizontal
3	5712.1436	60.17	33.60	-14.97	78.80	108.70	29.90	Horizontal
4	5721.5733	65.37	33.67	-14.92	84.12	114.49	30.37	Horizontal
5	5852.4512	34.39	34.11	-14.44	54.06	116.71	62.65	Horizontal
6	5864.1571	34.53	34.16	-14.73	53.96	108.34	54.38	Horizontal
7	5877.001	33.56	34.21	-14.63	53.14	103.82	50.68	Horizontal
8	5896.023	34.58	34.28	-14.62	54.24	89.74	35.50	Horizontal