




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 901 of 1292

802.11ax40 MIMO_Channel 3



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5916.74	39.63	34.52	-14.54	59.61	88.30	28.69	Horizontal
2	5924.495	38.50	34.54	-14.54	58.51	88.30	29.79	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 902 of 1292

802.11ax40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5905.52	27.16	34.48	-14.53	47.11	68.30	21.19	Horizontal
2	5923.835	27.12	34.54	-14.54	47.12	68.30	21.18	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 903 of 1292

802.11ax40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5909.15	27.19	34.49	-14.53	47.15	68.30	21.15	Vertical
2	5924	27.29	34.54	-14.54	47.29	68.30	21.01	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 904 of 1292

802.11ax40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5913.935	39.08	34.51	-14.53	59.05	88.30	29.25	Vertical
2	5923.505	39.35	34.54	-14.54	59.35	88.30	28.95	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 905 of 1292

802.11ax40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7131	40.78	36.16	-14.42	62.51	88.30	25.79	Horizontal
2	7169.16	39.49	36.20	-14.26	61.44	88.30	26.86	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 906 of 1292

802.11ax40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.24	28.05	36.15	-14.45	49.75	68.30	18.55	Horizontal
2	7147.56	27.47	36.18	-14.35	49.30	68.30	19.00	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 907 of 1292

802.11ax40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.96	27.64	36.15	-14.45	49.35	68.30	18.95	Vertical
2	7150.92	27.44	36.18	-14.34	49.29	68.30	19.01	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 908 of 1292

802.11ax40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7137	41.45	36.16	-14.40	63.22	88.30	25.08	Vertical
2	7161.96	39.62	36.19	-14.29	61.53	88.30	26.77	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 909 of 1292

802.11ax80 MIMO_Channel 7




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5867.56	39.66	34.35	-14.50	59.51	88.30	28.79	Horizontal
2	5919.08	40.18	34.52	-14.54	60.17	88.30	28.13	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 910 of 1292

802.11ax80 MIMO_Channel 7




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5902.44	27.20	34.47	-14.53	47.14	68.30	21.16	Horizontal
2	5924.52	27.33	34.54	-14.54	47.34	68.30	20.96	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 911 of 1292

802.11ax80 MIMO_Channel 7



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5895.72	27.41	34.45	-14.53	47.33	68.30	20.97	Vertical
2	5918.44	27.43	34.52	-14.54	47.42	68.30	20.88	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 912 of 1292

802.11ax80 MIMO_Channel 7




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5893.8	39.94	34.44	-14.53	59.85	88.30	28.45	Vertical
2	5909.8	39.58	34.49	-14.53	59.54	88.30	28.76	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 913 of 1292

802.11ax80 MIMO_Channel 215




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.72	38.95	36.15	-14.44	60.67	88.30	27.63	Horizontal
2	7149.16	38.89	36.18	-14.34	60.73	88.30	27.57	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 914 of 1292

802.11ax80 MIMO_Channel 215




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.48	27.58	36.15	-14.45	49.28	68.30	19.02	Horizontal
2	7162.28	27.57	36.19	-14.29	49.48	68.30	18.82	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 915 of 1292

802.11ax80 MIMO_Channel 215




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7126.44	27.79	36.15	-14.44	49.50	68.30	18.80	Vertical
2	7160.36	27.50	36.19	-14.29	49.40	68.30	18.90	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 916 of 1292

802.11ax80 MIMO_Channel 215




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7126.44	38.76	36.15	-14.44	60.47	88.30	27.83	Vertical
2	7171.24	39.52	36.21	-14.25	61.48	88.30	26.82	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 917 of 1292

802.11ax160 MIMO_Channel 15




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5884.72	41.25	34.41	-14.52	61.14	88.30	27.16	Horizontal
2	5919.64	41.12	34.53	-14.54	61.11	88.30	27.19	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 918 of 1292

802.11ax160 MIMO_Channel 15




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5876.08	30.11	34.38	-14.51	49.98	68.30	18.32	Horizontal
2	5915.32	29.72	34.51	-14.53	49.70	68.30	18.60	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 919 of 1292

802.11ax160 MIMO_Channel 15




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5877.52	30.82	34.38	-14.51	50.69	68.30	17.61	Vertical
2	5907.04	30.24	34.48	-14.53	50.19	68.30	18.11	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 920 of 1292

802.11ax160 MIMO_Channel 15



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5885.44	42.84	34.41	-14.52	62.73	88.30	25.57	Vertical
2	5911	41.88	34.50	-14.53	61.84	88.30	26.46	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 921 of 1292

802.11ax160 MIMO_Channel 207




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7130.32	41.40	36.16	-14.43	63.13	88.30	25.17	Horizontal
2	7164.16	40.16	36.20	-14.28	62.08	88.30	26.22	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 922 of 1292

802.11ax160 MIMO_Channel 207




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7130.68	29.39	36.16	-14.43	51.12	68.30	17.18	Horizontal
2	7160.2	28.75	36.19	-14.30	50.65	68.30	17.65	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 923 of 1292

802.11ax160 MIMO_Channel 207



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7129.96	28.51	36.16	-14.43	50.24	68.30	18.06	Vertical
2	7157.32	28.10	36.19	-14.31	49.98	68.30	18.32	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 924 of 1292

802.11ax160 MIMO_Channel 207



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.64	38.94	36.15	-14.45	60.64	88.30	27.66	Vertical
2	7159.48	39.33	36.19	-14.30	61.22	88.30	27.08	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:
Level = Reading(dBμV) + AF(dB/m) + Factor(dB):
AF = Antenna Factor(dB/m)
Factor = Cable Factor(dB) - Preamplifier gain(dB)
Margin = Limit(dBμV/m) – Level(dBμV/m)
- All channels have been tested, but only the worst case data displayed in this report.



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005


Rev.: 01

Page: 925 of 1292

Restricted bands around fundamental frequency

F961A:

802.11a MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8775.6667	45.05	37.49	-34.06	48.47	88.30	39.83	Horizontal
2	9866.6667	42.18	37.86	-32.27	47.77	88.30	40.53	Horizontal
3	10526.666	41.24	38.16	-30.83	48.57	88.30	39.73	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 926 of 1292

802.11a MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8816.3333	44.16	37.51	-33.96	47.71	88.30	40.59	Vertical
2	9876	42.24	37.86	-32.23	47.87	88.30	40.43	Vertical
3	10419	40.23	38.11	-30.73	47.61	88.30	40.69	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 927 of 1292

802.11a MIMO_Channel 45




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8857	45.66	37.53	-34.15	49.03	88.30	39.27	Horizontal
2	9783.3333	42.84	37.84	-32.58	48.10	88.30	40.20	Horizontal
3	10368.666	42.20	38.08	-30.91	49.38	88.30	38.92	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 928 of 1292

802.11a MIMO_Channel 45



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8761	45.50	37.48	-34.18	48.80	88.30	39.50	Vertical
2	9588.6667	45.88	37.78	-32.97	50.69	88.30	37.61	Vertical
3	10373.333	41.98	38.09	-30.87	49.19	88.30	39.11	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 929 of 1292

802.11a MIMO_Channel 93




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8790	45.52	37.50	-33.96	49.06	88.30	39.24	Horizontal
2	9845.3333	42.82	37.85	-32.37	48.30	88.30	40.00	Horizontal
3	10393	41.37	38.10	-30.73	48.74	88.30	39.56	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 930 of 1292

802.11a MIMO_Channel 93



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8718.6667	46.04	37.46	-34.50	49.00	88.30	39.30	Vertical
2	9552.3333	44.31	37.77	-33.09	48.98	88.30	39.32	Vertical
3	10081	42.53	37.94	-31.64	48.83	88.30	39.47	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 931 of 1292

802.11a MIMO_Channel 97




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8833	45.65	37.52	-34.04	49.13	88.30	39.17	Horizontal
2	9865	42.60	37.86	-32.28	48.18	88.30	40.12	Horizontal
3	10365	42.14	38.08	-30.94	49.29	88.30	39.01	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 932 of 1292

802.11a MIMO_Channel 97




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8792.3333	45.17	37.50	-33.94	48.73	88.30	39.57	Vertical
2	9620.3333	43.07	37.79	-32.86	48.00	88.30	40.30	Vertical
3	10424	41.10	38.11	-30.74	48.47	88.30	39.83	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 933 of 1292

802.11a MIMO_Channel 105




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8640.3333	46.04	37.42	-34.37	49.09	88.30	39.21	Horizontal
2	9893.6667	42.56	37.87	-32.15	48.28	88.30	40.02	Horizontal
3	10209	42.10	38.00	-31.66	48.44	88.30	39.86	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 934 of 1292

802.11a MIMO_Channel 105




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8768.3333	44.99	37.48	-34.12	48.35	88.30	39.95	Vertical
2	9941.6667	41.92	37.88	-32.00	47.80	88.30	40.50	Vertical
3	10420.333	41.50	38.11	-30.73	48.88	88.30	39.42	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 935 of 1292

802.11a MIMO_Channel 113




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8794.6667	45.47	37.50	-33.92	49.05	88.30	39.25	Horizontal
2	9903.3333	41.96	37.87	-32.11	47.72	88.30	40.58	Horizontal
3	10474	41.55	38.14	-30.86	48.83	88.30	39.47	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 936 of 1292

802.11a MIMO_Channel 113




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8669.3333	45.91	37.43	-34.50	48.84	88.30	39.46	Vertical
2	9916.6667	42.42	37.88	-32.07	48.22	88.30	40.08	Vertical
3	10424.666	40.55	38.11	-30.74	47.92	88.30	40.38	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 937 of 1292

802.11a MIMO_Channel 117




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8820	45.18	37.51	-33.98	48.71	88.30	39.59	Horizontal
2	9876	42.36	37.86	-32.23	47.99	88.30	40.31	Horizontal
3	10375.333	40.94	38.09	-30.86	48.17	88.30	40.13	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 938 of 1292

802.11a MIMO_Channel 117




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8788	44.90	37.49	-33.97	48.42	88.30	39.88	Vertical
2	9563.6667	42.76	37.77	-33.05	47.48	88.30	40.82	Vertical
3	10271.666	42.28	38.04	-31.49	48.83	88.30	39.47	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 939 of 1292

802.11a MIMO_Channel 149



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8664	45.41	37.43	-34.48	48.36	88.30	39.94	Horizontal
2	9670.6667	42.78	37.80	-32.68	47.91	88.30	40.39	Horizontal
3	10077.333	41.79	37.94	-31.64	48.08	88.30	40.22	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 940 of 1292

802.11a MIMO_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8843.6667	44.93	37.52	-34.09	48.36	88.30	39.94	Vertical
2	9745	42.49	37.82	-32.57	47.74	88.30	40.56	Vertical
3	10403	40.30	38.10	-30.69	47.71	88.30	40.59	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 941 of 1292

802.11a MIMO_Channel 185




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8696	45.26	37.45	-34.62	48.09	88.30	40.21	Horizontal
2	9904.6667	42.72	37.87	-32.11	48.48	88.30	39.82	Horizontal
3	10575.666	40.71	38.19	-30.67	48.23	88.30	40.07	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 942 of 1292

802.11a MIMO_Channel 185



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8650.6667	45.46	37.43	-34.42	48.47	88.30	39.83	Vertical
2	9675.3333	42.33	37.80	-32.66	47.47	88.30	40.83	Vertical
3	10275.333	41.57	38.04	-31.48	48.13	88.30	40.17	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 943 of 1292

802.11a MIMO_Channel 189




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8823.6667	45.81	37.51	-33.99	49.33	88.30	38.97	Horizontal
2	9690.3333	42.48	37.81	-32.60	47.68	88.30	40.62	Horizontal
3	10115.666	42.18	37.96	-31.61	48.53	88.30	39.77	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 944 of 1292

802.11a MIMO_Channel 189



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8745	45.01	37.47	-34.30	48.18	88.30	40.12	Vertical
2	9946	41.96	37.88	-31.99	47.86	88.30	40.44	Vertical
3	10365.333	41.22	38.08	-30.93	48.37	88.30	39.93	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 945 of 1292

802.11a MIMO_Channel 209



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8821.3333	45.30	37.51	-33.98	48.83	88.30	39.47	Horizontal
2	9857.3333	42.21	37.86	-32.32	47.75	88.30	40.55	Horizontal
3	10413.333	40.86	38.11	-30.71	48.25	88.30	40.05	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 946 of 1292

802.11a MIMO_Channel 209




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8734	45.75	37.47	-34.38	48.84	88.30	39.46	Vertical
2	10047	42.24	37.92	-31.72	48.45	88.30	39.85	Vertical
3	10535.333	42.00	38.17	-30.80	49.36	88.30	38.94	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 947 of 1292

802.11a MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8769	44.99	37.48	-34.12	48.36	88.30	39.94	Horizontal
2	9468	44.13	37.74	-33.18	48.69	74.00	25.31	Horizontal
3	10316	41.83	38.06	-31.29	48.59	88.30	39.71	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 948 of 1292

802.11a MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8885.3333	45.01	37.54	-34.29	48.26	88.30	40.04	Vertical
2	9725	42.31	37.82	-32.57	47.56	88.30	40.74	Vertical
3	10246	41.45	38.02	-31.56	47.91	88.30	40.39	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 949 of 1292

802.11ac20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8719.3333	45.08	37.46	-34.49	48.05	88.30	40.25	Horizontal
2	9730.3333	42.16	37.82	-32.57	47.41	88.30	40.89	Horizontal
3	10414.333	40.13	38.11	-30.71	47.52	88.30	40.78	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 950 of 1292

802.11ac20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8638.6667	44.70	37.42	-34.36	47.76	88.30	40.54	Vertical
2	9837	42.00	37.85	-32.41	47.44	88.30	40.86	Vertical
3	10428.666	39.34	38.11	-30.75	46.71	88.30	41.59	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 951 of 1292

802.11ac20 MIMO_Channel 45




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8656.6667	45.14	37.43	-34.44	48.12	88.30	40.18	Horizontal
2	9799	42.02	37.84	-32.58	47.28	88.30	41.02	Horizontal
3	10366	39.96	38.08	-30.93	47.11	88.30	41.19	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 952 of 1292

802.11ac20 MIMO_Channel 45




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8721.3333	44.06	37.46	-34.48	47.04	88.30	41.26	Vertical
2	9593.6667	42.37	37.78	-32.95	47.20	88.30	41.10	Vertical
3	10090.666	40.40	37.95	-31.61	46.73	88.30	41.57	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 953 of 1292

802.11ac20 MIMO_Channel 93



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8776	44.85	37.49	-34.06	48.28	88.30	40.02	Horizontal
2	9866.3333	41.35	37.86	-32.27	46.94	88.30	41.36	Horizontal
3	10304.333	40.24	38.05	-31.38	46.91	88.30	41.39	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 954 of 1292

802.11ac20 MIMO_Channel 93




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8790	44.26	37.50	-33.96	47.80	88.30	40.50	Vertical
2	9953.6667	40.90	37.89	-31.96	46.82	88.30	41.48	Vertical
3	10260	40.87	38.03	-31.52	47.38	88.30	40.92	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 955 of 1292

802.11ac20 MIMO_Channel 97




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8828	44.48	37.51	-34.01	47.98	88.30	40.32	Horizontal
2	9906.6667	40.42	37.87	-32.10	46.19	88.30	42.11	Horizontal
3	10409.666	39.65	38.10	-30.70	47.05	88.30	41.25	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 956 of 1292

802.11ac20 MIMO_Channel 97




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8794.6667	44.52	37.50	-33.92	48.10	88.30	40.20	Vertical
2	9609.3333	41.82	37.78	-32.90	46.71	88.30	41.59	Vertical
3	10123	40.39	37.96	-31.61	46.74	88.30	41.56	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 957 of 1292

802.11ac20 MIMO_Channel 105




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8759.3333	44.35	37.48	-34.19	47.64	88.30	40.66	Horizontal
2	9735.3333	42.12	37.82	-32.57	47.37	88.30	40.93	Horizontal
3	10325.333	40.74	38.06	-31.23	47.58	88.30	40.72	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 958 of 1292

802.11ac20 MIMO_Channel 105




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8555.6667	45.09	37.38	-34.57	47.90	88.30	40.40	Vertical
2	9858	41.72	37.86	-32.31	47.26	88.30	41.04	Vertical
3	10311.666	40.21	38.06	-31.32	46.94	88.30	41.36	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 959 of 1292

802.11ac20 MIMO_Channel 113




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8731.3333	44.30	37.47	-34.40	47.36	88.30	40.94	Horizontal
2	9642	41.64	37.79	-32.78	46.65	88.30	41.65	Horizontal
3	10311.333	40.08	38.06	-31.33	46.81	88.30	41.49	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 960 of 1292

802.11ac20 MIMO_Channel 113




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8673.3333	44.60	37.44	-34.52	47.52	88.30	40.78	Vertical
2	9727.3333	42.34	37.82	-32.57	47.59	88.30	40.71	Vertical
3	10283	40.70	38.04	-31.46	47.28	88.30	41.02	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 961 of 1292

802.11ac20 MIMO_Channel 117




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8704	44.50	37.45	-34.61	47.34	88.30	40.96	Horizontal
2	9722.3333	41.92	37.82	-32.57	47.16	88.30	41.14	Horizontal
3	10253	40.89	38.03	-31.54	47.37	88.30	40.93	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 962 of 1292

802.11ac20 MIMO_Channel 117




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8763.3333	44.45	37.48	-34.16	47.77	88.30	40.53	Vertical
2	9631.3333	41.88	37.79	-32.82	46.85	88.30	41.45	Vertical
3	10149.333	40.93	37.97	-31.64	47.27	88.30	41.03	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 963 of 1292

802.11ac20 MIMO_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8753.6667	44.66	37.48	-34.23	47.90	88.30	40.40	Horizontal
2	9626.6667	42.12	37.79	-32.83	47.07	88.30	41.23	Horizontal
3	10278.333	40.13	38.04	-31.47	46.70	88.30	41.60	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 964 of 1292

802.11ac20 MIMO_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8791	44.42	37.50	-33.95	47.97	88.30	40.33	Vertical
2	9862	42.09	37.86	-32.29	47.65	88.30	40.65	Vertical
3	10393.666	39.19	38.10	-30.73	46.56	88.30	41.74	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 965 of 1292

802.11ac20 MIMO_Channel 185




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8788.3333	44.77	37.49	-33.97	48.30	88.30	40.00	Horizontal
2	9682.3333	41.40	37.80	-32.63	46.57	88.30	41.73	Horizontal
3	10381	39.45	38.09	-30.82	46.72	88.30	41.58	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 966 of 1292

802.11ac20 MIMO_Channel 185




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8790.3333	43.72	37.50	-33.95	47.26	88.30	41.04	Vertical
2	9800.6667	41.17	37.84	-32.58	46.43	88.30	41.87	Vertical
3	10277.666	40.95	38.04	-31.47	47.52	88.30	40.78	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 967 of 1292

802.11ac20 MIMO_Channel 189



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8791	44.22	37.50	-33.95	47.77	88.30	40.53	Horizontal
2	9574.3333	42.18	37.77	-33.02	46.94	88.30	41.36	Horizontal
3	10395.666	40.10	38.10	-30.71	47.49	88.30	40.81	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 968 of 1292

802.11ac20 MIMO_Channel 189



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8784	44.39	37.49	-34.00	47.88	88.30	40.42	Vertical
2	9678.3333	41.47	37.80	-32.65	46.63	88.30	41.67	Vertical
3	10296.666	40.24	38.05	-31.42	46.87	88.30	41.43	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 969 of 1292

802.11ac20 MIMO_Channel 209




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8847.3333	44.04	37.52	-34.11	47.46	88.30	40.84	Horizontal
2	9845.6667	41.13	37.85	-32.37	46.61	88.30	41.69	Horizontal
3	10411.333	38.99	38.11	-30.71	46.39	88.30	41.91	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 970 of 1292

802.11ac20 MIMO_Channel 209




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8825.3333	43.99	37.51	-34.00	47.50	88.30	40.80	Vertical
2	9596.6667	43.35	37.78	-32.94	48.19	88.30	40.11	Vertical
3	10482	39.49	38.14	-30.88	46.75	88.30	41.55	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 971 of 1292

802.11ac20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8799.6667	43.97	37.50	-33.88	47.59	88.30	40.71	Horizontal
2	9885	41.02	37.87	-32.19	46.70	88.30	41.60	Horizontal
3	10395.666	39.76	38.10	-30.71	47.15	88.30	41.15	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 972 of 1292

802.11ac20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8722	44.79	37.46	-34.47	47.78	88.30	40.52	Vertical
2	9605.6667	41.82	37.78	-32.91	46.69	88.30	41.61	Vertical
3	10256.666	40.56	38.03	-31.53	47.06	88.30	41.24	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 973 of 1292

802.11ac40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8638.3333	44.85	37.42	-34.36	47.91	88.30	40.39	Horizontal
2	9641.6667	41.20	37.79	-32.78	46.21	88.30	42.09	Horizontal
3	10206.666	40.27	38.00	-31.67	46.60	88.30	41.70	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 974 of 1292

802.11ac40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8813	43.41	37.51	-33.94	46.97	88.30	41.33	Vertical
2	9763.6667	40.84	37.83	-32.58	46.09	88.30	42.21	Vertical
3	10319.333	39.55	38.06	-31.27	46.34	88.30	41.96	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 975 of 1292

802.11ac40 MIMO_Channel 43




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8802.3333	44.31	37.50	-33.89	47.92	88.30	40.38	Horizontal
2	9961.6667	40.48	37.89	-31.94	46.43	88.30	41.87	Horizontal
3	10390.666	39.40	38.10	-30.75	46.75	88.30	41.55	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 976 of 1292

802.11ac40 MIMO_Channel 43




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8791.6667	43.89	37.50	-33.94	47.44	88.30	40.86	Vertical
2	9897.3333	41.02	37.87	-32.13	46.76	88.30	41.54	Vertical
3	10376	39.54	38.09	-30.86	46.77	88.30	41.53	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 977 of 1292

802.11ac40 MIMO_Channel 91




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8724.6667	44.37	37.46	-34.45	47.38	88.30	40.92	Horizontal
2	9805.6667	41.01	37.84	-32.55	46.30	88.30	42.00	Horizontal
3	10486	40.66	38.14	-30.89	47.92	88.30	40.38	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 978 of 1292

802.11ac40 MIMO_Channel 91




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8748.6667	44.09	37.47	-34.27	47.29	88.30	41.01	Vertical
2	9541.6667	41.85	37.76	-33.13	46.48	88.30	41.82	Vertical
3	10292.333	40.85	38.05	-31.43	47.46	88.30	40.84	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 979 of 1292

802.11ac40 MIMO_Channel 99




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8804	44.06	37.50	-33.90	47.66	88.30	40.64	Horizontal
2	9823	41.09	37.85	-32.47	46.46	88.30	41.84	Horizontal
3	10344.666	40.46	38.07	-31.08	47.45	88.30	40.85	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 980 of 1292

802.11ac40 MIMO_Channel 99




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8785.6667	43.51	37.49	-33.99	47.01	88.30	41.29	Vertical
2	9732.6667	42.69	37.82	-32.57	47.94	88.30	40.36	Vertical
3	10263	40.39	38.03	-31.51	46.91	88.30	41.39	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 981 of 1292

802.11ac40 MIMO_Channel 107




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8841.3333	44.57	37.52	-34.08	48.01	88.30	40.29	Horizontal
2	9861	41.14	37.86	-32.30	46.70	88.30	41.60	Horizontal
3	10397	39.61	38.10	-30.70	47.01	88.30	41.29	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 982 of 1292

802.11ac40 MIMO_Channel 107




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8745.3333	44.37	37.47	-34.30	47.55	88.30	40.75	Vertical
2	9780.6667	40.90	37.83	-32.58	46.16	88.30	42.14	Vertical
3	10376	39.26	38.09	-30.86	46.49	88.30	41.81	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 983 of 1292

802.11ac40 MIMO_Channel 115




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8781	44.13	37.49	-34.02	47.60	88.30	40.70	Horizontal
2	9805.3333	41.81	37.84	-32.56	47.10	88.30	41.20	Horizontal
3	10379.333	39.35	38.09	-30.83	46.61	88.30	41.69	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 984 of 1292

802.11ac40 MIMO_Channel 115




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8812.3333	43.81	37.51	-33.94	47.38	88.30	40.92	Vertical
2	9787.3333	42.60	37.84	-32.58	47.86	88.30	40.44	Vertical
3	10355.333	39.44	38.08	-31.01	46.51	88.30	41.79	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 985 of 1292

802.11ac40 MIMO_Channel 123



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8655.6667	45.13	37.43	-34.44	48.12	88.30	40.18	Horizontal
2	9668	41.25	37.80	-32.69	46.37	88.30	41.93	Horizontal
3	10230.666	40.21	38.02	-31.60	46.62	88.30	41.68	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 986 of 1292

802.11ac40 MIMO_Channel 123



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8773.3333	43.93	37.49	-34.08	47.33	88.30	40.97	Vertical
2	9902	41.04	37.87	-32.11	46.80	88.30	41.50	Vertical
3	10267.666	40.51	38.03	-31.50	47.04	88.30	41.26	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 987 of 1292

802.11ac40 MIMO_Channel 147




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8670	45.02	37.44	-34.51	47.95	88.30	40.35	Horizontal
2	9724.6667	42.00	37.82	-32.57	47.24	88.30	41.06	Horizontal
3	10267.666	41.02	38.03	-31.50	47.55	88.30	40.75	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 988 of 1292

802.11ac40 MIMO_Channel 147




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8793	44.55	37.50	-33.93	48.11	88.30	40.19	Vertical
2	9701.3333	41.93	37.81	-32.57	47.17	88.30	41.13	Vertical
3	10275.333	40.98	38.04	-31.48	47.54	88.30	40.76	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 989 of 1292

802.11ac40 MIMO_Channel 179




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8775	44.49	37.49	-34.07	47.91	88.30	40.39	Horizontal
2	9617.6667	42.48	37.79	-32.87	47.40	88.30	40.90	Horizontal
3	10374	40.96	38.09	-30.87	48.18	88.30	40.12	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 990 of 1292

802.11ac40 MIMO_Channel 179




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8783	45.84	37.49	-34.01	49.32	88.30	38.98	Vertical
2	9707.6667	41.55	37.81	-32.57	46.79	88.30	41.51	Vertical
3	10258.666	40.92	38.03	-31.53	47.42	88.30	40.88	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 991 of 1292

802.11ac40 MIMO_Channel 187




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8724.3333	45.45	37.46	-34.46	48.46	88.30	39.84	Horizontal
2	9730.3333	41.39	37.82	-32.57	46.64	88.30	41.66	Horizontal
3	10280.333	40.40	38.04	-31.47	46.98	88.30	41.32	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 992 of 1292

802.11ac40 MIMO_Channel 187




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8669.3333	45.08	37.43	-34.50	48.01	88.30	40.29	Vertical
2	9920	42.04	37.88	-32.06	47.85	88.30	40.45	Vertical
3	10387.333	39.66	38.09	-30.77	46.98	88.30	41.32	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 993 of 1292

802.11ac40 MIMO_Channel 203




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8825.3333	44.54	37.51	-34.00	48.05	88.30	40.25	Horizontal
2	9736.6667	41.54	37.82	-32.57	46.79	88.30	41.51	Horizontal
3	10400.666	39.96	38.10	-30.68	47.38	88.30	40.92	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 994 of 1292

802.11ac40 MIMO_Channel 203




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8818.3333	44.38	37.51	-33.97	47.92	88.30	40.38	Vertical
2	9791	41.81	37.84	-32.58	47.07	88.30	41.23	Vertical
3	10166	41.23	37.98	-31.66	47.56	88.30	40.74	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 995 of 1292

802.11ac40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8804	44.30	37.50	-33.90	47.90	88.30	40.40	Horizontal
2	9836	42.30	37.85	-32.41	47.74	88.30	40.56	Horizontal
3	10330.666	40.41	38.07	-31.19	47.29	88.30	41.01	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 996 of 1292

802.11ac40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8683.3333	45.22	37.44	-34.56	48.10	88.30	40.20	Vertical
2	9577	42.40	37.77	-33.01	47.16	88.30	41.14	Vertical
3	10256	40.58	38.03	-31.53	47.07	88.30	41.23	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 997 of 1292

802.11ac80 MIMO_Channel 7




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8807	45.05	37.50	-33.91	48.64	88.30	39.66	Horizontal
2	9655.6667	41.71	37.80	-32.73	46.78	88.30	41.52	Horizontal
3	10094	41.07	37.95	-31.60	47.41	88.30	40.89	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 998 of 1292

802.11ac80 MIMO_Channel 7




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8763	45.22	37.48	-34.16	48.54	88.30	39.76	Vertical
2	9840	41.50	37.85	-32.40	46.96	88.30	41.34	Vertical
3	10428	39.31	38.11	-30.75	46.68	88.30	41.62	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 999 of 1292

802.11ac80 MIMO_Channel 39




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8826	45.62	37.51	-34.00	49.13	88.30	39.17	Horizontal
2	9695.6667	41.13	37.81	-32.59	46.35	88.30	41.95	Horizontal
3	10246.666	39.96	38.02	-31.56	46.42	88.30	41.88	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1000 of 1292

802.11ac80 MIMO_Channel 39




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8794.6667	44.54	37.50	-33.92	48.12	88.30	40.18	Vertical
2	9868.6667	40.87	37.86	-32.26	46.47	88.30	41.83	Vertical
3	10322.666	39.88	38.06	-31.24	46.70	88.30	41.60	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1001 of 1292

802.11ac80 MIMO_Channel 87




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8743.3333	45.42	37.47	-34.31	48.58	88.30	39.72	Horizontal
2	9720.6667	41.27	37.82	-32.57	46.51	88.30	41.79	Horizontal
3	10421	39.23	38.11	-30.73	46.61	88.30	41.69	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1002 of 1292

802.11ac80 MIMO_Channel 87



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8803	44.31	37.50	-33.89	47.92	88.30	40.38	Vertical
2	9909.6667	40.89	37.87	-32.09	46.67	88.30	41.63	Vertical
3	10355.333	39.72	38.08	-31.01	46.79	88.30	41.51	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1003 of 1292

802.11ac80 MIMO_Channel 103




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8791.6667	45.51	37.50	-33.94	49.06	88.30	39.24	Horizontal
2	9842.3333	44.03	37.85	-32.39	49.50	88.30	38.80	Horizontal
3	10211	41.11	38.01	-31.66	47.46	88.30	40.84	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1004 of 1292

802.11ac80 MIMO_Channel 103




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8775.6667	45.34	37.49	-34.06	48.76	88.30	39.54	Vertical
2	9723.3333	42.05	37.82	-32.57	47.29	88.30	41.01	Vertical
3	10396.666	40.76	38.10	-30.70	48.15	88.30	40.15	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1005 of 1292

802.11ac80 MIMO_Channel 119




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8661	45.59	37.43	-34.46	48.56	88.30	39.74	Horizontal
2	9722.3333	41.95	37.82	-32.57	47.19	88.30	41.11	Horizontal
3	10381	40.63	38.09	-30.82	47.90	88.30	40.40	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1006 of 1292

802.11ac80 MIMO_Channel 119




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8777.6667	45.52	37.49	-34.05	48.96	88.30	39.34	Vertical
2	9923	41.35	37.88	-32.05	47.17	88.30	41.13	Vertical
3	10425.666	40.88	38.11	-30.74	48.25	88.30	40.05	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1007 of 1292

802.11ac80 MIMO_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8791.6667	46.30	37.50	-33.94	49.85	88.30	38.45	Horizontal
2	9831.6667	41.44	37.85	-32.43	46.86	88.30	41.44	Horizontal
3	10511.666	40.31	38.16	-30.88	47.58	88.30	40.72	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1008 of 1292

802.11ac80 MIMO_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8808.6667	45.12	37.50	-33.92	48.70	88.30	39.60	Vertical
2	9703.3333	41.42	37.81	-32.57	46.66	88.30	41.64	Vertical
3	10253.666	41.69	38.03	-31.54	48.18	88.30	40.12	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1009 of 1292

802.11ac80 MIMO_Channel 183




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8792	45.20	37.50	-33.94	48.76	88.30	39.54	Horizontal
2	9846.3333	41.53	37.85	-32.37	47.02	88.30	41.28	Horizontal
3	10387.333	40.18	38.09	-30.77	47.50	88.30	40.80	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1010 of 1292

802.11ac80 MIMO_Channel 183




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8877.3333	45.43	37.54	-34.25	48.72	88.30	39.58	Vertical
2	9757	41.88	37.83	-32.58	47.13	88.30	41.17	Vertical
3	10401.666	40.27	38.10	-30.68	47.69	88.30	40.61	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1011 of 1292

802.11ac80 MIMO_Channel 199




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8800	44.61	37.50	-33.88	48.23	88.30	40.07	Horizontal
2	9693.6667	42.02	37.81	-32.59	47.24	88.30	41.06	Horizontal
3	10291.333	40.63	38.05	-31.43	47.24	88.30	41.06	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1012 of 1292

802.11ac80 MIMO_Channel 199



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8768.3333	45.71	37.48	-34.12	49.07	88.30	39.23	Vertical
2	9833.6667	41.15	37.85	-32.43	46.57	88.30	41.73	Vertical
3	10266.333	40.76	38.03	-31.50	47.29	88.30	41.01	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1013 of 1292

802.11ac80 MIMO_Channel 215




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8788.6667	44.62	37.49	-33.97	48.15	88.30	40.15	Horizontal
2	9709.6667	41.92	37.81	-32.57	47.16	88.30	41.14	Horizontal
3	10384	40.23	38.09	-30.80	47.53	88.30	40.77	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1014 of 1292

802.11ac80 MIMO_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8721.3333	45.28	37.46	-34.48	48.26	88.30	40.04	Vertical
2	9738.3333	41.14	37.82	-32.57	46.39	88.30	41.91	Vertical
3	10365.333	40.28	38.08	-30.93	47.43	88.30	40.87	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1015 of 1292

802.11ac160 MIMO_Channel 15




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8781	44.59	37.49	-34.02	48.06	88.30	40.24	Horizontal
2	9722.3333	40.51	37.82	-32.57	45.75	88.30	42.55	Horizontal
3	10414	39.05	38.11	-30.71	46.44	88.30	41.86	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1016 of 1292

802.11ac160 MIMO_Channel 15



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8801	44.92	37.50	-33.88	48.54	88.30	39.76	Vertical
2	9835	40.23	37.85	-32.42	45.66	88.30	42.64	Vertical
3	10430.333	40.05	38.12	-30.75	47.41	88.30	40.89	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1017 of 1292

802.11ac160 MIMO_Channel 47




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8711	45.11	37.46	-34.56	48.01	88.30	40.29	Horizontal
2	9951.6667	40.02	37.89	-31.97	45.94	88.30	42.36	Horizontal
3	10406.666	39.06	38.10	-30.70	46.47	88.30	41.83	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1018 of 1292

802.11ac160 MIMO_Channel 47




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8661.3333	44.28	37.43	-34.47	47.24	88.30	41.06	Vertical
2	9893	40.03	37.87	-32.15	45.75	88.30	42.55	Vertical
3	10476	39.79	38.14	-30.86	47.07	88.30	41.23	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1019 of 1292

802.11ac160 MIMO_Channel 79




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8773	44.27	37.49	-34.09	47.67	88.30	40.63	Horizontal
2	9795.3333	40.52	37.84	-32.58	45.78	88.30	42.52	Horizontal
3	10412.333	38.79	38.11	-30.71	46.19	88.30	42.11	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1020 of 1292

802.11ac160 MIMO_Channel 79



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8833.6667	43.81	37.52	-34.04	47.29	88.30	41.01	Vertical
2	9739.6667	40.61	37.82	-32.57	45.86	88.30	42.44	Vertical
3	10324	38.88	38.06	-31.23	45.71	88.30	42.59	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1021 of 1292

802.11ac160 MIMO_Channel 111




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8822.3333	44.13	37.51	-33.99	47.65	88.30	40.65	Horizontal
2	9865.3333	41.00	37.86	-32.28	46.58	88.30	41.72	Horizontal
3	10151.333	39.71	37.98	-31.64	46.04	88.30	42.26	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1022 of 1292

802.11ac160 MIMO_Channel 111




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8814.6667	44.51	37.51	-33.95	48.07	88.30	40.23	Vertical
2	9729.3333	40.42	37.82	-32.57	45.67	88.30	42.63	Vertical
3	10253.333	39.80	38.03	-31.54	46.29	88.30	42.01	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1023 of 1292

802.11ac160 MIMO_Channel 143




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8724.3333	44.36	37.46	-34.46	47.37	88.30	40.93	Horizontal
2	9662	41.42	37.80	-32.71	46.51	88.30	41.79	Horizontal
3	10365.666	39.83	38.08	-30.93	46.98	88.30	41.32	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1024 of 1292

802.11ac160 MIMO_Channel 143




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8876.6667	44.04	37.54	-34.25	47.33	88.30	40.97	Vertical
2	9603	41.36	37.78	-32.92	46.22	88.30	42.08	Vertical
3	10380	39.31	38.09	-30.83	46.57	88.30	41.73	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1025 of 1292

802.11ac160 MIMO_Channel 175




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8795.3333	44.78	37.50	-33.92	48.36	88.30	39.94	Horizontal
2	9692.6667	40.43	37.81	-32.60	45.64	88.30	42.66	Horizontal
3	10149.666	39.82	37.97	-31.64	46.16	88.30	42.14	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1026 of 1292

802.11ac160 MIMO_Channel 175




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8757	44.28	37.48	-34.21	47.55	88.30	40.75	Vertical
2	9731.3333	40.47	37.82	-32.57	45.72	88.30	42.58	Vertical
3	10355	39.62	38.08	-31.01	46.69	88.30	41.61	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1027 of 1292

802.11ac160 MIMO_Channel 207




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8805.6667	43.89	37.50	-33.91	47.49	88.30	40.81	Horizontal
2	9759.3333	40.44	37.83	-32.58	45.69	88.30	42.61	Horizontal
3	10327.333	39.47	38.06	-31.21	46.32	88.30	41.98	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1028 of 1292

802.11ac160 MIMO_Channel 207




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8618.6667	44.70	37.41	-34.27	47.84	88.30	40.46	Vertical
2	9627	41.69	37.79	-32.83	46.65	88.30	41.65	Vertical
3	10385.333	39.25	38.09	-30.79	46.56	88.30	41.74	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1029 of 1292

802.11ax20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8638	43.95	37.42	-34.36	47.01	88.30	41.29	Horizontal
2	9641.3333	40.37	37.79	-32.78	45.38	88.30	42.92	Horizontal
3	10060	39.32	37.93	-31.69	45.56	88.30	42.74	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1030 of 1292

802.11ax20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8672.6667	44.13	37.44	-34.52	47.05	88.30	41.25	Vertical
2	9717.3333	40.34	37.82	-32.57	45.58	88.30	42.72	Vertical
3	10312.666	38.63	38.06	-31.32	45.37	88.30	42.93	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1031 of 1292

802.11ax20 MIMO_Channel 45




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8798.6667	43.89	37.50	-33.89	47.50	88.30	40.80	Horizontal
2	9811.6667	40.29	37.84	-32.53	45.61	88.30	42.69	Horizontal
3	10332.333	39.03	38.07	-31.17	45.92	88.30	42.38	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1032 of 1292

802.11ax20 MIMO_Channel 45




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8645	43.52	37.42	-34.39	46.55	88.30	41.75	Vertical
2	9839	39.71	37.85	-32.40	45.16	88.30	43.14	Vertical
3	10253	39.18	38.03	-31.54	45.66	88.30	42.64	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1033 of 1292

802.11ax20 MIMO_Channel 93




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8866	43.85	37.53	-34.20	47.19	88.30	41.11	Horizontal
2	9613.3333	40.64	37.78	-32.88	45.54	88.30	42.76	Horizontal
3	10262.666	39.32	38.03	-31.51	45.84	88.30	42.46	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1034 of 1292

802.11ax20 MIMO_Channel 93



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8812.3333	43.42	37.51	-33.94	46.99	88.30	41.31	Vertical
2	9852.3333	39.86	37.86	-32.34	45.38	88.30	42.92	Vertical
3	10391.666	38.65	38.10	-30.74	46.01	88.30	42.29	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1035 of 1292

802.11ax20 MIMO_Channel 97




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8786.6667	42.91	37.49	-33.98	46.42	88.30	41.88	Horizontal
2	9783.3333	39.82	37.84	-32.58	45.08	88.30	43.22	Horizontal
3	10415.666	38.54	38.11	-30.72	45.93	88.30	42.37	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1036 of 1292

802.11ax20 MIMO_Channel 97




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8731	43.75	37.47	-34.40	46.81	88.30	41.49	Vertical
2	9658	40.19	37.80	-32.72	45.27	88.30	43.03	Vertical
3	10383.666	38.51	38.09	-30.80	45.80	88.30	42.50	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1037 of 1292

802.11ax20 MIMO_Channel 105



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8628	43.46	37.41	-34.32	46.56	88.30	41.74	Horizontal
2	9734.3333	39.67	37.82	-32.57	44.92	88.30	43.38	Horizontal
3	10390.666	38.43	38.10	-30.75	45.78	88.30	42.52	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1038 of 1292

802.11ax20 MIMO_Channel 105




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8712	43.60	37.46	-34.55	46.51	88.30	41.79	Vertical
2	9835.3333	40.01	37.85	-32.42	45.44	88.30	42.86	Vertical
3	10393.333	38.82	38.10	-30.73	46.19	88.30	42.11	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1039 of 1292

802.11ax20 MIMO_Channel 113




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8775	43.34	37.49	-34.07	46.76	88.30	41.54	Horizontal
2	9650.6667	40.00	37.80	-32.75	45.05	88.30	43.25	Horizontal
3	10213	39.15	38.01	-31.65	45.50	88.30	42.80	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1040 of 1292

802.11ax20 MIMO_Channel 113




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8816.3333	43.87	37.51	-33.96	47.42	88.30	40.88	Vertical
2	9827.3333	40.15	37.85	-32.45	45.54	88.30	42.76	Vertical
3	10390.666	38.59	38.10	-30.75	45.94	88.30	42.36	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1041 of 1292

802.11ax20 MIMO_Channel 117




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8834	43.13	37.52	-34.04	46.60	88.30	41.70	Horizontal
2	9631	40.17	37.79	-32.82	45.14	88.30	43.16	Horizontal
3	10392.333	39.02	38.10	-30.74	46.38	88.30	41.92	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1042 of 1292

802.11ax20 MIMO_Channel 117



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8778.3333	42.88	37.49	-34.04	46.32	88.30	41.98	Vertical
2	9915.3333	40.67	37.87	-32.08	46.47	88.30	41.83	Vertical
3	10390	38.39	38.10	-30.75	45.73	88.30	42.57	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1043 of 1292

802.11ax20 MIMO_Channel 149



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8778.3333	43.59	37.49	-34.04	47.03	88.30	41.27	Horizontal
2	9928.3333	39.93	37.88	-32.04	45.77	88.30	42.53	Horizontal
3	10366.333	38.48	38.08	-30.93	45.64	88.30	42.66	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1044 of 1292

802.11ax20 MIMO_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8790.6667	42.78	37.50	-33.95	46.32	88.30	41.98	Vertical
2	9891.3333	40.26	37.87	-32.16	45.97	88.30	42.33	Vertical
3	10516	38.73	38.16	-30.87	46.02	88.30	42.28	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1045 of 1292

802.11ax20 MIMO_Channel 185




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8806	43.74	37.50	-33.91	47.33	88.30	40.97	Horizontal
2	9794	39.79	37.84	-32.58	45.05	88.30	43.25	Horizontal
3	10091	39.85	37.95	-31.61	46.18	88.30	42.12	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1046 of 1292

802.11ax20 MIMO_Channel 185



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8631.6667	43.75	37.42	-34.33	46.83	88.30	41.47	Vertical
2	9597	40.56	37.78	-32.94	45.40	88.30	42.90	Vertical
3	10123.333	39.58	37.96	-31.61	45.93	88.30	42.37	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1047 of 1292

802.11ax20 MIMO_Channel 189



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8776	43.87	37.49	-34.06	47.30	88.30	41.00	Horizontal
2	9840.6667	39.90	37.85	-32.39	45.36	88.30	42.94	Horizontal
3	10367.333	39.25	38.08	-30.92	46.42	88.30	41.88	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1048 of 1292

802.11ax20 MIMO_Channel 189




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8671.6667	43.49	37.44	-34.51	46.41	88.30	41.89	Vertical
2	9684.3333	40.61	37.81	-32.63	45.79	88.30	42.51	Vertical
3	10077.666	39.16	37.94	-31.64	45.46	88.30	42.84	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1049 of 1292

802.11ax20 MIMO_Channel 209



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8780.3333	43.05	37.49	-34.03	46.51	88.30	41.79	Horizontal
2	9880.3333	40.17	37.86	-32.21	45.82	88.30	42.48	Horizontal
3	10384.666	39.47	38.09	-30.79	46.77	88.30	41.53	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1050 of 1292

802.11ax20 MIMO_Channel 209




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8800.6667	43.29	37.50	-33.88	46.91	88.30	41.39	Vertical
2	9678	40.72	37.80	-32.65	45.87	88.30	42.43	Vertical
3	10395.666	38.36	38.10	-30.71	45.75	88.30	42.55	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1051 of 1292

802.11ax20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8660.3333	43.92	37.43	-34.46	46.89	88.30	41.41	Horizontal
2	9637.6667	40.27	37.79	-32.79	45.27	88.30	43.03	Horizontal
3	10329	39.30	38.06	-31.20	46.17	88.30	42.13	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1052 of 1292

802.11ax20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8723.6667	43.70	37.46	-34.46	46.70	88.30	41.60	Vertical
2	9694.6667	40.08	37.81	-32.59	45.30	88.30	43.00	Vertical
3	10388.666	38.36	38.09	-30.76	45.69	88.30	42.61	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1053 of 1292

802.11ax40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8798	43.80	37.50	-33.90	47.40	88.30	40.90	Horizontal
2	9757.3333	41.85	37.83	-32.58	47.10	88.30	41.20	Horizontal
3	10140.333	40.12	37.97	-31.63	46.46	88.30	41.84	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1054 of 1292

802.11ax40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8797.3333	43.78	37.50	-33.90	47.38	88.30	40.92	Vertical
2	9708.3333	41.04	37.81	-32.57	46.28	88.30	42.02	Vertical
3	10120	40.15	37.96	-31.61	46.50	88.30	41.80	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1055 of 1292

802.11ax40 MIMO_Channel 43




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8789.3333	43.64	37.49	-33.96	47.17	88.30	41.13	Horizontal
2	9557	41.56	37.77	-33.08	46.25	88.30	42.05	Horizontal
3	10091.333	40.32	37.95	-31.61	46.65	88.30	41.65	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1056 of 1292

802.11ax40 MIMO_Channel 43




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8819	43.37	37.51	-33.97	46.91	88.30	41.39	Vertical
2	9944.6667	40.12	37.88	-31.99	46.01	88.30	42.29	Vertical
3	10346	40.06	38.07	-31.07	47.06	88.30	41.24	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1057 of 1292

802.11ax40 MIMO_Channel 91




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8776	43.45	37.49	-34.06	46.88	88.30	41.42	Horizontal
2	9698.6667	40.50	37.81	-32.57	45.73	88.30	42.57	Horizontal
3	10384.333	39.80	38.09	-30.79	47.10	88.30	41.20	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1058 of 1292

802.11ax40 MIMO_Channel 91



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8865	44.35	37.53	-34.19	47.69	88.30	40.61	Vertical
2	9737.3333	40.31	37.82	-32.57	45.56	88.30	42.74	Vertical
3	10252.333	40.23	38.03	-31.54	46.71	88.30	41.59	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1059 of 1292

802.11ax40 MIMO_Channel 99




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8800	43.72	37.50	-33.88	47.34	88.30	40.96	Horizontal
2	9890.3333	40.10	37.87	-32.16	45.80	88.30	42.50	Horizontal
3	10393.666	39.28	38.10	-30.73	46.65	88.30	41.65	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1060 of 1292

802.11ax40 MIMO_Channel 99




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8799	43.93	37.50	-33.89	47.54	88.30	40.76	Vertical
2	9901.6667	40.96	37.87	-32.12	46.72	88.30	41.58	Vertical
3	10373	39.25	38.09	-30.88	46.46	88.30	41.84	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1061 of 1292

802.11ax40 MIMO_Channel 107




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8832.6667	43.55	37.52	-34.04	47.03	88.30	41.27	Horizontal
2	9669.6667	40.69	37.80	-32.68	45.81	88.30	42.49	Horizontal
3	10376.333	39.71	38.09	-30.85	46.95	88.30	41.35	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1062 of 1292

802.11ax40 MIMO_Channel 107




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8793.3333	43.43	37.50	-33.93	47.00	88.30	41.30	Vertical
2	9944	40.00	37.88	-31.99	45.89	88.30	42.41	Vertical
3	10310	39.78	38.06	-31.34	46.50	88.30	41.80	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1063 of 1292

802.11ax40 MIMO_Channel 115




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8796	43.64	37.50	-33.91	47.23	88.30	41.07	Horizontal
2	9849	40.84	37.85	-32.35	46.34	88.30	41.96	Horizontal
3	10261.666	40.14	38.03	-31.52	46.65	88.30	41.65	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1064 of 1292

802.11ax40 MIMO_Channel 115




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8770.3333	43.79	37.49	-34.11	47.17	88.30	41.13	Vertical
2	9722	40.57	37.82	-32.57	45.81	88.30	42.49	Vertical
3	10497	39.42	38.15	-30.91	46.66	88.30	41.64	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1065 of 1292

802.11ax40 MIMO_Channel 123




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8827.6667	43.67	37.51	-34.01	47.17	88.30	41.13	Horizontal
2	9623.6667	41.29	37.79	-32.84	46.23	88.30	42.07	Horizontal
3	10269	39.56	38.03	-31.50	46.10	88.30	42.20	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1066 of 1292

802.11ax40 MIMO_Channel 123



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8733.6667	43.84	37.47	-34.38	46.92	88.30	41.38	Vertical
2	9896.3333	40.31	37.87	-32.14	46.04	88.30	42.26	Vertical
3	10375.333	39.76	38.09	-30.86	46.99	88.30	41.31	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1067 of 1292

802.11ax40 MIMO_Channel 147



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8812.3333	43.83	37.51	-33.94	47.40	88.30	40.90	Horizontal
2	9797.6667	40.83	37.84	-32.58	46.09	88.30	42.21	Horizontal
3	10399.333	39.43	38.10	-30.68	46.84	88.30	41.46	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1068 of 1292

802.11ax40 MIMO_Channel 147




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8768	43.33	37.48	-34.12	46.69	88.30	41.61	Vertical
2	9731.6667	40.92	37.82	-32.57	46.17	88.30	42.13	Vertical
3	10373.666	40.08	38.09	-30.87	47.29	88.30	41.01	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1069 of 1292

802.11ax40 MIMO_Channel 179




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8828.3333	43.93	37.51	-34.02	47.43	88.30	40.87	Horizontal
2	9714.3333	41.34	37.81	-32.57	46.58	88.30	41.72	Horizontal
3	10409.666	38.93	38.10	-30.70	46.33	88.30	41.97	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1070 of 1292

802.11ax40 MIMO_Channel 179




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8760.6667	44.44	37.48	-34.18	47.74	88.30	40.56	Vertical
2	9851.6667	40.54	37.86	-32.34	46.05	88.30	42.25	Vertical
3	10379	40.12	38.09	-30.83	47.38	88.30	40.92	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1071 of 1292

802.11ax40 MIMO_Channel 187




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8781.6667	44.15	37.49	-34.02	47.62	88.30	40.68	Horizontal
2	9648.3333	40.90	37.79	-32.76	45.94	88.30	42.36	Horizontal
3	10352.666	39.95	38.08	-31.03	47.00	88.30	41.30	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1072 of 1292

802.11ax40 MIMO_Channel 187



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8779.3333	44.22	37.49	-34.04	47.67	88.30	40.63	Vertical
2	9727	40.85	37.82	-32.57	46.10	88.30	42.20	Vertical
3	10347.333	39.82	38.07	-31.06	46.83	88.30	41.47	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1073 of 1292

802.11ax40 MIMO_Channel 203




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8800.6667	44.87	37.50	-33.88	48.49	88.30	39.81	Horizontal
2	9667	42.34	37.80	-32.69	47.45	88.30	40.85	Horizontal
3	10425.666	40.99	38.11	-30.74	48.36	88.30	39.94	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1074 of 1292

802.11ax40 MIMO_Channel 203



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8793.3333	45.24	37.50	-33.93	48.81	88.30	39.49	Vertical
2	9881	42.09	37.86	-32.21	47.75	88.30	40.55	Vertical
3	10464.666	41.81	38.13	-30.84	49.11	88.30	39.19	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1075 of 1292

802.11ax40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8810.6667	44.11	37.51	-33.93	47.68	88.30	40.62	Horizontal
2	9852	40.61	37.86	-32.34	46.12	88.30	42.18	Horizontal
3	10517.333	40.23	38.16	-30.86	47.53	88.30	40.77	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1076 of 1292

802.11ax40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8755.3333	45.61	37.48	-34.22	48.87	88.30	39.43	Vertical
2	9577.6667	44.55	37.77	-33.01	49.32	88.30	38.98	Vertical
3	10276.333	41.21	38.04	-31.48	47.77	88.30	40.53	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1077 of 1292

802.11ax80 MIMO_Channel 7




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8860	44.30	37.53	-34.17	47.66	88.30	40.64	Horizontal
2	9870	40.95	37.86	-32.26	46.55	88.30	41.75	Horizontal
3	10387	39.56	38.09	-30.77	46.88	88.30	41.42	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1078 of 1292

802.11ax80 MIMO_Channel 7



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8783.6667	43.51	37.49	-34.00	47.00	88.30	41.30	Vertical
2	9909.6667	40.53	37.87	-32.09	46.31	88.30	41.99	Vertical
3	10412.333	39.44	38.11	-30.71	46.84	88.30	41.46	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1079 of 1292

802.11ax80 MIMO_Channel 39




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8828	42.84	37.51	-34.01	46.34	88.30	41.96	Horizontal
2	9708	39.84	37.81	-32.57	45.08	88.30	43.22	Horizontal
3	10355.666	38.54	38.08	-31.00	45.61	88.30	42.69	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1080 of 1292

802.11ax80 MIMO_Channel 39



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8825.6667	43.37	37.51	-34.00	46.88	88.30	41.42	Vertical
2	9673	39.84	37.80	-32.67	44.97	88.30	43.33	Vertical
3	10482.333	38.16	38.14	-30.88	45.42	88.30	42.88	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1081 of 1292

802.11ax80 MIMO_Channel 87




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8801.6667	42.77	37.50	-33.89	46.38	88.30	41.92	Horizontal
2	9705.3333	39.91	37.81	-32.57	45.15	88.30	43.15	Horizontal
3	10438.666	38.02	38.12	-30.77	45.37	88.30	42.93	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1082 of 1292

802.11ax80 MIMO_Channel 87




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8800	43.38	37.50	-33.88	47.00	88.30	41.30	Vertical
2	9761.6667	39.85	37.83	-32.58	45.10	88.30	43.20	Vertical
3	10412.333	38.45	38.11	-30.71	45.85	88.30	42.45	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1083 of 1292

802.11ax80 MIMO_Channel 103




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8724.3333	44.17	37.46	-34.46	47.18	88.30	41.12	Horizontal
2	9718.6667	39.79	37.82	-32.57	45.03	88.30	43.27	Horizontal
3	10455.333	38.05	38.13	-30.81	45.36	88.30	42.94	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1084 of 1292

802.11ax80 MIMO_Channel 103




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8741.3333	44.18	37.47	-34.33	47.32	88.30	40.98	Vertical
2	9663.3333	40.09	37.80	-32.70	45.19	88.30	43.11	Vertical
3	10395.333	38.34	38.10	-30.71	45.72	88.30	42.58	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1085 of 1292

802.11ax80 MIMO_Channel 119




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8765	43.72	37.48	-34.15	47.06	88.30	41.24	Horizontal
2	9924	39.78	37.88	-32.05	45.61	88.30	42.69	Horizontal
3	10362.333	38.71	38.08	-30.95	45.84	88.30	42.46	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1086 of 1292

802.11ax80 MIMO_Channel 119




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8723	43.44	37.46	-34.47	46.44	88.30	41.86	Vertical
2	9657	40.18	37.80	-32.72	45.25	88.30	43.05	Vertical
3	10110	39.50	37.96	-31.60	45.85	88.30	42.45	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1087 of 1292

802.11ax80 MIMO_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8723.6667	43.90	37.46	-34.46	46.90	88.30	41.40	Horizontal
2	9797.3333	40.03	37.84	-32.58	45.29	88.30	43.01	Horizontal
3	10258.333	39.08	38.03	-31.53	45.58	88.30	42.72	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1088 of 1292

802.11ax80 MIMO_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8809	43.18	37.50	-33.92	46.76	88.30	41.54	Vertical
2	9983	40.09	37.89	-31.88	46.11	88.30	42.19	Vertical
3	10250.666	39.83	38.03	-31.55	46.31	88.30	41.99	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1089 of 1292

802.11ax80 MIMO_Channel 183




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8823.3333	43.94	37.51	-33.99	47.46	88.30	40.84	Horizontal
2	9676.6667	40.40	37.80	-32.65	45.55	88.30	42.75	Horizontal
3	10032	39.85	37.92	-31.75	46.01	88.30	42.29	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1090 of 1292

802.11ax80 MIMO_Channel 183




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8798.3333	45.21	37.50	-33.89	48.82	88.30	39.48	Vertical
2	9890	39.77	37.87	-32.17	45.47	88.30	42.83	Vertical
3	10460.333	38.97	38.13	-30.82	46.28	88.30	42.02	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1091 of 1292

802.11ax80 MIMO_Channel 199



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8735	43.56	37.47	-34.37	46.65	88.30	41.65	Horizontal
2	9814.6667	39.62	37.84	-32.51	44.95	88.30	43.35	Horizontal
3	10106.333	39.40	37.95	-31.60	45.76	88.30	42.54	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1092 of 1292

802.11ax80 MIMO_Channel 199



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8788	43.54	37.49	-33.97	47.06	88.30	41.24	Vertical
2	9728.6667	40.12	37.82	-32.57	45.37	88.30	42.93	Vertical
3	10481.666	39.57	38.14	-30.88	46.83	88.30	41.47	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1093 of 1292

802.11ax80 MIMO_Channel 215




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8798.6667	43.13	37.50	-33.89	46.74	88.30	41.56	Horizontal
2	9761.3333	39.89	37.83	-32.58	45.14	88.30	43.16	Horizontal
3	10311.333	38.77	38.06	-31.33	45.50	88.30	42.80	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1094 of 1292

802.11ax80 MIMO_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8801	43.14	37.50	-33.88	46.76	88.30	41.54	Vertical
2	9721.3333	40.55	37.82	-32.57	45.79	88.30	42.51	Vertical
3	10302	39.41	38.05	-31.40	46.07	88.30	42.23	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1095 of 1292

802.11ax160 MIMO_Channel 15




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8713.3333	44.87	37.46	-34.54	47.79	88.30	40.51	Horizontal
2	9870	42.29	37.86	-32.26	47.89	88.30	40.41	Horizontal
3	10378.666	39.58	38.09	-30.84	46.83	88.30	41.47	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1096 of 1292

802.11ax160 MIMO_Channel 15




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8783	43.49	37.49	-34.01	46.97	88.30	41.33	Vertical
2	9760	41.26	37.83	-32.58	46.51	88.30	41.79	Vertical
3	10473.333	39.35	38.14	-30.86	46.63	88.30	41.67	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1097 of 1292

802.11ax160 MIMO_Channel 47




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8812	43.37	37.51	-33.94	46.94	88.30	41.36	Horizontal
2	9904	40.13	37.87	-32.11	45.89	88.30	42.41	Horizontal
3	10382.666	40.14	38.09	-30.81	47.42	88.30	40.88	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1098 of 1292

802.11ax160 MIMO_Channel 47




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8812.6667	43.01	37.51	-33.94	46.58	88.30	41.72	Vertical
2	9729.6667	40.05	37.82	-32.57	45.30	88.30	43.00	Vertical
3	10368.333	39.85	38.08	-30.91	47.02	88.30	41.28	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005
Rev.: 01
Page: 1099 of 1292

802.11ax160 MIMO_Channel 79



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8807.3333	43.37	37.50	-33.92	46.96	88.30	41.34	Horizontal
2	9842.6667	40.41	37.85	-32.38	45.88	88.30	42.42	Horizontal
3	10376.666	39.58	38.09	-30.85	46.82	88.30	41.48	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250300017005

Rev.: 01

Page: 1100 of 1292

802.11ax160 MIMO_Channel 79



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8657	44.54	37.43	-34.45	47.52	88.30	40.78	Vertical
2	9770	40.72	37.83	-32.58	45.97	88.30	42.33	Vertical
3	10428.333	39.84	38.11	-30.75	47.21	88.30	41.09	Vertical