



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304

Rev.: 01

Page: 155 of 471

7. Channel Loading (Payload)

7.1 Test Result

7.1.1 Payload

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11a	20	5320	49.76	≥ 17	Pass

7.1.2 Payload

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5530	20.92	≥ 17	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 156 of 471

7.2 Test Graph

7.2.1 Payload






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 157 of 471

7.2.2 Payload





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 158 of 471

8. Channel Move Time and Closing Transmission Time

8.1 Test Result

8.1.1 CMT_CTT

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Move Time and Closing Transmission Time		Verdict
			Result	Limit	
802.11a	20	5320	Refer To Test Graph		Pass

8.1.2 CMT_CTT

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Move Time and Closing Transmission Time		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5530	Refer To Test Graph		Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 159 of 471

8.2 Test Graph

8.2.1 CMT_CTT






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 160 of 471

8.2.2 CMT_CTT





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 161 of 471

9. Non-Occupancy Period

9.1 Test Result

9.1.1 Period

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit	
802.11a	20	5320	Refer To Test Graph		Pass

9.1.2 Period

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5530	Refer To Test Graph		Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 162 of 471

9.2 Test Graph

9.2.1 Period






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 163 of 471

9.2.2 Period





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304

Rev.: 01

Page: 164 of 471


F962A

Radiated Spurious Emissions

Radiated emission below 1GHz

Worst case Mode

802.11ac80_Channel 106




Data List								
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading[dBμV]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	60	12.40	-27.63	36.15	20.92	40.00	19.08	Horizontal
2	102.3	11.77	-27.66	45.37	29.48	43.50	14.02	Horizontal
3	135.6	7.58	-26.89	43.95	24.64	43.50	18.86	Horizontal
4	152.35	7.76	-26.69	45.09	26.16	43.50	17.34	Horizontal
5	237.7	12.41	-26.36	43.31	29.36	46.00	16.64	Horizontal
6	456.85	16.16	-25.11	43.35	34.40	46.00	11.60	Horizontal

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304

Rev.: 01

Page: 165 of 471



Data List								
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading[dBμV]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	40.65	13.30	-28.02	42.9	28.18	40.00	11.82	Vertical
2	60.3	12.37	-27.62	47.47	32.22	40.00	7.78	Vertical
3	108.45	11.76	-27.54	52.82	37.04	43.50	6.46	Vertical
4	135.6	7.58	-26.89	49.85	30.54	43.50	12.96	Vertical
5	228.4	11.26	-26.33	43.84	28.77	46.00	17.23	Vertical
6	456.85	16.16	-25.11	41.26	32.31	46.00	13.69	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304

Rev.: 01

Page: 166 of 471



Data List


NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6906.5	62.37	35.39	-39.73	58.03	68.20	10.17	Horizont
2	10360	49.96	39.16	-35.53	53.59	68.20	14.61	Horizont
3	15540	47.67	38.74	-28.80	57.61	74.00	16.39	Horizont
4	15540	37.67	38.74	-28.80	47.61	54.00	6.39	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 167 of 471

802.11a_Channel 36




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6906.5	63.18	35.39	-39.73	58.84	68.20	9.36	Vertical
2	10360	50.33	39.16	-35.53	53.96	68.20	14.24	Vertical
3	15540	46.85	38.74	-28.80	56.79	74.00	17.21	Vertical
4	15540	37.82	38.74	-28.80	47.76	54.00	6.24	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 168 of 471

802.11a_Channel 44




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6960	59.15	35.36	-39.46	55.05	68.20	13.15	Horizont
2	10440	49.80	39.08	-35.56	53.32	68.20	14.88	Horizont
3	15660	47.45	38.50	-29.29	56.66	74.00	17.34	Horizont
4	15660	38.07	38.50	-29.29	47.28	54.00	6.72	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 169 of 471

802.11a_Channel 44




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6960	59.61	35.36	-39.46	55.51	68.20	12.69	Vertical
2	10440	49.96	39.08	-35.56	53.48	68.20	14.72	Vertical
3	15660	46.41	38.50	-29.29	55.62	74.00	18.38	Vertical
4	15660	37.64	38.50	-29.29	46.85	54.00	7.15	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 170 of 471

802.11a_Channel 48




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6986.5	57.45	35.52	-39.21	53.76	68.20	14.44	Horizont
2	10480	48.89	38.96	-35.50	52.35	68.20	15.85	Horizont
3	15720	46.15	38.42	-28.86	55.71	74.00	18.29	Horizont
4	15720	38.27	38.42	-28.86	47.83	54.00	6.17	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 171 of 471

802.11a_Channel 48




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6986.5	58.00	35.52	-39.21	54.31	68.20	13.89	Vertical
2	10480	49.49	38.96	-35.50	52.95	68.20	15.25	Vertical
3	15720	47.31	38.42	-28.86	56.87	74.00	17.13	Vertical
4	15720	37.47	38.42	-28.86	47.03	54.00	6.97	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 172 of 471

802.11a_Channel 52




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7013	57.51	35.76	-39.12	54.15	68.20	14.05	Horizont
2	10520	49.51	38.98	-35.46	53.03	68.20	15.17	Horizont
3	15780	47.59	38.18	-30.16	55.61	74.00	18.39	Horizont
4	15780	37.50	38.18	-30.16	45.52	54.00	8.48	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 173 of 471

802.11a_Channel 52




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7013.5	56.30	35.76	-39.12	52.94	68.20	15.26	Vertical
2	10520	50.90	38.98	-35.46	54.42	68.20	13.78	Vertical
3	15780	46.47	38.18	-30.16	54.49	74.00	19.51	Vertical
4	15780	37.41	38.18	-30.16	45.43	54.00	8.57	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 174 of 471

802.11a_Channel 60




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7066.5	57.54	36.10	-39.24	54.40	68.20	13.80	Horizont
2	10600	51.35	39.30	-35.40	55.25	68.20	12.95	Horizont
3	15900	48.85	37.70	-29.19	57.36	74.00	16.64	Horizont
4	10600	40.95	39.30	-35.40	44.85	54.00	9.15	Horizont
5	15900	37.93	37.70	-29.19	46.44	54.00	7.56	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 175 of 471

802.11a_Channel 60




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7066.5	55.64	36.10	-39.24	52.50	68.20	15.70	Vertical
2	10600	51.76	39.30	-35.40	55.66	68.20	12.54	Vertical
3	15900	47.49	37.70	-29.19	56.00	74.00	18.00	Vertical
4	10600	40.36	39.30	-35.40	44.26	54.00	9.74	Vertical
5	15900	37.78	37.70	-29.19	46.29	54.00	7.71	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 176 of 471

802.11a_Channel 64




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7093.5	55.29	35.94	-39.28	51.95	68.20	16.25	Horizont
2	10640	51.32	39.38	-35.44	55.26	74.00	18.74	Horizont
3	15960	47.34	37.82	-29.41	55.75	74.00	18.25	Horizont
4	10640	41.02	39.38	-35.44	44.96	54.00	9.04	Horizont
5	15960	38.39	37.82	-29.41	46.80	54.00	7.20	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 177 of 471

802.11a_Channel 64




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7093.5	55.31	35.94	-39.28	51.97	68.20	16.23	Vertical
2	10640	50.78	39.38	-35.44	54.72	74.00	19.28	Vertical
3	15960	47.47	37.82	-29.41	55.88	74.00	18.12	Vertical
4	10640	40.95	39.38	-35.44	44.89	54.00	9.11	Vertical
5	15960	38.67	37.82	-29.41	47.08	54.00	6.92	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 178 of 471

802.11a_Channel 100




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7421.5	53.32	36.74	-38.40	51.66	74.00	22.34	Horizont
2	11000	48.49	40.10	-34.91	53.68	74.00	20.32	Horizont
3	16500	49.07	39.30	-29.41	58.96	68.20	9.24	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 179 of 471

802.11a_Channel 100




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7469.5	52.60	36.84	-38.36	51.08	74.00	22.92	Vertical
2	11000	48.36	40.10	-34.91	53.55	74.00	20.45	Vertical
3	16500	48.60	39.30	-29.41	58.49	68.20	9.71	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 180 of 471

802.11a_Channel 116




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7391	53.98	36.66	-38.55	52.09	74.00	21.91	Horizont
2	11160	50.54	40.20	-35.61	55.13	74.00	18.87	Horizont
3	16740	45.92	39.48	-32.04	53.36	68.20	14.84	Horizont
4	11160	41.01	40.20	-35.61	45.60	54.00	8.40	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 181 of 471

802.11a_Channel 116




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7516	52.55	36.74	-38.51	50.78	74.00	23.22	Vertical
2	11160	50.70	40.20	-35.61	55.29	74.00	18.71	Vertical
3	16740	48.69	39.48	-32.04	56.13	68.20	12.07	Vertical
4	11160	41.75	40.20	-35.61	46.34	54.00	7.66	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 182 of 471

802.11a_Channel 140




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7495.5	53.52	36.89	-38.50	51.91	74.00	22.09	Horizont
2	11400	49.15	40.30	-35.16	54.29	74.00	19.71	Horizont
3	17100	48.66	42.10	-34.87	55.89	68.20	12.31	Horizont
4	11400	40.40	40.30	-35.16	45.54	54.00	8.46	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 183 of 471

802.11a_Channel 140




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7415	53.42	36.73	-38.44	51.71	74.00	22.29	Vertical
2	11400	49.32	40.30	-35.16	54.46	74.00	19.54	Vertical
3	17100	48.18	42.10	-34.87	55.41	68.20	12.79	Vertical
4	11400	40.53	40.30	-35.16	45.67	54.00	8.33	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 184 of 471

802.11a_Channel 149




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7390	53.53	36.66	-38.55	51.64	74.00	22.36	Horizont
2	11490	48.28	40.21	-35.41	53.08	74.00	20.92	Horizont
3	17235	47.85	42.78	-36.19	54.44	68.20	13.76	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 185 of 471

802.11a_Channel 149




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7461.5	52.97	36.82	-38.31	51.48	74.00	22.52	Vertical
2	11490	48.56	40.21	-35.41	53.36	74.00	20.64	Vertical
3	17235	48.27	42.78	-36.19	54.86	68.20	13.34	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 186 of 471

802.11a_Channel 157




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7417	53.80	36.73	-38.43	52.10	74.00	21.90	Horizont
2	11570	49.09	40.27	-35.25	54.11	74.00	19.89	Horizont
3	17355	47.39	43.96	-37.34	54.01	68.20	14.19	Horizont
4	11570	39.85	40.27	-35.25	44.87	54.00	9.13	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 187 of 471

802.11a_Channel 157




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7441	53.10	36.78	-38.30	51.58	74.00	22.42	Vertical
2	11570	48.51	40.27	-35.25	53.53	74.00	20.47	Vertical
3	17355	48.62	43.96	-37.34	55.24	68.20	12.96	Vertical
4	11570	40.69	40.27	-35.25	45.71	54.00	8.29	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 188 of 471

802.11a_Channel 165




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7423.5	53.43	36.75	-38.39	51.79	74.00	22.21	Horizont
2	11650	49.36	40.10	-35.79	53.67	74.00	20.33	Horizont
3	17475	46.10	44.73	-37.12	53.71	68.20	14.49	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 189 of 471

802.11a_Channel 165




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7516.5	53.43	36.74	-38.51	51.66	74.00	22.34	Vertical
2	11650	49.39	40.10	-35.79	53.70	74.00	20.30	Vertical
3	17475	46.10	44.73	-37.12	53.71	68.20	14.49	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 190 of 471

802.11n20_Channel 36




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6907	62.56	35.39	-39.73	58.22	68.20	9.98	Horizont
2	10360	48.14	39.16	-35.53	51.77	68.20	16.43	Horizont
3	15540	46.08	38.74	-28.80	56.02	74.00	17.98	Horizont
4	15540	35.94	38.74	-28.80	45.88	54.00	8.12	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 191 of 471

802.11n20_Channel 36




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6907	58.53	35.39	-39.73	54.19	68.20	14.01	Vertical
2	10360	48.04	39.16	-35.53	51.67	68.20	16.53	Vertical
3	15540	45.35	38.74	-28.80	55.29	74.00	18.71	Vertical
4	15540	36.31	38.74	-28.80	46.25	54.00	7.75	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 192 of 471

802.11n20_Channel 44




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6960	57.11	35.36	-39.46	53.01	68.20	15.19	Horizont
2	10440	48.22	39.08	-35.56	51.74	68.20	16.46	Horizont
3	15660	46.90	38.50	-29.29	56.11	74.00	17.89	Horizont
4	15660	36.66	38.50	-29.29	45.87	54.00	8.13	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 193 of 471

802.11n20_Channel 44




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6960	57.23	35.36	-39.46	53.13	68.20	15.07	Vertical
2	10440	48.43	39.08	-35.56	51.95	68.20	16.25	Vertical
3	15660	46.24	38.50	-29.29	55.45	74.00	18.55	Vertical
4	15660	37.70	38.50	-29.29	46.91	54.00	7.09	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 194 of 471

802.11n20_Channel 48




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6986.5	55.77	35.52	-39.21	52.08	68.20	16.12	Horizont
2	10480	49.19	38.96	-35.50	52.65	68.20	15.55	Horizont
3	15720	45.52	38.42	-28.86	55.08	74.00	18.92	Horizont
4	15720	37.04	38.42	-28.86	46.60	54.00	7.40	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 195 of 471

802.11n20_Channel 48




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6986.5	56.05	35.52	-39.21	52.36	68.20	15.84	Vertical
2	10480	48.47	38.96	-35.50	51.93	68.20	16.27	Vertical
3	15720	46.40	38.42	-28.86	55.96	74.00	18.04	Vertical
4	15720	37.22	38.42	-28.86	46.78	54.00	7.22	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 196 of 471

802.11n20_Channel 52



Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7013.5	56.09	35.76	-39.12	52.73	68.20	15.47	Horizont
2	10520	49.05	38.98	-35.46	52.57	68.20	15.63	Horizont
3	15780	46.85	38.18	-30.16	54.87	74.00	19.13	Horizont
4	15780	36.60	38.18	-30.16	44.62	54.00	9.38	Horizont




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304

Rev.: 01

Page: 197 of 471

802.11n20_Channel 52




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7013.5	54.60	35.76	-39.12	51.24	68.20	16.96	Vertical
2	10520	48.83	38.98	-35.46	52.35	68.20	15.85	Vertical
3	15780	46.37	38.18	-30.16	54.39	74.00	19.61	Vertical
4	15780	38.00	38.18	-30.16	46.02	54.00	7.98	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 198 of 471

802.11n20_Channel 60




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7066.5	57.00	36.10	-39.24	53.86	68.20	14.34	Horizont
2	10600	49.16	39.30	-35.40	53.06	68.20	15.14	Horizont
3	15900	45.91	37.70	-29.19	54.42	74.00	19.58	Horizont
4	15900	37.09	37.70	-29.19	45.60	54.00	8.40	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 199 of 471

802.11n20_Channel 60




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7067	54.67	36.10	-39.24	51.53	68.20	16.67	Vertical
2	10600	49.41	39.30	-35.40	53.31	68.20	14.89	Vertical
3	15900	46.62	37.70	-29.19	55.13	74.00	18.87	Vertical
4	15900	37.14	37.70	-29.19	45.65	54.00	8.35	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 200 of 471

802.11n20_Channel 64




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7093.5	54.50	35.94	-39.28	51.16	68.20	17.04	Horizont
2	10640	49.28	39.38	-35.44	53.22	74.00	20.78	Horizont
3	15960	47.66	37.82	-29.41	56.07	74.00	17.93	Horizont
4	15960	37.02	37.82	-29.41	45.43	54.00	8.57	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 201 of 471

802.11n20_Channel 64




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7093.5	54.20	35.94	-39.28	50.86	68.20	17.34	Vertical
2	10640	49.38	39.38	-35.44	53.32	74.00	20.68	Vertical
3	15960	47.49	37.82	-29.41	55.90	74.00	18.10	Vertical
4	15960	37.40	37.82	-29.41	45.81	54.00	8.19	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 202 of 471

802.11n20_Channel 100




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7377.5	52.76	36.61	-38.59	50.78	74.00	23.22	Horizont
2	11000	49.08	40.10	-34.91	54.27	74.00	19.73	Horizont
3	16500	47.18	39.30	-29.41	57.07	68.20	11.13	Horizont
4	11000	38.67	40.10	-34.91	43.86	54.00	10.14	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 203 of 471

802.11n20_Channel 100




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7423.5	52.75	36.75	-38.39	51.11	74.00	22.89	Vertical
2	11000	48.64	40.10	-34.91	53.83	74.00	20.17	Vertical
3	16500	48.18	39.30	-29.41	58.07	68.20	10.13	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 204 of 471

802.11n20_Channel 116




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7475	51.87	36.85	-38.39	50.33	74.00	23.67	Horizont
2	11160	49.01	40.20	-35.61	53.60	74.00	20.40	Horizont
3	16740	46.16	39.48	-32.04	53.60	68.20	14.60	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 205 of 471

802.11n20_Channel 116




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7432.5	51.88	36.77	-38.34	50.31	74.00	23.69	Vertical
2	11160	49.26	40.20	-35.61	53.85	74.00	20.15	Vertical
3	16740	47.01	39.48	-32.04	54.45	68.20	13.75	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 206 of 471

802.11n20_Channel 140




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7378	52.48	36.61	-38.59	50.50	74.00	23.50	Horizont
2	11400	49.09	40.30	-35.16	54.23	74.00	19.77	Horizont
3	17100	47.07	42.10	-34.87	54.30	68.20	13.90	Horizont
4	11400	39.52	40.30	-35.16	44.66	54.00	9.34	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 207 of 471

802.11n20_Channel 140




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7513.5	53.74	36.77	-38.51	52.00	74.00	22.00	Vertical
2	11400	48.26	40.30	-35.16	53.40	74.00	20.60	Vertical
3	17100	47.80	42.10	-34.87	55.03	68.20	13.17	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 208 of 471

802.11n20_Channel 149




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7377.5	52.57	36.61	-38.59	50.59	74.00	23.41	Horizont
2	11490	47.43	40.21	-35.41	52.23	74.00	21.77	Horizont
3	17235	47.36	42.78	-36.19	53.95	68.20	14.25	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 209 of 471

802.11n20_Channel 149




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7420	52.20	36.74	-38.41	50.53	74.00	23.47	Vertical
2	11490	47.44	40.21	-35.41	52.24	74.00	21.76	Vertical
3	17235	46.65	42.78	-36.19	53.24	68.20	14.96	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 210 of 471

802.11n20_Channel 157




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7431	51.87	36.76	-38.35	50.28	74.00	23.72	Horizont
2	11570	47.43	40.27	-35.25	52.45	74.00	21.55	Horizont
3	17355	45.86	43.96	-37.34	52.48	68.20	15.72	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 211 of 471

802.11n20_Channel 157




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7452	52.33	36.80	-38.26	50.87	74.00	23.13	Vertical
2	11570	48.14	40.27	-35.25	53.16	74.00	20.84	Vertical
3	17355	46.74	43.96	-37.34	53.36	68.20	14.84	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 212 of 471

802.11n20_Channel 165




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7419	52.53	36.74	-38.42	50.85	74.00	23.15	Horizont
2	11650	47.37	40.10	-35.79	51.68	74.00	22.32	Horizont
3	17475	44.65	44.73	-37.12	52.26	68.20	15.94	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 213 of 471

802.11n20_Channel 165




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7424.5	53.08	36.75	-38.39	51.44	74.00	22.56	Vertical
2	11650	48.68	40.10	-35.79	52.99	74.00	21.01	Vertical
3	17475	43.89	44.73	-37.12	51.50	68.20	16.70	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 214 of 471

802.11n40_Channel 38



Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6920	59.99	35.36	-39.68	55.67	68.20	12.53	Horizont
2	10380	48.58	39.18	-35.44	52.32	68.20	15.88	Horizont
3	15570	45.59	38.62	-29.33	54.88	74.00	19.12	Horizont
4	15570	36.11	38.62	-29.33	45.40	54.00	8.60	Horizont




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304

Rev.: 01

Page: 215 of 471

802.11n40_Channel 38



Data List


NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6920	57.87	35.36	-39.68	53.55	68.20	14.65	Vertical
2	10380	48.60	39.18	-35.44	52.34	68.20	15.86	Vertical
3	15570	45.09	38.62	-29.33	54.38	74.00	19.62	Vertical
4	15570	35.52	38.62	-29.33	44.81	54.00	9.19	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 216 of 471

802.11n40_Channel 46



Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6973.5	55.43	35.44	-39.33	51.54	68.20	16.66	Horizont
2	10460	46.98	39.02	-35.57	50.43	68.20	17.77	Horizont
3	15690	46.02	38.50	-28.66	55.86	74.00	18.14	Horizont
4	15690	36.23	38.50	-28.66	46.07	54.00	7.93	Horizont




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304

Rev.: 01

Page: 217 of 471

802.11n40_Channel 46



Data List


NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6973.5	56.25	35.44	-39.33	52.36	68.20	15.84	Vertical
2	10460	48.42	39.02	-35.57	51.87	68.20	16.33	Vertical
3	15690	44.78	38.50	-28.66	54.62	74.00	19.38	Vertical
4	15690	35.64	38.50	-28.66	45.48	54.00	8.52	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 218 of 471

802.11n40_Channel 54




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7026.5	55.63	35.92	-39.15	52.40	68.20	15.80	Horizont
2	10540	49.17	39.06	-35.49	52.74	68.20	15.46	Horizont
3	15810	45.30	38.06	-30.40	52.96	74.00	21.04	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 219 of 471

802.11n40_Channel 54




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7026.5	56.81	35.92	-39.15	53.58	68.20	14.62	Vertical
2	10540	48.77	39.06	-35.49	52.34	68.20	15.86	Vertical
3	15810	46.45	38.06	-30.40	54.11	74.00	19.89	Vertical
4	15810	36.65	38.06	-30.40	44.31	54.00	9.69	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 220 of 471

802.11n40_Channel 62




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7080	55.95	36.02	-39.26	52.71	68.20	15.49	Horizont
2	10620	48.70	39.34	-35.42	52.62	74.00	21.38	Horizont
3	15930	46.10	37.76	-29.35	54.51	74.00	19.49	Horizont
4	15930	36.81	37.76	-29.35	45.22	54.00	8.78	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 221 of 471

802.11n40_Channel 62




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7080	54.30	36.02	-39.26	51.06	68.20	17.14	Vertical
2	10620	48.79	39.34	-35.42	52.71	74.00	21.29	Vertical
3	15930	45.51	37.76	-29.35	53.92	74.00	20.08	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 222 of 471

802.11n40_Channel 102




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7453.5	52.06	36.81	-38.27	50.60	74.00	23.40	Horizont
2	11020	48.64	40.12	-35.13	53.63	74.00	20.37	Horizont
3	16530	47.04	39.36	-29.72	56.68	68.20	11.52	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 223 of 471

802.11n40_Channel 102




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7419.5	52.04	36.74	-38.41	50.37	74.00	23.63	Vertical
2	11020	48.15	40.12	-35.13	53.14	74.00	20.86	Vertical
3	16530	47.03	39.36	-29.72	56.67	68.20	11.53	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 224 of 471

802.11n40_Channel 110




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7437	53.01	36.77	-38.32	51.46	74.00	22.54	Horizont
2	11100	49.66	40.20	-35.55	54.31	74.00	19.69	Horizont
3	16650	46.80	39.45	-31.98	54.27	68.20	13.93	Horizont
4	11100	40.61	40.20	-35.55	45.26	54.00	8.74	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 225 of 471

802.11n40_Channel 110




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7434	52.57	36.77	-38.34	51.00	74.00	23.00	Vertical
2	11100	50.11	40.20	-35.55	54.76	74.00	19.24	Vertical
3	16650	46.94	39.45	-31.98	54.41	68.20	13.79	Vertical
4	11100	40.33	40.20	-35.55	44.98	54.00	9.02	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 226 of 471

802.11n40_Channel 134




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7465.5	52.27	36.83	-38.34	50.76	74.00	23.24	Horizont
2	11340	49.76	40.18	-35.58	54.36	74.00	19.64	Horizont
3	17010	44.93	41.38	-33.72	52.59	68.20	15.61	Horizont
4	11340	40.90	40.18	-35.58	45.50	54.00	8.50	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 227 of 471

802.11n40_Channel 134




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7378.5	53.04	36.61	-38.58	51.07	74.00	22.93	Vertical
2	11340	49.27	40.18	-35.58	53.87	74.00	20.13	Vertical
3	17010	45.43	41.38	-33.72	53.09	68.20	15.11	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 228 of 471

802.11n40_Channel 151




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7396.5	52.62	36.69	-38.53	50.78	74.00	23.22	Horizont
2	11510	48.80	40.21	-35.42	53.59	74.00	20.41	Horizont
3	17265	47.09	43.02	-36.91	53.20	68.20	15.00	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 229 of 471

802.11n40_Channel 151




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7549.5	53.02	36.41	-38.47	50.96	74.00	23.04	Vertical
2	11510	48.53	40.21	-35.42	53.32	74.00	20.68	Vertical
3	17265	47.92	43.02	-36.91	54.03	68.20	14.17	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 230 of 471

802.11n40_Channel 159




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7409	52.33	36.72	-38.47	50.58	74.00	23.42	Horizont
2	11590	48.20	40.29	-35.04	53.45	74.00	20.55	Horizont
3	17385	47.13	44.32	-37.39	54.06	68.20	14.14	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 231 of 471

802.11n40_Channel 159




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7457	52.06	36.81	-38.29	50.58	74.00	23.42	Vertical
2	11590	47.72	40.29	-35.04	52.97	74.00	21.03	Vertical
3	17385	46.71	44.32	-37.39	53.64	68.20	14.56	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 232 of 471

802.11ac80_Channel 42




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6946.5	57.97	35.31	-39.57	53.71	68.20	14.49	Horizont
2	10420	48.13	39.14	-35.46	51.81	68.20	16.39	Horizont
3	15630	46.17	38.50	-29.88	54.79	74.00	19.21	Horizont
4	15630	36.12	38.50	-29.88	44.74	54.00	9.26	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 233 of 471

802.11ac80_Channel 42




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6946.5	57.49	35.31	-39.57	53.23	68.20	14.97	Vertical
2	10420	47.45	39.14	-35.46	51.13	68.20	17.07	Vertical
3	15630	45.27	38.50	-29.88	53.89	74.00	20.11	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 234 of 471

802.11ac80_Channel 58




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7053.5	56.03	36.18	-39.22	52.99	68.20	15.21	Horizont
2	10580	48.84	39.22	-35.44	52.62	68.20	15.58	Horizont
3	15870	46.17	37.82	-29.39	54.60	74.00	19.40	Horizont
4	15870	36.74	37.82	-29.39	45.17	54.00	8.83	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 235 of 471

802.11ac80_Channel 58




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7053	54.38	36.18	-39.22	51.34	68.20	16.86	Vertical
2	10580	49.16	39.22	-35.44	52.94	68.20	15.26	Vertical
3	15870	47.07	37.82	-29.39	55.50	74.00	18.50	Vertical
4	15870	36.29	37.82	-29.39	44.72	54.00	9.28	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 236 of 471

802.11ac80_Channel 106




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7425.5	51.98	36.75	-38.38	50.35	74.00	23.65	Horizont
2	11060	48.82	40.16	-35.49	53.49	74.00	20.51	Horizont
3	16590	46.98	39.48	-30.71	55.75	68.20	12.45	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 237 of 471

802.11ac80_Channel 106




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7494	51.79	36.89	-38.50	50.18	74.00	23.82	Vertical
2	11060	49.53	40.16	-35.49	54.20	74.00	19.80	Vertical
3	16590	46.12	39.48	-30.71	54.89	68.20	13.31	Vertical
4	11060	39.01	40.16	-35.49	43.68	54.00	10.32	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 238 of 471

802.11ac80_Channel 122




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7467	51.37	36.83	-38.35	49.85	74.00	24.15	Horizont
2	11220	49.18	40.18	-35.76	53.60	74.00	20.40	Horizont
3	16830	46.60	39.78	-32.40	53.98	68.20	14.22	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 239 of 471

802.11ac80_Channel 122




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7409.5	52.33	36.72	-38.47	50.58	74.00	23.42	Vertical
2	11220	48.99	40.18	-35.76	53.41	74.00	20.59	Vertical
3	16830	46.56	39.78	-32.40	53.94	68.20	14.26	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 240 of 471

802.11ac80_Channel 155




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7410	52.37	36.72	-38.47	50.62	74.00	23.38	Horizont
2	11550	48.47	40.25	-35.45	53.27	74.00	20.73	Horizont
3	17325	45.44	43.60	-37.62	51.42	68.20	16.78	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 241 of 471

802.11ac80_Channel 155



Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7441.5	51.63	36.78	-38.30	50.11	74.00	23.89	Vertical
2	11550	47.85	40.25	-35.45	52.65	74.00	21.35	Vertical
3	17325	46.43	43.60	-37.62	52.41	68.20	15.79	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400030304

Rev.: 01

Page: 242 of 471

Restricted bands around fundamental frequency

802.11a_Channel 36




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.3207	36.18	31.75	-13.10	54.83	74.00	19.17	Horizont
2	5148.7444	35.93	31.79	-13.07	54.65	74.00	19.35	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 243 of 471

802.11a_Channel 36




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.5813	22.44	31.76	-13.09	41.11	54.00	12.89	Horizont
2	5149.5848	23.42	31.80	-13.07	42.15	54.00	11.85	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 244 of 471

802.11a_Channel 36




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.4022	36.49	31.77	-13.09	55.17	74.00	18.83	Vertical
2	5147.2036	37.56	31.78	-13.08	56.26	74.00	17.74	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 245 of 471

802.11a_Channel 36




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.2311	22.78	31.75	-13.09	41.44	54.00	12.56	Vertical
2	5149.0945	24.19	31.79	-13.07	42.91	54.00	11.09	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 246 of 471

802.11a_Channel 64




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.4002	37.57	32.20	-12.68	57.09	74.00	16.91	Horizont
2	5354.3772	37.19	32.23	-12.69	56.73	74.00	17.27	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 247 of 471

802.11a_Channel 64




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.4002	25.13	32.20	-12.68	44.65	54.00	9.35	Horizont
2	5357.0785	22.98	32.24	-12.69	42.53	54.00	11.47	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 248 of 471

802.11a_Channel 64




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.9255	39.37	32.21	-12.68	58.90	74.00	15.10	Vertical
2	5353.0265	38.49	32.22	-12.68	58.03	74.00	15.97	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 249 of 471

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.025	26.98	32.20	-12.68	46.50	54.00	7.50	Vertical
2	5355.2026	24.37	32.23	-12.69	43.91	54.00	10.09	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 250 of 471

802.11a_Channel 100




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5455.7379	36.40	32.22	-12.61	56.01	74.00	17.99	Horizont
2	5468.6143	35.33	32.27	-12.58	55.02	68.30	13.28	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 251 of 471

802.11a_Channel 100




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5446.4632	22.31	32.22	-12.63	41.90	54.00	12.10	Horizont
2	5459.5198	22.27	32.24	-12.60	41.91	54.00	12.09	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 252 of 471

802.11a_Channel 100




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.6148	36.84	32.20	-12.62	56.42	74.00	17.58	Vertical
2	5467.3537	36.66	32.27	-12.59	56.34	68.30	11.96	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 253 of 471

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5441.961	22.59	32.25	-12.64	42.20	54.00	11.80	Vertical
2	5459.8799	22.83	32.24	-12.60	42.47	54.00	11.53	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 254 of 471

802.11a_Channel 140




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.2226	39.26	32.50	-12.49	59.27	68.30	9.03	Horizont
2	5727.0985	38.49	32.50	-12.49	58.50	68.30	9.80	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 255 of 471

802.11a_Channel 140




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.1476	41.06	32.50	-12.49	61.07	68.30	7.23	Vertical
2	5727.5488	39.55	32.50	-12.49	59.56	68.30	8.74	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 256 of 471

802.11a_Channel 149




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5645.6828	35.83	32.51	-12.55	55.79	68.30	12.51	Horizont
2	5663.2916	35.59	32.50	-12.54	55.55	78.14	22.59	Horizont
3	5718.7594	42.73	32.50	-12.49	62.74	110.55	47.81	Horizont
4	5724.3622	46.03	32.50	-12.49	66.04	120.85	54.81	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 257 of 471

802.11a_Channel 149




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5643.1216	35.06	32.51	-12.55	55.02	68.30	13.28	Vertical
2	5651.6858	36.52	32.50	-12.56	56.46	69.55	13.09	Vertical
3	5717.7189	42.66	32.50	-12.49	62.67	110.26	47.59	Vertical
4	5722.041	47.57	32.50	-12.49	67.58	115.55	47.97	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 258 of 471

802.11a_Channel 165




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.4902	41.84	32.60	-12.31	62.13	121.18	59.05	Horizont
2	5871.1256	36.44	32.68	-12.22	56.90	106.38	49.48	Horizont
3	5892.7514	36.63	32.77	-12.13	57.27	92.16	34.89	Horizont
4	5941.3682	35.83	32.88	-12.10	56.61	68.30	11.69	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 259 of 471

802.11a_Channel 165




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.8934	41.21	32.61	-12.30	61.52	117.98	56.46	Vertical
2	5865.1826	35.59	32.66	-12.25	56.00	108.05	52.05	Vertical
3	5911.7359	35.63	32.82	-12.10	56.35	78.12	21.77	Vertical
4	5925.7679	36.54	32.85	-12.10	57.29	68.30	11.01	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 260 of 471

802.11n20_Channel 36




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.7214	35.85	31.76	-13.09	54.52	74.00	19.48	Horizont
2	5148.8144	36.30	31.79	-13.07	55.02	74.00	18.98	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 261 of 471

802.11n20_Channel 36




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.0405	22.42	31.75	-13.10	41.07	54.00	12.93	Horizont
2	5149.7249	24.11	31.80	-13.07	42.84	54.00	11.16	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 262 of 471

802.11n20_Channel 36




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5136.6983	36.66	31.72	-13.11	55.27	74.00	18.73	Vertical
2	5148.2541	37.87	31.79	-13.08	56.58	74.00	17.42	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 263 of 471

802.11n20_Channel 36




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.6823	23.36	31.77	-13.09	42.04	54.00	11.96	Vertical
2	5148.8144	24.90	31.79	-13.07	43.62	54.00	10.38	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 264 of 471

802.11n20_Channel 64




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.6758	38.82	32.21	-12.68	58.35	74.00	15.65	Horizont
2	5354.9025	37.25	32.23	-12.69	56.79	74.00	17.21	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 265 of 471

802.11n20_Channel 64




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.025	26.33	32.20	-12.68	45.85	54.00	8.15	Horizont
2	5355.2776	23.94	32.23	-12.69	43.48	54.00	10.52	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 266 of 471

802.11n20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.2011	40.56	32.21	-12.68	60.09	74.00	13.91	Vertical
2	5354.002	38.71	32.22	-12.69	58.24	74.00	15.76	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 267 of 471

802.11n20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.1751	26.99	32.20	-12.68	46.51	54.00	7.49	Vertical
2	5356.7034	23.98	32.24	-12.69	43.53	54.00	10.47	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 268 of 471

802.11n20_Channel 100




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.7049	34.91	32.20	-12.62	54.49	74.00	19.51	Horizont
2	5464.4722	36.06	32.26	-12.59	55.73	68.30	12.57	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 269 of 471

802.11n20_Channel 100




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5446.1031	22.10	32.22	-12.63	41.69	54.00	12.31	Horizont
2	5457.8089	22.12	32.23	-12.60	41.75	54.00	12.25	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 270 of 471

802.11n20_Channel 100




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5451.8659	35.66	32.21	-12.62	55.25	74.00	18.75	Vertical
2	5463.5718	36.41	32.25	-12.59	56.07	68.30	12.23	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 271 of 471

802.11n20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.6718	22.33	32.24	-12.64	41.93	54.00	12.07	Vertical
2	5458.7994	22.47	32.24	-12.60	42.11	54.00	11.89	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 272 of 471

802.11n20_Channel 140




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.2976	43.28	32.50	-12.49	63.29	68.30	5.01	Horizont
2	5728.9745	36.91	32.50	-12.49	56.92	68.30	11.38	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 273 of 471

802.11n20_Channel 140




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.0725	42.65	32.50	-12.49	62.66	68.30	5.64	Vertical
2	5726.9485	38.56	32.50	-12.49	58.57	68.30	9.73	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 274 of 471

802.11n20_Channel 149




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5642.9615	35.41	32.51	-12.55	55.37	68.30	12.93	Horizont
2	5655.6878	35.36	32.50	-12.55	55.31	72.51	17.20	Horizont
3	5707.1536	36.60	32.50	-12.48	56.62	107.30	50.68	Horizont
4	5722.7614	45.13	32.50	-12.49	65.14	117.20	52.06	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 275 of 471

802.11n20_Channel 149




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5646.8034	35.87	32.51	-12.55	55.83	68.30	12.47	Vertical
2	5655.1276	35.43	32.50	-12.55	55.38	72.09	16.71	Vertical
3	5716.038	40.96	32.50	-12.49	60.97	109.79	48.82	Vertical
4	5723.0015	47.96	32.50	-12.49	67.97	117.74	49.77	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 276 of 471

802.11n20_Channel 165




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.068	43.09	32.60	-12.31	63.38	119.86	56.48	Horizont
2	5872.3637	35.78	32.69	-12.22	56.25	106.04	49.79	Horizont
3	5923.2091	35.84	32.85	-12.10	56.59	69.63	13.04	Horizont
4	5930.2251	35.88	32.86	-12.10	56.64	68.30	11.66	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 277 of 471

802.11n20_Channel 165




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.8204	43.59	32.60	-12.31	63.88	120.43	56.55	Vertical
2	5864.027	36.95	32.66	-12.25	57.36	108.37	51.01	Vertical
3	5917.9265	35.21	32.84	-12.10	55.95	73.53	17.58	Vertical
4	5935.2601	35.06	32.87	-12.10	55.83	68.30	12.47	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 278 of 471

802.11n40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.024	43.06	31.79	-13.08	61.77	74.00	12.23	Horizont
2	5360.2301	35.04	32.26	-12.70	54.60	74.00	19.40	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 279 of 471

802.11n40_Channel 38




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.6748	31.09	31.80	-13.07	49.82	54.00	4.18	Horizont
2	5360.8304	23.05	32.26	-12.70	42.61	54.00	11.39	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 280 of 471

802.11n40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.2736	43.91	31.78	-13.08	62.61	74.00	11.39	Vertical
2	5365.6328	34.50	32.29	-12.71	54.08	74.00	19.92	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 281 of 471

802.11n40_Channel 38




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.975	32.04	31.80	-13.07	50.77	54.00	3.23	Vertical
2	5368.3342	23.30	32.31	-12.71	42.90	54.00	11.10	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 282 of 471

802.11n40_Channel 62




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.4712	36.34	31.75	-13.09	55.00	74.00	19.00	Horizont
2	5350.4752	39.95	32.20	-12.68	59.47	74.00	14.53	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 283 of 471

802.11n40_Channel 62




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.8739	23.46	31.79	-13.08	42.17	54.00	11.83	Horizont
2	5350.1751	29.16	32.20	-12.68	48.68	54.00	5.32	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 284 of 471

802.11n40_Channel 62




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.0225	35.87	31.77	-13.08	54.56	74.00	19.44	Vertical
2	5350.9255	40.92	32.21	-12.68	60.45	74.00	13.55	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 285 of 471

802.11n40_Channel 62




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5126.5633	23.85	31.66	-13.14	42.37	54.00	11.63	Vertical
2	5350.025	30.05	32.20	-12.68	49.57	54.00	4.43	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 286 of 471

802.11n40_Channel 102




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5432.2111	35.77	32.31	-12.67	55.41	74.00	18.59	Horizont
2	5469.7874	41.23	32.28	-12.58	60.93	68.30	7.37	Horizont
3	5732.1986	36.13	32.50	-12.49	56.14	68.30	12.16	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 287 of 471

802.11n40_Channel 102




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5415.3952	23.14	32.41	-12.72	42.83	54.00	11.17	Horizont
2	5458.1616	23.58	32.23	-12.60	43.21	54.00	10.79	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 288 of 471

802.11n40_Channel 102




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.1411	36.19	32.21	-12.62	55.78	74.00	18.22	Vertical
2	5468.5418	44.24	32.27	-12.58	63.93	68.30	4.37	Vertical
3	5748.5993	36.53	32.50	-12.50	56.53	68.30	11.77	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 289 of 471

802.11n40_Channel 102




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5418.7169	23.53	32.39	-12.71	43.21	54.00	10.79	Vertical
2	5458.992	25.76	32.24	-12.60	45.40	54.00	8.60	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 290 of 471

802.11n40_Channel 134




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5430.5503	36.11	32.32	-12.67	55.76	74.00	18.24	Horizont
2	5466.4657	35.48	32.27	-12.59	55.16	68.30	13.14	Horizont
3	5729.2921	37.82	32.50	-12.49	57.83	68.30	10.47	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 291 of 471

802.11n40_Channel 134




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5389.4447	23.19	32.44	-12.74	42.89	54.00	11.11	Horizont
2	5437.6088	23.31	32.27	-12.65	42.93	54.00	11.07	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 292 of 471

802.11n40_Channel 134




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5410.4127	36.09	32.44	-12.73	55.80	74.00	18.20	Vertical
2	5469.1646	34.98	32.28	-12.58	54.68	68.30	13.62	Vertical
3	5739.6723	37.96	32.50	-12.50	57.96	68.30	10.34	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 293 of 471

802.11n40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5430.1351	23.41	32.32	-12.68	43.05	54.00	10.95	Vertical
2	5455.2551	23.25	32.22	-12.61	42.86	54.00	11.14	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 294 of 471

802.11n40_Channel 151



Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5640.7704	32.51	32.52	-12.54	52.49	68.30	15.81	Horizont
2	5658.4917	32.49	32.50	-12.55	52.44	74.58	22.14	Horizont
3	5712.3062	46.15	32.50	-12.48	66.17	108.75	42.58	Horizont
4	5724.3372	51.89	32.50	-12.49	71.90	120.79	48.89	Horizont
5	5852.6138	32.47	32.61	-12.30	52.78	116.34	63.56	Horizont
6	5867.7339	32.09	32.67	-12.24	52.52	107.33	54.81	Horizont
7	5911.1431	31.77	32.82	-12.10	52.49	78.55	26.06	Horizont
8	5930.4902	32.16	32.86	-12.10	52.92	68.30	15.38	Horizont


SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304

Rev.: 01

Page: 295 of 471

802.11n40_Channel 151



Data List

NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5631.6658	33.06	32.54	-12.53	53.07	68.30	15.23	Vertical
2	5659.7924	33.37	32.50	-12.54	53.33	75.55	22.22	Vertical
3	5715.2326	51.24	32.50	-12.49	71.25	109.57	38.32	Vertical
4	5722.061	53.88	32.50	-12.49	73.89	115.60	41.71	Vertical
5	5852.1261	32.23	32.61	-12.30	52.54	117.45	64.91	Vertical
6	5866.921	32.38	32.67	-12.24	52.81	107.56	54.75	Vertical
7	5916.0205	32.31	32.83	-12.10	53.04	74.94	21.90	Vertical
8	5940.4077	31.98	32.88	-12.10	52.76	68.30	15.54	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304

Rev.: 01

Page: 296 of 471

802.11n40_Channel 159



Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5644.1846	33.18	32.51	-12.55	53.14	68.30	15.16	Horizont
2	5654.2646	32.53	32.50	-12.55	52.48	71.46	18.98	Horizont
3	5708.4042	32.65	32.50	-12.48	52.67	107.65	54.98	Horizont
4	5722.8739	32.60	32.50	-12.49	52.61	117.45	64.84	Horizont
5	5852.6138	37.86	32.61	-12.30	58.17	116.34	58.17	Horizont
6	5866.1081	35.06	32.66	-12.24	55.48	107.79	52.31	Horizont
7	5917.6463	32.31	32.84	-12.10	53.05	73.74	20.69	Horizont
8	5938.1316	32.33	32.88	-12.10	53.11	68.30	15.19	Horizont




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304

Rev.: 01

Page: 297 of 471

802.11n40_Channel 159




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.9575	33.24	32.52	-12.54	53.22	68.30	15.08	Vertical
2	5662.8814	32.36	32.50	-12.54	52.32	77.83	25.51	Vertical
3	5710.3552	33.32	32.50	-12.48	53.34	108.20	54.86	Vertical
4	5722.7114	32.84	32.50	-12.49	52.85	117.08	64.23	Vertical
5	5851.6383	37.21	32.61	-12.30	57.52	118.56	61.04	Vertical
6	5867.2461	34.35	32.67	-12.24	54.78	107.47	52.69	Vertical
7	5917.3212	32.08	32.83	-12.10	52.81	73.98	21.17	Vertical
8	5940.4077	32.30	32.88	-12.10	53.08	68.30	15.22	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 298 of 471

802.11ac80_Channel 42




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.5708	44.65	31.75	-13.10	63.30	74.00	10.70	Horizont
2	5386.9435	35.73	32.42	-12.74	55.41	74.00	18.59	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 299 of 471

802.11ac80_Channel 42




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.6213	32.30	31.76	-13.09	50.97	54.00	3.03	Horizont
2	5353.0265	23.91	32.22	-12.68	43.45	54.00	10.55	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 300 of 471

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.7744	43.43	31.79	-13.07	62.15	74.00	11.85	Vertical
2	5353.3267	35.84	32.22	-12.69	55.37	74.00	18.63	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 301 of 471

802.11ac80_Channel 42




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.8739	31.24	31.79	-13.08	49.95	54.00	4.05	Vertical
2	5363.2316	23.92	32.28	-12.70	43.50	54.00	10.50	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 302 of 471

802.11ac80_Channel 58




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5129.8649	35.29	31.68	-13.13	53.84	74.00	20.16	Horizont
2	5353.0265	41.92	32.22	-12.68	61.46	74.00	12.54	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 303 of 471

802.11ac80_Channel 58




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.0745	24.22	31.79	-13.07	42.94	54.00	11.06	Horizont
2	5350.1751	30.30	32.20	-12.68	49.82	54.00	4.18	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 304 of 471

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5124.9125	35.34	31.65	-13.15	53.84	74.00	20.16	Vertical
2	5352.5763	40.70	32.22	-12.68	60.24	74.00	13.76	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 305 of 471

802.11ac80_Channel 58




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5139.92	24.04	31.74	-13.10	42.68	54.00	11.32	Vertical
2	5350.3252	30.37	32.20	-12.68	49.89	54.00	4.11	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 306 of 471

802.11ac80_Channel 106




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.2171	40.71	32.22	-12.61	60.32	74.00	13.68	Horizont
2	5465.6353	42.48	32.26	-12.59	62.15	68.30	6.15	Horizont
3	5728.4617	36.52	32.50	-12.49	56.53	68.30	11.77	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 307 of 471

802.11ac80_Channel 106




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.1411	27.87	32.21	-12.62	47.46	54.00	6.54	Horizont
2	5459.6148	29.27	32.24	-12.60	48.91	54.00	5.09	Horizont



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 308 of 471

802.11ac80_Channel 106




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.7464	43.12	32.23	-12.60	62.75	74.00	11.25	Vertical
2	5468.1266	45.10	32.27	-12.58	64.79	68.30	3.51	Vertical
3	5747.3537	37.56	32.50	-12.50	57.56	68.30	10.74	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 309 of 471

802.11ac80_Channel 106




Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.8019	30.02	32.22	-12.61	49.63	54.00	4.37	Vertical
2	5457.954	31.31	32.23	-12.60	50.94	54.00	3.06	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400030304
Rev.: 01
Page: 310 of 471

802.11ac80_Channel 122



Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.4422	35.42	32.20	-12.62	55.00	74.00	19.00	Horizont
2	5462.1061	35.05	32.25	-12.60	54.70	68.30	13.60	Horizont
3	5730.953	36.80	32.50	-12.49	56.81	68.30	11.49	Horizont