




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 71 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 72 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 73 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 74 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506
Rev.: 01
Page: 75 of 262






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506

Rev.: 01


Page: 76 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 77 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506
Rev.: 01
Page: 78 of 262






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506
Rev.: 01
Page: 79 of 262


2.2.6 26dB BW





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 80 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 81 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 82 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 83 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 84 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 85 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 86 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506
Rev.: 01
Page: 87 of 262






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506
Rev.: 01
Page: 88 of 262


2.2.7 OBW





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 89 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 90 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 91 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 92 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 93 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 94 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506
Rev.: 01
Page: 95 of 262






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506
Rev.: 01
Page: 96 of 262


2.2.8 26dB BW





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 97 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 98 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 99 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 100 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 101 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 102 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506
Rev.: 01
Page: 103 of 262






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506
Rev.: 01
Page: 104 of 262


2.2.9 OBW





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 105 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506
Rev.: 01
Page: 106 of 262






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506
Rev.: 01
Page: 107 of 262


2.2.10 26dB BW





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250500040506
Rev.: 01
Page: 108 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506
Rev.: 01
Page: 109 of 262






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506
Rev.: 01
Page: 110 of 262


2.2.11 OBW





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506
Rev.: 01
Page: 111 of 262






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506
Rev.: 01
Page: 112 of 262


2.2.12 26dB BW





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506
Rev.: 01
Page: 113 of 262





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506

Rev.: 01

Page: 114 of 262

3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	5955	SU	/	1.80	1.91	4.87	/	Pass
			6175	SU	/	1.13	1.20	4.18	/	Pass
			6415	SU	/	1.08	1.11	4.11	/	Pass
	802.11ax (HEW40)	MIMO	5965	SU	/	4.14	5.27	7.75	/	Pass
			6165	SU	/	3.66	5.42	7.64	/	Pass
			6405	SU	/	4.49	5.24	7.89	/	Pass
	802.11ax (HEW80)	MIMO	5985	SU	/	7.89	7.98	10.95	/	Pass
			6145	SU	/	7.42	7.07	10.26	/	Pass
			6385	SU	/	7.34	7.40	10.38	/	Pass

3.1.2 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	5955	SU	/	7.61	-1.46	10.68	<=24	Pass
			6175	SU	/	6.94	-2.17	9.99	<=24	Pass
			6415	SU	/	6.89	-2.26	9.92	<=24	Pass
	802.11ax (HEW40)	MIMO	5965	SU	/	9.95	1.90	13.56	<=24	Pass
			6165	SU	/	9.47	2.05	13.45	<=24	Pass
			6405	SU	/	10.30	1.87	13.70	<=24	Pass
	802.11ax (HEW80)	MIMO	5985	SU	/	13.70	4.61	16.76	<=24	Pass
			6145	SU	/	13.23	3.70	16.07	<=24	Pass
			6385	SU	/	13.15	4.03	16.19	<=24	Pass

3.1.3 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6435	SU	/	1.03	1.05	4.05	/	Pass
			6475	SU	/	0.86	0.99	3.94	/	Pass
			6515	SU	/	0.89	0.93	3.92	/	Pass
	802.11ax (HEW40)	MIMO	6445	SU	/	4.50	5.74	8.17	/	Pass
			6485	SU	/	5.18	6.35	8.81	/	Pass
	802.11ax (HEW80)	MIMO	6465	SU	/	7.75	7.94	10.86	/	Pass

3.1.4 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6435	SU	/	4.47	-2.82	7.49	<=24	Pass
			6475	SU	/	4.30	-2.88	7.38	<=24	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506

Rev.: 01

Page: 115 of 262

			6515	SU	/	4.33	-2.94	7.36	<=24	Pass
	802.11ax (HEW40)	MIMO	6445	SU	/	7.94	1.87	11.61	<=24	Pass
			6485	SU	/	8.62	2.48	12.25	<=24	Pass
	802.11ax (HEW80)	MIMO	6465	SU	/	11.19	4.07	14.30	<=24	Pass

3.1.5 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6535	SU	/	0.76	0.83	3.81	/	Pass
			6695	SU	/	0.07	0.17	3.13	/	Pass
			6855	SU	/	1.25	1.40	4.34	/	Pass
	802.11ax (HEW40)	MIMO	6565	SU	/	5.29	6.67	9.04	/	Pass
			6685	SU	/	5.88	6.60	9.27	/	Pass
			6845	SU	/	5.62	6.14	8.90	/	Pass
	802.11ax (HEW80)	MIMO	6625	SU	/	8.43	8.56	11.51	/	Pass
			6705	SU	/	8.07	8.48	11.29	/	Pass
			6785	SU	/	7.55	8.34	10.97	/	Pass

3.1.6 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6535	SU	/	4.00	-3.04	7.05	<=24	Pass
			6695	SU	/	3.31	-3.70	6.37	<=24	Pass
			6855	SU	/	4.49	-2.47	7.58	<=24	Pass
	802.11ax (HEW40)	MIMO	6565	SU	/	8.53	2.80	12.28	<=24	Pass
			6685	SU	/	9.12	2.73	12.51	<=24	Pass
			6845	SU	/	8.86	2.27	12.14	<=24	Pass
	802.11ax (HEW80)	MIMO	6625	SU	/	11.67	4.69	14.75	<=24	Pass
			6705	SU	/	11.31	4.61	14.53	<=24	Pass
			6785	SU	/	10.79	4.47	14.21	<=24	Pass

3.1.7 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6895	SU	/	-2.18	-2.43	0.71	/	Pass
			6995	SU	/	-2.44	-2.84	0.37	/	Pass
			7115	SU	/	-4.65	-4.88	-1.75	/	Pass
	802.11ax (HEW40)	MIMO	6925	SU	/	6.28	6.44	9.37	/	Pass
			7005	SU	/	6.17	6.57	9.38	/	Pass
			7085	SU	/	7.34	6.12	9.78	/	Pass
	802.11ax (HEW80)	MIMO	6945	SU	/	7.39	8.52	11.00	/	Pass
			7025	SU	/	7.47	8.95	11.28	/	Pass

3.1.8 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax	MIMO	6895	SU	/	-2.57	-2.82	0.32	<=24	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506

Rev.: 01

Page: 116 of 262

	(HEW20)		6995	SU	/	-2.83	-3.23	-0.02	<=24	Pass
			7115	SU	/	-5.04	-5.27	-2.14	<=24	Pass
	802.11ax (HEW40)	MIMO	6925	SU	/	5.89	0.90	8.98	<=24	Pass
			7005	SU	/	5.78	1.03	8.99	<=24	Pass
			7085	SU	/	6.95	0.58	9.39	<=24	Pass
	802.11ax (HEW80)	MIMO	6945	SU	/	7.00	2.98	10.61	<=24	Pass
			7025	SU	/	7.08	3.41	10.89	<=24	Pass

3.1.9 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6875	SU	/	-3.13	-3.04	-0.07	/	Pass
	802.11ax (HEW40)	MIMO	6885	SU	/	6.62	7.32	9.99	/	Pass
	802.11ax (HEW80)	MIMO	6865	SU	/	7.60	8.28	10.96	/	Pass

3.1.10 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6875	SU	/	-3.52	-3.43	-0.46	<=24	Pass
	802.11ax (HEW40)	MIMO	6885	SU	/	9.86	3.45	13.23	<=24	Pass
	802.11ax (HEW80)	MIMO	6865	SU	/	10.84	4.41	14.20	<=24	Pass

3.1.11 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW40)	MIMO	6525	SU	/	7.16	6.96	10.07	/	Pass
	802.11ax (HEW80)	MIMO	6545	SU	/	8.28	8.03	11.17	/	Pass

3.1.12 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW40)	MIMO	6525	SU	/	10.60	3.09	13.51	<=24	Pass
	802.11ax (HEW80)	MIMO	6545	SU	/	11.72	4.16	14.61	<=24	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506

Rev.: 01

Page: 117 of 262

4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	5955	SU	/	-12.59	-12.73	-9.98	/	Pass
			6175	SU	/	-13.66	-13.40	-10.74	/	Pass
			6415	SU	/	-13.42	-13.54	-10.64	/	Pass
	802.11ax (HEW40)	MIMO	5965	SU	/	-13.59	-12.12	-9.92	/	Pass
			6165	SU	/	-14.00	-12.23	-10.26	/	Pass
			6405	SU	/	-13.18	-12.38	-9.89	/	Pass
	802.11ax (HEW80)	MIMO	5985	SU	/	-12.57	-12.52	-9.95	/	Pass
			6145	SU	/	-13.48	-13.29	-10.58	/	Pass
			6385	SU	/	-12.84	-12.63	-9.86	/	Pass

4.1.2 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	5955	SU	/	-6.78	-16.10	-1.16	<=-1	Pass
			6175	SU	/	-7.85	-16.77	-1.92	<=-1	Pass
			6415	SU	/	-7.61	-16.91	-1.82	<=-1	Pass
	802.11ax (HEW40)	MIMO	5965	SU	/	-7.78	-15.49	-1.10	<=-1	Pass
			6165	SU	/	-8.19	-15.60	-1.44	<=-1	Pass
			6405	SU	/	-7.37	-15.75	-1.07	<=-1	Pass
	802.11ax (HEW80)	MIMO	5985	SU	/	-6.76	-15.89	-1.13	<=-1	Pass
			6145	SU	/	-7.67	-16.66	-1.76	<=-1	Pass
			6385	SU	/	-7.03	-16.00	-1.04	<=-1	Pass

4.1.3 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6435	SU	/	-13.30	-13.34	-10.59	/	Pass
			6475	SU	/	-13.68	-13.68	-10.94	/	Pass
			6515	SU	/	-13.75	-13.63	-10.88	/	Pass
	802.11ax (HEW40)	MIMO	6445	SU	/	-13.12	-11.68	-9.57	/	Pass
			6485	SU	/	-12.33	-11.10	-8.95	/	Pass
	802.11ax (HEW80)	MIMO	6465	SU	/	-12.54	-12.08	-9.46	/	Pass

4.1.4 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6435	SU	/	-9.86	-17.21	-4.14	<=-1	Pass
			6475	SU	/	-10.24	-17.55	-4.49	<=-1	Pass
			6515	SU	/	-10.31	-17.50	-4.43	<=-1	Pass
	802.11ax (HEW40)	MIMO	6445	SU	/	-9.68	-15.55	-3.12	<=-1	Pass
			6485	SU	/	-8.89	-14.97	-2.50	<=-1	Pass
	802.11ax	MIMO	6465	SU	/	-9.10	-15.95	-3.01	<=-1	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506

Rev.: 01

Page: 118 of 262

	(HEW80)									
--	---------	--	--	--	--	--	--	--	--	--

4.1.5 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6535	SU	/	-13.83	-13.65	-10.99	/	Pass
			6695	SU	/	-14.39	-14.33	-11.47	/	Pass
			6855	SU	/	-13.15	-12.87	-10.21	/	Pass
	802.11ax (HEW40)	MIMO	6565	SU	/	-12.07	-10.53	-8.50	/	Pass
			6685	SU	/	-11.41	-10.93	-8.33	/	Pass
			6845	SU	/	-11.77	-11.14	-8.70	/	Pass
	802.11ax (HEW80)	MIMO	6625	SU	/	-12.11	-11.89	-9.39	/	Pass
			6705	SU	/	-12.14	-11.73	-9.14	/	Pass
			6785	SU	/	-12.77	-11.89	-9.36	/	Pass

4.1.6 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6535	SU	/	-10.59	-17.52	-4.74	<=-1	Pass
			6695	SU	/	-11.15	-18.20	-5.22	<=-1	Pass
			6855	SU	/	-9.91	-16.74	-3.96	<=-1	Pass
	802.11ax (HEW40)	MIMO	6565	SU	/	-8.83	-14.40	-2.25	<=-1	Pass
			6685	SU	/	-8.17	-14.80	-2.08	<=-1	Pass
			6845	SU	/	-8.53	-15.01	-2.45	<=-1	Pass
	802.11ax (HEW80)	MIMO	6625	SU	/	-8.87	-15.76	-3.14	<=-1	Pass
			6705	SU	/	-8.90	-15.60	-2.89	<=-1	Pass
			6785	SU	/	-9.53	-15.76	-3.11	<=-1	Pass

4.1.7 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6895	SU	/	-12.88	-12.74	-10.13	/	Pass
			6995	SU	/	-13.64	-13.34	-10.66	/	Pass
			7115	SU	/	-8.62	-5.65	-4.03	/	Pass
	802.11ax (HEW40)	MIMO	6925	SU	/	-10.83	-10.88	-7.96	/	Pass
			7005	SU	/	-11.35	-10.84	-8.29	/	Pass
			7085	SU	/	-10.11	-11.50	-7.86	/	Pass
	802.11ax (HEW80)	MIMO	6945	SU	/	-12.88	-11.88	-9.59	/	Pass
			7025	SU	/	-12.74	-11.47	-9.31	/	Pass

4.1.8 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6895	SU	/	-13.27	-18.28	-7.51	<=-1	Pass
			6995	SU	/	-14.03	-18.88	-8.04	<=-1	Pass
			7115	SU	/	-9.01	-11.19	-1.41	<=-1	Pass
	802.11ax (HEW40)	MIMO	6925	SU	/	-11.22	-16.42	-5.34	<=-1	Pass
			7005	SU	/	-11.74	-16.38	-5.67	<=-1	Pass
			7085	SU	/	-10.50	-17.04	-5.24	<=-1	Pass
	802.11ax	MIMO	6945	SU	/	-13.27	-17.42	-6.97	<=-1	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250500040506

Rev.: 01

Page: 119 of 262

	(HEW80)		7025	SU	/	-13.13	-17.01	-6.69	<=-1	Pass
--	---------	--	------	----	---	--------	--------	-------	------	------

4.1.9 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6875	SU	/	-9.88	-10.46	-7.51	/	Pass
	802.11ax (HEW40)	MIMO	6885	SU	/	-10.62	-10.04	-7.64	/	Pass
	802.11ax (HEW80)	MIMO	6865	SU	/	-12.72	-11.86	-9.26	/	Pass

4.1.10 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6875	SU	/	-6.64	-14.33	-1.26	<=-1	Pass
	802.11ax (HEW40)	MIMO	6885	SU	/	-7.38	-13.91	-1.39	<=-1	Pass
	802.11ax (HEW80)	MIMO	6865	SU	/	-9.48	-15.73	-3.01	<=-1	Pass

4.1.11 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW40)	MIMO	6525	SU	/	-10.19	-10.41	-7.64	/	Pass
	802.11ax (HEW80)	MIMO	6545	SU	/	-12.10	-12.40	-9.46	/	Pass

4.1.12 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW40)	MIMO	6525	SU	/	-6.75	-14.28	-1.19	<=-1	Pass
	802.11ax (HEW80)	MIMO	6545	SU	/	-8.66	-16.27	-3.01	<=-1	Pass