



802.11a ANT 2_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.25	38.65	33.58	-15.24	56.99	68.30	11.31	Horizontal
2	5670.825	38.65	33.68	-15.18	57.15	83.75	26.60	Horizontal
3	5709.5	45.64	33.81	-15.07	64.39	107.96	43.57	Horizontal
4	5724.125	51.34	33.86	-14.97	70.24	120.31	50.07	Horizontal

802.11a ANT 2_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.575	39.14	33.58	-15.24	57.49	68.30	10.81	Vertical
2	5678.625	38.56	33.71	-15.17	57.10	89.52	32.42	Vertical
3	5714.375	42.64	33.83	-15.03	61.44	109.33	47.89	Vertical
4	5723.475	46.95	33.86	-14.97	65.84	118.82	52.98	Vertical

802.11a ANT 2_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.2	45.08	34.29	-14.49	64.88	119.56	54.68	Horizontal
2	5866.475	39.43	34.35	-14.50	59.27	107.68	48.41	Horizontal
3	5896.7	38.90	34.45	-14.53	58.82	89.20	30.38	Horizontal
4	5936.025	40.25	34.58	-14.54	60.29	68.30	8.01	Horizontal

802.11a ANT 2_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.225	41.64	34.29	-14.49	61.44	121.79	60.35	Vertical
2	5863.55	40.03	34.34	-14.50	59.87	108.50	48.63	Vertical
3	5911.65	38.50	34.50	-14.53	58.47	78.15	19.68	Vertical
4	5933.1	40.85	34.57	-14.54	60.88	68.30	7.42	Vertical

802.11n20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.16	29.81	33.17	-16.08	46.90	54.00	7.10	Horizontal
2	5149.7	32.75	33.17	-16.07	49.85	54.00	4.15	Horizontal

802.11n20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5135.98	49.10	33.17	-16.09	66.18	74.00	7.82	Horizontal
2	5147.18	52.96	33.17	-16.07	70.06	74.00	3.94	Horizontal

802.11n20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5139.34	42.13	33.17	-16.08	59.22	74.00	14.78	Vertical
2	5149.7	47.90	33.17	-16.07	65.00	74.00	9.00	Vertical

802.11n20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.72	29.72	33.17	-16.08	46.81	54.00	7.19	Vertical
2	5149.84	32.70	33.17	-16.07	49.80	54.00	4.20	Vertical

802.11n20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.3	31.35	33.13	-15.80	48.68	54.00	5.32	Horizontal
2	5358.1	30.32	33.13	-15.80	47.65	54.00	6.35	Horizontal

802.11n20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.7	53.17	33.13	-15.80	70.50	74.00	3.50	Horizontal
2	5355.1	51.59	33.13	-15.80	68.92	74.00	5.08	Horizontal

802.11n20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.7	45.65	33.13	-15.80	62.98	74.00	11.02	Vertical
2	5356.7	43.90	33.13	-15.80	61.23	74.00	12.77	Vertical

802.11n20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.3	31.40	33.13	-15.80	48.73	54.00	5.27	Vertical
2	5358.9	29.48	33.13	-15.80	46.81	54.00	7.19	Vertical

802.11n20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.88	41.50	33.11	-15.51	59.10	74.00	14.90	Horizontal
2	5467.23	46.84	33.11	-15.44	64.51	68.30	3.79	Horizontal

802.11n20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5428.28	28.57	33.11	-15.66	46.03	54.00	7.97	Horizontal
2	5458.68	29.17	33.11	-15.49	46.79	54.00	7.21	Horizontal

802.11n20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5448.23	39.17	33.11	-15.55	56.74	74.00	17.26	Vertical
2	5468.18	38.95	33.11	-15.43	56.62	68.30	11.68	Vertical

802.11n20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5435.5	27.90	33.11	-15.62	45.40	54.00	8.60	Vertical
2	5457.92	27.55	33.11	-15.49	45.17	54.00	8.83	Vertical

802.11n20 MIMO_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.1	45.83	33.87	-14.96	64.74	68.30	3.56	Horizontal
2	5729.9	45.09	33.88	-14.93	64.04	68.30	4.26	Horizontal

802.11n20 MIMO_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.1	39.75	33.87	-14.96	58.66	68.30	9.64	Vertical
2	5745.8	40.87	33.94	-14.82	59.99	68.30	8.31	Vertical

802.11n20 MIMO_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5643.2	39.04	33.59	-15.23	57.39	68.30	10.91	Horizontal
2	5680.575	39.34	33.71	-15.16	57.89	90.96	33.07	Horizontal
3	5712.425	52.34	33.82	-15.05	71.12	108.78	37.66	Horizontal
4	5722.825	57.71	33.86	-14.97	76.59	117.34	40.75	Horizontal

802.11n20 MIMO_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.95	38.33	33.58	-15.24	56.67	68.30	11.63	Vertical
2	5673.425	38.48	33.69	-15.18	56.99	85.68	28.69	Vertical
3	5714.7	46.92	33.83	-15.03	65.72	109.42	43.70	Vertical
4	5723.475	52.06	33.86	-14.97	70.95	118.82	47.87	Vertical

802.11n20 MIMO_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.85	50.57	34.30	-14.49	70.37	118.08	47.71	Horizontal
2	5866.8	41.99	34.35	-14.50	61.83	107.59	45.76	Horizontal
3	5906.775	39.21	34.48	-14.53	59.16	81.75	22.59	Horizontal
4	5940.9	40.25	34.60	-14.54	60.31	68.30	7.99	Horizontal

802.11n20 MIMO_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.2	45.00	34.29	-14.49	64.80	119.56	54.76	Vertical
2	5865.175	39.32	34.34	-14.50	59.16	108.05	48.89	Vertical
3	5902.875	38.81	34.47	-14.53	58.75	84.63	25.88	Vertical
4	5933.75	39.35	34.57	-14.54	59.38	68.30	8.92	Vertical

802.11n40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.5	33.39	33.17	-16.07	50.49	54.00	3.51	Horizontal
2	5352.3	28.94	33.13	-15.80	46.27	54.00	7.73	Horizontal

802.11n40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.5	52.43	33.17	-16.07	69.53	74.00	4.47	Horizontal
2	5357.7	41.07	33.13	-15.80	58.40	74.00	15.60	Horizontal

802.11n40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.5	44.75	33.17	-16.07	61.85	74.00	12.15	Vertical
2	5353.2	40.57	33.13	-15.80	57.90	74.00	16.10	Vertical

802.11n40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.3	28.82	33.17	-16.07	45.92	54.00	8.08	Vertical
2	5351.7	28.41	33.13	-15.80	45.74	54.00	8.26	Vertical

802.11n40 MIMO_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.9	38.48	33.17	-16.07	55.58	74.00	18.42	Horizontal
2	5351.7	53.13	33.13	-15.80	70.46	74.00	3.54	Horizontal

802.11n40 MIMO_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.5	27.29	33.17	-16.07	44.39	54.00	9.61	Horizontal
2	5350.5	31.86	33.13	-15.80	49.19	54.00	4.81	Horizontal

802.11n40 MIMO_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.1	38.92	33.17	-16.07	56.02	74.00	17.98	Vertical
2	5352.6	41.54	33.13	-15.80	58.87	74.00	15.13	Vertical

802.11n40 MIMO_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.9	27.16	33.17	-16.08	44.25	54.00	9.75	Vertical
2	5350.2	28.70	33.13	-15.80	46.03	54.00	7.97	Vertical

802.11n40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.45	40.63	33.11	-15.56	58.18	74.00	15.82	Horizontal
2	5467.86	46.85	33.11	-15.43	64.52	68.30	3.78	Horizontal
3	5745.91	39.12	33.94	-14.82	58.24	68.30	10.06	Horizontal

802.11n40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5428.85	28.97	33.11	-15.66	46.43	54.00	7.57	Horizontal
2	5458.315	29.49	33.11	-15.49	47.11	54.00	6.89	Horizontal

802.11n40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.335	39.48	33.11	-15.52	57.07	74.00	16.93	Vertical
2	5463.71	39.06	33.11	-15.46	56.71	68.30	11.59	Vertical
3	5741.76	38.93	33.92	-14.85	58.01	68.30	10.29	Vertical

802.11n40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5424.285	27.85	33.12	-15.68	45.28	54.00	8.72	Vertical
2	5453.75	27.79	33.11	-15.51	45.39	54.00	8.61	Vertical

802.11n40 MIMO_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.375	39.92	33.11	-15.57	57.46	74.00	16.54	Horizontal
2	5467.445	39.71	33.11	-15.44	57.38	68.30	10.92	Horizontal
3	5727.65	46.17	33.87	-14.94	65.10	68.30	3.20	Horizontal

802.11n40 MIMO_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.375	27.66	33.11	-15.57	45.20	54.00	8.80	Horizontal
2	5456.24	27.59	33.11	-15.50	45.20	54.00	8.80	Horizontal

802.11n40 MIMO_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5448.355	39.00	33.11	-15.54	56.57	74.00	17.43	Vertical
2	5465.785	38.96	33.11	-15.45	56.62	68.30	11.68	Vertical
3	5727.235	38.68	33.87	-14.94	57.61	68.30	10.69	Vertical

802.11n40 MIMO_Channel 134



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5400.215	27.85	33.12	-15.82	45.15	54.00	8.85	Vertical
2	5453.75	27.71	33.11	-15.51	45.31	54.00	8.69	Vertical


802.11n40 MIMO_Channel 151



Final Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5644.825	46.12	33.59	-15.23	64.48	68.30	3.82	Horizontal
2	5674.4	48.14	33.69	-15.18	66.66	86.40	19.74	Horizontal
3	5711.125	60.04	33.82	-15.05	78.80	108.42	29.62	Horizontal
4	5723.15	65.20	33.86	-14.97	84.09	118.08	33.99	Horizontal
5	5851.85	43.20	34.30	-14.49	63.00	118.08	55.08	Horizontal
6	5866.475	41.40	34.35	-14.50	61.24	107.68	46.44	Horizontal
7	5907.425	39.14	34.49	-14.53	59.09	81.27	22.18	Horizontal
8	5938.95	39.74	34.59	-14.54	59.79	68.30	8.51	Horizontal

802.11n40 MIMO_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.625	37.87	33.57	-15.24	56.21	68.30	12.09	Vertical
2	5668.225	40.62	33.67	-15.19	59.10	81.82	22.72	Vertical
3	5707.875	48.48	33.81	-15.08	67.21	107.51	40.30	Vertical
4	5722.825	58.33	33.86	-14.97	77.21	117.34	40.13	Vertical
5	5850.55	39.26	34.29	-14.49	59.06	121.05	61.99	Vertical
6	5866.15	38.58	34.34	-14.50	58.42	107.78	49.36	Vertical
7	5907.425	39.35	34.49	-14.53	59.30	81.27	21.97	Vertical
8	5935.7	38.55	34.58	-14.54	58.59	68.30	9.71	Vertical


802.11n40 MIMO_Channel 159



Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.95	38.87	33.58	-15.24	57.21	68.30	11.09	Horizontal
2	5677.975	41.93	33.71	-15.17	60.47	89.04	28.57	Horizontal
3	5711.125	49.86	33.82	-15.05	68.62	108.42	39.80	Horizontal
4	5724.775	44.75	33.86	-14.96	63.65	121.79	58.14	Horizontal
5	5850.55	58.14	34.29	-14.49	77.94	121.05	43.11	Horizontal
6	5867.775	44.91	34.35	-14.50	64.76	107.32	42.56	Horizontal
7	5893.775	41.09	34.44	-14.53	61.00	91.37	30.37	Horizontal
8	5937.65	38.53	34.59	-14.54	58.58	68.30	9.72	Horizontal


802.11n40 MIMO_Channel 159



Final Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.9	38.05	33.58	-15.23	56.40	68.30	11.90	Vertical
2	5683.175	39.35	33.72	-15.16	57.91	92.89	34.98	Vertical
3	5711.775	43.60	33.82	-15.05	62.37	108.60	46.23	Vertical
4	5722.5	40.08	33.86	-14.98	58.96	116.60	57.64	Vertical
5	5851.85	50.39	34.30	-14.49	70.19	118.08	47.89	Vertical
6	5866.475	40.21	34.35	-14.50	60.05	107.68	47.63	Vertical
7	5897.35	39.20	34.45	-14.53	59.12	88.72	29.60	Vertical
8	5935.375	38.82	34.58	-14.54	58.86	68.30	9.44	Vertical

802.11ac80 MIMO_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.8	33.61	33.17	-16.07	50.71	54.00	3.29	Horizontal
2	5351.4	29.31	33.13	-15.80	46.64	54.00	7.36	Horizontal

802.11ac80 MIMO_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.7	50.74	33.17	-16.07	67.84	74.00	6.16	Horizontal
2	5350.2	41.55	33.13	-15.80	58.88	74.00	15.12	Horizontal

802.11ac80 MIMO_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.2	44.59	33.17	-16.07	61.69	74.00	12.31	Vertical
2	5350.5	40.80	33.13	-15.80	58.13	74.00	15.87	Vertical

802.11ac80 MIMO_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.5	30.07	33.17	-16.07	47.17	54.00	6.83	Vertical
2	5358.9	28.48	33.13	-15.80	45.81	54.00	8.19	Vertical

802.11ac80 MIMO_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.6	27.66	33.17	-16.07	44.76	54.00	9.24	Horizontal
2	5350.8	32.04	33.13	-15.80	49.37	54.00	4.63	Horizontal

802.11ac80 MIMO_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.1	40.30	33.17	-16.07	57.40	74.00	16.60	Horizontal
2	5350.8	53.48	33.13	-15.80	70.81	74.00	3.19	Horizontal

802.11ac80 MIMO_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.5	39.27	33.17	-16.07	56.37	74.00	17.63	Vertical
2	5356.5	43.53	33.13	-15.80	60.86	74.00	13.14	Vertical

802.11ac80 MIMO_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145	27.28	33.17	-16.07	44.38	54.00	9.62	Vertical
2	5352	30.89	33.13	-15.80	48.22	54.00	5.78	Vertical

802.11ac80 MIMO_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5456.24	49.45	33.11	-15.50	67.06	74.00	6.94	Horizontal
2	5469.105	47.23	33.11	-15.43	64.91	68.30	3.39	Horizontal
3	5730.14	40.44	33.88	-14.93	59.40	68.30	8.90	Horizontal

802.11ac80 MIMO_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5459.56	32.77	33.11	-15.48	50.40	54.00	3.60	Horizontal

802.11ac80 MIMO_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5437.565	39.96	33.11	-15.61	57.47	74.00	16.53	Vertical
2	5465.785	42.19	33.11	-15.45	59.85	68.30	8.45	Vertical
3	5738.025	39.07	33.91	-14.87	58.11	68.30	10.19	Vertical

802.11ac80 MIMO_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.485	28.52	33.11	-15.49	46.14	54.00	7.86	Vertical

802.11ac80 MIMO_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5435.075	42.02	33.11	-15.62	59.51	74.00	14.49	Horizontal
2	5463.71	45.64	33.11	-15.46	63.29	68.30	5.01	Horizontal
3	5746.74	45.57	33.94	-14.81	64.70	68.30	3.60	Horizontal

802.11ac80 MIMO_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5455.825	30.69	33.11	-15.50	48.30	54.00	5.70	Horizontal

802.11ac80 MIMO_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.505	40.03	33.11	-15.52	57.62	74.00	16.38	Vertical
2	5468.69	38.82	33.11	-15.43	56.50	68.30	11.80	Vertical
3	5726.82	39.83	33.87	-14.95	58.75	68.30	9.55	Vertical

802.11ac80 MIMO_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5442.96	27.96	33.11	-15.58	45.50	54.00	8.50	Vertical

802.11ac80 MIMO_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5635.075	44.93	33.56	-15.25	63.24	68.30	5.06	Horizontal
2	5677.975	48.37	33.71	-15.17	66.91	89.04	22.13	Horizontal
3	5710.475	53.94	33.82	-15.06	72.70	108.24	35.54	Horizontal
4	5723.8	55.91	33.86	-14.97	74.80	119.56	44.76	Horizontal
5	5851.525	51.58	34.30	-14.49	71.38	118.82	47.44	Horizontal
6	5866.15	45.83	34.34	-14.50	65.67	107.78	42.11	Horizontal
7	5899.625	42.51	34.46	-14.53	62.44	87.04	24.60	Horizontal
8	5947.725	44.25	34.62	-14.54	64.33	68.30	3.97	Horizontal


802.11ac80 MIMO_Channel 155



Final Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5634.425	40.52	33.56	-15.25	58.83	68.30	9.47	Vertical
2	5685.45	43.22	33.73	-15.16	61.79	94.57	32.78	Vertical
3	5711.125	47.25	33.82	-15.05	66.01	108.42	42.41	Vertical
4	5723.475	50.27	33.86	-14.97	69.16	118.82	49.66	Vertical
5	5852.175	45.14	34.30	-14.49	64.95	117.34	52.39	Vertical
6	5863.875	42.30	34.34	-14.50	62.14	108.41	46.27	Vertical
7	5902.875	39.33	34.47	-14.53	59.27	84.63	25.36	Vertical
8	5944.8	39.81	34.61	-14.54	59.88	68.30	8.42	Vertical

802.11ax20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.76	52.49	33.17	-16.07	69.59	74.00	4.41	Horizontal
2	5149.7	53.78	33.17	-16.07	70.88	74.00	3.12	Horizontal

802.11ax20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.52	29.96	33.17	-16.07	47.06	54.00	6.94	Horizontal
2	5149.42	31.72	33.17	-16.07	48.82	54.00	5.18	Horizontal

802.11ax20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.12	47.85	33.17	-16.08	64.94	74.00	9.06	Vertical
2	5149.84	48.10	33.17	-16.07	65.20	74.00	8.80	Vertical

802.11ax20 MIMO_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.54	30.46	33.17	-16.08	47.56	54.00	6.44	Vertical
2	5149.84	32.67	33.17	-16.07	49.77	54.00	4.23	Vertical

802.11ax20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.1	32.35	33.13	-15.80	49.68	54.00	4.32	Horizontal

802.11ax20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.6	53.60	33.13	-15.80	70.93	74.00	3.07	Horizontal
2	5355.9	50.84	33.13	-15.80	68.17	74.00	5.83	Horizontal

802.11ax20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.5	44.96	33.13	-15.80	62.29	74.00	11.71	Vertical
2	5353.5	42.72	33.13	-15.80	60.05	74.00	13.95	Vertical

802.11ax20 MIMO_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.3	29.61	33.13	-15.80	46.94	54.00	7.06	Vertical
2	5355.8	28.57	33.13	-15.80	45.90	54.00	8.10	Vertical

802.11ax20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5451.27	43.00	33.11	-15.53	60.58	74.00	13.42	Horizontal
2	5466.85	47.53	33.11	-15.44	65.20	68.30	3.10	Horizontal

802.11ax20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.19	28.59	33.11	-15.56	46.14	54.00	7.86	Horizontal
2	5459.63	29.24	33.11	-15.48	46.87	54.00	7.13	Horizontal

802.11ax20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5447.85	39.57	33.11	-15.55	57.13	74.00	16.87	Vertical
2	5465.9	42.00	33.11	-15.44	59.66	68.30	8.64	Vertical

802.11ax20 MIMO_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5433.03	27.80	33.11	-15.63	45.28	54.00	8.72	Vertical
2	5458.49	27.73	33.11	-15.49	45.35	54.00	8.65	Vertical

802.11ax20 MIMO_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.75	46.19	33.87	-14.95	65.11	68.30	3.19	Horizontal
2	5728.55	45.75	33.88	-14.94	64.69	68.30	3.61	Horizontal

802.11ax20 MIMO_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.45	41.17	33.87	-14.95	60.09	68.30	8.21	Vertical
2	5738.6	39.74	33.91	-14.87	58.78	68.30	9.52	Vertical

802.11ax20 MIMO_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5634.75	38.38	33.56	-15.25	56.69	68.30	11.61	Horizontal
2	5674.075	40.75	33.69	-15.18	59.27	86.16	26.89	Horizontal
3	5712.425	53.77	33.82	-15.05	72.55	108.78	36.23	Horizontal
4	5723.15	64.81	33.86	-14.97	83.70	118.08	34.38	Horizontal

802.11ax20 MIMO_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5640.925	39.62	33.58	-15.24	57.96	68.30	10.34	Vertical
2	5682.525	38.98	33.72	-15.16	57.54	92.41	34.87	Vertical
3	5711.125	46.97	33.82	-15.05	65.73	108.42	42.69	Vertical
4	5724.775	54.86	33.86	-14.96	73.76	121.79	48.03	Vertical

802.11ax20 MIMO_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.55	56.16	34.29	-14.49	75.96	121.05	45.09	Horizontal
2	5866.475	44.16	34.35	-14.50	64.00	107.68	43.68	Horizontal
3	5899.3	38.64	34.46	-14.53	58.57	87.28	28.71	Horizontal
4	5945.45	39.94	34.61	-14.54	60.01	68.30	8.29	Horizontal

802.11ax20 MIMO_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5852.175	48.28	34.30	-14.49	68.09	117.34	49.25	Vertical
2	5864.2	41.44	34.34	-14.50	61.28	108.32	47.04	Vertical
3	5895.075	39.15	34.44	-14.53	59.07	90.41	31.34	Vertical
4	5937.325	39.41	34.59	-14.54	59.46	68.30	8.84	Vertical

802.11ax40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.9	53.13	33.17	-16.07	70.23	74.00	3.77	Horizontal
2	5351.4	40.18	33.13	-15.80	57.51	74.00	16.49	Horizontal

802.11ax40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.9	29.34	33.17	-16.07	46.44	54.00	7.56	Horizontal
2	5350.8	28.70	33.13	-15.80	46.03	54.00	7.97	Horizontal

802.11ax40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.9	39.39	33.17	-16.07	56.49	74.00	17.51	Vertical
2	5352	40.03	33.13	-15.80	57.36	74.00	16.64	Vertical

802.11ax40 MIMO_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.3	27.98	33.17	-16.07	45.08	54.00	8.92	Vertical
2	5354.1	28.28	33.13	-15.80	45.61	54.00	8.39	Vertical

802.11ax40 MIMO_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.2	27.36	33.17	-16.08	44.45	54.00	9.55	Horizontal
2	5352	33.54	33.13	-15.80	50.87	54.00	3.13	Horizontal

802.11ax40 MIMO_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.4	38.50	33.17	-16.07	55.60	74.00	18.40	Horizontal
2	5351.4	49.87	33.13	-15.80	67.20	74.00	6.80	Horizontal

802.11ax40 MIMO_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.3	39.09	33.17	-16.07	56.19	74.00	17.81	Vertical
2	5350.8	43.13	33.13	-15.80	60.46	74.00	13.54	Vertical

802.11ax40 MIMO_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148	27.26	33.17	-16.07	44.36	54.00	9.64	Vertical
2	5351.1	30.50	33.13	-15.80	47.83	54.00	6.17	Vertical

802.11ax40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.6	43.05	33.11	-15.54	60.62	74.00	13.38	Horizontal
2	5469.52	47.44	33.11	-15.42	65.12	68.30	3.18	Horizontal
3	5753.795	39.21	33.96	-14.76	58.41	68.30	9.89	Horizontal

802.11ax40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5428.85	28.25	33.11	-15.66	45.71	54.00	8.29	Horizontal
2	5459.145	29.38	33.11	-15.48	47.01	54.00	6.99	Horizontal

802.11ax40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.505	39.22	33.11	-15.52	56.81	74.00	17.19	Vertical
2	5468.275	40.82	33.11	-15.43	58.50	68.30	9.80	Vertical
3	5731.8	38.38	33.89	-14.91	57.35	68.30	10.95	Vertical

802.11ax40 MIMO_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5423.04	27.87	33.12	-15.69	45.30	54.00	8.70	Vertical
2	5458.73	27.74	33.11	-15.49	45.36	54.00	8.64	Vertical

802.11ax40 MIMO_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5426.36	40.31	33.11	-15.67	57.75	74.00	16.25	Horizontal
2	5465.785	39.55	33.11	-15.45	57.21	68.30	11.09	Horizontal
3	5725.99	45.61	33.87	-14.95	64.53	68.30	3.77	Horizontal

802.11ax40 MIMO_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5400.215	27.95	33.12	-15.82	45.25	54.00	8.75	Horizontal
2	5454.58	27.75	33.11	-15.51	45.35	54.00	8.65	Horizontal

802.11ax40 MIMO_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5423.04	40.72	33.12	-15.69	58.15	74.00	15.85	Vertical
2	5467.86	39.42	33.11	-15.43	57.09	68.30	11.21	Vertical
3	5747.57	40.30	33.94	-14.81	59.44	68.30	8.86	Vertical

802.11ax40 MIMO_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5428.02	27.74	33.11	-15.66	45.19	54.00	8.81	Vertical
2	5456.24	27.59	33.11	-15.50	45.20	54.00	8.80	Vertical

802.11ax40 MIMO_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5642.225	39.50	33.58	-15.23	57.85	68.30	10.45	Horizontal
2	5681.55	46.50	33.72	-15.16	65.05	91.68	26.63	Horizontal
3	5711.45	55.22	33.82	-15.05	73.99	108.51	34.52	Horizontal
4	5723.15	59.45	33.86	-14.97	78.34	118.08	39.74	Horizontal
5	5851.525	41.44	34.30	-14.49	61.24	118.82	57.58	Horizontal
6	5866.475	39.96	34.35	-14.50	59.80	107.68	47.88	Horizontal
7	5906.45	39.02	34.48	-14.53	58.97	81.99	23.02	Horizontal
8	5928.225	40.15	34.56	-14.54	60.17	68.30	8.13	Horizontal


802.11ax40 MIMO_Channel 151



Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.625	38.41	33.57	-15.24	56.75	68.30	11.55	Vertical
2	5683.175	41.50	33.72	-15.16	60.06	92.89	32.83	Vertical
3	5711.775	52.48	33.82	-15.05	71.25	108.60	37.35	Vertical
4	5724.125	53.66	33.86	-14.97	72.56	120.31	47.75	Vertical
5	5851.85	39.07	34.30	-14.49	58.87	118.08	59.21	Vertical
6	5866.8	39.60	34.35	-14.50	59.44	107.59	48.15	Vertical
7	5897.025	39.35	34.45	-14.53	59.27	88.96	29.69	Vertical
8	5935.05	39.82	34.58	-14.54	59.86	68.30	8.44	Vertical


802.11ax40 MIMO_Channel 159



Final Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5637.35	38.89	33.57	-15.24	57.21	68.30	11.09	Horizontal
2	5678.95	38.74	33.71	-15.17	57.28	89.76	32.48	Horizontal
3	5710.8	41.36	33.82	-15.06	60.12	108.33	48.21	Horizontal
4	5721.85	42.40	33.85	-14.98	61.27	115.12	53.85	Horizontal
5	5850.875	47.42	34.29	-14.49	67.22	120.30	53.08	Horizontal
6	5869.725	44.01	34.36	-14.51	63.86	106.78	42.92	Horizontal
7	5910.35	38.95	34.50	-14.53	58.91	79.11	20.20	Horizontal
8	5948.7	39.63	34.63	-14.54	59.71	68.30	8.59	Horizontal

802.11ax40 MIMO_Channel 159




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5638.975	38.37	33.57	-15.24	56.70	68.30	11.60	Vertical
2	5673.1	38.97	33.69	-15.18	57.48	85.43	27.95	Vertical
3	5711.775	40.03	33.82	-15.05	58.80	108.60	49.80	Vertical
4	5722.5	39.66	33.86	-14.98	58.54	116.60	58.06	Vertical
5	5850.875	42.77	34.29	-14.49	62.57	120.30	57.73	Vertical
6	5869.4	39.22	34.36	-14.51	59.07	106.87	47.80	Vertical
7	5900.275	39.09	34.46	-14.53	59.02	86.56	27.54	Vertical
8	5930.825	40.13	34.56	-14.54	60.16	68.30	8.14	Vertical

802.11ax80 MIMO_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148	53.47	33.17	-16.07	70.57	74.00	3.43	Horizontal
2	5350.5	43.25	33.13	-15.80	60.58	74.00	13.42	Horizontal

802.11ax80 MIMO_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.6	30.43	33.17	-16.07	47.53	54.00	6.47	Horizontal
2	5351.4	29.05	33.13	-15.80	46.38	54.00	7.62	Horizontal

802.11ax80 MIMO_Channel 42



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.2	41.47	33.17	-16.07	58.57	74.00	15.43	Vertical
2	5356.2	39.66	33.13	-15.80	56.99	74.00	17.01	Vertical


802.11ax80 MIMO_Channel 42



Final Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.6	28.36	33.17	-16.07	45.46	54.00	8.54	Vertical
2	5354.7	28.30	33.13	-15.80	45.63	54.00	8.37	Vertical

802.11ax80 MIMO_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.8	39.08	33.17	-16.07	56.18	74.00	17.82	Horizontal
2	5351.1	53.37	33.13	-15.80	70.70	74.00	3.30	Horizontal

802.11ax80 MIMO_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.3	27.29	33.17	-16.07	44.39	54.00	9.61	Horizontal
2	5353.2	29.84	33.13	-15.80	47.17	54.00	6.83	Horizontal

802.11ax80 MIMO_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.8	38.78	33.17	-16.07	55.88	74.00	18.12	Vertical
2	5350.8	46.45	33.13	-15.80	63.78	74.00	10.22	Vertical

802.11ax80 MIMO_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.3	27.29	33.17	-16.07	44.39	54.00	9.61	Vertical
2	5350.5	31.62	33.13	-15.80	48.95	54.00	5.05	Vertical

802.11ax80 MIMO_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5446.695	45.73	33.11	-15.55	63.29	74.00	10.71	Horizontal
2	5464.125	47.48	33.11	-15.45	65.13	68.30	3.17	Horizontal
3	5728.065	39.14	33.88	-14.94	58.08	68.30	10.22	Horizontal

802.11ax80 MIMO_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5416.4	28.32	33.12	-15.73	45.71	54.00	8.29	Horizontal
2	5459.975	30.99	33.11	-15.48	48.62	54.00	5.38	Horizontal

802.11ax80 MIMO_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5451.26	40.50	33.11	-15.53	58.08	74.00	15.92	Vertical
2	5469.52	40.11	33.11	-15.42	57.79	68.30	10.51	Vertical
3	5736.365	38.68	33.90	-14.88	57.70	68.30	10.60	Vertical

802.11ax80 MIMO_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5420.135	27.86	33.12	-15.71	45.27	54.00	8.73	Vertical
2	5456.655	28.20	33.11	-15.50	45.81	54.00	8.19	Vertical

802.11ax80 MIMO_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.035	43.88	33.11	-15.56	61.43	74.00	12.57	Horizontal
2	5467.445	42.96	33.11	-15.44	60.63	68.30	7.67	Horizontal
3	5727.65	45.61	33.87	-14.94	64.54	68.30	3.76	Horizontal

802.11ax80 MIMO_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5437.98	31.14	33.11	-15.60	48.65	54.00	5.35	Horizontal
2	5459.56	31.59	33.11	-15.48	49.22	54.00	4.78	Horizontal

802.11ax80 MIMO_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5428.435	28.15	33.11	-15.66	45.61	54.00	8.39	Vertical
2	5457.07	28.18	33.11	-15.49	45.79	54.00	8.21	Vertical

802.11ax80 MIMO_Channel 122



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.45	39.35	33.11	-15.56	56.90	74.00	17.10	Vertical
2	5469.105	39.27	33.11	-15.43	56.95	68.30	11.35	Vertical
3	5730.97	39.65	33.89	-14.92	58.62	68.30	9.68	Vertical


802.11ax80 MIMO_Channel 155



Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5634.75	44.70	33.56	-15.25	63.01	68.30	5.29	Horizontal
2	5681.875	52.55	33.72	-15.16	71.11	91.93	20.82	Horizontal
3	5706.25	54.08	33.80	-15.09	72.79	107.05	34.26	Horizontal
4	5723.15	58.57	33.86	-14.97	77.46	118.08	40.62	Horizontal
5	5851.525	52.96	34.30	-14.49	72.76	118.82	46.06	Horizontal
6	5867.125	44.76	34.35	-14.50	64.60	107.50	42.90	Horizontal
7	5906.775	43.33	34.48	-14.53	63.28	81.75	18.47	Horizontal
8	5940.9	44.71	34.60	-14.54	64.77	68.30	3.53	Horizontal

802.11ax80 MIMO_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5635.4	39.63	33.56	-15.25	57.94	68.30	10.36	Vertical
2	5678.95	44.74	33.71	-15.17	63.28	89.76	26.48	Vertical
3	5709.5	49.97	33.81	-15.07	68.72	107.96	39.24	Vertical
4	5722.825	54.51	33.86	-14.97	73.39	117.34	43.95	Vertical
5	5851.525	44.53	34.30	-14.49	64.33	118.82	54.49	Vertical
6	5867.125	41.14	34.35	-14.50	60.98	107.50	46.52	Vertical
7	5906.45	39.20	34.48	-14.53	59.15	81.99	22.84	Vertical
8	5931.475	40.84	34.57	-14.54	60.87	68.30	7.43	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading(dBμV) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit(dBμV/m) – Level(dBμV/m)

- Both peak and average measured complies with the limit line, so test result is "PASS"

---End of Report---