



802.11ax40_Channel 03



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7129.375	39.91	36.30	-17.48	58.73	88.20	29.47	Horizontal
2	8919.6667	48.13	37.94	-38.92	47.15	88.20	41.05	Horizontal
3	11618	43.92	38.93	-34.89	47.96	74.00	26.04	Horizontal
4	13727.6667	43.87	40.26	-34.84	49.30	88.20	38.90	Horizontal
5	17859	41.38	41.29	-30.74	51.93	74.00	22.07	Horizontal
6	17991	31.84	41.67	-30.75	42.77	54.00	11.23	Horizontal


802.11ax40_Channel 03



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7111.875	40.04	36.30	-17.38	58.96	88.20	29.24	Vertical
2	8655.6667	47.61	37.76	-39.17	46.20	88.20	42.00	Vertical
3	11923	43.79	38.75	-34.91	47.63	74.00	26.37	Vertical
4	14686.6667	43.09	39.99	-33.63	49.44	88.20	38.76	Vertical
5	17868.3333	41.00	41.32	-30.81	51.51	74.00	22.49	Vertical
6	17993.3333	32.34	41.68	-30.74	43.28	54.00	10.72	Vertical

802.11ax40_Channel 43




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7191.0625	40.38	36.30	-17.83	58.85	88.20	29.35	Horizontal
2	9527	46.56	38.05	-38.09	46.52	88.20	41.68	Horizontal
3	10950.6667	44.99	39.24	-35.82	48.41	74.00	25.59	Horizontal
4	13916	43.53	40.36	-34.42	49.47	88.20	38.73	Horizontal
5	17980	40.83	41.64	-30.78	51.69	74.00	22.31	Horizontal
6	17828	32.67	41.20	-30.52	43.35	54.00	10.65	Horizontal

802.11ax40_Channel 43




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7132.875	40.34	36.30	-17.50	59.14	88.20	29.06	Vertical
2	8913.6667	47.02	37.94	-38.95	46.01	88.20	42.19	Vertical
3	11573.6667	44.20	38.96	-35.00	48.16	74.00	25.84	Vertical
4	14392.6667	44.26	40.16	-33.80	50.63	88.20	37.57	Vertical
5	17978	41.21	41.64	-30.79	52.06	74.00	21.94	Vertical
6	17995	32.66	41.69	-30.74	43.61	54.00	10.39	Vertical

802.11ax40_Channel 91




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7444.8125	39.33	36.30	-17.96	57.67	74.00	16.33	Horizontal
2	8801.6667	46.89	37.86	-39.14	45.61	88.20	42.59	Horizontal
3	11329	43.89	39.10	-35.46	47.53	74.00	26.47	Horizontal
4	13868.3333	43.54	40.33	-34.49	49.38	88.20	38.82	Horizontal
5	17990.6667	41.19	41.67	-30.75	52.11	74.00	21.89	Horizontal
6	18000	32.33	41.70	-30.72	43.31	54.00	10.69	Horizontal

802.11ax40_Channel 91




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7038.375	40.49	36.30	-17.29	59.50	88.20	28.70	Vertical
2	9060.3333	46.84	38.01	-38.94	45.91	74.00	28.09	Vertical
3	11632.6667	43.46	38.92	-35.01	47.37	74.00	26.63	Vertical
4	14672.3333	43.33	40.00	-33.74	49.59	88.20	38.61	Vertical
5	17987.3333	40.70	41.66	-30.76	51.60	74.00	22.40	Vertical
6	17987.6667	32.53	41.66	-30.76	43.43	54.00	10.57	Vertical

802.11ax40_Channel 99




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7079.9375	40.15	36.30	-17.30	59.15	88.20	29.05	Horizontal
2	8957.3333	46.38	37.97	-38.74	45.61	88.20	42.59	Horizontal
3	12879.3333	43.39	39.76	-34.80	48.35	88.20	39.85	Horizontal
4	14636.3333	43.36	40.02	-33.99	49.39	88.20	38.81	Horizontal
5	17985.6667	40.78	41.66	-30.77	51.67	74.00	22.33	Horizontal
6	17986	31.92	41.66	-30.76	42.81	54.00	11.19	Horizontal

802.11ax40_Channel 99




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7233.5	40.30	36.30	-17.84	58.76	88.20	29.44	Vertical
2	8914	46.93	37.94	-38.95	45.92	88.20	42.28	Vertical
3	10935	45.49	39.22	-35.87	48.84	74.00	25.16	Vertical
4	13857.6667	43.42	40.33	-34.55	49.20	88.20	39.00	Vertical
5	17992.3333	41.43	41.68	-30.74	52.36	74.00	21.64	Vertical
6	17963.6667	32.35	41.59	-30.84	43.11	54.00	10.89	Vertical

802.11ax40_Channel 107




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7442.1875	40.19	36.30	-17.94	58.55	74.00	15.45	Horizontal
2	8992.6667	46.81	37.99	-38.57	46.24	88.20	41.96	Horizontal
3	11574.3333	43.88	38.96	-34.99	47.85	74.00	26.15	Horizontal
4	13856.3333	43.61	40.33	-34.56	49.38	88.20	38.82	Horizontal
5	17830	41.55	41.21	-30.54	52.22	74.00	21.78	Horizontal
6	17992.6667	33.00	41.68	-30.74	43.94	54.00	10.06	Horizontal

802.11ax40_Channel 107




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7441.3125	39.95	36.30	-17.94	58.31	74.00	15.69	Vertical
2	8959.6667	47.71	37.97	-38.73	46.95	88.20	41.25	Vertical
3	10990	44.30	39.29	-35.68	47.90	74.00	26.10	Vertical
4	14571.6667	43.37	40.06	-34.37	49.06	88.20	39.14	Vertical
5	17977.6667	40.68	41.64	-30.79	51.52	74.00	22.48	Vertical
6	17957.6667	32.12	41.58	-30.86	42.84	54.00	11.16	Vertical

802.11ax40_Channel 123




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7506.9375	40.61	36.31	-18.23	58.70	74.00	15.30	Horizontal
2	8558.3333	47.61	37.69	-39.48	45.82	88.20	42.38	Horizontal
3	11046	44.73	39.27	-35.62	48.38	74.00	25.62	Horizontal
4	13926	42.85	40.36	-34.49	48.72	88.20	39.48	Horizontal
5	17980	41.45	41.64	-30.78	52.31	74.00	21.69	Horizontal
6	17990.3333	32.27	41.67	-30.75	43.19	54.00	10.81	Horizontal

802.11ax40_Channel 123




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7409.8125	39.65	36.30	-17.80	58.15	74.00	15.85	Vertical
2	8656.3333	47.19	37.76	-39.17	45.78	88.20	42.42	Vertical
3	10981	43.91	39.28	-35.71	47.47	74.00	26.53	Vertical
4	13803.3333	43.78	40.30	-34.86	49.22	88.20	38.98	Vertical
5	17952.3333	41.37	41.56	-30.87	52.06	74.00	21.94	Vertical
6	17944.6667	32.08	41.54	-30.90	42.72	54.00	11.28	Vertical

802.11ax40_Channel 147




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7516.5625	40.34	36.33	-18.25	58.43	74.00	15.57	Horizontal
2	8983.3333	46.61	37.99	-38.61	45.99	88.20	42.21	Horizontal
3	11016	44.15	39.29	-35.64	47.80	74.00	26.20	Horizontal
4	13332.6667	43.25	40.07	-34.78	48.53	74.00	25.47	Horizontal
5	17997.6667	41.06	41.69	-30.73	52.03	74.00	21.97	Horizontal
6	17998	32.44	41.69	-30.73	43.41	54.00	10.59	Horizontal

802.11ax40_Channel 147




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7093.9375	39.59	36.30	-17.31	58.58	88.20	29.62	Vertical
2	8734	47.16	37.81	-39.21	45.77	88.20	42.43	Vertical
3	10808.3333	45.14	39.07	-36.39	47.82	74.00	26.18	Vertical
4	14590.6667	43.63	40.05	-34.29	49.39	88.20	38.81	Vertical
5	17830	40.75	41.21	-30.54	51.42	74.00	22.58	Vertical
6	17878.3333	32.37	41.35	-30.88	42.83	54.00	11.17	Vertical

802.11ax40_Channel 179




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7509.5625	40.98	36.32	-18.23	59.07	74.00	14.93	Horizontal
2	8940.3333	47.09	37.96	-38.82	46.23	88.20	41.97	Horizontal
3	11109	44.25	39.23	-35.60	47.89	74.00	26.11	Horizontal
4	14860	42.72	39.88	-33.65	48.95	88.20	39.25	Horizontal
5	17933.3333	41.10	41.51	-30.93	51.67	74.00	22.33	Horizontal
6	17985.3333	32.53	41.66	-30.77	43.42	54.00	10.58	Horizontal

802.11ax40_Channel 179




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7353.8125	39.29	36.30	-17.75	57.84	74.00	16.16	Vertical
2	8992	46.78	37.99	-38.57	46.21	88.20	41.99	Vertical
3	11703	44.32	38.88	-35.55	47.64	74.00	26.36	Vertical
4	14659.3333	43.71	40.00	-33.83	49.89	88.20	38.31	Vertical
5	17826	40.90	41.20	-30.51	51.59	74.00	22.41	Vertical
6	17987	32.50	41.66	-30.76	43.40	54.00	10.60	Vertical

802.11ax40_Channel 195




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7440.4375	39.96	36.30	-17.94	58.32	74.00	15.68	Horizontal
2	8568	47.14	37.70	-39.39	45.45	88.20	42.75	Horizontal
3	10984.6667	43.92	39.28	-35.70	47.50	74.00	26.50	Horizontal
4	13941.6667	43.47	40.37	-34.60	49.24	88.20	38.96	Horizontal
5	17998.6667	40.94	41.70	-30.72	51.91	74.00	22.09	Horizontal
6	17990	32.44	41.67	-30.75	43.36	54.00	10.64	Horizontal

802.11ax40_Channel 195




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7486.375	40.24	36.30	-18.15	58.39	74.00	15.61	Vertical
2	8960	46.99	37.97	-38.73	46.24	88.20	41.96	Vertical
3	12368.3333	43.48	39.14	-34.78	47.84	74.00	26.16	Vertical
4	15463	42.53	38.97	-32.90	48.60	74.00	25.40	Vertical
5	17996	40.73	41.69	-30.73	51.69	74.00	22.31	Vertical
6	17997.3333	32.42	41.69	-30.73	43.38	54.00	10.62	Vertical

802.11ax40_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7352.9375	39.71	36.30	-17.75	58.26	74.00	15.74	Horizontal
2	9091.6667	47.15	38.01	-39.15	46.01	74.00	27.99	Horizontal
3	11144	44.41	39.21	-35.62	48.00	74.00	26.00	Horizontal
4	14411.3333	42.83	40.15	-33.84	49.14	88.20	39.06	Horizontal
5	17969.3333	41.80	41.61	-30.82	52.59	74.00	21.41	Horizontal
6	17982	32.83	41.65	-30.78	43.70	54.00	10.30	Horizontal

802.11ax40_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7435.1875	40.02	36.30	-17.91	58.41	74.00	15.59	Vertical
2	8709.6667	47.07	37.80	-39.23	45.64	88.20	42.56	Vertical
3	10926.6667	45.11	39.21	-35.90	48.42	74.00	25.58	Vertical
4	13946	44.22	40.37	-34.63	49.96	88.20	38.24	Vertical
5	17980.6667	41.10	41.64	-30.78	51.96	74.00	22.04	Vertical
6	17989.3333	32.33	41.67	-30.75	43.24	54.00	10.76	Vertical

802.11ax40_Channel 203




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7467.125	40.57	36.30	-18.06	58.81	74.00	15.19	Horizontal
2	8943.3333	47.07	37.96	-38.81	46.22	88.20	41.98	Horizontal
3	10977.6667	44.71	39.27	-35.73	48.26	74.00	25.74	Horizontal
4	13877.6667	43.90	40.34	-34.44	49.80	88.20	38.40	Horizontal
5	17986.6667	41.53	41.66	-30.76	52.43	74.00	21.57	Horizontal
6	17936	32.44	41.51	-30.92	43.03	54.00	10.97	Horizontal

802.11ax40_Channel 203




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7470.1875	39.80	36.30	-18.07	58.03	74.00	15.97	Vertical
2	8534.3333	47.61	37.67	-39.72	45.57	88.20	42.63	Vertical
3	10920.3333	45.53	39.20	-35.92	48.81	74.00	25.19	Vertical
4	13858.3333	43.56	40.33	-34.55	49.34	88.20	38.86	Vertical
5	17881	40.86	41.35	-30.90	51.31	74.00	22.69	Vertical
6	17993.6667	32.64	41.68	-30.74	43.58	54.00	10.42	Vertical

802.11ax80_Channel 07




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7065.0625	39.96	36.30	-17.30	58.96	88.20	29.24	Horizontal
2	8950.6667	46.84	37.97	-38.77	46.03	88.20	42.17	Horizontal
3	11583.6667	43.36	38.95	-34.90	47.41	74.00	26.59	Horizontal
4	14811.6667	43.83	39.91	-34.03	49.71	88.20	38.49	Horizontal
5	17851	41.76	41.27	-30.69	52.34	74.00	21.66	Horizontal
6	17975.3333	32.76	41.63	-30.80	43.59	54.00	10.41	Horizontal

802.11ax80_Channel 07




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7043.625	40.46	36.30	-17.29	59.47	88.20	28.73	Vertical
2	9461.6667	45.93	38.05	-38.24	45.73	74.00	28.27	Vertical
3	12282.6667	43.68	39.04	-34.39	48.33	74.00	25.67	Vertical
4	15084.3333	42.87	39.65	-33.87	48.65	88.20	39.55	Vertical
5	17940	41.33	41.53	-30.91	51.94	74.00	22.06	Vertical
6	17944.6667	32.41	41.54	-30.90	43.05	54.00	10.95	Vertical

802.11ax80_Channel 39




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7130.6875	40.01	36.30	-17.48	58.83	88.20	29.37	Horizontal
2	9298.3333	46.34	38.03	-38.67	45.70	88.20	42.50	Horizontal
3	12302	43.37	39.06	-34.25	48.19	74.00	25.81	Horizontal
4	14881.6667	42.37	39.87	-33.48	48.76	88.20	39.44	Horizontal
5	17987.3333	41.03	41.66	-30.76	51.93	74.00	22.07	Horizontal
6	17995.3333	32.14	41.69	-30.73	43.09	54.00	10.91	Horizontal

802.11ax80_Channel 39




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7065.0625	41.43	36.30	-17.30	60.43	88.20	27.77	Vertical
2	9569.3333	45.99	38.06	-37.94	46.11	88.20	42.09	Vertical
3	11582.6667	43.94	38.95	-34.91	47.98	74.00	26.02	Vertical
4	13831.6667	43.67	40.32	-34.70	49.29	88.20	38.91	Vertical
5	17924	41.68	41.48	-30.96	52.20	74.00	21.80	Vertical
6	17981.6667	32.46	41.65	-30.78	43.33	54.00	10.67	Vertical

802.11ax80_Channel 87




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7649.5625	39.92	36.60	-18.53	57.99	74.00	16.01	Horizontal
2	8558.3333	46.92	37.69	-39.48	45.13	88.20	43.07	Horizontal
3	11296	43.34	39.12	-35.30	47.16	74.00	26.84	Horizontal
4	13662.6667	42.93	40.23	-34.64	48.52	88.20	39.68	Horizontal
5	17867	41.47	41.31	-30.80	51.98	74.00	22.02	Horizontal
6	17984.6667	32.35	41.66	-30.77	43.24	54.00	10.76	Horizontal

802.11ax80_Channel 87




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7422.9375	40.17	36.30	-17.86	58.61	74.00	15.39	Vertical
2	8647.3333	46.90	37.75	-39.16	45.50	88.20	42.70	Vertical
3	10886.6667	44.22	39.16	-36.05	47.34	74.00	26.66	Vertical
4	13911.6667	43.50	40.36	-34.39	49.46	88.20	38.74	Vertical
5	17999.6667	40.91	41.70	-30.72	51.89	74.00	22.11	Vertical
6	17999.3333	32.05	41.70	-30.72	43.03	54.00	10.97	Vertical

802.11ax80_Channel 103




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7310.5	39.21	36.30	-17.75	57.76	74.00	16.24	Horizontal
2	8912.6667	46.67	37.94	-38.96	45.65	88.20	42.55	Horizontal
3	10972	44.01	39.27	-35.75	47.53	74.00	26.47	Horizontal
4	13466	43.41	40.13	-34.64	48.90	88.20	39.30	Horizontal
5	17817.6667	40.09	41.17	-30.45	50.81	74.00	23.19	Horizontal
6	17908.6667	32.50	41.44	-31.01	42.92	54.00	11.08	Horizontal

802.11ax80_Channel 103




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7048.4375	40.05	36.30	-17.29	59.06	88.20	29.14	Vertical
2	8937	46.98	37.96	-38.84	46.10	88.20	42.10	Vertical
3	12278.6667	43.84	39.03	-34.42	48.45	74.00	25.55	Vertical
4	14640	43.15	40.02	-33.97	49.20	88.20	39.00	Vertical
5	17971	41.11	41.62	-30.81	51.91	74.00	22.09	Vertical
6	17990.6667	32.10	41.67	-30.75	43.02	54.00	10.98	Vertical

802.11ax80_Channel 135




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7081.6875	39.69	36.30	-17.30	58.69	88.20	29.51	Horizontal
2	9010.6667	47.03	38.00	-38.60	46.43	74.00	27.57	Horizontal
3	11570.6667	43.92	38.96	-35.02	47.85	74.00	26.15	Horizontal
4	14913.3333	42.97	39.85	-33.42	49.40	88.20	38.80	Horizontal
5	17979.6667	40.99	41.64	-30.79	51.85	74.00	22.15	Horizontal
6	17980.3333	33.05	41.64	-30.78	43.91	54.00	10.09	Horizontal

802.11ax80_Channel 135




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7080.8125	40.57	36.30	-17.30	59.57	88.20	28.63	Vertical
2	8518.3333	47.96	37.66	-39.87	45.75	88.20	42.45	Vertical
3	10968	43.95	39.26	-35.76	47.45	74.00	26.55	Vertical
4	14052	43.19	40.37	-34.89	48.67	88.20	39.53	Vertical
5	17997.3333	40.74	41.69	-30.73	51.70	74.00	22.30	Vertical
6	17905.3333	32.51	41.43	-31.02	42.91	54.00	11.09	Vertical

802.11ax80_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7058.5	40.02	36.30	-17.29	59.03	88.20	29.17	Horizontal
2	8918.3333	47.03	37.94	-38.93	46.04	88.20	42.16	Horizontal
3	10958.6667	44.86	39.25	-35.79	48.32	74.00	25.68	Horizontal
4	14042.6667	43.44	40.37	-34.91	48.90	88.20	39.30	Horizontal
5	17845	41.40	41.25	-30.64	52.01	74.00	21.99	Horizontal
6	17992.3333	32.81	41.68	-30.74	43.74	54.00	10.26	Horizontal

802.11ax80_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7054.125	39.97	36.30	-17.29	58.98	88.20	29.22	Vertical
2	9068.6667	46.97	38.01	-39.00	45.98	74.00	28.02	Vertical
3	10905	44.85	39.19	-35.97	48.06	74.00	25.94	Vertical
4	13926	43.83	40.36	-34.49	49.70	88.20	38.50	Vertical
5	17995.6667	40.42	41.69	-30.73	51.37	74.00	22.63	Vertical
6	17873.6667	32.68	41.33	-30.85	43.16	54.00	10.84	Vertical

802.11ax80_Channel 167




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7415.0625	40.20	36.30	-17.82	58.68	74.00	15.32	Horizontal
2	8367.3333	47.94	37.56	-40.10	45.40	74.00	28.60	Horizontal
3	10988	44.04	39.29	-35.69	47.63	74.00	26.37	Horizontal
4	13373.3333	43.66	40.09	-34.87	48.88	74.00	25.12	Horizontal
5	17999.6667	40.65	41.70	-30.72	51.63	74.00	22.37	Horizontal
6	17909.3333	32.60	41.44	-31.01	43.03	54.00	10.97	Horizontal

802.11ax80_Channel 167



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7088.6875	40.08	36.30	-17.31	59.07	88.20	29.13	Vertical
2	8626.3333	46.91	37.74	-39.12	45.53	88.20	42.67	Vertical
3	10836.6667	45.33	39.10	-36.27	48.17	74.00	25.83	Vertical
4	13452	44.00	40.13	-34.70	49.42	88.20	38.78	Vertical
5	17986.6667	40.57	41.66	-30.76	51.47	74.00	22.53	Vertical
6	17987	32.56	41.66	-30.76	43.46	54.00	10.54	Vertical


802.11ax80_Channel 199



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7183.625	40.19	36.30	-17.79	58.70	88.20	29.50	Horizontal
2	8940.3333	46.97	37.96	-38.82	46.11	88.20	42.09	Horizontal
3	10981	44.10	39.28	-35.71	47.66	74.00	26.34	Horizontal
4	13263.6667	43.72	40.03	-34.77	48.98	74.00	25.02	Horizontal
5	17944	41.11	41.54	-30.90	51.75	74.00	22.25	Horizontal
6	17999	32.07	41.70	-30.72	43.04	54.00	10.96	Horizontal

802.11ax80_Channel 199




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7054.5625	39.92	36.30	-17.29	58.93	88.20	29.27	Vertical
2	8952	46.69	37.97	-38.77	45.89	88.20	42.31	Vertical
3	11143	44.30	39.21	-35.62	47.89	74.00	26.11	Vertical
4	14384.6667	43.95	40.17	-33.86	50.26	88.20	37.94	Vertical
5	17852.3333	40.74	41.27	-30.70	51.31	74.00	22.69	Vertical
6	17995.6667	32.10	41.69	-30.73	43.05	54.00	10.95	Vertical

802.11ax80_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7844.25	40.01	36.99	-18.78	58.22	88.20	29.98	Horizontal
2	8616.6667	46.82	37.73	-39.11	45.45	88.20	42.75	Horizontal
3	10931	44.58	39.22	-35.88	47.91	74.00	26.09	Horizontal
4	14471.3333	43.84	40.12	-34.40	49.56	74.00	24.44	Horizontal
5	17984	40.64	41.65	-30.77	51.52	74.00	22.48	Horizontal
6	17989.6667	31.83	41.67	-30.75	42.75	54.00	11.25	Horizontal

802.11ax80_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7832.875	40.27	36.97	-18.76	58.48	88.20	29.72	Vertical
2	8708.6667	47.09	37.80	-39.23	45.65	88.20	42.55	Vertical
3	11256.6667	43.91	39.15	-35.45	47.61	74.00	26.39	Vertical
4	14403.6667	42.99	40.16	-33.77	49.37	88.20	38.83	Vertical
5	17994	41.59	41.68	-30.74	52.53	74.00	21.47	Vertical
6	17991.6667	32.29	41.68	-30.75	43.22	54.00	10.78	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

$$\text{Level} = \text{Reading}(\text{dB}\mu\text{V}) + \text{AF}(\text{dB/m}) + \text{Factor}(\text{dB})$$


$$\text{AF} = \text{Antenna Factor}(\text{dB/m})$$

$$\text{Factor} = \text{Cable Factor}(\text{dB}) - \text{Preamplifier gain}(\text{dB})$$

$$\text{Margin} = \text{Limit}(\text{dB}\mu\text{V/m}) - \text{Level}(\text{dB}\mu\text{V/m})$$
- All channels have been tested, but only the worst case data displayed in this report.

Restricted bands around fundamental frequency


802.11ax20_Channel 01



Data List

NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5906.2	32.81	-12.05	59.67	88.20	28.53	Horizontal
2	5913.76	32.83	-12.04	59.46	88.20	28.74	Horizontal


802.11ax20_Channel 01



Data List


NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5909.14	32.82	-12.05	60.14	88.20	28.06	Vertical
2	5916.98	32.83	-12.03	59.98	88.20	28.22	Vertical

802.11ax20_Channel 01




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5916.42	32.83	-12.04	46.99	68.20	21.21	Horizontal
2	5919.5	32.84	-12.03	46.99	68.20	21.21	Horizontal

802.11ax20_Channel 01




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5912.08	32.82	-12.04	46.94	68.20	21.26	Vertical
2	5922.3	32.84	-12.03	47.02	68.20	21.18	Vertical

802.11ax20_Channel 233




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.045	36.15	-11.85	60.56	68.20	7.64	Horizontal
2	7125.375	36.15	-11.85	55.50	68.20	12.70	Horizontal

802.11ax20_Channel 233




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.045	36.15	-11.85	54.84	68.20	13.36	Vertical
2	7125.705	36.16	-11.84	50.23	68.20	17.97	Vertical

802.11ax20_Channel 233




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.045	36.15	-11.85	71.82	88.20	16.38	Horizontal
2	7125.54	36.16	-11.85	64.12	88.20	24.08	Horizontal

802.11ax20_Channel 233




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.045	36.15	-11.85	66.18	88.20	22.02	Vertical
2	7128.84	36.19	-11.83	62.25	88.20	25.95	Vertical

802.11ax40_Channel 03




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5918.225	32.84	-12.03	59.92	88.20	28.28	Horizontal
2	5923.835	32.85	-12.02	61.46	88.20	26.74	Horizontal

802.11ax40_Channel 03




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5915.75	32.83	-12.04	59.08	88.20	29.12	Vertical
2	5920.535	32.84	-12.03	60.32	88.20	27.88	Vertical

802.11ax40_Channel 03




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5914.76	32.83	-12.04	47.39	68.20	20.81	Horizontal
2	5920.7	32.84	-12.03	47.81	68.20	20.39	Horizontal

802.11ax40_Channel 03




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5910.305	32.82	-12.04	47.06	68.20	21.14	Vertical
2	5921.525	32.84	-12.03	47.07	68.20	21.13	Vertical

802.11ax40_Channel 227




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7129.56	36.20	-11.83	61.47	88.20	26.73	Horizontal
2	7143	36.33	-11.77	62.31	88.20	25.89	Horizontal

802.11ax40_Channel 227




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.88	36.18	-11.83	62.75	88.20	25.45	Vertical
2	7133.64	36.24	-11.81	62.62	88.20	25.58	Vertical

802.11ax40_Channel 227




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7131	36.21	-11.82	50.78	68.20	17.42	Horizontal
2	7144.68	36.35	-11.76	51.12	68.20	17.08	Horizontal

802.11ax40_Channel 227




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7131.24	36.21	-11.82	50.85	68.20	17.35	Vertical
2	7139.16	36.29	-11.78	51.03	68.20	17.17	Vertical

802.11ax80_Channel 07




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5918.44	32.84	-12.03	64.39	88.20	23.81	Horizontal
2	5921	32.84	-12.03	63.53	88.20	24.67	Horizontal

802.11ax80_Channel 07



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5890.28	32.76	-12.05	59.83	88.20	28.37	Vertical
2	5923.24	32.85	-12.03	61.69	88.20	26.51	Vertical


802.11ax80_Channel 07



Data List


NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5902.44	32.80	-12.06	48.75	68.20	19.45	Horizontal
2	5917.48	32.83	-12.03	49.07	68.20	19.13	Horizontal

802.11ax80_Channel 07



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5899.56	32.80	-12.06	47.93	68.20	20.27	Vertical
2	5910.12	32.82	-12.04	48.09	68.20	20.11	Vertical


802.11ax80_Channel 215



Data List

NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.4	36.17	-11.84	63.14	88.20	25.06	Horizontal
2	7172.84	36.49	-11.63	64.09	88.20	24.11	Horizontal


802.11ax80_Channel 215



Data List


NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7142.12	36.32	-11.77	63.61	88.20	24.59	Vertical
2	7149.48	36.39	-11.74	63.58	88.20	24.62	Vertical

802.11ax80_Channel 215



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7134.76	36.25	-11.80	51.72	68.20	16.48	Horizontal
2	7152.36	36.41	-11.72	51.53	68.20	16.67	Horizontal

802.11ax80_Channel 215



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7137	36.27	-11.79	51.72	68.20	16.48	Vertical
2	7155.24	36.42	-11.71	51.80	68.20	16.40	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading(dBμV) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit(dBμV/m) – Level(dBμV/m)

---End of Report---