




802.11ax(HEW40)_MCH_7005MHz_SU_/_ANT2_NTNV




802.11ax(HEW40)_MCH_7005MHz_SU_/_ANT3_NTNV




802.11ax(HEW40)_HCH_7085MHz_SU_/_ANT2_NTNV




802.11ax(HEW40)_HCH_7085MHz_SU_/_ANT3_NTNV




802.11ax(HEW80)_LCH_6945MHz_SU_/_ANT2_NTNV




802.11ax(HEW80)_LCH_6945MHz_SU_/_ANT3_NTNV



802.11ax(HEW80)_HCH_7025MHz_SU_/_ANT2_NTNV




802.11ax(HEW80)_HCH_7025MHz_SU_/_ANT3_NTNV




6.2.5 EMask


802.11ax(HEW20) HCH 6875MHz SU / ANT2 NTN




802.11ax(HEW20) HCH 6875MHz SU / ANT3 NTN




802.11ax(HEW40)_HCH_6885MHz_SU_/_ANT2_NTNV




802.11ax(HEW40)_HCH_6885MHz_SU_/_ANT3_NTNV



802.11ax(HEW80)_HCH_6865MHz_SU_/_ANT2_NTNV




802.11ax(HEW80)_HCH_6865MHz_SU_/_ANT3_NTNV




6.2.6 EMask


802.11ax(HEW40) HCH 6525MHz SU / ANT2 NTN




802.11ax(HEW40) HCH 6525MHz SU / ANT3 NTN



802.11ax(HEW80)_HCH_6545MHz_SU_/_ANT2_NTNV



802.11ax(HEW80)_HCH_6545MHz_SU_/_ANT3_NTNV



6. Contention Based Protocol

6.1 Test Result

Band	Channel Freq. (MHz)	Channel BW (MHz)	Incumbent Freq. (MHz)	Injected AWGN Level (dBm)	Detection Rate (%)	Regulated Threshold level (dBm)	Adjusted Power (dBm)	Antenna Gain (dBi)	Margin (dB)
UNII Band 5	6175	20	6175	-70.45	100	-62	-69.84	-0.61	7.84
						Result: Stop Transmission			
				-71.41	<90	-62	-70.8	-0.61	8.8
						Result: Minimal Operation			
				-72.4	0	-62	-71.79	-0.61	9.79
	6145	80	6110			Result: Normal Operation			
				-68.29	100	-62	-67.68	-0.61	5.68
						Result: Stop Transmission			
				-69.23	<90	-62	-68.62	-0.61	6.62
						Result: Minimal Operation			
			6145	-70.23	0	-62	-69.62	-0.61	7.62
						Result: Normal Operation			
				-69.38	100	-62	-68.77	-0.61	6.77
						Result: Stop Transmission			
				-70.34	<90	-62	-69.73	-0.61	7.73
						Result: Minimal Operation			
			6180	-71.27	0	-62	-70.66	-0.61	8.66
						Result: Normal Operation			
				-69.45	100	-62	-68.84	-0.61	6.84
						Result: Stop Transmission			
				-70.41	<90	-62	-69.8	-0.61	7.8
						Result: Minimal Operation			
				-71.35	0	-62	-70.74	-0.61	8.74
						Result: Normal Operation			

Note1: Adjusted Power (dBm)= Injected AWGN Level (dBm) — Antenna Gain (dBi)

Note2: Margin (dB)= Regulated Threshold level (dBm) — Adjusted Power (dBm)

Band	Channel Freq. (MHz)	Channel BW (MHz)	Incumbent Freq. (MHz)	Injected AWGN Level (dBm)	Detection Rate (%)	Regulated Threshold level (dBm)	Adjusted Power (dBm)	Antenna Gain (dBi)	Margin (dB)
UNII Band 6	6475	20	6475	-68.9	100	-62	-65.58	-3.32	3.58
						Result: Stop Transmission			
				-69.86	<90	-62	-66.54	-3.32	4.54
						Result: Minimal Operation			
				-70.83	0	-62	-67.51	-3.32	5.51
	6465	80	6430			Result: Normal Operation			
				-69.73	100	-62	-66.41	-3.32	4.41
						Result: Stop Transmission			
				-70.68	<90	-62	-67.36	-3.32	5.36
						Result: Minimal Operation			
			6465	-72.57	0	-62	-69.25	-3.32	7.25
						Result: Normal Operation			
				-67.53	100	-62	-64.21	-3.32	2.21
						Result: Stop Transmission			
				-69.78	<90	-62	-66.46	-3.32	4.46
						Result: Minimal Operation			
				-71.71	0	-62	-68.39	-3.32	6.39
						Result: Normal Operation			
			6500	-67.5	100	-62	-64.18	-3.32	2.18
						Result: Stop Transmission			
				-69.79	<90	-62	-66.47	-3.32	4.47
						Result: Minimal Operation			
				-71.7	0	-62	-68.38	-3.32	6.38
						Result: Normal Operation			

Note1: Adjusted Power (dBm)= Injected AWGN Level (dBm) — Antenna Gain (dBi)

Note2: Margin (dB)= Regulated Threshold level (dBm) — Adjusted Power (dBm)

Band	Channel Freq. (MHz)	Channel BW (MHz)	Incumbent Freq. (MHz)	Injected AWGN Level (dBm)	Detection Rate (%)	Regulated Threshold level (dBm)	Adjusted Power (dBm)	Antenna Gain (dBi)	Margin (dB)
UNII Band 7	6695	20	6695	-69.88	100	-62	-66.79	-3.09	4.79
						Result: Stop Transmission			
				-70.91	<90	-62	-67.82	-3.09	5.82
						Result: Minimal Operation			
				-71.85	0	-62	-68.76	-3.09	6.76
	6705	80	6670			Result: Normal Operation			
				-66.22	100	-62	-63.13	-3.09	1.13
						Result: Stop Transmission			
				-67.88	<90	-62	-64.79	-3.09	2.79
						Result: Minimal Operation			
			6705	-71.09	0	-62	-68	-3.09	6
						Result: Normal Operation			
				-67.71	100	-62	-64.62	-3.09	2.62
						Result: Stop Transmission			
				-68.96	<90	-62	-65.87	-3.09	3.87
						Result: Minimal Operation			
			6740	-70.9	0	-62	-67.81	-3.09	5.81
						Result: Normal Operation			
				-67.6	100	-62	-64.51	-3.09	2.51
						Result: Stop Transmission			
				-68.88	<90	-62	-65.79	-3.09	3.79
						Result: Minimal Operation			
				-70.84	0	-62	-67.75	-3.09	5.75
						Result: Normal Operation			

Note1: Adjusted Power (dBm)= Injected AWGN Level (dBm) — Antenna Gain (dBi)


Note2: Margin (dB)= Regulated Threshold level (dBm) — Adjusted Power (dBm)

Band	Channel Freq. (MHz)	Channel BW (MHz)	Incumbent Freq. (MHz)	Injected AWGN Level (dBm)	Detection Rate (%)	Regulated Threshold level (dBm)	Adjusted Power (dBm)	Antenna Gain (dBi)	Margin (dB)
UNII Band 8	6995	20	6995	-72.88	100	-62	-64.87	-8.01	2.87
					Result: Stop Transmission				
				-73.28	<90	-62	-65.27	-8.01	3.27
					Result: Minimal Operation				
				-74.13	0	-62	-66.12	-8.01	4.12
	7025	80	6990		Result: Normal Operation				
				-72.14	100	-62	-64.13	-8.01	2.13
					Result: Stop Transmission				
				-72.85	<90	-62	-64.84	-8.01	2.84
					Result: Minimal Operation				
			7025	-74.7	0	-62	-66.69	-8.01	4.69
					Result: Normal Operation				
				-72	100	-62	-63.99	-8.01	1.99
					Result: Stop Transmission				
				-72.75	<90	-62	-64.74	-8.01	2.74
					Result: Minimal Operation				
			7060	-74.03	0	-62	-66.02	-8.01	4.02
					Result: Normal Operation				
				-71.88	100	-62	-63.87	-8.01	1.87
					Result: Stop Transmission				
				-72.8	<90	-62	-64.79	-8.01	2.79
					Result: Minimal Operation				
				-74.58	0	-62	-66.57	-8.01	4.57
					Result: Normal Operation				

Note1: Adjusted Power (dBm)= Injected AWGN Level (dBm) — Antenna Gain (dBi)


Note2: Margin (dB)= Regulated Threshold level (dBm) — Adjusted Power (dBm)

Test Graphs




Contention Based Protocol Result on U-NII 5 (AWGN Interference)


802.11 ax (HE80) /6110MHz
Threshold Level (TL)




802.11 ax (HE80) /6110MHz
Test Result is pass due to no transmission occur.



802.11 ax (HE80) /6110MHz
Threshold Level (TL)




802.11 ax (HE80) /6110MHz
Transmission when the interferer is Minimal Operation




Contention Based Protocol Result on U-NII 5 (AWGN Interference)


802.11 ax (HE80) /6145MHz
Threshold Level (TL)




802.11 ax (HE80) /6145MHz
Test Result is pass due to no transmission occur.




802.11 ax (HE80) /6145MHz
Threshold Level (TL)




802.11 ax (HE80) /6145MHz
Transmission when the interferer is Minimal Operation






Contention Based Protocol Result on U-NII 6 (AWGN Interference)


802.11 ax (HE20) /6475MHz
Threshold Level (TL)




802.11 ax (HE20) 6475MHz
Test Result is pass due to no transmission occur.



802.11 ax (HE20) /6475MHz
Threshold Level (TL)




802.11 ax (HE20) /6475MHz
Transmission when the interferer is Minimal Operation




Contention Based Protocol Result on U-NII 6 (AWGN Interference)


802.11 ax (HE80) /6430MHz
Threshold Level (TL)




802.11 ax (HE80) /6430MHz
Test Result is pass due to no transmission occur.



802.11 ax (HE80) /6430MHz
Threshold Level (TL)




802.11 ax (HE80) /6430MHz
Transmission when the interferer is Minimal Operation




Contention Based Protocol Result on U-NII 6 (AWGN Interference)


802.11 ax (HE80) /6465MHz
Threshold Level (TL)




802.11 ax (HE80) /6465MHz
Test Result is pass due to no transmission occur.



802.11 ax (HE80) /6465MHz
Threshold Level (TL)




802.11 ax (HE80) /6465MHz
Transmission when the interferer is Minimal Operation




Contention Based Protocol Result on U-NII 6 (AWGN Interference)


802.11 ax (HE80) /6500MHz
Threshold Level (TL)




802.11 ax (HE80) /6500MHz
Test Result is pass due to no transmission occur.




802.11 ax (HE80) /6500MHz
Threshold Level (TL)




802.11 ax (HE80) /6500MHz
Transmission when the interferer is Minimal Operation






Contention Based Protocol Result on U-NII 7 (AWGN Interference)


802.11 ax (HE80) /6670MHz
Threshold Level (TL)




802.11 ax (HE80) /6670MHz
Test Result is pass due to no transmission occur.



802.11 ax (HE80) /6670MHz
Threshold Level (TL)




802.11 ax (HE80) /6670MHz
Transmission when the interferer is Minimal Operation




Contention Based Protocol Result on U-NII 7 (AWGN Interference)


802.11 ax (HE80) /6705MHz
Threshold Level (TL)




802.11 ax (HE80) /6705MHz
Test Result is pass due to no transmission occur.



802.11 ax (HE80) /6705MHz
Threshold Level (TL)




802.11 ax (HE80) /6705MHz
Transmission when the interferer is Minimal
Operation




Contention Based Protocol Result on U-NII 7 (AWGN Interference)


802.11 ax (HE80) /6740MHz
Threshold Level (TL)




802.11 ax (HE80) /6740MHz
Test Result is pass due to no transmission occur.



802.11 ax (HE80) /6740MHz
Threshold Level (TL)




802.11 ax (HE80) /6740MHz
Transmission when the interferer is Minimal Operation




Contention Based Protocol Result on U-NII 8 (AWGN Interference)


802.11 ax (HE20) /6995MHz
Threshold Level (TL)




802.11 ax (HE20) /6995MHz
Test Result is pass due to no transmission occur.







802.11 ax (HE20) /6995MHz
Threshold Level (TL)




802.11 ax (HE20) /6995MHz
Transmission when the interferer is Minimal Operation




Contention Based Protocol Result on U-NII 8 (AWGN Interference)	
802.11 ax (HE80) /6990MHz Threshold Level (TL)	802.11 ax (HE80) /6990MHz Test Result is pass due to no transmission occur.
	
802.11 ax (HE80) /6990MHz Threshold Level (TL)	802.11 ax (HE80) /6990MHz Transmission when the interferer is Minimal Operation
	

Contention Based Protocol Result on U-NII 8 (AWGN Interference)


802.11 ax (HE80) /7025MHz
Threshold Level (TL)




802.11 ax (HE80) /7025MHz
Test Result is pass due to no transmission occur.



802.11 ax (HE80) /7025MHz
Threshold Level (TL)




802.11 ax (HE80) /7025MHz
Transmission when the interferer is Minimal Operation




Contention Based Protocol Result on U-NII 8 (AWGN Interference)


802.11 ax (HE80) /7060MHz
Threshold Level (TL)




802.11 ax (HE80) /7060MHz
Test Result is pass due to no transmission occur.




802.11 ax (HE80) /7060MHz
Threshold Level (TL)



802.11 ax (HE80) /7060MHz
Transmission when the interferer is Minimal Operation






Note: The device does not support channel puncturing for CBP mode, the CBP mode empty channel reduction mechanism to protect incumbent operations.

Radiated Spurious Emissions

Radiated emission below 1GHz


Worst case Mode: 11ax80 MIMO_Channel 215



Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	41.8588	38.44	-33.83	18.71	23.32	40.00	16.68	Horizontal
2	50.3573	35.81	-33.69	18.56	20.68	40.00	19.32	Horizontal
3	66.37	36.72	-33.47	17.23	20.48	40.00	19.52	Horizontal
4	81.662	44.67	-33.33	14.53	25.87	40.00	14.13	Horizontal
5	103.7189	33.60	-33.07	15.27	15.80	43.50	27.70	Horizontal
6	140.83	34.74	-32.76	18.44	20.42	43.50	23.08	Horizontal

11ax40 MIMO_Channel 227



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	33.1488	44.12	-33.98	18.12	28.26	40.00	11.74	Vertical
2	41.632	51.42	-33.83	18.74	36.33	40.00	3.67	Vertical
3	46.472	47.26	-33.75	19.00	32.51	40.00	7.49	Vertical
4	66.366	40.29	-33.47	17.23	24.05	40.00	15.95	Vertical
5	73.882	40.24	-33.39	15.81	22.66	40.00	17.34	Vertical
6	80.878	47.74	-33.33	14.44	28.85	40.00	11.15	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

$$\text{Value} = \text{Reading}(\text{dB}\mu\text{V}) + \text{AF}(\text{dB}/\text{m}) + \text{Factor}(\text{dB})$$


$$\text{AF} = \text{Antenna Factor}(\text{dB}/\text{m})$$

$$\text{Factor} = \text{Cable Factor}(\text{dB}) - \text{Preamplifier gain}(\text{dB})$$

$$\text{Margin} = \text{Limit}(\text{dB}\mu\text{V}/\text{m}) - \text{Value}(\text{dB}\mu\text{V}/\text{m})$$
- All channels have been tested, but only the worst case data displayed in this report.

Transmitter emission Above 1GHz


802.11ax20 MIMO_Channel 1



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9805.666	43.17	37.84	-32.55	48.46	88.3	39.84	Horizontal
2	10338.111	41.53	38.07	-31.13	48.47	88.3	39.83	Horizontal
3	11958.333	40.57	38.4	-29.16	49.81	74.00	24.19	Horizontal

802.11ax20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9392	44.70	37.72	-33.01	49.41	74.00	24.59	Vertical
2	10208.666	42.10	38.00	-31.67	48.43	88.30	39.87	Vertical
3	12202	40.87	38.64	-29.13	50.38	74.00	23.62	Vertical

802.11ax20 MIMO_Channel 45




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9982.333	42.13	37.89	-31.88	48.14	88.30	40.16	Horizontal
2	10281.333	42.25	38.04	-31.46	48.83	88.30	39.47	Horizontal
3	11753.111	40.78	38.40	-29.43	49.75	74.00	24.25	Horizontal

802.11ax20 MIMO_Channel 45




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10089.333	42.23	37.94	-31.62	48.55	88.30	39.75	Vertical
2	10435.333	41.60	38.12	-30.77	48.95	88.30	39.35	Vertical
3	11390	41.18	38.40	-29.86	49.72	74.00	24.28	Vertical

802.11ax20 MIMO_Channel 93




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10402.222	41.59	38.10	-30.68	49.01	88.30	39.29	Horizontal
2	11337.333	41.36	38.40	-29.54	50.22	74.00	23.78	Horizontal
3	12106.333	41.14	38.53	-29.19	50.48	74.00	23.52	Horizontal

802.11ax20 MIMO_Channel 93




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9939	42.04	37.88	-32.01	47.91	88.30	40.39	Vertical
2	11385.111	41.12	38.40	-29.83	49.69	74.00	24.31	Vertical
3	11992	40.64	38.40	-28.99	50.05	74.00	23.95	Vertical

802.11ax20 MIMO_Channel 97




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10030.333	42.43	37.92	-31.76	48.59	88.30	39.71	Horizontal
2	11302.333	40.81	38.40	-29.32	49.89	74.00	24.11	Horizontal
3	12365.333	40.64	38.84	-29.29	50.19	74.00	23.81	Horizontal

802.11ax20 MIMO_Channel 97




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9645.666	42.69	37.79	-32.77	47.71	88.30	40.59	Vertical
2	11285.111	41.27	38.40	-29.34	50.33	74.00	23.67	Vertical
3	12345	40.72	38.81	-29.30	50.23	74.00	23.77	Vertical

802.11ax20 MIMO_Channel 105




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9915.3333	42.34	37.79	-32.77	48.14	88.30	40.16	Horizontal
2	11089.666	40.83	38.40	-29.34	49.68	74.00	24.32	Horizontal
3	12206.666	39.86	38.81	-29.30	49.37	74.00	24.63	Horizontal

802.11ax20 MIMO_Channel 105




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9623.222	42.75	37.79	-32.85	47.69	88.30	40.61	Vertical
2	11260.333	41.05	38.40	-29.38	50.07	74.00	23.93	Vertical
3	12472	41.26	38.97	-29.27	50.96	74.00	23.04	Vertical

802.11ax20 MIMO_Channel 113




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10065	41.97	37.93	-31.67	48.23	88.30	40.07	Horizontal
2	11297	40.67	38.40	-29.31	49.76	74.00	24.24	Horizontal
3	12435	40.23	38.92	-29.27	49.88	74.00	24.12	Horizontal

802.11ax20 MIMO_Channel 113




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9920.333	42.56	37.88	-32.06	48.38	88.30	39.92	Vertical
2	11300.333	41.20	38.40	-29.31	50.29	74.00	23.71	Vertical
3	12079.333	41.07	38.49	-29.14	50.42	74.00	23.58	Vertical

802.11ax20 MIMO_Channel 117




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10066	43.76	37.93	-31.67	50.02	88.30	38.28	Horizontal
2	11500	41.34	38.40	-29.44	50.30	74.00	23.70	Horizontal
3	12686	40.46	39.22	-29.20	50.48	74.00	23.52	Horizontal

802.11ax20 MIMO_Channel 117




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9918.333	43.78	37.88	-32.07	49.59	88.30	38.71	Vertical
2	11347.333	41.13	38.40	-29.60	49.93	74.00	24.07	Vertical
3	12193.333	40.32	38.63	-29.13	49.82	74.00	24.18	Vertical

802.11ax20 MIMO_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9869.666	43.34	37.86	-32.26	48.94	88.30	39.36	Horizontal
2	11584.333	40.52	38.40	-29.11	49.81	74.00	24.19	Horizontal
3	12153.333	41.13	38.58	-29.16	50.55	74.00	23.45	Horizontal

802.11ax20 MIMO_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10076.333	43.16	37.94	-31.65	49.45	88.30	38.85	Vertical
2	11299.333	41.39	38.40	-29.31	50.48	74.00	23.52	Vertical
3	12142.111	40.96	38.57	-29.16	50.37	74.00	23.63	Vertical

802.11ax20 MIMO_Channel 185



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10085.333	42.70	37.94	-31.62	49.02	88.30	39.28	Horizontal
2	11114.333	40.86	38.40	-29.47	49.79	74.00	24.21	Horizontal
3	12109	40.82	38.53	-29.18	50.17	74.00	23.83	Horizontal


802.11ax20 MIMO_Channel 185



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9595.222	44.73	37.78	-32.95	49.56	88.30	38.74	Vertical
2	10709.333	41.09	38.25	-30.30	49.04	74.00	24.96	Vertical
3	12282.333	40.78	38.74	-29.29	50.23	74.00	23.77	Vertical

802.11ax20 MIMO_Channel 189




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9971.666	43.62	37.89	-31.91	49.60	88.30	38.70	Horizontal
2	11085.666	40.81	38.40	-29.58	49.63	74.00	24.37	Horizontal
3	11815.111	40.78	38.40	-29.49	49.69	74.00	24.31	Horizontal

802.11ax20 MIMO_Channel 189




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9572.333	44.55	37.77	-33.02	49.30	88.30	39.00	Vertical
2	11241	41.17	38.40	-29.41	50.16	74.00	23.84	Vertical
3	12256.333	41.40	38.71	-29.24	50.87	74.00	23.13	Vertical

802.11ax20 MIMO_Channel 209




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9930.333	42.48	37.88	-32.03	48.33	88.30	39.97	Horizontal
2	10482.333	42.51	38.14	-30.88	49.77	88.30	38.53	Horizontal
3	11230.333	41.06	38.40	-29.43	50.03	74.00	23.97	Horizontal

802.11ax20 MIMO_Channel 209



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9896.333	42.88	37.87	-32.14	48.61	88.30	39.69	Vertical
2	10578.333	41.17	38.19	-30.66	48.70	88.30	39.60	Vertical
3	11119.333	40.74	38.40	-29.47	49.67	74.00	24.33	Vertical


802.11ax20 MIMO_Channel 233



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9997	42.76	37.90	-31.84	48.82	88.30	39.48	Horizontal
2	11186.333	41.17	38.40	-29.48	50.09	74.00	23.91	Horizontal
3	11990.333	41.06	38.40	-29.00	50.46	74.00	23.54	Horizontal


802.11ax20 MIMO_Channel 233



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9929.333	42.60	37.88	-32.04	48.44	88.30	39.86	Vertical
2	10561	41.52	38.18	-30.72	48.98	88.30	39.32	Vertical
3	11940.666	41.11	38.40	-29.25	50.26	74.00	23.74	Vertical

802.11ax40 MIMO_Channel 3



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9575.222	43.87	37.77	-33.01	48.63	88.30	39.67	Horizontal
2	10210.333	42.28	38.01	-31.66	48.63	88.30	39.67	Horizontal
3	11960	41.14	38.40	-29.15	50.39	74.00	23.61	Horizontal


802.11ax40 MIMO_Channel 3



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9941	43.33	37.88	-32.00	49.21	88.30	39.09	Vertical
2	10651.333	42.22	38.23	-30.46	49.99	74.00	24.01	Vertical
3	11832	41.98	38.40	-29.49	50.89	74.00	23.11	Vertical

802.11ax40 MIMO_Channel 51




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10345.666	41.55	38.07	-31.08	48.54	88.30	39.76	Horizontal
2	11531	41.24	38.40	-29.32	50.32	74.00	23.68	Horizontal
3	12373	41.51	38.85	-29.29	51.07	74.00	22.93	Horizontal

802.11ax40 MIMO_Channel 51




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10059	42.73	37.93	-31.69	48.97	88.30	39.33	Vertical
2	11703.666	41.28	38.40	-29.37	50.31	74.00	23.69	Vertical
3	12392.333	40.68	38.87	-29.28	50.27	74.00	23.73	Vertical

802.11ax40 MIMO_Channel 91




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10029.333	42.68	37.91	-31.76	48.83	88.30	39.47	Horizontal
2	10810.333	41.72	38.31	-30.05	49.98	74.00	24.02	Horizontal
3	12162.333	40.85	38.60	-29.15	50.30	74.00	23.70	Horizontal

802.11ax40 MIMO_Channel 91




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10028.333	42.59	37.91	-31.76	48.74	88.30	39.56	Vertical
2	11598.333	40.41	38.40	-29.06	49.75	74.00	24.25	Vertical
3	12407.333	40.84	38.89	-29.28	50.45	74.00	23.55	Vertical

802.11ax40 MIMO_Channel 99




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10238.666	42.39	38.02	-31.58	48.83	88.30	39.47	Horizontal
2	11783.333	41.01	38.40	-29.48	49.93	74.00	24.07	Horizontal
3	12467.333	40.66	38.96	-29.27	50.35	74.00	23.65	Horizontal

802.11ax40 MIMO_Channel 99




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10061.333	42.57	37.93	-31.68	48.82	88.30	39.48	Vertical
2	11772.666	41.12	38.40	-29.46	50.06	74.00	23.94	Vertical
3	12444.333	40.87	38.93	-29.27	50.53	74.00	23.47	Vertical

802.11ax40 MIMO_Channel 107




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9700.666	43.36	37.81	-32.57	48.60	88.30	39.70	Horizontal
2	11684	40.73	38.40	-29.31	49.82	74.00	24.18	Horizontal
3	12460	40.84	38.95	-29.27	50.52	74.00	23.48	Horizontal

802.11ax40 MIMO_Channel 107




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10066	42.99	37.93	-31.67	49.25	88.30	39.05	Vertical
2	10881	42.24	38.34	-30.10	50.48	74.00	23.52	Vertical
3	11708	40.75	38.40	-29.37	49.78	74.00	24.22	Vertical

802.11ax40 MIMO_Channel 115




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10172.333	42.43	37.99	-31.66	48.76	88.30	39.54	Horizontal
2	11574.333	40.63	38.40	-29.15	49.88	74.00	24.12	Horizontal
3	12173.333	41.13	38.61	-29.15	50.59	74.00	23.41	Horizontal

802.11ax40 MIMO_Channel 115




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10106.333	42.29	37.95	-31.60	48.64	88.30	39.66	Vertical
2	11099.333	41.75	38.40	-29.48	50.67	74.00	23.33	Vertical
3	12077	41.24	38.49	-29.13	50.60	74.00	23.40	Vertical

802.11ax40 MIMO_Channel 123




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8780	45.99	37.49	-34.03	49.45	88.30	38.85	Horizontal
2	9967	43.71	37.89	-31.93	49.67	88.30	38.63	Horizontal
3	10844.666	42.17	38.32	-30.08	50.41	74.00	23.59	Horizontal

802.11ax40 MIMO_Channel 123



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8846.3333	46.03	37.52	-34.10	49.45	88.30	38.85	Vertical
2	10057.333	44.07	37.93	-31.69	50.31	88.30	37.99	Vertical
3	11572	41.30	38.40	-29.16	50.54	74.00	23.46	Vertical


802.11ax40 MIMO_Channel 147



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9007	44.76	37.60	-33.61	48.75	74.00	25.25	Horizontal
2	10493.111	42.30	38.15	-30.90	49.55	88.30	38.75	Horizontal
3	11764	41.22	38.40	-29.45	50.17	74.00	23.83	Horizontal


802.11ax40 MIMO_Channel 147



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8629.333	46.88	37.41	-34.32	49.97	88.30	38.33	Vertical
2	9912.333	44.00	37.87	-32.08	49.79	88.30	38.51	Vertical
3	10946	42.27	38.37	-30.17	50.47	74.00	23.53	Vertical

802.11ax40 MIMO_Channel 179




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9063	44.56	37.62	-33.93	48.25	74.00	25.75	Horizontal
2	10943.111	41.35	38.37	-30.17	49.55	74.00	24.45	Horizontal
3	11501.333	40.99	38.40	-29.43	49.96	74.00	24.04	Horizontal

802.11ax40 MIMO_Channel 179




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8829.333	46.02	37.51	-34.02	49.51	88.30	38.79	Vertical
2	10446.666	42.04	38.12	-30.79	49.37	88.30	38.93	Vertical
3	11608.333	40.87	38.40	-29.08	50.19	74.00	23.81	Vertical

802.11ax40 MIMO_Channel 187




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8801.333	46.11	37.50	-33.89	49.72	88.30	38.58	Horizontal
2	10088.666	43.05	37.94	-31.62	49.37	88.30	38.93	Horizontal
3	11447	41.84	38.40	-29.69	50.55	74.00	23.45	Horizontal

802.11ax40 MIMO_Channel 187



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8645	46.85	37.42	-34.39	49.88	88.30	38.42	Vertical
2	10354	42.78	38.08	-31.01	49.85	88.30	38.45	Vertical
3	11087.333	41.01	38.40	-29.56	49.85	74.00	24.15	Vertical


802.11ax40 MIMO_Channel 203



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8901.333	45.40	37.55	-34.35	48.60	88.30	39.70	Horizontal
2	10408.333	41.71	38.10	-30.70	49.11	88.30	39.19	Horizontal
3	11090.666	41.20	38.40	-29.54	50.06	74.00	23.94	Horizontal

802.11ax40 MIMO_Channel 203




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8821.333	46.46	37.51	-33.98	49.99	88.30	38.31	Vertical
2	9489.333	45.85	37.75	-33.24	50.36	74.00	23.64	Vertical
3	10251.333	43.89	38.03	-31.55	50.37	88.30	37.93	Vertical

802.11ax40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8789.333	46.21	37.49	-33.96	49.74	88.30	38.56	Horizontal
2	10020	44.05	37.91	-31.78	50.18	88.30	38.12	Horizontal
3	11172.333	41.34	38.40	-29.48	50.26	74.00	23.74	Horizontal

802.11ax40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8799.333	46.11	37.50	-33.89	49.72	88.30	38.58	Vertical
2	9869.666	44.04	37.86	-32.26	49.64	88.30	38.66	Vertical
3	11876.666	41.56	38.40	-29.47	50.49	74.00	23.51	Vertical

802.11ax80 MIMO_Channel 7



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9904.333	43.58	37.87	-32.11	49.34	88.30	38.96	Horizontal
2	10656	42.00	38.23	-30.44	49.79	74.00	24.21	Horizontal
3	12093.333	41.09	38.51	-29.17	50.43	74.00	23.57	Horizontal


802.11ax80 MIMO_Channel 7



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9950	43.20	37.89	-31.97	49.12	88.30	39.18	Vertical
2	10691	41.89	38.25	-30.35	49.79	74.00	24.21	Vertical
3	11787	41.50	38.40	-29.48	50.42	74.00	23.58	Vertical

802.11ax80 MIMO_Channel 39



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8812.666	45.90	37.51	-33.94	49.47	88.30	38.83	Horizontal
2	10263	42.15	38.03	-31.51	48.67	88.30	39.63	Horizontal
3	11942	41.29	38.40	-29.25	50.44	74.00	23.56	Horizontal


802.11ax80 MIMO_Channel 39



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8817	46.10	37.51	-33.96	49.65	88.30	38.65	Vertical
2	10129.333	42.89	37.96	-31.62	49.23	88.30	39.07	Vertical
3	11591.333	40.84	38.40	-29.08	50.16	74.00	23.84	Vertical

802.11ax80 MIMO_Channel 87




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8848.333	45.79	37.52	-34.11	49.20	88.30	39.10	Horizontal
2	10071.333	42.48	37.94	-31.66	48.76	88.30	39.54	Horizontal
3	11669	40.22	38.40	-29.26	49.36	74.00	24.64	Horizontal

802.11ax80 MIMO_Channel 87




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8999.111	41.79	37.60	-33.58	45.81	88.30	42.49	Vertical
2	10078.333	40.26	37.94	-31.64	46.56	88.30	41.74	Vertical
3	11814.111	39.32	38.40	-29.49	48.23	74.00	25.77	Vertical

802.11ax80 MIMO_Channel 103




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8729.111	44.95	37.46	-34.42	47.99	88.30	40.31	Horizontal
2	9975.111	42.03	37.89	-31.90	48.02	88.30	40.28	Horizontal
3	11821	40.13	38.40	-29.49	49.04	74.00	24.96	Horizontal

802.11ax80 MIMO_Channel 103




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9541.333	43.57	37.76	-33.13	48.20	88.30	40.10	Vertical
2	10075.333	40.99	37.94	-31.65	47.28	88.30	41.02	Vertical
3	11506.333	40.04	38.40	-29.41	49.03	74.00	24.97	Vertical

802.11ax80 MIMO_Channel 119




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8789.222	45.16	37.49	-33.96	48.69	88.30	39.61	Horizontal
2	10006.333	42.17	37.90	-31.81	48.26	88.30	40.04	Horizontal
3	11808	40.29	38.40	-29.50	49.19	74.00	24.81	Horizontal

802.11ax80 MIMO_Channel 119



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8763.333	45.39	37.48	-34.16	48.71	88.30	39.59	Vertical
2	10066.111	42.14	37.93	-31.67	48.40	88.30	39.90	Vertical
3	11962.333	40.16	38.40	-29.14	49.42	74.00	24.58	Vertical


802.11ax80 MIMO_Channel 135



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8802.222	44.94	37.50	-33.89	48.55	88.30	39.75	Horizontal
2	9979.333	41.93	37.89	-31.89	47.93	88.30	40.37	Horizontal
3	11157.333	40.40	38.40	-29.48	49.32	74.00	24.68	Horizontal

802.11ax80 MIMO_Channel 135




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8758.111	45.34	37.48	-34.20	48.62	88.30	39.68	Vertical
2	10083.222	41.78	37.94	-31.63	48.09	88.30	40.21	Vertical
3	10692.222	41.08	38.25	-30.35	48.98	74.00	25.02	Vertical

802.11ax80 MIMO_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9213.333	43.66	37.66	-33.79	47.53	88.30	40.77	Horizontal
2	10018.333	42.84	37.91	-31.79	48.96	88.30	39.34	Horizontal
3	11436.333	40.08	38.40	-29.75	48.73	74.00	25.27	Horizontal

802.11ax80 MIMO_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8926.222	44.11	37.56	-34.15	47.52	88.30	40.78	Vertical
2	10265.333	41.33	38.03	-31.51	47.85	88.30	40.45	Vertical
3	11933	40.11	38.40	-29.29	49.22	74.00	24.78	Vertical

802.11ax80 MIMO_Channel 167




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8815	46.47	37.51	-33.95	50.03	88.30	38.27	Horizontal
2	10388.333	41.68	38.09	-30.77	49.00	88.30	39.30	Horizontal
3	11292.111	41.33	38.40	-29.32	50.41	74.00	23.59	Horizontal

802.11ax80 MIMO_Channel 167




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8789.111	46.12	37.49	-33.96	49.65	88.30	38.65	Vertical
2	10121.333	42.51	37.96	-31.61	48.86	88.30	39.44	Vertical
3	11491.111	41.26	38.40	-29.48	50.18	74.00	23.82	Vertical

802.11ax80 MIMO_Channel 183




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9958.333	43.09	37.89	-31.95	49.03	88.30	39.27	Horizontal
2	10807.333	41.84	38.30	-30.05	50.09	74.00	23.91	Horizontal
3	11811.111	40.91	38.40	-29.50	49.81	74.00	24.19	Horizontal

802.11ax80 MIMO_Channel 183




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8789.333	46.48	37.49	-33.96	50.01	88.30	38.29	Vertical
2	10200.333	42.99	38.00	-31.69	49.30	88.30	39.00	Vertical
3	11669.333	41.15	38.40	-29.26	50.29	74.00	23.71	Vertical

802.11ax80 MIMO_Channel 199




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8793.666	46.40	37.50	-33.93	49.97	88.30	38.33	Horizontal
2	10404.333	41.46	38.10	-30.69	48.87	88.30	39.43	Horizontal
3	11445.333	40.99	38.40	-29.70	49.69	74.00	24.31	Horizontal

802.11ax80 MIMO_Channel 199



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8623.111	46.27	37.41	-34.29	49.39	88.30	38.91	Vertical
2	10060.666	43.29	37.93	-31.68	49.54	88.30	38.76	Vertical
3	11440.333	41.70	38.40	-29.72	50.38	74.00	23.62	Vertical


802.11ax80 MIMO_Channel 215



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8919.333	45.52	37.56	-34.21	48.87	88.30	39.43	Horizontal
2	10335.333	41.81	38.07	-31.15	48.73	88.30	39.57	Horizontal
3	11560.111	40.80	38.40	-29.21	49.99	74.00	24.01	Horizontal

802.11ax80 MIMO_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8815.333	46.18	37.51	-33.96	49.73	88.30	38.57	Vertical
2	10112	42.63	37.96	-31.60	48.99	88.30	39.31	Vertical
3	11269.111	41.47	38.40	-29.36	50.51	74.00	23.49	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

$$\text{Level} = \text{Reading}(\text{dB}\mu\text{V}) + \text{AF}(\text{dB}/\text{m}) + \text{Factor}(\text{dB})$$


$$\text{AF} = \text{Antenna Factor}(\text{dB}/\text{m})$$

$$\text{Factor} = \text{Cable Factor}(\text{dB}) - \text{Preamplifier gain}(\text{dB})$$

$$\text{Margin} = \text{Limit}(\text{dB}\mu\text{V}/\text{m}) - \text{Level}(\text{dB}\mu\text{V}/\text{m})$$
- All channels have been tested, but only the worst case data displayed in this report.


Restricted bands around fundamental frequency

802.11ax20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5915.81	57.10	34.51	-14.53	77.08	88.3	11.22	Horizontal
2	5922.66	60.70	34.54	-14.54	80.70	88.3	7.60	Horizontal

802.11ax20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5921.88	43.00	34.54	-14.54	63.00	68.3	5.30	Horizontal
2	5924.72	44.24	34.54	-14.54	64.24	68.3	4.06	Horizontal

802.11ax20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5912.44	48.39	34.50	-14.53	68.36	88.3	19.94	Vertical
2	5924.16	52.99	34.54	-14.54	72.99	88.3	15.31	Vertical

802.11ax20 MIMO_Channel 1




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5913.24	33.11	34.50	-14.53	53.08	68.3	15.22	Vertical
2	5925.08	37.45	34.54	-14.54	57.45	68.3	10.85	Vertical

802.11ax20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	42.65	36.15	-14.45	64.35	68.3	3.95	Horizontal

802.11ax20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	53.31	36.15	-14.45	75.01	88.3	13.29	Horizontal
2	7131.645	40.51	36.16	-14.42	62.25	88.3	26.05	Horizontal

802.11ax20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.082	46.00	36.15	-14.45	67.70	88.3	20.60	Vertical
2	7133.978	40.58	36.16	-14.41	62.33	88.3	25.97	Vertical

802.11ax20 MIMO_Channel 233




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.082	37.62	36.15	-14.45	59.32	68.3	8.98	Vertical
2	7133.978	28.16	36.16	-14.41	49.91	68.3	18.39	Vertical

802.11ax40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5915.66	62.67	34.51	-14.53	82.65	88.3	5.65	Horizontal
2	5921.58	63.99	34.53	-14.54	83.98	88.3	4.32	Horizontal

802.11ax40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5924.855	44.01	34.54	-14.54	64.01	68.3	4.29	Horizontal

802.11ax40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5908.977	54.16	34.49	-14.53	74.12	88.3	14.18	Vertical
2	5923.842	57.64	34.54	-14.54	77.64	88.3	10.66	Vertical

802.11ax40 MIMO_Channel 3




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5911.86	35.51	34.50	-14.53	55.48	68.3	12.82	Vertical
2	5924.62	38.51	34.54	-14.54	58.51	68.3	9.79	Vertical

802.11ax40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	42.89	36.15	-14.45	64.59	68.3	3.71	Horizontal
2	7129.22	43.13	36.15	-14.43	64.85	68.3	3.45	Horizontal

802.11ax40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7126.26	57.55	36.15	-14.44	79.26	88.3	9.04	Horizontal
2	7132.38	54.39	36.16	-14.42	76.13	88.3	12.17	Horizontal

802.11ax40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	57.44	36.15	-14.45	79.14	88.3	9.16	Vertical
2	7134.44	54.65	36.16	-14.41	76.40	88.3	11.90	Vertical

802.11ax40 MIMO_Channel 227




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.88	43.01	36.15	-14.45	64.71	68.3	3.59	Vertical
2	7130.74	40.88	36.16	-14.43	62.61	68.3	5.69	Vertical

802.11ax80 MIMO_Channel 7




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5907.62	58.15	34.49	-14.53	78.11	88.3	10.19	Horizontal
2	5922.77	61.76	34.54	-14.54	81.76	88.3	6.54	Horizontal

802.11ax80 MIMO_Channel 7




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5885.86	37.23	34.41	-14.52	57.12	68.3	11.18	Horizontal
2	5922.33	44.56	34.54	-14.54	64.56	68.3	3.74	Horizontal

802.11ax80 MIMO_Channel 7



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5904.72	37.55	34.48	-14.53	57.50	68.3	10.80	Vertical
2	5924.77	40.76	34.54	-14.54	60.76	68.3	7.54	Vertical


802.11ax80 MIMO_Channel 7



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5889.82	48.68	34.43	-14.52	68.59	88.3	19.71	Vertical
2	5920.59	54.28	34.53	-14.54	74.27	88.3	14.03	Vertical

802.11ax80 MIMO_Channel 215




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.77	42.55	36.15	-14.45	64.25	88.3	24.05	Horizontal
2	7142.3	42.09	36.17	-14.37	63.89	88.3	24.41	Horizontal

802.11ax80 MIMO_Channel 215




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.26	31.23	36.15	-14.45	52.93	68.3	15.37	Horizontal
2	7149.55	29.56	36.18	-14.34	51.40	68.3	16.90	Horizontal

802.11ax80 MIMO_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.37	31.82	36.15	-14.45	53.52	68.3	14.78	Vertical
2	7159.12	29.96	36.19	-14.3	51.85	68.3	16.45	Vertical

802.11ax80 MIMO_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7130.37	41.62	36.16	-14.43	63.35	88.3	24.95	Vertical
2	7188.44	41.45	36.23	-14.17	63.51	88.3	24.79	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading(dBμV) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit(dBμV/m) – Level(dBμV/m)

---End of Report---