

ANNEX A: Test Result

There is more than one Adapters, each one should be applied throughout the compliance test respectively, and however, only the worst case (Adapter 1) will be recorded in this report.

The radiated emission was measured in the following position: EUT stand-up position (Z axis), lie-down position (X, Y axis). The worst emission was found in lie-down position (Z axis) and the loop antenna is vertical, the others are vertical and horizontal. and the worst case was recorded.

1. Unwanted Emission

1.1. Wi-Fi 5GHz


The following graphs display the maximum values of horizontal and vertical by software.
Blue trace uses the peak detection, Green trace uses the average detection.

A symbol ($\text{dB}\mu\text{V/m}$) in the test plot below means ($\text{dB}\mu\text{V/m}$)


The modulation and bandwidth are similar for 802.11n mode for 20MHz/40MHz and 802.11ac mode for V20MHz/V40MHz, therefore investigated worst case to representative mode in test report.

The signal beyond the limit is carrier.


802.11a-Channel 36: Peak + Average




802.11a-Channel 48: Peak + Average




802.11a-Channel 52: Peak + Average




802.11a-Channel 64: Peak + Average




802.11a-Channel 100: Peak + Average




802.11a-Channel 140: Peak




802.11a-Channel 144: Peak



802.11a-Channel 149: Peak




802.11a-Channel 165: Peak




/


802.11n HT20-Channel 36: Peak + Average




802.11n HT20-Channel 48: Peak + Average




802.11n HT20-Channel 52: Peak + Average




802.11n HT20-Channel 64: Peak + Average




802.11n HT20-Channel 100: Peak + Average




802.11n HT20-Channel 140: Peak




802.11n HT20-Channel 144: Peak



802.11n HT20-Channel 149: Peak




802.11n HT20-Channel 165: Peak




/


802.11n HT40-Channel 38: Peak + Average




802.11n HT40-Channel 46: Peak + Average




802.11n HT40-Channel 54: Peak + Average




802.11n HT40-Channel 62: Peak + Average




802.11n HT40-Channel 102: Peak + Average




802.11n HT40-Channel 134: Peak




802.11n HT40-Channel 142: Peak



802.11n HT40-Channel 151: Peak





802.11n HT40-Channel 159: Peak





/


802.11ac VHT80 –Channel 42: Peak + Average




802.11ac VHT80 –Channel 58: Peak + Average




802.11ac VHT80-Channel 106: Peak + Average




802.11ac VHT80- Channel 122: Peak



802.11ac VHT80-Channel 138: Peak + Average



802.11ac VHT80- Channel 155: Peak



Result of RE

Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier.
The Radiates Emission from 18GHz to 40GHz are more than 20dB below the limit are not reported.

Remark:

1. **Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)**
2. **Margin = Limit – Quasi-Peak/ MAX Peak/ Average**
3. **The following graphs display the maximum values of horizontal and vertical by software.**
4. **For below 1GHz**

 QP Level @Spectrum Overview H
  QP Level @Spectrum Overview V
  QP Level @Final Results
  QP Limit

For above 1GHz


 PK Level @Spectrum Overview H
  PK Level @Spectrum Overview V
  PK Level @Final Results
  PK Limit

 AVG Level @Spectrum Overview H
  AVG Level @Spectrum Overview V
  AVG Level @Final Results
  AVG Limit


Continuous TX mode:

During the test, the Radiates Emission from 9kHz to 1GHz was performed in all modes with all channels, 802.11n (HT20) CH100 are selected as the worst condition. The test data of the worst-case condition was recorded in this report.

Test Voltage: 120V/60Hz.




Radiates Emission from 9kHz to 30MHz



Radiates Emission from 30MHz to 1GHz

Frequency (MHz)	Quasi-Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
32.99	24.66	40.00	15.34	100.0	V	179.00	17
42.95	30.85	40.00	9.15	100.0	V	54.00	19
120.01	31.21	43.50	12.29	225.0	H	116.00	17
180.41	22.45	43.50	21.05	176.0	H	270.00	17
448.30	25.78	46.00	20.22	211.0	H	25.00	24
950.10	29.04	46.00	16.96	175.0	V	0.00	31

802.11a CH36




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1293.13	42.15	---	68.20	26.05	500.00	100.0	V	6.00	-5
1403.38	---	31.30	54.00	22.70	500.00	200.0	H	52.00	-4
1706.13	---	31.77	54.00	22.23	500.00	200.0	H	353.00	-3
1945.88	43.97	---	68.20	24.23	500.00	200.0	V	249.00	-2
2626.63	46.12	---	68.20	22.08	500.00	100.0	H	354.00	0
2781.50	---	34.44	54.00	19.56	500.00	200.0	H	11.00	0
3452.63	48.02	---	68.20	20.18	500.00	100.0	H	342.00	2
3999.50	---	37.53	54.00	16.47	500.00	100.0	V	196.00	3
4681.13	48.45	---	74.00	25.55	500.00	100.0	H	342.00	5
4717.00	---	37.15	54.00	16.85	500.00	100.0	H	301.00	5
6907.13	54.36	---	68.20	13.84	500.00	200.0	H	118.00	10
7344.63	---	42.61	54.00	11.39	500.00	200.0	H	0.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8912.50	46.76	---	68.20	21.44	500.00	100.0	V	292.00	4
9152.50	---	35.89	54.00	18.11	500.00	200.0	H	51.00	4
9312.50	---	36.88	54.00	17.12	500.00	100.0	H	0.00	5
10347.50	52.93	---	68.20	15.27	500.00	200.0	V	334.00	4
10510.00	47.75	---	68.20	20.45	500.00	100.0	H	158.00	5
11333.75	---	37.87	54.00	16.13	500.00	100.0	V	226.00	6
13333.75	---	39.50	54.00	14.50	500.00	200.0	V	228.00	7
13700.00	50.84	---	68.20	17.36	500.00	200.0	H	214.00	8
14443.75	53.00	---	68.20	15.20	500.00	100.0	V	359.00	9
14471.25	---	40.93	54.00	13.07	500.00	200.0	V	356.00	9
17370.00	51.50	---	68.20	16.70	500.00	100.0	V	6.00	9
17750.00	---	38.09	54.00	15.91	500.00	100.0	V	13.00	7

Radiates Emission from 8GHz to 18GHz

802.11a CH40




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1279.13	42.22	---	68.20	25.98	500.00	100.0	H	0.00	-5
1378.88	---	31.34	54.00	22.66	500.00	200.0	H	6.00	-5
1695.63	---	31.67	54.00	22.33	500.00	100.0	H	205.00	-3
1987.88	43.93	---	68.20	24.27	500.00	200.0	H	29.00	-2
2599.50	45.37	---	68.20	22.83	500.00	200.0	H	154.00	0
2750.00	---	34.81	54.00	19.19	500.00	200.0	H	2.00	0
3597.00	47.95	---	68.20	20.25	500.00	100.0	V	259.00	2
3939.13	---	37.32	54.00	16.68	500.00	100.0	H	355.00	3
4667.13	48.62	---	74.00	25.38	500.00	100.0	H	321.00	5
4723.13	---	37.90	54.00	16.10	500.00	200.0	H	0.00	5
7368.25	---	42.52	54.00	11.48	500.00	100.0	H	190.00	10
7903.75	54.27	---	68.20	13.93	500.00	100.0	V	33.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8955.00	47.00	---	68.20	21.20	500.00	200.0	V	358.00	4
9000.00	---	35.42	54.00	18.58	500.00	200.0	V	66.00	4
9301.25	---	36.87	54.00	17.13	500.00	100.0	H	190.00	5
10400.00	53.16	---	68.20	15.04	500.00	200.0	V	336.00	5
10577.50	47.65	---	68.20	20.55	500.00	100.0	H	346.00	5
11350.00	---	37.12	54.00	16.88	500.00	200.0	V	354.00	6
13122.50	48.95	---	68.20	19.25	500.00	100.0	H	341.00	7
13337.50	---	37.75	54.00	16.25	500.00	100.0	V	0.00	7
14413.75	51.70	---	68.20	16.50	500.00	100.0	V	2.00	9
14477.50	---	39.54	54.00	14.46	500.00	100.0	V	17.00	9
15735.00	---	35.76	54.00	18.24	500.00	100.0	V	75.00	5
17397.50	49.58	---	68.20	18.62	500.00	200.0	H	0.00	9

Radiates Emission from 8GHz to 18GHz

802.11a CH48




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1290.50	41.89	---	68.20	26.31	500.00	200.0	V	329.00	-5
1371.00	---	31.67	54.00	22.33	500.00	100.0	H	190.00	-5
1698.25	---	31.56	54.00	22.44	500.00	200.0	V	60.00	-3
1980.88	43.71	---	68.20	24.49	500.00	200.0	H	34.00	-2
2628.38	45.72	---	68.20	22.48	500.00	200.0	V	336.00	0
2779.75	---	34.42	54.00	19.58	500.00	200.0	V	359.00	0
3459.63	48.01	---	68.20	20.19	500.00	200.0	H	34.00	2
3919.88	---	37.51	54.00	16.49	500.00	200.0	H	338.00	3
5352.25	---	39.89	54.00	14.11	500.00	100.0	V	328.00	7
5582.38	50.66	---	68.20	17.54	500.00	100.0	V	70.00	7
6986.75	54.67	---	68.20	13.53	500.00	200.0	V	301.00	10
7537.13	---	42.53	54.00	11.47	500.00	100.0	V	17.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8875.00	46.62	---	68.20	21.58	500.00	200.0	H	42.00	4
9001.25	---	35.74	54.00	18.26	500.00	200.0	V	294.00	4
9305.00	---	37.22	54.00	16.78	500.00	100.0	H	338.00	5
10478.75	52.48	---	68.20	15.72	500.00	200.0	V	335.00	5
10487.50	54.03	---	68.20	14.17	500.00	200.0	V	335.00	5
11391.25	---	36.81	54.00	17.19	500.00	100.0	H	249.00	6
13335.00	---	37.18	54.00	16.82	500.00	200.0	V	0.00	7
13633.75	48.84	---	68.20	19.36	500.00	200.0	V	280.00	8
14413.75	50.94	---	68.20	17.26	500.00	100.0	H	338.00	9
14495.00	---	38.62	54.00	15.38	500.00	100.0	V	0.00	9
15776.25	---	35.47	54.00	18.53	500.00	100.0	V	18.00	5
17353.75	48.76	---	68.20	19.44	500.00	200.0	H	65.00	9

Radiates Emission from 8GHz to 18GHz

802.11a CH52




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1242.38	42.48	---	68.20	25.72	500.00	100.0	V	2.00	-6
1382.38	---	31.62	54.00	22.38	500.00	100.0	V	28.00	-5
1523.25	---	31.73	54.00	22.27	500.00	100.0	H	357.00	-4
1938.00	43.79	---	68.20	24.41	500.00	200.0	V	0.00	-2
2534.75	46.32	---	68.20	21.88	500.00	200.0	V	0.00	0
2827.00	---	34.60	54.00	19.40	500.00	100.0	V	4.00	0
3594.38	47.77	---	68.20	20.44	500.00	100.0	H	75.00	2
3796.50	---	37.52	54.00	16.48	500.00	200.0	H	0.00	3
5386.38	---	38.99	54.00	15.01	500.00	100.0	V	327.00	7
5629.63	51.02	---	68.20	17.18	500.00	100.0	H	347.00	7
7223.00	54.34	---	68.20	13.86	500.00	200.0	V	6.00	10
7650.00	---	42.56	54.00	11.44	500.00	100.0	H	278.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8916.25	47.87	---	68.20	20.33	500.00	100.0	V	16.00	4
9151.25	---	35.16	54.00	18.84	500.00	100.0	V	0.00	4
9310.00	---	36.30	54.00	17.70	500.00	100.0	H	205.00	5
10425.00	47.52	---	68.20	20.68	500.00	200.0	H	22.00	5
10516.25	53.12	---	68.20	15.08	500.00	200.0	V	328.00	5
11347.50	---	36.78	54.00	17.22	500.00	200.0	H	0.00	6
13333.75	---	37.44	54.00	16.56	500.00	100.0	V	5.00	7
13636.25	48.66	---	68.20	19.54	500.00	200.0	V	351.00	8
14487.50	---	38.22	54.00	15.78	500.00	200.0	V	356.00	9
14588.75	50.36	---	68.20	17.84	500.00	100.0	H	205.00	9
15735.00	---	35.37	54.00	18.63	500.00	100.0	V	16.00	5
17321.25	48.19	---	68.20	20.01	500.00	100.0	V	0.00	9

Radiates Emission from 8GHz to 18GHz

802.11a CH60




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1284.38	42.38	---	68.20	25.82	500.00	200.0	H	214.00	-5
1352.63	---	31.67	54.00	22.33	500.00	100.0	H	350.00	-5
1679.00	---	31.78	54.00	22.22	500.00	200.0	V	301.00	-4
1956.38	44.58	---	68.20	23.62	500.00	100.0	H	340.00	-2
2617.00	45.51	---	68.20	22.69	500.00	100.0	V	96.00	0
2827.88	---	34.61	54.00	19.39	500.00	100.0	V	28.00	0
3397.50	47.70	---	68.20	20.50	500.00	200.0	H	17.00	2
3919.00	---	37.44	54.00	16.56	500.00	200.0	V	347.00	3
4749.38	49.61	---	74.00	24.39	500.00	100.0	H	303.00	5
4800.13	---	37.55	54.00	16.45	500.00	200.0	H	171.00	6
7067.25	54.85	---	68.20	13.35	500.00	200.0	V	301.00	10
7666.63	---	42.72	54.00	11.28	500.00	200.0	V	359.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8913.75	46.72	---	68.20	21.48	500.00	200.0	H	203.00	4
9007.50	---	35.27	54.00	18.73	500.00	100.0	V	4.00	4
9275.00	47.87	---	68.20	20.33	500.00	200.0	V	306.00	5
9306.25	---	36.22	54.00	17.78	500.00	100.0	H	0.00	5
10597.50	54.06	---	68.20	14.14	500.00	200.0	V	317.00	5
10603.75	---	43.42	54.00	10.58	500.00	200.0	V	317.00	5
12716.25	47.91	---	68.20	20.29	500.00	100.0	H	350.00	6
13336.25	---	37.38	54.00	16.62	500.00	100.0	V	6.00	7
14412.50	50.16	---	68.20	18.04	500.00	100.0	H	173.00	9
14490.00	---	38.20	54.00	15.80	500.00	100.0	V	77.00	9
15735.00	---	35.34	54.00	18.66	500.00	100.0	V	41.00	5
17343.75	48.75	---	68.20	19.45	500.00	100.0	H	346.00	9

Radiates Emission from 8GHz to 18GHz

802.11a CH64




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1280.88	42.49	---	68.20	25.71	500.00	200.0	H	314.00	-5
1402.50	---	31.41	54.00	22.59	500.00	200.0	V	354.00	-4
1696.50	---	31.89	54.00	22.11	500.00	100.0	V	0.00	-3
1969.50	43.81	---	68.20	24.39	500.00	200.0	H	23.00	-2
2442.00	45.52	---	68.20	22.68	500.00	100.0	V	5.00	0
2733.38	---	34.48	54.00	19.52	500.00	200.0	H	30.00	0
3587.38	49.25	---	68.20	18.95	500.00	200.0	V	96.00	2
3961.88	---	37.62	54.00	16.38	500.00	200.0	H	59.00	3
4637.38	49.03	---	74.00	24.97	500.00	200.0	H	171.00	5
4669.75	---	37.06	54.00	16.94	500.00	200.0	H	113.00	5
7361.25	---	42.48	54.00	11.52	500.00	200.0	H	242.00	10
7810.13	54.66	---	68.20	13.54	500.00	100.0	V	15.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8951.25	46.44	---	68.20	21.76	500.00	100.0	H	357.00	4
9006.25	---	35.26	54.00	18.74	500.00	200.0	V	159.00	4
9306.25	---	36.21	54.00	17.79	500.00	100.0	H	355.00	5
9615.00	48.26	---	68.20	19.94	500.00	100.0	H	300.00	5
10640.00	53.83	---	74.00	20.17	500.00	200.0	H	63.00	5
10640.00	---	43.64	54.00	10.36	500.00	200.0	V	327.00	5
13337.50	---	36.71	54.00	17.29	500.00	100.0	H	359.00	7
13732.50	48.21	---	68.20	19.99	500.00	100.0	V	18.00	8
13805.00	49.94	---	68.20	18.26	500.00	100.0	H	352.00	8
14495.00	---	37.89	54.00	16.11	500.00	100.0	V	0.00	9
17360.00	48.06	---	68.20	20.14	500.00	200.0	V	296.00	9
17741.25	---	35.00	54.00	19.00	500.00	200.0	V	354.00	7

Radiates Emission from 8GHz to 18GHz

802.11a CH100




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1287.88	42.59	---	68.20	25.61	500.00	100.0	V	12.00	-5
1342.13	---	31.25	54.00	22.75	500.00	100.0	H	358.00	-5
1660.63	---	31.65	54.00	22.35	500.00	200.0	V	246.00	-4
1960.75	43.96	---	68.20	24.24	500.00	100.0	V	8.00	-2
2555.75	45.68	---	68.20	22.52	500.00	100.0	H	317.00	0
2741.25	---	34.32	54.00	19.68	500.00	100.0	V	0.00	0
3597.00	48.03	---	68.20	20.17	500.00	100.0	V	325.00	2
3874.38	---	37.20	54.00	16.80	500.00	200.0	H	282.00	3
4922.63	50.32	---	74.00	23.68	500.00	200.0	V	343.00	6
4923.50	---	37.95	54.00	16.05	500.00	200.0	H	27.00	6
6889.63	54.21	---	68.20	13.99	500.00	200.0	H	3.00	10
7333.25	---	45.24	54.00	8.76	500.00	100.0	H	137.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8911.25	46.89	---	68.20	21.31	500.00	100.0	V	154.00	4
9031.25	---	35.18	54.00	18.82	500.00	100.0	V	5.00	4
9287.50	48.33	---	68.20	19.87	500.00	200.0	H	34.00	5
9313.75	---	36.46	54.00	17.54	500.00	200.0	V	142.00	5
11000.00	54.49	---	74.00	19.51	500.00	200.0	V	327.00	6
11001.25	---	42.65	54.00	11.35	500.00	200.0	H	66.00	6
13121.25	48.45	---	68.20	19.75	500.00	100.0	V	294.00	7
13333.75	---	36.66	54.00	17.34	500.00	200.0	H	7.00	7
14401.25	50.36	---	68.20	17.84	500.00	200.0	V	172.00	9
14491.25	---	38.14	54.00	15.86	500.00	100.0	V	232.00	9
15735.00	---	35.51	54.00	18.49	500.00	200.0	V	157.00	5
17428.75	48.60	---	68.20	19.60	500.00	200.0	H	338.00	9

Radiates Emission from 8GHz to 18GHz

802.11a CH116




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1297.50	42.39	---	68.20	25.81	500.00	100.0	V	129.00	-5
1342.13	---	31.36	54.00	22.64	500.00	100.0	H	338.00	-5
1551.25	---	31.43	54.00	22.57	500.00	100.0	V	116.00	-4
1987.88	43.12	---	68.20	25.08	500.00	100.0	H	338.00	-2
2687.88	45.58	---	68.20	22.62	500.00	100.0	H	91.00	0
2764.88	---	34.41	54.00	19.59	500.00	100.0	H	104.00	0
3559.38	47.98	---	68.20	20.22	500.00	100.0	H	359.00	2
3921.63	---	37.09	54.00	16.91	500.00	200.0	H	146.00	3
5240.25	49.67	---	68.20	18.53	500.00	200.0	H	40.00	7
5417.00	---	38.65	54.00	15.35	500.00	200.0	H	0.00	7
7440.00	---	43.12	54.00	10.88	500.00	200.0	H	0.00	11
7968.50	53.72	---	68.20	14.48	500.00	100.0	H	359.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8963.75	47.11	---	68.20	21.09	500.00	100.0	H	353.00	4
9035.00	---	35.27	54.00	18.73	500.00	200.0	H	359.00	4
9308.75	---	36.27	54.00	17.73	500.00	100.0	H	0.00	5
10361.25	48.86	---	68.20	19.34	500.00	100.0	V	3.00	5
10591.25	47.58	---	68.20	20.62	500.00	200.0	H	250.00	5
11158.75	---	41.99	54.00	12.01	500.00	200.0	H	20.00	6
13336.25	---	36.67	54.00	17.33	500.00	200.0	V	232.00	7
13517.50	47.59	---	68.20	20.61	500.00	200.0	V	36.00	7
14405.00	50.69	---	68.20	17.51	500.00	100.0	H	0.00	9
14478.75	---	37.72	54.00	16.28	500.00	100.0	V	60.00	9
15728.75	---	35.56	54.00	18.44	500.00	100.0	H	332.00	5
17457.50	48.37	---	68.20	19.83	500.00	200.0	V	232.00	9

Radiates Emission from 8GHz to 18GHz

802.11a CH140




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1240.63	41.66	---	68.20	26.54	500.00	100.0	V	357.00	-6
1410.38	---	31.21	54.00	22.79	500.00	100.0	H	339.00	-4
1683.38	---	31.47	54.00	22.53	500.00	200.0	H	256.00	-3
1938.88	43.64	---	68.20	24.56	500.00	200.0	H	357.00	-2
2681.75	45.17	---	68.20	23.03	500.00	200.0	H	334.00	0
2782.38	---	34.69	54.00	19.31	500.00	200.0	H	340.00	0
3530.50	47.20	---	68.20	21.00	500.00	100.0	V	357.00	2
3986.38	---	37.10	54.00	16.90	500.00	100.0	H	28.00	3
5174.63	49.69	---	68.20	18.51	500.00	100.0	H	80.00	6
5453.75	---	38.55	54.00	15.45	500.00	200.0	V	0.00	7
7600.13	---	42.99	54.00	11.01	500.00	100.0	H	56.00	11
7967.63	53.99	---	68.20	14.21	500.00	100.0	H	0.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8918.75	46.75	---	68.20	21.45	500.00	200.0	V	190.00	4
9021.25	---	35.38	54.00	18.62	500.00	100.0	V	172.00	4
9308.75	---	36.31	54.00	17.69	500.00	200.0	H	16.00	5
10361.25	47.76	---	68.20	20.44	500.00	200.0	H	204.00	5
11397.50	---	43.25	54.00	10.75	500.00	200.0	V	340.00	6
11400.00	53.56	---	74.00	20.44	500.00	200.0	H	16.00	6
13337.50	---	36.51	54.00	17.49	500.00	200.0	H	358.00	7
13652.50	47.52	---	68.20	20.68	500.00	200.0	V	355.00	8
14495.00	---	37.63	54.00	16.37	500.00	200.0	H	16.00	9
14597.50	50.65	---	68.20	17.55	500.00	100.0	H	160.00	9
15735.00	---	34.94	54.00	19.06	500.00	100.0	V	309.00	5
17353.75	48.64	---	68.20	19.56	500.00	100.0	V	4.00	9

Radiates Emission from 8GHz to 18GHz

802.11a CH144




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1277.38	41.57	---	68.20	26.63	500.00	100.0	V	205.00	-5
1403.38	---	31.36	54.00	22.64	500.00	200.0	V	67.00	-4
1703.50	---	31.45	54.00	22.55	500.00	100.0	V	6.00	-3
1941.50	43.78	---	68.20	24.42	500.00	100.0	V	175.00	-2
2610.88	45.28	---	68.20	22.92	500.00	200.0	H	208.00	0
2779.75	---	34.33	54.00	19.67	500.00	200.0	V	3.00	0
3344.13	47.67	---	68.20	20.53	500.00	200.0	V	108.00	1
3828.88	---	37.10	54.00	16.90	500.00	100.0	H	36.00	3
5261.25	49.86	---	68.20	18.34	500.00	100.0	H	284.00	7
5451.13	---	38.42	54.00	15.58	500.00	100.0	V	354.00	7
6809.13	54.36	---	68.20	13.84	500.00	100.0	H	3.00	10
7627.25	---	43.08	54.00	10.92	500.00	100.0	H	56.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8842.50	46.92	---	68.20	21.28	500.00	200.0	H	1.00	4
9035.00	---	35.05	54.00	18.95	500.00	200.0	H	232.00	4
9276.25	47.84	---	68.20	20.36	500.00	100.0	V	29.00	5
9308.75	---	36.34	54.00	17.66	500.00	100.0	V	5.00	5
11431.25	52.92	---	74.00	21.08	500.00	200.0	V	330.00	6
11437.50	---	41.66	54.00	12.34	500.00	200.0	H	66.00	6
13337.50	---	36.54	54.00	17.46	500.00	200.0	V	337.00	7
13473.75	47.67	---	68.20	20.53	500.00	100.0	H	353.00	7
14313.75	50.03	---	68.20	18.17	500.00	200.0	H	156.00	9
14488.75	---	37.94	54.00	16.06	500.00	100.0	V	22.00	9
15726.25	---	35.14	54.00	18.86	500.00	100.0	H	313.00	5
17365.00	48.36	---	68.20	19.84	500.00	100.0	H	346.00	9

Radiates Emission from 8GHz to 18GHz

802.11a CH149




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1271.25	42.42	---	68.20	25.78	500.00	200.0	H	225.00	-5
1403.38	---	31.32	54.00	22.68	500.00	100.0	H	14.00	-4
1539.00	---	31.73	54.00	22.27	500.00	200.0	V	1.00	-4
1992.25	44.03	---	68.20	24.17	500.00	200.0	V	103.00	-2
2603.88	45.85	---	68.20	22.35	500.00	100.0	V	247.00	0
2776.25	---	34.24	54.00	19.76	500.00	200.0	H	0.00	0
3446.50	47.14	---	68.20	21.06	500.00	200.0	H	358.00	2
3913.75	---	37.18	54.00	16.82	500.00	200.0	V	3.00	3
5088.00	---	38.62	54.00	15.38	500.00	100.0	V	204.00	6
5599.88	50.71	---	68.20	17.49	500.00	100.0	H	124.00	7
6664.75	53.87	---	68.20	14.33	500.00	100.0	V	289.00	10
7660.50	---	43.00	54.00	11.00	500.00	100.0	H	10.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8952.50	47.00	---	68.20	21.20	500.00	200.0	V	237.00	4
9020.00	---	35.41	54.00	18.59	500.00	100.0	V	2.00	4
9280.00	47.97	---	68.20	20.23	500.00	100.0	H	188.00	5
9303.75	---	36.17	54.00	17.83	500.00	200.0	V	335.00	5
10592.50	46.95	---	68.20	21.25	500.00	100.0	H	203.00	5
11490.00	---	41.58	54.00	12.42	500.00	100.0	V	108.00	6
13333.75	---	36.55	54.00	17.45	500.00	100.0	V	5.00	7
13487.50	47.67	---	68.20	20.53	500.00	200.0	V	0.00	7
14487.50	---	37.80	54.00	16.20	500.00	200.0	H	38.00	9
14618.75	49.94	---	68.20	18.26	500.00	200.0	H	38.00	9
15770.00	---	34.93	54.00	19.07	500.00	200.0	H	49.00	5
17422.50	48.34	---	68.20	19.86	500.00	100.0	V	20.00	9

Radiates Emission from 8GHz to 18GHz


802.11a CH157



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1259.88	42.94	---	68.20	25.26	500.00	100.0	H	66.00	-5
1373.63	---	31.29	54.00	22.71	500.00	200.0	H	148.00	-5
1700.88	---	31.61	54.00	22.39	500.00	100.0	H	0.00	-3
1983.50	43.55	---	68.20	24.65	500.00	200.0	H	250.00	-2
2462.13	45.27	---	68.20	22.93	500.00	200.0	V	15.00	0
2802.50	---	34.24	54.00	19.76	500.00	100.0	H	44.00	0
3583.88	47.42	---	68.20	20.78	500.00	100.0	H	44.00	2
3990.75	---	37.37	54.00	16.63	500.00	200.0	H	221.00	3
5455.50	---	38.61	54.00	15.39	500.00	200.0	H	358.00	7
5618.25	50.95	---	68.20	17.25	500.00	100.0	H	150.00	7
6799.50	53.57	---	68.20	14.63	500.00	100.0	H	150.00	10
7713.88	---	42.83	54.00	11.17	500.00	100.0	H	0.00	11

Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8822.50	46.75	---	68.20	21.45	500.00	100.0	H	359.00	4
9063.75	---	35.20	54.00	18.80	500.00	200.0	H	0.00	4
9308.75	---	36.48	54.00	17.52	500.00	200.0	H	327.00	5
10363.75	47.68	---	68.20	20.52	500.00	200.0	V	352.00	5
10555.00	48.17	---	68.20	20.03	500.00	200.0	V	359.00	5
11571.25	---	42.79	54.00	11.21	500.00	200.0	H	56.00	6
13111.25	47.89	---	68.20	20.31	500.00	100.0	V	62.00	7
13336.25	---	36.41	54.00	17.59	500.00	200.0	H	110.00	7
14427.50	49.98	---	68.20	18.22	500.00	200.0	V	315.00	9
14480.00	---	38.08	54.00	15.92	500.00	100.0	V	40.00	9
17372.50	48.23	---	68.20	19.97	500.00	200.0	H	216.00	9
17743.75	---	35.14	54.00	18.86	500.00	200.0	H	0.00	7

Radiates Emission from 8GHz to 18GHz

802.11a CH165




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1291.38	41.82	---	68.20	26.38	500.00	200.0	H	0.00	-5
1350.88	---	31.23	54.00	22.77	500.00	200.0	H	12.00	-5
1510.13	---	31.47	54.00	22.53	500.00	200.0	V	23.00	-4
1931.88	43.24	---	68.20	24.96	500.00	200.0	V	0.00	-2
2589.00	45.48	---	68.20	22.72	500.00	100.0	H	25.00	0
2734.25	---	34.31	54.00	19.69	500.00	100.0	H	25.00	0
3456.13	47.67	---	68.20	20.53	500.00	100.0	H	1.00	2
3989.88	---	37.07	54.00	16.93	500.00	200.0	V	212.00	3
5377.63	---	38.40	54.00	15.60	500.00	100.0	H	14.00	7
5647.13	50.91	---	68.20	17.29	500.00	100.0	V	346.00	7
7084.75	52.14	---	68.20	16.06	500.00	100.0	V	149.00	10
7496.00	---	42.33	54.00	11.67	500.00	100.0	V	0.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8950.00	46.41	---	68.20	21.79	500.00	200.0	V	280.00	4
9000.00	---	35.14	54.00	18.86	500.00	200.0	H	97.00	4
9311.25	---	36.33	54.00	17.67	500.00	100.0	H	0.00	5
10432.50	47.49	---	68.20	20.71	500.00	200.0	V	293.00	5
11643.75	---	44.16	54.00	9.84	500.00	100.0	V	111.00	6
11652.50	55.79	---	74.00	18.21	500.00	200.0	H	68.00	6
13335.00	---	36.23	54.00	17.77	500.00	100.0	V	311.00	7
13625.00	47.21	---	68.20	20.99	500.00	200.0	V	353.00	8
14492.50	---	37.61	54.00	16.39	500.00	200.0	H	10.00	9
14612.50	50.02	---	68.20	18.18	500.00	200.0	V	357.00	9
15726.25	---	35.22	54.00	18.78	500.00	200.0	H	142.00	5
17490.00	48.10	---	68.20	20.10	500.00	200.0	V	263.00	9

Radiates Emission from 8GHz to 18GHz

802.11n (HT20) CH36




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1263.38	42.17	---	68.20	26.03	500.00	100.0	V	1.00	-5
1406.00	---	31.49	54.00	22.51	500.00	200.0	V	357.00	-4
1708.75	---	31.98	54.00	22.02	500.00	200.0	H	153.00	-3
1973.88	44.44	---	68.20	23.76	500.00	200.0	V	359.00	-2
2449.00	46.30	---	68.20	21.90	500.00	200.0	H	125.00	0
2748.25	---	34.47	54.00	19.53	500.00	100.0	H	307.00	0
3518.25	47.90	---	68.20	20.30	500.00	200.0	V	0.00	2
3964.50	---	37.36	54.00	16.64	500.00	200.0	H	153.00	3
4813.25	---	37.19	54.00	16.81	500.00	200.0	V	32.00	6
5924.50	50.56	---	68.20	17.64	500.00	100.0	H	334.00	8
6757.50	54.52	---	68.20	13.68	500.00	100.0	H	359.00	10
7373.50	---	42.49	54.00	11.51	500.00	100.0	V	18.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8912.50	47.49	---	68.20	20.71	500.00	100.0	H	336.00	4
9150.00	---	35.03	54.00	18.97	500.00	200.0	V	94.00	4
9338.75	---	36.25	54.00	17.75	500.00	100.0	V	56.00	5
10357.50	51.30	---	68.20	16.90	500.00	200.0	V	335.00	5
10557.50	48.00	---	68.20	20.20	500.00	100.0	V	3.00	5
11395.00	---	36.48	54.00	17.52	500.00	200.0	V	140.00	6
13335.00	---	36.46	54.00	17.54	500.00	200.0	V	229.00	7
13732.50	47.64	---	68.20	20.57	500.00	200.0	V	0.00	8
14490.00	---	37.50	54.00	16.50	500.00	100.0	H	343.00	9
14606.25	49.96	---	68.20	18.24	500.00	200.0	V	1.00	9
17458.75	48.57	---	68.20	19.63	500.00	100.0	H	359.00	9
17755.00	---	35.14	54.00	18.86	500.00	100.0	V	174.00	7

Radiates Emission from 8GHz to 18GHz


802.11n (HT20) CH40



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1243.25	42.33	---	68.20	25.87	500.00	200.0	H	356.00	-6
1387.63	---	31.59	54.00	22.41	500.00	100.0	H	6.00	-4
1696.50	---	31.60	54.00	22.40	500.00	100.0	H	0.00	-3
1939.75	43.53	---	68.20	24.67	500.00	100.0	V	350.00	-2
2680.00	45.73	---	68.20	22.47	500.00	100.0	V	273.00	0
2767.50	---	34.50	54.00	19.50	500.00	200.0	H	305.00	0
3499.88	48.16	---	68.20	20.04	500.00	200.0	H	0.00	2
3999.50	---	37.36	54.00	16.64	500.00	200.0	H	352.00	3
5149.25	---	39.92	54.00	14.08	500.00	100.0	V	52.00	6
5564.00	50.90	---	68.20	17.30	500.00	100.0	H	0.00	7
6933.38	54.54	---	68.20	13.66	500.00	200.0	H	339.00	10
7631.63	---	42.64	54.00	11.36	500.00	200.0	V	4.00	11

Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8920.00	47.44	---	68.20	20.76	500.00	100.0	H	264.00	4
9025.00	---	35.02	54.00	18.98	500.00	200.0	H	172.00	4
9306.25	---	36.25	54.00	17.75	500.00	100.0	V	265.00	5
10401.25	52.03	---	68.20	16.17	500.00	200.0	V	333.00	5
10507.50	46.84	---	68.20	21.36	500.00	100.0	H	174.00	5
11346.25	---	36.45	54.00	17.55	500.00	200.0	V	355.00	6
13337.50	---	36.47	54.00	17.53	500.00	100.0	V	0.00	7
13622.50	47.08	---	68.20	21.12	500.00	100.0	V	158.00	8
14487.50	---	37.49	54.00	16.51	500.00	200.0	V	305.00	9
14610.00	49.77	---	68.20	18.43	500.00	200.0	V	350.00	9
15758.75	---	34.91	54.00	19.09	500.00	100.0	V	3.00	5
17412.50	48.33	---	68.20	19.87	500.00	200.0	H	127.00	9

Radiates Emission from 8GHz to 18GHz


802.11n (HT20) CH48



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1252.88	42.80	---	68.20	25.40	500.00	200.0	V	4.00	-5
1406.88	---	31.68	54.00	22.32	500.00	200.0	H	356.00	-4
1676.38	---	31.62	54.00	22.38	500.00	200.0	H	354.00	-4
1998.38	43.64	---	68.20	24.56	500.00	200.0	H	351.00	-2
2400.88	45.52	---	68.20	22.68	500.00	200.0	V	0.00	-1
2771.88	---	34.68	54.00	19.32	500.00	100.0	V	357.00	0
3563.75	47.79	---	68.20	20.41	500.00	200.0	V	0.00	2
3990.75	---	37.61	54.00	16.39	500.00	100.0	H	99.00	3
5384.63	---	39.20	54.00	14.80	500.00	200.0	V	47.00	7
5645.38	51.01	---	68.20	17.19	500.00	100.0	V	188.00	7
6494.13	54.80	---	68.20	13.40	500.00	200.0	V	57.00	10
7349.88	---	42.91	54.00	11.09	500.00	200.0	H	191.00	10

Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8881.25	46.89	---	68.20	21.31	500.00	100.0	H	359.00	4
9021.25	---	35.20	54.00	18.80	500.00	200.0	V	161.00	4
9310.00	---	36.19	54.00	17.81	500.00	200.0	V	0.00	5
10481.25	54.01	---	68.20	14.19	500.00	200.0	V	335.00	5
10486.25	53.99	---	68.20	14.21	500.00	200.0	V	335.00	5
11381.25	---	36.57	54.00	17.43	500.00	200.0	V	347.00	6
13333.75	---	36.63	54.00	17.37	500.00	100.0	V	41.00	7
13626.25	47.12	---	68.20	21.08	500.00	200.0	V	207.00	8
14490.00	---	37.48	54.00	16.52	500.00	100.0	H	332.00	9
14602.50	49.47	---	68.20	18.73	500.00	100.0	H	201.00	9
15726.25	---	34.85	54.00	19.15	500.00	100.0	V	13.00	5
17461.25	48.29	---	68.20	19.91	500.00	100.0	H	354.00	9

Radiates Emission from 8GHz to 18GHz

802.11n (HT20) CH52




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1252.88	43.44	---	68.20	24.76	500.00	100.0	V	359.00	-5
1397.25	---	31.56	54.00	22.44	500.00	100.0	H	144.00	-4
1694.75	---	32.00	54.00	22.00	500.00	100.0	H	263.00	-3
1901.25	44.21	---	68.20	23.99	500.00	200.0	V	36.00	-3
2530.38	46.21	---	68.20	21.99	500.00	100.0	H	114.00	0
2740.38	---	34.53	54.00	19.47	500.00	200.0	V	123.00	0
3481.50	47.81	---	68.20	20.39	500.00	200.0	H	295.00	2
3940.00	---	37.49	54.00	16.51	500.00	200.0	H	326.00	3
5353.13	---	39.35	54.00	14.65	500.00	100.0	V	146.00	7
5633.13	52.12	---	68.20	16.08	500.00	100.0	H	202.00	7
7013.88	56.05	---	68.20	12.15	500.00	100.0	V	325.00	10
7340.25	---	42.40	54.00	11.60	500.00	200.0	V	8.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8928.75	46.43	---	68.20	21.77	500.00	200.0	V	355.00	4
9153.75	---	35.37	54.00	18.63	500.00	100.0	V	156.00	4
9307.50	---	36.38	54.00	17.62	500.00	200.0	H	232.00	5
10315.00	47.72	---	68.20	20.48	500.00	200.0	H	109.00	4
10520.00	52.95	---	68.20	15.25	500.00	200.0	V	331.00	5
11346.25	---	36.67	54.00	17.33	500.00	200.0	V	313.00	6
13336.25	---	36.32	54.00	17.68	500.00	100.0	V	0.00	7
13675.00	47.06	---	68.20	21.14	500.00	200.0	H	14.00	8
14417.50	49.55	---	68.20	18.65	500.00	100.0	V	20.00	9
14485.00	---	37.34	54.00	16.66	500.00	200.0	V	348.00	9
15743.75	---	34.85	54.00	19.15	500.00	100.0	V	0.00	5
17367.50	47.66	---	68.20	20.54	500.00	100.0	H	359.00	9

Radiates Emission from 8GHz to 18GHz

802.11n (HT20) CH60




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1264.25	42.72	---	68.20	25.48	500.00	100.0	V	344.00	-5
1394.63	---	31.59	54.00	22.41	500.00	200.0	V	8.00	-4
1678.13	---	31.86	54.00	22.14	500.00	200.0	H	359.00	-4
1956.38	43.68	---	68.20	24.52	500.00	200.0	H	353.00	-2
2517.25	45.45	---	68.20	22.75	500.00	200.0	H	32.00	0
2711.50	---	34.52	54.00	19.48	500.00	200.0	H	101.00	0
3588.25	48.00	---	68.20	20.20	500.00	200.0	V	21.00	2
3997.75	---	37.55	54.00	16.45	500.00	100.0	H	59.00	3
5353.13	56.91	---	74.00	17.09	500.00	100.0	V	77.00	7
5353.13	---	41.85	54.00	12.15	500.00	100.0	V	77.00	7
7067.25	54.88	---	68.20	13.32	500.00	100.0	V	313.00	10
7368.25	---	42.62	54.00	11.38	500.00	100.0	V	344.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8887.50	46.77	---	68.20	21.43	500.00	100.0	V	110.00	4
9066.25	---	35.08	54.00	18.92	500.00	100.0	H	267.00	4
9312.50	---	36.11	54.00	17.89	500.00	200.0	V	314.00	5
10402.50	48.61	---	68.20	19.59	500.00	200.0	V	323.00	5
10600.00	53.42	---	68.20	14.78	500.00	200.0	V	323.00	5
10602.50	---	42.99	54.00	11.01	500.00	200.0	V	314.00	5
13338.75	---	36.07	54.00	17.93	500.00	100.0	H	0.00	7
13732.50	47.31	---	68.20	20.89	500.00	100.0	H	238.00	8
13868.75	49.69	---	68.20	18.51	500.00	200.0	H	172.00	8
14480.00	---	37.54	54.00	16.46	500.00	100.0	H	326.00	9
17362.50	48.55	---	68.20	19.65	500.00	200.0	V	0.00	9
17773.75	---	34.87	54.00	19.13	500.00	100.0	V	45.00	7

Radiates Emission from 8GHz to 18GHz

802.11n (HT20) CH64




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1286.13	42.40	---	68.20	25.80	500.00	100.0	H	108.00	-5
1404.25	---	31.63	54.00	22.37	500.00	200.0	H	317.00	-4
1704.38	---	31.76	54.00	22.24	500.00	100.0	H	79.00	-3
1999.25	44.05	---	68.20	24.15	500.00	100.0	V	277.00	-2
2613.50	45.48	---	68.20	22.72	500.00	100.0	V	118.00	0
2794.63	---	34.72	54.00	19.28	500.00	200.0	H	358.00	0
3576.00	48.39	---	68.20	19.81	500.00	200.0	V	31.00	2
3986.38	---	37.73	54.00	16.27	500.00	100.0	V	178.00	3
7093.50	55.20	---	68.20	13.00	500.00	100.0	H	0.00	10
7391.88	---	42.63	54.00	11.37	500.00	200.0	H	134.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8916.25	47.22	---	68.20	20.98	500.00	100.0	V	0.00	4
9143.75	---	35.76	54.00	18.24	500.00	200.0	H	23.00	4
9308.75	---	36.89	54.00	17.11	500.00	200.0	H	31.00	5
10476.25	48.04	---	68.20	20.16	500.00	100.0	H	306.00	5
10636.25	---	44.78	54.00	9.22	500.00	100.0	H	318.00	5
10641.25	54.79	---	74.00	19.21	500.00	100.0	H	318.00	5
13333.75	---	38.88	54.00	15.12	500.00	100.0	H	188.00	7
13635.00	50.98	---	68.20	17.22	500.00	100.0	V	210.00	8
14457.50	52.26	---	68.20	15.94	500.00	100.0	H	357.00	9
14477.50	---	40.40	54.00	13.60	500.00	100.0	V	148.00	9
15745.00	---	37.29	54.00	16.71	500.00	100.0	V	0.00	5
17367.50	50.37	---	68.20	17.83	500.00	100.0	H	355.00	9

Radiates Emission from 8GHz to 18GHz

802.11n (HT20) CH100




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1298.38	42.36	---	68.20	25.84	500.00	200.0	H	293.00	-5
1405.13	---	31.65	54.00	22.35	500.00	100.0	V	356.00	-4
1679.00	---	32.00	54.00	22.00	500.00	100.0	H	10.00	-4
1987.00	43.54	---	68.20	24.66	500.00	200.0	H	339.00	-2
2645.00	46.05	---	68.20	22.15	500.00	200.0	V	0.00	0
2752.63	---	34.63	54.00	19.37	500.00	200.0	V	43.00	0
3597.88	48.11	---	68.20	20.09	500.00	200.0	H	324.00	2
3993.38	---	37.48	54.00	16.52	500.00	100.0	V	338.00	3
5457.25	---	41.73	54.00	12.27	500.00	100.0	V	76.00	7
5466.00	62.62	---	68.20	5.58	500.00	100.0	V	235.00	7
7333.25	---	45.75	54.00	8.25	500.00	200.0	V	313.00	10
7770.75	54.27	---	68.20	13.93	500.00	200.0	V	253.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8818.75	46.87	---	68.20	21.33	500.00	100.0	V	278.00	4
9040.00	---	35.76	54.00	18.24	500.00	100.0	V	232.00	4
9256.25	48.08	---	68.20	20.12	500.00	100.0	H	49.00	5
9362.50	---	36.83	54.00	17.17	500.00	200.0	V	321.00	5
10596.25	48.76	---	68.20	19.44	500.00	100.0	H	117.00	5
11001.25	---	42.89	54.00	11.11	500.00	100.0	V	109.00	6
13350.00	---	38.71	54.00	15.29	500.00	200.0	V	352.00	7
13616.25	50.69	---	68.20	17.51	500.00	200.0	H	119.00	8
14475.00	---	40.54	54.00	13.46	500.00	200.0	H	6.00	9
14567.50	52.24	---	68.20	15.96	500.00	100.0	V	42.00	9
15757.50	---	36.93	54.00	17.07	500.00	200.0	H	6.00	5
17377.50	50.31	---	68.20	17.89	500.00	200.0	V	321.00	9

Radiates Emission from 8GHz to 18GHz

802.11n (HT20) CH116




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1281.75	43.15	---	68.20	25.05	500.00	200.0	H	353.00	-5
1400.75	---	31.51	54.00	22.49	500.00	200.0	V	0.00	-4
1679.00	---	32.18	54.00	21.82	500.00	100.0	V	0.00	-4
1973.88	43.85	---	68.20	24.35	500.00	100.0	V	330.00	-2
2675.63	45.91	---	68.20	22.29	500.00	200.0	V	1.00	0
2736.00	---	34.58	54.00	19.42	500.00	100.0	H	338.00	0
3445.63	48.64	---	68.20	19.56	500.00	100.0	V	277.00	2
3986.38	---	37.72	54.00	16.28	500.00	200.0	H	0.00	3
5243.75	50.29	---	68.20	17.91	500.00	200.0	H	0.00	7
5452.88	---	39.05	54.00	14.95	500.00	200.0	V	18.00	7
6908.00	54.11	---	68.20	14.09	500.00	100.0	V	351.00	10
7440.00	---	43.47	54.00	10.53	500.00	100.0	V	302.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8747.50	47.00	---	68.20	21.20	500.00	100.0	H	219.00	3
9157.50	---	35.73	54.00	18.27	500.00	200.0	H	3.00	4
9307.50	---	36.88	54.00	17.12	500.00	100.0	V	32.00	5
10388.75	48.83	---	68.20	19.37	500.00	100.0	H	318.00	5
10570.00	47.70	---	68.20	20.50	500.00	200.0	V	216.00	5
11163.75	---	42.01	54.00	11.99	500.00	100.0	H	335.00	6
13300.00	---	38.71	54.00	15.29	500.00	100.0	H	341.00	7
13650.00	50.50	---	68.20	17.70	500.00	100.0	V	77.00	8
14425.00	52.48	---	68.20	15.72	500.00	100.0	H	0.00	9
14488.75	---	40.48	54.00	13.52	500.00	100.0	V	2.00	9
15757.50	---	36.76	54.00	17.24	500.00	200.0	H	108.00	5
17326.25	50.54	---	68.20	17.66	500.00	200.0	V	0.00	9

Radiates Emission from 8GHz to 18GHz

802.11n (HT20) CH140




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1274.75	42.83	---	68.20	25.37	500.00	200.0	H	0.00	-5
1400.75	---	31.62	54.00	22.38	500.00	100.0	H	92.00	-4
1696.50	---	31.91	54.00	22.09	500.00	100.0	V	5.00	-3
1996.63	44.08	---	68.20	24.12	500.00	100.0	V	290.00	-2
2580.25	45.89	---	68.20	22.31	500.00	100.0	V	0.00	0
2798.13	---	34.68	54.00	19.32	500.00	200.0	H	357.00	0
3534.88	48.66	---	68.20	19.54	500.00	100.0	H	2.00	2
3814.88	---	37.50	54.00	16.50	500.00	200.0	H	0.00	3
5284.00	50.63	---	68.20	17.57	500.00	200.0	V	10.00	6
5406.50	---	39.15	54.00	14.85	500.00	100.0	H	18.00	7
6966.63	53.83	---	68.20	14.37	500.00	100.0	V	60.00	10
7600.13	---	42.79	54.00	11.21	500.00	100.0	V	263.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8923.75	47.41	---	68.20	20.79	500.00	100.0	V	2.00	4
9142.50	---	35.72	54.00	18.28	500.00	200.0	H	125.00	4
9273.75	48.25	---	68.20	19.95	500.00	100.0	V	260.00	5
9342.50	---	37.16	54.00	16.84	500.00	200.0	V	0.00	5
11398.75	---	44.52	54.00	9.48	500.00	100.0	H	317.00	6
11400.00	53.71	---	74.00	20.29	500.00	100.0	H	334.00	6
13371.25	---	38.76	54.00	15.24	500.00	100.0	H	334.00	7
13585.00	50.21	---	68.20	17.99	500.00	100.0	H	326.00	8
14475.00	---	40.39	54.00	13.61	500.00	100.0	V	8.00	9
14601.25	52.56	---	68.20	15.64	500.00	200.0	V	338.00	9
15772.50	---	36.87	54.00	17.13	500.00	200.0	H	139.00	5
17481.25	50.62	---	68.20	17.58	500.00	100.0	H	359.00	9

Radiates Emission from 8GHz to 18GHz

802.11n (HT20) CH144




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1250.25	42.06	---	68.20	26.14	500.00	200.0	V	73.00	-5
1393.75	---	31.62	54.00	22.38	500.00	100.0	H	28.00	-4
1696.50	---	31.77	54.00	22.23	500.00	100.0	V	359.00	-3
1965.13	44.11	---	68.20	24.09	500.00	100.0	H	241.00	-2
2644.13	46.10	---	68.20	22.10	500.00	200.0	V	206.00	0
2715.88	---	34.55	54.00	19.45	500.00	100.0	H	299.00	0
3469.25	47.89	---	68.20	20.31	500.00	100.0	V	358.00	2
3787.75	---	37.65	54.00	16.35	500.00	100.0	H	5.00	3
5056.50	---	38.97	54.00	15.03	500.00	100.0	H	2.00	6
5344.38	50.33	---	68.20	17.87	500.00	100.0	V	132.00	7
6881.75	54.36	---	68.20	13.84	500.00	200.0	H	292.00	10
7387.50	---	42.76	54.00	11.24	500.00	100.0	V	12.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8746.25	47.15	---	68.20	21.05	500.00	100.0	V	2.00	3
9028.75	---	36.03	54.00	17.97	500.00	100.0	H	221.00	4
9360.00	---	36.87	54.00	17.13	500.00	100.0	V	215.00	5
10400.00	48.78	---	68.20	19.42	500.00	100.0	V	230.00	5
11438.75	---	43.19	54.00	10.81	500.00	100.0	H	328.00	6
11442.50	54.25	---	74.00	19.75	500.00	100.0	H	328.00	6
13362.50	---	38.82	54.00	15.18	500.00	200.0	H	149.00	7
13712.50	50.47	---	68.20	17.73	500.00	100.0	H	319.00	8
14485.00	---	40.34	54.00	13.66	500.00	100.0	V	8.00	9
14566.25	52.33	---	68.20	15.87	500.00	200.0	H	277.00	9
17355.00	51.27	---	68.20	16.93	500.00	100.0	H	352.00	9
17750.00	---	37.00	54.00	17.00	500.00	200.0	V	0.00	7

Radiates Emission from 8GHz to 18GHz

802.11n (HT20) CH149




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1288.75	43.11	---	68.20	25.09	500.00	200.0	H	343.00	-5
1406.00	---	31.58	54.00	22.42	500.00	100.0	V	332.00	-4
1537.25	---	32.12	54.00	21.88	500.00	100.0	V	196.00	-4
1945.88	43.77	---	68.20	24.43	500.00	100.0	V	0.00	-2
2589.88	45.68	---	68.20	22.52	500.00	200.0	H	206.00	0
2732.50	---	34.86	54.00	19.14	500.00	200.0	H	91.00	0
3588.25	48.48	---	68.20	19.72	500.00	100.0	V	267.00	2
3906.75	---	37.46	54.00	16.54	500.00	200.0	H	235.00	3
5445.88	---	39.25	54.00	14.75	500.00	200.0	H	0.00	7
5594.63	50.82	---	68.20	17.38	500.00	100.0	V	0.00	7
6693.63	54.00	---	68.20	14.20	500.00	200.0	V	88.00	10
7660.50	---	43.16	54.00	10.84	500.00	100.0	V	267.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8971.25	46.92	---	68.20	21.28	500.00	100.0	H	280.00	4
9027.50	---	35.86	54.00	18.14	500.00	100.0	V	249.00	4
9308.75	---	37.13	54.00	16.87	500.00	100.0	H	335.00	5
10235.00	48.65	---	68.20	19.55	500.00	200.0	H	187.00	4
10593.75	48.15	---	68.20	20.05	500.00	100.0	H	0.00	5
11490.00	---	42.77	54.00	11.23	500.00	100.0	H	327.00	6
13352.50	---	39.02	54.00	14.98	500.00	100.0	V	42.00	7
13638.75	50.99	---	68.20	17.21	500.00	100.0	H	318.00	8
14427.50	52.31	---	68.20	15.89	500.00	200.0	H	7.00	9
14485.00	---	40.49	54.00	13.51	500.00	100.0	V	4.00	9
15737.50	---	36.93	54.00	17.07	500.00	100.0	H	236.00	5
17371.25	50.67	---	68.20	17.53	500.00	200.0	V	304.00	9

Radiates Emission from 8GHz to 18GHz

802.11n (HT20) CH157




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1266.00	42.40	---	68.20	25.80	500.00	100.0	V	191.00	-5
1401.63	---	31.60	54.00	22.40	500.00	200.0	V	177.00	-4
1696.50	---	32.17	54.00	21.83	500.00	100.0	V	351.00	-3
1844.38	44.16	---	68.20	24.04	500.00	100.0	V	337.00	-3
2595.13	45.65	---	68.20	22.55	500.00	200.0	H	301.00	0
2733.38	---	34.56	54.00	19.44	500.00	100.0	H	93.00	0
3580.38	47.86	---	68.20	20.34	500.00	100.0	H	0.00	2
3994.25	---	37.56	54.00	16.44	500.00	200.0	H	0.00	3
5352.25	---	39.09	54.00	14.91	500.00	200.0	V	1.00	7
5638.38	50.91	---	68.20	17.29	500.00	200.0	V	55.00	7
6958.75	54.86	---	68.20	13.34	500.00	100.0	H	166.00	10
7713.88	---	43.30	54.00	10.70	500.00	100.0	V	262.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8918.75	46.64	---	68.20	21.56	500.00	200.0	V	0.00	4
9020.00	---	35.87	54.00	18.13	500.00	100.0	H	354.00	4
9306.25	---	36.92	54.00	17.08	500.00	200.0	V	355.00	5
10370.00	48.07	---	68.20	20.13	500.00	100.0	V	354.00	5
11570.00	---	44.29	54.00	9.71	500.00	100.0	H	315.00	6
11573.75	53.47	---	74.00	20.53	500.00	200.0	H	37.00	6
13255.00	---	38.82	54.00	15.18	500.00	100.0	V	0.00	7
13657.50	50.91	---	68.20	17.29	500.00	200.0	V	0.00	8
14470.00	---	40.47	54.00	13.53	500.00	100.0	H	113.00	9
14531.25	52.37	---	68.20	15.83	500.00	200.0	H	295.00	9
15740.00	---	36.95	54.00	17.05	500.00	100.0	V	354.00	5
17097.50	50.65	---	68.20	17.55	500.00	200.0	V	0.00	7

Radiates Emission from 8GHz to 18GHz

802.11n (HT20) CH165




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1259.88	41.87	---	68.20	26.33	500.00	100.0	H	279.00	-5
1390.25	---	31.17	54.00	22.83	500.00	200.0	V	344.00	-4
1700.00	---	31.46	54.00	22.54	500.00	200.0	H	45.00	-3
1994.00	43.03	---	68.20	25.17	500.00	100.0	H	251.00	-2
2681.75	45.42	---	68.20	22.78	500.00	100.0	H	0.00	0
2736.00	---	34.18	54.00	19.82	500.00	100.0	V	355.00	0
3558.50	48.19	---	68.20	20.01	500.00	100.0	V	14.00	2
3987.25	---	37.36	54.00	16.64	500.00	200.0	H	123.00	3
5437.13	---	38.81	54.00	15.19	500.00	200.0	H	3.00	7
5476.50	50.55	---	68.20	17.65	500.00	100.0	H	359.00	7
7378.75	---	42.29	54.00	11.71	500.00	100.0	V	0.00	10
7416.38	52.96	---	74.00	21.04	500.00	100.0	V	104.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8938.75	47.44	---	68.20	20.76	500.00	200.0	H	57.00	4
9151.25	---	35.80	54.00	18.20	500.00	200.0	H	0.00	4
9273.75	48.48	---	68.20	19.72	500.00	200.0	H	0.00	5
9303.75	---	36.82	54.00	17.18	500.00	200.0	V	358.00	5
11648.75	55.65	---	74.00	18.35	500.00	100.0	H	315.00	6
11651.25	---	45.74	54.00	8.26	500.00	100.0	H	325.00	6
13352.50	---	38.89	54.00	15.11	500.00	100.0	V	0.00	7
13405.00	50.40	---	68.20	17.80	500.00	200.0	H	36.00	7
14435.00	52.60	---	68.20	15.60	500.00	100.0	V	354.00	9
14473.75	---	40.47	54.00	13.53	500.00	100.0	H	333.00	9
17418.75	50.51	---	68.20	17.69	500.00	200.0	V	344.00	9
17756.25	---	37.00	54.00	17.00	500.00	100.0	H	81.00	7

Radiates Emission from 8GHz to 18GHz

802.11n (HT40) CH38




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1246.75	42.73	---	68.20	25.47	500.00	100.0	V	123.00	-5
1397.25	---	31.53	54.00	22.47	500.00	200.0	H	54.00	-4
1578.38	---	31.75	54.00	22.25	500.00	100.0	V	0.00	-4
1987.00	43.62	---	68.20	24.58	500.00	200.0	V	0.00	-2
2681.75	45.91	---	68.20	22.29	500.00	200.0	V	347.00	0
2769.25	---	34.51	54.00	19.49	500.00	100.0	V	339.00	0
3593.50	48.27	---	68.20	19.93	500.00	200.0	V	0.00	2
3993.38	---	37.46	54.00	16.54	500.00	100.0	H	310.00	3
4727.50	49.69	---	74.00	24.31	500.00	100.0	H	157.00	5
4831.63	---	37.72	54.00	16.28	500.00	200.0	H	2.00	6
6920.25	55.04	---	68.20	13.16	500.00	100.0	H	86.00	10
7265.88	---	42.47	54.00	11.53	500.00	200.0	H	164.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8842.50	47.23	---	68.20	20.97	500.00	100.0	H	358.00	4
9030.00	---	35.88	54.00	18.12	500.00	100.0	V	19.00	4
9310.00	---	37.08	54.00	16.92	500.00	200.0	H	0.00	5
10376.25	50.25	---	68.20	17.95	500.00	100.0	H	347.00	5
10556.25	48.10	---	68.20	20.10	500.00	100.0	V	140.00	5
11652.50	---	37.75	54.00	16.25	500.00	100.0	H	354.00	6
13351.25	---	38.91	54.00	15.09	500.00	200.0	V	0.00	7
13517.50	50.93	---	68.20	17.27	500.00	100.0	H	144.00	7
13870.00	52.17	---	68.20	16.03	500.00	100.0	V	185.00	8
14475.00	---	40.47	54.00	13.53	500.00	200.0	H	325.00	9
17420.00	50.78	---	68.20	17.42	500.00	100.0	H	329.00	9
17771.25	---	37.14	54.00	16.86	500.00	200.0	H	10.00	7

Radiates Emission from 8GHz to 18GHz

802.11n (HT40) CH46




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1272.13	42.08	---	68.20	26.12	500.00	200.0	V	333.00	-5
1397.25	---	31.43	54.00	22.57	500.00	100.0	V	3.00	-4
1693.88	---	31.63	54.00	22.37	500.00	200.0	H	106.00	-3
1872.38	43.68	---	68.20	24.52	500.00	100.0	V	3.00	-3
2638.88	46.04	---	68.20	22.16	500.00	100.0	V	43.00	0
2701.00	---	34.47	54.00	19.53	500.00	200.0	H	223.00	0
3587.38	48.14	---	68.20	20.06	500.00	200.0	H	3.00	2
3821.00	---	37.39	54.00	16.61	500.00	100.0	H	355.00	3
4697.75	---	38.08	54.00	15.92	500.00	100.0	H	281.00	5
4743.25	48.58	---	74.00	25.42	500.00	200.0	V	355.00	5
6854.63	54.51	---	68.20	13.69	500.00	100.0	V	0.00	10
7291.25	---	42.24	54.00	11.76	500.00	200.0	V	240.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8955.00	46.80	---	68.20	21.40	500.00	200.0	V	6.00	4
9023.75	---	35.95	54.00	18.05	500.00	200.0	H	0.00	4
9308.75	---	37.01	54.00	16.99	500.00	200.0	H	80.00	5
10456.25	50.74	---	68.20	17.46	500.00	100.0	H	317.00	5
10570.00	47.98	---	68.20	20.22	500.00	200.0	H	42.00	5
11343.75	---	37.97	54.00	16.03	500.00	100.0	H	278.00	6
13340.00	---	38.81	54.00	15.19	500.00	100.0	V	0.00	7
13628.75	50.86	---	68.20	17.34	500.00	100.0	V	80.00	8
14411.25	52.75	---	68.20	15.45	500.00	200.0	V	304.00	9
14491.25	---	40.45	54.00	13.55	500.00	200.0	V	140.00	9
17415.00	50.67	---	68.20	17.53	500.00	200.0	V	339.00	9
17752.50	---	37.08	54.00	16.92	500.00	100.0	H	0.00	7

Radiates Emission from 8GHz to 18GHz

802.11n (HT40) CH54




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1242.38	42.17	---	68.20	26.03	500.00	100.0	H	353.00	-6
1413.88	---	31.24	54.00	22.76	500.00	200.0	H	159.00	-4
1693.00	---	31.70	54.00	22.30	500.00	100.0	H	104.00	-3
1952.88	43.79	---	68.20	24.41	500.00	200.0	V	353.00	-2
2533.00	45.66	---	68.20	22.54	500.00	200.0	H	101.00	0
2764.00	---	34.47	54.00	19.53	500.00	200.0	V	171.00	0
3596.13	47.67	---	68.20	20.53	500.00	100.0	V	214.00	2
3873.50	---	37.33	54.00	16.67	500.00	100.0	V	47.00	3
4680.25	48.34	---	74.00	25.66	500.00	200.0	H	101.00	5
4759.88	---	38.28	54.00	15.72	500.00	200.0	H	50.00	5
6935.13	54.24	---	68.20	13.96	500.00	200.0	V	310.00	10
7321.88	---	42.31	54.00	11.69	500.00	200.0	H	2.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8936.25	47.77	---	68.20	20.43	500.00	100.0	H	112.00	4
9031.25	---	35.97	54.00	18.03	500.00	200.0	V	357.00	4
9355.00	---	37.01	54.00	16.99	500.00	200.0	H	42.00	5
9623.75	48.24	---	68.20	19.96	500.00	200.0	H	2.00	5
10536.25	50.19	---	68.20	18.01	500.00	100.0	H	320.00	5
11347.50	---	37.78	54.00	16.22	500.00	200.0	H	25.00	6
13353.75	---	38.90	54.00	15.10	500.00	200.0	V	357.00	7
13598.75	50.89	---	68.20	17.31	500.00	200.0	H	354.00	8
14485.00	---	40.23	54.00	13.77	500.00	100.0	V	81.00	9
14603.75	53.03	---	68.20	15.17	500.00	100.0	H	264.00	9
15735.00	---	36.86	54.00	17.14	500.00	200.0	V	292.00	5
17527.50	50.36	---	68.20	17.84	500.00	100.0	V	280.00	8

Radiates Emission from 8GHz to 18GHz

802.11n (HT40) CH62




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1284.38	42.38	---	68.20	25.82	500.00	200.0	V	192.00	-5
1363.13	---	31.36	54.00	22.64	500.00	200.0	V	305.00	-5
1694.75	---	31.54	54.00	22.46	500.00	200.0	V	120.00	-3
1951.13	44.31	---	68.20	23.89	500.00	100.0	H	359.00	-2
2627.50	45.17	---	68.20	23.03	500.00	100.0	H	150.00	0
2766.63	---	34.33	54.00	19.67	500.00	100.0	V	129.00	0
3390.50	47.47	---	68.20	20.73	500.00	200.0	H	2.00	2
3952.25	---	37.22	54.00	16.78	500.00	100.0	V	6.00	3
4728.38	48.49	---	74.00	25.51	500.00	200.0	H	0.00	5
4767.75	---	37.33	54.00	16.67	500.00	200.0	H	101.00	5
7080.38	54.41	---	68.20	13.79	500.00	200.0	H	50.00	10
7348.13	---	42.05	54.00	11.95	500.00	100.0	V	189.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8976.25	47.15	---	68.20	21.05	500.00	200.0	H	1.00	4
9037.50	---	35.96	54.00	18.04	500.00	100.0	V	0.00	4
9303.75	---	37.07	54.00	16.93	500.00	100.0	V	297.00	5
9612.50	48.25	---	68.20	19.95	500.00	100.0	H	0.00	5
10593.75	49.93	---	68.20	18.27	500.00	100.0	V	112.00	5
10620.00	---	42.34	54.00	11.66	500.00	100.0	V	112.00	5
13335.00	---	39.11	54.00	14.89	500.00	100.0	H	347.00	7
13663.75	50.76	---	68.20	17.44	500.00	100.0	V	112.00	8
14480.00	---	40.51	54.00	13.49	500.00	100.0	V	7.00	9
14545.00	52.33	---	68.20	15.87	500.00	200.0	H	1.00	9
15755.00	---	37.03	54.00	16.97	500.00	200.0	V	355.00	5
17396.25	50.76	---	68.20	17.44	500.00	100.0	H	295.00	9

Radiates Emission from 8GHz to 18GHz

802.11n (HT40) CH102




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1264.25	42.69	---	68.20	25.51	500.00	200.0	V	52.00	-5
1406.88	---	31.19	54.00	22.81	500.00	200.0	H	209.00	-4
1704.38	---	31.67	54.00	22.33	500.00	200.0	V	3.00	-3
1983.50	43.99	---	68.20	24.21	500.00	200.0	H	357.00	-2
2643.25	45.22	---	68.20	22.98	500.00	200.0	H	268.00	0
2750.00	---	34.42	54.00	19.58	500.00	100.0	V	0.00	0
3599.63	48.01	---	68.20	20.19	500.00	200.0	V	42.00	3
3958.38	---	37.27	54.00	16.73	500.00	200.0	H	0.00	3
4821.13	48.60	---	74.00	25.40	500.00	100.0	H	269.00	6
4890.25	---	37.43	54.00	16.57	500.00	100.0	H	14.00	6
6708.50	53.78	---	68.20	14.42	500.00	200.0	H	353.00	10
7347.25	---	45.48	54.00	8.52	500.00	100.0	H	43.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8928.75	46.74	---	68.20	21.46	500.00	100.0	H	336.00	4
9153.75	---	36.01	54.00	17.99	500.00	100.0	H	357.00	4
9302.50	---	37.29	54.00	16.71	500.00	100.0	V	2.00	5
10310.00	48.31	---	68.20	19.89	500.00	200.0	V	289.00	4
10558.75	47.84	---	68.20	20.36	500.00	200.0	H	3.00	5
11018.75	---	40.79	54.00	13.21	500.00	100.0	H	336.00	6
13351.25	---	38.73	54.00	15.27	500.00	100.0	V	201.00	7
13627.50	51.05	---	68.20	17.15	500.00	200.0	H	295.00	8
14418.75	52.33	---	68.20	15.87	500.00	200.0	V	207.00	9
14488.75	---	40.43	54.00	13.57	500.00	200.0	H	34.00	9
15772.50	---	37.11	54.00	16.89	500.00	100.0	V	155.00	5
17462.50	51.02	---	68.20	17.18	500.00	200.0	H	325.00	9

Radiates Emission from 8GHz to 18GHz

802.11n (HT40) CH118




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1270.38	42.27	---	68.20	25.93	500.00	200.0	V	4.00	-5
1406.88	---	31.24	54.00	22.76	500.00	100.0	V	345.00	-4
1706.13	---	31.48	54.00	22.52	500.00	100.0	V	339.00	-3
1999.25	43.31	---	68.20	24.89	500.00	200.0	V	2.00	-2
2640.63	45.72	---	68.20	22.48	500.00	200.0	V	147.00	0
2780.63	---	34.25	54.00	19.75	500.00	100.0	H	223.00	0
3505.13	47.85	---	68.20	20.35	500.00	100.0	V	354.00	2
3982.00	---	37.43	54.00	16.57	500.00	200.0	V	52.00	3
5093.25	---	38.66	54.00	15.34	500.00	200.0	V	0.00	6
5249.88	50.12	---	68.20	18.08	500.00	200.0	V	42.00	7
6987.63	53.42	---	68.20	14.78	500.00	200.0	V	338.00	10
7454.00	---	42.91	54.00	11.09	500.00	100.0	H	93.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8933.75	47.18	---	68.20	21.02	500.00	100.0	V	143.00	4
9003.75	---	35.97	54.00	18.03	500.00	100.0	V	44.00	4
9361.25	---	36.96	54.00	17.04	500.00	200.0	V	0.00	5
9617.50	48.02	---	68.20	20.18	500.00	200.0	V	171.00	5
10585.00	49.56	---	68.20	18.64	500.00	200.0	H	25.00	5
11178.75	---	40.31	54.00	13.69	500.00	100.0	H	316.00	6
13348.75	---	38.99	54.00	15.01	500.00	100.0	V	82.00	7
13681.25	50.58	---	68.20	17.62	500.00	100.0	H	219.00	8
14416.25	53.08	---	68.20	15.12	500.00	100.0	H	81.00	9
14480.00	---	40.22	54.00	13.78	500.00	200.0	V	327.00	9
15756.25	---	36.93	54.00	17.07	500.00	100.0	V	143.00	5
17355.00	50.85	---	68.20	17.35	500.00	100.0	V	0.00	9

Radiates Emission from 8GHz to 18GHz

802.11n (HT40) CH134




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1279.13	41.97	---	68.20	26.23	500.00	100.0	V	0.00	-5
1402.50	---	31.35	54.00	22.65	500.00	200.0	H	330.00	-4
1693.00	---	31.63	54.00	22.37	500.00	100.0	V	327.00	-3
1999.25	43.80	---	68.20	24.40	500.00	100.0	H	123.00	-2
2684.38	46.34	---	68.20	21.86	500.00	200.0	H	0.00	0
2788.50	---	34.18	54.00	19.82	500.00	200.0	V	2.00	0
3417.63	47.59	---	68.20	20.61	500.00	100.0	V	272.00	2
3951.38	---	37.35	54.00	16.65	500.00	200.0	V	354.00	3
5093.25	---	38.85	54.00	15.15	500.00	100.0	V	334.00	6
5230.63	50.61	---	68.20	17.59	500.00	100.0	V	0.00	6
6533.50	53.98	---	68.20	14.22	500.00	200.0	V	2.00	10
7560.75	---	42.29	54.00	11.71	500.00	100.0	H	55.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
9000.00	47.02	---	68.20	21.18	500.00	100.0	V	200.00	4
9058.75	---	35.94	54.00	18.06	500.00	200.0	H	136.00	4
9343.75	---	37.03	54.00	16.97	500.00	100.0	V	140.00	5
10397.50	48.87	---	68.20	19.33	500.00	200.0	V	0.00	5
10515.00	47.88	---	68.20	20.32	500.00	200.0	V	6.00	5
11336.25	---	41.49	54.00	12.51	500.00	100.0	H	335.00	6
13335.00	---	39.18	54.00	14.82	500.00	200.0	V	318.00	7
13732.50	50.22	---	68.20	17.98	500.00	200.0	H	0.00	8
14376.25	53.15	---	68.20	15.05	500.00	100.0	V	66.00	9
14493.75	---	40.36	54.00	13.64	500.00	200.0	H	92.00	9
15726.25	---	36.86	54.00	17.14	500.00	200.0	H	63.00	5
17466.25	50.35	---	68.20	17.85	500.00	100.0	V	324.00	9

Radiates Emission from 8GHz to 18GHz

802.11n (HT40) CH142




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1280.88	41.95	---	68.20	26.25	500.00	100.0	H	0.00	-5
1407.75	---	31.34	54.00	22.66	500.00	100.0	V	209.00	-4
1539.88	---	31.67	54.00	22.33	500.00	200.0	V	0.00	-4
1996.63	45.17	---	68.20	23.03	500.00	200.0	V	32.00	-2
2638.88	45.35	---	68.20	22.85	500.00	200.0	H	355.00	0
2791.13	---	34.61	54.00	19.39	500.00	200.0	V	225.00	0
3590.00	47.52	---	68.20	20.68	500.00	100.0	H	56.00	2
3825.38	---	37.16	54.00	16.84	500.00	200.0	V	7.00	3
5194.75	50.16	---	68.20	18.04	500.00	200.0	V	4.00	6
5449.38	---	38.56	54.00	15.44	500.00	100.0	V	333.00	7
6756.63	53.77	---	68.20	14.43	500.00	200.0	H	359.00	10
7613.25	---	41.81	54.00	12.19	500.00	100.0	H	11.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8898.75	47.02	---	68.20	21.18	500.00	100.0	V	312.00	4
9016.25	---	35.79	54.00	18.21	500.00	200.0	V	224.00	4
9362.50	---	36.78	54.00	17.22	500.00	200.0	V	148.00	5
9936.25	47.94	---	68.20	20.26	500.00	200.0	H	238.00	4
10588.75	47.85	---	68.20	20.35	500.00	200.0	V	0.00	5
11427.50	---	41.52	54.00	12.48	500.00	200.0	H	37.00	6
13333.75	---	38.47	54.00	15.53	500.00	100.0	H	357.00	7
13708.75	50.58	---	68.20	17.62	500.00	200.0	V	194.00	8
14481.25	---	40.23	54.00	13.77	500.00	100.0	V	52.00	9
14556.25	52.46	---	68.20	15.74	500.00	200.0	H	70.00	8
17370.00	50.25	---	68.20	17.95	500.00	100.0	V	91.00	9
17741.25	---	36.68	54.00	17.32	500.00	100.0	V	9.00	7

Radiates Emission from 8GHz to 18GHz


802.11n (HT40) CH151



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1279.13	42.27	---	68.20	25.93	500.00	200.0	H	354.00	-5
1409.50	---	31.43	54.00	22.57	500.00	200.0	V	111.00	-4
1694.75	---	31.55	54.00	22.45	500.00	200.0	H	344.00	-3
1984.38	43.60	---	68.20	24.60	500.00	100.0	H	164.00	-2
2519.00	45.89	---	68.20	22.31	500.00	100.0	H	3.00	0
2772.75	---	34.20	54.00	19.80	500.00	100.0	H	10.00	0
3591.75	47.90	---	68.20	20.30	500.00	100.0	H	26.00	2
3825.38	---	37.12	54.00	16.88	500.00	100.0	V	292.00	3
4951.50	48.54	---	74.00	25.46	500.00	200.0	V	0.00	6
5005.75	---	37.08	54.00	16.92	500.00	200.0	H	209.00	6
7450.50	51.57	---	74.00	22.43	500.00	100.0	H	251.00	11
7673.63	---	42.61	54.00	11.39	500.00	100.0	H	43.00	11

Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8826.25	47.15	---	68.20	21.05	500.00	100.0	H	0.00	4
9058.75	---	35.68	54.00	18.32	500.00	200.0	H	0.00	4
9310.00	---	36.63	54.00	17.37	500.00	200.0	V	348.00	5
10350.00	48.35	---	68.20	19.85	500.00	100.0	V	136.00	4
10591.25	47.32	---	68.20	20.88	500.00	100.0	H	0.00	5
11511.25	---	41.18	54.00	12.82	500.00	100.0	H	327.00	6
13335.00	---	38.48	54.00	15.52	500.00	200.0	V	256.00	7
13617.50	49.68	---	68.20	18.52	500.00	200.0	V	330.00	8
14401.25	53.06	---	68.20	15.14	500.00	200.0	V	299.00	9
14488.75	---	39.83	54.00	14.17	500.00	200.0	V	310.00	9
15758.75	---	36.08	54.00	17.92	500.00	200.0	V	338.00	5
17437.50	49.18	---	68.20	19.02	500.00	100.0	V	0.00	9

Radiates Emission from 8GHz to 18GHz

802.11n (HT40) CH159




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1246.75	41.96	---	68.20	26.24	500.00	100.0	H	50.00	-5
1396.38	---	31.20	54.00	22.80	500.00	100.0	V	357.00	-4
1705.25	---	31.38	54.00	22.62	500.00	200.0	H	283.00	-3
1813.75	43.42	---	68.20	24.78	500.00	100.0	H	6.00	-3
2663.38	45.18	---	68.20	23.02	500.00	100.0	V	318.00	0
2738.63	---	34.46	54.00	19.54	500.00	200.0	V	173.00	0
3598.75	47.57	---	68.20	20.63	500.00	100.0	H	104.00	3
3989.00	---	37.27	54.00	16.73	500.00	100.0	H	208.00	3
5438.88	---	38.83	54.00	15.17	500.00	100.0	H	299.00	7
5648.00	50.51	---	68.20	17.69	500.00	200.0	V	22.00	7
7428.63	50.42	---	74.00	23.58	500.00	100.0	H	18.00	11
7727.00	---	43.82	54.00	10.18	500.00	100.0	H	40.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8940.00	47.18	---	68.20	21.02	500.00	200.0	V	353.00	4
9022.50	---	35.61	54.00	18.39	500.00	100.0	V	171.00	4
9310.00	---	37.05	54.00	16.95	500.00	100.0	H	316.00	5
10402.50	47.65	---	68.20	20.55	500.00	200.0	V	328.00	5
10590.00	47.47	---	68.20	20.73	500.00	100.0	V	6.00	5
11590.00	---	41.16	54.00	12.84	500.00	200.0	H	31.00	6
13337.50	---	38.12	54.00	15.88	500.00	100.0	H	141.00	7
13637.50	49.11	---	68.20	19.09	500.00	100.0	H	110.00	8
13940.00	51.26	---	68.20	16.94	500.00	100.0	V	0.00	9
14487.50	---	39.27	54.00	14.73	500.00	100.0	V	13.00	9
15735.00	---	35.80	54.00	18.20	500.00	100.0	V	142.00	5
17388.75	49.25	---	68.20	18.95	500.00	100.0	H	64.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT80) CH42




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1273.88	41.75	---	68.20	26.45	500.00	200.0	V	61.00	-5
1368.38	---	31.42	54.00	22.58	500.00	200.0	H	0.00	-5
1706.13	---	31.43	54.00	22.57	500.00	200.0	H	230.00	-3
1894.25	43.52	---	68.20	24.68	500.00	200.0	V	0.00	-3
2674.75	45.53	---	68.20	22.67	500.00	100.0	V	13.00	0
2799.88	---	34.15	54.00	19.85	500.00	200.0	V	116.00	0
3511.25	47.19	---	68.20	21.01	500.00	200.0	H	357.00	2
3957.50	---	37.25	54.00	16.75	500.00	200.0	V	87.00	3
4686.38	48.42	---	74.00	25.58	500.00	200.0	H	0.00	5
4732.75	---	37.42	54.00	16.58	500.00	200.0	H	0.00	5
6947.38	54.74	---	68.20	13.46	500.00	200.0	H	34.00	10
7374.38	---	42.25	54.00	11.75	500.00	100.0	V	0.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8931.25	46.88	---	68.20	21.32	500.00	100.0	V	7.00	4
9030.00	---	35.53	54.00	18.47	500.00	100.0	V	235.00	4
9318.75	---	36.54	54.00	17.46	500.00	100.0	H	171.00	5
10353.75	47.91	---	68.20	20.29	500.00	200.0	H	9.00	4
10573.75	47.53	---	68.20	20.67	500.00	100.0	V	4.00	5
11348.75	---	37.08	54.00	16.92	500.00	100.0	V	142.00	6
13336.25	---	37.80	54.00	16.20	500.00	100.0	H	355.00	7
13420.00	48.52	---	68.20	19.68	500.00	100.0	V	2.00	7
14400.00	51.00	---	68.20	17.20	500.00	200.0	H	109.00	9
14488.75	---	38.85	54.00	15.15	500.00	200.0	H	154.00	9
15771.25	---	35.84	54.00	18.16	500.00	200.0	H	51.00	5
17440.00	48.85	---	68.20	19.35	500.00	200.0	V	0.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT80) CH58




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1298.38	42.06	---	68.20	26.14	500.00	200.0	V	2.00	-5
1398.13	---	31.34	54.00	22.66	500.00	200.0	H	341.00	-4
1531.13	---	31.47	54.00	22.53	500.00	200.0	H	253.00	-4
1981.75	43.55	---	68.20	24.65	500.00	200.0	H	355.00	-2
2601.25	44.95	---	68.20	23.25	500.00	200.0	H	341.00	0
2725.50	---	34.40	54.00	19.60	500.00	200.0	V	180.00	0
3450.00	47.39	---	68.20	20.81	500.00	200.0	V	339.00	2
3957.50	---	37.13	54.00	16.87	500.00	200.0	V	113.00	3
4731.88	---	37.33	54.00	16.67	500.00	100.0	H	54.00	5
4768.63	48.86	---	74.00	25.14	500.00	100.0	H	92.00	5
6914.13	54.09	---	68.20	14.11	500.00	100.0	V	359.00	10
7289.50	---	42.14	54.00	11.86	500.00	100.0	H	137.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8973.75	46.72	---	68.20	21.48	500.00	200.0	H	157.00	4
9035.00	---	35.23	54.00	18.77	500.00	200.0	H	5.00	4
9308.75	---	36.59	54.00	17.41	500.00	100.0	H	0.00	5
9621.25	47.71	---	68.20	20.49	500.00	100.0	V	138.00	5
10540.00	47.17	---	68.20	21.03	500.00	100.0	H	307.00	5
11381.25	---	36.97	54.00	17.03	500.00	200.0	H	5.00	6
13058.75	48.33	---	68.20	19.87	500.00	200.0	H	2.00	7
13333.75	---	37.33	54.00	16.67	500.00	200.0	V	0.00	7
14480.00	---	38.72	54.00	15.28	500.00	100.0	H	129.00	9
14615.00	50.84	---	68.20	17.36	500.00	100.0	V	92.00	9
15776.25	---	35.36	54.00	18.64	500.00	100.0	H	144.00	5
17457.50	48.79	---	68.20	19.41	500.00	200.0	V	160.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT80) CH106




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1240.63	41.96	---	68.20	26.24	500.00	200.0	V	342.00	-6
1374.50	---	31.20	54.00	22.80	500.00	200.0	V	328.00	-5
1693.88	---	31.69	54.00	22.31	500.00	100.0	H	173.00	-3
1993.13	43.18	---	68.20	25.02	500.00	200.0	H	168.00	-2
2568.00	45.59	---	68.20	22.61	500.00	100.0	H	342.00	0
2734.25	---	34.25	54.00	19.75	500.00	100.0	V	122.00	0
3465.75	47.62	---	68.20	20.59	500.00	100.0	H	329.00	2
3999.50	---	37.01	54.00	16.99	500.00	200.0	H	240.00	3
4874.50	---	37.36	54.00	16.64	500.00	200.0	H	61.00	6
4928.75	49.20	---	74.00	24.80	500.00	200.0	H	23.00	6
6989.38	53.96	---	68.20	14.24	500.00	200.0	H	196.00	10
7373.50	---	44.85	54.00	9.15	500.00	100.0	H	127.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8950.00	46.25	---	68.20	21.95	500.00	100.0	H	267.00	4
9020.00	---	35.56	54.00	18.44	500.00	100.0	V	245.00	4
9310.00	---	36.33	54.00	17.67	500.00	200.0	H	0.00	5
10393.75	47.84	---	68.20	20.36	500.00	200.0	V	115.00	5
10598.75	47.68	---	68.20	20.52	500.00	100.0	H	236.00	5
11346.25	---	37.06	54.00	16.94	500.00	200.0	H	14.00	6
13333.75	---	37.36	54.00	16.64	500.00	100.0	H	0.00	7
13607.50	48.26	---	68.20	19.94	500.00	200.0	H	218.00	8
14485.00	---	38.54	54.00	15.46	500.00	200.0	H	2.00	9
14586.25	50.75	---	68.20	17.45	500.00	100.0	V	1.00	9
15761.25	---	35.34	54.00	18.66	500.00	100.0	V	260.00	5
17355.00	49.00	---	68.20	19.20	500.00	100.0	H	318.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT80) CH122




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1277.38	42.24	---	68.20	25.96	500.00	200.0	H	2.00	-5
1400.75	---	31.27	54.00	22.73	500.00	200.0	V	281.00	-4
1698.25	---	31.61	54.00	22.39	500.00	200.0	H	88.00	-3
1932.75	43.83	---	68.20	24.37	500.00	200.0	H	150.00	-2
2688.75	45.33	---	68.20	22.87	500.00	100.0	H	296.00	0
2785.00	---	34.65	54.00	19.35	500.00	100.0	V	197.00	0
3571.63	47.56	---	68.20	20.64	500.00	100.0	V	13.00	2
3986.38	---	37.18	54.00	16.82	500.00	100.0	V	138.00	3
5446.75	---	38.86	54.00	15.14	500.00	200.0	H	3.00	7
5466.00	50.88	---	68.20	17.32	500.00	200.0	V	359.00	7
6934.25	54.14	---	68.20	14.06	500.00	100.0	V	270.00	10
7480.25	---	42.73	54.00	11.27	500.00	100.0	H	326.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8767.50	47.27	---	68.20	20.93	500.00	200.0	V	0.00	3
9025.00	---	35.29	54.00	18.71	500.00	100.0	H	358.00	4
9308.75	---	36.26	54.00	17.74	500.00	100.0	V	53.00	5
10415.00	47.92	---	68.20	20.28	500.00	100.0	V	6.00	5
10566.25	47.22	---	68.20	20.98	500.00	100.0	V	9.00	5
11346.25	---	36.81	54.00	17.19	500.00	200.0	H	11.00	6
13335.00	---	37.15	54.00	16.85	500.00	200.0	H	0.00	7
13732.50	48.02	---	68.20	20.18	500.00	200.0	H	22.00	8
13872.50	50.75	---	68.20	17.45	500.00	200.0	V	0.00	8
14491.25	---	38.26	54.00	15.74	500.00	200.0	V	325.00	9
15727.50	---	35.15	54.00	18.85	500.00	100.0	V	0.00	5
17455.00	48.28	---	68.20	19.92	500.00	100.0	V	202.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT80) CH138




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1252.00	42.56	---	68.20	25.64	500.00	200.0	V	338.00	-5
1386.75	---	31.20	54.00	22.80	500.00	100.0	V	327.00	-4
1706.13	---	31.61	54.00	22.39	500.00	100.0	V	7.00	-3
1897.75	43.55	---	68.20	24.65	500.00	100.0	H	251.00	-3
2644.13	45.88	---	68.20	22.32	500.00	200.0	V	352.00	0
2767.50	---	34.60	54.00	19.40	500.00	200.0	H	300.00	0
3587.38	47.76	---	68.20	20.44	500.00	200.0	V	343.00	2
3955.75	---	37.08	54.00	16.92	500.00	200.0	H	36.00	3
5239.38	50.23	---	68.20	17.97	500.00	200.0	V	207.00	7
5354.00	---	38.53	54.00	15.47	500.00	100.0	H	1.00	7
6586.88	53.69	---	68.20	14.51	500.00	200.0	H	45.00	10
7587.00	---	42.38	54.00	11.62	500.00	200.0	V	343.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8911.25	46.62	---	68.20	21.58	500.00	100.0	V	278.00	4
9153.75	---	35.33	54.00	18.67	500.00	100.0	V	1.00	4
9307.50	---	36.33	54.00	17.67	500.00	100.0	V	2.00	5
9648.75	47.85	---	68.20	20.35	500.00	200.0	H	95.00	5
10586.25	47.33	---	68.20	20.87	500.00	100.0	V	1.00	5
11347.50	---	37.03	54.00	16.97	500.00	100.0	V	152.00	6
13333.75	---	36.95	54.00	17.05	500.00	200.0	V	250.00	7
13662.50	47.98	---	68.20	20.22	500.00	200.0	H	42.00	8
13801.25	50.61	---	68.20	17.59	500.00	200.0	H	217.00	8
14491.25	---	38.20	54.00	15.80	500.00	200.0	V	341.00	9
15775.00	---	35.13	54.00	18.87	500.00	100.0	H	142.00	5
17420.00	48.96	---	68.20	19.24	500.00	200.0	V	358.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT80) CH155




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1253.75	42.14	---	68.20	26.06	500.00	100.0	V	92.00	-5
1389.38	---	31.38	54.00	22.62	500.00	100.0	V	122.00	-4
1703.50	---	31.44	54.00	22.56	500.00	200.0	H	178.00	-3
1999.25	44.77	---	68.20	23.43	500.00	100.0	H	106.00	-2
2606.50	45.30	---	68.20	22.90	500.00	100.0	V	268.00	0
2714.13	---	34.50	54.00	19.50	500.00	100.0	V	34.00	0
3589.13	47.79	---	68.20	20.41	500.00	200.0	V	105.00	2
3830.63	---	37.14	54.00	16.86	500.00	200.0	V	349.00	3
4694.25	49.21	---	74.00	24.79	500.00	100.0	H	355.00	5
5381.13	---	38.51	54.00	15.49	500.00	100.0	H	165.00	7
7397.13	51.43	---	74.00	22.57	500.00	100.0	H	121.00	10
7661.38	---	42.08	54.00	11.92	500.00	100.0	V	2.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8942.50	47.51	---	68.20	20.69	500.00	100.0	V	50.00	4
9023.75	---	34.96	54.00	19.04	500.00	200.0	V	1.00	4
9305.00	---	36.30	54.00	17.70	500.00	100.0	V	200.00	5
10400.00	47.85	---	68.20	20.35	500.00	200.0	V	80.00	5
10576.25	46.88	---	68.20	21.32	500.00	100.0	H	64.00	5
11347.50	---	36.78	54.00	17.22	500.00	200.0	H	15.00	6
13097.50	47.87	---	68.20	20.33	500.00	100.0	H	354.00	7
13351.25	---	36.46	54.00	17.54	500.00	200.0	H	21.00	7
13865.00	51.86	---	68.20	16.34	500.00	100.0	V	1.00	8
14491.25	---	37.74	54.00	16.26	500.00	200.0	V	315.00	9
15758.75	---	34.97	54.00	19.03	500.00	100.0	V	0.00	5
17447.50	47.93	---	68.20	20.27	500.00	200.0	H	38.00	9


Radiates Emission from 8GHz to 18GHz

2. Conducted Emission

2.1. Wi-Fi 5GHz

During the test, the Conducted Emission was performed in all modes with all channels, 802.11n (HT20) CH100 are selected as the worst condition. The test data of the worst-case condition was recorded in this report.


Test Voltage: 120V/60Hz.



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG: CAV Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.220	38.95	62.83	23.88	21.84	52.83	30.99	21.00	L1	9.000	1.000
0.623	49.40	56.00	6.60	36.60	46.00	9.40	20.65	L1	9.000	1.000
1.244	35.72	56.00	20.28	18.35	46.00	27.65	19.99	L1	9.000	1.000
3.145	32.75	56.00	23.25	17.98	46.00	28.02	19.47	L1	9.000	1.000
5.872	32.32	60.00	27.68	19.71	50.00	30.29	19.40	L1	9.000	1.000
17.268	42.73	60.00	17.27	27.71	50.00	22.29	19.57	L1	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

L line Conducted Emission from 150 kHz to 30 MHz



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG: CAV Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.274	36.19	61.00	24.82	20.94	51.00	30.06	20.97	N	9.000	1.000
0.611	35.88	56.00	20.12	15.10	46.00	30.90	20.67	N	9.000	1.000
1.289	30.39	56.00	25.61	16.42	46.00	29.58	19.97	N	9.000	1.000
3.228	31.15	56.00	24.85	18.27	46.00	27.73	19.48	N	9.000	1.000
9.490	29.64	60.00	30.36	18.65	50.00	31.35	19.43	N	9.000	1.000
18.128	42.03	60.00	17.97	28.43	50.00	21.57	19.64	N	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz