




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 184 of 313

802.11a_Channel 157



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7785.125	48.29	36.80	-42.64	42.45	68.30	25.85	Horizontal
2	8630.375	47.38	36.72	-41.03	43.08	68.30	25.22	Horizontal
3	9880.0417	44.08	38.26	-39.17	43.17	68.30	25.13	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 185 of 313

802.11a_Channel 157




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7648.5625	49.64	36.61	-42.84	43.41	74.00	30.59	Vertical
2	7713.7292	45.07	36.70	-42.90	38.87	54.00	15.13	Vertical
3	8369.2292	49.20	36.88	-41.52	44.55	74.00	29.45	Vertical
4	9844.5833	44.70	38.19	-39.12	43.77	68.30	24.53	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 186 of 313

802.11a_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7414.7292	49.39	36.16	-42.85	42.71	74.00	31.29	Horizontal
2	8544.125	47.45	36.77	-41.40	42.83	68.30	25.47	Horizontal
3	9559.4792	46.36	37.62	-39.51	44.47	68.30	23.83	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 187 of 313

802.11a_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7547.4583	48.83	36.47	-42.97	42.33	74.00	31.67	Vertical
2	8624.625	46.47	36.73	-41.00	42.19	68.30	26.11	Vertical
3	9911.1875	44.03	38.32	-39.22	43.13	68.30	25.17	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 188 of 313

802.11n20_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6906.8125	61.33	34.83	-43.84	52.32	68.30	15.98	Horizontal
2	7834.4792	49.12	36.87	-42.64	43.35	68.30	24.95	Horizontal
3	8431.0417	47.04	36.84	-41.50	42.38	74.00	31.62	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 189 of 313

802.11n20_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6906.8125	62.99	34.83	-43.84	53.98	68.30	14.32	Vertical
2	7975.8333	48.40	37.07	-42.28	43.19	68.30	25.11	Vertical
3	8868.0417	46.95	36.58	-40.98	42.55	68.30	25.75	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 190 of 313

802.11n20_Channel 44




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6960	60.38	34.93	-43.35	51.95	68.30	16.35	Horizontal
2	8391.2708	47.70	36.87	-41.41	43.15	74.00	30.85	Horizontal
3	8846.9583	47.31	36.59	-41.03	42.87	68.30	25.43	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 191 of 313

802.11n20_Channel 44




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6960	61.93	34.93	-43.35	53.50	68.30	14.80	Vertical
2	8057.2917	47.90	37.07	-41.68	43.29	74.00	30.71	Vertical
3	8998.375	47.17	36.50	-40.87	42.80	68.30	25.50	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 192 of 313

802.11n20_Channel 48




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6986.8333	59.02	34.98	-43.11	50.89	68.30	17.41	Horizontal
2	7723.3125	48.19	36.71	-42.86	42.04	74.00	31.96	Horizontal
3	8803.8333	47.58	36.62	-41.13	43.07	68.30	25.23	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 193 of 313

802.11n20_Channel 48




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6986.8333	59.97	34.98	-43.11	51.84	68.30	16.46	Vertical
2	7966.25	48.55	37.05	-42.34	43.27	68.30	25.03	Vertical
3	8591.0833	47.08	36.75	-40.97	42.85	68.30	25.45	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 194 of 313

802.11n20_Channel 52




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7013.1875	58.00	35.04	-43.08	49.96	68.30	18.34	Horizontal
2	7914.5	48.89	36.98	-42.65	43.22	68.30	25.08	Horizontal
3	8817.25	47.22	36.61	-41.10	42.73	68.30	25.57	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 195 of 313

802.11n20_Channel 52



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7013.1875	60.01	35.04	-43.08	51.97	68.30	16.33	Vertical
2	8846.4792	47.99	36.59	-41.03	43.55	68.30	24.75	Vertical
3	10611.25	44.30	38.56	-37.95	44.91	74.00	29.09	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 196 of 313

802.11n20_Channel 60




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7066.8542	57.17	35.19	-43.44	48.92	68.30	19.38	Horizontal
2	8330.8958	47.28	36.90	-41.72	42.47	74.00	31.53	Horizontal
3	9616.0208	45.79	37.73	-39.24	44.28	68.30	24.02	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 197 of 313

802.11n20_Channel 60




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7066.375	58.00	35.19	-43.43	49.75	68.30	18.55	Vertical
2	8972.0208	46.73	36.52	-40.88	42.37	68.30	25.93	Vertical
3	10342.437	45.63	38.53	-38.86	45.30	68.30	23.00	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 198 of 313

802.11n20_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7093.2083	56.26	35.26	-43.61	47.91	68.30	20.39	Horizontal
2	8407.0833	47.64	36.86	-41.40	43.10	74.00	30.90	Horizontal
3	10126.812	44.69	38.51	-38.86	44.35	68.30	23.95	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 199 of 313

802.11n20_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7093.2083	57.95	35.26	-43.61	49.60	68.30	18.70	Vertical
2	8515.375	47.89	36.79	-41.66	43.02	68.30	25.28	Vertical
3	10351.062	45.38	38.54	-38.84	45.07	68.30	23.23	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 200 of 313

802.11n20_Channel 100



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7333.2708	54.87	35.93	-43.15	47.65	74.00	26.35	Horizontal
2	7333.75	51.91	35.93	-43.15	44.70	54.00	9.30	Horizontal
3	8605.4583	47.22	36.74	-40.91	43.04	68.30	25.26	Horizontal
4	10366.875	45.35	38.54	-38.80	45.08	68.30	23.22	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 201 of 313

802.11n20_Channel 100



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7333.75	53.70	35.93	-43.15	46.49	74.00	27.51	Vertical
2	7333.75	49.08	35.93	-43.15	41.87	54.00	12.13	Vertical
3	8201.0417	48.07	36.98	-42.15	42.90	74.00	31.10	Vertical
4	9650.5208	45.83	37.80	-39.34	44.29	68.30	24.01	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 202 of 313

802.11n20_Channel 116



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7440.125	56.48	36.23	-42.94	49.77	74.00	24.23	Horizontal
2	7440.6042	54.03	36.23	-42.94	47.32	54.00	6.68	Horizontal
3	8899.1875	47.23	36.56	-40.91	42.88	68.30	25.42	Horizontal
4	10149.333	46.46	38.51	-38.99	45.99	68.30	22.31	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 203 of 313

802.11n20_Channel 116



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7440.125	53.33	36.23	-42.94	46.62	74.00	27.38	Vertical
2	7440.6042	50.55	36.23	-42.94	43.84	54.00	10.16	Vertical
3	8711.3542	47.58	36.67	-41.32	42.94	68.30	25.36	Vertical
4	9582.9583	48.20	37.67	-39.33	46.54	68.30	21.76	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 204 of 313

802.11n20_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7600.1667	49.97	36.54	-42.74	43.77	74.00	30.23	Horizontal
2	7600.6458	44.97	36.54	-42.74	38.77	54.00	15.23	Horizontal
3	8368.75	48.00	36.88	-41.53	43.35	74.00	30.65	Horizontal
4	11155.5833	43.93	38.68	-37.11	45.50	74.00	28.50	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 205 of 313

802.11n20_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7600.1667	49.64	36.54	-42.74	43.44	74.00	30.56	Vertical
2	8350.5417	47.98	36.89	-41.62	43.25	74.00	30.75	Vertical
3	9527.8542	47.84	37.56	-39.75	45.65	68.30	22.65	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 206 of 313

802.11n20_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7758.2917	49.28	36.76	-42.73	43.31	68.30	24.99	Horizontal
2	8531.6667	49.18	36.78	-41.51	44.45	68.30	23.85	Horizontal
3	9651	46.04	37.80	-39.34	44.50	68.30	23.80	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 207 of 313

802.11n20_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7659.5833	49.74	36.62	-42.87	43.50	74.00	30.50	Vertical
2	8619.8333	47.69	36.73	-40.98	43.44	68.30	24.86	Vertical
3	10146.458	45.94	38.51	-38.97	45.49	68.30	22.81	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 208 of 313

802.11n20_Channel 157




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7526.8542	49.19	36.44	-43.05	42.57	74.00	31.43	Horizontal
2	8953.8125	47.86	36.53	-40.89	43.50	68.30	24.80	Horizontal
3	10365.437	45.32	38.54	-38.81	45.05	68.30	23.25	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 209 of 313

802.11n20_Channel 157



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7904.4375	50.15	36.97	-42.71	44.40	68.30	23.90	Vertical
2	8758.3125	48.88	36.65	-41.22	44.30	68.30	24.00	Vertical
3	10664.437	44.78	38.57	-37.67	45.67	74.00	28.33	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 210 of 313

802.11n20_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7823.9375	48.75	36.85	-42.62	42.99	68.30	25.31	Horizontal
2	9555.1667	47.19	37.61	-39.54	45.26	68.30	23.04	Horizontal
3	10703.729	44.03	38.57	-37.53	45.07	74.00	28.93	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 211 of 313

802.11n20_Channel 165



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7788.4792	49.52	36.80	-42.62	43.70	68.30	24.60	Vertical
2	9493.3542	48.01	37.49	-39.96	45.54	74.00	28.46	Vertical
3	11169.4792	43.67	38.68	-36.95	45.40	74.00	28.60	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 212 of 313

802.11n40_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6920.2292	59.44	34.86	-43.72	50.58	68.30	17.72	Horizontal
2	8638.5208	47.85	36.72	-41.06	43.50	68.30	24.80	Horizontal
3	9482.8125	47.17	37.47	-39.95	44.68	74.00	29.32	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 213 of 313

802.11n40_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6919.75	64.51	34.86	-43.72	55.65	68.30	12.65	Vertical
2	7886.2292	50.15	36.94	-42.72	44.37	68.30	23.93	Vertical
3	9370.6875	45.84	37.24	-39.96	43.12	74.00	30.88	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 214 of 313

802.11n40_Channel 46




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6973.4167	58.70	34.95	-43.23	50.42	68.30	17.88	Horizontal
2	7999.3125	48.17	37.10	-42.13	43.13	68.30	25.17	Horizontal
3	9101.3958	46.00	36.70	-40.40	42.30	74.00	31.70	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 215 of 313

802.11n40_Channel 46



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6973.4167	61.52	34.95	-43.23	53.24	68.30	15.06	Vertical
2	8377.8542	47.02	36.87	-41.48	42.41	74.00	31.59	Vertical
3	10111.9583	44.59	38.51	-38.77	44.33	68.30	23.97	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 216 of 313

802.11n40_Channel 54



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7026.6042	57.73	35.07	-43.17	49.64	68.30	18.66	Horizontal
2	8088.4375	48.06	37.05	-41.43	43.68	74.00	30.32	Horizontal
3	10317.520	44.99	38.53	-38.93	44.60	68.30	23.70	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 217 of 313

802.11n40_Channel 54



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7026.6042	61.00	35.07	-43.17	52.91	68.30	15.39	Vertical
2	8002.1875	49.53	37.10	-42.11	44.52	68.30	23.78	Vertical
3	10209.229	45.55	38.52	-39.25	44.82	68.30	23.48	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 218 of 313

802.11n40_Channel 62



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7079.7917	56.63	35.22	-43.52	48.33	68.30	19.97	Horizontal
2	8082.6875	48.09	37.05	-41.48	43.66	74.00	30.34	Horizontal
3	10045.354	45.23	38.50	-39.07	44.66	68.30	23.64	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 219 of 313

802.11n40_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7080.2708	58.26	35.22	-43.53	49.96	68.30	18.34	Vertical
2	8647.625	47.63	36.71	-41.10	43.24	68.30	25.06	Vertical
3	10492.416	44.47	38.55	-38.76	44.26	68.30	24.04	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 220 of 313

802.11n40_Channel 102



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7346.6875	53.85	35.97	-43.08	46.74	74.00	27.26	Horizontal
2	7347.1667	50.82	35.97	-43.08	43.72	54.00	10.28	Horizontal
3	8447.3333	47.50	36.83	-41.57	42.76	74.00	31.24	Horizontal
4	10539.854	43.87	38.55	-38.46	43.96	68.30	24.34	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 221 of 313

802.11n40_Channel 102



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7346.6875	53.58	35.97	-43.08	46.47	74.00	27.53	Vertical
2	7347.1667	51.37	35.97	-43.08	44.27	54.00	9.73	Vertical
3	8512.0208	48.12	36.79	-41.69	43.22	68.30	25.08	Vertical
4	10144.062	45.38	38.51	-38.96	44.94	68.30	23.36	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 222 of 313

802.11n40_Channel 110



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7399.875	53.16	36.12	-42.79	46.49	74.00	27.51	Horizontal
2	7400.3542	50.65	36.12	-42.79	43.98	54.00	10.02	Horizontal
3	8211.1042	46.80	36.97	-42.12	41.65	74.00	32.35	Horizontal
4	10713.791	44.07	38.57	-37.63	45.02	74.00	28.98	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 223 of 313

802.11n40_Channel 110



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7399.875	53.95	36.12	-42.79	47.28	74.00	26.72	Vertical
2	7400.3542	50.98	36.12	-42.79	44.31	54.00	9.69	Vertical
3	8192.4167	47.65	36.98	-42.09	42.55	74.00	31.45	Vertical
4	10372.625	45.03	38.54	-38.79	44.78	68.30	23.52	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 224 of 313

802.11n40_Channel 134



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7559.9167	50.16	36.48	-42.91	43.73	74.00	30.27	Horizontal
2	7560.3958	46.85	36.48	-42.91	40.42	54.00	13.58	Horizontal
3	8727.6458	47.38	36.66	-41.28	42.76	68.30	25.54	Horizontal
4	9653.875	44.83	37.81	-39.35	43.29	68.30	25.01	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 225 of 313

802.11n40_Channel 134



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7559.9167	50.85	36.48	-42.91	44.42	74.00	29.58	Vertical
2	7560.3958	46.05	36.48	-42.91	39.62	54.00	14.38	Vertical
3	8913.5625	46.37	36.55	-40.90	42.02	68.30	26.28	Vertical
4	10618.437	43.59	38.56	-37.91	44.24	74.00	29.76	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 226 of 313

802.11n40_Channel 151




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7509.6042	48.39	36.41	-43.13	41.67	74.00	32.33	Horizontal
2	8196.25	47.18	36.98	-42.12	42.04	74.00	31.96	Horizontal
3	10085.604	44.55	38.51	-38.80	44.26	68.30	24.04	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 227 of 313

802.11n40_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7388.8542	49.01	36.09	-42.85	42.25	74.00	31.75	Vertical
2	8640.4375	47.46	36.72	-41.07	43.10	68.30	25.20	Vertical
3	10329.979	45.29	38.53	-38.90	44.93	68.30	23.37	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 228 of 313

802.11n40_Channel 159



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7615.0208	48.09	36.56	-42.77	41.88	74.00	32.12	Horizontal
2	8457.3958	47.40	36.83	-41.62	42.61	74.00	31.39	Horizontal
3	10211.625	45.78	38.52	-39.24	45.06	68.30	23.24	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 229 of 313

802.11n40_Channel 159



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7663.8958	49.83	36.63	-42.87	43.59	74.00	30.41	Vertical
2	8549.875	48.11	36.77	-41.35	43.53	68.30	24.77	Vertical
3	10377.416	45.43	38.54	-38.78	45.19	68.30	23.11	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 230 of 313

802.11ac80_Channel 42



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6946.5833	59.79	34.90	-43.48	51.22	68.30	17.08	Horizontal
2	8401.3333	48.17	36.86	-41.38	43.65	74.00	30.35	Horizontal
3	11241.354	44.30	38.72	-36.86	46.16	74.00	27.84	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 231 of 313

802.11ac80_Channel 42



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6946.5833	64.44	34.90	-43.48	55.87	68.30	12.43	Vertical
2	8384.5625	47.92	36.87	-41.45	43.34	74.00	30.66	Vertical
3	10705.166	44.52	38.57	-37.54	45.55	74.00	28.45	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 232 of 313

802.11ac80_Channel 58



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7053.4375	58.42	35.15	-43.35	50.22	68.30	18.08	Horizontal
2	7896.7708	49.20	36.96	-42.73	43.42	68.30	24.88	Horizontal
3	9975.875	44.90	38.45	-39.34	44.02	68.30	24.28	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 233 of 313

802.11ac80_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7053.4375	60.26	35.15	-43.35	52.06	68.30	16.24	Vertical
2	8367.3125	47.51	36.88	-41.53	42.86	74.00	31.14	Vertical
3	10035.291	44.43	38.50	-39.14	43.79	68.30	24.51	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 234 of 313

802.11ac80_Channel 106



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7373.5208	54.19	36.05	-42.93	47.30	74.00	26.70	Horizontal
2	7374	51.04	36.05	-42.93	44.16	54.00	9.84	Horizontal
3	8684.0417	47.13	36.69	-41.27	42.55	68.30	25.75	Horizontal
4	10095.187	45.75	38.51	-38.73	45.53	68.30	22.77	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 235 of 313

802.11ac80_Channel 106



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7373.5208	52.83	36.05	-42.93	45.94	74.00	28.06	Vertical
2	7374	48.62	36.05	-42.93	41.74	54.00	12.26	Vertical
3	8591.0833	45.97	36.75	-40.97	41.74	68.30	26.56	Vertical
4	10711.395	44.11	38.57	-37.60	45.08	74.00	28.92	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 236 of 313

802.11ac80_Channel 122



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7479.8958	54.61	36.34	-43.09	47.86	74.00	26.14	Horizontal
2	7480.375	51.94	36.35	-43.10	45.19	54.00	8.81	Horizontal
3	8864.6875	46.70	36.58	-40.99	42.29	68.30	26.01	Horizontal
4	10895.875	44.34	38.59	-37.84	45.09	74.00	28.91	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 237 of 313

802.11ac80_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7479.8958	54.50	36.34	-43.09	47.75	74.00	26.25	Vertical
2	7480.375	51.91	36.35	-43.10	45.16	54.00	8.84	Vertical
3	8968.6667	46.79	36.52	-40.88	42.43	68.30	25.87	Vertical
4	10071.708	45.35	38.51	-38.89	44.96	68.30	23.34	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 238 of 313

802.11ac80_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8064.4792	47.65	37.06	-41.62	43.09	74.00	30.91	Horizontal
2	9310.3125	45.74	37.12	-40.05	42.81	74.00	31.19	Horizontal
3	10289.25	45.85	38.53	-39.00	45.38	68.30	22.92	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 239 of 313

802.11ac80_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7911.625	48.43	36.98	-42.67	42.74	68.30	25.56	Vertical
2	8945.6667	46.79	36.53	-40.89	42.43	68.30	25.87	Vertical
3	11522.625	42.77	38.86	-36.62	45.01	74.00	28.99	Vertical

Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading(dBμV) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit(dBμV/m) – Level(dBμV/m)

- 2) All channels have been tested, but only the worst case data displayed in this report.
- 3) Both peak and average measured complies with the limit line, so test result is "PASS"



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250200011205

Rev.: 01

Page: 240 of 313

Restricted bands around fundamental frequency

802.11a_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.8	26.06	31.66	-19.15	38.56	54.00	15.44	Horizontal
2	5148.4	26.15	31.67	-19.14	38.67	54.00	15.33	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 241 of 313

802.11a_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5138.5	26.25	31.65	-19.17	38.73	54.00	15.27	Vertical
2	5148.1	26.40	31.67	-19.14	38.92	54.00	15.08	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 242 of 313

802.11a_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.1	37.79	31.66	-19.16	50.29	74.00	23.71	Horizontal
2	5148.8	38.12	31.67	-19.14	50.64	74.00	23.36	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 243 of 313

802.11a_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5132.6	37.32	31.64	-19.18	49.78	74.00	24.22	Vertical
2	5141.3	37.17	31.65	-19.16	49.66	74.00	24.34	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 244 of 313

802.11a_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.6	26.30	32.03	-18.90	39.43	54.00	14.57	Horizontal
2	5354.8	26.26	32.04	-18.91	39.39	54.00	14.61	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 245 of 313

802.11a_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.4	27.26	32.03	-18.90	40.39	54.00	13.61	Vertical
2	5358.7	26.79	32.05	-18.92	39.91	54.00	14.09	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 246 of 313

802.11a_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.6	38.68	32.03	-18.90	51.81	74.00	22.19	Horizontal
2	5357.3	38.58	32.04	-18.92	51.71	74.00	22.29	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 247 of 313

802.11a_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.8	38.41	32.04	-18.91	51.54	74.00	22.46	Vertical
2	5359.1	37.79	32.05	-18.92	50.91	74.00	23.09	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 248 of 313

802.11a_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5444.56	38.48	32.20	-19.09	51.59	74.00	22.41	Horizontal
2	5467.66	38.14	32.24	-19.13	51.25	68.30	17.05	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 249 of 313

802.11a_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5446.12	38.56	32.20	-19.09	51.67	74.00	22.33	Vertical
2	5466.76	38.46	32.24	-19.13	51.57	68.30	16.73	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 250 of 313

802.11a_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5442.58	26.36	32.20	-19.09	39.47	54.00	14.53	Horizontal
2	5450.8	26.47	32.21	-19.10	39.58	54.00	14.42	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 251 of 313

802.11a_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5433.52	26.43	32.18	-19.07	39.54	54.00	14.46	Vertical
2	5444.14	26.53	32.20	-19.09	39.64	54.00	14.36	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 252 of 313

802.11a_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5728.45	38.64	32.35	-18.82	52.17	68.30	16.13	Horizontal
2	5733.3	37.93	32.35	-18.83	51.45	68.30	16.85	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 253 of 313

802.11a_Channel 140



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.55	39.57	32.35	-18.81	53.11	68.30	15.19	Vertical
2	5734.95	38.37	32.35	-18.83	51.88	68.30	16.42	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 254 of 313

802.11a_Channel 149



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5636.8625	39.07	32.33	-18.72	52.67	68.30	15.63	Horizontal
2	5671.9625	38.86	32.33	-18.73	52.47	84.59	32.12	Horizontal
3	5708.3625	38.53	32.34	-18.76	52.12	107.64	55.52	Horizontal
4	5723.9625	43.00	32.34	-18.80	56.54	119.94	63.40	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 255 of 313

802.11a_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5637.675	38.61	32.33	-18.72	52.21	68.30	16.09	Vertical
2	5673.425	39.11	32.33	-18.73	52.72	85.68	32.96	Vertical
3	5708.0375	38.37	32.34	-18.75	51.96	107.55	55.59	Vertical
4	5724.6125	46.18	32.34	-18.80	59.72	121.42	61.70	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 256 of 313

802.11a_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.6875	38.68	32.37	-18.88	52.17	118.45	66.28	Horizontal
2	5862.4125	38.45	32.37	-18.85	51.97	108.82	56.85	Horizontal
3	5893.6125	39.22	32.38	-18.76	52.84	91.49	38.65	Horizontal
4	5933.2625	38.71	32.39	-18.81	52.29	68.30	16.01	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 257 of 313

802.11a_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5852.6625	38.62	32.37	-18.88	52.11	116.23	64.12	Vertical
2	5864.3625	38.40	32.37	-18.84	51.93	108.28	56.35	Vertical
3	5893.6125	38.99	32.38	-18.76	52.61	91.49	38.88	Vertical
4	5934.725	38.65	32.39	-18.81	52.22	68.30	16.08	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 258 of 313

802.11n20_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5139.3	25.90	31.65	-19.17	38.39	54.00	15.61	Horizontal
2	5147.4	25.92	31.67	-19.15	38.44	54.00	15.56	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 259 of 313

802.11n20_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5135.9	26.05	31.64	-19.17	38.52	54.00	15.48	Vertical
2	5143.7	26.24	31.66	-19.16	38.74	54.00	15.26	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 260 of 313

802.11n20_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5135.7	38.27	31.64	-19.17	50.74	74.00	23.26	Horizontal
2	5144.5	37.21	31.66	-19.15	49.72	74.00	24.28	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 261 of 313

802.11n20_Channel 36




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5135	37.24	31.64	-19.18	49.71	74.00	24.29	Vertical
2	5146.7	37.69	31.66	-19.15	50.21	74.00	23.79	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 262 of 313

802.11n20_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5353.2	26.19	32.04	-18.91	39.32	54.00	14.68	Horizontal
2	5359.5	26.08	32.05	-18.92	39.20	54.00	14.80	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 263 of 313

802.11n20_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5355.2	27.15	32.04	-18.91	40.28	54.00	13.72	Vertical
2	5360.6	26.59	32.05	-18.93	39.71	54.00	14.29	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 264 of 313

802.11n20_Channel 64



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5355.5	37.27	32.04	-18.91	50.40	74.00	23.60	Horizontal
2	5362.1	37.56	32.05	-18.93	50.68	74.00	23.32	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 265 of 313

802.11n20_Channel 64




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5356.4	37.57	32.04	-18.92	50.70	74.00	23.30	Vertical
2	5364.1	37.90	32.06	-18.93	51.02	74.00	22.98	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 266 of 313

802.11n20_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5423.8	26.29	32.16	-19.06	39.39	54.00	14.61	Horizontal
2	5444.08	26.44	32.20	-19.09	39.55	54.00	14.45	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 267 of 313

802.11n20_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5429.32	26.53	32.17	-19.07	39.64	54.00	14.36	Vertical
2	5445.04	26.52	32.20	-19.09	39.63	54.00	14.37	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 268 of 313

802.11n20_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5441.26	38.07	32.19	-19.09	51.18	74.00	22.82	Horizontal
2	5465.26	38.32	32.24	-19.12	51.43	68.30	16.87	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 269 of 313

802.11n20_Channel 100




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5434.6	38.38	32.18	-19.08	51.49	74.00	22.51	Vertical
2	5463.1	38.42	32.23	-19.12	51.53	68.30	16.77	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 270 of 313

802.11n20_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.85	38.14	32.35	-18.81	51.67	68.30	16.63	Horizontal
2	5730.35	38.18	32.35	-18.82	51.71	68.30	16.59	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 271 of 313

802.11n20_Channel 140




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.35	43.13	32.35	-18.81	56.67	68.30	11.63	Vertical
2	5728.9	37.71	32.35	-18.82	51.24	68.30	17.06	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 272 of 313

802.11n20_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5636.7	39.08	32.33	-18.72	52.68	68.30	15.62	Horizontal
2	5664.975	38.98	32.33	-18.73	52.59	79.42	26.83	Horizontal
3	5712.2625	38.67	32.34	-18.77	52.25	108.74	56.49	Horizontal
4	5723.475	43.03	32.34	-18.80	56.57	118.82	62.25	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 273 of 313

802.11n20_Channel 149




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5634.5875	38.71	32.33	-18.72	52.31	68.30	15.99	Vertical
2	5667.575	38.99	32.33	-18.73	52.60	81.34	28.74	Vertical
3	5710.8	38.76	32.34	-18.76	52.34	108.33	55.99	Vertical
4	5723.3125	43.98	32.34	-18.80	57.52	118.45	60.93	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 274 of 313

802.11n20_Channel 165




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5853.6375	39.31	32.37	-18.87	52.81	114.01	61.20	Horizontal
2	5861.6	38.62	32.37	-18.85	52.14	109.05	56.91	Horizontal
3	5898.1625	38.61	32.38	-18.75	52.24	88.12	35.88	Horizontal
4	5939.925	38.98	32.39	-18.82	52.54	68.30	15.76	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 275 of 313

802.11n20_Channel 165



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5853.15	38.72	32.37	-18.88	52.21	115.12	62.91	Vertical
2	5863.875	38.89	32.37	-18.84	52.42	108.41	55.99	Vertical
3	5901.0875	39.66	32.38	-18.74	53.30	85.96	32.66	Vertical
4	5939.925	39.49	32.39	-18.82	53.05	68.30	15.25	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 276 of 313

802.11n40_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.84	28.62	31.67	-19.15	41.14	54.00	12.86	Horizontal
2	5356.565	26.36	32.04	-18.92	39.49	54.00	14.51	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 277 of 313

802.11n40_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.9867	30.10	31.66	-19.15	42.62	54.00	11.38	Vertical
2	5364.2825	26.40	32.06	-18.93	39.52	54.00	14.48	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 278 of 313

802.11n40_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.28	39.22	31.67	-19.14	51.74	74.00	22.26	Horizontal
2	5363.3375	38.71	32.05	-18.93	51.83	74.00	22.17	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 279 of 313

802.11n40_Channel 38




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.22	40.61	31.66	-19.15	53.12	74.00	20.88	Vertical
2	5367.66	38.21	32.06	-18.94	51.33	74.00	22.67	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 280 of 313

802.11n40_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.4	26.69	31.65	-19.16	39.18	54.00	14.82	Horizontal
2	5350.725	33.95	32.03	-18.90	47.08	54.00	6.92	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 281 of 313

802.11n40_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.6	26.76	31.67	-19.15	39.28	54.00	14.72	Vertical
2	5351.45	36.36	32.03	-18.90	49.49	54.00	4.51	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 282 of 313

802.11n40_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5139.6	39.23	31.65	-19.16	51.72	74.00	22.28	Horizontal
2	5353.575	45.12	32.04	-18.91	58.25	74.00	15.75	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 283 of 313

802.11n40_Channel 62




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.9333	38.86	31.67	-19.14	51.38	74.00	22.62	Vertical
2	5353.2	47.85	32.04	-18.91	60.98	74.00	13.02	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 284 of 313

802.11n40_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5440.115	39.30	32.19	-19.08	52.41	74.00	21.59	Horizontal
2	5467.585	40.85	32.24	-19.13	53.96	68.30	14.34	Horizontal
3	5733.25	39.64	32.35	-18.83	53.16	68.30	15.14	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 285 of 313

802.11n40_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5442.2367	39.61	32.20	-19.09	52.72	74.00	21.28	Vertical
2	5465.24	42.39	32.24	-19.12	55.50	68.30	12.80	Vertical
3	5736.43	39.72	32.35	-18.84	53.23	68.30	15.07	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 286 of 313

802.11n40_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5442.46	26.49	32.20	-19.09	39.60	54.00	14.40	Horizontal
2	5458.0933	26.70	32.22	-19.11	39.81	54.00	14.19	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 287 of 313

802.11n40_Channel 102




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5442.5717	26.68	32.20	-19.09	39.79	54.00	14.21	Vertical
2	5458.875	27.26	32.23	-19.11	40.37	54.00	13.63	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 288 of 313

802.11n40_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5425.375	26.43	32.17	-19.06	39.54	54.00	14.46	Horizontal
2	5452.6217	26.48	32.21	-19.10	39.59	54.00	14.41	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 289 of 313

802.11n40_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5420.685	26.70	32.16	-19.05	39.80	54.00	14.20	Vertical
2	5455.86	26.49	32.22	-19.11	39.60	54.00	14.40	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 290 of 313

802.11n40_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5444.3583	38.91	32.20	-19.09	52.02	74.00	21.98	Horizontal
2	5465.4633	39.03	32.24	-19.12	52.14	68.30	16.16	Horizontal
3	5729.07	40.67	32.35	-18.82	54.20	68.30	14.10	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 291 of 313

802.11n40_Channel 134




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.13	39.41	32.20	-19.09	52.52	74.00	21.48	Vertical
2	5461.4433	38.98	32.23	-19.12	52.09	68.30	16.21	Vertical
3	5727.36	42.44	32.35	-18.81	55.97	68.30	12.33	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 292 of 313

802.11n40_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5642.7125	38.92	32.33	-18.72	52.52	68.30	15.78	Horizontal
2	5678.3	38.88	32.34	-18.73	52.49	89.28	36.79	Horizontal
3	5709.5	42.72	32.34	-18.76	56.30	107.96	51.66	Horizontal
4	5724.2875	48.26	32.34	-18.80	61.80	120.68	58.88	Horizontal
5	5850.7125	38.56	32.37	-18.88	52.05	120.67	68.62	Horizontal
6	5861.925	38.98	32.37	-18.85	52.50	108.96	56.46	Horizontal
7	5897.025	39.38	32.38	-18.75	53.01	88.96	35.95	Horizontal
8	5937.4875	38.90	32.39	-18.82	52.47	68.30	15.83	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 293 of 313

802.11n40_Channel 151



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5638.8125	39.37	32.33	-18.72	52.97	68.30	15.33	Vertical
2	5673.2625	39.34	32.33	-18.73	52.95	85.55	32.60	Vertical
3	5705.7625	42.77	32.34	-18.75	56.36	106.92	50.56	Vertical
4	5723.3125	50.47	32.34	-18.80	64.01	118.45	54.44	Vertical
5	5853.3125	39.47	32.37	-18.88	52.97	114.75	61.78	Vertical
6	5867.2875	39.01	32.37	-18.83	52.55	107.46	54.91	Vertical
7	5898.8125	39.47	32.38	-18.74	53.11	87.64	34.53	Vertical
8	5932.45	38.85	32.39	-18.81	52.43	68.30	15.87	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 294 of 313

802.11n40_Channel 159



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.7375	38.36	32.33	-18.72	51.96	68.30	16.34	Horizontal
2	5687.5625	38.39	32.34	-18.73	52.00	96.13	44.13	Horizontal
3	5709.825	39.08	32.34	-18.76	52.66	108.05	55.39	Horizontal
4	5722.6625	38.42	32.34	-18.80	51.97	116.97	65.00	Horizontal
5	5852.5	38.97	32.37	-18.88	52.46	116.60	64.14	Horizontal
6	5862.0875	38.61	32.37	-18.85	52.13	108.91	56.78	Horizontal
7	5899.1375	39.45	32.38	-18.74	53.09	87.40	34.31	Horizontal
8	5934.725	38.87	32.39	-18.81	52.44	68.30	15.86	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 295 of 313

802.11n40_Channel 159




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5638.8125	38.74	32.33	-18.72	52.34	68.30	15.96	Vertical
2	5676.1875	39.58	32.34	-18.73	53.19	87.72	34.53	Vertical
3	5705.925	39.10	32.34	-18.75	52.69	106.96	54.27	Vertical
4	5722.175	39.22	32.34	-18.80	52.77	115.86	63.09	Vertical
5	5850.55	39.89	32.37	-18.88	53.38	121.05	67.67	Vertical
6	5866.9625	39.32	32.37	-18.84	52.86	107.55	54.69	Vertical
7	5888.9	39.25	32.38	-18.77	52.86	94.98	42.12	Vertical
8	5929.6875	38.88	32.39	-18.80	52.46	68.30	15.84	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 296 of 313

802.11ac80_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.6267	28.41	31.67	-19.15	40.93	54.00	13.07	Horizontal
2	5364.2125	26.36	32.06	-18.93	39.48	54.00	14.52	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 297 of 313

802.11ac80_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.4667	30.83	31.67	-19.15	43.35	54.00	10.65	Vertical
2	5356.845	26.32	32.04	-18.92	39.45	54.00	14.55	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 298 of 313

802.11ac80_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.38	39.35	31.66	-19.16	51.85	74.00	22.15	Horizontal
2	5365.07	38.50	32.06	-18.94	51.62	74.00	22.38	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 299 of 313

802.11ac80_Channel 42




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.34	41.70	31.66	-19.16	54.20	74.00	19.80	Vertical
2	5361.9375	39.12	32.05	-18.93	52.24	74.00	21.76	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 300 of 313

802.11ac80_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5140.4	26.67	31.65	-19.16	39.16	54.00	14.84	Horizontal
2	5350.6	35.11	32.03	-18.90	48.24	54.00	5.76	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 301 of 313

802.11ac80_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.75	26.53	31.66	-19.15	39.04	54.00	14.96	Vertical
2	5351.075	37.28	32.03	-18.90	50.41	54.00	3.59	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 302 of 313

802.11ac80_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.5333	39.24	31.66	-19.15	51.76	74.00	22.24	Horizontal
2	5350.825	44.97	32.03	-18.90	58.10	74.00	15.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 303 of 313

802.11ac80_Channel 58




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.6	39.20	31.67	-19.15	51.72	74.00	22.28	Vertical
2	5357.6125	48.96	32.04	-18.92	62.09	74.00	11.91	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 304 of 313

802.11ac80_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5421.02	26.55	32.16	-19.05	39.65	54.00	14.35	Horizontal
2	5455.3017	28.00	32.22	-19.11	41.11	54.00	12.89	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 305 of 313

802.11ac80_Channel 106



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.51	29.63	32.21	-19.10	42.74	54.00	11.26	Vertical
2	5457.535	30.27	32.22	-19.11	43.38	54.00	10.62	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 306 of 313

802.11ac80_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5447.82	39.74	32.21	-19.10	52.85	74.00	21.15	Horizontal
2	5465.24	40.67	32.24	-19.12	53.78	68.30	14.52	Horizontal
3	5727.95	39.44	32.35	-18.81	52.97	68.30	15.33	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 307 of 313

802.11ac80_Channel 106




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5434.085	40.01	32.18	-19.07	53.12	74.00	20.88	Vertical
2	5466.245	42.45	32.24	-19.13	55.56	68.30	12.74	Vertical
3	5733.2	39.39	32.35	-18.83	52.91	68.30	15.39	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 308 of 313

802.11ac80_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5423.5883	26.48	32.16	-19.06	39.58	54.00	14.42	Horizontal
2	5449.16	26.46	32.21	-19.10	39.57	54.00	14.43	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 309 of 313

802.11ac80_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5427.2733	26.46	32.17	-19.06	39.57	54.00	14.43	Vertical
2	5454.9667	26.40	32.22	-19.11	39.51	54.00	14.49	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 310 of 313

802.11ac80_Channel 122




Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5438.8867	39.12	32.19	-19.08	52.23	74.00	21.77	Horizontal
2	5465.4633	39.42	32.24	-19.12	52.53	68.30	15.77	Horizontal
3	5730.95	39.88	32.35	-18.82	53.40	68.30	14.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205
Rev.: 01
Page: 311 of 313

802.11ac80_Channel 122



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5430.735	39.37	32.18	-19.07	52.48	74.00	21.52	Vertical
2	5465.4633	40.12	32.24	-19.12	53.23	68.30	15.07	Vertical
3	5735.78	39.44	32.35	-18.84	52.95	68.30	15.35	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 312 of 313

802.11ac80_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5640.4375	38.38	32.33	-18.72	51.98	68.30	16.32	Horizontal
2	5673.425	39.70	32.33	-18.73	53.31	85.68	32.37	Horizontal
3	5710.3125	43.80	32.34	-18.76	57.38	108.19	50.81	Horizontal
4	5722.825	44.47	32.34	-18.80	58.02	117.34	59.32	Horizontal
5	5853.15	38.88	32.37	-18.88	52.37	115.12	62.75	Horizontal
6	5864.0375	38.94	32.37	-18.84	52.47	108.37	55.90	Horizontal
7	5895.5625	38.57	32.38	-18.75	52.20	90.05	37.85	Horizontal
8	5939.6	39.02	32.39	-18.82	52.58	68.30	15.72	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200011205

Rev.: 01

Page: 313 of 313

802.11ac80_Channel 155



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5642.55	38.70	32.33	-18.72	52.30	68.30	16.00	Vertical
2	5674.8875	41.53	32.33	-18.73	55.14	86.76	31.62	Vertical
3	5710.475	47.55	32.34	-18.76	61.13	108.24	47.11	Vertical
4	5722.825	47.05	32.34	-18.80	60.60	117.34	56.74	Vertical
5	5852.3375	39.24	32.37	-18.88	52.73	116.97	64.24	Vertical
6	5866.15	39.56	32.37	-18.84	53.10	107.78	54.68	Vertical
7	5894.1	38.41	32.38	-18.76	52.03	91.13	39.10	Vertical
8	5928.0625	38.36	32.39	-18.80	51.95	68.30	16.35	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:
Level = Reading(dBμV) + AF(dB/m) + Factor(dB):
AF = Antenna Factor(dB/m)
Factor = Cable Factor(dB) - Preamplifier gain(dB)
Margin = Limit(dBμV/m) – Level(dBμV/m)
- Both peak and average measured complies with the limit line, so test result is "PASS"

---End of Report---