



## 11ax(HE40)\_TX\_CH\_043\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 9098.3333       | 49.80          | 37.54     | -42.88      | 44.46          | 74.00          | 29.54       | Horizontal |
| 2         | 10308.6667      | 48.11          | 39.02     | -41.33      | 45.79          | 88.30          | 42.51       | Horizontal |
| 3         | 11547.6667      | 46.67          | 39.45     | -39.86      | 46.26          | 74.00          | 27.74       | Horizontal |
| 4         | 12811.3333      | 47.51          | 38.91     | -39.11      | 47.31          | 88.30          | 40.99       | Horizontal |
| 5         | 14573.3333      | 44.35          | 40.24     | -38.35      | 46.24          | 88.30          | 42.06       | Horizontal |
| 6         | 17533.3333      | 43.70          | 42.00     | -36.79      | 48.91          | 88.30          | 39.39       | Horizontal |
| 7         | 17933.3333      | 34.14          | 44.40     | -36.91      | 41.63          | 54.00          | 12.37       | Horizontal |

## 11ax(HE40)\_TX\_CH\_043\_Veritical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 9424            | 51.51          | 37.99     | -42.75      | 46.76          | 74.00          | 27.24       | Vertical |
| 2         | 11184.6667      | 48.06          | 39.48     | -40.49      | 47.05          | 74.00          | 26.95       | Vertical |
| 3         | 12459.6667      | 47.13          | 39.12     | -39.50      | 46.75          | 74.00          | 27.25       | Vertical |
| 4         | 13597           | 45.98          | 39.70     | -38.99      | 46.69          | 88.30          | 41.61       | Vertical |
| 5         | 15369.6667      | 44.10          | 39.53     | -37.82      | 45.81          | 74.00          | 28.19       | Vertical |
| 6         | 17500.3333      | 45.13          | 41.80     | -36.78      | 50.15          | 88.30          | 38.15       | Vertical |
| 7         | 17920           | 34.45          | 44.32     | -36.94      | 41.83          | 54.00          | 12.17       | Vertical |

## 11ax(HE40)\_TX\_CH\_051\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8677            | 51.91          | 37.04     | -43.82      | 45.13          | 88.30          | 43.17       | Horizontal |
| 2         | 9832.3333       | 49.11          | 38.57     | -42.05      | 45.63          | 88.30          | 42.67       | Horizontal |
| 3         | 11993.3333      | 47.35          | 39.40     | -39.40      | 47.35          | 74.00          | 26.65       | Horizontal |
| 4         | 13856.6667      | 44.99          | 40.09     | -38.86      | 46.21          | 88.30          | 42.09       | Horizontal |
| 5         | 15862           | 43.45          | 38.65     | -37.70      | 44.39          | 74.00          | 29.61       | Horizontal |
| 6         | 17922.3333      | 43.79          | 44.33     | -36.94      | 51.19          | 74.00          | 22.81       | Horizontal |
| 7         | 17924.3333      | 34.17          | 44.35     | -36.93      | 41.58          | 54.00          | 12.42       | Horizontal |

## 11ax(HE40)\_TX\_CH\_051\_Veritical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 9433            | 52.41          | 38.01     | -42.70      | 47.72          | 74.00          | 26.28       | Vertical |
| 2         | 10663.6667      | 47.98          | 39.26     | -40.96      | 46.29          | 74.00          | 27.71       | Vertical |
| 3         | 12816.3333      | 46.95          | 38.91     | -39.13      | 46.73          | 88.30          | 41.57       | Vertical |
| 4         | 14774.6667      | 44.91          | 40.22     | -37.90      | 47.23          | 88.30          | 41.07       | Vertical |
| 5         | 16123           | 44.57          | 38.45     | -37.90      | 45.12          | 74.00          | 28.88       | Vertical |
| 6         | 17344           | 44.41          | 40.86     | -37.23      | 48.04          | 88.30          | 40.26       | Vertical |
| 7         | 17977.3333      | 33.95          | 44.66     | -36.83      | 41.79          | 54.00          | 12.21       | Vertical |

## 11ax(HE40)\_TX\_CH\_091\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8796.6667       | 52.79          | 37.18     | -43.33      | 46.64          | 88.30          | 41.66       | Horizontal |
| 2         | 10291.3333      | 49.22          | 39.00     | -41.41      | 46.81          | 88.30          | 41.49       | Horizontal |
| 3         | 12158.3333      | 47.70          | 39.30     | -39.64      | 47.36          | 74.00          | 26.64       | Horizontal |
| 4         | 13971.6667      | 45.44          | 40.26     | -38.81      | 46.89          | 88.30          | 41.41       | Horizontal |
| 5         | 16706.6667      | 43.98          | 38.68     | -37.78      | 44.88          | 88.30          | 43.42       | Horizontal |
| 6         | 18000           | 42.41          | 44.80     | -36.78      | 50.43          | 74.00          | 23.57       | Horizontal |
| 7         | 17972.3333      | 34.37          | 44.63     | -36.84      | 42.17          | 54.00          | 11.83       | Horizontal |

## 11ax(HE40)\_TX\_CH\_091\_Veritical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8592.6667       | 52.48          | 36.95     | -43.67      | 45.76          | 88.30          | 42.54       | Vertical |
| 2         | 10425.3333      | 48.10          | 39.10     | -41.12      | 46.07          | 88.30          | 42.23       | Vertical |
| 3         | 12315           | 47.06          | 39.21     | -39.45      | 46.82          | 74.00          | 27.18       | Vertical |
| 4         | 13569.3333      | 46.05          | 39.65     | -39.08      | 46.62          | 88.30          | 41.68       | Vertical |
| 5         | 16340           | 44.72          | 38.54     | -37.49      | 45.76          | 88.30          | 42.54       | Vertical |
| 6         | 17878.3333      | 44.70          | 44.07     | -37.16      | 51.61          | 74.00          | 22.39       | Vertical |
| 7         | 17925           | 34.42          | 44.35     | -36.93      | 41.84          | 54.00          | 12.16       | Vertical |

## 11ax(HE40)\_TX\_CH\_099\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8829.3333       | 52.64          | 37.21     | -43.23      | 46.62          | 88.30          | 41.68       | Horizontal |
| 2         | 10106.6667      | 49.10          | 38.87     | -41.64      | 46.33          | 88.30          | 41.97       | Horizontal |
| 3         | 11943.6667      | 47.37          | 39.41     | -39.63      | 47.15          | 74.00          | 26.85       | Horizontal |
| 4         | 13720.6667      | 45.98          | 39.88     | -38.45      | 47.41          | 88.30          | 40.89       | Horizontal |
| 5         | 16351.3333      | 44.79          | 38.54     | -37.48      | 45.85          | 88.30          | 42.45       | Horizontal |
| 6         | 17975.3333      | 43.25          | 44.65     | -36.83      | 51.07          | 74.00          | 22.93       | Horizontal |
| 7         | 17867.3333      | 34.86          | 44.00     | -37.25      | 41.61          | 54.00          | 12.39       | Horizontal |

## 11ax(HE40)\_TX\_CH\_099\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8857.6667       | 53.11          | 37.24     | -43.15      | 47.20          | 88.30          | 41.10       | Vertical |
| 2         | 10276.6667      | 48.85          | 38.99     | -41.50      | 46.34          | 88.30          | 41.96       | Vertical |
| 3         | 11393.6667      | 47.80          | 39.46     | -39.90      | 47.36          | 74.00          | 26.64       | Vertical |
| 4         | 13508.3333      | 46.87          | 39.56     | -39.29      | 47.14          | 88.30          | 41.16       | Vertical |
| 5         | 16531           | 44.60          | 38.61     | -37.88      | 45.33          | 88.30          | 42.97       | Vertical |
| 6         | 17942.6667      | 43.80          | 44.46     | -36.89      | 51.36          | 74.00          | 22.64       | Vertical |
| 7         | 17984.3333      | 33.70          | 44.71     | -36.81      | 41.59          | 54.00          | 12.41       | Vertical |

## 11ax(HE40)\_TX\_CH\_107\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8683            | 52.34          | 37.05     | -43.84      | 45.55          | 88.30          | 42.75       | Horizontal |
| 2         | 10267           | 48.52          | 38.99     | -41.56      | 45.95          | 88.30          | 42.35       | Horizontal |
| 3         | 11938           | 46.82          | 39.41     | -39.66      | 46.57          | 74.00          | 27.43       | Horizontal |
| 4         | 13787           | 46.37          | 39.98     | -38.88      | 47.47          | 88.30          | 40.83       | Horizontal |
| 5         | 15724           | 44.72          | 38.90     | -37.61      | 46.01          | 74.00          | 27.99       | Horizontal |
| 6         | 17879           | 44.52          | 44.07     | -37.15      | 51.44          | 74.00          | 22.56       | Horizontal |
| 7         | 17978.3333      | 34.07          | 44.67     | -36.82      | 41.92          | 54.00          | 12.08       | Horizontal |

## 11ax(HE40)\_TX\_CH\_107\_Veritical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8482.6667       | 53.03          | 36.83     | -44.01      | 45.85          | 74.00          | 28.15       | Vertical |
| 2         | 10396           | 47.90          | 39.08     | -41.08      | 45.90          | 88.30          | 42.40       | Vertical |
| 3         | 11454.3333      | 47.14          | 39.45     | -39.80      | 46.80          | 74.00          | 27.20       | Vertical |
| 4         | 13229.3333      | 46.28          | 39.14     | -38.86      | 46.57          | 88.30          | 41.73       | Vertical |
| 5         | 15728.6667      | 44.10          | 38.89     | -37.59      | 45.40          | 74.00          | 28.60       | Vertical |
| 6         | 17922.3333      | 43.81          | 44.33     | -36.94      | 51.21          | 74.00          | 22.79       | Vertical |
| 7         | 17922.3333      | 34.61          | 44.33     | -36.94      | 42.01          | 54.00          | 11.99       | Vertical |

## 11ax(HE40)\_TX\_CH\_115\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8921.3333       | 51.90          | 37.31     | -43.13      | 46.09          | 88.30          | 42.21       | Horizontal |
| 2         | 10635.6667      | 47.75          | 39.24     | -40.98      | 46.02          | 74.00          | 27.98       | Horizontal |
| 3         | 11590           | 47.02          | 39.44     | -39.99      | 46.47          | 74.00          | 27.53       | Horizontal |
| 4         | 12799           | 47.15          | 38.92     | -39.07      | 47.00          | 88.30          | 41.30       | Horizontal |
| 5         | 15188           | 44.08          | 39.86     | -37.84      | 46.10          | 88.30          | 42.20       | Horizontal |
| 6         | 17974.6667      | 43.16          | 44.65     | -36.83      | 50.98          | 74.00          | 23.02       | Horizontal |
| 7         | 17935.3333      | 34.08          | 44.41     | -36.91      | 41.58          | 54.00          | 12.42       | Horizontal |

## 11ax(HE40)\_TX\_CH\_115\_Verical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8814.6667       | 53.09          | 37.20     | -43.27      | 47.02          | 88.30          | 41.28       | Vertical |
| 2         | 10341.6667      | 48.34          | 39.04     | -41.24      | 46.14          | 88.30          | 42.16       | Vertical |
| 3         | 12753.3333      | 46.98          | 38.95     | -39.10      | 46.83          | 88.30          | 41.47       | Vertical |
| 4         | 14304.6667      | 46.40          | 40.27     | -38.55      | 48.12          | 88.30          | 40.18       | Vertical |
| 5         | 16346.3333      | 45.15          | 38.54     | -37.49      | 46.20          | 88.30          | 42.10       | Vertical |
| 6         | 17985.3333      | 43.41          | 44.71     | -36.81      | 51.31          | 74.00          | 22.69       | Vertical |
| 7         | 17918           | 34.29          | 44.31     | -36.94      | 41.65          | 54.00          | 12.35       | Vertical |

## 11ax(HE40)\_TX\_CH\_123\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8717.6667       | 52.71          | 37.09     | -43.78      | 46.02          | 88.30          | 42.28       | Horizontal |
| 2         | 10030.3333      | 49.38          | 38.82     | -41.63      | 46.57          | 88.30          | 41.73       | Horizontal |
| 3         | 11379.6667      | 47.65          | 39.46     | -39.89      | 47.22          | 74.00          | 26.78       | Horizontal |
| 4         | 13515.6667      | 46.57          | 39.57     | -39.27      | 46.88          | 88.30          | 41.42       | Horizontal |
| 5         | 16314.6667      | 44.59          | 38.53     | -37.52      | 45.60          | 88.30          | 42.70       | Horizontal |
| 6         | 17994.6667      | 43.71          | 44.77     | -36.79      | 51.69          | 74.00          | 22.31       | Horizontal |
| 7         | 17980.3333      | 33.96          | 44.68     | -36.82      | 41.82          | 54.00          | 12.18       | Horizontal |

## 11ax(HE40)\_TX\_CH\_123\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8881.3333       | 52.55          | 37.27     | -43.08      | 46.74          | 88.30          | 41.56       | Vertical |
| 2         | 10059.3333      | 49.82          | 38.84     | -41.63      | 47.03          | 88.30          | 41.27       | Vertical |
| 3         | 11314.6667      | 47.83          | 39.47     | -39.87      | 47.42          | 74.00          | 26.58       | Vertical |
| 4         | 13380.3333      | 46.20          | 39.37     | -39.17      | 46.40          | 74.00          | 27.60       | Vertical |
| 5         | 16424           | 44.54          | 38.57     | -37.58      | 45.53          | 88.30          | 42.77       | Vertical |
| 6         | 17919.3333      | 44.31          | 44.32     | -36.94      | 51.68          | 74.00          | 22.32       | Vertical |
| 7         | 17914.6667      | 34.40          | 44.29     | -36.95      | 41.74          | 54.00          | 12.26       | Vertical |

## 11ax(HE40)\_TX\_CH\_147\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8847.6667       | 51.80          | 37.23     | -43.18      | 45.86          | 88.30          | 42.44       | Horizontal |
| 2         | 10028           | 49.18          | 38.82     | -41.63      | 46.37          | 88.30          | 41.93       | Horizontal |
| 3         | 11388.6667      | 47.29          | 39.46     | -39.90      | 46.85          | 74.00          | 27.15       | Horizontal |
| 4         | 12462           | 46.69          | 39.12     | -39.51      | 46.30          | 74.00          | 27.70       | Horizontal |
| 5         | 15303.6667      | 44.49          | 39.65     | -37.55      | 46.60          | 88.30          | 41.70       | Horizontal |
| 6         | 17987.6667      | 42.52          | 44.73     | -36.80      | 50.44          | 74.00          | 23.56       | Horizontal |
| 7         | 17928.6667      | 34.10          | 44.37     | -36.92      | 41.55          | 54.00          | 12.45       | Horizontal |

## 11ax(HE40)\_TX\_CH\_147\_Verical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 9455.3333       | 52.01          | 38.04     | -42.56      | 47.48          | 74.00          | 26.52       | Vertical |
| 2         | 10906.6667      | 47.96          | 39.43     | -40.33      | 47.07          | 74.00          | 26.93       | Vertical |
| 3         | 13722           | 45.78          | 39.88     | -38.46      | 47.20          | 88.30          | 41.10       | Vertical |
| 4         | 14947           | 45.33          | 40.21     | -37.78      | 47.75          | 88.30          | 40.55       | Vertical |
| 5         | 16250.3333      | 44.80          | 38.50     | -37.66      | 45.64          | 88.30          | 42.66       | Vertical |
| 6         | 17928.6667      | 44.13          | 44.37     | -36.92      | 51.58          | 74.00          | 22.42       | Vertical |
| 7         | 17986.6667      | 34.10          | 44.72     | -36.81      | 42.01          | 54.00          | 11.99       | Vertical |

## 11ax(HE40)\_TX\_CH\_179\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 9410.6667       | 52.20          | 37.97     | -42.83      | 47.35          | 74.00          | 26.65       | Horizontal |
| 2         | 10216           | 49.02          | 38.95     | -41.86      | 46.11          | 88.30          | 42.19       | Horizontal |
| 3         | 11311           | 47.80          | 39.47     | -39.87      | 47.40          | 74.00          | 26.60       | Horizontal |
| 4         | 12804.3333      | 46.87          | 38.92     | -39.08      | 46.70          | 88.30          | 41.60       | Horizontal |
| 5         | 14415.3333      | 45.94          | 40.26     | -38.67      | 47.53          | 88.30          | 40.77       | Horizontal |
| 6         | 17925.6667      | 44.18          | 44.35     | -36.93      | 51.61          | 74.00          | 22.39       | Horizontal |
| 7         | 17875.3333      | 34.62          | 44.05     | -37.18      | 41.49          | 54.00          | 12.51       | Horizontal |

## 11ax(HE40)\_TX\_CH\_179\_Veritical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8889            | 52.32          | 37.28     | -43.06      | 46.54          | 88.30          | 41.76       | Vertical |
| 2         | 10423           | 48.94          | 39.10     | -41.12      | 46.92          | 88.30          | 41.38       | Vertical |
| 3         | 11982.6667      | 47.34          | 39.40     | -39.45      | 47.29          | 74.00          | 26.71       | Vertical |
| 4         | 14312.6667      | 46.06          | 40.27     | -38.56      | 47.77          | 88.30          | 40.53       | Vertical |
| 5         | 16325           | 44.73          | 38.53     | -37.51      | 45.75          | 88.30          | 42.55       | Vertical |
| 6         | 17863           | 44.31          | 43.98     | -37.29      | 51.00          | 74.00          | 23.00       | Vertical |
| 7         | 17893           | 34.58          | 44.16     | -37.04      | 41.70          | 54.00          | 12.30       | Vertical |

## 11ax(HE40)\_TX\_CH\_187\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8718            | 53.26          | 37.09     | -43.78      | 46.57          | 88.30          | 41.73       | Horizontal |
| 2         | 10045.6667      | 49.22          | 38.83     | -41.63      | 46.42          | 88.30          | 41.88       | Horizontal |
| 3         | 10699.6667      | 48.65          | 39.29     | -40.93      | 47.01          | 74.00          | 26.99       | Horizontal |
| 4         | 12787           | 46.99          | 38.93     | -39.08      | 46.84          | 88.30          | 41.46       | Horizontal |
| 5         | 15778.6667      | 45.21          | 38.80     | -37.42      | 46.59          | 74.00          | 27.41       | Horizontal |
| 6         | 17969.6667      | 43.03          | 44.62     | -36.84      | 50.81          | 74.00          | 23.19       | Horizontal |
| 7         | 17916.6667      | 34.16          | 44.30     | -36.95      | 41.51          | 54.00          | 12.49       | Horizontal |

## 11ax(HE40)\_TX\_CH\_187\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8833            | 52.76          | 37.22     | -43.22      | 46.76          | 88.30          | 41.54       | Vertical |
| 2         | 10305           | 48.95          | 39.01     | -41.35      | 46.62          | 88.30          | 41.68       | Vertical |
| 3         | 12154.3333      | 47.94          | 39.31     | -39.64      | 47.61          | 74.00          | 26.39       | Vertical |
| 4         | 13676.6667      | 45.98          | 39.82     | -38.47      | 47.32          | 88.30          | 40.98       | Vertical |
| 5         | 16328.6667      | 45.51          | 38.53     | -37.50      | 46.54          | 88.30          | 41.76       | Vertical |
| 6         | 17905.3333      | 43.59          | 44.23     | -36.97      | 50.85          | 74.00          | 23.15       | Vertical |
| 7         | 17920.6667      | 34.42          | 44.32     | -36.94      | 41.81          | 54.00          | 12.19       | Vertical |

## 11ax(HE40)\_TX\_CH\_195\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8478.3333       | 53.32          | 36.83     | -44.00      | 46.14          | 74.00          | 27.86       | Horizontal |
| 2         | 9971            | 49.35          | 38.76     | -41.67      | 46.44          | 88.30          | 41.86       | Horizontal |
| 3         | 11318.3333      | 48.07          | 39.47     | -39.88      | 47.66          | 74.00          | 26.34       | Horizontal |
| 4         | 13723.6667      | 45.48          | 39.89     | -38.47      | 46.89          | 88.30          | 41.41       | Horizontal |
| 5         | 16362           | 44.80          | 38.54     | -37.47      | 45.87          | 88.30          | 42.43       | Horizontal |
| 6         | 17968.6667      | 42.96          | 44.61     | -36.84      | 50.73          | 74.00          | 23.27       | Horizontal |
| 7         | 17923.3333      | 34.51          | 44.34     | -36.93      | 41.92          | 54.00          | 12.08       | Horizontal |

## 11ax(HE40)\_TX\_CH\_195\_Verical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 9038.6667       | 52.67          | 37.45     | -43.24      | 46.88          | 74.00          | 27.12       | Vertical |
| 2         | 10074.3333      | 49.95          | 38.85     | -41.63      | 47.18          | 88.30          | 41.12       | Vertical |
| 3         | 12153.6667      | 47.75          | 39.31     | -39.64      | 47.42          | 74.00          | 26.58       | Vertical |
| 4         | 14354.3333      | 46.19          | 40.26     | -38.61      | 47.84          | 88.30          | 40.46       | Vertical |
| 5         | 16301.6667      | 44.02          | 38.52     | -37.53      | 45.01          | 88.30          | 43.29       | Vertical |
| 6         | 17857           | 44.65          | 43.94     | -37.34      | 51.26          | 74.00          | 22.74       | Vertical |
| 7         | 17986.3333      | 33.76          | 44.72     | -36.81      | 41.67          | 54.00          | 12.33       | Vertical |

## 11ax(HE40)\_TX\_CH\_203\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8817.6667       | 52.59          | 37.20     | -43.26      | 46.53          | 88.30          | 41.77       | Horizontal |
| 2         | 10065.3333      | 50.16          | 38.85     | -41.63      | 47.38          | 88.30          | 40.92       | Horizontal |
| 3         | 11930           | 47.61          | 39.41     | -39.69      | 47.33          | 74.00          | 26.67       | Horizontal |
| 4         | 13297           | 46.41          | 39.25     | -38.71      | 46.95          | 74.00          | 27.05       | Horizontal |
| 5         | 15278           | 44.31          | 39.70     | -37.59      | 46.42          | 88.30          | 41.88       | Horizontal |
| 6         | 17809.3333      | 44.05          | 43.66     | -37.73      | 49.97          | 74.00          | 24.03       | Horizontal |
| 7         | 17917.3333      | 34.05          | 44.30     | -36.95      | 41.41          | 54.00          | 12.59       | Horizontal |

## 11ax(HE40)\_TX\_CH\_203\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8806.3333       | 52.51          | 37.19     | -43.29      | 46.40          | 88.30          | 41.90       | Vertical |
| 2         | 10446           | 48.86          | 39.11     | -41.17      | 46.81          | 88.30          | 41.49       | Vertical |
| 3         | 11977           | 47.10          | 39.40     | -39.48      | 47.03          | 74.00          | 26.97       | Vertical |
| 4         | 14312.3333      | 46.35          | 40.27     | -38.56      | 48.06          | 88.30          | 40.24       | Vertical |
| 5         | 16331           | 45.43          | 38.53     | -37.50      | 46.46          | 88.30          | 41.84       | Vertical |
| 6         | 17916.3333      | 44.15          | 44.30     | -36.95      | 51.50          | 74.00          | 22.50       | Vertical |
| 7         | 17908           | 34.49          | 44.25     | -36.96      | 41.77          | 54.00          | 12.23       | Vertical |

## 11ax(HE40)\_TX\_CH\_227\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8829            | 52.11          | 37.21     | -43.23      | 46.09          | 88.30          | 42.21       | Horizontal |
| 2         | 10333.3333      | 48.57          | 39.03     | -41.26      | 46.34          | 88.30          | 41.96       | Horizontal |
| 3         | 12017           | 47.45          | 39.39     | -39.40      | 47.44          | 74.00          | 26.56       | Horizontal |
| 4         | 14906.6667      | 45.26          | 40.21     | -37.61      | 47.86          | 88.30          | 40.44       | Horizontal |
| 5         | 16364.3333      | 44.37          | 38.55     | -37.47      | 45.44          | 88.30          | 42.86       | Horizontal |
| 6         | 17922           | 43.86          | 44.33     | -36.94      | 51.26          | 74.00          | 22.74       | Horizontal |
| 7         | 17912.3333      | 34.15          | 44.27     | -36.96      | 41.47          | 54.00          | 12.53       | Horizontal |

## 11ax(HE40)\_TX\_CH\_227\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8660            | 52.35          | 37.03     | -43.78      | 45.59          | 88.30          | 42.71       | Vertical |
| 2         | 10047.6667      | 49.59          | 38.83     | -41.63      | 46.79          | 88.30          | 41.51       | Vertical |
| 3         | 11948           | 47.43          | 39.41     | -39.61      | 47.23          | 74.00          | 26.77       | Vertical |
| 4         | 13707           | 45.61          | 39.86     | -38.36      | 47.11          | 88.30          | 41.19       | Vertical |
| 5         | 15785.6667      | 44.19          | 38.79     | -37.40      | 45.58          | 74.00          | 28.42       | Vertical |
| 6         | 17538.3333      | 43.55          | 42.03     | -36.80      | 48.78          | 88.30          | 39.52       | Vertical |
| 7         | 17999.3333      | 33.53          | 44.80     | -36.78      | 41.54          | 54.00          | 12.46       | Vertical |

## 11ax(HE80)\_TX\_CH\_007\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8830            | 52.38          | 37.21     | -43.23      | 46.37          | 88.30          | 41.93       | Horizontal |
| 2         | 10922.3333      | 47.73          | 39.45     | -40.33      | 46.85          | 74.00          | 27.15       | Horizontal |
| 3         | 12776.3333      | 47.37          | 38.93     | -39.09      | 47.22          | 88.30          | 41.08       | Horizontal |
| 4         | 14894.3333      | 45.31          | 40.21     | -37.59      | 47.93          | 88.30          | 40.37       | Horizontal |
| 5         | 16124           | 44.84          | 38.45     | -37.90      | 45.39          | 74.00          | 28.61       | Horizontal |
| 6         | 17993.3333      | 42.86          | 44.76     | -36.79      | 50.83          | 74.00          | 23.17       | Horizontal |
| 7         | 17996           | 33.56          | 44.78     | -36.79      | 41.55          | 54.00          | 12.45       | Horizontal |

## 11ax(HE80)\_TX\_CH\_007\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8815.6667       | 52.64          | 37.20     | -43.27      | 46.57          | 88.30          | 41.73       | Vertical |
| 2         | 10322.6667      | 48.82          | 39.03     | -41.29      | 46.55          | 88.30          | 41.75       | Vertical |
| 3         | 12124.3333      | 47.12          | 39.33     | -39.59      | 46.85          | 74.00          | 27.15       | Vertical |
| 4         | 13718.3333      | 45.64          | 39.88     | -38.44      | 47.08          | 88.30          | 41.22       | Vertical |
| 5         | 16775.3333      | 44.85          | 38.71     | -37.72      | 45.84          | 88.30          | 42.46       | Vertical |
| 6         | 17982.6667      | 43.55          | 44.70     | -36.81      | 51.43          | 74.00          | 22.57       | Vertical |
| 7         | 17916.6667      | 34.49          | 44.30     | -36.95      | 41.84          | 54.00          | 12.16       | Vertical |

## 11ax(HE80)\_TX\_CH\_039\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8791.3333       | 52.77          | 37.17     | -43.36      | 46.58          | 88.30          | 41.72       | Horizontal |
| 2         | 9923.6667       | 50.10          | 38.69     | -41.72      | 47.07          | 88.30          | 41.23       | Horizontal |
| 3         | 11417           | 47.38          | 39.46     | -39.87      | 46.97          | 74.00          | 27.03       | Horizontal |
| 4         | 13723           | 46.61          | 39.88     | -38.47      | 48.03          | 88.30          | 40.27       | Horizontal |
| 5         | 16299           | 44.79          | 38.52     | -37.53      | 45.78          | 88.30          | 42.52       | Horizontal |
| 6         | 17972.6667      | 43.43          | 44.64     | -36.83      | 51.23          | 74.00          | 22.77       | Horizontal |
| 7         | 17875.3333      | 34.65          | 44.05     | -37.18      | 41.52          | 54.00          | 12.48       | Horizontal |

## 11ax(HE80)\_TX\_CH\_039\_Veritical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8809.3333       | 53.06          | 37.19     | -43.28      | 46.97          | 88.30          | 41.33       | Vertical |
| 2         | 10074.3333      | 49.51          | 38.85     | -41.63      | 46.74          | 88.30          | 41.56       | Vertical |
| 3         | 11378.6667      | 48.13          | 39.46     | -39.89      | 47.70          | 74.00          | 26.30       | Vertical |
| 4         | 13194.6667      | 46.07          | 39.09     | -38.88      | 46.28          | 88.30          | 42.02       | Vertical |
| 5         | 16307           | 44.42          | 38.52     | -37.52      | 45.42          | 88.30          | 42.88       | Vertical |
| 6         | 17879.3333      | 43.83          | 44.08     | -37.15      | 50.75          | 74.00          | 23.25       | Vertical |
| 7         | 17920           | 34.18          | 44.32     | -36.94      | 41.56          | 54.00          | 12.44       | Vertical |

## 11ax(HE80)\_TX\_CH\_055\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8809            | 52.85          | 37.19     | -43.28      | 46.76          | 88.30          | 41.54       | Horizontal |
| 2         | 10783           | 48.17          | 39.35     | -40.69      | 46.83          | 74.00          | 27.17       | Horizontal |
| 3         | 12152.6667      | 47.26          | 39.31     | -39.63      | 46.93          | 74.00          | 27.07       | Horizontal |
| 4         | 14907           | 45.73          | 40.21     | -37.61      | 48.33          | 88.30          | 39.97       | Horizontal |
| 5         | 16932.3333      | 44.38          | 38.77     | -36.98      | 46.18          | 88.30          | 42.12       | Horizontal |
| 6         | 17916           | 43.48          | 44.30     | -36.95      | 50.83          | 74.00          | 23.17       | Horizontal |
| 7         | 17987.3333      | 34.00          | 44.72     | -36.81      | 41.92          | 54.00          | 12.08       | Horizontal |

## 11ax(HE80)\_TX\_CH\_055\_Verical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8917.3333       | 52.28          | 37.31     | -43.11      | 46.48          | 88.30          | 41.82       | Vertical |
| 2         | 10109.6667      | 49.35          | 38.88     | -41.65      | 46.57          | 88.30          | 41.73       | Vertical |
| 3         | 11985.6667      | 47.09          | 39.40     | -39.44      | 47.06          | 74.00          | 26.94       | Vertical |
| 4         | 13763           | 45.93          | 39.94     | -38.72      | 47.15          | 88.30          | 41.15       | Vertical |
| 5         | 15773.3333      | 44.06          | 38.81     | -37.44      | 45.43          | 74.00          | 28.57       | Vertical |
| 6         | 17915.6667      | 43.47          | 44.29     | -36.95      | 50.82          | 74.00          | 23.18       | Vertical |
| 7         | 17924.3333      | 34.25          | 44.35     | -36.93      | 41.66          | 54.00          | 12.34       | Vertical |

## 11ax(HE80)\_TX\_CH\_087\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8834            | 53.25          | 37.22     | -43.21      | 47.25          | 88.30          | 41.05       | Horizontal |
| 2         | 9999.3333       | 49.03          | 38.80     | -41.64      | 46.19          | 88.30          | 42.11       | Horizontal |
| 3         | 11072.3333      | 47.78          | 39.49     | -40.34      | 46.93          | 74.00          | 27.07       | Horizontal |
| 4         | 12112           | 47.60          | 39.33     | -39.58      | 47.36          | 74.00          | 26.64       | Horizontal |
| 5         | 15221.6667      | 44.39          | 39.80     | -37.74      | 46.45          | 88.30          | 41.85       | Horizontal |
| 6         | 17995.3333      | 43.19          | 44.77     | -36.79      | 51.17          | 74.00          | 22.83       | Horizontal |
| 7         | 17923.3333      | 34.12          | 44.34     | -36.93      | 41.53          | 54.00          | 12.47       | Horizontal |

## 11ax(HE80)\_TX\_CH\_087\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 9442.6667       | 51.95          | 38.02     | -42.64      | 47.33          | 74.00          | 26.67       | Vertical |
| 2         | 10786.6667      | 48.56          | 39.35     | -40.68      | 47.23          | 74.00          | 26.77       | Vertical |
| 3         | 12739.6667      | 47.58          | 38.96     | -39.11      | 47.42          | 88.30          | 40.88       | Vertical |
| 4         | 14445           | 46.58          | 40.26     | -38.68      | 48.16          | 88.30          | 40.14       | Vertical |
| 5         | 16306.3333      | 44.70          | 38.52     | -37.52      | 45.70          | 88.30          | 42.60       | Vertical |
| 6         | 17921           | 44.01          | 44.33     | -36.94      | 51.40          | 74.00          | 22.60       | Vertical |
| 7         | 17972           | 34.01          | 44.63     | -36.84      | 41.81          | 54.00          | 12.19       | Vertical |

## 11ax(HE80)\_TX\_CH\_103\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8812            | 52.60          | 37.19     | -43.28      | 46.52          | 88.30          | 41.78       | Horizontal |
| 2         | 9907            | 49.55          | 38.67     | -41.74      | 46.48          | 88.30          | 41.82       | Horizontal |
| 3         | 11324.6667      | 47.58          | 39.47     | -39.88      | 47.17          | 74.00          | 26.83       | Horizontal |
| 4         | 13490           | 46.39          | 39.54     | -39.32      | 46.61          | 88.30          | 41.69       | Horizontal |
| 5         | 16244.6667      | 44.91          | 38.50     | -37.67      | 45.73          | 88.30          | 42.57       | Horizontal |
| 6         | 17974.3333      | 43.09          | 44.65     | -36.83      | 50.90          | 74.00          | 23.10       | Horizontal |
| 7         | 17930.3333      | 34.27          | 44.38     | -36.92      | 41.73          | 54.00          | 12.27       | Horizontal |

## 11ax(HE80)\_TX\_CH\_103\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8559.6667       | 53.65          | 36.92     | -43.80      | 46.77          | 88.30          | 41.53       | Vertical |
| 2         | 10276.3333      | 48.73          | 38.99     | -41.50      | 46.22          | 88.30          | 42.08       | Vertical |
| 3         | 11980.3333      | 47.55          | 39.40     | -39.46      | 47.49          | 74.00          | 26.51       | Vertical |
| 4         | 14955.3333      | 46.25          | 40.20     | -37.82      | 48.64          | 88.30          | 39.66       | Vertical |
| 5         | 16311.3333      | 44.54          | 38.52     | -37.52      | 45.54          | 88.30          | 42.76       | Vertical |
| 6         | 17981.3333      | 43.36          | 44.69     | -36.82      | 51.23          | 74.00          | 22.77       | Vertical |
| 7         | 17921           | 34.44          | 44.33     | -36.94      | 41.83          | 54.00          | 12.17       | Vertical |

## 11ax(HE80)\_TX\_CH\_119\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8827.6667       | 52.82          | 37.21     | -43.23      | 46.80          | 88.30          | 41.50       | Horizontal |
| 2         | 10488.3333      | 48.49          | 39.14     | -41.26      | 46.38          | 88.30          | 41.92       | Horizontal |
| 3         | 12329.6667      | 47.43          | 39.20     | -39.42      | 47.21          | 74.00          | 26.79       | Horizontal |
| 4         | 13782.6667      | 46.32          | 39.97     | -38.85      | 47.44          | 88.30          | 40.86       | Horizontal |
| 5         | 16332.6667      | 45.22          | 38.53     | -37.50      | 46.25          | 88.30          | 42.05       | Horizontal |
| 6         | 17987.6667      | 43.85          | 44.73     | -36.80      | 51.77          | 74.00          | 22.23       | Horizontal |
| 7         | 17978           | 34.24          | 44.67     | -36.82      | 42.08          | 54.00          | 11.92       | Horizontal |

## 11ax(HE80)\_TX\_CH\_119\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8856            | 52.81          | 37.24     | -43.15      | 46.90          | 88.30          | 41.40       | Vertical |
| 2         | 10078.3333      | 49.25          | 38.85     | -41.62      | 46.48          | 88.30          | 41.82       | Vertical |
| 3         | 11597.6667      | 48.16          | 39.44     | -40.01      | 47.59          | 74.00          | 26.41       | Vertical |
| 4         | 14368           | 46.26          | 40.26     | -38.63      | 47.89          | 88.30          | 40.41       | Vertical |
| 5         | 15745.6667      | 44.29          | 38.86     | -37.53      | 45.61          | 74.00          | 28.39       | Vertical |
| 6         | 17967.3333      | 43.16          | 44.60     | -36.85      | 50.92          | 74.00          | 23.08       | Vertical |
| 7         | 17985           | 34.04          | 44.71     | -36.81      | 41.94          | 54.00          | 12.06       | Vertical |

## 11ax(HE80)\_TX\_CH\_135\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8795.3333       | 53.13          | 37.17     | -43.34      | 46.97          | 88.30          | 41.33       | Horizontal |
| 2         | 9954            | 49.46          | 38.74     | -41.69      | 46.51          | 88.30          | 41.79       | Horizontal |
| 3         | 11326.6667      | 47.62          | 39.47     | -39.88      | 47.21          | 74.00          | 26.79       | Horizontal |
| 4         | 13305.3333      | 46.83          | 39.26     | -38.73      | 47.36          | 74.00          | 26.64       | Horizontal |
| 5         | 15822.6667      | 44.22          | 38.72     | -37.48      | 45.46          | 74.00          | 28.54       | Horizontal |
| 6         | 17908.3333      | 44.44          | 44.25     | -36.96      | 51.73          | 74.00          | 22.27       | Horizontal |
| 7         | 17926.3333      | 34.36          | 44.36     | -36.93      | 41.79          | 54.00          | 12.21       | Horizontal |

## 11ax(HE80)\_TX\_CH\_135\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8819            | 53.19          | 37.20     | -43.26      | 47.13          | 88.30          | 41.17       | Vertical |
| 2         | 10297.3333      | 49.04          | 39.01     | -41.38      | 46.67          | 88.30          | 41.63       | Vertical |
| 3         | 11996           | 48.47          | 39.40     | -39.39      | 48.48          | 74.00          | 25.52       | Vertical |
| 4         | 12854.6667      | 47.75          | 38.89     | -39.26      | 47.38          | 88.30          | 40.92       | Vertical |
| 5         | 15424           | 45.09          | 39.44     | -38.02      | 46.50          | 74.00          | 27.50       | Vertical |
| 6         | 17878.6667      | 44.98          | 44.07     | -37.16      | 51.89          | 74.00          | 22.11       | Vertical |
| 7         | 17933.6667      | 34.51          | 44.40     | -36.91      | 42.00          | 54.00          | 12.00       | Vertical |

## 11ax(HE80)\_TX\_CH\_151\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8871            | 52.20          | 37.26     | -43.11      | 46.35          | 88.30          | 41.95       | Horizontal |
| 2         | 9658.6667       | 49.99          | 38.32     | -42.07      | 46.24          | 88.30          | 42.06       | Horizontal |
| 3         | 11414           | 48.28          | 39.46     | -39.87      | 47.87          | 74.00          | 26.13       | Horizontal |
| 4         | 12875           | 47.34          | 38.87     | -39.33      | 46.89          | 88.30          | 41.41       | Horizontal |
| 5         | 15778.3333      | 44.40          | 38.80     | -37.42      | 45.78          | 74.00          | 28.22       | Horizontal |
| 6         | 17915           | 43.76          | 44.29     | -36.95      | 51.10          | 74.00          | 22.90       | Horizontal |
| 7         | 17912.3333      | 34.68          | 44.27     | -36.96      | 42.00          | 54.00          | 12.00       | Horizontal |

## 11ax(HE80)\_TX\_CH\_151\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8855.3333       | 53.55          | 37.24     | -43.16      | 47.64          | 88.30          | 40.66       | Vertical |
| 2         | 10897.3333      | 48.12          | 39.43     | -40.34      | 47.21          | 74.00          | 26.79       | Vertical |
| 3         | 12794           | 47.52          | 38.92     | -39.07      | 47.37          | 88.30          | 40.93       | Vertical |
| 4         | 14951.6667      | 45.62          | 40.20     | -37.80      | 48.02          | 88.30          | 40.28       | Vertical |
| 5         | 16938.3333      | 44.76          | 38.78     | -37.05      | 46.48          | 88.30          | 41.82       | Vertical |
| 6         | 17984.3333      | 43.80          | 44.71     | -36.81      | 51.69          | 74.00          | 22.31       | Vertical |
| 7         | 17919           | 34.84          | 44.31     | -36.94      | 42.21          | 54.00          | 11.79       | Vertical |

## 11ax(HE80)\_TX\_CH\_167\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8828            | 52.17          | 37.21     | -43.23      | 46.15          | 88.30          | 42.15       | Horizontal |
| 2         | 10884.3333      | 48.48          | 39.42     | -40.38      | 47.52          | 74.00          | 26.48       | Horizontal |
| 3         | 12102.6667      | 47.87          | 39.34     | -39.56      | 47.64          | 74.00          | 26.36       | Horizontal |
| 4         | 14892.6667      | 45.48          | 40.21     | -37.60      | 48.09          | 88.30          | 40.21       | Horizontal |
| 5         | 16467.6667      | 44.24          | 38.59     | -37.83      | 45.00          | 88.30          | 43.30       | Horizontal |
| 6         | 17996.3333      | 42.63          | 44.78     | -36.79      | 50.62          | 74.00          | 23.38       | Horizontal |
| 7         | 17985.3333      | 33.82          | 44.71     | -36.81      | 41.72          | 54.00          | 12.28       | Horizontal |

## 11ax(HE80)\_TX\_CH\_167\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8710.3333       | 52.29          | 37.08     | -43.82      | 45.55          | 88.30          | 42.75       | Vertical |
| 2         | 9415.6667       | 51.97          | 37.98     | -42.80      | 47.15          | 74.00          | 26.85       | Vertical |
| 3         | 10909           | 47.74          | 39.44     | -40.33      | 46.85          | 74.00          | 27.15       | Vertical |
| 4         | 13112.6667      | 46.19          | 38.97     | -38.28      | 46.88          | 88.30          | 41.42       | Vertical |
| 5         | 15376.3333      | 44.73          | 39.52     | -37.85      | 46.40          | 74.00          | 27.60       | Vertical |
| 6         | 17995           | 43.39          | 44.77     | -36.79      | 51.37          | 74.00          | 22.63       | Vertical |
| 7         | 17914.3333      | 34.12          | 44.29     | -36.95      | 41.45          | 54.00          | 12.55       | Vertical |

## 11ax(HE80)\_TX\_CH\_183\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8653.3333       | 52.77          | 37.02     | -43.77      | 46.02          | 88.30          | 42.28       | Horizontal |
| 2         | 10241           | 49.15          | 38.97     | -41.71      | 46.40          | 88.30          | 41.90       | Horizontal |
| 3         | 11980           | 46.74          | 39.40     | -39.46      | 46.68          | 74.00          | 27.32       | Horizontal |
| 4         | 14946           | 45.54          | 40.21     | -37.78      | 47.97          | 88.30          | 40.33       | Horizontal |
| 5         | 16891.3333      | 43.57          | 38.76     | -36.67      | 45.66          | 88.30          | 42.64       | Horizontal |
| 6         | 17942.6667      | 43.79          | 44.46     | -36.89      | 51.35          | 74.00          | 22.65       | Horizontal |
| 7         | 17989.3333      | 33.66          | 44.74     | -36.80      | 41.59          | 54.00          | 12.41       | Horizontal |

## 11ax(HE80)\_TX\_CH\_183\_Verical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8820.3333       | 52.56          | 37.20     | -43.25      | 46.51          | 88.30          | 41.79       | Vertical |
| 2         | 10031.6667      | 49.31          | 38.82     | -41.63      | 46.50          | 88.30          | 41.80       | Vertical |
| 3         | 11398           | 47.62          | 39.46     | -39.90      | 47.18          | 74.00          | 26.82       | Vertical |
| 4         | 13297           | 46.42          | 39.25     | -38.71      | 46.96          | 74.00          | 27.04       | Vertical |
| 5         | 16316           | 45.09          | 38.53     | -37.52      | 46.10          | 88.30          | 42.20       | Vertical |
| 6         | 17910.6667      | 44.28          | 44.26     | -36.96      | 51.59          | 74.00          | 22.41       | Vertical |
| 7         | 17923.6667      | 34.41          | 44.34     | -36.93      | 41.82          | 54.00          | 12.18       | Vertical |

## 11ax(HE80)\_TX\_CH\_199\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 9400.6667       | 52.18          | 37.96     | -42.89      | 47.25          | 74.00          | 26.75       | Horizontal |
| 2         | 11416.6667      | 48.04          | 39.46     | -39.87      | 47.63          | 74.00          | 26.37       | Horizontal |
| 3         | 12784           | 46.86          | 38.93     | -39.08      | 46.71          | 88.30          | 41.59       | Horizontal |
| 4         | 14411.6667      | 46.09          | 40.26     | -38.67      | 47.68          | 88.30          | 40.62       | Horizontal |
| 5         | 16470.6667      | 45.25          | 38.59     | -37.84      | 46.00          | 88.30          | 42.30       | Horizontal |
| 6         | 17975.6667      | 42.95          | 44.65     | -36.83      | 50.78          | 74.00          | 23.22       | Horizontal |
| 7         | 17919.6667      | 34.17          | 44.32     | -36.94      | 41.55          | 54.00          | 12.45       | Horizontal |

## 11ax(HE80)\_TX\_CH\_199\_Veritical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8716            | 53.28          | 37.09     | -43.79      | 46.58          | 88.30          | 41.72       | Vertical |
| 2         | 10303.3333      | 49.17          | 39.01     | -41.35      | 46.83          | 88.30          | 41.47       | Vertical |
| 3         | 12803           | 47.15          | 38.92     | -39.08      | 46.99          | 88.30          | 41.31       | Vertical |
| 4         | 14439           | 45.95          | 40.26     | -38.68      | 47.53          | 88.30          | 40.77       | Vertical |
| 5         | 16763.6667      | 44.85          | 38.71     | -37.73      | 45.82          | 88.30          | 42.48       | Vertical |
| 6         | 17878           | 44.02          | 44.07     | -37.16      | 50.93          | 74.00          | 23.07       | Vertical |
| 7         | 17922.6667      | 34.74          | 44.34     | -36.93      | 42.14          | 54.00          | 11.86       | Vertical |

## 11ax(HE80)\_TX\_CH\_215\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8834.3333       | 51.98          | 37.22     | -43.21      | 45.98          | 88.30          | 42.32       | Horizontal |
| 2         | 10259.3333      | 48.58          | 38.98     | -41.60      | 45.96          | 88.30          | 42.34       | Horizontal |
| 3         | 12104.3333      | 47.24          | 39.34     | -39.57      | 47.01          | 74.00          | 26.99       | Horizontal |
| 4         | 14339.6667      | 45.70          | 40.27     | -38.59      | 47.37          | 88.30          | 40.93       | Horizontal |
| 5         | 16849           | 44.18          | 38.74     | -37.15      | 45.77          | 88.30          | 42.53       | Horizontal |
| 6         | 17910           | 43.74          | 44.26     | -36.96      | 51.04          | 74.00          | 22.96       | Horizontal |
| 7         | 17886.6667      | 33.70          | 44.12     | -37.09      | 40.73          | 54.00          | 13.27       | Horizontal |

## 11ax(HE80)\_TX\_CH\_215\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8868            | 52.49          | 37.25     | -43.12      | 46.63          | 88.30          | 41.67       | Vertical |
| 2         | 10299           | 48.59          | 39.01     | -41.37      | 46.23          | 88.30          | 42.07       | Vertical |
| 3         | 12014.6667      | 47.08          | 39.39     | -39.40      | 47.07          | 74.00          | 26.93       | Vertical |
| 4         | 13433           | 46.67          | 39.45     | -39.30      | 46.82          | 88.30          | 41.48       | Vertical |
| 5         | 16309.6667      | 44.50          | 38.52     | -37.52      | 45.50          | 88.30          | 42.80       | Vertical |
| 6         | 17990.3333      | 42.87          | 44.74     | -36.80      | 50.81          | 74.00          | 23.19       | Vertical |
| 7         | 17924           | 34.16          | 44.34     | -36.93      | 41.57          | 54.00          | 12.43       | Vertical |

## 11ax(HE160)\_TX\_CH\_015\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 9497.3333       | 52.38          | 38.10     | -42.32      | 48.16          | 74.00          | 25.84       | Horizontal |
| 2         | 10841           | 47.44          | 39.39     | -40.51      | 46.32          | 74.00          | 27.68       | Horizontal |
| 3         | 12063.6667      | 49.82          | 39.36     | -39.49      | 49.69          | 74.00          | 24.31       | Horizontal |
| 4         | 13598.6667      | 46.60          | 39.70     | -38.98      | 47.31          | 88.30          | 40.99       | Horizontal |
| 5         | 16304.6667      | 44.15          | 38.52     | -37.53      | 45.15          | 88.30          | 43.15       | Horizontal |
| 6         | 17975           | 42.57          | 44.65     | -36.83      | 50.39          | 74.00          | 23.61       | Horizontal |
| 7         | 17919.3333      | 34.00          | 44.32     | -36.94      | 41.37          | 54.00          | 12.63       | Horizontal |

## 11ax(HE160)\_TX\_CH\_015\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8825            | 52.68          | 37.21     | -43.24      | 46.65          | 88.30          | 41.65       | Vertical |
| 2         | 9851.3333       | 49.35          | 38.59     | -41.96      | 45.98          | 88.30          | 42.32       | Vertical |
| 3         | 12073.6667      | 49.87          | 39.36     | -39.51      | 49.72          | 74.00          | 24.28       | Vertical |
| 4         | 13694           | 45.95          | 39.84     | -38.36      | 47.43          | 88.30          | 40.87       | Vertical |
| 5         | 16158.6667      | 44.20          | 38.46     | -37.85      | 44.82          | 74.00          | 29.18       | Vertical |
| 6         | 17656           | 44.38          | 42.74     | -37.40      | 49.71          | 88.30          | 38.59       | Vertical |
| 7         | 17918           | 34.28          | 44.31     | -36.94      | 41.64          | 54.00          | 12.36       | Vertical |

## 11ax(HE160)\_TX\_CH\_047\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8859.3333       | 52.10          | 37.25     | -43.14      | 46.20          | 88.30          | 42.10       | Horizontal |
| 2         | 9970            | 48.95          | 38.76     | -41.67      | 46.04          | 88.30          | 42.26       | Horizontal |
| 3         | 11135           | 47.05          | 39.49     | -40.41      | 46.13          | 74.00          | 27.87       | Horizontal |
| 4         | 12383.3333      | 47.46          | 39.17     | -39.29      | 47.34          | 74.00          | 26.66       | Horizontal |
| 5         | 15202           | 44.02          | 39.84     | -37.79      | 46.06          | 88.30          | 42.24       | Horizontal |
| 6         | 17584.6667      | 43.04          | 42.31     | -36.81      | 48.53          | 88.30          | 39.77       | Horizontal |
| 7         | 17914.6667      | 33.93          | 44.29     | -36.95      | 41.27          | 54.00          | 12.73       | Horizontal |

## 11ax(HE160)\_TX\_CH\_047\_Veritical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8852            | 53.55          | 37.24     | -43.16      | 47.62          | 88.30          | 40.68       | Vertical |
| 2         | 10432           | 48.47          | 39.10     | -41.14      | 46.44          | 88.30          | 41.86       | Vertical |
| 3         | 12024           | 48.51          | 39.39     | -39.42      | 48.48          | 74.00          | 25.52       | Vertical |
| 4         | 13723           | 45.64          | 39.88     | -38.47      | 47.06          | 88.30          | 41.24       | Vertical |
| 5         | 15770.6667      | 43.73          | 38.81     | -37.45      | 45.09          | 74.00          | 28.91       | Vertical |
| 6         | 17983           | 43.36          | 44.70     | -36.81      | 51.24          | 74.00          | 22.76       | Vertical |
| 7         | 17919           | 34.67          | 44.31     | -36.94      | 42.04          | 54.00          | 11.96       | Vertical |

## 11ax(HE160)\_TX\_CH\_079\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8861.6667       | 52.51          | 37.25     | -43.14      | 46.62          | 88.30          | 41.68       | Horizontal |
| 2         | 10682           | 47.92          | 39.28     | -40.94      | 46.25          | 74.00          | 27.75       | Horizontal |
| 3         | 12062.3333      | 47.82          | 39.36     | -39.49      | 47.69          | 74.00          | 26.31       | Horizontal |
| 4         | 13860.3333      | 45.79          | 40.09     | -38.86      | 47.02          | 88.30          | 41.28       | Horizontal |
| 5         | 15777           | 45.38          | 38.80     | -37.43      | 46.75          | 74.00          | 27.25       | Horizontal |
| 6         | 17921           | 43.78          | 44.33     | -36.94      | 51.17          | 74.00          | 22.83       | Horizontal |
| 7         | 17987.6667      | 33.59          | 44.73     | -36.80      | 41.51          | 54.00          | 12.49       | Horizontal |

## 11ax(HE160)\_TX\_CH\_079\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8827            | 52.27          | 37.21     | -43.23      | 46.25          | 88.30          | 42.05       | Vertical |
| 2         | 10622.6667      | 48.19          | 39.24     | -40.98      | 46.44          | 74.00          | 27.56       | Vertical |
| 3         | 12812.3333      | 46.77          | 38.91     | -39.11      | 46.57          | 88.30          | 41.73       | Vertical |
| 4         | 14903           | 44.87          | 40.21     | -37.59      | 47.49          | 88.30          | 40.81       | Vertical |
| 5         | 16886           | 43.64          | 38.75     | -36.73      | 45.67          | 88.30          | 42.63       | Vertical |
| 6         | 17912.3333      | 43.44          | 44.27     | -36.96      | 50.76          | 74.00          | 23.24       | Vertical |
| 7         | 17920.6667      | 34.58          | 44.32     | -36.94      | 41.97          | 54.00          | 12.03       | Vertical |

## 11ax(HE160)\_TX\_CH\_111\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8852.6667       | 51.92          | 37.24     | -43.16      | 46.00          | 88.30          | 42.30       | Horizontal |
| 2         | 10026.3333      | 49.49          | 38.82     | -41.63      | 46.67          | 88.30          | 41.63       | Horizontal |
| 3         | 11839.3333      | 47.01          | 39.42     | -39.81      | 46.62          | 74.00          | 27.38       | Horizontal |
| 4         | 13436           | 46.67          | 39.45     | -39.30      | 46.82          | 88.30          | 41.48       | Horizontal |
| 5         | 15792           | 43.74          | 38.77     | -37.38      | 45.14          | 74.00          | 28.86       | Horizontal |
| 6         | 17997.6667      | 42.97          | 44.79     | -36.78      | 50.97          | 74.00          | 23.03       | Horizontal |
| 7         | 17920           | 34.74          | 44.32     | -36.94      | 42.12          | 54.00          | 11.88       | Horizontal |

## 11ax(HE160)\_TX\_CH\_111\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8746.6667       | 52.66          | 37.12     | -43.61      | 46.17          | 88.30          | 42.13       | Vertical |
| 2         | 10821.6667      | 48.16          | 39.38     | -40.57      | 46.96          | 74.00          | 27.04       | Vertical |
| 3         | 12904.3333      | 47.61          | 38.86     | -39.41      | 47.06          | 88.30          | 41.24       | Vertical |
| 4         | 14374.6667      | 46.33          | 40.26     | -38.64      | 47.96          | 88.30          | 40.34       | Vertical |
| 5         | 16301.3333      | 44.43          | 38.52     | -37.53      | 45.42          | 88.30          | 42.88       | Vertical |
| 6         | 17928           | 43.72          | 44.37     | -36.92      | 51.16          | 74.00          | 22.84       | Vertical |
| 7         | 17871.3333      | 34.87          | 44.03     | -37.22      | 41.68          | 54.00          | 12.32       | Vertical |

## 11ax(HE160)\_TX\_CH\_143\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8888.3333       | 52.13          | 37.28     | -43.06      | 46.34          | 88.30          | 41.96       | Horizontal |
| 2         | 10104.3333      | 49.00          | 38.87     | -41.63      | 46.24          | 88.30          | 42.06       | Horizontal |
| 3         | 11323.3333      | 47.95          | 39.47     | -39.88      | 47.54          | 74.00          | 26.46       | Horizontal |
| 4         | 14133.6667      | 44.87          | 40.29     | -38.44      | 46.72          | 88.30          | 41.58       | Horizontal |
| 5         | 15780.3333      | 44.66          | 38.80     | -37.42      | 46.04          | 74.00          | 27.96       | Horizontal |
| 6         | 17915.3333      | 43.09          | 44.29     | -36.95      | 50.43          | 74.00          | 23.57       | Horizontal |
| 7         | 17980.6667      | 33.77          | 44.68     | -36.82      | 41.64          | 54.00          | 12.36       | Horizontal |

## 11ax(HE160)\_TX\_CH\_143\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8851.6667       | 52.16          | 37.24     | -43.17      | 46.23          | 88.30          | 42.07       | Vertical |
| 2         | 10124           | 49.07          | 38.89     | -41.70      | 46.26          | 88.30          | 42.04       | Vertical |
| 3         | 11397.6667      | 47.89          | 39.46     | -39.90      | 47.45          | 74.00          | 26.55       | Vertical |
| 4         | 13912.6667      | 46.33          | 40.17     | -38.79      | 47.71          | 88.30          | 40.59       | Vertical |
| 5         | 16332.6667      | 44.01          | 38.53     | -37.50      | 45.04          | 88.30          | 43.26       | Vertical |
| 6         | 17901.6667      | 43.87          | 44.21     | -36.98      | 51.10          | 74.00          | 22.90       | Vertical |
| 7         | 17989           | 33.71          | 44.73     | -36.80      | 41.64          | 54.00          | 12.36       | Vertical |

## 11ax(HE160)\_TX\_CH\_175\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8807.6667       | 52.35          | 37.19     | -43.29      | 46.25          | 88.30          | 42.05       | Horizontal |
| 2         | 10470           | 48.12          | 39.13     | -41.22      | 46.03          | 88.30          | 42.27       | Horizontal |
| 3         | 11582           | 46.67          | 39.44     | -39.96      | 46.15          | 74.00          | 27.85       | Horizontal |
| 4         | 14428.6667      | 46.31          | 40.26     | -38.68      | 47.89          | 88.30          | 40.41       | Horizontal |
| 5         | 16584           | 44.58          | 38.63     | -37.66      | 45.56          | 88.30          | 42.74       | Horizontal |
| 6         | 17950.3333      | 42.70          | 44.50     | -36.88      | 50.32          | 74.00          | 23.68       | Horizontal |
| 7         | 17918           | 34.07          | 44.31     | -36.94      | 41.43          | 54.00          | 12.57       | Horizontal |

## 11ax(HE160)\_TX\_CH\_175\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8904.6667       | 52.25          | 37.30     | -43.05      | 46.49          | 88.30          | 41.81       | Vertical |
| 2         | 9975.3333       | 50.02          | 38.77     | -41.67      | 47.12          | 88.30          | 41.18       | Vertical |
| 3         | 11972.3333      | 46.53          | 39.40     | -39.50      | 46.44          | 74.00          | 27.56       | Vertical |
| 4         | 13392           | 46.38          | 39.39     | -39.24      | 46.53          | 74.00          | 27.47       | Vertical |
| 5         | 15730.6667      | 44.60          | 38.88     | -37.59      | 45.90          | 74.00          | 28.10       | Vertical |
| 6         | 17904.6667      | 43.84          | 44.23     | -36.97      | 51.10          | 74.00          | 22.90       | Vertical |
| 7         | 17985.6667      | 33.75          | 44.71     | -36.81      | 41.66          | 54.00          | 12.34       | Vertical |

## 11ax(HE160)\_TX\_CH\_207\_Horizontal



| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 8824.6667       | 52.53          | 37.21     | -43.24      | 46.50          | 88.30          | 41.80       | Horizontal |
| 2         | 10323.3333      | 49.58          | 39.03     | -41.29      | 47.31          | 88.30          | 40.99       | Horizontal |
| 3         | 11274.6667      | 47.13          | 39.47     | -40.03      | 46.57          | 74.00          | 27.43       | Horizontal |
| 4         | 12324.3333      | 47.12          | 39.21     | -39.43      | 46.89          | 74.00          | 27.11       | Horizontal |
| 5         | 14361.3333      | 46.11          | 40.26     | -38.62      | 47.75          | 88.30          | 40.55       | Horizontal |
| 6         | 17737           | 44.53          | 43.22     | -37.84      | 49.91          | 74.00          | 24.09       | Horizontal |
| 7         | 17925.3333      | 34.73          | 44.35     | -36.93      | 42.15          | 54.00          | 11.85       | Horizontal |

## 11ax(HE160)\_TX\_CH\_207\_Vertical



| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 8910.6667       | 51.27          | 37.30     | -43.08      | 45.49          | 88.30          | 42.81       | Vertical |
| 2         | 10704           | 47.91          | 39.29     | -40.92      | 46.28          | 74.00          | 27.72       | Vertical |
| 3         | 12184.3333      | 46.97          | 39.29     | -39.68      | 46.58          | 74.00          | 27.42       | Vertical |
| 4         | 14448.6667      | 46.03          | 40.26     | -38.68      | 47.61          | 88.30          | 40.69       | Vertical |
| 5         | 16841.6667      | 44.69          | 38.74     | -37.23      | 46.20          | 88.30          | 42.10       | Vertical |
| 6         | 17918           | 43.88          | 44.31     | -36.94      | 51.24          | 74.00          | 22.76       | Vertical |
| 7         | 17937.6667      | 33.95          | 44.43     | -36.90      | 41.47          | 54.00          | 12.53       | Vertical |

## 7.4 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)

Test Method: ANSI C63.10-2020+Cor.1-2023 Section 6.10.5 & 12.7.2

### 7.4.1 E.U.T. Operation

Operating Environment:

Temperature: 21 °C


Humidity: 45 % RH

Atmospheric Pressure: 1001 mbar

### 7.4.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description                                                                                                                                                                                                                                                                                                                                  |
|-----------------------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Final test            | 06        | TX mode _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report. |

### 7.4.3 Test Setup Diagram



#### 7.4.4 Measurement Procedure and Data


- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.

Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

Remark 2: The resolution bandwidth of test receiver/spectrum analyzer is 1MHz and the video bandwidth is 3MHz for Peak detection (PK) and Average detection (AV) at frequency above 1GHz.


Remark 3: For fundamental and harmonic signal measurement, the resolution bandwidth of test receiver/spectrum analyzer is 1MHz and the video bandwidth is  $\geq 1/T$  (Duty cycle < 98%) or 10Hz (Duty cycle  $\geq 98\%$ ) for Average detection (AV) at frequency above 1GHz.

## 11a\_TX\_CH\_001\_Horizontal\_Peak ANT1




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 5919.43         | 40.30          | 32.77     | -16.00      | 57.07          | 88.30          | 31.23       | Horizontal |
| 2         | 5924.54         | 40.78          | 32.77     | -16.00      | 57.55          | 88.30          | 30.75       | Horizontal |

## 11a\_TX\_CH\_001\_Horizontal\_Average ANT1




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 5921.425        | 27.41          | 32.77     | -16.00      | 44.18          | 68.30          | 24.12       | Horizontal |
| 2         | 5924.715        | 27.26          | 32.77     | -16.00      | 44.03          | 68.30          | 24.27       | Horizontal |

## 11a\_TX\_CH\_001\_Vertical\_Peak ANT1




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 5920.06         | 40.91          | 32.77     | -16.00      | 57.68          | 88.30          | 30.62       | Vertical |
| 2         | 5922.895        | 40.31          | 32.77     | -16.00      | 57.08          | 88.30          | 31.22       | Vertical |

## 11a\_TX\_CH\_001\_Veritical\_Average ANT1




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 5921.145        | 27.22          | 32.77     | -16.00      | 43.99          | 68.30          | 24.31       | Vertical |
| 2         | 5923.035        | 27.25          | 32.77     | -16.00      | 44.02          | 68.30          | 24.28       | Vertical |

## 11a\_TX\_CH\_233\_Horizontal\_Peak ANT1




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 7125.68         | 59.00          | 35.73     | -16.97      | 77.76          | 88.30          | 10.54       | Horizontal |
| 2         | 7127.48         | 53.28          | 35.73     | -16.97      | 72.04          | 88.30          | 16.26       | Horizontal |

## 11a\_TX\_CH\_233\_Horizontal\_Average ANT1




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 7125.32         | 44.10          | 35.73     | -16.97      | 62.86          | 68.30          | 5.44        | Horizontal |
| 2         | 7126.96         | 39.46          | 35.73     | -16.97      | 58.22          | 68.30          | 10.08       | Horizontal |

## 11a\_TX\_CH\_233\_Verical\_Peak ANT1




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 7125.96         | 56.06          | 35.73     | -16.97      | 74.82          | 88.30          | 13.48       | Vertical |
| 2         | 7126.6          | 53.25          | 35.73     | -16.97      | 72.01          | 88.30          | 16.29       | Vertical |

## 11a\_TX\_CH\_233\_Veritical\_Average ANT1




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 7125.88         | 40.57          | 35.73     | -16.97      | 59.33          | 68.30          | 8.97        | Vertical |
| 2         | 7127.28         | 36.89          | 35.73     | -16.97      | 55.65          | 68.30          | 12.65       | Vertical |

## 11ax(HE20)\_TX\_CH\_001\_Horizontal\_Peak




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 5921.32         | 41.90          | 32.77     | -16.00      | 58.67          | 88.30          | 29.63       | Horizontal |
| 2         | 5924.12         | 40.96          | 32.77     | -16.00      | 57.73          | 88.30          | 30.57       | Horizontal |

## 11ax(HE20)\_TX\_CH\_001\_Horizontal\_Average




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 5920.865        | 27.23          | 32.77     | -16.00      | 44.00          | 68.30          | 24.30       | Horizontal |
| 2         | 5924.505        | 27.36          | 32.77     | -16.00      | 44.13          | 68.30          | 24.17       | Horizontal |

## 11ax(HE20)\_TX\_CH\_001\_Vertical\_Peak




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 5920.025        | 40.75          | 32.77     | -16.00      | 57.52          | 88.30          | 30.78       | Vertical |
| 2         | 5923.805        | 40.29          | 32.77     | -16.00      | 57.06          | 88.30          | 31.24       | Vertical |

## 11ax(HE20)\_TX\_CH\_001\_Vertical\_Average




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 5922.58         | 27.32          | 32.77     | -16.00      | 44.09          | 68.30          | 24.21       | Vertical |
| 2         | 5924.015        | 27.42          | 32.77     | -16.00      | 44.19          | 68.30          | 24.11       | Vertical |

## 11ax(HE20)\_TX\_CH\_233\_Horizontal\_Peak



| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 7125.2          | 58.08          | 35.73     | -16.97      | 76.84          | 88.30          | 11.46       | Horizontal |
| 2         | 7126.64         | 48.68          | 35.73     | -16.97      | 67.44          | 88.30          | 20.86       | Horizontal |

## 11ax(HE20)\_TX\_CH\_233\_Horizontal\_Average



| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 7125.04         | 46.23          | 35.73     | -16.97      | 64.99          | 68.30          | 3.31        | Horizontal |
| 2         | 7125.48         | 39.16          | 35.73     | -16.97      | 57.92          | 68.30          | 10.38       | Horizontal |