

FCC PART 27
FCC PART 22H, PART 24E, PART 90
TEST REPORT

For

Shanghai Sunmi Technology Co.,Ltd.

Room 605, Block 7, KIC Plaza, No.388 Song Hu Road, Yang Pu District, Shanghai 200433 China

FCC ID: 2AH25T5810

Report Type: Original Report	Product Type: Smart POS system
Project Engineer:	Chao Gao <i>Chao Gao</i>
Report Number:	RKSA200924004-00D
Report Date:	2020-12-11
Reviewed By:	Oscar Ye EMC Manager <i>Oscar.Ye</i>
Prepared By:	Bay Area Compliance Laboratories Corp. (Kunshan) No.248 Chenghu Road, Kunshan, Jiangsu province, China Tel: +86-0512-86175000 Fax: +86-0512-88934268 www.baclcorp.com.cn

TABLE OF CONTENTS

GENERAL INFORMATION.....	3
PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT)	3
OBJECTIVE	4
RELATED SUBMITTAL(S)/GRANT(S).....	4
TEST METHODOLOGY	4
MEASUREMENT UNCERTAINTY	5
TEST FACILITY	5
SYSTEM TEST CONFIGURATION.....	6
JUSTIFICATION	6
CHANNEL LIST	6
EQUIPMENT MODIFICATIONS	11
SUPPORT EQUIPMENT LIST AND DETAILS	11
EXTERNAL I/O CABLE.....	11
BLOCK DIAGRAM OF TEST SETUP	11
SUMMARY OF TEST RESULTS	13
TEST EQUIPMENT LIST	14
FCC §1.1307(B) & §2.1093 - RF EXPOSURE INFORMATION.....	16
TEST RESULT	16
FCC §2.1047 - MODULATION CHARACTERISTIC	17
FCC §2.1046; § 22.913 (A); §24.232 (C); §27.50 (C) (D) (H)(2); §90.635 (B) - RF OUTPUT POWER	18
APPLICABLE STANDARDS.....	18
TEST PROCEDURE	18
TEST DATA	20
FCC §2.1049, §22.917, §22.905 & §24.238, §27.53, §90.209- OCCUPIED BANDWIDTH	105
APPLICABLE STANDARDS.....	105
TEST PROCEDURE	105
TEST DATA	105
FCC § 2.1051; § 22.917 (A); § 24.238 (A); §27.53 (C) (F) (H) (M); § 90.691 - SPURIOUS EMISSIONS AT ANTENNA TERMINALS	294
APPLICABLE STANDARDS.....	294
TEST PROCEDURE	294
TEST DATA	294
FCC § 2.1053; § 22.917 (A); § 24.238 (A)& §27.53(H) (M); § 90.691 - SPURIOUS RADIATED EMISSIONS.....	643
APPLICABLE STANDARDS.....	643
TEST PROCEDURE	643
TEST DATA	644
FCC § 22.917 (A); § 24.238 (A); §27.53 (H) (M); § 90.691 - BAND EDGES	670
APPLICABLE STANDARDS.....	670
TEST PROCEDURE	670
TEST DATA	671
FCC § 2.1055; § 22.355; § 24.235; §27.54; §90.213- FREQUENCY STABILITY	788
APPLICABLE STANDARDS.....	788
TEST PROCEDURE	788
TEST DATA	789

GENERAL INFORMATION

Product Description for Equipment under Test (EUT)

Applicant:	Shanghai Sunmi Technology Co.,Ltd.
Tested Model:	Smart POS system
Product Type:	T5810
Power Supply:	DC 3.8V from battery and DC 5V from external power supply
RF Function:	GSM/GPRS/EGPRS, WCDMA, LTE
Operating Band/Frequency:	GSM850: 824-849 MHz(TX), 869-894 MHz(RX) GSM1900: 1850-1910MHz(TX), 1930-1990MHz(RX) WCDMA Band II: 1850-1910 MHz MHz(TX), 1930-1990 MHz(RX) WCDMA Band V: 824-849 MHz(TX), 869-894 MHz(RX) LTE Band 2: 1850-1910 MHz(TX), 1930-1990MHz(RX) LTE Band 4: 1710-1755 MHz(TX), 2110-2155MHz(RX) LTE Band 5: 824-849 MHz(TX), 869-894 MHz(RX) LTE Band 7: 2500-2570 MHz(TX), 2620-2690 MHz(RX) LTE Band 12: 699-716 MHz(TX), 729-746 MHz(RX) LTE Band 17: 704-716 MHz(TX), 734-746 MHz(RX) LTE Band 25: 1850-1915 MHz(TX), 1930-1995 MHz(RX) LTE Band 26: 814-849 MHz(TX), 859-894 MHz(RX) LTE Band 38: 2570-2620 MHz(TX), 2570-2620 MHz(RX) LTE Band 41: 2555-2655 MHz(TX), 2555-2655 MHz(RX) LTE Band 66: 1710-1780 MHz(TX), 2110-2200 MHz(RX)
Modulation Type:	GSM/GPRS/EGPRS: GMSK,8PSK; WCDMA: BPSK,QPSK,16QAM LTE: QPSK,16QAM
Antenna Type:	FPC Antenna
*Maximum Antenna Gain:	GSM850: -1.5 dBi GSM1900: 1.2 dBi WCDMA Band II: 1.2 dBi WCDMA Band V: -1.5 dBi LTE Band 2: 1.2 dBi LTE Band 4: 0.3 dBi LTE Band 5: -1.5 dBi LTE Band 7: 1.5 dBi LTE Band 12: -3.5 dBi LTE Band 17: -3.3 dBi LTE Band 25: 1.2 dBi LTE Band 26: -1.5 dBi LTE Band 38: 1.5 dBi LTE Band 41: 1.5 dBi LTE Band 66: 0.3 dBi

Note: The Maximum Antenna Gain was declared by the manufacturer.

*All measurement and test data in this report was gathered from production sample serial number: 20200924004.
(Assigned by the BACL. The EUT supplied by the applicant was received on 2020-09-24.)

Objective

This type approval report is prepared on behalf of *Shanghai Sunmi Technology Co.,Ltd.* in accordance with Part 2, Part 22-Subpart H and Part 24-Subpart E , Part 27 and Part 90 of the Federal Communication Commission's rules.

The objective is to determine the compliance of EUT with FCC rules for output power, modulation characteristic, occupied bandwidth, and spurious emission at antenna terminal, spurious radiated emission, frequency stability, and band edge.

Related Submittal(s)/Grant(s)

FCC Part 15.247 DTS submissions with FCC ID: 2AH25T5810

FCC Part 15.247 DSS submissions with FCC ID: 2AH25T5810

FCC Part 15.407 NII submissions with FCC ID: 2AH25T5810

FCC Part 15.225 DXX submissions with FCC ID: 2AH25T5810

FCC Part 15B JAB submissions with FCC ID: 2AH25T5810

Test Methodology

All tests and measurements indicated in this document were performed in accordance with the Code of Federal Regulations Title 47 Part 2, Sub-Part J as well as the following parts:

Part 22 Subpart H - Public Mobile Services

Part 24 Subpart E - Personal Communication Services

Part 27 – Miscellaneous wireless communications services

Part 90 – Private Land Mobile Radio Service

Applicable Standards: ANSI C63.26-2015.

All radiated and conducted emissions measurements were performed at Bay Area Compliance Laboratories Corp. (Kunshan). The radiated testing was performed at an antenna-to-EUT distance of 3 meters.

Measurement Uncertainty

Item		Uncertainty
AC Power Lines Conducted Emissions		3.19dB
RF conducted test with spectrum		0.9dB
RF Output Power with Power meter		0.5dB
Radiated emission	30MHz~1GHz	5.91dB
	1GHz~6GHz	4.68dB
	6GHz~18GHz	4.92dB
	18GHz~40GHz	5.21dB
Occupied Bandwidth		0.5kHz
Temperature		1.0℃
Humidity		6%

Test Facility

The test site used by Bay Area Compliance Laboratories Corp. (Kunshan) to collect test data is located on the No.248 Chenghu Road, Kunshan, Jiangsu province, China.

Bay Area Compliance Laboratories Corp. (Kunshan) Lab is accredited to ISO/IEC 17025 by A2LA (Lab code: 4323.01) and the FCC designation No. CN1185 under the FCC KDB 974614 D01 and CAB identifier CN0004 under the ISED requirement. The facility also complies with the radiated and AC line conducted test site criteria set forth in ANSI C63.4-2014.

SYSTEM TEST CONFIGURATION

Justification

The EUT was configured for testing according to ANSI C63.26-2015.

The final qualification test was performed with the EUT operating at normal mode.

Channel List

Mode		Channel		Frequency (MHz)
GSM/GPRS/EGPRS 850		Low	128	824.2
		Middle	190	836.6
		High	251	848.8
GSM/GPRS/EGPRS 1900		Low	512	1850.2
		Middle	661	1880.0
		High	810	1909.8
WCDMA Band V		Low	4132	826.4
		Middle	4183	836.6
		High	4233	846.6
WCDMA Band II		Low	9262	1852.4
		Middle	9400	1880.0
		High	9538	1907.6
LTE Band 2	1.4M	Low	18607	1850.7
		Middle	18900	1880.0
		High	19193	1909.3
	3M	Low	18615	1851.5
		Middle	18900	1880.0
		High	19185	1908.5
	5M	Low	18625	1852.5
		Middle	18900	1880.0
		High	19175	1907.5
	10M	Low	18650	1855.0
		Middle	18900	1880.0
		High	19150	1905.0
	15M	Low	18675	1857.5
		Middle	18900	1880.0
		High	19125	1902.5
	20M	Low	18700	1860.0
		Middle	18900	1880.0
		High	19100	1900.0

Mode		Channel		Frequency (MHz)
LTE Band 4	1.4M	Low	19957	1710.7
		Middle	20175	1732.5
		High	20393	1754.3
	3M	Low	19965	1711.5
		Middle	20175	1732.5
		High	20385	1753.5
	5M	Low	19975	1712.5
		Middle	20175	1732.5
		High	20375	1752.5
	10M	Low	20000	1715.0
		Middle	20175	1732.5
		High	20350	1750.0
	15M	Low	20025	1717.5
		Middle	20175	1732.5
		High	20325	1747.5
	20M	Low	20050	1720.0
		Middle	20175	1732.5
		High	20300	1745.0
LTE Band 5	1.4M	Low	20407	824.7
		Middle	20525	836.5
		High	20643	848.3
	3M	Low	20415	825.5
		Middle	20525	836.5
		High	20635	847.5
	5M	Low	20425	826.5
		Middle	20525	836.5
		High	20625	846.5
	10M	Low	20450	829.0
		Middle	20525	836.5
		High	20600	844.0
LTE Band 7	5M	Low	20775	2502.5
		Middle	21100	2535.0
		High	21425	2567.5
	10M	Low	20800	2505.0
		Middle	21100	2535.0
		High	21400	2565.0
	15M	Low	20825	2507.5
		Middle	21100	2535.0
		High	21375	2562.5
	20M	Low	20850	2510.0
		Middle	21100	2535.0
		High	21350	2560.0

Mode		Channel		Frequency (MHz)
LTE Band 12	1.4M	Low	23017	699.7
		Middle	23095	707.5
		High	23173	715.3
	3M	Low	23025	700.5
		Middle	23095	707.5
		High	23165	714.5
	5M	Low	23035	701.5
		Middle	23095	707.5
		High	23155	713.5
	10M	Low	23060	704.0
		Middle	23095	707.5
		High	23130	711.0
LTE Band 17	5M	Low	23755	706.5
		Middle	23790	710.0
		High	23825	713.5
	10M	Low	23780	709.0
		Middle	23790	710.0
		High	23800	711.0
LTE Band 25	1.4M	Low	26047	1850.7
		Middle	26365	1882.5
		High	26683	1914.3
	3M	Low	26055	1851.5
		Middle	26683	1882.5
		High	26675	1913.5
	5M	Low	26065	1852.5
		Middle	26683	1882.5
		High	26665	1912.5
	10M	Low	26090	1855.0
		Middle	26683	1882.5
		High	26640	1910.0
	15M	Low	26115	1857.5
		Middle	26683	1882.5
		High	26615	1907.5
	20M	Low	26140	1860.0
		Middle	26683	1882.5
		High	26590	1905.0

Mode		Channel		Frequency (MHz)
LTE Band 26	1.4M	Low	26697	814.7
		Middle	26915	831.5
		High	27033	848.3
	3M	Low	26705	815.5
		Middle	26915	831.5
		High	27025	847.5
	5M	Low	26715	816.5
		Middle	26915	831.5
		High	27015	846.5
	10M	Low	26740	819.0
		Middle	26915	831.5
		High	26990	844.0
	15M	Low	26765	821.5
		Middle	26915	831.5
		High	26965	841.5
LTE Band 38	5M	Low	37775	2572.5
		Middle	38000	2595.0
		High	38225	2617.5
	10M	Low	37800	2575.0
		Middle	38000	2595.0
		High	38200	2615.0
	15M	Low	37825	2577.5
		Middle	38000	2595.0
		High	38175	2612.5
	20M	Low	37850	2580.0
		Middle	38000	2595.0
		High	38150	2610.0

Mode		Channel		Frequency (MHz)
LTE Band 41	5M	Low	40265	2557.5
		Middle	40740	2605.0
		High	41215	2652.5
	10M	Low	40290	2560.0
		Middle	40740	2605.0
		High	41190	2650.0
	15M	Low	40315	2562.5
		Middle	40740	2605.0
		High	41165	2647.5
	20M	Low	40340	2565.0
		Middle	40740	2605.0
		High	41140	2645.0
LTE Band 66	1.4M	Low	131979	1710.7
		Middle	132322	1745.0
		High	132665	1779.3
	3M	Low	131987	1711.5
		Middle	132322	1745.0
		High	132657	1778.5
	5M	Low	131997	1712.5
		Middle	132333	1745.0
		High	132647	1777.5
	10M	Low	132022	1715.0
		Middle	132322	1745.0
		High	132622	1775.0
	15M	Low	132047	1717.5
		Middle	132300	1745.0
		High	132579	1772.5
	20M	Low	132072	1720.0
		Middle	132322	1745.0
		High	132572	1770.0

Equipment Modifications

No modifications were made to the EUT.

Support Equipment List and Details


Manufacturer	Description	Model	Serial Number
Aihuaxin technology	Antenna	/	/
Rohde & Schwarz	Universal Radio Communication Tester	CMU200	110605
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	104478
Mirui	Adapter	GTA92-0501000US	/

External I/O Cable


Cable Description	Length (m)	From Port	To
Power cable1	1.0	EUT	Adapter
Power cable2	1.0	Adapter	AC Source

Block Diagram of Test Setup

For Radiated Emissions (Below 1GHz):



For Radiated Emissions (Above 1GHz):



SUMMARY OF TEST RESULTS

FCC Rules	Description of Test	Result
§1.1307(b)(1) & §2.1093	RF Exposure Information	Compliant
§2.1046; § 22.913 (a); §24.232 (c); §27.50 (c)(d) (h)(2); §90.635 (b)	RF Output Power	Compliant
§2.1047	Modulation Characteristics	Not Applicable
§2.1049; §22.905;§22.917; §24.238; §27.53; §90.209	Occupied Bandwidth	Compliant
§2.1051; §22.917 (a); §24.238 (a); §27.53(c) (f) (h) (m); §90.691	Spurious Emissions at Antenna Terminal	Compliant
§2.1053; §22.917 (a) §24.238 (a); §27.53 (h) (m); §90.691	Spurious Radiated Emissions	Compliant
§22.917 (a); §24.238 (a); §27.53 (h) (m); §90.691	Band Edge	Compliant
§2.1055; §22.355; §24.235;§27.54; §90.213	Frequency stability	Compliant

TEST EQUIPMENT LIST

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Radiated Emission Test (Chamber 1#)					
Rohde & Schwarz	EMI Test Receiver	ESCI	100195	2019-12-14	2020-12-13
HP	Signal Generator	HP 8341B	2624A00116	2019-11-30	2020-11-29
HP	Signal Generator	HP 8341B	2624A00116	2020-11-30	2021-11-29
Sunol Sciences	Hybrid Antenna	JB3	A090314-1	2020-08-05	2023-08-04
Sunol Sciences	Bilog antenna	JB3	A060217	2020-08-04	2023-08-03
Sonoma Instrunent	Pre-amplifier	310N	171205	2020-08-14	2021-08-13
Rohde & Schwarz	Auto test Software	EMC32	100361	/	/
MICRO-COAX	Coaxial Cable	Cable-8	008	2020-08-15	2021-08-14
MICRO-COAX	Coaxial Cable	Cable-9	009	2020-08-15	2021-08-14
MICRO-COAX	Coaxial Cable	Cable-10	010	2020-08-15	2021-08-14
Rohde & Schwarz	Universal Radio Communication Tester	CMU200	110605	2020-04-01	2021-03-31
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	104478	2020-07-28	2021-07-27
Radiated Emission Test (Chamber 2#)					
HP	Signal Generator	HP 8341B	2624A00116	2019-11-30	2020-11-29
HP	Signal Generator	HP 8341B	2624A00116	2020-11-30	2021-11-29
Rohde & Schwarz	EMI Test Receiver	ESU40	100207	2020-04-01	2021-03-31
ETS-LINDGREN	Horn Antenna	3115	9311-4159	2020-07-15	2023-07-14
ETS-LINDGREN	Horn Antenna	3115	6229	2020-01-07	2023-01-06
ETS-LINDGREN	Horn Antenna	3116	84159	2019-12-12	2022-12-11
ETS-LINDGREN	Horn Antenna	3116	2516	2020-01-07	2023-01-06
A.H.Systems,inc	Amplifier	PAM-0118P	512	2020-02-20	2021-02-19
EM Electronics Corporation	Amplifier	EM18G40G	060726	2020-03-22	2021-03-21
Rohde & Schwarz	Auto test Software	EMC32	100361	/	/
MICRO-COAX	Coaxial Cable	Cable-6	006	2019-12-12	2020-12-11
MICRO-COAX	Coaxial Cable	Cable-11	011	2020-08-15	2021-08-14
MICRO-COAX	Coaxial Cable	Cable-12	012	2020-08-15	2021-08-14
MICRO-COAX	Coaxial Cable	Cable-13	013	2020-08-15	2021-08-14
MICRO-COAX	Coaxial Cable	Cable-16	016	2020-08-15	2021-08-14
Rohde & Schwarz	Universal Radio Communication Tester	CMU200	110605	2020-04-01	2021-03-31
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	104478	2020-07-28	2021-07-27

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
RF Conducted Test					
Rohde & Schwarz	Signal Analyzer	FSIQ26	836131/009	2019-12-14	2020-12-13
Rohde & Schwarz	EMI Test Receiver	ESIB26	100146	2019-12-14	2020-12-13
Narda	Attenuator	6dB	006	2020-01-10	2021-01-09
Rohde & Schwarz	Universal Radio Communication Tester	CMU200	110605	2020-04-01	2021-03-31
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	104478	2020-07-28	2021-07-27
Mini-Circuits	Power splitter	ZFRSC-14-S+	SF019411452	2020-11-10	2021-11-09
BACL	Temperature & Humidity Chamber	BTH-150	30023	2019-12-20	2020-12-19
EAST	Regulated DC Power Supply	MCH-303D-II	14070562	2020-10-10	2021-10-09
Sunmi	RF Cable	Sunmi C01	C01	Each Time	/

*** Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Kunshan) attests that all calibrations have been performed in accordance to requirements that traceable to National Primary Standards and International System of Units (SI).

FCC §1.1307(b) & §2.1093 - RF EXPOSURE INFORMATION

Applicable Standard

FCC§1.1307, §2.1093.

Test Result

Compliance, please refer to the SAR report: RKSA200924004-20

FCC §2.1047 - MODULATION CHARACTERISTIC

According to FCC § 2.1047(d), Part 22H & 24E, Part 27, Part 90 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

FCC §2.1046; § 22.913 (a); §24.232 (c); §27.50 (c) (d) (h)(2); §90.635 (b) - RF OUTPUT POWER

Applicable Standards

According to FCC §2.1046 and §22.913 (a), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts (38.45dBm).

According to FCC §2.1046 and §24.232 (c), mobile and portable stations are limited to 2 watts (33dBm) EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.

According to §27.50(c), Portable stations (hand-held devices) in the 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP

According to §27.50(d), the maximum EIRP must not exceed 1Watts (30dBm) for 1710-1780MHz.

According to §27.50(h) (2), Mobile and other user stations. Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power.


According to FCC §2.1046 and §90.635 (b),The maximum output power of the transmitter for mobile stations is 100 watts (20 dBw)

The peak-to-average power ratio (PAPR) of the transmitter output power must not exceed 13 dB.

Test Procedure

Conducted method:

The RF output of the transmitter was connected to the CMW500/CMU200 through sufficient attenuation.



Radiated Output Power:

The measurements procedures specified in TIA-603-E were applied.

a) Connect the equipment as illustrated. Mount the equipment with the manufacturer specified antenna in a vertical orientation on a manufacturer specified mounting surface located on a non-conducting rotating platform of a RF anechoic chamber (preferred) or a standard radiation site.

b) Key the transmitter, then rotate the EUT 360o azimuthally and record spectrum analyzer power level (LVL) measurements at angular increments that are sufficiently small to permit resolution of all peaks. If a standard radiation test site is used, raise and lower the test antenna to obtain a maximum reading at each angular increment. (Note: several batteries may be needed to offset the effect of battery voltage droop, which should not exceed 5% of the manufactured specified battery voltage during transmission).

c) Replace the transmitter under test with a vertically polarized half-wave dipole (or an antenna whose gain is known relative to an ideal half-wave dipole). The center of the antenna should be at the same location as the center of the antenna under test.

d) Connect the antenna to a signal generator with a known output power and record the path loss (in dB) as LOSS. If a standard radiation test site is used,raise and lower the test antenna to obtain a maximum reading. $LOSS = \text{Generator Output Power (dBm)} - \text{Analyzer reading (dBm)}$

e) Determine the effective radiated output power at each angular position from the readings in steps b) and d) using the following equation:

$$ERP \text{ (dBm)} = LVL \text{ (dBm)} + LOSS \text{ (dB)}$$

f) The maximum ERP is the maximum value determined in the preceding step.

(Note: Effective Isotropic Radiated Power (EIRP) can be computed using the following:

$$EIRP \text{ (dBm)} = ERP \text{ (dBm)} + 2.15 \text{ (dB)}$$

Test Data**Environmental Conditions**

Temperature:	23.5-24.9 °C
Relative Humidity:	48-53 %
ATM Pressure:	101.4-101.9 kPa

The testing was performed by Chao Gao on 2020-11-14 to 2020-12-10.

Conducted Power:**GSM 850 Band**

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
GSM	128	824.2	33.63	38.45
	190	836.6	33.59	38.45
	251	848.8	33.57	38.45

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
GPRS	128	824.2	33.58	32.51	31.56	30.46	38.45
	190	836.6	33.23	32.06	31.31	30.53	38.45
	251	848.8	33.46	32.25	31.51	30.25	38.45

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
EGPRS	128	824.2	28.48	27.83	26.90	25.25	38.45
	190	836.6	28.28	27.01	26.22	25.48	38.45
	251	848.8	28.23	27.71	26.19	25.54	38.45

WCDMA Band V

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band V)	Normal	Rel 99	1	22.35	22.39	22.24
		HSDPA	1	22.03	21.93	22.16
			2	22.08	21.98	22.27
			3	22.02	22.01	22.18
			4	21.97	22.00	22.01
		HSUPA	1	22.03	22.12	22.25
			2	22.06	21.98	22.12
			3	22.07	22.08	22.23
			4	22.12	22.03	22.22
			5	22.15	22.13	22.17
		HSPA+	1	22.05	22.11	22.10

PCS 1900 Band

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
GSM	512	1850.2	30.24	33
	661	1880	30.44	33
	810	1909.8	30.51	33

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
GPRS	512	1850.2	30.15	29.15	28.12	27.68	33
	661	1880	30.39	29.43	28.58	27.65	33
	810	1909.8	30.46	29.03	28.43	27.21	33

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
EGPRS	512	1850.2	26.07	25.07	24.73	23.03	33
	661	1880	26.21	25.39	24.46	23.36	33
	810	1909.8	26.14	25.87	24.28	23.56	33

WCDMA Band II

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band II)	Normal	Rel 99	1	22.51	22.19	22.39
		HSDPA	1	22.30	22.08	22.06
			2	22.16	22.13	22.19
			3	22.21	22.13	22.24
			4	22.34	22.05	22.06
		HSUPA	1	22.30	22.01	22.07
			2	22.36	22.04	22.14
			3	22.20	22.02	22.17
			4	22.24	22.17	22.14
			5	22.16	22.04	22.10
		HSPA+	1	22.15	21.94	22.18

Maximum Output Power:**LTE Band 2**

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4M	QPSK	1#0	21.60	21.63	21.82
		1#3	21.65	21.66	21.75
		1#5	21.67	21.61	21.70
		3#0	21.76	21.67	21.71
		3#1	21.71	21.74	21.67
		3#3	21.67	21.77	21.69
		6#0	21.73	21.74	21.79
	16-QAM	1#0	21.78	21.70	21.80
		1#3	21.79	21.66	21.73
		1#5	21.74	21.73	21.77
		3#0	21.76	21.79	21.84
		3#1	21.70	21.67	21.92
		3#3	21.61	21.67	21.93
		6#0	21.53	21.65	21.90
3M	QPSK	1#0	21.49	21.57	22.00
		1#7	21.45	21.54	22.11
		1#14	21.46	21.67	22.22
		8#0	21.32	21.68	22.14
		8#4	21.32	21.76	22.15
		8#7	21.39	21.72	22.15
		15#0	21.36	21.78	22.23
	16-QAM	1#0	21.34	21.76	22.21
		1#7	21.27	21.81	22.27
		1#14	21.26	21.73	22.20
		8#0	21.23	21.79	22.20
		8#4	21.27	21.78	22.30
		8#7	21.29	21.83	22.21
		15#0	21.35	21.88	22.18

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5M	QPSK	1#0	21.25	21.96	22.09
		1#12	21.12	21.98	22.03
		1#24	21.15	22.01	22.03
		12#0	21.13	22.03	21.96
		12#6	21.22	21.96	21.88
		12#11	21.31	21.93	21.92
		25#0	21.29	21.97	22.02
	16-QAM	1#0	21.25	21.99	22.02
		1#12	21.19	22.11	22.06
		1#24	21.16	22.02	21.96
		12#0	21.17	22.10	21.87
		12#6	21.11	22.02	21.77
		12#11	21.19	22.04	21.76
		25#0	21.21	21.97	21.78
10M	QPSK	1#0	21.15	22.10	21.77
		1#24	21.18	22.07	21.77
		1#49	21.15	22.14	21.68
		25#0	21.12	22.17	21.64
		25#12	21.15	22.17	21.68
		25#24	21.19	22.17	21.60
		50#0	21.21	22.17	21.71
	16-QAM	1#0	21.18	22.19	21.70
		1#24	21.14	22.31	21.71
		1#49	21.17	22.38	21.80
		25#0	21.02	22.47	21.78
		25#12	20.99	22.42	21.68
		25#24	21.08	22.35	21.68
		50#0	21.08	22.42	21.71

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15M	QPSK	1#0	21.12	22.31	21.72
		1#37	21.15	22.30	21.72
		1#74	21.26	22.32	21.73
		36#0	21.26	22.40	21.72
		36#17	21.31	22.37	21.65
		36#35	21.36	22.47	21.67
		75#0	21.47	22.48	21.58
	16-QAM	1#0	21.54	22.41	21.63
		1#37	21.60	22.54	21.66
		1#74	21.58	22.53	21.72
		36#0	21.54	22.49	21.68
		36#17	21.58	22.56	21.66
		36#35	21.54	22.51	21.79
		75#0	21.47	22.64	21.77
20M	QPSK	1#0	21.49	22.83	21.76
		1#49	21.51	22.59	21.75
		1#99	21.39	22.60	21.71
		50#0	21.31	22.63	21.68
		50#24	21.37	22.63	21.78
		50#49	21.45	22.62	21.73
		100#0	21.49	22.67	21.70
	16-QAM	1#0	21.60	22.76	21.73
		1#49	21.65	22.60	21.71
		1#99	21.63	22.74	21.85
		50#0	21.54	22.73	21.86
		50#24	21.52	22.79	21.95
		50#49	21.50	22.69	22.01
		100#0	21.39	22.73	21.96

LTE Band 4

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4M	QPSK	1#0	21.57	21.65	21.83
		1#3	21.95	21.77	22.05
		1#5	21.82	21.77	21.98
		3#0	21.79	21.86	22.08
		3#1	21.75	21.90	22.10
		3#3	21.78	21.98	22.07
		6#0	21.80	21.94	22.19
	16-QAM	1#0	21.74	21.90	22.21
		1#3	21.69	21.93	22.23
		1#5	21.74	21.86	22.17
		3#0	21.78	21.81	22.18
		3#1	21.65	21.82	22.12
		3#3	21.56	21.71	22.05
		6#0	21.57	21.60	22.10
3M	QPSK	1#0	21.57	21.48	22.08
		1#7	21.60	21.44	22.09
		1#14	21.59	21.39	22.10
		8#0	21.68	21.39	22.12
		8#4	21.74	21.33	22.21
		8#7	21.73	21.23	22.27
		15#0	21.68	21.16	22.37
	16-QAM	1#0	21.75	21.16	22.42
		1#7	21.71	21.13	22.37
		1#14	21.72	21.13	22.43
		8#0	21.85	21.10	22.42
		8#4	21.88	21.19	22.48
		8#7	21.87	21.09	22.46
		15#0	21.90	21.10	22.50

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5M	QPSK	1#0	21.94	21.15	22.41
		1#12	21.87	21.13	22.33
		1#24	21.89	21.14	22.39
		12#0	21.96	21.08	22.52
		12#6	21.90	20.97	22.53
		12#11	21.84	21.01	22.41
		25#0	21.89	21.00	22.48
	16-QAM	1#0	21.82	21.01	22.39
		1#12	21.81	21.05	22.39
		1#24	21.90	20.93	22.39
		12#0	21.89	20.88	22.34
		12#6	21.87	20.85	22.39
		12#11	21.89	20.90	22.46
		25#0	21.92	20.94	22.45
10M	QPSK	1#0	21.89	21.00	22.49
		1#24	21.88	20.95	22.39
		1#49	21.91	21.01	22.29
		25#0	22.04	20.94	22.31
		25#12	21.99	20.82	22.29
		25#24	21.94	20.89	22.28
		50#0	21.95	20.95	22.23
	16-QAM	1#0	21.93	20.88	22.32
		1#24	21.91	20.76	22.39
		1#49	21.91	20.78	22.34
		25#0	22.03	20.79	22.42
		25#12	22.01	20.89	22.49
		25#24	21.98	21.01	22.43
		50#0	21.95	20.93	22.51

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15M	QPSK	1#0	21.90	20.86	22.60
		1#37	21.94	20.83	22.61
		1#74	21.88	20.79	22.73
		36#0	21.74	20.71	22.74
		36#17	21.71	20.68	22.67
		36#35	21.70	20.67	22.64
		75#0	21.62	20.66	22.61
	16-QAM	1#0	21.67	20.68	22.64
		1#37	21.63	20.70	22.76
		1#74	21.55	20.73	22.66
		36#0	21.55	20.76	22.66
		36#17	21.56	20.65	22.65
		36#35	21.49	20.56	22.55
		75#0	21.41	20.60	22.49
20M	QPSK	1#0	21.46	20.60	22.52
		1#49	21.43	20.63	22.50
		1#99	21.41	20.53	22.57
		50#0	21.45	20.51	22.68
		50#24	21.40	20.54	22.69
		50#49	21.41	20.61	22.71
		100#0	21.45	20.56	22.72
	16-QAM	1#0	21.48	20.55	22.59
		1#49	21.47	20.61	22.67
		1#99	21.59	20.60	22.70
		50#0	21.64	20.48	22.75
		50#24	21.58	20.47	22.75
		50#49	21.48	20.45	22.77
		100#0	21.46	20.38	22.71

LTE Band 5

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4M	QPSK	1#0	21.96	21.89	21.66
		1#3	21.97	21.96	21.34
		1#5	21.89	21.87	21.31
		3#0	21.93	21.93	21.36
		3#1	21.87	22.01	21.44
		3#3	21.78	22.07	21.44
		6#0	21.71	22.04	21.43
	16-QAM	1#0	21.70	22.04	21.35
		1#3	21.71	22.01	21.25
		1#5	21.72	22.06	21.32
		3#0	21.75	21.98	21.24
		3#1	21.65	21.94	21.24
		3#3	21.67	22.01	21.20
		6#0	21.62	22.11	21.19
3M	QPSK	1#0	21.70	22.02	21.12
		1#7	21.62	22.05	21.18
		1#14	21.63	22.05	21.17
		8#0	21.70	21.99	21.18
		8#4	21.66	22.09	21.23
		8#7	21.69	21.96	21.23
		15#0	21.69	21.90	21.29
	16-QAM	1#0	21.68	22.03	21.26
		1#7	21.69	22.04	21.24
		1#14	21.66	22.04	21.17
		8#0	21.57	22.11	21.16
		8#4	21.55	22.09	21.03
		8#7	21.47	22.14	21.10
		15#0	21.47	22.16	21.09

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5M	QPSK	1#0	21.46	22.20	21.07
		1#12	21.45	22.24	21.16
		1#24	21.49	22.18	21.11
		12#0	21.41	22.29	21.06
		12#6	21.39	22.30	21.08
		12#11	21.30	22.32	21.18
		25#0	21.28	22.36	21.25
	16-QAM	1#0	21.32	22.33	21.19
		1#12	21.23	22.33	21.15
		1#24	21.28	22.32	21.20
		12#0	21.29	22.24	21.24
		12#6	21.32	22.24	21.22
		12#11	21.32	22.15	21.28
		25#0	21.37	22.14	21.30
10M	QPSK	1#0	21.42	22.68	21.36
		1#24	21.39	22.40	21.32
		1#49	21.32	22.42	21.40
		25#0	21.22	22.50	21.41
		25#12	21.21	22.40	21.41
		25#24	21.15	22.40	21.38
		50#0	21.20	22.41	21.43
	16-QAM	1#0	21.26	22.47	21.45
		1#24	21.30	22.50	21.40
		1#49	21.29	22.60	21.30
		25#0	21.24	22.26	21.35
		25#12	21.27	22.63	21.33
		25#24	21.28	22.66	21.23
		50#0	21.29	22.67	21.14

LTE Band 7

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5M	QPSK	1#0	21.79	21.72	21.89
		1#12	21.89	21.74	21.92
		1#24	22.02	21.68	21.85
		12#0	22.02	21.57	21.89
		12#6	22.06	21.55	21.82
		12#11	22.00	21.55	21.86
		25#0	22.04	21.62	21.84
	16-QAM	1#0	22.10	21.60	21.80
		1#12	22.09	21.66	21.74
		1#24	22.11	21.66	21.77
		12#0	22.05	21.66	21.79
		12#6	22.02	21.74	21.70
		12#11	22.07	21.75	21.72
		25#0	22.11	21.84	21.73
10M	QPSK	1#0	22.05	21.93	21.82
		1#24	22.18	21.89	21.80
		1#49	22.17	21.85	21.76
		25#0	22.16	21.82	21.78
		25#12	22.17	21.84	21.71
		25#24	22.16	21.93	21.77
		50#0	22.19	22.04	21.66
	16-QAM	1#0	22.06	22.09	21.62
		1#24	22.13	22.00	21.55
		1#49	22.11	22.10	21.63
		25#0	22.12	22.10	21.57
		25#12	22.11	22.07	21.60
		25#24	22.13	22.10	21.63
		50#0	22.19	22.18	21.57

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15M	QPSK	1#0	22.23	22.10	21.55
		1#37	22.31	22.21	21.68
		1#74	22.27	22.14	21.81
		36#0	22.29	22.15	21.85
		36#17	22.39	22.22	21.83
		36#35	22.45	22.25	21.79
		75#0	22.44	22.18	21.80
	16-QAM	1#0	22.39	22.19	21.93
		1#37	22.31	22.20	21.79
		1#74	22.40	22.24	21.82
		36#0	22.47	22.23	21.76
		36#17	22.47	22.23	21.75
		36#35	22.51	22.30	21.81
		75#0	22.35	22.29	21.79
20M	QPSK	1#0	22.53	22.60	21.78
		1#49	22.59	22.34	21.76
		1#99	22.57	22.43	21.73
		50#0	22.56	22.43	21.74
		50#24	22.50	22.34	21.74
		50#49	22.58	22.37	21.79
		100#0	22.56	22.41	21.70
	16-QAM	1#0	22.52	22.32	21.76
		1#49	22.54	22.36	21.68
		1#99	22.47	22.39	21.60
		50#0	22.46	22.37	21.62
		50#24	22.45	22.27	21.52
		50#49	22.47	22.27	21.55
		100#0	22.49	22.20	21.56

LTE Band 12

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4M	QPSK	1#0	21.88	22.05	21.79
		1#3	21.95	22.02	21.79
		1#5	21.95	22.06	21.78
		3#0	21.99	22.05	21.80
		3#1	22.02	21.99	21.78
		3#3	22.02	22.06	21.75
		6#0	21.91	22.12	21.72
	16-QAM	1#0	21.82	22.09	21.78
		1#3	21.85	22.02	21.84
		1#5	21.92	21.97	21.81
		3#0	21.79	21.90	21.76
		3#1	21.75	21.88	21.78
		3#3	21.82	21.96	21.72
		6#0	21.93	22.03	21.78
3M	QPSK	1#0	21.97	22.09	21.74
		1#7	21.93	22.10	21.77
		1#14	21.97	22.13	21.78
		8#0	21.87	22.01	21.88
		8#4	21.91	21.96	21.96
		8#7	21.99	22.06	22.04
		15#0	21.91	22.09	22.06
	16-QAM	1#0	22.01	22.08	22.11
		1#7	22.11	22.18	22.10
		1#14	22.04	22.08	22.05
		8#0	22.01	22.00	22.01
		8#4	22.01	22.07	22.06
		8#7	22.00	22.11	22.13
		15#0	22.03	22.02	22.16

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5M	QPSK	1#0	22.05	22.12	22.14
		1#12	22.02	22.11	22.16
		1#24	21.95	22.19	22.16
		12#0	21.97	22.21	22.21
		12#6	22.03	22.16	22.21
		12#11	21.98	22.19	22.23
		25#0	21.99	22.22	22.28
	16-QAM	1#0	21.86	22.29	22.32
		1#12	21.88	22.28	22.20
		1#24	21.78	22.39	22.13
		12#0	21.78	22.44	22.14
		12#6	21.76	22.49	22.21
		12#11	21.79	22.48	22.21
		25#0	21.74	22.52	22.24
10M	QPSK	1#0	21.76	22.65	22.15
		1#24	21.70	22.48	22.18
		1#49	21.63	22.41	22.23
		25#0	21.71	22.47	22.33
		25#12	21.72	22.55	22.34
		25#24	21.64	22.55	22.31
		50#0	21.56	22.51	22.27
	16-QAM	1#0	21.50	22.49	22.29
		1#24	21.45	22.46	22.26
		1#49	21.48	22.60	22.33
		25#0	21.52	22.60	22.36
		25#12	21.43	22.54	22.34
		25#24	21.31	22.55	22.27
		50#0	21.28	22.53	22.27

LTE Band 17

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5M	QPSK	1#0	21.77	21.83	21.76
		1#12	21.82	21.81	21.82
		1#24	21.77	21.76	21.80
		12#0	21.75	21.87	21.87
		12#6	21.85	21.79	21.86
		12#11	21.84	21.82	21.96
		25#0	21.82	21.82	21.87
	16-QAM	1#0	21.87	21.86	21.96
		1#12	21.86	21.92	21.85
		1#24	21.92	21.90	21.95
		12#0	21.79	21.90	22.02
		12#6	21.79	21.98	22.03
		12#11	21.80	21.99	22.15
		25#0	21.89	22.04	22.25
10M	QPSK	1#0	21.97	22.49	22.25
		1#24	22.02	21.86	22.28
		1#49	22.07	21.91	22.28
		25#0	22.14	21.90	22.32
		25#12	22.17	21.95	22.42
		25#24	22.26	21.93	22.00
		50#0	22.34	21.87	22.43
	16-QAM	1#0	22.36	22.01	22.46
		1#24	22.44	22.00	22.51
		1#49	22.44	22.02	22.41
		25#0	22.39	22.12	22.42
		25#12	22.26	21.99	22.38
		25#24	22.31	22.06	22.39
		50#0	22.23	22.00	22.43

LTE Band 25

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4M	QPSK	1#0	21.65	21.74	21.76
		1#3	21.54	21.72	21.88
		1#5	21.47	21.65	21.99
		3#0	21.50	21.64	22.02
		3#1	21.52	21.66	22.04
		3#3	21.56	21.72	22.15
		6#0	21.52	21.70	22.08
	16-QAM	1#0	21.54	21.70	22.14
		1#3	21.63	21.78	22.07
		1#5	21.70	21.70	22.09
		3#0	21.68	21.65	22.05
		3#1	21.77	21.62	22.03
		3#3	21.84	21.60	22.08
		6#0	21.92	21.65	22.08
3M	QPSK	1#0	22.00	21.64	22.09
		1#7	22.10	21.67	22.07
		1#14	22.17	21.67	22.06
		8#0	22.25	21.66	22.10
		8#4	22.19	21.59	22.09
		8#7	22.04	21.70	22.17
		15#0	22.04	21.68	22.11
	16-QAM	1#0	22.05	21.69	22.12
		1#7	22.04	21.76	22.20
		1#14	21.96	21.72	22.13
		8#0	21.84	21.78	22.14
		8#4	21.81	21.84	22.17
		8#7	21.77	21.77	22.12
		15#0	21.87	21.65	22.09

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5M	QPSK	1#0	21.93	21.58	22.16
		1#12	21.89	21.54	22.08
		1#24	21.86	21.59	22.14
		12#0	21.94	21.60	22.25
		12#6	21.86	21.64	22.29
		12#11	21.72	21.64	22.35
		25#0	21.75	21.58	22.27
	16-QAM	1#0	21.79	21.58	22.26
		1#12	21.71	21.58	22.27
		1#24	21.78	21.53	22.37
		12#0	21.68	21.59	22.32
		12#6	21.65	21.64	21.39
		12#11	21.66	21.71	22.28
		25#0	21.71	21.75	22.30
10M	QPSK	1#0	21.73	21.79	22.20
		1#24	21.81	21.86	22.13
		1#49	21.84	21.97	22.14
		25#0	21.82	21.89	22.20
		25#12	21.82	21.89	22.21
		25#24	21.91	21.82	22.16
		50#0	21.97	21.94	22.02
	16-QAM	1#0	22.09	21.91	21.93
		1#24	22.03	21.88	21.85
		1#49	22.10	21.91	21.90
		25#0	22.09	21.87	21.77
		25#12	22.09	21.90	21.80
		25#24	22.05	21.77	21.67
		50#0	21.97	21.80	21.67

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15M	QPSK	1#0	21.91	21.73	21.73
		1#37	21.81	21.77	21.78
		1#74	21.91	21.77	21.70
		36#0	21.90	21.68	21.68
		36#17	21.78	21.59	21.81
		36#35	21.81	21.51	21.90
		75#0	21.76	21.46	21.90
	16-QAM	1#0	21.76	21.38	21.98
		1#37	21.73	21.49	22.01
		1#74	21.80	21.46	21.98
		36#0	21.79	21.52	21.99
		36#17	21.80	21.46	21.95
		36#35	21.83	21.47	21.83
		75#0	21.83	21.39	21.77
20M	QPSK	1#0	21.74	22.39	21.68
		1#49	21.63	21.47	21.71
		1#99	21.69	21.47	21.67
		50#0	21.75	21.43	21.80
		50#24	21.76	21.37	21.82
		50#49	21.87	21.35	21.74
		100#0	21.99	21.36	21.66
	16-QAM	1#0	21.99	21.27	21.63
		1#49	22.03	21.25	21.54
		1#99	22.06	21.20	21.59
		50#0	22.03	21.11	21.53
		50#24	22.10	21.08	21.60
		50#49	22.09	21.11	21.64
		100#0	22.11	20.99	21.63

LTE Band 26

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4M	QPSK	1#0	21.64	21.72	21.84
		1#3	21.69	21.70	21.73
		1#5	21.61	21.69	21.80
		3#0	21.61	21.82	21.87
		3#1	21.61	21.72	21.87
		3#3	21.59	21.71	21.89
		6#0	21.54	21.64	21.94
	16-QAM	1#0	21.57	21.68	22.01
		1#3	21.66	21.66	21.92
		1#5	21.54	21.68	21.84
		3#0	21.45	21.70	21.79
		3#1	21.48	21.72	21.78
		3#3	21.44	21.77	21.84
		6#0	21.43	21.89	21.77
3M	QPSK	1#0	21.40	21.97	21.67
		1#7	21.41	22.03	21.57
		1#14	21.46	22.00	21.55
		8#0	21.46	22.03	21.43
		8#4	21.34	22.00	21.48
		8#7	21.37	22.13	21.45
		15#0	21.37	22.17	21.55
	16-QAM	1#0	21.28	22.16	21.53
		1#7	21.27	21.98	21.63
		1#14	21.24	22.11	21.60
		8#0	21.23	22.11	21.56
		8#4	21.27	22.06	21.62
		8#7	21.35	22.06	21.69
		15#0	21.42	21.99	21.71

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5M	QPSK	1#0	21.35	22.05	21.79
		1#12	21.34	22.03	21.84
		1#24	21.40	21.99	21.78
		12#0	21.46	22.05	21.74
		12#6	21.34	21.94	21.78
		12#11	21.30	21.95	21.90
		25#0	21.39	21.92	21.95
	16-QAM	1#0	21.46	21.93	21.99
		1#12	21.56	22.00	21.93
		1#24	21.52	21.98	21.96
		12#0	21.62	22.06	21.94
		12#6	21.60	22.03	21.86
		12#11	21.50	21.95	21.83
		25#0	21.40	22.07	21.77
10M	QPSK	1#0	21.42	22.01	21.70
		1#24	21.30	22.04	21.73
		1#49	21.28	22.02	21.62
		25#0	21.33	21.99	21.55
		25#12	21.33	22.09	21.58
		25#24	21.34	22.06	21.64
		50#0	21.22	22.09	21.58
	16-QAM	1#0	21.12	22.04	21.63
		1#24	21.06	22.13	21.53
		1#49	21.01	22.06	21.41
		25#0	21.03	21.96	21.46
		25#12	21.05	21.95	21.43
		25#24	21.04	21.91	21.44
		50#0	21.04	21.93	21.44

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15M	QPSK	1#0	21.05	22.23	21.46
		1#37	20.93	22.07	21.56
		1#74	21.07	21.98	21.47
		36#0	21.06	21.95	21.48
		36#17	21.06	21.91	21.45
		36#35	21.00	21.95	21.46
		75#0	21.05	21.94	21.45
	16-QAM	1#0	21.12	21.99	21.43
		1#37	21.12	21.98	21.43
		1#74	21.04	22.01	21.40
		36#0	20.99	21.99	21.42
		36#17	20.92	21.93	21.52
		36#35	20.79	21.91	21.50
		75#0	20.85	21.86	21.45

LTE Band 38

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5M	QPSK	1#0	21.65	21.62	21.87
		1#12	21.69	21.50	21.77
		1#24	21.67	21.48	21.79
		12#0	21.61	21.51	21.88
		12#6	21.60	21.55	21.86
		12#11	21.64	21.48	21.84
		25#0	21.59	21.33	21.77
	16-QAM	1#0	21.58	21.28	21.73
		1#12	21.70	21.27	21.70
		1#24	21.67	21.25	21.82
		12#0	21.62	21.33	21.87
		12#6	21.69	21.34	21.98
		12#11	21.69	21.35	21.95
		25#0	21.74	21.40	21.86
10M	QPSK	1#0	21.76	21.49	21.88
		1#24	21.66	21.53	21.80
		1#49	21.66	21.58	21.76
		25#0	21.71	21.60	21.76
		25#12	21.69	21.61	21.79
		25#24	21.58	21.71	21.83
		50#0	21.57	21.65	21.86
	16-QAM	1#0	21.51	21.72	21.91
		1#24	21.47	21.68	21.88
		1#49	21.40	21.73	21.87
		25#0	21.48	21.74	21.76
		25#12	21.39	21.83	21.77
		25#24	21.38	21.84	21.82
		50#0	21.35	21.87	21.71

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15M	QPSK	1#0	21.26	21.89	21.77
		1#37	21.30	21.94	21.69
		1#74	21.31	21.91	21.80
		36#0	21.27	21.90	21.82
		36#17	21.39	21.97	21.80
		36#35	21.47	21.98	21.78
		75#0	21.54	22.09	21.74
	16-QAM	1#0	21.54	22.15	21.85
		1#37	21.65	22.05	21.84
		1#74	21.71	22.14	21.84
		36#0	21.74	22.15	21.75
		36#17	21.75	22.19	21.71
		36#35	21.78	22.18	21.79
		75#0	21.79	22.13	21.87
20M	QPSK	1#0	21.78	22.22	21.84
		1#49	21.87	22.15	21.73
		1#99	21.84	22.20	21.74
		50#0	21.79	22.11	21.79
		50#24	21.67	22.18	21.82
		50#49	21.61	22.20	21.90
		100#0	21.56	22.14	21.86
	16-QAM	1#0	21.51	22.04	21.84
		1#49	21.61	21.99	21.77
		1#99	21.62	22.07	21.70
		50#0	21.55	22.05	21.61
		50#24	21.52	22.14	21.61
		50#49	21.51	22.10	21.65
		100#0	21.51	22.14	21.64

LTE Band 41

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5M	QPSK	1#0	21.62	21.75	21.95
		1#12	21.60	21.86	21.83
		1#24	21.58	21.78	21.85
		12#0	21.50	21.69	21.85
		12#6	21.63	21.78	21.85
		12#11	21.72	21.82	21.86
		25#0	21.69	21.92	21.83
	16-QAM	1#0	21.82	21.97	21.71
		1#12	21.85	21.98	21.70
		1#24	21.71	21.90	21.65
		12#0	21.70	21.80	21.67
		12#6	21.71	21.82	21.77
		12#11	21.73	21.93	21.83
		25#0	21.67	21.92	21.86
10M	QPSK	1#0	21.78	21.80	21.90
		1#24	21.78	21.86	21.80
		1#49	21.88	21.77	21.84
		25#0	21.77	21.77	21.81
		25#12	21.76	21.68	21.84
		25#24	21.86	21.72	21.93
		50#0	21.86	21.70	21.90
	16-QAM	1#0	21.76	21.74	21.86
		1#24	21.73	21.79	21.85
		1#49	21.67	21.75	21.83
		25#0	21.67	21.67	21.83
		25#12	21.73	21.82	21.84
		25#24	21.76	21.76	21.81
		50#0	21.83	21.75	21.78

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15M	QPSK	1#0	21.92	21.80	21.76
		1#37	22.03	21.79	21.69
		1#74	22.13	21.87	21.83
		36#0	22.08	21.90	21.86
		36#17	22.17	22.00	21.86
		36#35	22.18	21.96	21.79
		75#0	22.32	21.85	21.80
	16-QAM	1#0	22.25	21.96	21.84
		1#37	22.33	21.94	21.91
		1#74	22.29	21.86	21.87
		36#0	22.34	21.92	21.77
		36#17	22.31	21.87	21.83
		36#35	22.26	21.81	21.89
		75#0	22.23	21.73	21.94
20M	QPSK	1#0	22.17	22.53	21.94
		1#49	22.19	21.64	21.88
		1#99	22.20	21.72	21.98
		50#0	22.25	21.72	21.87
		50#24	22.22	21.68	21.88
		50#49	22.30	21.72	21.85
		100#0	22.32	21.70	21.90
	16-QAM	1#0	22.30	21.74	21.81
		1#49	22.33	21.73	21.74
		1#99	22.44	21.71	21.73
		50#0	22.52	21.62	21.79
		50#24	21.65	21.72	21.84
		50#49	22.46	21.69	21.76
		100#0	22.50	21.73	21.68

LTE Band 66

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4M	QPSK	1#0	21.92	21.84	21.78
		1#3	21.94	21.90	21.77
		1#5	21.85	22.00	21.80
		3#0	21.81	22.09	21.82
		3#1	21.82	22.07	21.87
		3#3	21.84	22.10	21.80
		6#0	21.91	22.01	21.73
	16-QAM	1#0	21.95	22.00	21.78
		1#3	22.05	22.05	21.76
		1#5	22.06	22.01	21.74
		3#0	21.99	22.03	21.74
		3#1	22.03	22.02	21.80
		3#3	22.01	22.11	21.77
		6#0	22.11	22.16	21.84
3M	QPSK	1#0	22.13	22.05	21.86
		1#7	22.11	22.06	21.88
		1#14	22.20	22.01	21.93
		8#0	22.30	22.00	22.03
		8#4	22.28	21.90	21.99
		8#7	22.33	21.83	21.95
		15#0	22.35	21.70	21.92
	16-QAM	1#0	22.45	21.81	22.01
		1#7	22.36	21.84	22.01
		1#14	22.26	21.85	22.03
		8#0	22.12	21.91	22.07
		8#4	22.10	21.94	22.14
		8#7	22.08	21.99	22.14
		15#0	22.00	22.10	22.17

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5M	QPSK	1#0	22.07	22.06	22.15
		1#12	21.96	22.05	22.10
		1#24	21.92	22.02	22.12
		12#0	21.84	21.97	22.13
		12#6	21.84	22.06	22.26
		12#11	21.82	22.13	22.29
		25#0	21.87	22.08	22.23
	16-QAM	1#0	22.00	22.00	22.33
		1#12	22.07	22.03	22.31
		1#24	21.95	21.99	22.33
		12#0	21.93	22.07	22.24
		12#6	21.99	22.14	22.30
		12#11	21.92	22.24	22.36
		25#0	21.88	22.17	22.40
10M	QPSK	1#0	21.90	22.16	22.37
		1#24	21.87	22.12	22.30
		1#49	21.83	22.20	22.34
		25#0	21.86	22.29	22.37
		25#12	21.86	22.41	22.38
		25#24	21.95	22.35	22.36
		50#0	21.95	22.41	22.25
	16-QAM	1#0	21.99	22.51	22.36
		1#24	21.94	22.40	22.37
		1#49	22.05	22.53	22.30
		25#0	22.05	22.67	22.32
		25#12	22.06	22.30	22.33
		25#24	22.06	22.58	22.37
		50#0	22.17	22.50	22.42

Test Bandwidth	Test Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15M	QPSK	1#0	22.18	22.55	22.40
		1#37	22.11	22.55	22.38
		1#74	22.19	22.45	22.32
		36#0	22.20	22.43	22.34
		36#17	22.33	22.42	22.31
		36#35	22.34	22.39	22.33
		75#0	22.33	22.40	22.33
	16-QAM	1#0	22.32	22.30	22.32
		1#37	22.32	22.43	22.30
		1#74	22.31	22.39	22.34
		36#0	22.38	22.41	22.33
		36#17	22.43	22.39	22.34
		36#35	22.43	22.34	22.38
		75#0	22.42	22.30	22.48
20M	QPSK	1#0	22.46	22.68	22.54
		1#49	22.44	22.25	22.47
		1#99	22.40	22.16	22.44
		50#0	22.32	22.23	22.41
		50#24	22.33	22.17	22.44
		50#49	22.33	22.15	22.41
		100#0	22.46	22.09	22.45
	16-QAM	1#0	22.47	21.99	22.43
		1#49	22.46	21.93	22.48
		1#99	22.55	21.96	22.50
		50#0	22.52	21.95	22.47
		50#24	22.44	21.96	22.51
		50#49	22.52	21.91	22.47
		100#0	22.48	21.89	22.50

Peak-to-average ratio (PAR):**GSM 850 Band**

Mode	Channel	PAR (dB)	Limit (dB)
GSM	Low	2.15	≤ 13
	Middle	2.11	≤ 13
	High	2.12	≤ 13

Mode	Channel	PAR (dB)	Limit (dB)
GPRS	Low	2.15	≤ 13
	Middle	2.10	≤ 13
	High	2.13	≤ 13

Mode	Channel	PAR (dB)	Limit (dB)
EGPRS	Low	2.08	≤ 13
	Middle	2.01	≤ 13
	High	2.22	≤ 13

WCDMA Band V

Mode	Channel	PAR (dB)	Limit (dB)
WCDMA (Rel99)	Low	2.01	≤ 13
	Middle	1.98	≤ 13
	High	2.12	≤ 13
WCDMA (HSDPA)	Low	1.97	≤ 13
	Middle	2.12	≤ 13
	High	1.98	≤ 13
WCDMA (HSUPA)	Low	2.05	≤ 13
	Middle	2.06	≤ 13
	High	2.14	≤ 13
WCDMA (HSPA+)	Low	2.19	≤ 13
	Middle	2.04	≤ 13
	High	2.01	≤ 13

PCS 1900

Mode	Channel	PAR (dB)	Limit (dB)
GSM	Low	2.16	≤ 13
	Middle	2.10	≤ 13
	High	2.08	≤ 13

Mode	Channel	PAR (dB)	Limit (dB)
GPRS	Low	2.15	≤ 13
	Middle	2.09	≤ 13
	High	2.07	≤ 13

Mode	Channel	PAR (dB)	Limit (dB)
EGPRS	Low	2.21	≤ 13
	Middle	2.16	≤ 13
	High	2.09	≤ 13

WCDMA Band II

Mode	Channel	PAR (dB)	Limit (dB)
WCDMA (Rel99)	Low	1.98	≤ 13
	Middle	2.03	≤ 13
	High	2.20	≤ 13
WCDMA (HSDPA)	Low	2.11	≤ 13
	Middle	2.25	≤ 13
	High	2.15	≤ 13
WCDMA (HSUPA)	Low	2.21	≤ 13
	Middle	1.95	≤ 13
	High	2.01	≤ 13
WCDMA (HSPA+)	Low	2.04	≤ 13
	Middle	2.21	≤ 13
	High	2.12	≤ 13

LTE Band 2

Test Modulation		Test Bandwidth	Low Channel (dB)	Middle Channel (dB)	High Channel (dB)	Limit (dB)
QPSK	1 RB	20M	3.18	3.14	3.18	13
	100 RB		5.04	5.04	5.02	13
16-QAM	1 RB	20M	4.14	4.05	4.18	13
	100 RB		6.09	6.02	6.01	13

LTE Band 4

Test Modulation		Test Bandwidth	Low Channel (dB)	Middle Channel (dB)	High Channel (dB)	Limit(dB)
QPSK	1 RB	20M	3.11	3.04	3.00	13
	100 RB		5.12	5.02	5.04	13
16-QAM	1 RB	20M	4.19	4.01	4.11	13
	100 RB		6.08	6.17	6.02	13

LTE Band 5

Test Modulation		Test Bandwidth	Low Channel (dB)	Middle Channel (dB)	High Channel (dB)	Limit(dB)
QPSK	1 RB	10M	3.16	3.13	3.02	≤ 13
	50 RB		5.06	5.10	5.08	≤ 13
16-QAM	1 RB	10M	4.19	4.15	4.01	≤ 13
	50 RB		6.04	6.05	6.10	≤ 13

LTE Band 7

Test Modulation		Test Bandwidth	Low Channel (dB)	Middle Channel (dB)	High Channel (dB)	Limit(dB)
QPSK	1 RB	20M	3.04	3.13	3.15	≤ 13
	100 RB		5.17	5.08	5.06	≤ 13
16-QAM	1 RB	20M	4.08	4.11	4.12	≤ 13
	100 RB		6.01	6.13	6.04	≤ 13

LTE Band 12

Test Modulation		Test Bandwidth	Low Channel (dB)	Middle Channel (dB)	High Channel (dB)	Limit(dB)
QPSK	1 RB	10M	3.12	3.04	3.13	≤ 13
	50 RB		5.07	5.07	5.02	≤ 13
16-QAM	1 RB	10M	4.14	4.12	4.06	≤ 13
	50 RB		6.14	6.15	6.01	≤ 13

LTE Band 17

Test Modulation		Test Bandwidth	Low Channel (dB)	Middle Channel (dB)	High Channel (dB)	Limit(dB)
QPSK	1 RB	10M	3.10	3.04	3.08	≤ 13
	50 RB		5.04	5.19	5.04	≤ 13
16-QAM	1 RB	10M	4.12	4.02	4.01	≤ 13
	50 RB		6.09	6.15	6.01	≤ 13

LTE Band 25

Test Modulation		Test Bandwidth	Low Channel (dB)	Middle Channel (dB)	High Channel (dB)	Limit(dB)
QPSK	1 RB	20M	3.02	3.06	3.08	≤ 13
	100 RB		5.13	5.09	5.00	≤ 13
16-QAM	1 RB	20M	4.05	4.13	4.19	≤ 13
	100 RB		6.05	6.08	6.01	≤ 13

LTE Band 26

Test Modulation		Test Bandwidth	Low Channel (dB)	Middle Channel (dB)	High Channel (dB)	Limit(dB)
QPSK	1 RB	15M	3.16	3.04	3.13	≤ 13
	75 RB		5.19	5.06	5.03	≤ 13
16-QAM	1 RB	15M	4.04	4.05	4.12	≤ 13
	75 RB		6.09	6.18	6.05	≤ 13

LTE Band 38

Test Modulation		Test Bandwidth	Low Channel (dB)	Middle Channel (dB)	High Channel (dB)	Limit(dB)
QPSK	1 RB	20M	3.14	3.13	3.16	≤ 13
	100 RB		5.17	5.08	5.18	≤ 13
16-QAM	1 RB	20M	4.13	4.04	4.06	≤ 13
	100 RB		6.17	6.16	6.07	≤ 13

LTE Band 41

Test Modulation		Test Bandwidth	Low Channel (dB)	Middle Channel (dB)	High Channel (dB)	Limit(dB)
QPSK	1 RB	20M	3.01	3.20	3.16	≤ 13
	100 RB		5.06	5.11	5.11	≤ 13
16-QAM	1 RB	20M	4.12	4.18	4.13	≤ 13
	100 RB		6.09	6.09	6.16	≤ 13

LTE Band 66

Test Modulation		Test Bandwidth	Low Channel (dB)	Middle Channel (dB)	High Channel (dB)	Limit(dB)
QPSK	1 RB	20M	3.05	3.06	3.11	≤ 13
	100 RB		5.05	5.17	5.13	≤ 13
16-QAM	1 RB	20M	4.07	4.02	4.20	≤ 13
	100 RB		6.10	6.08	6.09	≤ 13

Radiated Power:**GSM Mode**

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (cm)	Polar (H/V)	Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
GSM 850, Low Channel (ERP)										
824.20	99.40	358	150	H	34.60	0.62	-1.18	32.80	38.45	5.65
824.20	99.71	305	150	V	34.91	0.62	-1.18	33.11	38.45	5.34
GPRS 850, Low Channel (ERP)										
824.20	99.36	215	150	H	34.56	0.62	-1.18	32.76	38.45	5.69
824.20	99.62	223	150	V	34.82	0.62	-1.18	33.02	38.45	5.43
EGPRS 850, Low Channel (ERP)										
824.20	93.85	74	150	H	29.05	0.62	-1.18	27.25	38.45	11.20
824.20	94.22	354	150	V	29.42	0.62	-1.18	27.62	38.45	10.83
GSM 1900, Low Channel (EIRP)										
1850.20	94.63	359	150	H	21.50	0.84	8.76	29.42	33	3.58
1850.20	95.34	55	150	V	22.21	0.84	8.76	30.13	33	2.87
GPRS 1900, Low Channel (EIRP)										
1850.20	94.52	80	150	H	21.39	0.84	8.76	29.31	33.00	3.69
1850.20	95.11	181	150	V	21.98	0.84	8.76	29.90	33.00	3.10
EGPRS 1900, Low Channel (EIRP)										
1850.20	90.23	309	150	H	17.10	0.84	8.76	25.02	33.00	7.98
1850.20	91.09	247	150	V	17.96	0.84	8.76	25.88	33.00	7.12

GSM Mode

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (cm)	Polar (H/V)	Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
GSM 850, Middle Channel (ERP)										
836.60	98.26	310	150	H	34.60	0.63	-1.10	32.87	38.45	5.58
836.60	98.77	32	150	V	35.11	0.63	-1.10	33.38	38.45	5.07
GPRS 850, Middle Channel (ERP)										
836.60	98.23	267	150	H	34.57	0.63	-1.10	32.84	38.45	5.61
836.60	98.45	21	150	V	34.79	0.63	-1.10	33.06	38.45	5.39
EGPRS 850, Middle Channel (ERP)										
836.60	93.62	159	150	H	29.96	0.63	-1.10	28.23	38.45	10.22
836.60	94.15	105	150	V	30.49	0.63	-1.10	28.76	38.45	9.69
GSM 1900, Middle Channel (EIRP)										
1880.00	94.99	342	150	H	21.86	0.85	8.81	29.82	33.00	3.18
1880.00	95.26	233	150	V	22.13	0.85	8.81	30.09	33.00	2.91
GPRS 1900, Middle Channel (EIRP)										
1880.00	94.97	312	150	H	21.84	0.85	8.81	29.80	33.00	3.20
1880.00	95.15	19	150	V	22.02	0.85	8.81	29.98	33.00	3.02
EGPRS 1900, Middle Channel (EIRP)										
1880.00	90.36	271	150	H	17.23	0.85	8.81	25.19	33.00	7.81
1880.00	91.41	189	150	V	18.28	0.85	8.81	26.24	33.00	6.76

GSM Mode

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (cm)	Polar (H/V)	Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
GSM 850, High Channel (ERP)										
848.80	97.46	257	150	H	34.92	0.63	-1.10	33.19	38.45	5.26
848.80	98.13	353	150	V	35.59	0.63	-1.10	33.86	38.45	4.59
GPRS 850, High Channel (ERP)										
848.80	97.15	4	150	H	34.61	0.63	-1.10	32.88	38.45	5.57
848.80	97.96	189	150	V	35.42	0.63	-1.10	33.69	38.45	4.76
EGPRS 850, High Channel (ERP)										
848.80	93.88	341	150	H	29.08	0.63	-1.10	27.35	38.45	11.10
848.80	94.63	338	150	V	29.83	0.63	-1.10	28.10	38.45	10.35
GSM 1900, High Channel (EIRP)										
1909.80	94.51	344	150	H	21.38	0.85	8.85	29.38	33.00	3.62
1909.80	95.05	330	150	V	21.92	0.85	8.85	29.92	33.00	3.08
GPRS 1900, High Channel (EIRP)										
1909.80	94.36	162	150	H	21.23	0.85	8.85	29.23	33.00	3.77
1909.80	94.81	119	150	V	21.68	0.85	8.85	29.68	33.00	3.32
EGPRS 1900, High Channel (EIRP)										
1909.80	90.77	67	150	H	17.64	0.85	8.85	25.64	33.00	7.36
1909.80	91.66	348	150	V	18.53	0.85	8.85	26.53	33.00	6.47

WCDMA Mode

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (cm)	Polar (H/V)	Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
WCDMA Band V, Low Channel(ERP)										
826.40	87.24	329	150	H	23.73	0.63	-1.17	21.93	38.45	16.52
826.40	87.41	195	150	V	23.90	0.63	-1.17	22.10	38.45	16.35
WCDMA Band II, Low Channel(EIRP)										
1852.40	86.91	134	150	H	14.62	0.84	8.76	22.54	33.00	10.46
1852.40	86.96	238	150	V	14.67	0.84	8.76	22.59	33.00	10.41

WCDMA Mode

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (cm)	Polar (H/V)	Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
WCDMA Band V, Middle Channel(ERP)										
836.60	87.59	263	150	H	24.08	0.63	-1.14	22.31	38.45	16.14
836.60	87.77	1	150	V	24.26	0.63	-1.14	22.49	38.45	15.96
WCDMA Band II, Middle Channel(EIRP)										
1880.00	86.39	286	150	H	14.10	0.85	9.00	22.25	33.00	10.75
1880.00	86.73	64	150	V	14.44	0.85	9.00	22.59	33.00	10.41

WCDMA Mode

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (cm)	Polar (H/V)	Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBi)			
WCDMA Band V, High Channel(ERP)										
846.60	87.15	325	150	H	23.64	0.63	-1.11	21.90	38.45	16.55
846.60	87.33	314	150	V	23.82	0.63	-1.11	22.08	38.45	16.37
WCDMA Band II, High Channel(EIRP)										
1907.60	86.83	218	150	H	14.54	0.85	8.85	22.54	33.00	10.46
1907.60	86.97	10	150	V	14.68	0.85	8.85	22.68	33.00	10.32

ERP&EIRP:**LTE Band 2**

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Low Channel								
1850.70	H	89.39	14.66	0.84	8.76	22.58	33.00	10.42
1850.70	V	88.25	13.52	0.84	8.76	21.44	33.00	11.56
16-QAM 1.4M BW Low Channel								
1850.70	H	89.23	14.50	0.84	8.76	22.42	33.00	10.58
1850.70	V	88.37	13.64	0.84	8.76	21.56	33.00	11.44
QPSK 3M BW Low Channel								
1851.50	H	89.40	14.67	0.84	8.76	22.59	33.00	10.41
1851.50	V	88.85	14.12	0.84	8.76	22.04	33.00	10.96
16-QAM 3M BW Low Channel								
1851.50	H	89.07	14.34	0.84	8.76	22.26	33.00	10.74
1851.50	V	88.84	14.11	0.84	8.76	22.03	33.00	10.97
QPSK 5M BW Low Channel								
1852.50	H	89.79	15.06	0.84	8.76	22.98	33.00	10.02
1852.50	V	88.86	14.13	0.84	8.76	22.05	33.00	10.95
16-QAM 5M BW Low Channel								
1852.50	H	89.82	15.09	0.84	8.76	23.01	33.00	9.99
1852.50	V	88.54	13.81	0.84	8.76	21.73	33.00	11.27

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 10M BW Low Channel								
1855.00	H	89.66	14.93	0.84	8.77	22.86	33.00	10.14
1855.00	V	88.40	13.67	0.84	8.77	21.60	33.00	11.40
16-QAM 10M BW Low Channel								
1855.00	H	89.25	14.52	0.84	8.77	22.45	33.00	10.55
1855.00	V	88.25	13.52	0.84	8.77	21.45	33.00	11.55
QPSK 15M BW Low Channel								
1857.50	H	89.91	15.18	0.84	8.77	23.11	33.00	9.89
1857.50	V	88.69	13.96	0.84	8.77	21.89	33.00	11.11
16-QAM 15M BW Low Channel								
1857.50	H	89.41	14.68	0.84	8.77	22.61	33.00	10.39
1857.50	V	88.58	13.85	0.84	8.77	21.78	33.00	11.22
QPSK 20M BW Low Channel								
1860.00	H	89.48	14.75	0.84	8.78	22.69	33.00	10.31
1860.00	V	88.58	13.85	0.84	8.78	21.79	33.00	11.21
16-QAM 20M BW Low Channel								
1860.00	H	89.27	14.54	0.84	8.78	22.48	33.00	10.52
1860.00	V	88.22	13.49	0.84	8.78	21.43	33.00	11.57

LTE Band 2

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Middle Channel								
1880.00	H	89.63	14.90	0.85	8.81	22.86	33.00	10.14
1880.00	V	88.52	13.79	0.85	8.81	21.75	33.00	11.25
16-QAM 1.4M BW Middle Channel								
1880.00	H	89.41	14.68	0.85	8.81	22.64	33.00	10.36
1880.00	V	88.87	14.14	0.85	8.81	22.10	33.00	10.90
QPSK 3M BW Middle Channel								
1880.00	H	89.85	15.12	0.85	8.81	23.08	33.00	9.92
1880.00	V	88.03	13.30	0.85	8.81	21.26	33.00	11.74
16-QAM 3M BW Middle Channel								
1880.00	H	89.92	15.19	0.85	8.81	23.15	33.00	9.85
1880.00	V	88.30	13.57	0.85	8.81	21.53	33.00	11.47
QPSK 5M BW Middle Channel								
1880.00	H	89.96	15.23	0.85	8.81	23.19	33.00	9.81
1880.00	V	88.83	14.10	0.85	8.81	22.06	33.00	10.94
16-QAM 5M BW Middle Channel								
1880.00	H	89.80	15.07	0.85	8.81	23.03	33.00	9.97
1880.00	V	88.82	14.09	0.85	8.81	22.05	33.00	10.95

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 10M BW Middle Channel								
1880.00	H	89.20	14.47	0.85	8.81	22.43	33.00	10.57
1880.00	V	88.26	13.53	0.85	8.81	21.49	33.00	11.51
16-QAM 10M BW Middle Channel								
1880.00	H	89.76	15.03	0.85	8.81	22.99	33.00	10.01
1880.00	V	88.02	13.29	0.85	8.81	21.25	33.00	11.75
QPSK 15M BW Middle Channel								
1880.00	H	89.87	15.14	0.85	8.81	23.10	33.00	9.90
1880.00	V	88.64	13.91	0.85	8.81	21.87	33.00	11.13
16-QAM 15M BW Middle Channel								
1880.00	H	89.76	15.03	0.85	8.81	22.99	33.00	10.01
1880.00	V	88.58	13.85	0.85	8.81	21.81	33.00	11.19
QPSK 20M BW Middle Channel								
1880.00	H	89.13	14.40	0.85	8.81	22.36	33.00	10.64
1880.00	V	88.86	14.13	0.85	8.81	22.09	33.00	10.91
16-QAM 20M BW Middle Channel								
1880.00	H	89.24	14.51	0.85	8.81	22.47	33.00	10.53
1880.00	V	88.29	13.56	0.85	8.81	21.52	33.00	11.48

LTE Band 2

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW High Channel								
1909.30	H	89.78	15.05	0.85	8.85	23.05	33.00	9.95
1909.30	V	88.08	13.35	0.85	8.85	21.35	33.00	11.65
16-QAM 1.4M BW High Channel								
1909.30	H	89.85	15.12	0.85	8.85	23.12	33.00	9.88
1909.30	V	88.76	14.03	0.85	8.85	22.03	33.00	10.97
QPSK 3M BW High Channel								
1908.50	H	89.70	14.97	0.85	8.85	22.97	33.00	10.03
1908.50	V	88.92	14.19	0.85	8.85	22.19	33.00	10.81
16-QAM 3M BW High Channel								
1908.50	H	89.24	14.51	0.85	8.85	22.51	33.00	10.49
1908.50	V	88.74	14.01	0.85	8.85	22.01	33.00	10.99
QPSK 5M BW High Channel								
1907.50	H	89.41	14.68	0.85	8.85	22.68	33.00	10.32
1907.50	V	88.59	13.86	0.85	8.85	21.86	33.00	11.14
16-QAM 5M BW High Channel								
1907.50	H	89.36	14.63	0.85	8.85	22.63	33.00	10.37
1907.50	V	88.53	13.80	0.85	8.85	21.80	33.00	11.20

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 10M BW High Channel								
1905.00	H	89.30	14.57	0.85	8.85	22.57	33.00	10.43
1905.00	V	88.47	13.74	0.85	8.85	21.74	33.00	11.26
16-QAM 10M BW High Channel								
1905.00	H	89.44	14.71	0.85	8.85	22.71	33.00	10.29
1905.00	V	88.20	13.47	0.85	8.85	21.47	33.00	11.53
QPSK 15M BW High Channel								
1902.50	H	89.65	14.92	0.85	8.84	22.91	33.00	10.09
1902.50	V	88.62	13.89	0.85	8.84	21.88	33.00	11.12
16-QAM 15M BW High Channel								
1902.50	H	89.18	14.45	0.85	8.84	22.44	33.00	10.56
1902.50	V	88.42	13.69	0.85	8.84	21.68	33.00	11.32
QPSK 20M BW High Channel								
1900.00	H	89.03	14.30	0.85	8.84	22.29	33.00	10.71
1900.00	V	88.72	13.99	0.85	8.84	21.98	33.00	11.02
16-QAM 20M BW High Channel								
1900.00	H	89.02	14.29	0.85	8.84	22.28	33.00	10.72
1900.00	V	88.85	14.12	0.85	8.84	22.11	33.00	10.89

LTE Band 4

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Low Channel								
1710.70	H	89.65	13.90	0.84	8.54	21.60	30.00	8.40
1710.70	V	88.68	12.93	0.84	8.54	20.63	30.00	9.37
16-QAM 1.4M BW Low Channel								
1710.70	H	89.50	13.75	0.84	8.54	21.45	30.00	8.55
1710.70	V	88.98	13.23	0.84	8.54	20.93	30.00	9.07
QPSK 3M BW Low Channel								
1711.50	H	89.17	13.42	0.84	8.54	21.12	30.00	8.88
1711.50	V	88.68	12.93	0.84	8.54	20.63	30.00	9.37
16-QAM 3M BW Low Channel								
1711.50	H	89.37	13.62	0.84	8.54	21.32	30.00	8.68
1711.50	V	88.78	13.03	0.84	8.54	20.73	30.00	9.27
QPSK 5M BW Low Channel								
1712.50	H	89.96	14.21	0.84	8.54	21.91	30.00	8.09
1712.50	V	88.93	13.18	0.84	8.54	20.88	30.00	9.12
16-QAM 5M BW Low Channel								
1712.50	H	89.73	13.98	0.84	8.54	21.68	30.00	8.32
1712.50	V	88.45	12.70	0.84	8.54	20.40	30.00	9.60

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 10M BW Low Channel								
1715.00	H	89.18	13.43	0.84	8.54	21.13	30.00	8.87
1715.00	V	88.37	12.62	0.84	8.54	20.32	30.00	9.68
16-QAM 10M BW Low Channel								
1715.00	H	89.50	13.75	0.84	8.54	21.45	30.00	8.55
1715.00	V	88.62	12.87	0.84	8.54	20.57	30.00	9.43
QPSK 15M BW Low Channel								
1717.50	H	89.11	13.36	0.84	8.55	21.07	30.00	8.93
1717.50	V	88.16	12.41	0.84	8.55	20.12	30.00	9.88
16-QAM 15M BW Low Channel								
1717.50	H	89.93	14.18	0.84	8.55	21.89	30.00	8.11
1717.50	V	88.43	12.68	0.84	8.55	20.39	30.00	9.61
QPSK 20M BW Low Channel								
1720.00	H	89.05	13.30	0.84	8.55	21.01	30.00	8.99
1720.00	V	88.16	12.41	0.84	8.55	20.12	30.00	9.88
16-QAM 20M BW Low Channel								
1720.00	H	89.44	13.69	0.84	8.55	21.40	30.00	8.60
1720.00	V	88.30	12.55	0.84	8.55	20.26	30.00	9.74

LTE Band 4

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Middle Channel								
1732.50	H	89.40	13.65	0.84	8.57	21.38	30.00	8.62
1732.50	V	88.97	13.22	0.84	8.57	20.95	30.00	9.05
16-QAM 1.4M BW Middle Channel								
1732.50	H	89.90	14.15	0.84	8.57	21.88	30.00	8.12
1732.50	V	88.77	13.02	0.84	8.57	20.75	30.00	9.25
QPSK 3M BW Middle Channel								
1732.50	H	89.49	13.74	0.84	8.57	21.47	30.00	8.53
1732.50	V	88.08	12.33	0.84	8.57	20.06	30.00	9.94
16-QAM 3M BW Middle Channel								
1732.50	H	89.27	13.52	0.84	8.57	21.25	30.00	8.75
1732.50	V	88.12	12.37	0.84	8.57	20.10	30.00	9.90
QPSK 5M BW Middle Channel								
1732.50	H	89.15	13.40	0.84	8.57	21.13	30.00	8.87
1732.50	V	88.49	12.74	0.84	8.57	20.47	30.00	9.53
16-QAM 5M BW Middle Channel								
1732.50	H	89.12	13.37	0.84	8.57	21.10	30.00	8.90
1732.50	V	88.21	12.46	0.84	8.57	20.19	30.00	9.81

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 10M BW Middle Channel								
1732.50	H	89.57	13.82	0.84	8.57	21.55	30.00	8.45
1732.50	V	88.30	12.55	0.84	8.57	20.28	30.00	9.72
16-QAM 10M BW Middle Channel								
1732.50	H	89.79	14.04	0.84	8.57	21.77	30.00	8.23
1732.50	V	88.92	13.17	0.84	8.57	20.90	30.00	9.10
QPSK 15M BW Middle Channel								
1732.50	H	89.99	14.24	0.84	8.57	21.97	30.00	8.03
1732.50	V	88.35	12.60	0.84	8.57	20.33	30.00	9.67
16-QAM 15M BW Middle Channel								
1732.50	H	89.97	14.22	0.84	8.57	21.95	30.00	8.05
1732.50	V	88.57	12.82	0.84	8.57	20.55	30.00	9.45
QPSK 20M BW Middle Channel								
1732.50	H	89.56	13.81	0.84	8.57	21.54	30.00	8.46
1732.50	V	88.91	13.16	0.84	8.57	20.89	30.00	9.11
16-QAM 20M BW Middle Channel								
1732.50	H	89.15	13.40	0.84	8.57	21.13	30.00	8.87
1732.50	V	88.58	12.83	0.84	8.57	20.56	30.00	9.44

LTE Band 4

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW High Channel								
1754.30	H	89.21	13.46	0.84	8.61	21.23	30.00	8.77
1754.30	V	88.64	12.89	0.84	8.61	20.66	30.00	9.34
16-QAM 1.4M BW High Channel								
1754.30	H	89.66	13.91	0.84	8.61	21.68	30.00	8.32
1754.30	V	88.50	12.75	0.84	8.61	20.52	30.00	9.48
QPSK 3M BW High Channel								
1753.50	H	89.32	13.57	0.84	8.60	21.33	30.00	8.67
1753.50	V	88.74	12.99	0.84	8.60	20.75	30.00	9.25
16-QAM 3M BW High Channel								
1753.50	H	89.70	13.95	0.84	8.60	21.71	30.00	8.29
1753.50	V	88.81	13.06	0.84	8.60	20.82	30.00	9.18
QPSK 5M BW High Channel								
1752.50	H	89.14	13.39	0.84	8.60	21.15	30.00	8.85
1752.50	V	88.23	12.48	0.84	8.60	20.24	30.00	9.76
16-QAM 5M BW High Channel								
1752.50	H	89.44	13.69	0.84	8.60	21.45	30.00	8.55
1752.50	V	88.86	13.11	0.84	8.60	20.87	30.00	9.13

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 10M BW High Channel								
1750.00	H	89.71	13.96	0.84	8.60	21.72	30.00	8.28
1750.00	V	88.21	12.46	0.84	8.60	20.22	30.00	9.78
16-QAM 10M BW High Channel								
1750.00	H	89.46	13.71	0.84	8.60	21.47	30.00	8.53
1750.00	V	88.05	12.30	0.84	8.60	20.06	30.00	9.94
QPSK 15M BW High Channel								
1747.50	H	89.36	13.61	0.84	8.60	21.37	30.00	8.63
1747.50	V	88.01	12.26	0.84	8.60	20.02	30.00	9.98
16-QAM 15M BW High Channel								
1747.50	H	89.86	14.11	0.84	8.60	21.87	30.00	8.13
1747.50	V	88.08	12.33	0.84	8.60	20.09	30.00	9.91
QPSK 20M BW High Channel								
1745.00	H	89.29	13.54	0.84	8.59	21.29	30.00	8.71
1745.00	V	88.98	13.23	0.84	8.59	20.98	30.00	9.02
16-QAM 20M BW High Channel								
1745.00	H	89.63	13.88	0.84	8.59	21.63	30.00	8.37
1745.00	V	88.87	13.12	0.84	8.59	20.87	30.00	9.13

LTE Band 5

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Low Channel								
824.70	H	90.46	26.59	0.62	-1.18	24.79	38.45	13.66
824.70	V	88.77	24.90	0.62	-1.18	23.10	38.45	15.35
16-QAM 1.4M BW Low Channel								
824.70	H	90.65	26.78	0.62	-1.18	24.98	38.45	13.47
824.70	V	88.04	24.17	0.62	-1.18	22.37	38.45	16.08
QPSK 3M BW Low Channel								
825.50	H	90.94	27.07	0.63	-1.17	25.27	38.45	13.18
825.50	V	88.86	24.99	0.63	-1.17	23.19	38.45	15.26
16-QAM 3M BW Low Channel								
825.50	H	90.68	26.81	0.63	-1.17	25.01	38.45	13.44
825.50	V	88.25	24.38	0.63	-1.17	22.58	38.45	15.87
QPSK 5M BW Low Channel								
826.50	H	90.77	26.90	0.63	-1.17	25.10	38.45	13.35
826.50	V	88.88	25.01	0.63	-1.17	23.21	38.45	15.24
16-QAM 5M BW Low Channel								
826.50	H	90.21	26.34	0.63	-1.17	24.54	38.45	13.91
826.50	V	88.03	24.16	0.63	-1.17	22.36	38.45	16.09
QPSK 10M BW Low Channel								
829.00	H	90.63	26.76	0.63	-1.16	24.97	38.45	13.48
829.00	V	88.02	24.15	0.63	-1.16	22.36	38.45	16.09
16-QAM 10M BW Low Channel								
829.00	H	90.44	26.57	0.63	-1.16	24.78	38.45	13.67
829.00	V	88.27	24.40	0.63	-1.16	22.61	38.45	15.84

LTE Band 5

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Middle Channel								
836.50	H	90.59	26.72	0.63	-1.14	24.95	38.45	13.50
836.50	V	88.95	25.08	0.63	-1.14	23.31	38.45	15.14
16-QAM 1.4M BW Middle Channel								
836.50	H	90.03	26.16	0.63	-1.14	24.39	38.45	14.06
836.50	V	88.22	24.35	0.63	-1.14	22.58	38.45	15.87
QPSK 3M BW Middle Channel								
836.50	H	90.57	26.70	0.63	-1.14	24.93	38.45	13.52
836.50	V	88.55	24.68	0.63	-1.14	22.91	38.45	15.54
16-QAM 3M BW Middle Channel								
836.50	H	90.78	26.91	0.63	-1.14	25.14	38.45	13.31
836.50	V	88.09	24.22	0.63	-1.14	22.45	38.45	16.00
QPSK 5M BW Middle Channel								
836.50	H	90.72	26.85	0.63	-1.14	25.08	38.45	13.37
836.50	V	88.94	25.07	0.63	-1.14	23.30	38.45	15.15
16-QAM 5M BW Middle Channel								
836.50	H	90.54	26.67	0.63	-1.14	24.90	38.45	13.55
836.50	V	88.69	24.82	0.63	-1.14	23.05	38.45	15.40
QPSK 10M BW Middle Channel								
836.50	H	90.79	26.92	0.63	-1.14	25.15	38.45	13.30
836.50	V	88.90	25.03	0.63	-1.14	23.26	38.45	15.19
16-QAM 10M BW Middle Channel								
836.50	H	90.20	26.33	0.63	-1.14	24.56	38.45	13.89
836.50	V	88.40	24.53	0.63	-1.14	22.76	38.45	15.69

LTE Band 5

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW High Channel								
848.30	H	90.21	26.34	0.63	-1.11	24.60	38.45	13.85
848.30	V	88.12	24.25	0.63	-1.11	22.51	38.45	15.94
16-QAM 1.4M BW High Channel								
848.30	H	90.05	26.18	0.63	-1.11	24.44	38.45	14.01
848.30	V	88.67	24.80	0.63	-1.11	23.06	38.45	15.39
QPSK 3M BW High Channel								
847.50	H	90.70	26.83	0.63	-1.11	25.09	38.45	13.36
847.50	V	88.29	24.42	0.63	-1.11	22.68	38.45	15.77
16-QAM 3M BW High Channel								
847.50	H	90.49	26.62	0.63	-1.11	24.88	38.45	13.57
847.50	V	88.16	24.29	0.63	-1.11	22.55	38.45	15.90
QPSK 5M BW High Channel								
846.50	H	90.64	26.77	0.63	-1.11	25.03	38.45	13.42
846.50	V	88.72	24.85	0.63	-1.11	23.11	38.45	15.34
16-QAM 5M BW High Channel								
846.50	H	90.88	27.01	0.63	-1.11	25.27	38.45	13.18
846.50	V	88.32	24.45	0.63	-1.11	22.71	38.45	15.74
QPSK 10M BW High Channel								
844.00	H	90.94	27.07	0.63	-1.12	25.32	38.45	13.13
844.00	V	88.09	24.22	0.63	-1.12	22.47	38.45	15.98
16-QAM 10M BW High Channel								
844.00	H	90.19	26.32	0.63	-1.12	24.57	38.45	13.88
844.00	V	88.64	24.77	0.63	-1.12	23.02	38.45	15.43

LTE band 7

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK 5M BW Low Channel								
2502.50	H	86.91	11.02	0.89	10.10	20.23	33.00	12.77
2502.50	V	86.44	10.55	0.89	10.10	19.76	33.00	13.24
16-QAM 5M BW Low Channel								
2502.50	H	86.02	10.13	0.89	10.10	19.34	33.00	13.66
2502.50	V	86.91	11.02	0.89	10.10	20.23	33.00	12.77
QPSK 10M BW Low Channel								
2505.00	H	86.13	10.24	0.89	10.09	19.44	33.00	13.56
2505.00	V	86.42	10.53	0.89	10.09	19.73	33.00	13.27
16-QAM 10M BW Low Channel								
2505.00	H	86.36	10.47	0.89	10.09	19.67	33.00	13.33
2505.00	V	86.08	10.19	0.89	10.09	19.39	33.00	13.61
QPSK 15M BW Low Channel								
2507.50	H	86.69	10.80	0.89	10.09	20.00	33.00	13.00
2507.50	V	86.33	10.44	0.89	10.09	19.64	33.00	13.36
16-QAM 15M BW Low Channel								
2507.50	H	86.36	10.47	0.89	10.09	19.67	33.00	13.33
2507.50	V	86.38	10.49	0.89	10.09	19.69	33.00	13.31
QPSK 20M BW Low Channel								
2510.00	H	86.81	10.92	0.89	10.09	20.12	33.00	12.88
2510.00	V	86.66	10.77	0.89	10.09	19.97	33.00	13.03
16-QAM 20M BW Low Channel								
2510.00	H	86.72	10.83	0.89	10.09	20.03	33.00	12.97
2510.00	V	86.74	10.85	0.89	10.09	20.05	33.00	12.95

LTE band 7

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK 5M BW Middle Channel								
2535.00	H	86.08	10.19	0.89	10.05	19.35	33.00	13.65
2535.00	V	86.49	10.60	0.89	10.05	19.76	33.00	13.24
16-QAM 5M BW Middle Channel								
2535.00	H	86.04	10.15	0.89	10.05	19.31	33.00	13.69
2535.00	V	86.60	10.71	0.89	10.05	19.87	33.00	13.13
QPSK 10M BW Middle Channel								
2535.00	H	86.70	10.81	0.89	10.05	19.97	33.00	13.03
2535.00	V	86.84	10.95	0.89	10.05	20.11	33.00	12.89
16-QAM 10M BW Middle Channel								
2535.00	H	86.90	11.01	0.89	10.05	20.17	33.00	12.83
2535.00	V	86.27	10.38	0.89	10.05	19.54	33.00	13.46
QPSK 15M BW Middle Channel								
2535.00	H	86.44	10.55	0.89	10.05	19.71	33.00	13.29
2535.00	V	86.76	10.87	0.89	10.05	20.03	33.00	12.97
16-QAM 15M BW Middle Channel								
2535.00	H	86.53	10.64	0.89	10.05	19.80	33.00	13.20
2535.00	V	86.20	10.31	0.89	10.05	19.47	33.00	13.53
QPSK 20M BW Middle Channel								
2535.00	H	86.10	10.21	0.89	10.05	19.37	33.00	13.63
2535.00	V	86.73	10.84	0.89	10.05	20.00	33.00	13.00
16-QAM 20M BW Middle Channel								
2535.00	H	86.94	11.05	0.89	10.05	20.21	33.00	12.79
2535.00	V	86.00	10.11	0.89	10.05	19.27	33.00	13.73

LTE band 7

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK 5M BW High Channel								
2567.50	H	86.38	10.49	0.89	10.01	19.61	33.00	13.39
2567.50	V	86.36	10.47	0.89	10.01	19.59	33.00	13.41
16-QAM 5M BW High Channel								
2567.50	H	86.11	10.22	0.89	10.01	19.34	33.00	13.66
2567.50	V	86.32	10.43	0.89	10.01	19.55	33.00	13.45
QPSK 10M BW High Channel								
2565.00	H	86.80	10.91	0.89	10.01	20.03	33.00	12.97
2565.00	V	86.22	10.33	0.89	10.01	19.45	33.00	13.55
16-QAM 10M BW High Channel								
2565.00	H	86.65	10.76	0.89	10.01	19.88	33.00	13.12
2565.00	V	86.39	10.50	0.89	10.01	19.62	33.00	13.38
QPSK 15M BW High Channel								
2562.50	H	86.65	10.76	0.89	10.01	19.88	33.00	13.12
2562.50	V	86.65	10.76	0.89	10.01	19.88	33.00	13.12
16-QAM 15M BW High Channel								
2562.50	H	86.78	10.89	0.89	10.01	20.01	33.00	12.99
2562.50	V	86.24	10.35	0.89	10.01	19.47	33.00	13.53
QPSK 20M BW High Channel								
2560.00	H	86.24	10.35	0.89	10.02	19.48	33.00	13.52
2560.00	V	86.61	10.72	0.89	10.02	19.85	33.00	13.15
16-QAM 20M BW High Channel								
2560.00	H	86.93	11.04	0.89	10.02	20.17	33.00	12.83
2560.00	V	86.24	10.35	0.89	10.02	19.48	33.00	13.52

LTE Band 12

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Low Channel								
699.70	H	88.28	24.88	0.62	-1.75	22.51	34.77	18.50
699.70	V	87.22	23.82	0.62	-1.75	21.45	34.77	19.56
16-QAM 1.4M BW Low Channel								
699.70	H	88.83	25.43	0.62	-1.75	23.06	34.77	17.95
699.70	V	87.72	24.32	0.62	-1.75	21.95	34.77	19.06
QPSK 3M BW Low Channel								
700.50	H	88.84	25.44	0.62	-1.75	23.07	34.77	17.98
700.50	V	87.08	23.68	0.62	-1.75	21.31	34.77	19.74
16-QAM 3M BW Low Channel								
700.50	H	88.83	25.43	0.62	-1.75	23.06	34.77	17.99
700.50	V	87.99	24.59	0.62	-1.75	22.22	34.77	18.83
QPSK 5M BW Low Channel								
701.50	H	88.62	25.22	0.62	-1.74	22.86	34.77	18.20
701.50	V	87.18	23.78	0.62	-1.74	21.42	34.77	19.64
16-QAM 5M BW Low Channel								
701.50	H	88.10	24.70	0.62	-1.74	22.34	34.77	18.72
701.50	V	87.62	24.22	0.62	-1.74	21.86	34.77	19.20
QPSK 10M BW Low Channel								
704.00	H	89.00	25.60	0.62	-1.73	23.25	34.77	17.86
704.00	V	87.52	24.12	0.62	-1.73	21.77	34.77	19.34
16-QAM 10M BW Low Channel								
704.00	H	88.09	24.69	0.62	-1.73	22.34	34.77	18.77
704.00	V	87.90	24.50	0.62	-1.73	22.15	34.77	18.96

LTE Band 12

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Middle Channel								
707.50	H	88.87	25.38	0.62	-1.71	23.05	34.77	11.72
707.50	V	87.72	24.23	0.62	-1.71	21.90	34.77	12.87
16-QAM 1.4M BW Middle Channel								
707.50	H	88.57	25.08	0.62	-1.71	22.75	34.77	12.02
707.50	V	87.57	24.08	0.62	-1.71	21.75	34.77	13.02
QPSK 3M BW Middle Channel								
707.50	H	88.19	24.70	0.62	-1.71	22.37	34.77	12.40
707.50	V	87.13	23.64	0.62	-1.71	21.31	34.77	13.46
16-QAM 3M BW Middle Channel								
707.50	H	88.67	25.18	0.62	-1.71	22.85	34.77	11.92
707.50	V	87.47	23.98	0.62	-1.71	21.65	34.77	13.12
QPSK 5M BW Middle Channel								
707.50	H	88.89	25.40	0.62	-1.71	23.07	34.77	11.70
707.50	V	87.98	24.49	0.62	-1.71	22.16	34.77	12.61
16-QAM 5M BW Middle Channel								
707.50	H	88.02	24.53	0.62	-1.71	22.20	34.77	12.57
707.50	V	87.22	23.73	0.62	-1.71	21.40	34.77	13.37
QPSK 10M BW Middle Channel								
707.50	H	88.39	24.90	0.62	-1.71	22.57	34.77	12.20
707.50	V	87.47	23.98	0.62	-1.71	21.65	34.77	13.12
16-QAM 10M BW Middle Channel								
707.50	H	88.52	25.03	0.62	-1.71	22.70	34.77	12.07
707.50	V	87.30	23.81	0.62	-1.71	21.48	34.77	13.29

LTE Band 12

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW High Channel								
715.30	H	88.45	25.11	0.62	-1.67	22.82	34.77	18.53
715.30	V	87.85	24.51	0.62	-1.67	22.22	34.77	19.13
16-QAM 1.4M BW High Channel								
715.30	H	88.58	25.24	0.62	-1.67	22.95	34.77	18.40
715.30	V	87.09	23.75	0.62	-1.67	21.46	34.77	19.89
QPSK 3M BW High Channel								
714.50	H	88.83	25.49	0.62	-1.68	23.19	34.77	18.15
714.50	V	87.85	24.51	0.62	-1.68	22.21	34.77	19.13
16-QAM 3M BW High Channel								
714.50	H	88.59	25.25	0.62	-1.68	22.95	34.77	18.39
714.50	V	87.67	24.33	0.62	-1.68	22.03	34.77	19.31
QPSK 5M BW High Channel								
713.50	H	88.60	25.26	0.62	-1.68	22.96	34.77	18.36
713.50	V	87.34	24.00	0.62	-1.68	21.70	34.77	19.62
16-QAM 5M BW High Channel								
713.50	H	88.43	25.09	0.62	-1.68	22.79	34.77	18.53
713.50	V	87.99	24.65	0.62	-1.68	22.35	34.77	18.97
QPSK 10M BW High Channel								
711.00	H	88.80	25.46	0.62	-1.70	23.14	34.77	18.14
711.00	V	87.88	24.54	0.62	-1.70	22.22	34.77	19.06
16-QAM 10M BW High Channel								
711.00	H	88.94	25.60	0.62	-1.70	23.28	34.77	18.00
711.00	V	87.21	23.87	0.62	-1.70	21.55	34.77	19.73

LTE Band 17

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 5M BW Low Channel								
706.50	H	88.94	25.14	0.62	-1.72	22.80	34.77	47.33
706.50	V	87.11	23.31	0.62	-1.72	20.97	34.77	49.16
16-QAM 5M BW Low Channel								
706.50	H	88.85	25.05	0.62	-1.72	22.71	34.77	47.42
706.50	V	87.71	23.91	0.62	-1.72	21.57	34.77	48.56
QPSK 10M BW Low Channel								
709.00	H	88.50	24.70	0.62	-1.71	22.37	34.77	47.64
709.00	V	87.10	23.30	0.62	-1.71	20.97	34.77	49.04
16-QAM 10M BW Low Channel								
709.00	H	88.87	25.07	0.62	-1.71	22.74	34.77	47.27
709.00	V	87.63	23.83	0.62	-1.71	21.50	34.77	48.51

LTE Band 17

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 5M BW Middle Channel								
710.00	H	88.73	25.23	0.62	-1.70	22.91	34.77	47.35
710.00	V	87.11	23.61	0.62	-1.70	21.29	34.77	48.97
16-QAM 5M BW Middle Channel								
710.00	H	88.83	25.33	0.62	-1.70	23.01	34.77	47.25
710.00	V	87.07	23.57	0.62	-1.70	21.25	34.77	49.01
QPSK 10M BW Middle Channel								
710.00	H	88.19	24.69	0.62	-1.70	22.37	34.77	47.89
710.00	V	87.72	24.22	0.62	-1.70	21.90	34.77	48.36
16-QAM 10M BW Middle Channel								
710.00	H	88.43	24.93	0.62	-1.70	22.61	34.77	47.65
710.00	V	87.40	23.90	0.62	-1.70	21.58	34.77	48.68

LTE Band 17

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 5M BW High Channel								
713.50	H	88.27	24.77	0.62	-1.68	22.47	34.77	47.62
713.50	V	87.05	23.55	0.62	-1.68	21.25	34.77	48.84
16-QAM 5M BW High Channel								
713.50	H	88.39	24.89	0.62	-1.68	22.59	34.77	47.50
713.50	V	87.22	23.72	0.62	-1.68	21.42	34.77	48.67
QPSK 10M BW High Channel								
711.00	H	88.72	25.22	0.62	-1.70	22.90	34.77	47.31
711.00	V	87.57	24.07	0.62	-1.70	21.75	34.77	48.46
16-QAM 10M BW High Channel								
711.00	H	88.38	24.88	0.62	-1.70	22.56	34.77	47.65
711.00	V	87.15	23.65	0.62	-1.70	21.33	34.77	48.88

LTE Band 25

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Low Channel								
1850.70	H	89.11	14.11	0.84	8.67	21.94	30.00	45.00
1850.70	V	88.10	13.10	0.84	8.67	20.93	30.00	46.01
16-QAM 1.4M BW Low Channel								
1850.70	H	89.69	14.69	0.84	8.67	22.52	30.00	44.42
1850.70	V	88.04	13.04	0.84	8.67	20.87	30.00	46.07
QPSK 3M BW Low Channel								
1851.50	H	89.85	14.85	0.84	8.76	22.77	30.00	44.17
1851.50	V	88.14	13.14	0.84	8.76	21.06	30.00	45.88
16-QAM 3M BW Low Channel								
1851.50	H	89.69	14.69	0.84	8.76	22.61	30.00	44.33
1851.50	V	88.16	13.16	0.84	8.76	21.08	30.00	45.86
QPSK 5M BW Low Channel								
1852.50	H	89.95	14.95	0.84	8.76	22.87	30.00	44.07
1852.50	V	88.52	13.52	0.84	8.76	21.44	30.00	45.50
16-QAM 5M BW Low Channel								
1852.50	H	89.13	14.13	0.84	8.76	22.05	30.00	44.89
1852.50	V	88.30	13.30	0.84	8.76	21.22	30.00	45.72

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 10M BW Low Channel								
1855.00	H	89.06	14.06	0.84	8.77	21.99	30.00	44.95
1855.00	V	88.20	13.20	0.84	8.77	21.13	30.00	45.81
16-QAM 10M BW Low Channel								
1855.00	H	89.74	14.74	0.84	8.77	22.67	30.00	44.27
1855.00	V	88.49	13.49	0.84	8.77	21.42	30.00	45.52
QPSK 15M BW Low Channel								
1857.50	H	89.88	14.88	0.84	8.77	22.81	30.00	44.13
1857.50	V	88.34	13.34	0.84	8.77	21.27	30.00	45.67
16-QAM 15M BW Low Channel								
1857.50	H	89.59	14.59	0.84	8.77	22.52	30.00	44.42
1857.50	V	88.22	13.22	0.84	8.77	21.15	30.00	45.79
QPSK 20M BW Low Channel								
1860.00	H	89.64	14.64	0.84	8.78	22.58	30.00	44.36
1860.00	V	88.99	13.99	0.84	8.78	21.93	30.00	45.01
16-QAM 20M BW Low Channel								
1860.00	H	89.30	14.30	0.84	8.78	22.24	30.00	44.70
1860.00	V	88.65	13.65	0.84	8.78	21.59	30.00	45.35

LTE Band 25

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Middle Channel								
1882.50	H	89.13	14.13	0.85	8.81	22.09	30.00	44.63
1882.50	V	88.19	13.19	0.85	8.81	21.15	30.00	45.57
16-QAM 1.4M BW Middle Channel								
1882.50	H	89.98	14.98	0.85	8.81	22.94	30.00	43.78
1882.50	V	88.45	13.45	0.85	8.81	21.41	30.00	45.31
QPSK 3M BW Middle Channel								
1882.50	H	89.78	14.78	0.85	8.81	22.74	30.00	43.98
1882.50	V	88.71	13.71	0.85	8.81	21.67	30.00	45.05
16-QAM 3M BW Middle Channel								
1882.50	H	89.33	14.33	0.84	8.57	22.06	30.00	44.66
1882.50	V	88.51	13.51	0.84	8.57	21.24	30.00	45.48
QPSK 5M BW Middle Channel								
1882.50	H	89.77	14.77	0.85	8.81	22.73	30.00	43.99
1882.50	V	88.48	13.48	0.85	8.81	21.44	30.00	45.28
16-QAM 5M BW Middle Channel								
1882.50	H	89.64	14.64	0.85	8.81	22.60	30.00	44.12
1882.50	V	88.43	13.43	0.85	8.81	21.39	30.00	45.33

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 10M BW Middle Channel								
1882.50	H	89.88	14.88	0.85	8.81	22.84	30.00	43.88
1882.50	V	88.84	13.84	0.85	8.81	21.80	30.00	44.92
16-QAM 10M BW Middle Channel								
1882.50	H	89.93	14.93	0.85	8.81	22.89	30.00	43.83
1882.50	V	88.38	13.38	0.85	8.81	21.34	30.00	45.38
QPSK 15M BW Middle Channel								
1882.50	H	89.63	14.63	0.85	8.81	22.59	30.00	44.13
1882.50	V	88.21	13.21	0.85	8.81	21.17	30.00	45.55
16-QAM 15M BW Middle Channel								
1882.50	H	89.67	14.67	0.85	8.81	22.63	30.00	44.09
1882.50	V	88.62	13.62	0.85	8.81	21.58	30.00	45.14
QPSK 20M BW Middle Channel								
1882.50	H	89.44	14.44	0.85	8.81	22.40	30.00	44.32
1882.50	V	88.26	13.26	0.85	8.81	21.22	30.00	45.50
16-QAM 20M BW Middle Channel								
1882.50	H	89.52	14.52	0.85	8.81	22.48	30.00	44.24
1882.50	V	88.47	13.47	0.85	8.81	21.43	30.00	45.29

LTE Band 25

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW High Channel								
1914.30	H	89.63	14.63	0.85	8.86	22.64	30.00	43.86
1914.30	V	88.14	13.14	0.85	8.86	21.15	30.00	45.35
16-QAM 1.4M BW High Channel								
1914.30	H	89.96	14.96	0.85	8.86	22.97	30.00	43.53
1914.30	V	88.68	13.68	0.85	8.86	21.69	30.00	44.81
QPSK 3M BW High Channel								
1913.50	H	89.98	14.98	0.85	8.86	22.99	30.00	43.51
1913.50	V	88.36	13.36	0.85	8.86	21.37	30.00	45.13
16-QAM 3M BW High Channel								
1913.50	H	89.62	14.62	0.85	8.86	22.63	30.00	43.87
1913.50	V	88.28	13.28	0.85	8.86	21.29	30.00	45.21
QPSK 5M BW High Channel								
1912.50	H	89.26	14.26	0.84	8.87	22.29	30.00	44.21
1912.50	V	88.40	13.40	0.84	8.87	21.43	30.00	45.07
16-QAM 5M BW High Channel								
1912.50	H	89.86	14.86	0.84	8.87	22.89	30.00	43.61
1912.50	V	88.97	13.97	0.84	8.87	22.00	30.00	44.50

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 10M BW High Channel								
1910.00	H	89.17	14.17	0.84	8.87	22.20	30.00	44.30
1910.00	V	88.41	13.41	0.84	8.87	21.44	30.00	45.06
16-QAM 10M BW High Channel								
1910.00	H	89.36	14.36	0.84	8.87	22.39	30.00	44.11
1910.00	V	88.91	13.91	0.84	8.87	21.94	30.00	44.56
QPSK 15M BW High Channel								
1907.50	H	89.22	14.22	0.85	8.87	22.24	30.00	44.26
1907.50	V	88.41	13.41	0.85	8.87	21.43	30.00	45.07
16-QAM 15M BW High Channel								
1907.50	H	89.40	14.40	0.85	8.87	22.42	30.00	44.08
1907.50	V	88.70	13.70	0.85	8.87	21.72	30.00	44.78
QPSK 20M BW High Channel								
1905.00	H	89.75	14.75	0.85	8.88	22.78	30.00	43.72
1905.00	V	88.81	13.81	0.85	8.88	21.84	30.00	44.66
16-QAM 20M BW High Channel								
1905.00	H	89.87	14.87	0.85	8.88	22.90	30.00	43.60
1905.00	V	88.44	13.44	0.85	8.88	21.47	30.00	45.03

LTE Band 26

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Low Channel								
814.70	H	88.24	24.54	0.62	-1.21	22.71	34.77	46.74
814.70	V	87.64	23.94	0.62	-1.21	22.11	34.77	47.34
16-QAM 1.4M BW Low Channel								
814.70	H	88.21	24.51	0.62	-1.21	22.68	34.77	46.77
814.70	V	87.12	23.42	0.62	-1.21	21.59	34.77	47.86
QPSK 3M BW Low Channel								
815.50	H	88.30	24.60	0.62	-1.21	22.77	34.77	46.68
815.50	V	87.77	24.07	0.62	-1.21	22.24	34.77	47.21
16-QAM 3M BW Low Channel								
815.50	H	88.39	24.69	0.62	-1.21	22.86	34.77	46.59
815.50	V	87.33	23.63	0.62	-1.21	21.80	34.77	47.65
QPSK 5M BW Low Channel								
816.50	H	88.13	24.43	0.62	-1.20	22.61	34.77	46.84
816.50	V	87.38	23.68	0.62	-1.20	21.86	34.77	47.59
16-QAM 5M BW Low Channel								
816.50	H	88.72	25.02	0.62	-1.20	23.20	34.77	46.25
816.50	V	87.87	24.17	0.62	-1.20	22.35	34.77	47.10

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 10M BW Low Channel								
819.00	H	88.89	25.19	0.62	-1.19	23.38	34.77	46.07
819.00	V	87.06	23.36	0.62	-1.19	21.55	34.77	47.90
16-QAM 10M BW Low Channel								
819.00	H	88.37	24.67	0.62	-1.19	22.86	34.77	46.59
819.00	V	87.47	23.77	0.62	-1.19	21.96	34.77	47.49
QPSK 15M BW Low Channel								
821.50	H	88.85	25.15	0.62	-1.19	23.34	34.77	46.07
821.50	V	87.24	23.54	0.62	-1.19	21.73	34.77	47.90
16-QAM 15M BW Low Channel								
821.50	H	88.67	24.97	0.62	-1.19	23.16	34.77	46.59
821.50	V	87.51	23.81	0.62	-1.19	22.00	34.77	47.49

LTE Band 26

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Middle Channel								
831.50	H	88.55	24.55	0.63	-1.16	22.76	34.77	46.35
831.50	V	87.32	23.32	0.63	-1.16	21.53	34.77	47.58
16-QAM 1.4M BW Middle Channel								
831.50	H	88.18	24.18	0.63	-1.16	22.39	34.77	46.72
831.50	V	87.82	23.82	0.63	-1.16	22.03	34.77	47.08
QPSK 3M BW Middle Channel								
831.50	H	88.12	24.12	0.63	-1.16	22.33	34.77	46.78
831.50	V	87.78	23.78	0.63	-1.16	21.99	34.77	47.12
16-QAM 3M BW Middle Channel								
831.50	H	88.27	24.27	0.63	-1.16	22.48	34.77	46.63
831.50	V	87.60	23.60	0.63	-1.16	21.81	34.77	47.30
QPSK 5M BW Middle Channel								
831.50	H	88.58	24.58	0.63	-1.16	22.79	34.77	46.32
831.50	V	87.55	23.55	0.63	-1.16	21.76	34.77	47.35
16-QAM 5M BW Middle Channel								
831.50	H	88.07	24.07	0.63	-1.16	22.28	34.77	46.83
831.50	V	87.40	23.40	0.63	-1.16	21.61	34.77	47.50

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 10M BW Middle Channel								
831.50	H	88.68	24.68	0.63	-1.16	22.89	34.77	46.22
831.50	V	87.03	23.03	0.63	-1.16	21.24	34.77	47.87
16-QAM 10M BW Middle Channel								
831.50	H	88.88	24.88	0.63	-1.16	23.09	34.77	46.02
831.50	V	87.85	23.85	0.63	-1.16	22.06	34.77	47.05
QPSK 15M BW Middle Channel								
831.50	H	88.69	24.69	0.63	-1.16	22.90	34.77	46.22
831.50	V	87.26	23.26	0.63	-1.16	21.47	34.77	47.87
16-QAM 15M BW Middle Channel								
831.50	H	88.92	24.92	0.63	-1.16	23.13	34.77	46.02
831.50	V	87.59	23.59	0.63	-1.16	21.80	34.77	47.05

LTE Band 26

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW High Channel								
848.30	H	88.13	24.13	0.63	-1.11	22.39	34.77	46.67
848.30	V	87.76	23.76	0.63	-1.11	22.02	34.77	47.04
16-QAM 1.4M BW High Channel								
848.30	H	88.96	24.96	0.63	-1.11	23.22	34.77	45.84
848.30	V	87.32	23.32	0.63	-1.11	21.58	34.77	47.48
QPSK 3M BW High Channel								
847.50	H	88.69	24.69	0.63	-1.11	22.95	34.77	46.11
847.50	V	87.82	23.82	0.63	-1.11	22.08	34.77	46.98
16-QAM 3M BW High Channel								
847.50	H	88.23	24.23	0.63	-1.11	22.49	34.77	46.57
847.50	V	87.03	23.03	0.63	-1.11	21.29	34.77	47.77
QPSK 5M BW High Channel								
846.50	H	88.56	24.56	0.63	-1.11	22.82	34.77	46.24
846.50	V	87.01	23.01	0.63	-1.11	21.27	34.77	47.79
16-QAM 5M BW High Channel								
846.50	H	88.65	24.65	0.63	-1.11	22.91	34.77	46.15
846.50	V	87.49	23.49	0.63	-1.11	21.75	34.77	47.31

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 10M BW High Channel								
844.00	H	88.42	24.42	0.63	-1.12	22.67	34.77	46.39
844.00	V	87.40	23.40	0.63	-1.12	21.65	34.77	47.41
16-QAM 10M BW High Channel								
844.00	H	88.64	24.64	0.63	-1.12	22.89	34.77	46.17
844.00	V	87.49	23.49	0.63	-1.12	21.74	34.77	47.32
QPSK 15M BW High Channel								
841.50	H	88.51	24.51	0.63	-1.13	22.75	34.77	46.39
841.50	V	87.53	23.53	0.63	-1.13	21.77	34.77	47.41
16-QAM 15M BW High Channel								
841.50	H	88.62	24.62	0.63	-1.13	22.86	34.77	46.17
841.50	V	87.44	23.44	0.63	-1.13	21.68	34.77	47.32

LTE band 38

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 5M BW Low Channel								
2572.50	H	84.66	10.77	0.89	10.00	19.88	33.00	13.12
2572.50	V	85.19	11.30	0.89	10.00	20.41	33.00	12.59
16-QAM 5M BW Low Channel								
2572.50	H	84.46	10.57	0.89	10.00	19.68	33.00	13.32
2572.50	V	85.49	11.60	0.89	10.00	20.71	33.00	12.29
QPSK 10M BW Low Channel								
2575.00	H	84.37	10.48	0.89	10.00	19.59	33.00	13.41
2575.00	V	85.86	11.97	0.89	10.00	21.08	33.00	11.92
16-QAM 10M BW Low Channel								
2575.00	H	84.68	10.79	0.89	10.00	19.90	33.00	13.10
2575.00	V	85.91	12.02	0.89	10.00	21.13	33.00	11.87
QPSK 15M BW Low Channel								
2577.50	H	84.50	10.61	0.89	9.99	19.71	33.00	13.29
2577.50	V	85.53	11.64	0.89	9.99	20.74	33.00	12.26
16-QAM 15M BW Low Channel								
2577.50	H	84.95	11.06	0.89	9.99	20.16	33.00	12.84
2577.50	V	85.88	11.99	0.89	9.99	21.09	33.00	11.91
QPSK 20M BW Low Channel								
2580.00	H	84.32	10.43	0.89	9.99	19.53	33.00	13.47
2580.00	V	85.77	11.88	0.89	9.99	20.98	33.00	12.02
16-QAM 20M BW Low Channel								
2580.00	H	84.26	10.37	0.89	9.99	19.47	33.00	13.53
2580.00	V	85.05	11.16	0.89	9.99	20.26	33.00	12.74

LTE band 38

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 5M BW Middle Channel								
2595.00	H	84.43	10.54	0.90	9.97	19.61	33.00	13.39
2595.00	V	85.00	11.11	0.90	9.97	20.18	33.00	12.82
16-QAM 5M BW Middle Channel								
2595.00	H	84.63	10.74	0.90	9.97	19.81	33.00	13.19
2595.00	V	85.24	11.35	0.90	9.97	20.42	33.00	12.58
QPSK 10M BW Middle Channel								
2595.00	H	84.41	10.52	0.90	9.97	19.59	33.00	13.41
2595.00	V	85.22	11.33	0.90	9.97	20.40	33.00	12.60
16-QAM 10M BW Middle Channel								
2595.00	H	84.07	10.18	0.90	9.97	19.25	33.00	13.75
2595.00	V	85.77	11.88	0.90	9.97	20.95	33.00	12.05
QPSK 15M BW Middle Channel								
2595.00	H	84.17	10.28	0.90	9.97	19.35	33.00	13.65
2595.00	V	85.49	11.60	0.90	9.97	20.67	33.00	12.33
16-QAM 15M BW Middle Channel								
2595.00	H	84.13	10.24	0.90	9.97	19.31	33.00	13.69
2595.00	V	85.65	11.76	0.90	9.97	20.83	33.00	12.17
QPSK 20M BW Middle Channel								
2595.00	H	84.29	10.40	0.90	9.97	19.47	33.00	13.53
2595.00	V	85.50	11.61	0.90	9.97	20.68	33.00	12.32
16-QAM 20M BW Middle Channel								
2595.00	H	84.40	10.51	0.90	9.97	19.58	33.00	13.42
2595.00	V	85.35	11.46	0.90	9.97	20.53	33.00	12.47

LTE band 38

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 5M BW High Channel								
2617.50	H	84.08	10.19	0.90	9.94	19.23	33.00	13.77
2617.50	V	85.47	11.58	0.90	9.94	20.62	33.00	12.38
16-QAM 5M BW High Channel								
2617.50	H	84.39	10.50	0.90	9.94	19.54	33.00	13.46
2617.50	V	85.61	11.72	0.90	9.94	20.76	33.00	12.24
QPSK 10M BW High Channel								
2615.00	H	84.88	10.99	0.90	9.94	20.03	33.00	12.97
2615.00	V	85.32	11.43	0.90	9.94	20.47	33.00	12.53
16-QAM 10M BW High Channel								
2615.00	H	84.68	10.79	0.90	9.94	19.83	33.00	13.17
2615.00	V	85.45	11.56	0.90	9.94	20.60	33.00	12.40
QPSK 15M BW High Channel								
2612.50	H	84.49	10.60	0.90	9.94	19.64	33.00	13.36
2612.50	V	85.61	11.72	0.90	9.94	20.76	33.00	12.24
16-QAM 15M BW High Channel								
2612.50	H	84.92	11.03	0.90	9.94	20.07	33.00	12.93
2612.50	V	85.11	11.22	0.90	9.94	20.26	33.00	12.74
QPSK 20M BW High Channel								
2610.00	H	84.37	10.48	0.90	9.95	19.53	33.00	13.47
2610.00	V	85.06	11.17	0.90	9.95	20.22	33.00	12.78
16-QAM 20M BW High Channel								
2610.00	H	84.11	10.22	0.90	9.95	19.27	33.00	13.73
2610.00	V	85.65	11.76	0.90	9.95	20.81	33.00	12.19

LTE Band 41

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 5M BW Low Channel								
2557.50	H	85.72	12.73	0.89	10.02	21.86	33.00	11.14
2557.50	V	84.77	11.78	0.89	10.02	20.91	33.00	12.09
16-QAM 5M BW Low Channel								
2557.50	H	85.83	12.84	0.89	10.02	21.97	33.00	11.03
2557.50	V	84.68	11.69	0.89	10.02	20.82	33.00	12.18
QPSK 10M BW Low Channel								
2560.00	H	85.43	12.44	0.89	10.02	21.57	33.00	11.43
2560.00	V	84.56	11.57	0.89	10.02	20.70	33.00	12.30
16-QAM 10M BW Low Channel								
2560.00	H	85.64	12.65	0.89	10.02	21.78	33.00	11.22
2560.00	V	84.23	11.24	0.89	10.02	20.37	33.00	12.63
QPSK 15M BW Low Channel								
2562.50	H	85.26	12.27	0.89	10.01	21.39	33.00	11.61
2562.50	V	84.63	11.64	0.89	10.01	20.76	33.00	12.24
16-QAM 15M BW Low Channel								
2562.50	H	85.80	12.81	0.89	10.01	21.93	33.00	11.07
2562.50	V	84.32	11.33	0.89	10.01	20.45	33.00	12.55
QPSK 20M BW Low Channel								
2565.00	H	85.18	12.19	0.89	10.01	21.31	33.00	11.69
2565.00	V	84.05	11.06	0.89	10.01	20.18	33.00	12.82
16-QAM 20M BW Low Channel								
2565.00	H	85.06	12.07	0.89	10.01	21.19	33.00	11.81
2565.00	V	84.00	11.01	0.89	10.01	20.13	33.00	12.87

LTE Band 41

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 5M BW Middle Channel								
2605.00	H	85.75	12.76	0.90	9.95	21.81	33.00	11.19
2605.00	V	84.27	11.28	0.90	9.95	20.33	33.00	12.67
16-QAM 5M BW Middle Channel								
2605.00	H	85.48	12.49	0.90	9.95	21.54	33.00	11.46
2605.00	V	84.85	11.86	0.90	9.95	20.91	33.00	12.09
QPSK 10M BW Middle Channel								
2605.00	H	85.21	12.22	0.90	9.95	21.27	33.00	11.73
2605.00	V	84.62	11.63	0.90	9.95	20.68	33.00	12.32
16-QAM 10M BW Middle Channel								
2605.00	H	85.87	12.88	0.90	9.95	21.93	33.00	11.07
2605.00	V	84.74	11.75	0.90	9.95	20.80	33.00	12.20
QPSK 15M BW Middle Channel								
2605.00	H	85.95	12.96	0.90	9.95	22.01	33.00	10.99
2605.00	V	84.73	11.74	0.90	9.95	20.79	33.00	12.21
16-QAM 15M BW Middle Channel								
2605.00	H	85.91	12.92	0.90	9.95	21.97	33.00	11.03
2605.00	V	84.98	11.99	0.90	9.95	21.04	33.00	11.96
QPSK 20M BW Middle Channel								
2605.00	H	85.36	12.37	0.90	9.95	21.42	33.00	11.58
2605.00	V	84.52	11.53	0.90	9.95	20.58	33.00	12.42
16-QAM 20M BW Middle Channel								
2605.00	H	85.94	12.95	0.90	9.95	22.00	33.00	11.00
2605.00	V	84.92	11.93	0.90	9.95	20.98	33.00	12.02

LTE Band 41

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 5M BW High Channel								
2652.50	H	85.04	12.05	0.90	9.89	21.04	33.00	11.96
2652.50	V	84.81	11.82	0.90	9.89	20.81	33.00	12.19
16-QAM 5M BW High Channel								
2652.50	H	85.66	12.67	0.90	9.89	21.66	33.00	11.34
2652.50	V	84.66	11.67	0.90	9.89	20.66	33.00	12.34
QPSK 10M BW High Channel								
2650.00	H	85.98	12.99	0.90	9.89	21.98	33.00	11.02
2650.00	V	84.83	11.84	0.90	9.89	20.83	33.00	12.17
16-QAM 10M BW High Channel								
2650.00	H	85.14	12.15	0.90	9.89	21.14	33.00	11.86
2650.00	V	84.13	11.14	0.90	9.89	20.13	33.00	12.87
QPSK 15M BW High Channel								
2647.50	H	85.30	12.31	0.90	9.89	21.30	33.00	11.70
2647.50	V	84.75	11.76	0.90	9.89	20.75	33.00	12.25
16-QAM 15M BW High Channel								
2647.50	H	85.75	12.76	0.90	9.89	21.75	33.00	11.25
2647.50	V	84.94	11.95	0.90	9.89	20.94	33.00	12.06
QPSK 20M BW High Channel								
2645.00	H	85.07	12.08	0.90	9.90	21.08	33.00	11.92
2645.00	V	84.82	11.83	0.90	9.90	20.83	33.00	12.17
16-QAM 20M BW High Channel								
2645.00	H	85.74	12.75	0.90	9.90	21.75	33.00	11.25
2645.00	V	84.28	11.29	0.90	9.90	20.29	33.00	12.71

LTE Band 66

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Low Channel								
1710.70	H	89.61	13.71	0.84	8.54	21.41	33.00	11.59
1710.70	V	88.86	12.96	0.84	8.54	20.66	33.00	12.34
16-QAM 1.4M BW Low Channel								
1710.70	H	89.79	13.89	0.84	8.54	21.59	33.00	11.41
1710.70	V	88.23	12.33	0.84	8.54	20.03	33.00	12.97
QPSK 3M BW Low Channel								
1711.50	H	89.82	13.92	0.84	8.54	21.62	33.00	11.38
1711.50	V	88.24	12.34	0.84	8.54	20.04	33.00	12.96
16-QAM 3M BW Low Channel								
1711.50	H	89.81	13.91	0.84	8.54	21.61	33.00	11.39
1711.50	V	88.44	12.54	0.84	8.54	20.24	33.00	12.76
QPSK 5M BW Low Channel								
1712.50	H	89.07	13.17	0.84	8.54	20.87	33.00	12.13
1712.50	V	88.36	12.46	0.84	8.54	20.16	33.00	12.84
16-QAM 5M BW Low Channel								
1712.50	H	89.09	13.19	0.84	8.54	20.89	33.00	12.11
1712.50	V	88.93	13.03	0.84	8.54	20.73	33.00	12.27

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 10M BW Low Channel								
1715.00	H	89.22	13.32	0.84	8.54	21.02	33.00	11.98
1715.00	V	88.63	12.73	0.84	8.54	20.43	33.00	12.57
16-QAM 10M BW Low Channel								
1715.00	H	89.55	13.65	0.84	8.54	21.35	33.00	11.65
1715.00	V	88.93	13.03	0.84	8.54	20.73	33.00	12.27
QPSK 15M BW Low Channel								
1717.50	H	89.36	13.46	0.84	8.54	21.16	33.00	11.84
1717.50	V	88.09	12.19	0.84	8.54	19.89	33.00	13.11
16-QAM 15M BW Low Channel								
1717.50	H	89.91	14.01	0.84	8.54	21.71	33.00	11.29
1717.50	V	88.49	12.59	0.84	8.54	20.29	33.00	12.71
QPSK 20M BW Low Channel								
1720.00	H	89.25	13.35	0.84	8.54	21.05	33.00	11.95
1720.00	V	88.39	12.49	0.84	8.54	20.19	33.00	12.81
16-QAM 20M BW Low Channel								
1720.00	H	89.69	13.79	0.84	8.54	21.49	33.00	11.51
1720.00	V	88.85	12.95	0.84	8.54	20.65	33.00	12.35

LTE Band 66

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW Middle Channel								
1745.00	H	89.61	13.95	0.84	8.59	21.70	33.00	11.30
1745.00	V	88.62	12.96	0.84	8.59	20.71	33.00	12.29
16-QAM 1.4M BW Middle Channel								
1745.00	H	89.75	14.09	0.84	8.59	21.84	33.00	11.16
1745.00	V	88.33	12.67	0.84	8.59	20.42	33.00	12.58
QPSK 3M BW Middle Channel								
1745.00	H	89.54	13.88	0.84	8.59	21.63	33.00	11.37
1745.00	V	88.48	12.82	0.84	8.59	20.57	33.00	12.43
16-QAM 3M BW Middle Channel								
1745.00	H	89.03	13.37	0.84	8.59	21.12	33.00	11.88
1745.00	V	88.98	13.32	0.84	8.59	21.07	33.00	11.93
QPSK 5M BW Middle Channel								
1745.00	H	89.76	14.10	0.84	8.59	21.85	33.00	11.15
1745.00	V	88.38	12.72	0.84	8.59	20.47	33.00	12.53
16-QAM 5M BW Middle Channel								
1745.00	H	89.42	13.76	0.84	8.59	21.51	33.00	11.49
1745.00	V	88.86	13.20	0.84	8.59	20.95	33.00	12.05

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 10M BW Middle Channel								
1745.00	H	89.58	13.92	0.84	8.59	21.67	33.00	11.33
1745.00	V	88.40	12.74	0.84	8.59	20.49	33.00	12.51
16-QAM 10M BW Middle Channel								
1745.00	H	89.51	13.85	0.84	8.59	21.60	33.00	11.40
1745.00	V	88.16	12.50	0.84	8.59	20.25	33.00	12.75
QPSK 15M BW Middle Channel								
1745.00	H	89.50	13.84	0.84	8.59	21.59	33.00	11.41
1745.00	V	88.63	12.97	0.84	8.59	20.72	33.00	12.28
16-QAM 15M BW Middle Channel								
1745.00	H	89.97	14.31	0.84	8.59	22.06	33.00	10.94
1745.00	V	88.67	13.01	0.84	8.59	20.76	33.00	12.24
QPSK 20M BW Middle Channel								
1745.00	H	89.42	13.76	0.84	8.59	21.51	33.00	11.49
1745.00	V	88.39	12.73	0.84	8.59	20.48	33.00	12.52
16-QAM 20M BW Middle Channel								
1745.00	H	89.34	13.68	0.84	8.59	21.43	33.00	11.57
1745.00	V	88.05	12.39	0.84	8.59	20.14	33.00	12.86

LTE Band 66

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 1.4M BW High Channel								
1779.30	H	89.57	14.14	0.84	8.65	21.95	33.00	11.05
1779.30	V	88.33	12.90	0.84	8.65	20.71	33.00	12.29
16-QAM 1.4M BW High Channel								
1779.30	H	89.29	13.86	0.84	8.65	21.67	33.00	11.33
1779.30	V	88.25	12.82	0.84	8.65	20.63	33.00	12.37
QPSK 3M BW High Channel								
1778.50	H	89.14	13.71	0.84	8.65	21.52	33.00	11.48
1778.50	V	88.66	13.23	0.84	8.65	21.04	33.00	11.96
16-QAM 3M BW High Channel								
1778.50	H	89.31	13.88	0.84	8.65	21.69	33.00	11.31
1778.50	V	88.99	13.56	0.84	8.65	21.37	33.00	11.63
QPSK 5M BW High Channel								
1777.50	H	89.27	13.84	0.84	8.65	21.65	33.00	11.35
1777.50	V	88.80	13.37	0.84	8.65	21.18	33.00	11.82
16-QAM 5M BW High Channel								
1777.50	H	89.78	14.35	0.84	8.65	22.16	33.00	10.84
1777.50	V	88.09	12.66	0.84	8.65	20.47	33.00	12.53

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Submitted Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
QPSK 10M BW High Channel								
1775.00	H	89.45	14.02	0.84	8.65	21.83	33.00	11.17
1775.00	V	88.57	13.14	0.84	8.65	20.95	33.00	12.05
16-QAM 10M BW High Channel								
1775.00	H	89.10	13.67	0.84	8.65	21.48	33.00	11.52
1775.00	V	88.64	13.21	0.84	8.65	21.02	33.00	11.98
QPSK 15M BW High Channel								
1772.50	H	89.39	13.96	0.84	8.65	21.77	33.00	11.23
1772.50	V	88.41	12.98	0.84	8.65	20.79	33.00	12.21
16-QAM 15M BW High Channel								
1772.50	H	89.71	14.28	0.84	8.65	22.09	33.00	10.91
1772.50	V	88.62	13.19	0.84	8.65	21.00	33.00	12.00
QPSK 20M BW High Channel								
1770.00	H	89.64	14.21	0.84	8.65	22.02	33.00	10.98
1770.00	V	88.07	12.64	0.84	8.65	20.45	33.00	12.55
16-QAM 20M BW High Channel								
1770.00	H	89.07	13.64	0.84	8.65	21.45	33.00	11.55
1770.00	V	88.34	12.91	0.84	8.65	20.72	33.00	12.28

Note:

All above data were tested without amplifier.

Absolute Level (dBm) = Submitted Level (dBm) - Cable loss (dB) + Antenna Gain (dBd/dBi)

Margin (dB) = Limit (dBm) - Absolute Level (dBm)


FCC §2.1049, §22.917, §22.905 & §24.238, §27.53, §90.209- OCCUPIED BANDWIDTH**Applicable Standards**

FCC 47 §2.1049, §22.917, §22.905; §24.238 ; §27.53 ; §90.209.

Test Procedure

The RF output of the transmitter was connected to the simulator and the spectrum analyzer through sufficient attenuation.

The resolution bandwidth of the spectrum analyzer was set at 5 kHz (Cellular /PCS) & 100 kHz (WCDMA) & 20 kHz/30 kHz/50 kHz/100 kHz/200 kHz (LTE), and the 26 dB & 99% bandwidth was recorded.

**Test Data****Environmental Conditions**

Temperature:	23.1-24.9 °C
Relative Humidity:	45-50 %
ATM Pressure:	101.1-101.9 kPa

The testing was performed by Chao Gao from 2020-11-06 to 2020-12-10.

EUT operation mode: Transmitting

Test Result: Compliant.

GSM 850 Band

Mode	Channel	Frequency (MHz)	26 dB Emission Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
GSM (GMSK)	Low	824.2	0.315	0.246
	Middle	836.6	0.319	0.244
	High	848.8	0.319	0.248
GPRS (GMSK)	Low	824.2	0.325	0.246
	Middle	836.6	0.317	0.246
	High	848.8	0.321	0.246
EGPRS (8PSK)	Low	824.2	0.329	0.253
	Middle	836.6	0.331	0.253
	High	848.8	0.337	0.261

WCDMA Band V



Mode	Channel	Frequency (MHz)	26 dB Emission Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
WCDMA (Rel 99)	Low	826.4	4.729	4.188
	Middle	836.6	4.729	4.188
	High	846.6	4.729	4.168
WCDMA (HSDPA)	Low	826.4	4.729	4.168
	Middle	836.6	4.729	4.168
	High	846.6	4.729	4.168
WCDMA (HSUPA)	Low	826.4	4.729	4.168
	Middle	836.6	4.729	4.188
	High	846.6	4.729	4.168
WCDMA (HSPA+)	Low	826.4	4.729	4.188
	Middle	836.6	4.709	4.168
	High	846.6	4.729	4.168



PCS 1900



Mode	Channel	Frequency (MHz)	26 dB Emission Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
GSM (GMSK)	Low	1850.2	0.319	0.244
	Middle	1880	0.319	0.244
	High	1909.8	0.315	0.246
GPRS (GMSK)	Low	1850.2	0.319	0.244
	Middle	1880	0.319	0.244
	High	1909.8	0.319	0.244
EGPRS (8PSK)	Low	1850.2	0.321	0.251
	Middle	1880	0.325	0.255
	High	1909.8	0.327	0.261

WCDMA Band II


Mode	Channel	Frequency (MHz)	26 dB Emission Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
WCDMA (Rel 99)	Low	1852.4	4.709	4.188
	Middle	1880	4.729	4.188
	High	1907.6	4.749	4.208
WCDMA (HSDPA)	Low	1852.4	4.709	4.188
	Middle	1880	4.729	4.188
	High	1907.6	4.729	4.208
WCDMA (HSUPA)	Low	1852.4	4.709	4.188
	Middle	1880	4.709	4.188
	High	1907.6	4.729	4.208
WCDMA (HSPA+)	Low	1852.4	4.709	4.188
	Middle	1880	4.709	4.188
	High	1907.6	4.749	4.208

GSM 850 Band**99% Occupied & 26 dB Emissions Bandwidth for GSM (GMSK) Low channel****99% Occupied & 26 dB Emissions Bandwidth for GSM (GMSK) Middle channel**


99% Occupied & 26 dB Emissions Bandwidth for GSM (GMSK) High channel**99% Occupied & 26 dB Emissions Bandwidth for GPRS (GMSK) Mode Low Channel**

99% Occupied & 26 dB Emissions Bandwidth for GPRS (GMSK) Mode Middle Channel**99% Occupied & 26 dB Emissions Bandwidth for GPRS (GMSK) Mode High Channel**


99% Occupied & 26 dB Emissions Bandwidth for EGPRS (GMSK) Mode Low Channel



99% Occupied & 26 dB Emissions Bandwidth for EGPRS (GMSK) Mode Middle Channel




99% Occupied & 26 dB Emissions Bandwidth for EGPRS (GMSK) Mode High Channel




WCDMA Band V


99% Occupied & 26 dB Emissions Bandwidth for WCDMA (Rel 99) Mode Low Channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSDPA) Mode Low Channel





99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSUPA) Mode Low Channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSPA+) Mode Low Channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (Rel 99) Mode Middle Channel**99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSDPA) Mode Middle Channel**


99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSUPA) Mode Middle Channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSPA+) Mode Middle Channel





99% Occupied & 26 dB Emissions Bandwidth for WCDMA (Rel 99) Mode High Channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSDPA) Mode High Channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSUPA) Mode High Channel**99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSPA+) Mode High Channel**



PCS 1900 Band

99% Occupied & 26 dB Emissions Bandwidth for GSM (GMSK) Low channel



99% Occupied & 26 dB Emissions Bandwidth for GSM (GMSK) Middle channel



99% Occupied & 26 dB Emissions Bandwidth for GSM (GMSK) High channel**99% Occupied & 26 dB Emissions Bandwidth for GPRS (GMSK) Mode Low Channel**

Delta 1 [T1]
 Ref Lvl 35 dBm
 0.46 dB
 318.63727455 kHz
 RBW 5 kHz
 VBW 20 kHz
 SWT 100 ms
 RF Att 40 dB
 Unit dBm

7 dB Offset
 -D1 24.88 dBm
 1MAX
 D2 -1.12 dBm
 T1
 T2
 OPB
 ▽T1 [T1]
 ▽T2 [T1]

-2.46 dBm
 1.87984068 GHz
 0.46 dB
 318.63727455 kHz
 244.48897796 kHz
 10.53 dBm
 1.87987675 GHz
 10.80 dBm
 1.88012124 GHz
 1MAX

Center 1.88 GHz
 100 kHz/
 Span 1 MHz



Date: 13. NOV. 2020 15:37:20

Delta 1 [T1] -1.49 dB
 Ref Lvl 35 dBm
 RBW 5 kHz RF Att 40 dB
 VBW 20 kHz
 SWT 100 ms Unit dBm


7 dB Offset
 -D1 24.68 dBm
 1MAX
 -D2 -1.32 dBm
 1MA

Center 1.9098 GHz
 100 kHz/
 Span 1 MHz


Date: 13. NOV. 2020 15:35:08



99% Occupied & 26 dB Emissions Bandwidth for EGPRS (8PSK) Mode Low Channel**99% Occupied & 26 dB Emissions Bandwidth for EGPRS (8PSK) Mode Middle Channel**



99% Occupied & 26 dB Emissions Bandwidth for EGPRS (8PSK) Mode High Channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (Rel 99) Mode Low Channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSUPA) Mode Low Channel**99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSPA+) Mode Low Channel**



99% Occupied & 26 dB Emissions Bandwidth for WCDMA (Rel 99) Mode Middle Channel**99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSDPA) Mode Middle Channel**



99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSUPA) Mode Middle Channel



99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSPA+) Mode Middle Channel




99% Occupied & 26 dB Emissions Bandwidth for WCDMA (Rel 99) Mode High Channel**99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSDPA) Mode High Channel**

99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSUPA) Mode High Channel**99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSPA+) Mode High Channel**


LTE Band 2:



Test Modulation	Test Bandwidth	Test Channel	26 dB Bandwidth	99% Occupied Bandwidth
			MHz	MHz
QPSK	1.4M	Low	1.269	1.088
	3M		2.874	2.681
	5M		4.850	4.469
	10M		9.619	8.978
	15M		14.609	13.467
	20M		19.158	17.956
	1.4M	Middle	1.275	1.094
	3M		2.886	2.681
	5M		4.890	4.489
	10M		9.659	8.978
	15M		14.729	13.467
	20M		19.158	17.956
	1.4M	High	1.287	1.088
	3M		2.886	2.693
	5M		4.850	4.469
	10M		9.619	8.978
	15M		14.549	13.467
	20M		19.158	17.956
16-QAM	1.4M	Low	1.257	1.082
	3M		2.886	2.681
	5M		4.810	4.469
	10M		9.739	8.978
	15M		14.729	13.467
	20M		19.238	17.876
	1.4M	Middle	1.275	1.094
	3M		2.886	2.693
	5M		4.890	4.489
	10M		9.619	8.978
	15M		14.609	13.467
	20M		19.158	17.956
	1.4M	High	1.275	1.088
	3M		2.910	2.693
	5M		4.870	4.469
	10M		9.659	8.978
	15M		14.549	13.467
	20M		19.158	17.956

QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel






QPSK (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**QPSK (10MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**



QPSK (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel







QPSK (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**

16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**


16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**16-QAM (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**



QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



QPSK (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel







QPSK (10MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel





QPSK (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**QPSK (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

[illegible]

Delta 1 [T1]

Ref Lvl 1.33 dB

30 dBm

9.61923848 MHz

RBW 100 kHz

RF Att 40 dB

SWT 5 ms

Unit dBm

7 dB Offset

D1 12.7 dBm

1MAX

D2 -13.3 dBm

▼1 [T1] -13.86 dBm

▲1 [T1] 1.33 dB

▼2 [T1] 9.61923848 MHz

▲2 [T1] 9.61923848 MHz

▼T1 [T1] 9.59 dBm

▲T1 [T1] 9.59 dBm

▼T2 [T1] 1.90053106 GHz

▲T2 [T1] 1.90053106 GHz

▼T3 [T1] 1.90950902 GHz



▲T3 [T1] 1.90950902 GHz



Center 1.905 GHz



2 MHz/

Span 20 MHz


Date: 6.NOV.2020 09:52:52

QPSK (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**


16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




16-QAM (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




LTE Band 4:



Test Modulation	Test Bandwidth	Test Channel	26 dB Bandwidth	99% Occupied Bandwidth
			MHz	MHz
QPSK	1.4M	Low	1.299	1.088
	3M		2.862	2.681
	5M		4.890	4.489
	10M		9.699	8.978
	15M		14.549	13.467
	20M		19.078	17.956
	1.4M	Middle	1.293	1.094
	3M		2.874	2.681
	5M		4.850	4.489
	10M		9.699	8.978
	15M		14.549	13.467
	20M		19.238	17.956
	1.4M	High	1.269	1.100
	3M		2.898	2.693
	5M		4.890	4.489
	10M		9.739	8.978
	15M		14.609	13.467
	20M		19.158	17.956
16-QAM	1.4M	Low	1.275	1.088
	3M		2.874	2.681
	5M		4.890	4.469
	10M		9.699	8.938
	15M		14.669	13.467
	20M		18.998	17.956
	1.4M	Middle	1.299	1.094
	3M		2.886	2.681
	5M		4.830	4.489
	10M		9.619	8.978
	15M		14.489	13.407
	20M		19.238	17.956
	1.4M	High	1.269	1.100
	3M		2.898	2.681
	5M		4.870	4.489
	10M		9.659	8.978
	15M		14.669	13.467
	20M		19.158	17.956



QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel







QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel





QPSK (5MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**QPSK (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**


QPSK (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**QPSK (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**

16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**


16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**

16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**16-QAM (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**


QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel







QPSK (5MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel







QPSK (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel







QPSK (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**QPSK (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

QPSK (5MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

QPSK (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**



16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**



16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**



16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**16-QAM (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**



LTE Band 5:



Test Modulation	Test Bandwidth	Test Channel	26 dB Bandwidth	99% Occupied Bandwidth
			MHz	MHz
QPSK	1.4M	Low	1.269	1.088
	3M		2.886	2.681
	5M		4.870	4.489
	10M		9.659	8.978
	1.4M	Middle	1.269	1.094
	3M		2.898	2.693
	5M		4.870	4.489
	10M		9.619	8.978
	1.4M	High	1.263	1.088
	3M		2.874	2.681
	5M		4.870	4.469
	10M		9.699	8.978
16-QAM	1.4M	Low	1.269	1.094
	3M		2.874	2.681
	5M		4.890	4.489
	10M		9.780	8.978
	1.4M	Middle	1.269	1.094
	3M		2.898	2.693
	5M		4.850	4.489
	10M		9.619	8.978
	1.4M	High	1.263	1.088
	3M		2.886	2.681
	5M		4.850	4.489
	10M		9.659	8.978



QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**QPSK (3.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**



QPSK (5.0MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**QPSK (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**

16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**16-QAM (3.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**


16-QAM (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**16-QAM (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**

QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**QPSK (3.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**


QPSK (5.0MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**QPSK (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (3.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**


16-QAM (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




16-QAM (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel





QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




QPSK (3.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




QPSK (5.0MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel



16-QAM (3.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel



Delta 1 [T1]

Ref Lvl 0.65 dB

30 dBm

4.84969940 MHz

RBW 50 kHz

RF Att 40 dB

SWT 200 kHz

Unit dBm

7 dB Offset

D1 13.16 dBm

1MAX

D2 -12.84 dBm

▼1 [T1] -14.20 dBm

▲1 [T1] 0.65 dB

▽1 [T1] 9.51 dBm

▽T2 [T1] 10.12 dBm

844.08517034 MHz

4.84969940 MHz

4.48897796 MHz

844.26553106 MHz

848.75450902 MHz

Center 846.5 MHz

1 MHz/

Span 10 MHz

Date: 6.NOV.2020 14:13:05

Delta 1 [T1] 0.10 dB
 RBW 100 kHz RF Att 40 dB
 Ref Lvl 30 dBm
 VBW 300 kHz
 SWT 5 ms Unit dBm



7 dB Offset
 D1 13.47 dBm
 D2 -12.53 dBm
 1MAX
 IN1
 IMA



Center 844 MHz 2 MHz/ Span 20 MHz



-12.76 dBm
 839.17034068 MHz
 0.10 dB
 9.65931864 MHz
 8.97795591 MHz
 8.90 dBm
 839.53106212 MHz
 9.03 dBm
 848.50901804 MHz

LTE Band 7:


Test Modulation	Test Bandwidth	Test Channel	26 dB Bandwidth	99% Occupied Bandwidth
			MHz	MHz
QPSK	5M	Low	4.890	4.489
	10M		9.739	8.978
	15M		14.549	13.467
	20M		19.238	17.956
	5M	Middle	4.830	4.469
	10M		9.619	8.978
	15M		14.669	13.467
	20M		19.078	17.956
	5M	High	4.870	4.489
	10M		9.619	8.978
	15M		14.669	13.467
	20M		19.399	17.956
16-QAM	5M	Low	4.850	4.489
	10M		9.659	8.978
	15M		14.669	13.467
	20M		19.078	17.956
	5M	Middle	4.850	4.489
	10M		9.659	8.938
	15M		14.669	13.467
	20M		19.238	17.956
	5M	High	4.870	4.489
	10M		9.619	8.978
	15M		14.609	13.467
	20M		19.238	17.956

QPSK (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**QPSK (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**


QPSK (15.0MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**QPSK (20.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**



16-QAM (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**16-QAM (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**



16-QAM (15.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel







16-QAM (20.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel







QPSK (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**QPSK (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



QPSK (15.0MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**QPSK (20.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



16-QAM (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

16-QAM (15.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (20.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

QPSK (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

QPSK (15.0MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (20.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**


16-QAM (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**16-QAM (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

16-QAM (15.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**16-QAM (20.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**


LTE Band 12:



Test Modulation	Test Bandwidth	Test Channel	26 dB Bandwidth	99% Occupied Bandwidth
			MHz	MHz
QPSK	1.4M	Low	1.269	1.088
	3M		2.886	2.681
	5M		4.910	4.309
	10M		9.699	8.657
	1.4M	Middle	1.287	1.088
	3M		2.886	2.681
	5M		4.870	4.309
	10M		9.860	8.978
	1.4M	High	1.335	1.100
	3M		2.910	2.693
	5M		4.950	4.329
	10M		9.980	8.978
16-QAM	1.4M	Low	1.275	1.088
	3M		2.886	2.681
	5M		4.890	4.309
	10M		9.699	8.697
	1.4M	Middle	1.281	1.088
	3M		2.886	2.681
	5M		4.890	4.309
	10M		9.820	8.978
	1.4M	High	1.311	1.094
	3M		2.946	2.693
	5M		4.970	4.309
	10M		9.940	8.978



QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel







QPSK (3.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel







QPSK (5.0MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**QPSK (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**



16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**16-QAM (3.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**



16-QAM (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**16-QAM (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**



QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**QPSK (3.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



QPSK (5.0MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**QPSK (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (3.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**


16-QAM (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (3.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**


QPSK (5.0MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**16-QAM (3.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

16-QAM (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




16-QAM (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




LTE Band 17:

Test Modulation	Test Bandwidth	Test Channel	26 dB Bandwidth	99% Occupied Bandwidth
			MHz	MHz
QPSK	5M	Low	4.910	4.329
	10M		9.980	8.978
	5M	Middle	4.910	4.309
	10M		9.780	8.978
	5M	High	4.990	4.329
	10M		9.739	8.617
16-QAM	5M	Low	4.910	4.329
	10M		9.940	8.978
	5M	Middle	4.870	4.309
	10M		9.900	8.978
	5M	High	4.890	4.329
	10M		9.739	8.657


QPSK (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




QPSK (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel







QPSK (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel





QPSK (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel





16-QAM (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



QPSK (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**



16-QAM (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**16-QAM (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**



LTE Band 25:



Test Modulation	Test Bandwidth	Test Channel	26 dB Bandwidth	99% Occupied Bandwidth
			MHz	MHz
QPSK	1.4M	Low	1.281	1.112
	3M		2.862	2.693
	5M		4.890	4.309
	10M		9.980	8.978
	15M		14.970	13.527
	20M		19.639	18.036
	1.4M	Middle	1.293	1.106
	3M		2.874	2.693
	5M		4.930	4.309
	10M		9.940	8.978
	15M		14.970	13.527
	20M		19.559	18.036
	1.4M	High	1.299	1.106
	3M		2.874	2.669
	5M		4.850	4.309
	10M		9.940	8.978
	15M		14.970	13.467
	20M		19.399	18.036
16-QAM	1.4M	Low	1.293	1.100
	3M		2.862	2.693
	5M		4.890	4.309
	10M		9.820	8.978
	15M		14.970	13.587
	20M		19.639	18.116
	1.4M	Middle	1.299	1.100
	3M		2.886	2.693
	5M		4.890	4.309
	10M		9.900	8.978
	15M		14.970	13.527
	20M		19.559	18.036
	1.4M	High	1.305	1.106
	3M		2.850	2.681
	5M		4.870	4.309
	10M		9.820	8.978
	15M		14.970	13.467
	20M		19.880	18.036



QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**



QPSK (5MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**QPSK (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**



QPSK (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**QPSK (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**



16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**



16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**



16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**16-QAM (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**



QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



QPSK (5MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**QPSK (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



QPSK (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**QPSK (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

QPSK (5MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**



QPSK (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

[illegible]

The screenshot displays a spectrum analyzer interface with the following settings and measurements:


- Top Bar Parameters:**
 - Ref Lvl: 35 dBm
 - Delta 1 [T1]: -0.95 dB
 - RBW: 100 kHz
 - RF Att: 40 dB
 - VBW: 300 kHz
 - SWT: 5 ms
 - Unit: dBm
- Main Display Area:**
 - A blue trace shows the signal spectrum centered at 1.91 GHz.
 - Horizontal red reference lines are labeled D1 (-13.55 dBm) and D2 (-12.45 dBm).
 - Measurement points T1 and T2 are marked on the signal trace.
 - Vertical green arrows indicate frequency offsets from the center: 1.90513026 GHz (labeled 1), 8.97795591 MHz (labeled OPB), 1.90553106 GHz (labeled 2), and 1.91450002 GHz (labeled 1MA).
 - Other labels include "7 dB Offset", "IMAX", and "A".
- Bottom Status Bar:**
 - Center: 1.91 GHz
 - Span: 20 MHz
 - Date: 11. NOV. 2020 13:38:56

16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**16-QAM (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**


LTE Band 26:



Test Modulation	Test Bandwidth	Test Channel	26 dB Bandwidth	99% Occupied Bandwidth
			MHz	MHz
QPSK	1.4M	Low	1.323	1.106
	3M		2.874	2.681
	5M		4.950	4.509
	10M		9.619	8.978
	15M		14.729	13.467
	1.4M	Middle	1.299	1.100
	3M		2.874	2.693
	5M		4.930	4.509
	10M		9.619	8.978
	15M		14.790	13.527
	1.4M	High	1.299	1.112
	3M		2.862	2.681
	5M		4.910	4.489
	10M		9.619	8.978
	15M		14.850	13.527
16-QAM	1.4M	Low	1.329	1.106
	3M		2.874	2.693
	5M		4.970	4.509
	10M		9.499	8.938
	15M		14.669	13.527
	1.4M	Middle	1.305	1.106
	3M		2.850	2.693
	5M		4.990	4.509
	10M		9.579	8.978
	15M		14.729	13.527
	1.4M	High	1.299	1.112
	3M		2.850	2.681
	5M		4.950	4.509
	10M		9.619	8.978
	15M		14.790	13.587

QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel



QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel



QPSK (5MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**QPSK (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**

Delta 1 [T1] 1.11 dB
 RBW 300 kHz RF Att 40 dB
 Ref Lvl 35 dBm
 VBW 1 MHz
 SWT 5 ms Unit dBm

7 dB Offset
 D1 19.17 dBm
 D2 -6.83 dBm
 1MAX
 1
 T1
 T2
 T1
 T1
 T2
 T1
 1

35
 30
 20
 10
 0
 -10
 -20
 -30
 -40
 -50
 -60
 -65

Center 821.5 MHz
 3 MHz/
 Span 30 MHz

Date: 10. NOV. 2020 15:05:24

Delta 1 [T1] -0.21 dB

Ref Lvl 35 dBm

RBW 30 kHz

VBW 100 kHz

SWT 8.5 ms

RF Att 40 dB

Unit dBm

7 dB Offset

D1 19.21 dBm

D2 -6.79 dBm

1MAX

1MA


Center 814.7 MHz

300 kHz/


Span 3 MHz



Date: 12. NOV. 2020 11:14:23

16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel




16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel






16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**

QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel



QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel



QPSK (5MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**QPSK (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

Delta 1 [T1] -2.02 dB
 Ref Lvl 35 dBm
 RBW 300 kHz
 VBW 1 MHz
 SWT 5 ms
 RF Att 40 dB
 Unit dBm


7 dB Offset
 D1 18.73 dBm
 D2 -7.27 dBm
 1MAX
 1

Center 831.5 MHz
 3 MHz/
 Span 30 MHz


Date: 9.NOV.2020 21:11:26



[illegible]



16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel







16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel





16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**


QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

QPSK (5MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**


QPSK (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel







16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel





LTE Band 38:

Test Modulation	Test Bandwidth	Test Channel	26 dB Bandwidth	99% Occupied Bandwidth
			MHz	MHz
QPSK	5M	Low	4.990	4.529
	10M		9.619	8.978
	15M		14.729	13.467
	20M		19.319	17.956
	5M	Middle	4.970	4.509
	10M		9.579	8.938
	15M		14.669	13.527
	20M		19.238	17.956
	5M	High	4.990	4.509
	10M		9.539	8.978
	15M		14.609	13.527
	20M		19.399	17.956
16-QAM	5M	Low	4.990	4.529
	10M		9.499	8.938
	15M		14.790	13.527
	20M		19.238	17.956
	5M	Middle	4.910	4.529
	10M		9.459	8.978
	15M		14.669	13.527
	20M		19.238	17.956
	5M	High	4.970	4.509
	10M		9.579	8.978
	15M		14.609	13.527
	20M		19.399	18.036

QPSK (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**QPSK (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**

QPSK (15.0MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**QPSK (20.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**

16-QAM (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**16-QAM (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**

Delta 1 [T1] -2.61 dB

RBW 300 kHz RF Att 40 dB

Ref Lvl 35 dBm VBW 1 MHz Unit dBm

SWT 5 ms

7 dB Offset

D1 14.76 dBm

1MAX

D2 -11.24 dBm

1A

▼1 [T1] -16.63 dBm

▲1 [T1] -2.61 dB

OPB 54.70957916 MHz

▽T2 [T1] 2.57073647 GHz

2.57019539 GHz

23.52705411 MHz

9.28 dBm

16.38 dBm


2.58426253 GHz

Center 2.5775 GHz 3 MHz/ Span 30 MHz


Date: 10. NOV. 2020 13:30:26



[illegible]



QPSK (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel



QPSK (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel



QPSK (15.0MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**QPSK (20.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

16-QAM (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

[illegible]

Delta 1 [T1] -1.45 dB

Ref Lvl 35 dBm

300 kHz RBW

1 MHz VBW

5 ms SWT

RF Att 40 dB

Unit dBm

7 dB Offset

D1 14.91 dBm

1MAX

T1

OPB

T2 [T1]

T1 [T1]

T2 [T1]

1



D2 -11.09 dBm

Center 2.595 GHz

4 MHz/

Span 40 MHz

Date: 9.NOV.2020 21:15:46

QPSK (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

Ref Lvl 35 dBm
 Delta 1 0.06 dB
 RBW 300 kHz
 RF Att 40 dB
 VBW 1 MHz
 SWT 5 ms
 Unit dBm



7 dB Offset
 D1 17.04 dBm
 D2 -8.96 dBm
 1MAX
 1A

Center 2.6125 GHz
 3 MHz/
 Span 30 MHz


Date: 10. NOV. 2020 19:18:46

Ref Lvl 35 dBm Delta 1 -0.74 dB RBW 300 kHz RF Att 40 dB
 35 dBm 19.39879760 MHz VBW 1 MHz Unit dBm
 SWT 5 ms


7 dB Offset
 D1 15.96 dBm
 T1 -11.81 dBm
 T2 -6.74 dBm
 T3 -12.57 dBm
 D2 -10.04 dBm
 T4 -11.36 dBm
 T5 -12.57 dBm
 T6 -12.57 dBm
 T7 -12.57 dBm
 T8 -12.57 dBm
 T9 -12.57 dBm
 T10 -12.57 dBm
 T11 -12.57 dBm
 T12 -12.57 dBm
 T13 -12.57 dBm
 T14 -12.57 dBm
 T15 -12.57 dBm
 T16 -12.57 dBm
 T17 -12.57 dBm
 T18 -12.57 dBm
 T19 -12.57 dBm
 T20 -12.57 dBm
 T21 -12.57 dBm
 T22 -12.57 dBm
 T23 -12.57 dBm
 T24 -12.57 dBm
 T25 -12.57 dBm
 T26 -12.57 dBm
 T27 -12.57 dBm
 T28 -12.57 dBm
 T29 -12.57 dBm
 T30 -12.57 dBm
 T31 -12.57 dBm
 T32 -12.57 dBm
 T33 -12.57 dBm
 T34 -12.57 dBm
 T35 -12.57 dBm
 T36 -12.57 dBm
 T37 -12.57 dBm
 T38 -12.57 dBm
 T39 -12.57 dBm
 T40 -12.57 dBm
 T41 -12.57 dBm
 T42 -12.57 dBm
 T43 -12.57 dBm
 T44 -12.57 dBm
 T45 -12.57 dBm
 T46 -12.57 dBm
 T47 -12.57 dBm
 T48 -12.57 dBm
 T49 -12.57 dBm
 T50 -12.57 dBm
 T51 -12.57 dBm
 T52 -12.57 dBm
 T53 -12.57 dBm
 T54 -12.57 dBm
 T55 -12.57 dBm
 T56 -12.57 dBm
 T57 -12.57 dBm
 T58 -12.57 dBm
 T59 -12.57 dBm
 T60 -12.57 dBm
 T61 -12.57 dBm
 T62 -12.57 dBm
 T63 -12.57 dBm
 T64 -12.57 dBm
 T65 -12.57 dBm
 T66 -12.57 dBm
 T67 -12.57 dBm
 T68 -12.57 dBm
 T69 -12.57 dBm
 T70 -12.57 dBm
 T71 -12.57 dBm
 T72 -12.57 dBm
 T73 -12.57 dBm
 T74 -12.57 dBm
 T75 -12.57 dBm
 T76 -12.57 dBm
 T77 -12.57 dBm
 T78 -12.57 dBm
 T79 -12.57 dBm
 T80 -12.57 dBm
 T81 -12.57 dBm
 T82 -12.57 dBm
 T83 -12.57 dBm
 T84 -12.57 dBm
 T85 -12.57 dBm
 T86 -12.57 dBm
 T87 -12.57 dBm
 T88 -12.57 dBm
 T89 -12.57 dBm
 T90 -12.57 dBm
 T91 -12.57 dBm
 T92 -12.57 dBm
 T93 -12.57 dBm
 T94 -12.57 dBm
 T95 -12.57 dBm
 T96 -12.57 dBm
 T97 -12.57 dBm
 T98 -12.57 dBm
 T99 -12.57 dBm
 T100 -12.57 dBm
 T101 -12.57 dBm
 T102 -12.57 dBm
 T103 -12.57 dBm
 T104 -12.57 dBm
 T105 -12.57 dBm
 T106 -12.57 dBm
 T107 -12.57 dBm
 T108 -12.57 dBm
 T109 -12.57 dBm
 T110 -12.57 dBm
 T111 -12.57 dBm
 T112 -12.57 dBm
 T113 -12.57 dBm
 T114 -12.57 dBm
 T115 -12.57 dBm
 T116 -12.57 dBm
 T117 -12.57 dBm
 T118 -12.57 dBm
 T119 -12.57 dBm
 T120 -12.57 dBm
 T121 -12.57 dBm
 T122 -12.57 dBm
 T123 -12.57 dBm
 T124 -12.57 dBm
 T125 -12.57 dBm
 T126 -12.57 dBm
 T127 -12.57 dBm
 T128 -12.57 dBm
 T129 -12.57 dBm
 T130 -12.57 dBm
 T131 -12.57 dBm
 T132 -12.57 dBm
 T133 -12.57 dBm
 T134 -12.57 dBm
 T135 -12.57 dBm
 T136 -12.57 dBm
 T137 -12.57 dBm
 T138 -12.57 dBm
 T139 -12.57 dBm
 T140 -12.57 dBm
 T141 -12.57 dBm
 T142 -12.57 dBm
 T143 -12.57 dBm
 T144 -12.57 dBm
 T145 -12.57 dBm
 T146 -12.57 dBm
 T147 -12.57 dBm
 T148 -12.57 dBm
 T149 -12.57 dBm
 T150 -12.57 dBm
 T151 -12.57 dBm
 T152 -12.57 dBm
 T153 -12.57 dBm
 T154 -12.57 dBm
 T155 -12.57 dBm
 T156 -12.57 dBm
 T157 -12.57 dBm
 T158 -12.57 dBm
 T159 -12.57 dBm
 T160 -12.57 dBm
 T161 -12.57 dBm
 T162 -12.57 dBm
 T163 -12.57 dBm
 T164 -12.57 dBm
 T165 -12.57 dBm
 T166 -12.57 dBm
 T167 -12.57 dBm
 T168 -12.57 dBm
 T169 -12.57 dBm
 T170 -12.57 dBm
 T171 -12.57 dBm
 T172 -12.57 dBm
 T173 -12.57 dBm
 T174 -12.57 dBm
 T175 -12.57 dBm
 T176 -12.57 dBm
 T177 -12.57 dBm
 T178 -12.57 dBm
 T179 -12.57 dBm
 T180 -12.57 dBm
 T181 -12.57 dBm
 T182 -12.57 dBm
 T183 -12.57 dBm
 T184 -12.57 dBm
 T185 -12.57 dBm
 T186 -12.57 dBm
 T187 -12.57 dBm
 T188 -12.57 dBm
 T189 -12.57 dBm
 T190 -12.57 dBm
 T191 -12.57 dBm
 T192 -12.57 dBm
 T193 -12.57 dBm
 T194 -12.57 dBm
 T195 -12.57 dBm
 T196 -12.57 dBm
 T197 -12.57 dBm
 T198 -12.57 dBm
 T199 -12.57 dBm
 T200 -12.57 dBm
 T201 -12.57 dBm
 T202 -12.57 dBm
 T203 -12.57 dBm
 T204 -12.57 dBm
 T205 -12.57 dBm
 T206 -12.57 dBm
 T207 -12.57 dBm
 T208 -12.57 dBm
 T209 -12.57 dBm
 T210 -12.57 dBm
 T211 -12.57 dBm
 T212 -12.57 dBm
 T213 -12.57 dBm
 T214 -12.57 dBm
 T215 -12.57 dBm
 T216 -12.57 dBm
 T217 -12.57 dBm
 T218 -12.57 dBm
 T219 -12.57 dBm
 T220 -12.57 dBm
 T221 -12.57 dBm
 T222 -12.57 dBm
 T223 -12.57 dBm
 T224 -12.57 dBm
 T225 -12.57 dBm
 T226 -12.57 dBm
 T227 -12.57 dBm
 T228 -12.57 dBm
 T229 -12.57 dBm
 T230 -12.57 dBm
 T231 -12.57 dBm
 T232 -12.57 dBm
 T233 -12.57 dBm
 T234 -12.57 dBm
 T235 -12.57 dBm
 T236 -12.57 dBm
 T237 -12.57 dBm
 T238 -12.57 dBm
 T239 -12.57 dBm
 T240 -12.57 dBm
 T241 -12.57 dBm
 T242 -12.57 dBm
 T243 -12.57 dBm
 T244

16-QAM (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**16-QAM (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

16-QAM (15.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel





16-QAM (20.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel




LTE Band 41:


Test Modulation	Test Bandwidth	Test Channel	26 dB Bandwidth	99% Occupied Bandwidth
			MHz	MHz
QPSK	5M	Low	4.970	4.509
	10M		9.499	8.978
	15M		14.669	13.527
	20M		19.158	17.956
	5M	Middle	4.950	4.509
	10M		9.499	8.938
	15M		14.669	13.467
	20M		19.158	17.956
	5M	High	4.930	4.529
	10M		9.659	8.978
	15M		14.669	13.527
	20M		19.078	17.956
16-QAM	5M	Low	4.970	4.509
	10M		9.499	8.978
	15M		14.790	13.527
	20M		19.399	17.956
	5M	Middle	4.930	4.509
	10M		9.499	8.938
	15M		14.729	13.587
	20M		19.238	17.956
	5M	High	4.930	4.529
	10M		9.499	8.938
	15M		14.910	13.527
	20M		19.238	17.956



QPSK (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**QPSK (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



QPSK (15.0MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel



QPSK (20.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel



16-QAM (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

16-QAM (15.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (20.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

Ref Lvl 35 dBm Delta 1 3.77 dB RBW 100 kHz RF Att 40 dB
 35 dBm 4.94989980 MHz VBW 300 kHz SWT 5 ms Unit dBm

7 dB Offset

D1 16.62 dBm

D2 -9.38 dBm

1MAX

▼1 [T1] -11.62 dBm
 ▲1 [T1] 3.77 dB
 4.94989980 MHz
 2.60254509 GHz
 4.50901804 MHz
 9.11 dBm
 2.60276553 GHz
 11.53 dBm
 2.60727455 GHz

Center 2.605 GHz 1 MHz/ Span 10 MHz

Date: 19.NOV.2020 21:16:12

Delta 1 [T1] 1.13 dB

Ref Lvl 35 dBm

RBW 100 kHz

RF Att 40 dB

VBW 300 kHz

SWT 5 ms

Unit dBm

7 dB Offset

D1 13.11 dBm

D2 -12.89 dBm



1MAX



Center 2.605 GHz



2 MHz/



Span 20 MHz



Date: 9.NOV.2020 21:17:01



QPSK (15.0MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**QPSK (20.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



16-QAM (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

16-QAM (15.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (20.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

QPSK (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**



QPSK (15.0MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (20.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**



16-QAM (5.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**16-QAM (10.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**



16-QAM (15.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**16-QAM (20.0 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**



LTE Band 66:

Test Modulation	Test Bandwidth	Test Channel	26 dB Bandwidth	99% Occupied Bandwidth
			MHz	MHz
QPSK	1.4M	Low	1.323	1.112
	3M		2.874	2.693
	5M		4.910	4.309
	10M		9.860	8.978
	15M		14.910	13.587
	20M		19.559	17.956
	1.4M	Middle	1.281	1.094
	3M		2.874	2.693
	5M		4.870	4.309
	10M		9.940	8.978
	15M		14.970	13.467
	20M		19.399	17.956
	1.4M	High	1.293	1.106
	3M		2.886	2.693
	5M		4.990	4.489
	10M		9.860	8.978
	15M		14.970	13.467
	20M		19.719	17.956
16-QAM	1.4M	Low	1.299	1.100
	3M		2.886	2.681
	5M		4.990	4.509
	10M		9.900	8.978
	15M		14.970	13.527
	20M		19.559	17.956
	1.4M	Middle	1.299	1.100
	3M		2.862	2.681
	5M		4.910	4.309
	10M		9.860	8.978
	15M		14.970	13.467
	20M		19.800	18.036
	1.4M	High	1.305	1.106
	3M		2.874	2.681
	5M		4.970	4.489
	10M		9.860	8.978
	15M		14.970	13.467
	20M		19.880	17.956


QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**

QPSK (5MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**QPSK (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**


QPSK (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**QPSK (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**

16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel**

16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel



16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Low channel





Delta 1 [T1] 0.64 dB
 RBW 200 kHz RF Att 40 dB
 Ref Lvl 35 dBm VBW 500 kHz
 14.96993988 MHz SWT 5 ms Unit dBm



7 dB Offset
 D1 17.29 dBm
 D2 -8.71 dBm
 1MAX
 1



Center 1.7175 GHz 3 MHz/
 Span 30 MHz



Date: 11. NOV. 2020 18:31:16



[illegible]



QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



QPSK (5MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**QPSK (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



QPSK (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**QPSK (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**16-QAM (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

QPSK (5MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

QPSK (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**QPSK (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**

16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**16-QAM (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, High channel**


**FCC § 2.1051; § 22.917 (a); § 24.238 (a); §27.53 (c) (f) (h) (m); § 90.691 -
SPURIOUS EMISSIONS AT ANTENNA TERMINALS****Applicable Standards**

FCC §2.1051, §22.917(a), §24.238(a),§27.53 (c) (f) (h) (m) and § 90.691.

The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in § 2.1051.

Test Procedure

The RF output of the transceiver was connected to a spectrum analyzer and simulator through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 100 kHz for below 1GHz & 1MHz for above 1GHz. sufficient scans were taken to show any out of band emissions up to 10th harmonic.

**Test Data****Environmental Conditions**

Temperature:	23.5~24.9 °C
Relative Humidity:	50~52 %
ATM Pressure:	100.7~101.9 kPa


The testing was performed by Chao Gao from 2020-11-09 to 2020-12-10.

EUT operation mode: Transmitting


Test Result: Compliant.

GSM 850 Band:


30 MHz – 1GHz(GSM Mode), Low channel




1 GHz – 10 GHz (GSM Mode), Low channel




30 MHz – 1GHz(GPRS Mode) Low Channel




1 GHz – 10 GHz (GPRS Mode) Low Channel





30 MHz – 1GHz(EGPRS Mode) Low Channel




1 GHz – 10 GHz (EGPRS Mode) Low Channel




30 MHz – 1GHz(GSM Mode), Middle channel**1 GHz – 10 GHz (GSM Mode), Middle channel**


30 MHz – 1GHz(GPRS Mode) Middle Channel




1 GHz – 10 GHz (GPRS Mode) Middle Channel




30 MHz – 1GHz(EGPRS Mode) Middle Channel




1 GHz – 10 GHz (EGPRS Mode) Middle Channel





30 MHz – 1GHz(GSM Mode), High channel




1 GHz – 10 GHz (GSM Mode), High channel






30 MHz – 1GHz(GPRS Mode) High Channel**1 GHz – 10 GHz (GPRS Mode) High Channel**

30 MHz – 1GHz(EGPRS Mode) High Channel




1 GHz – 10 GHz (EGPRS Mode) High Channel




WCDMA Band V:**30 MHz – 1GHz WCDMA (Rel 99) Mode Low Channel****1 GHz – 10 GHz WCDMA (Rel 99) Mode Low Channel**


30 MHz – 1GHz WCDMA (HSDPA) Mode Low Channel




1 GHz – 10 GHz WCDMA (HSDPA) Mode Low Channel




30 MHz – 1GHz WCDMA (HSUPA) Mode Low Channel




1 GHz – 10 GHz WCDMA (HSUPA) Mode Low Channel




30 MHz – 1GHz WCDMA (HSPA+) Mode Low Channel




1 GHz – 10 GHz WCDMA (HSPA+) Mode Low Channel




30 MHz – 1GHz WCDMA (Rel 99) Mode Middle Channel




1 GHz – 10 GHz WCDMA (Rel 99) Mode Middle Channel




30 MHz – 1GHz WCDMA (HSDPA) Mode Middle Channel




1 GHz – 10 GHz WCDMA (HSDPA) Mode Middle Channel




30 MHz – 1GHz WCDMA (HSUPA) Mode Middle Channel




1 GHz – 10 GHz WCDMA (HSUPA) Mode Middle Channel




30 MHz – 1GHz WCDMA (HSPA+) Mode Middle Channel




1 GHz – 10 GHz WCDMA (HSPA+) Mode Middle Channel




30 MHz – 1GHz WCDMA (Rel 99) Mode High Channel




1 GHz – 10 GHz WCDMA (Rel 99) Mode High Channel




30 MHz – 1GHz WCDMA (HSDPA) Mode High Channel




1 GHz – 10 GHz WCDMA (HSDPA) Mode High Channel




30 MHz – 1GHz WCDMA (HSUPA) Mode High Channel




1 GHz – 10 GHz WCDMA (HSUPA) Mode High Channel



30 MHz – 1GHz WCDMA (HSPA+) Mode High Channel




1 GHz – 10 GHz WCDMA (HSPA+) Mode High Channel




PCS 1900 Band:


30 MHz – 1GHz(GSM Mode), Low channel




1 GHz – 20 GHz (GSM Mode), Low channel




30 MHz – 1GHz(GPRS Mode) Low Channel




1 GHz – 20 GHz (GPRS Mode) Low Channel




30 MHz – 1GHz(EGPRS Mode) Low Channel




1 GHz – 20 GHz (EGPRS Mode) Low Channel




30 MHz – 1GHz(GSM Mode), Middle channel




1 GHz – 20 GHz (GSM Mode), Middle channel




30 MHz – 1GHz(GPRS Mode) Middle Channel




1 GHz – 20 GHz (GPRS Mode) Middle Channel





30 MHz – 1GHz(EGPRS Mode) Middle Channel




1 GHz – 20 GHz (EGPRS Mode) Middle Channel




30 MHz – 1GHz(GSM Mode), High channel**1 GHz – 20 GHz (GSM Mode), High channel**


30 MHz – 1GHz(GPRS Mode) High Channel




1 GHz – 20 GHz (GPRS Mode) High Channel



30 MHz – 1GHz(EGPRS Mode) High Channel




1 GHz – 20 GHz (EGPRS Mode) High Channel




WCDMA Band II:


30 MHz – 1GHz WCDMA (Rel 99) Mode Low Channel




1 GHz – 20 GHz WCDMA (Rel 99) Mode Low Channel




30 MHz – 1GHz WCDMA (HSDPA) Mode Low Channel




1 GHz – 20 GHz WCDMA (HSDPA) Mode Low Channel




30 MHz – 1GHz WCDMA (HSUPA) Mode Low Channel




1 GHz – 20 GHz WCDMA (HSUPA) Mode Low Channel




30 MHz – 1GHz WCDMA (HSPA+) Mode Low Channel




1 GHz – 20 GHz WCDMA (HSPA+) Mode Low Channel




30 MHz – 1GHz WCDMA (Rel 99) Mode Middle Channel




1 GHz – 20 GHz WCDMA (Rel 99) Mode Middle Channel




30 MHz – 1GHz WCDMA (HSDPA) Mode Middle Channel




1 GHz – 20 GHz WCDMA (HSDPA) Mode Middle Channel




30 MHz – 1GHz WCDMA (HSUPA) Mode Middle Channel




1 GHz – 20 GHz WCDMA (HSUPA) Mode Middle Channel




30 MHz – 1GHz WCDMA (HSPA+) Mode Middle Channel




1 GHz – 20 GHz WCDMA (HSPA+) Mode Middle Channel





30 MHz – 1GHz WCDMA (Rel 99) Mode High Channel




1 GHz – 20 GHz WCDMA (Rel 99) Mode High Channel




30 MHz – 1GHz WCDMA (HSDPA) Mode High Channel**1 GHz – 20 GHz WCDMA (HSDPA) Mode High Channel**


30 MHz – 1GHz WCDMA (HSUPA) Mode High Channel




1 GHz – 20 GHz WCDMA (HSUPA) Mode High Channel



30 MHz – 1GHz WCDMA (HSPA+) Mode High Channel




1 GHz – 20 GHz WCDMA (HSPA+) Mode High Channel




LTE Band 2:


30 MHz – 1 GHz (1.4 MHz, QPSK, Low Channel)




1 GHz – 20 GHz (1.4 MHz, QPSK, Low Channel)




30 MHz – 1 GHz (1.4 MHz, 16-QAM, Low Channel)




1 GHz – 20 GHz (1.4 MHz, 16-QAM, Low Channel)




30 MHz – 1 GHz (3 MHz, QPSK, Low Channel)



1 GHz – 20 GHz (3 MHz, QPSK, Low Channel)



30 MHz – 1 GHz (3 MHz, 16-QAM, Low Channel)



1 GHz – 20 GHz (3 MHz, 16-QAM, Low Channel)

