



Report No.: SUCR260700064607

Page: 1 of 48

Appendix B.3

1.1. Test Band = LTE Band2_ TM1

1.1.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3596.25	51.02	-48.28	28.65	-63.87	-13.00	50.87	Horizontal
2	5469.75	52.01	-47.64	32.52	-58.38	-13.00	45.38	Horizontal
3	7139.25	51.51	-45.98	35.75	-53.97	-13.00	40.97	Horizontal
4	8612.25	51.45	-43.99	36.97	-50.82	-13.00	37.82	Horizontal
5	11907.75	52.21	-39.95	39.41	-43.59	-13.00	30.59	Horizontal
6	16818	55.98	-37.40	38.73	-37.96	-13.00	24.96	Horizontal

1.2. Test Band = LTE Band2_ TM1

1.2.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3291.75	50.82	-48.04	28.33	-64.15	-13.00	51.15	Vertical
2	4821.75	51.28	-48.01	30.81	-61.19	-13.00	48.19	Vertical
3	6402.75	51.87	-46.93	34.33	-55.99	-13.00	42.99	Vertical
4	10005	50.74	-41.71	38.80	-47.43	-13.00	34.43	Vertical
5	14298.75	54.53	-38.42	40.27	-38.88	-13.00	25.88	Vertical
6	16859.25	56.86	-37.09	38.74	-36.75	-13.00	23.75	Vertical



Report No.: SUCR260700064607

Page: 2 of 48

1.3. Test Band = LTE Band2_ TM1

1.3.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3579.75	50.67	-48.28	28.63	-64.24	-13.00	51.24	Horizontal
2	5453.25	52.06	-47.66	32.47	-58.39	-13.00	45.39	Horizontal
3	7203.75	51.89	-46.20	35.87	-53.70	-13.00	40.70	Horizontal
4	9977.25	51.70	-41.79	38.77	-46.59	-13.00	33.59	Horizontal
5	13720.5	53.61	-38.18	39.88	-39.95	-13.00	26.95	Horizontal
6	17499.75	54.27	-36.83	41.80	-36.02	-13.00	23.02	Horizontal

1.4. Test Band = LTE Band2_ TM1

1.4.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3948	50.86	-48.24	29.22	-63.42	-13.00	50.42	Vertical
2	5210.25	51.07	-47.88	31.79	-60.28	-13.00	47.28	Vertical
3	6667.5	52.15	-46.71	34.97	-54.85	-13.00	41.85	Vertical
4	9443.25	53.13	-42.76	38.02	-46.87	-13.00	33.87	Vertical
5	14317.5	54.28	-38.45	40.27	-39.16	-13.00	26.16	Vertical
6	17916	54.54	-38.27	44.30	-34.69	-13.00	21.69	Vertical



Report No.: SUCR260700064607

Page: 3 of 48

1.5. Test Band = LTE Band2_ TM1

1.5.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3489.75	50.81	-48.30	28.49	-64.26	-13.00	51.26	Horizontal
2	5240.25	51.76	-47.85	31.87	-59.47	-13.00	46.47	Horizontal
3	8232.75	51.01	-44.30	36.56	-52.00	-13.00	39.00	Horizontal
4	11383.5	51.67	-40.14	39.46	-44.27	-13.00	31.27	Horizontal
5	14912.25	54.13	-37.45	40.21	-38.37	-13.00	25.37	Horizontal
6	17779.5	54.16	-38.28	43.48	-35.90	-13.00	22.90	Horizontal

1.6. Test Band = LTE Band2_ TM1

1.6.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3372	50.84	-48.30	28.40	-64.33	-13.00	51.33	Vertical
2	4842.75	51.04	-48.02	30.85	-61.38	-13.00	48.38	Vertical
3	6567	51.27	-47.03	34.81	-56.21	-13.00	43.21	Vertical
4	9284.25	50.72	-42.98	37.80	-49.73	-13.00	36.73	Vertical
5	12006	51.92	-39.43	39.40	-43.38	-13.00	30.38	Vertical
6	16900.5	56.51	-36.79	38.76	-36.78	-13.00	23.78	Vertical



Report No.: SUCR260700064607

Page: 4 of 48

1.7. Test Band = LTE Band4_ TM1

1.7.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3404.25	47.02	-48.40	28.42	-68.22	-13.00	55.22	Horizontal
2	4731.75	45.95	-47.98	30.61	-66.68	-13.00	53.68	Horizontal
3	6367.5	45.51	-47.06	34.20	-62.61	-13.00	49.61	Horizontal
4	9424.125	44.67	-42.89	37.99	-55.48	-13.00	42.48	Horizontal
5	11548.875	39.14	-39.92	39.45	-56.59	-13.00	43.59	Horizontal
6	16897.875	36.27	-36.80	38.76	-57.03	-13.00	44.03	Horizontal

1.8. Test Band = LTE Band4_ TM1

1.8.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3516.375	46.60	-48.29	28.53	-68.42	-13.00	55.42	Vertical
2	5070.75	46.74	-47.88	31.40	-65.00	-13.00	52.00	Vertical
3	7080.75	45.06	-45.98	35.65	-60.53	-13.00	47.53	Vertical
4	10853.25	39.85	-40.34	39.40	-56.35	-13.00	43.35	Vertical
5	14392.125	37.83	-38.57	40.26	-55.74	-13.00	42.74	Vertical
6	17519.25	36.40	-37.11	41.92	-54.06	-13.00	41.06	Vertical



Report No.: SUCR260700064607
Page: 5 of 48

1.9. Test Band = LTE Band4_ TM1

1.9.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3424.875	47.11	-48.38	28.44	-68.09	-13.00	55.09	Horizontal
2	4543.5	46.22	-47.99	30.20	-66.83	-13.00	53.83	Horizontal
3	6319.125	46.49	-47.25	34.01	-62.00	-13.00	49.00	Horizontal
4	8751.75	44.44	-44.05	37.13	-57.75	-13.00	44.75	Horizontal
5	12062.25	39.37	-39.55	39.36	-56.08	-13.00	43.08	Horizontal
6	17095.5	36.51	-37.42	39.37	-56.80	-13.00	43.80	Horizontal

1.10. Test Band = LTE Band4_ TM1

1.10.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3294.75	46.33	-48.04	28.34	-68.63	-13.00	55.63	Vertical
2	5029.5	46.40	-47.95	31.28	-65.53	-13.00	52.53	Vertical
3	7602.375	44.22	-44.59	36.38	-59.25	-13.00	46.25	Vertical
4	12013.875	39.45	-39.45	39.39	-55.87	-13.00	42.87	Vertical
5	15273	36.83	-38.22	39.71	-56.94	-13.00	43.94	Vertical
6	17515.125	35.73	-37.05	41.89	-54.69	-13.00	41.69	Vertical



Report No.: SUCR260700064607

Page: 6 of 48

1.11. Test Band = LTE Band4_ TM1

1.11.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3902.25	46.90	-48.29	29.14	-67.50	-13.00	54.50	Horizontal
2	5256.75	46.95	-47.83	31.92	-64.22	-13.00	51.22	Horizontal
3	6723.375	45.91	-46.63	35.06	-60.92	-13.00	47.92	Horizontal
4	9427.125	44.28	-42.87	38.00	-55.85	-13.00	42.85	Horizontal
5	13664.625	38.34	-38.35	39.80	-55.48	-13.00	42.48	Horizontal
6	17862.75	36.11	-38.16	43.98	-53.34	-13.00	40.34	Horizontal

1.12. Test Band = LTE Band4_ TM1

1.12.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3763.875	46.61	-48.30	28.92	-68.03	-13.00	55.03	Vertical
2	4595.625	46.56	-48.00	30.31	-66.39	-13.00	53.39	Vertical
3	6638.625	45.28	-46.86	34.92	-61.92	-13.00	48.92	Vertical
4	9452.625	43.61	-42.69	38.03	-56.31	-13.00	43.31	Vertical
5	11678.25	38.71	-39.68	39.43	-56.80	-13.00	43.80	Vertical
6	15540.75	35.59	-36.82	39.23	-57.26	-13.00	44.26	Vertical



Report No.: SUCR260700064607

Page: 7 of 48

1.13. Test Band = LTE Band5_ TM1

1.13.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1275.5556	50.65	-50.15	24.54	-70.23	-13.00	57.23	Horizontal
2	2060	51.00	-49.54	26.41	-67.40	-13.00	54.40	Horizontal
3	3032.8889	51.81	-48.50	28.13	-63.82	-13.00	50.82	Horizontal
4	4859.5556	51.22	-48.11	30.89	-61.26	-13.00	48.26	Horizontal
5	6068	52.18	-47.20	33.06	-57.22	-13.00	44.22	Horizontal
6	7300	51.77	-46.09	36.04	-53.54	-13.00	40.54	Horizontal

1.14. Test Band = LTE Band5_ TM1

1.14.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1221.3333	50.33	-50.21	24.73	-70.41	-13.00	57.41	Vertical
2	1929.3333	50.57	-49.73	26.12	-68.29	-13.00	55.29	Vertical
3	3021.7778	51.52	-48.43	28.12	-64.05	-13.00	51.05	Vertical
4	4345.7778	50.90	-48.03	29.85	-62.54	-13.00	49.54	Vertical
5	6476	51.25	-47.12	34.61	-56.52	-13.00	43.52	Vertical
6	8828	52.05	-44.05	37.21	-50.05	-13.00	37.05	Vertical



Report No.: SUCR260700064607

Page: 8 of 48

1.15. Test Band = LTE Band5_ TM1

1.15.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1284	50.49	-50.15	24.51	-70.41	-13.00	57.41	Horizontal
2	2024.4444	51.03	-49.62	26.34	-67.50	-13.00	54.50	Horizontal
3	3395.1111	51.15	-48.69	28.42	-64.38	-13.00	51.38	Horizontal
4	5086.2222	50.86	-47.93	31.44	-60.88	-13.00	47.88	Horizontal
5	6823.5556	52.00	-46.83	35.22	-54.87	-13.00	41.87	Horizontal
6	8370.6667	51.53	-44.21	36.71	-51.23	-13.00	38.23	Horizontal

1.16. Test Band = LTE Band5_ TM1

1.16.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1271.5556	50.95	-50.16	24.55	-69.92	-13.00	56.92	Vertical
2	1941.7778	51.02	-49.72	26.15	-67.80	-13.00	54.80	Vertical
3	3099.5556	51.52	-48.92	28.18	-64.48	-13.00	51.48	Vertical
4	4560.8889	50.46	-48.11	30.23	-62.68	-13.00	49.68	Vertical
5	6104.8889	51.96	-47.03	33.20	-57.13	-13.00	44.13	Vertical
6	8157.7778	50.99	-44.47	36.47	-52.27	-13.00	39.27	Vertical



Report No.: SUCR260700064607

Page: 9 of 48

1.17. Test Band = LTE Band5_ TM1

1.17.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1208	50.43	-50.22	24.77	-70.28	-13.00	57.28	Horizontal
2	1905.3333	50.41	-49.75	26.06	-68.53	-13.00	55.53	Horizontal
3	2946.2222	51.40	-48.55	28.00	-64.41	-13.00	51.41	Horizontal
4	4512.8889	50.49	-48.20	30.13	-62.84	-13.00	49.84	Horizontal
5	6679.1111	51.56	-46.79	34.99	-55.50	-13.00	42.50	Horizontal
6	8667.5556	51.45	-44.16	37.03	-50.94	-13.00	37.94	Horizontal

1.18. Test Band = LTE Band5_ TM1

1.18.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1204	51.02	-50.23	24.79	-69.68	-13.00	56.68	Vertical
2	2158.6667	50.84	-49.48	26.59	-67.31	-13.00	54.31	Vertical
3	3231.5556	51.09	-48.62	28.29	-64.51	-13.00	51.51	Vertical
4	5255.5556	51.38	-47.90	31.92	-59.87	-13.00	46.87	Vertical
5	6752.4444	51.71	-46.83	35.10	-55.27	-13.00	42.27	Vertical
6	8547.5556	51.01	-44.20	36.90	-51.54	-13.00	38.54	Vertical



Report No.: SUCR260700064607

Page: 10 of 48

1.19. Test Band = LTE Band71_ TM1

1.19.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1156.5	50.05	-50.11	24.82	-70.50	-13.00	57.50	Horizontal
2	1619.5	50.17	-49.89	25.53	-69.45	-13.00	56.45	Horizontal
3	2672.5	51.83	-49.05	27.51	-64.97	-13.00	51.97	Horizontal
4	3721.5	49.64	-48.64	28.85	-65.40	-13.00	52.40	Horizontal
5	5314	51.61	-47.77	32.08	-59.34	-13.00	46.34	Horizontal
6	7803.5	51.35	-45.08	36.34	-52.65	-13.00	39.65	Horizontal

1.20. Test Band = LTE Band71_ TM1

1.20.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1095.5	49.96	-49.90	24.85	-70.34	-13.00	57.34	Vertical
2	1519	50.27	-49.85	24.93	-69.91	-13.00	56.91	Vertical
3	2564	51.96	-49.07	27.32	-65.06	-13.00	52.06	Vertical
4	3913	50.50	-48.42	29.16	-64.02	-13.00	51.02	Vertical
5	5554	51.35	-47.54	32.62	-58.83	-13.00	45.83	Vertical
6	7924.5	51.84	-45.24	36.32	-52.34	-13.00	39.34	Vertical



Report No.: SUCR260700064607

Page: 11 of 48

1.21. Test Band = LTE Band71_ TM1

1.21.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1164.5	50.47	-50.13	24.82	-70.10	-13.00	57.10	Horizontal
2	1617	50.25	-49.89	25.53	-69.38	-13.00	56.38	Horizontal
3	2571	51.79	-49.09	27.33	-65.23	-13.00	52.23	Horizontal
4	4314.5	49.79	-48.03	29.80	-63.70	-13.00	50.70	Horizontal
5	5635.5	51.33	-47.61	32.65	-58.89	-13.00	45.89	Horizontal
6	7946.5	51.56	-45.00	36.31	-52.39	-13.00	39.39	Horizontal

1.22. Test Band = LTE Band71_ TM1

1.22.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1171	50.88	-50.15	24.81	-69.71	-13.00	56.71	Vertical
2	1580.5	50.27	-49.91	25.36	-69.54	-13.00	56.54	Vertical
3	2585.5	52.13	-49.13	27.35	-64.91	-13.00	51.91	Vertical
4	3831.5	50.25	-48.42	29.03	-64.40	-13.00	51.40	Vertical
5	5392	52.10	-47.47	32.30	-58.33	-13.00	45.33	Vertical
6	7615.5	51.09	-44.76	36.38	-52.56	-13.00	39.56	Vertical



Report No.: SUCR260700064607

Page: 12 of 48

1.23. Test Band = LTE Band71_ TM1

1.23.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1197.5	49.96	-50.22	24.80	-70.72	-13.00	57.72	Horizontal
2	1753	50.63	-49.78	25.73	-68.68	-13.00	55.68	Horizontal
3	2584.5	51.50	-49.13	27.35	-65.54	-13.00	52.54	Horizontal
4	4495.5	50.48	-48.21	30.09	-62.90	-13.00	49.90	Horizontal
5	6387.5	51.29	-47.27	34.27	-56.97	-13.00	43.97	Horizontal
6	8385.5	51.38	-44.09	36.72	-51.24	-13.00	38.24	Horizontal

1.24. Test Band = LTE Band71_ TM1

1.24.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1165.5	50.41	-50.13	24.82	-70.17	-13.00	57.17	Vertical
2	1686.5	50.11	-49.75	25.63	-69.27	-13.00	56.27	Vertical
3	2503.5	51.44	-48.91	27.21	-65.52	-13.00	52.52	Vertical
4	4456	50.68	-48.14	30.03	-62.69	-13.00	49.69	Vertical
5	6057	51.66	-47.26	33.02	-57.85	-13.00	44.85	Vertical
6	8361.5	51.41	-44.29	36.70	-51.44	-13.00	38.44	Vertical



Report No.: SUCR260700064607

Page: 13 of 48

1.25. Test Band = LTE Band7_ TM1

1.25.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3336	50.89	-48.17	28.37	-64.17	-25.00	39.17	Horizontal
2	4139	49.95	-48.18	29.52	-63.96	-25.00	38.96	Horizontal
3	5885.5	52.50	-47.22	32.75	-57.23	-25.00	32.23	Horizontal
4	8853.5	52.67	-44.01	37.24	-49.36	-25.00	24.36	Horizontal
5	12105	52.45	-39.64	39.34	-43.11	-25.00	18.11	Horizontal
6	17077.5	56.87	-37.63	39.27	-36.75	-25.00	11.75	Horizontal

1.26. Test Band = LTE Band7_ TM1

1.26.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3597	51.69	-48.28	28.66	-63.20	-25.00	38.20	Vertical
2	4782	51.38	-48.00	30.72	-61.16	-25.00	36.16	Vertical
3	7595.5	51.34	-44.64	36.38	-52.18	-25.00	27.18	Vertical
4	10687	51.55	-41.04	39.28	-45.47	-25.00	20.47	Vertical
5	14930.5	55.14	-37.56	40.21	-37.48	-25.00	12.48	Vertical
6	17927	55.07	-38.35	44.36	-34.18	-25.00	9.18	Vertical



Report No.: SUCR260700064607

Page: 14 of 48

1.27. Test Band = LTE Band7_ TM1

1.27.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3864.5	51.54	-48.25	29.08	-62.89	-25.00	37.89	Horizontal
2	5441.5	52.56	-47.67	32.44	-57.94	-25.00	32.94	Horizontal
3	7043.5	52.43	-46.27	35.58	-53.52	-25.00	28.52	Horizontal
4	9466.5	53.20	-42.60	38.05	-46.60	-25.00	21.60	Horizontal
5	12024.5	53.22	-39.47	39.39	-42.13	-25.00	17.13	Horizontal
6	14963	55.32	-37.77	40.20	-37.50	-25.00	12.50	Horizontal

1.28. Test Band = LTE Band7_ TM1

1.28.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3877.5	51.44	-48.27	29.10	-62.98	-25.00	37.98	Vertical
2	5408.5	52.65	-47.71	32.34	-57.98	-25.00	32.98	Vertical
3	7264	52.37	-46.17	35.98	-53.09	-25.00	28.09	Vertical
4	9448.5	53.09	-42.72	38.03	-46.86	-25.00	21.86	Vertical
5	12091.5	53.32	-39.61	39.35	-42.21	-25.00	17.21	Vertical
6	14929.5	54.84	-37.56	40.21	-37.77	-25.00	12.77	Vertical



Report No.: SUCR260700064607

Page: 15 of 48

1.29. Test Band = LTE Band7_ TM1

1.29.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3552.5	51.48	-48.28	28.58	-63.48	-25.00	38.48	Horizontal
2	5113.5	51.56	-47.83	31.52	-60.01	-25.00	35.01	Horizontal
3	7150	52.17	-46.02	35.77	-53.34	-25.00	28.34	Horizontal
4	9691.5	50.74	-42.10	38.37	-48.25	-25.00	23.25	Horizontal
5	13383	53.35	-39.16	39.37	-41.69	-25.00	16.69	Horizontal
6	16900.5	57.01	-36.79	38.76	-36.28	-25.00	11.28	Horizontal

1.30. Test Band = LTE Band7_ TM1

1.30.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3558.5	51.21	-48.28	28.59	-63.74	-25.00	38.74	Vertical
2	4730.5	50.89	-47.98	30.61	-61.74	-25.00	36.74	Vertical
3	6367	52.14	-47.06	34.19	-55.98	-25.00	30.98	Vertical
4	8571.5	52.67	-44.06	36.93	-49.72	-25.00	24.72	Vertical
5	11394	52.04	-40.10	39.46	-43.86	-25.00	18.86	Vertical
6	16837	57.11	-37.26	38.73	-36.67	-25.00	11.67	Vertical



Report No.: SUCR260700064607

Page: 16 of 48

1.31. Test Band = LTE Band12_ TM1

1.31.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1195	50.46	-50.22	24.80	-70.21	-13.00	57.21	Horizontal
2	1814	50.57	-49.83	25.84	-68.68	-13.00	55.68	Horizontal
3	2448.5	51.47	-49.20	27.11	-65.88	-13.00	52.88	Horizontal
4	3918	50.41	-48.42	29.17	-64.10	-13.00	51.10	Horizontal
5	5435	51.99	-47.42	32.42	-58.27	-13.00	45.27	Horizontal
6	7809.5	51.46	-45.10	36.34	-52.56	-13.00	39.56	Horizontal

1.32. Test Band = LTE Band12_ TM1

1.32.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1161	50.55	-50.12	24.82	-70.01	-13.00	57.01	Vertical
2	1762	50.39	-49.79	25.74	-68.92	-13.00	55.92	Vertical
3	2521	51.72	-48.96	27.24	-65.26	-13.00	52.26	Vertical
4	3804.5	50.23	-48.41	28.99	-64.45	-13.00	51.45	Vertical
5	5596.5	51.35	-47.66	32.64	-58.93	-13.00	45.93	Vertical
6	8380.5	51.74	-44.13	36.72	-50.93	-13.00	37.93	Vertical



Report No.: SUCR260700064607

Page: 17 of 48

1.33. Test Band = LTE Band12_ TM1

1.33.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1164	50.67	-50.13	24.82	-69.90	-13.00	56.90	Horizontal
2	1693.5	50.51	-49.73	25.64	-68.84	-13.00	55.84	Horizontal
3	2577.5	51.69	-49.11	27.34	-65.34	-13.00	52.34	Horizontal
4	3872.5	50.71	-48.42	29.10	-63.88	-13.00	50.88	Horizontal
5	5091	50.89	-47.92	31.45	-60.84	-13.00	47.84	Horizontal
6	6924	51.08	-46.53	35.38	-55.33	-13.00	42.33	Horizontal

1.34. Test Band = LTE Band12_ TM1

1.34.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1198.5	50.29	-50.23	24.80	-70.40	-13.00	57.40	Vertical
2	1758	50.37	-49.79	25.74	-68.94	-13.00	55.94	Vertical
3	2648.5	51.46	-49.09	27.47	-65.42	-13.00	52.42	Vertical
4	3954	50.38	-48.39	29.23	-64.04	-13.00	51.04	Vertical
5	5842.5	51.98	-47.42	32.74	-57.97	-13.00	44.97	Vertical
6	7996.5	50.87	-44.46	36.30	-52.55	-13.00	39.55	Vertical



Report No.: SUCR260700064607

Page: 18 of 48

1.35. Test Band = LTE Band12_ TM1

1.35.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1163.5	50.85	-50.13	24.82	-69.72	-13.00	56.72	Horizontal
2	1853	50.58	-49.79	25.93	-68.54	-13.00	55.54	Horizontal
3	3030.5	51.67	-48.48	28.12	-63.95	-13.00	50.95	Horizontal
4	4418.5	50.77	-48.07	29.97	-62.59	-13.00	49.59	Horizontal
5	5647.5	51.55	-47.59	32.66	-58.64	-13.00	45.64	Horizontal
6	8005.5	50.84	-44.44	36.31	-52.55	-13.00	39.55	Horizontal

1.36. Test Band = LTE Band12_ TM1

1.36.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1172.5	50.42	-50.15	24.81	-70.18	-13.00	57.18	Vertical
2	1682.5	50.11	-49.76	25.62	-69.28	-13.00	56.28	Vertical
3	2701	52.14	-49.00	27.56	-64.56	-13.00	51.56	Vertical
4	3989.5	50.19	-48.36	29.28	-64.15	-13.00	51.15	Vertical
5	5980.5	52.15	-47.49	32.79	-57.80	-13.00	44.80	Vertical
6	8385.5	51.40	-44.09	36.72	-51.22	-13.00	38.22	Vertical



Report No.: SUCR260700064607

Page: 19 of 48

1.37. Test Band = LTE Band17_ TM1

1.37.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1409	85.43	-49.99	24.16	-35.66	-13.00	22.66	Horizontal
2	2114	67.18	-49.46	26.51	-51.04	-13.00	38.04	Horizontal
3	2416	57.45	-49.39	27.05	-60.15	-13.00	47.15	Horizontal
4	3925	50.39	-48.41	29.18	-64.10	-13.00	51.10	Horizontal
5	5507.5	51.98	-47.41	32.60	-58.09	-13.00	45.09	Horizontal
6	7872	51.92	-45.38	36.33	-52.39	-13.00	39.39	Horizontal

1.38. Test Band = LTE Band17_ TM1

1.38.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1409	83.79	-49.99	24.16	-37.30	-13.00	24.30	Vertical
2	2114	69.28	-49.46	26.51	-48.94	-13.00	35.94	Vertical
3	3282	51.66	-48.63	28.33	-63.90	-13.00	50.90	Vertical
4	4326	50.22	-48.03	29.82	-63.25	-13.00	50.25	Vertical
5	5430.5	52.14	-47.42	32.41	-58.14	-13.00	45.14	Vertical
6	7802	51.36	-45.07	36.34	-52.63	-13.00	39.63	Vertical



Report No.: SUCR260700064607

Page: 20 of 48

1.39. Test Band = LTE Band17_ TM1

1.39.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1410.6667	87.41	-49.99	24.17	-33.67	-13.00	20.67	Horizontal
2	1766.6667	80.38	-49.80	25.75	-38.93	-13.00	25.93	Horizontal
3	2116.8889	67.21	-49.47	26.51	-51.00	-13.00	38.00	Horizontal
4	3976	50.42	-48.37	29.26	-63.95	-13.00	50.95	Horizontal
5	5465.3333	52.21	-47.41	32.50	-57.95	-13.00	44.95	Horizontal
6	7720.4444	51.73	-45.24	36.36	-52.41	-13.00	39.41	Horizontal

1.40. Test Band = LTE Band17_ TM1

1.40.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1411.1111	84.25	-49.99	24.18	-36.82	-13.00	23.82	Vertical
2	2116.4444	67.06	-49.46	26.51	-51.16	-13.00	38.16	Vertical
3	2989.7778	51.69	-48.34	28.08	-63.83	-13.00	50.83	Vertical
4	4400	50.99	-48.04	29.94	-62.37	-13.00	49.37	Vertical
5	5930.2222	51.82	-47.20	32.77	-57.86	-13.00	44.86	Vertical
6	7595.5556	50.89	-44.74	36.38	-52.73	-13.00	39.73	Vertical



Report No.: SUCR260700064607

Page: 21 of 48

1.41. Test Band = LTE Band17_ TM1

1.41.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1413.7778	87.40	-49.99	24.20	-33.65	-13.00	20.65	Horizontal
2	2119.5556	66.58	-49.47	26.52	-51.63	-13.00	38.63	Horizontal
3	2417.7778	56.17	-49.38	27.05	-61.41	-13.00	48.41	Horizontal
4	3552	51.04	-48.46	28.58	-64.09	-13.00	51.09	Horizontal
5	5392.4444	52.23	-47.47	32.30	-58.20	-13.00	45.20	Horizontal
6	8343.5556	52.15	-44.43	36.68	-50.86	-13.00	37.86	Horizontal

1.42. Test Band = LTE Band17_ TM1

1.42.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1412.8889	82.41	-49.99	24.19	-38.65	-13.00	25.65	Vertical
2	2119.5556	67.19	-49.47	26.52	-51.02	-13.00	38.02	Vertical
3	2407.1111	59.24	-49.44	27.03	-58.43	-13.00	45.43	Vertical
4	3490.2222	51.23	-48.46	28.49	-63.99	-13.00	50.99	Vertical
5	5422.2222	52.15	-47.43	32.38	-58.16	-13.00	45.16	Vertical
6	8392.8889	51.65	-44.03	36.73	-50.91	-13.00	37.91	Vertical



Report No.: SUCR260700064607

Page: 22 of 48

1.43. Test Band = LTE Band25_ TM1

1.43.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3936	50.97	-48.25	29.20	-63.34	-13.00	50.34	Horizontal
2	5343	52.34	-47.75	32.16	-58.51	-13.00	45.51	Horizontal
3	7133.25	51.26	-45.95	35.74	-54.21	-13.00	41.21	Horizontal
4	9377.25	52.87	-43.01	37.93	-47.47	-13.00	34.47	Horizontal
5	12006	52.13	-39.43	39.40	-43.17	-13.00	30.17	Horizontal
6	16899.75	56.15	-36.78	38.76	-37.13	-13.00	24.13	Horizontal

1.44. Test Band = LTE Band25_ TM1

1.44.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3860.25	50.93	-48.25	29.08	-63.50	-13.00	50.50	Vertical
2	5432.25	52.28	-47.68	32.41	-58.25	-13.00	45.25	Vertical
3	7242	51.91	-46.18	35.94	-53.60	-13.00	40.60	Vertical
4	9465.75	52.68	-42.60	38.05	-47.13	-13.00	34.13	Vertical
5	12036	52.42	-39.50	39.38	-42.96	-13.00	29.96	Vertical
6	16890.75	56.85	-36.85	38.76	-36.50	-13.00	23.50	Vertical



Report No.: SUCR260700064607

Page: 23 of 48

1.45. Test Band = LTE Band25_ TM1

1.45.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3429.75	51.07	-48.37	28.44	-64.12	-13.00	51.12	Horizontal
2	5313.75	51.76	-47.77	32.08	-59.19	-13.00	46.19	Horizontal
3	6745.5	51.98	-46.70	35.09	-54.89	-13.00	41.89	Horizontal
4	8809.5	51.97	-43.99	37.19	-50.09	-13.00	37.09	Horizontal
5	13574.25	53.88	-39.09	39.66	-40.80	-13.00	27.80	Horizontal
6	17510.25	54.20	-36.98	41.86	-36.18	-13.00	23.18	Horizontal

1.46. Test Band = LTE Band25_ TM1

1.46.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3596.25	51.27	-48.28	28.65	-63.62	-13.00	50.62	Vertical
2	4377.75	51.02	-48.04	29.90	-62.37	-13.00	49.37	Vertical
3	5914.5	52.56	-47.20	32.77	-57.13	-13.00	44.13	Vertical
4	9285	50.85	-42.98	37.80	-49.59	-13.00	36.59	Vertical
5	11994.75	52.06	-39.45	39.40	-43.25	-13.00	30.25	Vertical
6	17533.5	54.54	-37.32	42.00	-36.04	-13.00	23.04	Vertical



Report No.: SUCR260700064607

Page: 24 of 48

1.47. Test Band = LTE Band25_ TM1

1.47.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3792	51.97	-48.21	28.97	-62.53	-13.00	49.53	Horizontal
2	5015.25	51.29	-47.98	31.24	-60.71	-13.00	47.71	Horizontal
3	7093.5	51.42	-45.88	35.67	-54.05	-13.00	41.05	Horizontal
4	9357	53.08	-42.98	37.90	-47.26	-13.00	34.26	Horizontal
5	12816.75	52.93	-39.32	38.91	-42.74	-13.00	29.74	Horizontal
6	17523	54.17	-37.17	41.94	-36.32	-13.00	23.32	Horizontal

1.48. Test Band = LTE Band25_ TM1

1.48.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3792	52.91	-48.21	28.97	-61.59	-13.00	48.59	Vertical
2	5394.75	52.33	-47.72	32.31	-58.35	-13.00	45.35	Vertical
3	7364.25	51.58	-46.17	36.16	-53.69	-13.00	40.69	Vertical
4	10028.25	50.98	-41.75	38.82	-47.21	-13.00	34.21	Vertical
5	13711.5	53.17	-38.09	39.87	-40.31	-13.00	27.31	Vertical
6	17482.5	54.02	-36.91	41.70	-36.45	-13.00	23.45	Vertical



Report No.: SUCR260700064607

Page: 25 of 48

1.49. Test Band = LTE Band26 22H_ TM1

1.49.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1320.4444	51.18	-50.11	24.38	-69.81	-13.00	56.81	Horizontal
2	2213.7778	51.65	-49.44	26.68	-66.37	-13.00	53.37	Horizontal
3	3299.1111	53.30	-48.63	28.34	-62.25	-13.00	49.25	Horizontal
4	5349.3333	52.77	-47.63	32.18	-57.94	-13.00	44.94	Horizontal
5	7313.3333	51.79	-46.07	36.06	-53.48	-13.00	40.48	Horizontal
6	8790.6667	51.72	-44.07	37.17	-50.44	-13.00	37.44	Horizontal

1.50. Test Band = LTE Band26 22H_ TM1

1.50.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1167.1111	50.87	-50.14	24.82	-69.71	-13.00	56.71	Vertical
2	1946.2222	51.63	-49.71	26.17	-67.18	-13.00	54.18	Vertical
3	2552	52.63	-49.04	27.29	-64.38	-13.00	51.38	Vertical
4	4789.3333	50.92	-48.03	30.74	-61.63	-13.00	48.63	Vertical
5	6767.1111	51.88	-46.86	35.13	-55.11	-13.00	42.11	Vertical
6	8886.6667	52.10	-44.07	37.28	-49.96	-13.00	36.96	Vertical



Report No.: SUCR260700064607

Page: 26 of 48

1.51. Test Band = LTE Band26 22H_ TM1

1.51.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1163.1111	51.36	-50.13	24.82	-69.21	-13.00	56.21	Horizontal
2	2227.1111	51.52	-49.39	26.71	-66.42	-13.00	53.42	Horizontal
3	3299.5556	52.40	-48.63	28.34	-63.15	-13.00	50.15	Horizontal
4	4478.6667	50.76	-48.18	30.07	-62.62	-13.00	49.62	Horizontal
5	6277.7778	51.94	-47.39	33.86	-56.85	-13.00	43.85	Horizontal
6	8384	52.10	-44.10	36.72	-50.54	-13.00	37.54	Horizontal

1.52. Test Band = LTE Band26 22H_ TM1

1.52.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1210.2222	50.52	-50.22	24.76	-70.20	-13.00	57.20	Vertical
2	2047.5556	51.52	-49.57	26.39	-66.92	-13.00	53.92	Vertical
3	3043.5556	52.09	-48.56	28.13	-63.60	-13.00	50.60	Vertical
4	4581.3333	50.50	-48.07	30.28	-62.55	-13.00	49.55	Vertical
5	6361.7778	51.60	-47.30	34.17	-56.78	-13.00	43.78	Vertical
6	8390.6667	51.91	-44.05	36.73	-50.67	-13.00	37.67	Vertical



Report No.: SUCR260700064607

Page: 27 of 48

1.53. Test Band = LTE Band26 22H_ TM1

1.53.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1168.4444	51.17	-50.14	24.82	-69.42	-13.00	56.42	Horizontal
2	2057.7778	51.20	-49.55	26.40	-67.20	-13.00	54.20	Horizontal
3	3052	52.06	-48.62	28.14	-63.68	-13.00	50.68	Horizontal
4	5147.5556	51.05	-47.96	31.61	-60.56	-13.00	47.56	Horizontal
5	7597.3333	50.86	-44.71	36.38	-52.73	-13.00	39.73	Horizontal
6	8776.4444	52.10	-44.11	37.15	-50.11	-13.00	37.11	Horizontal

1.54. Test Band = LTE Band26 22H_ TM1

1.54.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1334.2222	50.91	-50.09	24.33	-70.11	-13.00	57.11	Vertical
2	2152.8889	51.63	-49.48	26.58	-66.53	-13.00	53.53	Vertical
3	3028.4444	51.94	-48.47	28.12	-63.67	-13.00	50.67	Vertical
4	5312	51.85	-47.77	32.07	-59.11	-13.00	46.11	Vertical
5	7092	51.10	-46.04	35.67	-54.53	-13.00	41.53	Vertical
6	8752.8889	51.68	-44.17	37.13	-50.62	-13.00	37.62	Vertical



Report No.: SUCR260700064607

Page: 28 of 48

1.55. Test Band = LTE Band26 90S 10M_ TM1

1.55.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1260.8889	51.97	-50.17	24.59	-68.87	-13.00	55.87	Horizontal
2	1997.3333	51.21	-49.67	26.29	-67.43	-13.00	54.43	Horizontal
3	3009.3333	51.73	-48.35	28.11	-63.77	-13.00	50.77	Horizontal
4	4462.2222	50.74	-48.15	30.04	-62.63	-13.00	49.63	Horizontal
5	6144	52.18	-47.22	33.35	-56.95	-13.00	43.95	Horizontal
6	8602.6667	51.03	-43.84	36.96	-51.11	-13.00	38.11	Horizontal

1.56. Test Band = LTE Band26 90S 10M_ TM1

1.56.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1240	50.69	-50.19	24.66	-70.10	-13.00	57.10	Vertical
2	2055.5556	51.56	-49.55	26.40	-66.85	-13.00	53.85	Vertical
3	3056	51.97	-48.64	28.14	-63.79	-13.00	50.79	Vertical
4	4848.8889	51.06	-48.09	30.87	-61.43	-13.00	48.43	Vertical
5	6146.2222	52.50	-47.23	33.36	-56.64	-13.00	43.64	Vertical
6	8394.6667	51.56	-44.01	36.73	-50.98	-13.00	37.98	Vertical



Report No.: SUCR260700064607

Page: 29 of 48

1.57. Test Band = LTE Band26 90S 5M_ TM1

1.57.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1288	50.76	-50.14	24.49	-70.15	-13.00	57.15	Horizontal
2	2052.4444	51.10	-49.56	26.39	-67.33	-13.00	54.33	Horizontal
3	3013.3333	51.91	-48.37	28.11	-63.61	-13.00	50.61	Horizontal
4	4789.3333	50.86	-48.03	30.74	-61.69	-13.00	48.69	Horizontal
5	6618.2222	51.29	-47.05	34.89	-56.13	-13.00	43.13	Horizontal
6	8390.6667	51.56	-44.05	36.73	-51.02	-13.00	38.02	Horizontal

1.58. Test Band = LTE Band26 90S 5M_ TM1

1.58.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1160.4444	50.61	-50.12	24.82	-69.95	-13.00	56.95	Vertical
2	1960	51.26	-49.70	26.20	-67.50	-13.00	54.50	Vertical
3	2961.7778	51.66	-48.48	28.03	-64.05	-13.00	51.05	Vertical
4	4478.6667	50.83	-48.18	30.07	-62.55	-13.00	49.55	Vertical
5	5417.7778	52.20	-47.43	32.37	-58.12	-13.00	45.12	Vertical
6	7649.3333	51.47	-44.97	36.37	-52.39	-13.00	39.39	Vertical



Report No.: SUCR260700064607

Page: 30 of 48

1.59. Test Band = LTE Band26 90S 5M_ TM1

1.59.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1160	51.00	-50.12	24.82	-69.56	-13.00	56.56	Horizontal
2	2123.5556	51.43	-49.47	26.52	-66.77	-13.00	53.77	Horizontal
3	3014.6667	51.74	-48.38	28.11	-63.79	-13.00	50.79	Horizontal
4	4836.8889	51.29	-48.08	30.84	-61.20	-13.00	48.20	Horizontal
5	6458.6667	51.52	-47.15	34.54	-56.35	-13.00	43.35	Horizontal
6	8392	51.80	-44.04	36.73	-50.76	-13.00	37.76	Horizontal

1.60. Test Band = LTE Band26 90S 5M_ TM1

1.60.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1168.4444	50.75	-50.14	24.82	-69.84	-13.00	56.84	Vertical
2	2019.1111	51.28	-49.63	26.33	-67.28	-13.00	54.28	Vertical
3	3025.7778	51.86	-48.45	28.12	-63.73	-13.00	50.73	Vertical
4	4852	51.41	-48.10	30.87	-61.07	-13.00	48.07	Vertical
5	6814.2222	51.78	-46.87	35.20	-55.15	-13.00	42.15	Vertical
6	8828.4444	51.84	-44.05	37.21	-50.26	-13.00	37.26	Vertical



Report No.: SUCR260700064607

Page: 31 of 48

1.61. Test Band = LTE Band26 90S 5M_ TM1

1.61.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1163.5556	51.10	-50.13	24.82	-69.47	-13.00	56.47	Horizontal
2	2104.4444	51.20	-49.46	26.49	-67.03	-13.00	54.03	Horizontal
3	3053.3333	52.05	-48.63	28.14	-63.69	-13.00	50.69	Horizontal
4	4455.1111	50.55	-48.14	30.03	-62.82	-13.00	49.82	Horizontal
5	7189.3333	51.67	-46.16	35.84	-53.91	-13.00	40.91	Horizontal
6	8874.6667	52.05	-44.07	37.26	-50.02	-13.00	37.02	Horizontal

1.62. Test Band = LTE Band26 90S 5M_ TM1

1.62.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1128	50.67	-50.03	24.84	-69.78	-13.00	56.78	Vertical
2	2112.8889	51.12	-49.46	26.50	-67.10	-13.00	54.10	Vertical
3	2979.5556	51.45	-48.39	28.06	-64.14	-13.00	51.14	Vertical
4	4711.5556	50.57	-48.07	30.57	-62.20	-13.00	49.20	Vertical
5	6431.5556	51.57	-47.20	34.44	-56.45	-13.00	43.45	Vertical
6	8832.4444	51.95	-44.05	37.22	-50.15	-13.00	37.15	Vertical



Report No.: SUCR260700064607

Page: 32 of 48

1.63. Test Band = LTE Band30 5M_ TM1

1.63.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3595.5	47.42	-48.28	28.65	-67.47	-40.00	27.47	Horizontal
2	5448.5	47.66	-47.67	32.46	-62.81	-40.00	22.81	Horizontal
3	7269	46.84	-46.17	35.98	-58.61	-40.00	18.61	Horizontal
4	8923.5	46.42	-43.83	37.32	-55.35	-40.00	15.35	Horizontal
5	11985	44.16	-39.51	39.40	-51.20	-40.00	11.20	Horizontal
6	14910	45.38	-37.43	40.21	-47.10	-40.00	7.10	Horizontal

1.64. Test Band = LTE Band30 5M_ TM1

1.64.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3590.5	47.63	-48.28	28.64	-67.27	-40.00	27.27	Vertical
2	5370.5	48.06	-47.74	32.24	-62.70	-40.00	22.70	Vertical
3	7270	46.72	-46.17	35.99	-58.73	-40.00	18.73	Vertical
4	9985.5	44.33	-41.76	38.78	-53.91	-40.00	13.91	Vertical
5	13251	44.19	-38.90	39.18	-50.79	-40.00	10.79	Vertical
6	16899	47.27	-36.79	38.76	-46.02	-40.00	6.02	Vertical



Report No.: SUCR260700064607

Page: 33 of 48

1.65. Test Band = LTE Band30 5M_ TM1

1.65.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3595.5	47.66	-48.28	28.65	-67.23	-40.00	27.23	Horizontal
2	5503.5	47.44	-47.61	32.60	-62.83	-40.00	22.83	Horizontal
3	7795	45.98	-44.93	36.34	-57.86	-40.00	17.86	Horizontal
4	9477	46.19	-42.53	38.07	-53.53	-40.00	13.53	Horizontal
5	12012	44.23	-39.45	39.39	-51.08	-40.00	11.08	Horizontal
6	14921	45.39	-37.50	40.21	-47.16	-40.00	7.16	Horizontal

1.66. Test Band = LTE Band30 5M_ TM1

1.66.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3594.5	47.64	-48.28	28.65	-67.25	-40.00	27.25	Vertical
2	5966.5	47.51	-47.38	32.79	-62.35	-40.00	22.35	Vertical
3	7944	46.38	-44.94	36.31	-57.51	-40.00	17.51	Vertical
4	10458.5	43.72	-40.89	39.12	-53.31	-40.00	13.31	Vertical
5	14882.5	45.25	-37.28	40.21	-47.08	-40.00	7.08	Vertical
6	17953	45.67	-38.55	44.52	-43.62	-40.00	3.62	Vertical



Report No.: SUCR260700064607

Page: 34 of 48

1.67. Test Band = LTE Band30 5M_ TM1

1.67.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3585.5	47.53	-48.28	28.64	-67.37	-40.00	27.37	Horizontal
2	5205.5	46.63	-47.88	31.78	-64.74	-40.00	24.74	Horizontal
3	6841.5	46.72	-46.82	35.25	-60.12	-40.00	20.12	Horizontal
4	9424	46.17	-42.89	37.99	-53.98	-40.00	13.98	Horizontal
5	12673	44.58	-39.19	39.00	-50.88	-40.00	10.88	Horizontal
6	16894	47.42	-36.83	38.76	-45.91	-40.00	5.91	Horizontal

1.68. Test Band = LTE Band30 5M_ TM1

1.68.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3942	47.44	-48.24	29.21	-66.86	-40.00	26.86	Vertical
2	5451	47.65	-47.66	32.46	-62.81	-40.00	22.81	Vertical
3	7671.5	46.13	-45.03	36.37	-57.79	-40.00	17.79	Vertical
4	10287.5	44.04	-41.27	39.00	-53.49	-40.00	13.49	Vertical
5	12753	44.65	-39.29	38.95	-50.95	-40.00	10.95	Vertical
6	16891.5	47.40	-36.84	38.76	-45.95	-40.00	5.95	Vertical



Report No.: SUCR260700064607

Page: 35 of 48

1.69. Test Band = LTE Band30 10M_ TM1

1.69.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3908	46.82	-48.28	29.15	-67.57	-40.00	27.57	Horizontal
2	6407.5	46.75	-46.93	34.35	-61.10	-40.00	21.10	Horizontal
3	8752.5	46.37	-44.05	37.13	-55.81	-40.00	15.81	Horizontal
4	11376.5	43.93	-40.17	39.46	-52.04	-40.00	12.04	Horizontal
5	14307.5	45.73	-38.43	40.27	-47.69	-40.00	7.69	Horizontal
6	17492	45.03	-36.86	41.75	-45.34	-40.00	5.34	Horizontal

1.70. Test Band = LTE Band30 10M_ TM1

1.70.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3942.5	47.20	-48.24	29.21	-67.10	-40.00	27.10	Vertical
2	5446.5	47.82	-47.67	32.45	-62.66	-40.00	22.66	Vertical
3	7098.5	46.22	-45.84	35.68	-59.20	-40.00	19.20	Vertical
4	9461	46.00	-42.64	38.05	-53.85	-40.00	13.85	Vertical
5	11948	44.15	-39.72	39.41	-51.42	-40.00	11.42	Vertical
6	16902.5	47.16	-36.82	38.76	-46.16	-40.00	6.16	Vertical



Report No.: SUCR260700064607

Page: 36 of 48

1.71. Test Band = LTE Band38_ TM1

1.71.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3429.5	52.34	-48.37	28.44	-62.85	-25.00	37.85	Horizontal
2	4817	51.30	-48.01	30.80	-61.18	-25.00	36.18	Horizontal
3	6282	52.59	-47.36	33.87	-56.16	-25.00	31.16	Horizontal
4	8802	52.94	-43.99	37.18	-49.13	-25.00	24.13	Horizontal
5	13304.5	52.94	-39.09	39.26	-42.16	-25.00	17.16	Horizontal
6	17877.5	55.00	-38.16	44.07	-34.35	-25.00	9.35	Horizontal

1.72. Test Band = LTE Band38_ TM1

1.72.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3591	51.48	-48.28	28.65	-63.42	-25.00	38.42	Vertical
2	5071	51.73	-47.88	31.40	-60.01	-25.00	35.01	Vertical
3	6689.5	52.47	-46.60	35.00	-54.39	-25.00	29.39	Vertical
4	9443.5	53.32	-42.75	38.02	-46.67	-25.00	21.67	Vertical
5	11969.5	52.93	-39.59	39.40	-42.52	-25.00	17.52	Vertical
6	15498	53.71	-36.59	39.30	-38.84	-25.00	13.84	Vertical



Report No.: SUCR260700064607

Page: 37 of 48

1.73. Test Band = LTE Band38_ TM1

1.73.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3866	51.30	-48.25	29.09	-63.13	-25.00	38.13	Horizontal
2	5708	52.42	-47.50	32.68	-57.66	-25.00	32.66	Horizontal
3	8233	51.35	-44.30	36.56	-51.66	-25.00	26.66	Horizontal
4	11154	51.39	-40.35	39.48	-44.73	-25.00	19.73	Horizontal
5	14718.5	54.08	-36.71	40.23	-37.66	-25.00	12.66	Horizontal
6	16895.5	57.07	-36.81	38.76	-36.25	-25.00	11.25	Horizontal

1.74. Test Band = LTE Band38_ TM1

1.74.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3465	51.30	-48.33	28.47	-63.82	-25.00	38.82	Vertical
2	4381.5	51.51	-48.05	29.91	-61.89	-25.00	36.89	Vertical
3	6079.5	52.75	-47.40	33.10	-56.81	-25.00	31.81	Vertical
4	7826.5	52.15	-45.05	36.33	-51.83	-25.00	26.83	Vertical
5	10896.5	51.60	-40.03	39.43	-44.27	-25.00	19.27	Vertical
6	16855	57.13	-37.12	38.74	-36.51	-25.00	11.51	Vertical



Report No.: SUCR260700064607

Page: 38 of 48

1.75. Test Band = LTE Band38_ TM1

1.75.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3594.5	51.51	-48.28	28.65	-63.38	-25.00	38.38	Horizontal
2	4855	51.45	-48.02	30.88	-60.95	-25.00	35.95	Horizontal
3	6628.5	52.14	-46.91	34.91	-55.12	-25.00	30.12	Horizontal
4	8874.5	52.82	-44.02	37.26	-49.20	-25.00	24.20	Horizontal
5	12016	52.95	-39.45	39.39	-42.37	-25.00	17.37	Horizontal
6	16888.5	57.04	-36.87	38.76	-36.33	-25.00	11.33	Horizontal

1.76. Test Band = LTE Band38_ TM1

1.76.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3302	51.53	-48.04	28.34	-63.43	-25.00	38.43	Vertical
2	4881.5	51.81	-48.03	30.94	-60.54	-25.00	35.54	Vertical
3	6782	52.43	-46.83	35.15	-54.51	-25.00	29.51	Vertical
4	9406	53.32	-43.01	37.97	-46.98	-25.00	21.98	Vertical
5	12665	53.08	-39.17	39.00	-42.35	-25.00	17.35	Vertical
6	17093	56.78	-37.45	39.36	-36.57	-25.00	11.57	Vertical



Report No.: SUCR260700064607

Page: 39 of 48

1.77. Test Band = LTE Band41(2496-2690)_ TM1

1.77.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3567	51.11	-48.28	28.61	-63.83	-25.00	38.83	Horizontal
2	4645	50.78	-47.98	30.42	-62.04	-25.00	37.04	Horizontal
3	6078	52.83	-47.41	33.10	-56.74	-25.00	31.74	Horizontal
4	7682	52.68	-45.09	36.36	-51.31	-25.00	26.31	Horizontal
5	10347.5	51.74	-41.19	39.04	-45.67	-25.00	20.67	Horizontal
6	14957.5	54.57	-37.73	40.20	-38.22	-25.00	13.22	Horizontal

1.78. Test Band = LTE Band41(2496-2690)_ TM1

1.78.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3896.5	51.31	-48.29	29.13	-63.10	-25.00	38.10	Vertical
2	5398	52.88	-47.72	32.31	-57.79	-25.00	32.79	Vertical
3	7755	52.18	-45.05	36.35	-51.78	-25.00	26.78	Vertical
4	10479.5	51.40	-40.77	39.14	-45.50	-25.00	20.50	Vertical
5	13132	52.90	-38.50	39.00	-41.86	-25.00	16.86	Vertical
6	16891.5	57.07	-36.84	38.76	-36.28	-25.00	11.28	Vertical



Report No.: SUCR260700064607

Page: 40 of 48

1.79. Test Band = LTE Band41(2496-2690)_ TM1

1.79.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3523	50.91	-48.29	28.54	-64.10	-25.00	39.10	Horizontal
2	4776.5	51.36	-48.00	30.71	-61.19	-25.00	36.19	Horizontal
3	6413.5	52.43	-46.94	34.37	-55.40	-25.00	30.40	Horizontal
4	9410	53.57	-42.98	37.97	-46.70	-25.00	21.70	Horizontal
5	14171	55.10	-38.59	40.28	-38.47	-25.00	13.47	Horizontal
6	17095.5	56.92	-37.42	39.37	-36.39	-25.00	11.39	Horizontal

1.80. Test Band = LTE Band41(2496-2690)_ TM1

1.80.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3297	51.51	-48.03	28.34	-63.45	-25.00	38.45	Vertical
2	4715	50.96	-47.97	30.57	-61.69	-25.00	36.69	Vertical
3	6460.5	51.80	-46.97	34.55	-55.88	-25.00	30.88	Vertical
4	8982.5	51.45	-43.32	37.38	-49.75	-25.00	24.75	Vertical
5	12327	52.32	-39.68	39.20	-43.42	-25.00	18.42	Vertical
6	17092.5	56.18	-37.46	39.36	-37.18	-25.00	12.18	Vertical



Report No.: SUCR260700064607

Page: 41 of 48

1.81. Test Band = LTE Band41(2496-2690)_ TM1

1.81.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3304.5	51.48	-48.05	28.34	-63.48	-25.00	38.48	Horizontal
2	4478.5	51.17	-48.01	30.07	-62.03	-25.00	37.03	Horizontal
3	6104.5	52.97	-47.39	33.20	-56.48	-25.00	31.48	Horizontal
4	7772.5	52.40	-44.99	36.35	-51.51	-25.00	26.51	Horizontal
5	11381.5	52.21	-40.15	39.46	-43.74	-25.00	18.74	Horizontal
6	14948	55.86	-37.67	40.21	-36.87	-25.00	11.87	Horizontal

1.82. Test Band = LTE Band41(2496-2690)_ TM1

1.82.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3216.5	51.43	-48.14	28.27	-63.70	-25.00	38.70	Vertical
2	4716	50.69	-47.97	30.58	-61.96	-25.00	36.96	Vertical
3	6949	52.39	-46.67	35.42	-54.12	-25.00	29.12	Vertical
4	9987.5	51.48	-41.75	38.78	-46.75	-25.00	21.75	Vertical
5	14180	54.46	-38.61	40.28	-39.13	-25.00	14.13	Vertical
6	16880	57.48	-36.93	38.75	-35.96	-25.00	10.96	Vertical



Report No.: SUCR260700064607

Page: 42 of 48

1.83. Test Band = LTE Band66_ TM1

1.83.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3468.75	47.19	-48.33	28.48	-67.92	-13.00	54.92	Horizontal
2	4375.5	46.36	-48.03	29.90	-67.03	-13.00	54.03	Horizontal
3	5800.125	46.28	-47.65	32.72	-63.91	-13.00	50.91	Horizontal
4	7413.375	45.43	-46.17	36.24	-59.76	-13.00	46.76	Horizontal
5	10653.75	40.61	-41.12	39.26	-56.51	-13.00	43.51	Horizontal
6	16594.125	36.75	-37.27	38.64	-57.14	-13.00	44.14	Horizontal

1.84. Test Band = LTE Band66_ TM1

1.84.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3505.875	46.78	-48.29	28.51	-68.26	-13.00	55.26	Vertical
2	4506	46.68	-47.98	30.11	-66.45	-13.00	53.45	Vertical
3	6228.375	46.15	-47.48	33.67	-62.93	-13.00	49.93	Vertical
4	7973.625	44.29	-44.60	36.31	-59.27	-13.00	46.27	Vertical
5	11524.5	39.15	-39.99	39.45	-56.65	-13.00	43.65	Vertical
6	17859.375	36.62	-38.17	43.96	-52.85	-13.00	39.85	Vertical



Report No.: SUCR260700064607

Page: 43 of 48

1.85. Test Band = LTE Band66_ TM1

1.85.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3277.125	46.27	-48.06	28.32	-68.73	-13.00	55.73	Horizontal
2	4689.75	45.58	-47.96	30.52	-67.13	-13.00	54.13	Horizontal
3	6448.125	46.55	-46.96	34.50	-61.17	-13.00	48.17	Horizontal
4	8779.5	44.84	-44.02	37.16	-57.28	-13.00	44.28	Horizontal
5	11382	40.14	-40.15	39.46	-55.81	-13.00	42.81	Horizontal
6	17073.75	36.72	-37.67	39.24	-56.97	-13.00	43.97	Horizontal

1.86. Test Band = LTE Band66_ TM1

1.86.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3593.625	47.81	-48.28	28.65	-67.08	-13.00	54.08	Vertical
2	5727.375	46.55	-47.53	32.69	-63.55	-13.00	50.55	Vertical
3	7182	45.86	-46.13	35.83	-59.71	-13.00	46.71	Vertical
4	9229.5	42.93	-43.35	37.72	-57.95	-13.00	44.95	Vertical
5	10456.5	40.17	-40.91	39.12	-56.88	-13.00	43.88	Vertical
6	14947.875	37.93	-37.67	40.21	-54.80	-13.00	41.80	Vertical



Report No.: SUCR260700064607

Page: 44 of 48

1.87. Test Band = LTE Band66_ TM1

1.87.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3595.5	47.73	-48.28	28.65	-67.16	-13.00	54.16	Horizontal
2	4770	45.36	-48.00	30.69	-67.20	-13.00	54.20	Horizontal
3	5959.125	46.65	-47.36	32.78	-63.18	-13.00	50.18	Horizontal
4	7521.75	45.05	-45.82	36.40	-59.64	-13.00	46.64	Horizontal
5	10773	40.89	-40.80	39.34	-55.83	-13.00	42.83	Horizontal
6	16890.75	36.64	-36.85	38.76	-56.71	-13.00	43.71	Horizontal

1.88. Test Band = LTE Band66_ TM1

1.88.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3521.25	47.33	-48.29	28.53	-67.68	-13.00	54.68	Vertical
2	4726.5	46.04	-47.97	30.60	-66.59	-13.00	53.59	Vertical
3	6194.625	46.33	-47.54	33.54	-62.93	-13.00	49.93	Vertical
4	8227.5	44.15	-44.28	36.55	-58.84	-13.00	45.84	Vertical
5	12051.375	39.42	-39.53	39.37	-56.00	-13.00	43.00	Vertical
6	17521.125	36.53	-37.14	41.93	-53.94	-13.00	40.94	Vertical



Report No.: SUCR260700064607

Page: 45 of 48

1.89. Test Band = LTE Band13 5M_ TM1

1.89.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1265	50.52	-50.17	24.57	-70.33	-13.00	57.33	Horizontal
2	2030	50.77	-49.61	26.35	-67.74	-13.00	54.74	Horizontal
3	3025.5	51.61	-48.45	28.12	-63.98	-13.00	50.98	Horizontal
4	4919.5	51.04	-48.13	31.02	-61.33	-13.00	48.33	Horizontal
5	6569	51.27	-47.11	34.81	-56.29	-13.00	43.29	Horizontal
6	8860.5	51.79	-44.06	37.25	-50.29	-13.00	37.29	Horizontal

1.90. Test Band = LTE Band13 5M_ TM1

1.90.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1166	50.13	-50.13	24.82	-70.45	-13.00	57.45	Vertical
2	1917.5	50.63	-49.74	26.09	-68.27	-13.00	55.27	Vertical
3	2659.5	52.12	-49.07	27.49	-64.72	-13.00	51.72	Vertical
4	4225	49.68	-48.28	29.66	-64.20	-13.00	51.20	Vertical
5	6445	51.55	-47.17	34.49	-56.39	-13.00	43.39	Vertical
6	8773	52.02	-44.12	37.15	-50.21	-13.00	37.21	Vertical



Report No.: SUCR260700064607

Page: 46 of 48

1.91. Test Band = LTE Band13 5M_ TM1

1.91.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1559.5	65.65	-49.89	25.22	-54.28	-40.00	14.28	Horizontal
2	2339.5	69.65	-49.27	26.91	-47.97	-13.00	34.97	Horizontal
3	3119	57.29	-48.86	28.20	-58.64	-13.00	45.64	Horizontal
4	4185	52.60	-48.35	29.60	-61.41	-13.00	48.41	Horizontal
5	5443.5	51.90	-47.42	32.44	-58.34	-13.00	45.34	Horizontal
6	7668.5	51.25	-45.09	36.37	-52.73	-13.00	39.73	Horizontal

1.92. Test Band = LTE Band13 5M_ TM1

1.92.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1559.5	67.66	-49.89	25.22	-52.27	-40.00	12.27	Vertical
2	2339.5	64.98	-49.27	26.91	-52.64	-13.00	39.64	Vertical
3	3119	56.63	-48.86	28.20	-59.30	-13.00	46.30	Vertical
4	4186	55.32	-48.35	29.60	-58.69	-13.00	45.69	Vertical
5	5920	51.87	-47.14	32.77	-57.76	-13.00	44.76	Vertical
6	7973.5	50.89	-44.71	36.31	-52.77	-13.00	39.77	Vertical



Report No.: SUCR260700064607

Page: 47 of 48

1.93. Test Band = LTE Band13 5M_ TM1

1.93.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1564.5	63.75	-49.89	25.25	-56.15	-40.00	16.15	Horizontal
2	2347	71.02	-49.29	26.92	-46.61	-13.00	33.61	Horizontal
3	3553	60.52	-48.46	28.58	-54.61	-13.00	41.61	Horizontal
4	4700	50.08	-48.08	30.54	-62.72	-13.00	49.72	Horizontal
5	6081	52.32	-47.12	33.11	-56.95	-13.00	43.95	Horizontal
6	8384.5	51.39	-44.10	36.72	-51.24	-13.00	38.24	Horizontal

1.94. Test Band = LTE Band13 5M_ TM1

1.94.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1564.5	67.62	-49.89	25.25	-52.28	-40.00	12.28	Vertical
2	2347	62.73	-49.29	26.92	-54.90	-13.00	41.90	Vertical
3	3129	58.87	-48.83	28.20	-57.02	-13.00	44.02	Vertical
4	4186	54.44	-48.35	29.60	-59.57	-13.00	46.57	Vertical
5	5426.5	51.96	-47.43	32.39	-58.33	-13.00	45.33	Vertical
6	7665	51.34	-45.07	36.37	-52.62	-13.00	39.62	Vertical



Report No.: SUCR260700064607

Page: 48 of 48

1.95. Test Band = LTE Band13 10M_ TM1

1.95.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1555	67.05	-49.89	25.19	-52.91	-13.00	39.91	Horizontal
2	2332.5	71.95	-49.24	26.90	-45.66	-13.00	32.66	Horizontal
3	3110.5	53.72	-48.89	28.19	-62.24	-13.00	49.24	Horizontal
4	4106.5	49.44	-48.27	29.47	-64.62	-13.00	51.62	Horizontal
5	5463	51.50	-47.41	32.50	-58.67	-13.00	45.67	Horizontal
6	7692	51.27	-45.23	36.36	-52.86	-13.00	39.86	Horizontal

1.96. Test Band = LTE Band13 10M_ TM1

1.96.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1555	69.98	-49.89	25.19	-49.98	-13.00	36.98	Vertical
2	2332.5	66.95	-49.24	26.90	-50.66	-13.00	37.66	Vertical
3	3110.5	54.79	-48.89	28.19	-61.17	-13.00	48.17	Vertical
4	4186	51.32	-48.35	29.60	-62.69	-13.00	49.69	Vertical
5	5082.5	50.89	-47.93	31.43	-60.87	-13.00	47.87	Vertical
6	6809.5	51.62	-46.90	35.20	-55.34	-13.00	42.34	Vertical

---End of Attachment---