



Report No.: SUCR260700064209

Page: 1 of 6

Appendix B.1

1.1. Test Band = GSM850_ TM1

1.1.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1166.6667	51.48	-50.14	24.82	-69.10	-13.00	56.10	Horizontal
2	2007.1111	51.00	-49.66	26.31	-67.60	-13.00	54.60	Horizontal
3	3188	51.41	-48.66	28.25	-64.26	-13.00	51.26	Horizontal
4	4336.8889	50.36	-48.03	29.84	-63.09	-13.00	50.09	Horizontal
5	5905.3333	51.96	-47.05	32.76	-57.59	-13.00	44.59	Horizontal
6	8220.8889	50.78	-44.35	36.54	-52.28	-13.00	39.28	Horizontal

1.2. Test Band = GSM850_ TM1

1.2.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1276.8889	50.80	-50.15	24.53	-70.08	-13.00	57.08	Vertical
2	1971.1111	51.10	-49.69	26.23	-67.63	-13.00	54.63	Vertical
3	2798.2222	51.51	-48.69	27.74	-64.70	-13.00	51.70	Vertical
4	4658.6667	50.08	-48.06	30.45	-62.79	-13.00	49.79	Vertical
5	6501.3333	51.15	-47.07	34.70	-56.48	-13.00	43.48	Vertical
6	8624.8889	51.73	-43.95	36.99	-50.49	-13.00	37.49	Vertical



Report No.: SUCR260700064209

Page: 2 of 6

1.3. Test Band = GSM850_ TM1

1.3.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1228.8889	51.02	-50.20	24.70	-69.74	-13.00	56.74	Horizontal
2	1943.1111	51.24	-49.72	26.16	-67.58	-13.00	54.58	Horizontal
3	2858.2222	51.15	-48.74	27.84	-65.00	-13.00	52.00	Horizontal
4	3876	50.81	-48.43	29.10	-63.77	-13.00	50.77	Horizontal
5	5310.2222	51.95	-47.78	32.07	-59.02	-13.00	46.02	Horizontal
6	7755.1111	51.92	-45.16	36.35	-52.15	-13.00	39.15	Horizontal

1.4. Test Band = GSM850_ TM1

1.4.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1272.4444	50.54	-50.16	24.55	-70.33	-13.00	57.33	Vertical
2	1859.1111	51.42	-49.79	25.95	-67.68	-13.00	54.68	Vertical
3	2728	51.86	-48.91	27.61	-64.70	-13.00	51.70	Vertical
4	3924	51.01	-48.41	29.18	-63.48	-13.00	50.48	Vertical
5	5039.5556	51.21	-47.94	31.31	-60.68	-13.00	47.68	Vertical
6	7345.3333	51.54	-46.04	36.12	-53.63	-13.00	40.63	Vertical



Report No.: SUCR260700064209

Page: 3 of 6

1.5. Test Band = GSM850_ TM1

1.5.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1428.4444	50.44	-49.96	24.30	-70.48	-13.00	57.48	Horizontal
2	1998.6667	51.05	-49.67	26.30	-67.58	-13.00	54.58	Horizontal
3	2847.1111	51.40	-48.73	27.82	-64.76	-13.00	51.76	Horizontal
4	4282.6667	50.32	-48.09	29.75	-63.27	-13.00	50.27	Horizontal
5	6263.1111	52.36	-47.41	33.80	-56.51	-13.00	43.51	Horizontal
6	8339.5556	51.61	-44.47	36.67	-51.44	-13.00	38.44	Horizontal

1.6. Test Band = GSM850_ TM1

1.6.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1370.2222	50.52	-50.05	24.20	-70.58	-13.00	57.58	Vertical
2	2087.5556	50.96	-49.49	26.46	-67.33	-13.00	54.33	Vertical
3	3188	52.08	-48.66	28.25	-63.59	-13.00	50.59	Vertical
4	4354.6667	50.21	-48.04	29.87	-63.22	-13.00	50.22	Vertical
5	6377.3333	51.62	-47.28	34.23	-56.69	-13.00	43.69	Vertical
6	8378.2222	51.46	-44.15	36.72	-51.23	-13.00	38.23	Vertical



Report No.: SUCR260700064209

Page: 4 of 6

1.7. Test Band = GSM1900_ TM1

1.7.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3203.25	50.72	-48.16	28.26	-64.43	-13.00	51.43	Horizontal
2	4377	50.38	-48.03	29.90	-63.01	-13.00	50.01	Horizontal
3	5817	51.94	-47.57	32.73	-58.16	-13.00	45.16	Horizontal
4	8652	51.57	-44.05	37.02	-50.72	-13.00	37.72	Horizontal
5	11979	52.05	-39.54	39.40	-43.35	-13.00	30.35	Horizontal
6	16881	56.63	-36.92	38.75	-36.80	-13.00	23.80	Horizontal

1.8. Test Band = GSM1900_ TM1

1.8.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4072.5	50.37	-48.09	29.42	-63.57	-13.00	50.57	Vertical
2	5757	52.28	-47.58	32.70	-57.86	-13.00	44.86	Vertical
3	7948.5	51.03	-44.89	36.31	-52.81	-13.00	39.81	Vertical
4	10000.5	50.74	-41.70	38.80	-47.42	-13.00	34.42	Vertical
5	13489.5	52.98	-39.19	39.53	-41.93	-13.00	28.93	Vertical
6	16888.5	56.45	-36.87	38.76	-36.92	-13.00	23.92	Vertical



Report No.: SUCR260700064209

Page: 5 of 6

1.9. Test Band = GSM1900_ TM1

1.9.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3948	50.51	-48.24	29.22	-63.77	-13.00	50.77	Horizontal
2	5815.5	52.26	-47.57	32.73	-57.85	-13.00	44.85	Horizontal
3	7597.5	50.78	-44.61	36.38	-52.71	-13.00	39.71	Horizontal
4	9454.5	53.16	-42.68	38.04	-46.74	-13.00	33.74	Horizontal
5	11620.5	50.40	-39.75	39.44	-45.17	-13.00	32.17	Horizontal
6	15187.5	53.46	-38.12	39.86	-40.06	-13.00	27.06	Horizontal

1.10. Test Band = GSM1900_ TM1

1.10.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4133.25	49.36	-48.16	29.51	-64.55	-13.00	51.55	Vertical
2	5647.5	51.39	-47.60	32.66	-58.81	-13.00	45.81	Vertical
3	7561.5	50.91	-45.19	36.39	-53.15	-13.00	40.15	Vertical
4	10014	50.96	-41.72	38.81	-47.21	-13.00	34.21	Vertical
5	12403.5	51.96	-39.57	39.16	-43.71	-13.00	30.71	Vertical
6	16885.5	56.39	-36.89	38.75	-37.01	-13.00	24.01	Vertical



Report No.: SUCR260700064209

Page: 6 of 6

1.11. Test Band = GSM1900_ TM1

1.11.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4506	50.70	-47.98	30.11	-62.43	-13.00	49.43	Horizontal
2	6188.25	52.39	-47.53	33.52	-56.88	-13.00	43.88	Horizontal
3	7604.25	51.09	-44.60	36.38	-52.39	-13.00	39.39	Horizontal
4	9948	50.98	-41.91	38.73	-47.47	-13.00	34.47	Horizontal
5	12601.5	52.10	-38.99	39.04	-43.12	-13.00	30.12	Horizontal
6	16878	56.14	-36.95	38.75	-37.32	-13.00	24.32	Horizontal

1.12. Test Band = GSM1900_ TM1

1.12.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3932.25	50.95	-48.25	29.19	-63.37	-13.00	50.37	Vertical
2	5814.75	52.08	-47.58	32.73	-58.03	-13.00	45.03	Vertical
3	7740	51.47	-45.09	36.35	-52.53	-13.00	39.53	Vertical
4	9378	52.25	-43.01	37.93	-48.09	-13.00	35.09	Vertical
5	11423.25	51.58	-40.08	39.46	-44.30	-13.00	31.30	Vertical
6	16933.5	56.49	-37.36	38.77	-37.36	-13.00	24.36	Vertical

---End of Attachment---