


802.11ax HE40 CH123




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1266.88	44.39	---	68.20	23.81	500.00	200.0	H	152.00	-4
1399.00	---	32.98	54.00	21.02	500.00	200.0	H	188.00	-3
1574.88	43.22	---	74.00	30.78	500.00	200.0	H	69.00	-2
1696.50	---	33.17	54.00	20.83	500.00	100.0	H	246.00	-2
1957.25	46.12	---	68.20	22.08	500.00	100.0	V	212.00	0
2344.00	---	35.82	54.00	18.18	500.00	200.0	H	43.00	2
2452.50	48.63	---	68.20	19.57	500.00	100.0	H	315.00	2
2777.13	---	37.50	54.00	16.50	500.00	100.0	H	306.00	3
3514.75	50.60	---	68.20	17.60	500.00	200.0	V	278.00	5
3877.88	---	40.05	54.00	13.95	500.00	200.0	V	337.00	6
4479.88	51.97	---	68.20	16.23	500.00	200.0	V	85.00	8
4923.50	---	47.73	54.00	6.27	500.00	200.0	V	314.00	9

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8970.00	49.92	---	68.20	18.28	500.00	100.0	H	22.00	6
9153.75	---	38.45	54.00	15.55	500.00	100.0	H	115.00	7
9305.00	---	38.50	54.00	15.50	500.00	100.0	V	124.00	7
9937.50	51.44	---	68.20	16.76	500.00	100.0	H	100.00	7
10592.50	50.52	---	68.20	17.68	500.00	200.0	H	260.00	8
11345.00	---	40.60	54.00	13.40	500.00	200.0	V	6.00	9
12690.00	---	40.65	54.00	13.35	500.00	200.0	V	0.00	10
13732.50	52.74	---	68.20	15.46	500.00	100.0	H	72.00	12
14497.50	---	42.39	54.00	11.61	500.00	200.0	H	359.00	11
14578.75	54.66	---	68.20	13.54	500.00	200.0	H	215.00	11
15741.25	49.17	---	74.00	24.83	500.00	200.0	V	8.00	8
15771.25	---	39.95	54.00	14.05	500.00	100.0	V	242.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH155




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1280.00	44.00	---	68.20	24.20	500.00	200.0	H	24.00	-4
1391.13	---	32.95	54.00	21.05	500.00	100.0	V	330.00	-3
1573.13	44.90	---	74.00	29.10	500.00	200.0	H	294.00	-2
1692.13	---	33.25	54.00	20.75	500.00	100.0	V	0.00	-2
1982.63	46.12	---	68.20	22.08	500.00	100.0	V	10.00	0
2209.25	---	35.20	54.00	18.80	500.00	100.0	V	2.00	1
2547.88	48.43	---	68.20	19.77	500.00	200.0	V	283.00	3
2777.13	---	37.54	54.00	16.46	500.00	100.0	V	339.00	3
3315.25	50.88	---	68.20	17.32	500.00	100.0	H	178.00	4
3881.38	---	39.71	54.00	14.29	500.00	100.0	H	65.00	6
4499.13	51.95	---	68.20	16.25	500.00	200.0	V	187.00	8
5446.75	---	42.52	54.00	11.48	500.00	200.0	V	353.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8208.75	---	38.36	54.00	15.64	500.00	200.0	H	64.00	7
8871.25	49.62	---	68.20	18.58	500.00	200.0	H	278.00	6
9353.75	---	38.74	54.00	15.26	500.00	100.0	V	248.00	7
10375.00	51.53	---	68.20	16.67	500.00	200.0	H	0.00	8
10575.00	51.24	---	68.20	16.96	500.00	100.0	H	4.00	8
11298.75	---	40.56	54.00	13.44	500.00	100.0	V	338.00	9
12025.00	---	40.37	54.00	13.63	500.00	200.0	H	352.00	9
12750.00	52.89	---	68.20	15.31	500.00	200.0	H	35.00	10
14098.75	54.57	---	68.20	13.63	500.00	100.0	H	18.00	12
14471.25	---	42.56	54.00	11.44	500.00	100.0	V	354.00	11
15775.00	51.09	---	74.00	22.91	500.00	100.0	H	18.00	8
15780.00	---	39.30	54.00	14.70	500.00	200.0	H	355.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH179




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1264.25	43.56	---	68.20	24.64	500.00	100.0	V	259.00	-4
1390.25	---	33.03	54.00	20.97	500.00	200.0	V	283.00	-3
1553.88	43.66	---	74.00	30.34	500.00	200.0	H	4.00	-2
1704.38	---	33.37	54.00	20.63	500.00	100.0	V	5.00	-2
1981.75	46.05	---	68.20	22.15	500.00	100.0	H	339.00	0
2351.00	---	35.57	54.00	18.43	500.00	100.0	H	106.00	2
2581.13	48.62	---	68.20	19.58	500.00	200.0	V	66.00	3
2779.75	---	37.41	54.00	16.59	500.00	100.0	H	300.00	3
3177.00	50.61	---	68.20	17.59	500.00	100.0	H	194.00	4
3964.50	---	39.81	54.00	14.19	500.00	200.0	H	313.00	6
4437.88	51.91	---	68.20	16.29	500.00	200.0	V	346.00	8
5133.50	---	47.76	54.00	6.24	500.00	200.0	V	349.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8156.25	---	38.19	54.00	15.81	500.00	200.0	H	278.00	7
8698.75	50.23	---	68.20	17.97	500.00	100.0	H	30.00	7
9300.00	---	38.66	54.00	15.34	500.00	100.0	H	188.00	7
9930.00	51.24	---	68.20	16.96	500.00	100.0	H	234.00	7
10573.75	50.23	---	68.20	17.97	500.00	100.0	H	296.00	8
11298.75	---	40.56	54.00	13.44	500.00	100.0	V	204.00	9
12688.75	---	40.52	54.00	13.48	500.00	200.0	V	20.00	10
13731.25	52.83	---	68.20	15.37	500.00	100.0	H	0.00	12
13947.50	54.67	---	68.20	13.53	500.00	200.0	V	20.00	12
14485.00	---	42.46	54.00	11.54	500.00	100.0	V	84.00	11
15725.00	---	39.58	54.00	14.42	500.00	200.0	H	0.00	8
15743.75	50.94	---	74.00	23.06	500.00	100.0	H	84.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH187




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1298.38	43.68	---	68.20	24.52	500.00	200.0	H	0.00	-4
1406.00	---	33.05	54.00	20.95	500.00	100.0	V	5.00	-3
1558.25	43.12	---	74.00	30.88	500.00	200.0	H	4.00	-2
1698.25	---	33.19	54.00	20.81	500.00	200.0	V	345.00	-2
1997.50	46.08	---	68.20	22.12	500.00	100.0	V	126.00	1
2336.13	---	35.85	54.00	18.15	500.00	100.0	H	280.00	2
2688.75	48.38	---	68.20	19.82	500.00	200.0	H	311.00	3
2772.75	---	37.33	54.00	16.67	500.00	100.0	V	2.00	3
3322.25	50.64	---	68.20	17.56	500.00	200.0	V	0.00	5
3852.50	---	39.83	54.00	14.17	500.00	200.0	V	162.00	6
4402.00	52.52	---	68.20	15.68	500.00	100.0	V	240.00	8
5385.50	---	42.40	54.00	11.60	500.00	200.0	H	196.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8268.75	---	38.17	54.00	15.83	500.00	200.0	V	10.00	6
8516.25	49.81	---	68.20	18.39	500.00	100.0	V	323.00	6
9306.25	---	38.26	54.00	15.74	500.00	100.0	V	344.00	7
9998.75	50.75	---	68.20	17.45	500.00	200.0	H	291.00	7
10575.00	51.08	---	68.20	17.12	500.00	100.0	V	246.00	8
11316.25	---	40.42	54.00	13.58	500.00	100.0	V	0.00	9
13365.00	---	40.92	54.00	13.08	500.00	100.0	V	261.00	11
13606.25	53.29	---	68.20	14.91	500.00	200.0	V	97.00	12
13925.00	54.38	---	68.20	13.82	500.00	100.0	V	0.00	12
14488.75	---	42.43	54.00	11.57	500.00	200.0	V	296.00	11
15738.75	---	38.72	54.00	15.28	500.00	200.0	H	354.00	8
15756.25	50.03	---	74.00	23.97	500.00	200.0	H	277.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH195




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1260.75	43.43	---	68.20	24.77	500.00	200.0	H	11.00	-4
1394.63	---	32.50	54.00	21.50	500.00	200.0	H	293.00	-3
1582.75	43.78	---	74.00	30.22	500.00	200.0	H	155.00	-2
1696.50	---	33.03	54.00	20.97	500.00	100.0	H	0.00	-2
1999.25	45.39	---	68.20	22.81	500.00	100.0	V	4.00	1
2595.13	48.11	---	68.20	20.09	500.00	100.0	H	239.00	3
2776.25	---	37.31	54.00	16.69	500.00	200.0	V	258.00	3
3517.38	50.06	---	68.20	18.14	500.00	200.0	V	339.00	5
3957.50	---	39.71	54.00	14.29	500.00	200.0	H	95.00	6
4422.13	51.91	---	68.20	16.29	500.00	200.0	V	325.00	8
4875.38	---	40.34	54.00	13.66	500.00	200.0	H	2.00	9
5440.63	---	42.33	54.00	11.67	500.00	100.0	H	319.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8356.25	---	38.15	54.00	15.85	500.00	200.0	V	108.00	7
8887.50	50.22	---	68.20	17.98	500.00	100.0	V	124.00	6
9301.25	---	38.34	54.00	15.66	500.00	200.0	V	184.00	7
10378.75	51.15	---	68.20	17.05	500.00	200.0	V	324.00	8
10587.50	50.57	---	68.20	17.63	500.00	100.0	V	168.00	8
11356.25	---	39.91	54.00	14.09	500.00	200.0	V	3.00	9
13381.25	---	41.01	54.00	12.99	500.00	200.0	H	324.00	11
13725.00	53.63	---	68.20	14.57	500.00	100.0	V	140.00	12
14036.25	55.56	---	68.20	12.64	500.00	100.0	V	348.00	12
14475.00	---	41.85	54.00	12.15	500.00	200.0	V	54.00	11
15801.25	50.82	---	74.00	23.18	500.00	200.0	H	64.00	8
15807.50	---	38.85	54.00	15.15	500.00	100.0	H	14.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH211




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1270.38	44.04	---	68.20	24.16	500.00	100.0	V	9.00	-4
1391.13	---	32.82	54.00	21.18	500.00	200.0	V	338.00	-3
1559.13	42.09	---	74.00	31.91	500.00	100.0	H	244.00	-2
1698.25	---	33.01	54.00	20.99	500.00	200.0	H	91.00	-2
1945.88	45.37	---	68.20	22.83	500.00	100.0	V	217.00	0
2340.50	---	34.79	54.00	19.21	500.00	200.0	H	98.00	2
2568.88	48.36	---	68.20	19.84	500.00	100.0	V	2.00	3
2745.63	---	37.11	54.00	16.89	500.00	200.0	V	53.00	3
3492.00	50.16	---	68.20	18.04	500.00	200.0	H	1.00	4
3958.38	---	39.56	54.00	14.44	500.00	100.0	V	9.00	6
4478.13	52.01	---	68.20	16.19	500.00	200.0	V	46.00	8
4669.75	---	42.40	54.00	11.60	500.00	200.0	V	312.00	8

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8377.50	---	37.97	54.00	16.03	500.00	200.0	V	247.00	7
8696.25	49.82	---	68.20	18.38	500.00	100.0	H	3.00	7
9300.00	---	38.25	54.00	15.75	500.00	100.0	V	358.00	7
10360.00	51.29	---	68.20	16.91	500.00	100.0	H	20.00	8
10592.50	50.29	---	68.20	17.91	500.00	200.0	V	155.00	8
11300.00	---	40.09	54.00	13.91	500.00	200.0	H	358.00	9
13392.50	---	40.89	54.00	13.11	500.00	200.0	H	50.00	11
13736.25	53.13	---	68.20	15.07	500.00	100.0	V	357.00	12
14095.00	54.52	---	68.20	13.69	500.00	100.0	H	157.00	12
14487.50	---	41.56	54.00	12.44	500.00	200.0	H	359.00	11
15701.25	---	39.46	54.00	14.54	500.00	100.0	H	7.00	8
15702.50	51.39	---	74.00	22.61	500.00	100.0	H	233.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH227




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1253.75	43.56	---	68.20	24.64	500.00	200.0	V	313.00	-4
1407.75	---	33.08	54.00	20.92	500.00	100.0	H	236.00	-3
1575.75	41.52	---	74.00	32.48	500.00	200.0	V	220.00	-2
1696.50	---	32.94	54.00	21.06	500.00	200.0	H	52.00	-2
1963.38	45.70	---	68.20	22.50	500.00	200.0	H	65.00	0
2340.50	---	35.41	54.00	18.59	500.00	200.0	H	85.00	2
2677.38	48.44	---	68.20	19.76	500.00	100.0	V	246.00	3
2721.13	---	37.09	54.00	16.91	500.00	200.0	H	0.00	3
3543.63	50.37	---	68.20	17.83	500.00	200.0	V	313.00	4
3851.63	---	39.70	54.00	14.30	500.00	200.0	H	224.00	6
4441.38	51.87	---	68.20	16.33	500.00	200.0	V	226.00	8
5049.50	---	42.31	54.00	11.69	500.00	100.0	H	1.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8208.75	---	37.99	54.00	16.01	500.00	100.0	H	31.00	7
8807.50	49.66	---	68.20	18.54	500.00	100.0	H	0.00	6
9300.00	---	38.31	54.00	15.69	500.00	200.0	V	201.00	7
9967.50	50.38	---	68.20	17.82	500.00	200.0	V	9.00	7
10508.75	50.11	---	68.20	18.09	500.00	100.0	V	0.00	8
11300.00	---	40.16	54.00	13.84	500.00	100.0	V	0.00	9
13361.25	---	41.08	54.00	12.92	500.00	200.0	H	111.00	11
13727.50	53.04	---	68.20	15.16	500.00	100.0	V	0.00	12
14481.25	---	41.76	54.00	12.24	500.00	200.0	V	125.00	11
14563.75	54.49	---	68.20	13.71	500.00	200.0	V	325.00	11
15700.00	51.06	---	74.00	22.94	500.00	100.0	H	347.00	8
15772.50	---	39.29	54.00	14.71	500.00	200.0	H	296.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH7




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1254.63	43.28	---	68.20	24.92	500.00	200.0	V	301.00	-4
1376.25	---	32.77	54.00	21.23	500.00	100.0	H	341.00	-3
1528.50	43.49	---	74.00	30.51	500.00	200.0	H	0.00	-2
1697.38	---	32.98	54.00	21.02	500.00	100.0	V	233.00	-2
1961.63	46.49	---	68.20	21.71	500.00	200.0	H	6.00	0
2353.63	---	35.62	54.00	18.38	500.00	100.0	V	14.00	2
2670.38	48.27	---	68.20	19.93	500.00	100.0	V	4.00	3
2774.50	---	37.23	54.00	16.77	500.00	200.0	V	46.00	3
3453.50	50.15	---	68.20	18.05	500.00	100.0	H	341.00	5
3821.88	---	39.63	54.00	14.37	500.00	100.0	H	167.00	5
4479.88	51.83	---	68.20	16.37	500.00	100.0	V	226.00	8
5418.75	---	42.30	54.00	11.70	500.00	200.0	H	6.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8210.00	---	38.06	54.00	15.94	500.00	100.0	H	174.00	7
8933.75	49.61	---	68.20	18.59	500.00	200.0	V	312.00	6
9301.25	---	38.26	54.00	15.74	500.00	200.0	V	0.00	7
9967.50	51.04	---	68.20	17.16	500.00	200.0	H	335.00	7
10590.00	50.26	---	68.20	17.94	500.00	200.0	H	353.00	8
11346.25	---	39.89	54.00	14.11	500.00	200.0	V	0.00	9
13360.00	---	40.92	54.00	13.08	500.00	100.0	H	10.00	11
13627.50	53.05	---	68.20	15.15	500.00	100.0	H	0.00	12
14116.25	54.09	---	68.20	14.11	500.00	100.0	V	310.00	12
14488.75	---	41.33	54.00	12.67	500.00	200.0	H	81.00	11
15703.75	50.22	---	74.00	23.78	500.00	200.0	H	353.00	8
15768.75	---	38.62	54.00	15.38	500.00	100.0	H	204.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH55




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1261.63	43.41	---	68.20	24.79	500.00	100.0	H	202.00	-4
1392.00	---	32.84	54.00	21.16	500.00	100.0	H	334.00	-3
1551.25	43.13	---	74.00	30.87	500.00	200.0	H	28.00	-2
1708.75	---	32.96	54.00	21.04	500.00	200.0	H	34.00	-2
1980.88	45.69	---	68.20	22.51	500.00	200.0	H	109.00	0
2338.75	---	35.46	54.00	18.54	500.00	200.0	H	0.00	2
2472.63	48.30	---	68.20	19.90	500.00	200.0	H	251.00	3
2771.00	---	37.35	54.00	16.65	500.00	200.0	V	344.00	3
3439.50	50.07	---	68.20	18.13	500.00	200.0	V	0.00	4
3849.00	---	39.41	54.00	14.59	500.00	100.0	V	191.00	6
4465.88	51.92	---	68.20	16.28	500.00	200.0	H	61.00	8
4668.88	---	43.57	54.00	10.43	500.00	200.0	V	311.00	8

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8206.25	---	38.05	54.00	15.95	500.00	200.0	H	0.00	7
8881.25	49.38	---	68.20	18.82	500.00	200.0	V	104.00	6
9300.00	---	38.10	54.00	15.90	500.00	100.0	V	168.00	7
10023.75	50.83	---	68.20	17.37	500.00	200.0	H	0.00	7
10580.00	50.87	---	68.20	17.33	500.00	200.0	H	358.00	8
11085.00	---	39.85	54.00	14.15	500.00	100.0	H	0.00	9
11792.50	46.69	---	74.00	27.31	500.00	100.0	H	67.00	9
13361.25	---	40.59	54.00	13.41	500.00	200.0	V	6.00	11
13843.75	54.34	---	68.20	13.86	500.00	100.0	H	3.00	12
14486.25	---	41.17	54.00	12.83	500.00	100.0	V	228.00	11
15788.75	---	37.92	54.00	16.08	500.00	200.0	H	358.00	8
15826.25	48.47	---	74.00	25.53	500.00	200.0	H	65.00	7

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH87




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1281.75	43.38	---	68.20	24.82	500.00	200.0	H	132.00	-4
1387.63	---	32.40	54.00	21.60	500.00	200.0	H	45.00	-3
1552.13	42.85	---	74.00	31.15	500.00	100.0	V	50.00	-2
1709.63	---	32.79	54.00	21.21	500.00	100.0	V	84.00	-2
1930.13	45.35	---	68.20	22.85	500.00	200.0	V	189.00	0
2332.63	---	35.21	54.00	18.79	500.00	100.0	H	344.00	2
2472.63	48.47	---	68.20	19.73	500.00	100.0	V	143.00	3
2770.13	---	36.95	54.00	17.05	500.00	100.0	H	292.00	3
3365.13	50.44	---	68.20	17.76	500.00	100.0	H	135.00	5
3956.63	---	39.37	54.00	14.63	500.00	200.0	V	149.00	6
4437.88	52.12	---	68.20	16.08	500.00	200.0	H	58.00	8
4788.75	---	44.68	54.00	9.32	500.00	200.0	V	315.00	8

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8301.25	---	37.98	54.00	16.02	500.00	100.0	V	358.00	6
8736.25	49.30	---	68.20	18.90	500.00	100.0	H	3.00	7
9306.25	---	38.23	54.00	15.77	500.00	100.0	H	26.00	7
9938.75	51.54	---	68.20	16.66	500.00	100.0	H	4.00	7
10596.25	51.53	---	68.20	16.67	500.00	200.0	V	186.00	8
11342.50	---	39.79	54.00	14.21	500.00	100.0	H	173.00	9
13350.00	---	40.78	54.00	13.22	500.00	200.0	V	248.00	11
13711.25	52.67	---	68.20	15.53	500.00	100.0	V	0.00	12
13993.75	53.95	---	68.20	14.25	500.00	200.0	H	357.00	12
14490.00	---	40.94	54.00	13.06	500.00	100.0	V	353.00	11
15753.75	48.99	---	74.00	25.01	500.00	200.0	H	354.00	8
15766.25	---	38.37	54.00	15.63	500.00	100.0	H	156.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH103




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1282.63	43.08	---	68.20	25.12	500.00	100.0	V	12.00	-4
1408.63	---	32.40	54.00	21.60	500.00	200.0	H	43.00	-3
1542.50	43.00	---	74.00	31.00	500.00	200.0	H	314.00	-2
1701.75	---	32.83	54.00	21.17	500.00	200.0	H	184.00	-2
1995.75	45.36	---	68.20	22.84	500.00	100.0	H	150.00	1
2351.00	---	34.75	54.00	19.25	500.00	200.0	H	2.00	2
2633.63	47.89	---	68.20	20.31	500.00	100.0	H	312.00	2
2778.00	---	36.93	54.00	17.07	500.00	200.0	V	338.00	3
3341.50	49.58	---	68.20	18.62	500.00	200.0	V	282.00	5
3952.25	---	39.23	54.00	14.77	500.00	100.0	V	0.00	6
4478.13	52.19	---	68.20	16.01	500.00	100.0	H	356.00	8
4849.13	---	44.10	54.00	9.90	500.00	200.0	V	324.00	9

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8182.50	---	37.84	54.00	16.16	500.00	200.0	H	155.00	7
8685.00	49.33	---	68.20	18.87	500.00	200.0	H	314.00	7
9300.00	---	38.06	54.00	15.94	500.00	100.0	V	359.00	7
10558.75	50.28	---	68.20	17.92	500.00	100.0	V	358.00	8
11251.25	49.20	---	74.00	24.80	500.00	200.0	H	357.00	9
11348.75	---	39.71	54.00	14.29	500.00	100.0	H	54.00	9
13336.25	---	39.95	54.00	14.05	500.00	100.0	V	339.00	11
13722.50	52.01	---	68.20	16.19	500.00	100.0	H	110.00	12
13868.75	53.25	---	68.20	14.95	500.00	100.0	V	275.00	12
14500.00	---	39.82	54.00	14.18	500.00	100.0	V	0.00	11
15781.25	49.05	---	74.00	24.95	500.00	100.0	H	6.00	8
15795.00	---	37.41	54.00	16.59	500.00	200.0	H	0.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH119




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1271.25	43.07	---	68.20	25.13	500.00	100.0	H	73.00	-4
1381.50	---	32.33	54.00	21.67	500.00	200.0	H	230.00	-3
1524.13	42.97	---	74.00	31.03	500.00	200.0	H	330.00	-2
1697.38	---	33.10	54.00	20.90	500.00	100.0	H	355.00	-2
1934.50	45.59	---	68.20	22.61	500.00	200.0	V	117.00	0
2288.88	---	34.77	54.00	19.23	500.00	100.0	H	299.00	2
2601.25	48.21	---	68.20	19.99	500.00	200.0	V	355.00	3
2778.00	---	36.85	54.00	17.15	500.00	200.0	H	6.00	3
3524.38	49.75	---	68.20	18.45	500.00	100.0	V	57.00	5
3828.00	---	39.22	54.00	14.78	500.00	200.0	H	18.00	5
4499.13	51.11	---	68.20	17.09	500.00	200.0	V	350.00	8
4908.63	---	45.91	54.00	8.09	500.00	200.0	V	317.00	9

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8206.25	---	37.95	54.00	16.05	500.00	100.0	V	0.00	7
8718.75	49.78	---	68.20	18.42	500.00	100.0	V	305.00	7
9301.25	---	37.96	54.00	16.04	500.00	200.0	H	231.00	7
10402.50	50.47	---	68.20	17.73	500.00	200.0	V	311.00	8
10500.00	49.70	---	68.20	18.50	500.00	100.0	H	127.00	8
11032.50	---	39.63	54.00	14.37	500.00	100.0	V	353.00	9
13347.50	---	39.81	54.00	14.19	500.00	100.0	V	316.00	11
13675.00	51.43	---	68.20	16.77	500.00	100.0	H	218.00	12
13878.75	53.63	---	68.20	14.57	500.00	200.0	H	324.00	12
14485.00	---	39.79	54.00	14.21	500.00	200.0	H	345.00	11
15711.25	48.28	---	74.00	25.72	500.00	200.0	H	200.00	8
15752.50	---	37.58	54.00	16.42	500.00	200.0	H	359.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH135




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1268.63	43.32	---	68.20	24.88	500.00	200.0	H	7.00	-4
1380.63	---	32.54	54.00	21.46	500.00	100.0	H	244.00	-3
1557.38	42.69	---	74.00	31.31	500.00	200.0	H	1.00	-2
1693.88	---	32.56	54.00	21.44	500.00	200.0	V	298.00	-2
1951.13	45.37	---	68.20	22.83	500.00	200.0	V	72.00	0
2330.88	---	35.24	54.00	18.76	500.00	100.0	H	327.00	2
2547.00	47.68	---	68.20	20.52	500.00	200.0	H	142.00	3
2772.75	---	36.71	54.00	17.29	500.00	100.0	H	355.00	3
3527.88	50.19	---	68.20	18.01	500.00	200.0	V	341.00	5
3956.63	---	39.09	54.00	14.91	500.00	100.0	V	62.00	6
4440.50	51.57	---	68.20	16.63	500.00	100.0	H	274.00	8
5439.75	---	41.66	54.00	12.34	500.00	200.0	H	114.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8207.50	---	37.93	54.00	16.07	500.00	200.0	H	96.00	7
8642.50	49.40	---	68.20	18.80	500.00	100.0	V	341.00	7
9302.50	---	38.05	54.00	15.95	500.00	100.0	H	0.00	7
9918.75	50.24	---	68.20	17.96	500.00	100.0	V	69.00	7
10506.25	49.97	---	68.20	18.23	500.00	100.0	H	0.00	8
11342.50	---	39.33	54.00	14.67	500.00	100.0	H	324.00	9
13350.00	---	39.83	54.00	14.17	500.00	200.0	V	9.00	11
13732.50	51.84	---	68.20	16.36	500.00	100.0	H	248.00	12
13901.25	53.48	---	68.20	14.72	500.00	100.0	H	110.00	12
14490.00	---	39.59	54.00	14.41	500.00	100.0	H	43.00	11
15726.25	---	37.99	54.00	16.01	500.00	200.0	H	358.00	8
15740.00	48.23	---	74.00	25.77	500.00	200.0	H	0.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH151




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1253.75	43.20	---	68.20	25.00	500.00	200.0	V	0.00	-4
1371.88	---	32.36	54.00	21.64	500.00	200.0	H	14.00	-3
1499.63	41.87	---	74.00	32.13	500.00	100.0	H	327.00	-2
1709.63	---	32.69	54.00	21.31	500.00	100.0	H	60.00	-2
1966.88	44.98	---	68.20	23.22	500.00	100.0	H	286.00	0
2324.75	---	35.16	54.00	18.84	500.00	200.0	H	86.00	2
2617.00	47.93	---	68.20	20.27	500.00	200.0	H	3.00	2
2779.75	---	36.69	54.00	17.31	500.00	200.0	V	199.00	3
3450.88	50.06	---	68.20	18.14	500.00	200.0	H	184.00	5
3831.50	---	39.31	54.00	14.69	500.00	100.0	H	353.00	6
4443.13	52.15	---	68.20	16.05	500.00	200.0	H	141.00	8
5056.50	---	41.76	54.00	12.24	500.00	200.0	V	317.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8267.50	---	38.18	54.00	15.82	500.00	200.0	V	28.00	6
8928.75	49.64	---	68.20	18.56	500.00	100.0	H	2.00	6
9301.25	---	37.58	54.00	16.42	500.00	100.0	V	202.00	7
9958.75	50.20	---	68.20	18.00	500.00	100.0	V	350.00	7
10581.25	49.83	---	68.20	18.37	500.00	200.0	H	346.00	8
11357.50	---	39.44	54.00	14.56	500.00	200.0	H	334.00	9
13357.50	---	39.60	54.00	14.40	500.00	200.0	V	5.00	11
13613.75	51.65	---	68.20	16.55	500.00	100.0	V	357.00	12
13868.75	52.91	---	68.20	15.29	500.00	200.0	V	247.00	12
14490.00	---	39.72	54.00	14.28	500.00	100.0	V	232.00	11
15740.00	48.40	---	74.00	25.60	500.00	200.0	H	127.00	8
15776.25	---	38.14	54.00	15.86	500.00	200.0	H	95.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH167




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1289.63	42.79	---	68.20	25.41	500.00	200.0	H	0.00	-4
1384.13	---	32.48	54.00	21.52	500.00	200.0	H	70.00	-3
1533.75	42.93	---	74.00	31.07	500.00	100.0	V	2.00	-2
1694.75	---	32.78	54.00	21.22	500.00	200.0	H	354.00	-2
1920.50	45.29	---	68.20	22.91	500.00	100.0	V	16.00	0
2344.00	---	35.25	54.00	18.75	500.00	100.0	H	302.00	2
2582.88	47.92	---	68.20	20.28	500.00	100.0	V	128.00	3
2779.75	---	36.79	54.00	17.21	500.00	200.0	V	204.00	3
3433.38	49.43	---	68.20	18.77	500.00	100.0	H	302.00	4
3879.63	---	39.03	54.00	14.97	500.00	200.0	V	356.00	6
4411.63	51.46	---	68.20	16.74	500.00	200.0	H	140.00	8
5437.13	---	42.11	54.00	11.89	500.00	200.0	V	0.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8218.75	---	37.81	54.00	16.19	500.00	100.0	V	321.00	7
8663.75	49.80	---	68.20	18.40	500.00	200.0	H	357.00	7
9358.75	---	37.66	54.00	16.34	500.00	200.0	V	0.00	7
10018.75	51.02	---	68.20	17.18	500.00	100.0	V	348.00	7
10538.75	50.08	---	68.20	18.12	500.00	100.0	H	0.00	8
11100.00	---	39.44	54.00	14.56	500.00	100.0	H	27.00	9
13357.50	---	39.50	54.00	14.50	500.00	200.0	H	0.00	11
13691.25	51.91	---	68.20	16.29	500.00	200.0	V	4.00	12
13918.75	53.41	---	68.20	14.79	500.00	100.0	V	343.00	12
14487.50	---	39.75	54.00	14.25	500.00	100.0	H	0.00	11
15726.25	---	38.29	54.00	15.71	500.00	200.0	H	346.00	8
15777.50	49.20	---	74.00	24.80	500.00	100.0	H	27.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH183




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1270.38	43.43	---	68.20	24.77	500.00	200.0	H	58.00	-4
1388.50	---	32.58	54.00	21.42	500.00	200.0	H	0.00	-3
1530.25	43.12	---	74.00	30.88	500.00	200.0	V	273.00	-2
1695.63	---	32.89	54.00	21.11	500.00	100.0	H	354.00	-2
1995.75	45.96	---	68.20	22.24	500.00	200.0	H	1.00	1
2355.38	---	35.46	54.00	18.54	500.00	100.0	V	315.00	2
2622.25	47.58	---	68.20	20.62	500.00	100.0	H	0.00	2
2775.38	---	36.88	54.00	17.12	500.00	200.0	H	1.00	3
3363.38	49.45	---	68.20	18.75	500.00	100.0	V	13.00	5
3857.75	---	39.26	54.00	14.74	500.00	100.0	H	331.00	6
4478.13	51.57	---	68.20	16.63	500.00	200.0	H	4.00	8
5438.00	---	41.78	54.00	12.22	500.00	100.0	H	289.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8296.25	---	37.91	54.00	16.09	500.00	200.0	V	278.00	6
8582.50	50.24	---	68.20	17.96	500.00	200.0	V	2.00	6
9300.00	---	38.06	54.00	15.94	500.00	100.0	V	359.00	7
9361.25	48.91	---	74.00	25.09	500.00	200.0	V	66.00	7
10356.25	50.20	---	68.20	18.00	500.00	200.0	H	6.00	8
10581.25	49.60	---	68.20	18.60	500.00	100.0	H	311.00	8
11076.25	---	39.41	54.00	14.59	500.00	200.0	H	0.00	9
12082.50	---	38.19	54.00	15.81	500.00	200.0	H	356.00	9
13333.75	---	39.93	54.00	14.07	500.00	100.0	V	290.00	11
13681.25	51.52	---	68.20	16.68	500.00	200.0	H	0.00	12
13818.75	54.03	---	68.20	14.17	500.00	200.0	V	66.00	12
14480.00	---	39.84	54.00	14.16	500.00	200.0	V	6.00	11

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH199




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1266.88	42.76	---	68.20	25.44	500.00	200.0	V	193.00	-4
1404.25	---	32.43	54.00	21.57	500.00	100.0	H	357.00	-3
1580.13	43.06	---	74.00	30.94	500.00	100.0	H	357.00	-2
1707.00	---	32.84	54.00	21.16	500.00	200.0	V	0.00	-2
1995.75	46.14	---	68.20	22.06	500.00	200.0	H	47.00	1
2257.38	---	34.92	54.00	19.08	500.00	100.0	H	286.00	2
2598.63	48.35	---	68.20	19.85	500.00	100.0	V	212.00	3
2780.63	---	36.77	54.00	17.23	500.00	100.0	V	126.00	3
3340.63	49.58	---	68.20	18.62	500.00	200.0	V	0.00	5
3849.00	---	39.13	54.00	14.87	500.00	200.0	H	0.00	6
4459.75	51.11	---	68.20	17.09	500.00	100.0	V	13.00	8
4630.38	---	41.83	54.00	12.17	500.00	200.0	V	321.00	8

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8150.00	---	37.90	54.00	16.10	500.00	100.0	V	358.00	6
8668.75	49.34	---	68.20	18.86	500.00	200.0	V	311.00	7
9305.00	---	37.93	54.00	16.07	500.00	200.0	H	96.00	7
9391.25	47.97	---	74.00	26.03	500.00	100.0	H	158.00	7
10003.75	51.21	---	68.20	16.99	500.00	100.0	H	0.00	7
10497.50	49.89	---	68.20	18.31	500.00	100.0	V	354.00	8
11052.50	---	39.61	54.00	14.39	500.00	200.0	H	359.00	9
12021.25	---	37.71	54.00	16.29	500.00	200.0	H	357.00	9
13336.25	---	39.76	54.00	14.24	500.00	100.0	V	354.00	11
13702.50	51.41	---	68.20	16.79	500.00	100.0	H	111.00	12
13796.25	54.61	---	68.20	13.59	500.00	100.0	H	4.00	12
14486.25	---	40.27	54.00	13.73	500.00	100.0	V	214.00	11

Radiates Emission from 8GHz to 18GHz


802.11ax HE80 CH215



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.00	42.69	---	68.20	25.51	500.00	100.0	V	200.00	-4
1409.50	---	32.29	54.00	21.71	500.00	100.0	V	49.00	-3
1597.63	42.81	---	74.00	31.19	500.00	200.0	H	13.00	-2
1681.63	---	32.62	54.00	21.38	500.00	200.0	H	3.00	-2
1977.38	45.30	---	68.20	22.90	500.00	200.0	V	0.00	0
2328.25	---	34.81	54.00	19.19	500.00	100.0	H	354.00	2
2571.50	48.39	---	68.20	19.81	500.00	200.0	V	0.00	3
2771.00	---	36.80	54.00	17.20	500.00	100.0	H	31.00	3
3450.00	50.00	---	68.20	18.20	500.00	200.0	H	0.00	5
3957.50	---	39.08	54.00	14.92	500.00	200.0	H	30.00	6
4401.13	51.69	---	68.20	16.51	500.00	100.0	V	355.00	8
4683.75	---	41.82	54.00	12.18	500.00	200.0	V	306.00	8

Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8150.00	---	37.93	54.00	16.07	500.00	200.0	H	0.00	6
8748.75	49.50	---	68.20	18.70	500.00	100.0	H	0.00	7
9301.25	---	38.10	54.00	15.90	500.00	100.0	V	352.00	7
9976.25	50.64	---	68.20	17.56	500.00	100.0	V	358.00	7
10566.25	50.01	---	68.20	18.19	500.00	100.0	H	111.00	8
11093.75	---	39.64	54.00	14.36	500.00	200.0	V	0.00	9
11767.50	48.39	---	74.00	25.61	500.00	200.0	H	353.00	9
12141.25	---	38.00	54.00	16.00	500.00	100.0	V	259.00	10
13335.00	---	40.09	54.00	13.91	500.00	100.0	V	154.00	11
13698.75	52.26	---	68.20	15.94	500.00	200.0	H	350.00	12
14098.75	53.39	---	68.20	14.81	500.00	100.0	V	355.00	12
14493.75	---	40.52	54.00	13.48	500.00	100.0	V	93.00	11

Radiates Emission from 8GHz to 18GHz


Configuration 2:
802.11ax HE40 CH227



Radiates Emission from 30MHz to 1GHz

Final Result


Frequency (MHz)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
33.64	28.33	40.00	11.67	1000.00	100.0	H	118.00	18
54.01	25.47	40.00	14.53	1000.00	100.0	H	149.00	20
133.31	25.21	43.50	18.29	1000.00	200.0	V	74.00	15
303.66	35.87	46.00	10.13	1000.00	200.0	H	314.00	21
376.78	38.16	46.00	7.84	1000.00	101.0	V	18.00	23
643.89	41.97	46.00	4.03	1000.00	100.0	H	180.00	28



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1274.75	41.69	---	68.20	26.51	---	100.0	H	46.00	-5
1886.38	43.14	---	68.20	25.06	---	100.0	H	74.00	-5
1061.25	---	30.73	54.00	23.27	---	100.0	H	83.00	-6
3338.88	---	37.56	54.00	16.44	---	100.0	H	140.00	2
3527.88	46.93	---	68.20	21.27	---	200.0	H	199.00	2
5037.25	---	40.81	54.00	13.19	---	200.0	H	303.00	4
2817.38	---	34.59	54.00	19.41	---	200.0	H	330.00	0
2619.63	45.56	---	68.20	22.64	---	200.0	H	349.00	-1
1550.38	---	30.84	54.00	23.16	---	200.0	H	355.00	-5
3253.13	49.01	---	68.20	19.19	---	200.0	V	2.00	1
4458.00	49.51	---	68.20	18.69	---	200.0	V	77.00	3



Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8555.00	49.91	---	68.20	18.29	---	200.0	H	246.00	3
9141.25	---	38.67	54.00	15.34	---	100.0	V	355.00	3
9481.25	---	38.34	54.00	15.66	---	200.0	V	113.00	3
10431.25	51.63	---	68.20	16.57	---	200.0	V	218.00	4
10511.25	50.90	---	68.20	17.30	---	200.0	V	191.00	5
10743.75	---	39.74	54.00	14.26	---	100.0	H	11.00	5
11463.75	---	41.89	54.00	12.11	---	200.0	V	0.00	7
12881.25	51.77	---	68.20	16.43	---	200.0	V	191.00	8
13328.75	---	41.43	54.00	12.57	---	100.0	H	3.00	8
13717.50	55.41	---	68.20	12.79	---	100.0	H	11.00	8
15261.25	52.52	---	68.20	15.68	---	100.0	H	269.00	7
15840.00	---	40.99	54.00	13.01	---	100.0	H	63.00	6

2. Conducted Emission

2.1. Wi-Fi 6GHz

Configuration 2:


During the test, the Conducted Emission was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.152	40.05	65.88	25.82	20.22	55.88	35.66	20.90	L1	9.000	1.000
0.380	26.47	58.29	31.82	11.88	48.29	36.41	20.90	L1	9.000	1.000
0.456	41.08	56.77	15.68	31.48	46.77	15.29	20.82	L1	9.000	1.000
0.924	28.10	56.00	27.90	17.35	46.00	28.65	20.22	L1	9.000	1.000
1.934	20.32	56.00	35.68	10.74	46.00	35.26	19.67	L1	9.000	1.000
10.768	21.41	60.00	38.59	13.15	50.00	36.85	19.40	L1	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

L line Conducted Emission from 150 kHz to 30 MHz



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.173	37.27	64.84	27.57	22.01	54.84	32.82	20.90	N	9.000	1.000
0.458	39.27	56.72	17.45	34.60	46.72	12.12	20.83	N	9.000	1.000
0.980	30.30	56.00	25.70	18.29	46.00	27.71	20.19	N	9.000	1.000
2.227	20.47	56.00	35.53	13.98	46.00	32.02	19.60	N	9.000	1.000
5.100	18.08	60.00	41.92	12.42	50.00	37.58	19.41	N	9.000	1.000
9.683	27.30	60.00	32.70	16.88	50.00	33.12	19.43	N	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz