





## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8970.00         | 49.92            | ---              | 68.20          | 18.28       | 500.00          | 100.0       | H   | 22.00         | 6            |
| 9153.75         | ---              | 38.45            | 54.00          | 15.55       | 500.00          | 100.0       | H   | 115.00        | 7            |
| 9305.00         | ---              | 38.50            | 54.00          | 15.50       | 500.00          | 100.0       | V   | 124.00        | 7            |
| 9937.50         | 51.44            | ---              | 68.20          | 16.76       | 500.00          | 100.0       | H   | 100.00        | 7            |
| 10592.50        | 50.52            | ---              | 68.20          | 17.68       | 500.00          | 200.0       | H   | 260.00        | 8            |
| 11345.00        | ---              | 40.60            | 54.00          | 13.40       | 500.00          | 200.0       | V   | 6.00          | 9            |
| 12690.00        | ---              | 40.65            | 54.00          | 13.35       | 500.00          | 200.0       | V   | 0.00          | 10           |
| 13732.50        | 52.74            | ---              | 68.20          | 15.46       | 500.00          | 100.0       | H   | 72.00         | 12           |
| 14497.50        | ---              | 42.39            | 54.00          | 11.61       | 500.00          | 200.0       | H   | 359.00        | 11           |
| 14578.75        | 54.66            | ---              | 68.20          | 13.54       | 500.00          | 200.0       | H   | 215.00        | 11           |
| 15741.25        | 49.17            | ---              | 74.00          | 24.83       | 500.00          | 200.0       | V   | 8.00          | 8            |
| 15771.25        | ---              | 39.95            | 54.00          | 14.05       | 500.00          | 100.0       | V   | 242.00        | 8            |

Radiates Emission from 8GHz to 18GHz

## 802.11ax HE40 CH155




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1280.00         | 44.00            | ---              | 68.20          | 24.20       | 500.00          | 200.0       | H   | 24.00         | -4           |
| 1391.13         | ---              | 32.95            | 54.00          | 21.05       | 500.00          | 100.0       | V   | 330.00        | -3           |
| 1573.13         | 44.90            | ---              | 74.00          | 29.10       | 500.00          | 200.0       | H   | 294.00        | -2           |
| 1692.13         | ---              | 33.25            | 54.00          | 20.75       | 500.00          | 100.0       | V   | 0.00          | -2           |
| 1982.63         | 46.12            | ---              | 68.20          | 22.08       | 500.00          | 100.0       | V   | 10.00         | 0            |
| 2209.25         | ---              | 35.20            | 54.00          | 18.80       | 500.00          | 100.0       | V   | 2.00          | 1            |
| 2547.88         | 48.43            | ---              | 68.20          | 19.77       | 500.00          | 200.0       | V   | 283.00        | 3            |
| 2777.13         | ---              | 37.54            | 54.00          | 16.46       | 500.00          | 100.0       | V   | 339.00        | 3            |
| 3315.25         | 50.88            | ---              | 68.20          | 17.32       | 500.00          | 100.0       | H   | 178.00        | 4            |
| 3881.38         | ---              | 39.71            | 54.00          | 14.29       | 500.00          | 100.0       | H   | 65.00         | 6            |
| 4499.13         | 51.95            | ---              | 68.20          | 16.25       | 500.00          | 200.0       | V   | 187.00        | 8            |
| 5446.75         | ---              | 42.52            | 54.00          | 11.48       | 500.00          | 200.0       | V   | 353.00        | 10           |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8208.75         | ---              | 38.36            | 54.00          | 15.64       | 500.00          | 200.0       | H   | 64.00         | 7            |
| 8871.25         | 49.62            | ---              | 68.20          | 18.58       | 500.00          | 200.0       | H   | 278.00        | 6            |
| 9353.75         | ---              | 38.74            | 54.00          | 15.26       | 500.00          | 100.0       | V   | 248.00        | 7            |
| 10375.00        | 51.53            | ---              | 68.20          | 16.67       | 500.00          | 200.0       | H   | 0.00          | 8            |
| 10575.00        | 51.24            | ---              | 68.20          | 16.96       | 500.00          | 100.0       | H   | 4.00          | 8            |
| 11298.75        | ---              | 40.56            | 54.00          | 13.44       | 500.00          | 100.0       | V   | 338.00        | 9            |
| 12025.00        | ---              | 40.37            | 54.00          | 13.63       | 500.00          | 200.0       | H   | 352.00        | 9            |
| 12750.00        | 52.89            | ---              | 68.20          | 15.31       | 500.00          | 200.0       | H   | 35.00         | 10           |
| 14098.75        | 54.57            | ---              | 68.20          | 13.63       | 500.00          | 100.0       | H   | 18.00         | 12           |
| 14471.25        | ---              | 42.56            | 54.00          | 11.44       | 500.00          | 100.0       | V   | 354.00        | 11           |
| 15775.00        | 51.09            | ---              | 74.00          | 22.91       | 500.00          | 100.0       | H   | 18.00         | 8            |
| 15780.00        | ---              | 39.30            | 54.00          | 14.70       | 500.00          | 200.0       | H   | 355.00        | 8            |

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH179




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1264.25         | 43.56            | ---              | 68.20          | 24.64       | 500.00          | 100.0       | V   | 259.00        | -4           |
| 1390.25         | ---              | 33.03            | 54.00          | 20.97       | 500.00          | 200.0       | V   | 283.00        | -3           |
| 1553.88         | 43.66            | ---              | 74.00          | 30.34       | 500.00          | 200.0       | H   | 4.00          | -2           |
| 1704.38         | ---              | 33.37            | 54.00          | 20.63       | 500.00          | 100.0       | V   | 5.00          | -2           |
| 1981.75         | 46.05            | ---              | 68.20          | 22.15       | 500.00          | 100.0       | H   | 339.00        | 0            |
| 2351.00         | ---              | 35.57            | 54.00          | 18.43       | 500.00          | 100.0       | H   | 106.00        | 2            |
| 2581.13         | 48.62            | ---              | 68.20          | 19.58       | 500.00          | 200.0       | V   | 66.00         | 3            |
| 2779.75         | ---              | 37.41            | 54.00          | 16.59       | 500.00          | 100.0       | H   | 300.00        | 3            |
| 3177.00         | 50.61            | ---              | 68.20          | 17.59       | 500.00          | 100.0       | H   | 194.00        | 4            |
| 3964.50         | ---              | 39.81            | 54.00          | 14.19       | 500.00          | 200.0       | H   | 313.00        | 6            |
| 4437.88         | 51.91            | ---              | 68.20          | 16.29       | 500.00          | 200.0       | V   | 346.00        | 8            |
| 5133.50         | ---              | 47.76            | 54.00          | 6.24        | 500.00          | 200.0       | V   | 349.00        | 10           |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8156.25         | ---              | 38.19            | 54.00          | 15.81       | 500.00          | 200.0       | H   | 278.00        | 7            |
| 8698.75         | 50.23            | ---              | 68.20          | 17.97       | 500.00          | 100.0       | H   | 30.00         | 7            |
| 9300.00         | ---              | 38.66            | 54.00          | 15.34       | 500.00          | 100.0       | H   | 188.00        | 7            |
| 9930.00         | 51.24            | ---              | 68.20          | 16.96       | 500.00          | 100.0       | H   | 234.00        | 7            |
| 10573.75        | 50.23            | ---              | 68.20          | 17.97       | 500.00          | 100.0       | H   | 296.00        | 8            |
| 11298.75        | ---              | 40.56            | 54.00          | 13.44       | 500.00          | 100.0       | V   | 204.00        | 9            |
| 12688.75        | ---              | 40.52            | 54.00          | 13.48       | 500.00          | 200.0       | V   | 20.00         | 10           |
| 13731.25        | 52.83            | ---              | 68.20          | 15.37       | 500.00          | 100.0       | H   | 0.00          | 12           |
| 13947.50        | 54.67            | ---              | 68.20          | 13.53       | 500.00          | 200.0       | V   | 20.00         | 12           |
| 14485.00        | ---              | 42.46            | 54.00          | 11.54       | 500.00          | 100.0       | V   | 84.00         | 11           |
| 15725.00        | ---              | 39.58            | 54.00          | 14.42       | 500.00          | 200.0       | H   | 0.00          | 8            |
| 15743.75        | 50.94            | ---              | 74.00          | 23.06       | 500.00          | 100.0       | H   | 84.00         | 8            |

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH187




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1298.38         | 43.68            | ---              | 68.20          | 24.52       | 500.00          | 200.0       | H   | 0.00          | -4           |
| 1406.00         | ---              | 33.05            | 54.00          | 20.95       | 500.00          | 100.0       | V   | 5.00          | -3           |
| 1558.25         | 43.12            | ---              | 74.00          | 30.88       | 500.00          | 200.0       | H   | 4.00          | -2           |
| 1698.25         | ---              | 33.19            | 54.00          | 20.81       | 500.00          | 200.0       | V   | 345.00        | -2           |
| 1997.50         | 46.08            | ---              | 68.20          | 22.12       | 500.00          | 100.0       | V   | 126.00        | 1            |
| 2336.13         | ---              | 35.85            | 54.00          | 18.15       | 500.00          | 100.0       | H   | 280.00        | 2            |
| 2688.75         | 48.38            | ---              | 68.20          | 19.82       | 500.00          | 200.0       | H   | 311.00        | 3            |
| 2772.75         | ---              | 37.33            | 54.00          | 16.67       | 500.00          | 100.0       | V   | 2.00          | 3            |
| 3322.25         | 50.64            | ---              | 68.20          | 17.56       | 500.00          | 200.0       | V   | 0.00          | 5            |
| 3852.50         | ---              | 39.83            | 54.00          | 14.17       | 500.00          | 200.0       | V   | 162.00        | 6            |
| 4402.00         | 52.52            | ---              | 68.20          | 15.68       | 500.00          | 100.0       | V   | 240.00        | 8            |
| 5385.50         | ---              | 42.40            | 54.00          | 11.60       | 500.00          | 200.0       | H   | 196.00        | 10           |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8268.75         | ---              | 38.17            | 54.00          | 15.83       | 500.00          | 200.0       | V   | 10.00         | 6            |
| 8516.25         | 49.81            | ---              | 68.20          | 18.39       | 500.00          | 100.0       | V   | 323.00        | 6            |
| 9306.25         | ---              | 38.26            | 54.00          | 15.74       | 500.00          | 100.0       | V   | 344.00        | 7            |
| 9998.75         | 50.75            | ---              | 68.20          | 17.45       | 500.00          | 200.0       | H   | 291.00        | 7            |
| 10575.00        | 51.08            | ---              | 68.20          | 17.12       | 500.00          | 100.0       | V   | 246.00        | 8            |
| 11316.25        | ---              | 40.42            | 54.00          | 13.58       | 500.00          | 100.0       | V   | 0.00          | 9            |
| 13365.00        | ---              | 40.92            | 54.00          | 13.08       | 500.00          | 100.0       | V   | 261.00        | 11           |
| 13606.25        | 53.29            | ---              | 68.20          | 14.91       | 500.00          | 200.0       | V   | 97.00         | 12           |
| 13925.00        | 54.38            | ---              | 68.20          | 13.82       | 500.00          | 100.0       | V   | 0.00          | 12           |
| 14488.75        | ---              | 42.43            | 54.00          | 11.57       | 500.00          | 200.0       | V   | 296.00        | 11           |
| 15738.75        | ---              | 38.72            | 54.00          | 15.28       | 500.00          | 200.0       | H   | 354.00        | 8            |
| 15756.25        | 50.03            | ---              | 74.00          | 23.97       | 500.00          | 200.0       | H   | 277.00        | 8            |

Radiates Emission from 8GHz to 18GHz

# 802.11ax HE40 CH195




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1260.75         | 43.43            | ---              | 68.20          | 24.77       | 500.00          | 200.0       | H   | 11.00         | -4           |
| 1394.63         | ---              | 32.50            | 54.00          | 21.50       | 500.00          | 200.0       | H   | 293.00        | -3           |
| 1582.75         | 43.78            | ---              | 74.00          | 30.22       | 500.00          | 200.0       | H   | 155.00        | -2           |
| 1696.50         | ---              | 33.03            | 54.00          | 20.97       | 500.00          | 100.0       | H   | 0.00          | -2           |
| 1999.25         | 45.39            | ---              | 68.20          | 22.81       | 500.00          | 100.0       | V   | 4.00          | 1            |
| 2595.13         | 48.11            | ---              | 68.20          | 20.09       | 500.00          | 100.0       | H   | 239.00        | 3            |
| 2776.25         | ---              | 37.31            | 54.00          | 16.69       | 500.00          | 200.0       | V   | 258.00        | 3            |
| 3517.38         | 50.06            | ---              | 68.20          | 18.14       | 500.00          | 200.0       | V   | 339.00        | 5            |
| 3957.50         | ---              | 39.71            | 54.00          | 14.29       | 500.00          | 200.0       | H   | 95.00         | 6            |
| 4422.13         | 51.91            | ---              | 68.20          | 16.29       | 500.00          | 200.0       | V   | 325.00        | 8            |
| 4875.38         | ---              | 40.34            | 54.00          | 13.66       | 500.00          | 200.0       | H   | 2.00          | 9            |
| 5440.63         | ---              | 42.33            | 54.00          | 11.67       | 500.00          | 100.0       | H   | 319.00        | 10           |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8356.25         | ---              | 38.15            | 54.00          | 15.85       | 500.00          | 200.0       | V   | 108.00        | 7            |
| 8887.50         | 50.22            | ---              | 68.20          | 17.98       | 500.00          | 100.0       | V   | 124.00        | 6            |
| 9301.25         | ---              | 38.34            | 54.00          | 15.66       | 500.00          | 200.0       | V   | 184.00        | 7            |
| 10378.75        | 51.15            | ---              | 68.20          | 17.05       | 500.00          | 200.0       | V   | 324.00        | 8            |
| 10587.50        | 50.57            | ---              | 68.20          | 17.63       | 500.00          | 100.0       | V   | 168.00        | 8            |
| 11356.25        | ---              | 39.91            | 54.00          | 14.09       | 500.00          | 200.0       | V   | 3.00          | 9            |
| 13381.25        | ---              | 41.01            | 54.00          | 12.99       | 500.00          | 200.0       | H   | 324.00        | 11           |
| 13725.00        | 53.63            | ---              | 68.20          | 14.57       | 500.00          | 100.0       | V   | 140.00        | 12           |
| 14036.25        | 55.56            | ---              | 68.20          | 12.64       | 500.00          | 100.0       | V   | 348.00        | 12           |
| 14475.00        | ---              | 41.85            | 54.00          | 12.15       | 500.00          | 200.0       | V   | 54.00         | 11           |
| 15801.25        | 50.82            | ---              | 74.00          | 23.18       | 500.00          | 200.0       | H   | 64.00         | 8            |
| 15807.50        | ---              | 38.85            | 54.00          | 15.15       | 500.00          | 100.0       | H   | 14.00         | 8            |

Radiates Emission from 8GHz to 18GHz

## 802.11ax HE40 CH211




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1270.38         | 44.04            | ---              | 68.20          | 24.16       | 500.00          | 100.0       | V   | 9.00          | -4           |
| 1391.13         | ---              | 32.82            | 54.00          | 21.18       | 500.00          | 200.0       | V   | 338.00        | -3           |
| 1559.13         | 42.09            | ---              | 74.00          | 31.91       | 500.00          | 100.0       | H   | 244.00        | -2           |
| 1698.25         | ---              | 33.01            | 54.00          | 20.99       | 500.00          | 200.0       | H   | 91.00         | -2           |
| 1945.88         | 45.37            | ---              | 68.20          | 22.83       | 500.00          | 100.0       | V   | 217.00        | 0            |
| 2340.50         | ---              | 34.79            | 54.00          | 19.21       | 500.00          | 200.0       | H   | 98.00         | 2            |
| 2568.88         | 48.36            | ---              | 68.20          | 19.84       | 500.00          | 100.0       | V   | 2.00          | 3            |
| 2745.63         | ---              | 37.11            | 54.00          | 16.89       | 500.00          | 200.0       | V   | 53.00         | 3            |
| 3492.00         | 50.16            | ---              | 68.20          | 18.04       | 500.00          | 200.0       | H   | 1.00          | 4            |
| 3958.38         | ---              | 39.56            | 54.00          | 14.44       | 500.00          | 100.0       | V   | 9.00          | 6            |
| 4478.13         | 52.01            | ---              | 68.20          | 16.19       | 500.00          | 200.0       | V   | 46.00         | 8            |
| 4669.75         | ---              | 42.40            | 54.00          | 11.60       | 500.00          | 200.0       | V   | 312.00        | 8            |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8377.50         | ---              | 37.97            | 54.00          | 16.03       | 500.00          | 200.0       | V   | 247.00        | 7            |
| 8696.25         | 49.82            | ---              | 68.20          | 18.38       | 500.00          | 100.0       | H   | 3.00          | 7            |
| 9300.00         | ---              | 38.25            | 54.00          | 15.75       | 500.00          | 100.0       | V   | 358.00        | 7            |
| 10360.00        | 51.29            | ---              | 68.20          | 16.91       | 500.00          | 100.0       | H   | 20.00         | 8            |
| 10592.50        | 50.29            | ---              | 68.20          | 17.91       | 500.00          | 200.0       | V   | 155.00        | 8            |
| 11300.00        | ---              | 40.09            | 54.00          | 13.91       | 500.00          | 200.0       | H   | 358.00        | 9            |
| 13392.50        | ---              | 40.89            | 54.00          | 13.11       | 500.00          | 200.0       | H   | 50.00         | 11           |
| 13736.25        | 53.13            | ---              | 68.20          | 15.07       | 500.00          | 100.0       | V   | 357.00        | 12           |
| 14095.00        | 54.52            | ---              | 68.20          | 13.69       | 500.00          | 100.0       | H   | 157.00        | 12           |
| 14487.50        | ---              | 41.56            | 54.00          | 12.44       | 500.00          | 200.0       | H   | 359.00        | 11           |
| 15701.25        | ---              | 39.46            | 54.00          | 14.54       | 500.00          | 100.0       | H   | 7.00          | 8            |
| 15702.50        | 51.39            | ---              | 74.00          | 22.61       | 500.00          | 100.0       | H   | 233.00        | 8            |

Radiates Emission from 8GHz to 18GHz

## 802.11ax HE40 CH227




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1253.75         | 43.56            | ---              | 68.20          | 24.64       | 500.00          | 200.0       | V   | 313.00        | -4           |
| 1407.75         | ---              | 33.08            | 54.00          | 20.92       | 500.00          | 100.0       | H   | 236.00        | -3           |
| 1575.75         | 41.52            | ---              | 74.00          | 32.48       | 500.00          | 200.0       | V   | 220.00        | -2           |
| 1696.50         | ---              | 32.94            | 54.00          | 21.06       | 500.00          | 200.0       | H   | 52.00         | -2           |
| 1963.38         | 45.70            | ---              | 68.20          | 22.50       | 500.00          | 200.0       | H   | 65.00         | 0            |
| 2340.50         | ---              | 35.41            | 54.00          | 18.59       | 500.00          | 200.0       | H   | 85.00         | 2            |
| 2677.38         | 48.44            | ---              | 68.20          | 19.76       | 500.00          | 100.0       | V   | 246.00        | 3            |
| 2721.13         | ---              | 37.09            | 54.00          | 16.91       | 500.00          | 200.0       | H   | 0.00          | 3            |
| 3543.63         | 50.37            | ---              | 68.20          | 17.83       | 500.00          | 200.0       | V   | 313.00        | 4            |
| 3851.63         | ---              | 39.70            | 54.00          | 14.30       | 500.00          | 200.0       | H   | 224.00        | 6            |
| 4441.38         | 51.87            | ---              | 68.20          | 16.33       | 500.00          | 200.0       | V   | 226.00        | 8            |
| 5049.50         | ---              | 42.31            | 54.00          | 11.69       | 500.00          | 100.0       | H   | 1.00          | 10           |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8208.75         | ---              | 37.99            | 54.00          | 16.01       | 500.00          | 100.0       | H   | 31.00         | 7            |
| 8807.50         | 49.66            | ---              | 68.20          | 18.54       | 500.00          | 100.0       | H   | 0.00          | 6            |
| 9300.00         | ---              | 38.31            | 54.00          | 15.69       | 500.00          | 200.0       | V   | 201.00        | 7            |
| 9967.50         | 50.38            | ---              | 68.20          | 17.82       | 500.00          | 200.0       | V   | 9.00          | 7            |
| 10508.75        | 50.11            | ---              | 68.20          | 18.09       | 500.00          | 100.0       | V   | 0.00          | 8            |
| 11300.00        | ---              | 40.16            | 54.00          | 13.84       | 500.00          | 100.0       | V   | 0.00          | 9            |
| 13361.25        | ---              | 41.08            | 54.00          | 12.92       | 500.00          | 200.0       | H   | 111.00        | 11           |
| 13727.50        | 53.04            | ---              | 68.20          | 15.16       | 500.00          | 100.0       | V   | 0.00          | 12           |
| 14481.25        | ---              | 41.76            | 54.00          | 12.24       | 500.00          | 200.0       | V   | 125.00        | 11           |
| 14563.75        | 54.49            | ---              | 68.20          | 13.71       | 500.00          | 200.0       | V   | 325.00        | 11           |
| 15700.00        | 51.06            | ---              | 74.00          | 22.94       | 500.00          | 100.0       | H   | 347.00        | 8            |
| 15772.50        | ---              | 39.29            | 54.00          | 14.71       | 500.00          | 200.0       | H   | 296.00        | 8            |

Radiates Emission from 8GHz to 18GHz

## 802.11ax HE80 CH7




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1254.63         | 43.28            | ---              | 68.20          | 24.92       | 500.00          | 200.0       | V   | 301.00        | -4           |
| 1376.25         | ---              | 32.77            | 54.00          | 21.23       | 500.00          | 100.0       | H   | 341.00        | -3           |
| 1528.50         | 43.49            | ---              | 74.00          | 30.51       | 500.00          | 200.0       | H   | 0.00          | -2           |
| 1697.38         | ---              | 32.98            | 54.00          | 21.02       | 500.00          | 100.0       | V   | 233.00        | -2           |
| 1961.63         | 46.49            | ---              | 68.20          | 21.71       | 500.00          | 200.0       | H   | 6.00          | 0            |
| 2353.63         | ---              | 35.62            | 54.00          | 18.38       | 500.00          | 100.0       | V   | 14.00         | 2            |
| 2670.38         | 48.27            | ---              | 68.20          | 19.93       | 500.00          | 100.0       | V   | 4.00          | 3            |
| 2774.50         | ---              | 37.23            | 54.00          | 16.77       | 500.00          | 200.0       | V   | 46.00         | 3            |
| 3453.50         | 50.15            | ---              | 68.20          | 18.05       | 500.00          | 100.0       | H   | 341.00        | 5            |
| 3821.88         | ---              | 39.63            | 54.00          | 14.37       | 500.00          | 100.0       | H   | 167.00        | 5            |
| 4479.88         | 51.83            | ---              | 68.20          | 16.37       | 500.00          | 100.0       | V   | 226.00        | 8            |
| 5418.75         | ---              | 42.30            | 54.00          | 11.70       | 500.00          | 200.0       | H   | 6.00          | 10           |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8210.00         | ---              | 38.06            | 54.00          | 15.94       | 500.00          | 100.0       | H   | 174.00        | 7            |
| 8933.75         | 49.61            | ---              | 68.20          | 18.59       | 500.00          | 200.0       | V   | 312.00        | 6            |
| 9301.25         | ---              | 38.26            | 54.00          | 15.74       | 500.00          | 200.0       | V   | 0.00          | 7            |
| 9967.50         | 51.04            | ---              | 68.20          | 17.16       | 500.00          | 200.0       | H   | 335.00        | 7            |
| 10590.00        | 50.26            | ---              | 68.20          | 17.94       | 500.00          | 200.0       | H   | 353.00        | 8            |
| 11346.25        | ---              | 39.89            | 54.00          | 14.11       | 500.00          | 200.0       | V   | 0.00          | 9            |
| 13360.00        | ---              | 40.92            | 54.00          | 13.08       | 500.00          | 100.0       | H   | 10.00         | 11           |
| 13627.50        | 53.05            | ---              | 68.20          | 15.15       | 500.00          | 100.0       | H   | 0.00          | 12           |
| 14116.25        | 54.09            | ---              | 68.20          | 14.11       | 500.00          | 100.0       | V   | 310.00        | 12           |
| 14488.75        | ---              | 41.33            | 54.00          | 12.67       | 500.00          | 200.0       | H   | 81.00         | 11           |
| 15703.75        | 50.22            | ---              | 74.00          | 23.78       | 500.00          | 200.0       | H   | 353.00        | 8            |
| 15768.75        | ---              | 38.62            | 54.00          | 15.38       | 500.00          | 100.0       | H   | 204.00        | 8            |

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH55




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1261.63         | 43.41            | ---              | 68.20          | 24.79       | 500.00          | 100.0       | H   | 202.00        | -4           |
| 1392.00         | ---              | 32.84            | 54.00          | 21.16       | 500.00          | 100.0       | H   | 334.00        | -3           |
| 1551.25         | 43.13            | ---              | 74.00          | 30.87       | 500.00          | 200.0       | H   | 28.00         | -2           |
| 1708.75         | ---              | 32.96            | 54.00          | 21.04       | 500.00          | 200.0       | H   | 34.00         | -2           |
| 1980.88         | 45.69            | ---              | 68.20          | 22.51       | 500.00          | 200.0       | H   | 109.00        | 0            |
| 2338.75         | ---              | 35.46            | 54.00          | 18.54       | 500.00          | 200.0       | H   | 0.00          | 2            |
| 2472.63         | 48.30            | ---              | 68.20          | 19.90       | 500.00          | 200.0       | H   | 251.00        | 3            |
| 2771.00         | ---              | 37.35            | 54.00          | 16.65       | 500.00          | 200.0       | V   | 344.00        | 3            |
| 3439.50         | 50.07            | ---              | 68.20          | 18.13       | 500.00          | 200.0       | V   | 0.00          | 4            |
| 3849.00         | ---              | 39.41            | 54.00          | 14.59       | 500.00          | 100.0       | V   | 191.00        | 6            |
| 4465.88         | 51.92            | ---              | 68.20          | 16.28       | 500.00          | 200.0       | H   | 61.00         | 8            |
| 4668.88         | ---              | 43.57            | 54.00          | 10.43       | 500.00          | 200.0       | V   | 311.00        | 8            |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8206.25         | ---              | 38.05            | 54.00          | 15.95       | 500.00          | 200.0       | H   | 0.00          | 7            |
| 8881.25         | 49.38            | ---              | 68.20          | 18.82       | 500.00          | 200.0       | V   | 104.00        | 6            |
| 9300.00         | ---              | 38.10            | 54.00          | 15.90       | 500.00          | 100.0       | V   | 168.00        | 7            |
| 10023.75        | 50.83            | ---              | 68.20          | 17.37       | 500.00          | 200.0       | H   | 0.00          | 7            |
| 10580.00        | 50.87            | ---              | 68.20          | 17.33       | 500.00          | 200.0       | H   | 358.00        | 8            |
| 11085.00        | ---              | 39.85            | 54.00          | 14.15       | 500.00          | 100.0       | H   | 0.00          | 9            |
| 11792.50        | 46.69            | ---              | 74.00          | 27.31       | 500.00          | 100.0       | H   | 67.00         | 9            |
| 13361.25        | ---              | 40.59            | 54.00          | 13.41       | 500.00          | 200.0       | V   | 6.00          | 11           |
| 13843.75        | 54.34            | ---              | 68.20          | 13.86       | 500.00          | 100.0       | H   | 3.00          | 12           |
| 14486.25        | ---              | 41.17            | 54.00          | 12.83       | 500.00          | 100.0       | V   | 228.00        | 11           |
| 15788.75        | ---              | 37.92            | 54.00          | 16.08       | 500.00          | 200.0       | H   | 358.00        | 8            |
| 15826.25        | 48.47            | ---              | 74.00          | 25.53       | 500.00          | 200.0       | H   | 65.00         | 7            |

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH87




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1281.75         | 43.38            | ---              | 68.20          | 24.82       | 500.00          | 200.0       | H   | 132.00        | -4           |
| 1387.63         | ---              | 32.40            | 54.00          | 21.60       | 500.00          | 200.0       | H   | 45.00         | -3           |
| 1552.13         | 42.85            | ---              | 74.00          | 31.15       | 500.00          | 100.0       | V   | 50.00         | -2           |
| 1709.63         | ---              | 32.79            | 54.00          | 21.21       | 500.00          | 100.0       | V   | 84.00         | -2           |
| 1930.13         | 45.35            | ---              | 68.20          | 22.85       | 500.00          | 200.0       | V   | 189.00        | 0            |
| 2332.63         | ---              | 35.21            | 54.00          | 18.79       | 500.00          | 100.0       | H   | 344.00        | 2            |
| 2472.63         | 48.47            | ---              | 68.20          | 19.73       | 500.00          | 100.0       | V   | 143.00        | 3            |
| 2770.13         | ---              | 36.95            | 54.00          | 17.05       | 500.00          | 100.0       | H   | 292.00        | 3            |
| 3365.13         | 50.44            | ---              | 68.20          | 17.76       | 500.00          | 100.0       | H   | 135.00        | 5            |
| 3956.63         | ---              | 39.37            | 54.00          | 14.63       | 500.00          | 200.0       | V   | 149.00        | 6            |
| 4437.88         | 52.12            | ---              | 68.20          | 16.08       | 500.00          | 200.0       | H   | 58.00         | 8            |
| 4788.75         | ---              | 44.68            | 54.00          | 9.32        | 500.00          | 200.0       | V   | 315.00        | 8            |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8301.25         | ---              | 37.98            | 54.00          | 16.02       | 500.00          | 100.0       | V   | 358.00        | 6            |
| 8736.25         | 49.30            | ---              | 68.20          | 18.90       | 500.00          | 100.0       | H   | 3.00          | 7            |
| 9306.25         | ---              | 38.23            | 54.00          | 15.77       | 500.00          | 100.0       | H   | 26.00         | 7            |
| 9938.75         | 51.54            | ---              | 68.20          | 16.66       | 500.00          | 100.0       | H   | 4.00          | 7            |
| 10596.25        | 51.53            | ---              | 68.20          | 16.67       | 500.00          | 200.0       | V   | 186.00        | 8            |
| 11342.50        | ---              | 39.79            | 54.00          | 14.21       | 500.00          | 100.0       | H   | 173.00        | 9            |
| 13350.00        | ---              | 40.78            | 54.00          | 13.22       | 500.00          | 200.0       | V   | 248.00        | 11           |
| 13711.25        | 52.67            | ---              | 68.20          | 15.53       | 500.00          | 100.0       | V   | 0.00          | 12           |
| 13993.75        | 53.95            | ---              | 68.20          | 14.25       | 500.00          | 200.0       | H   | 357.00        | 12           |
| 14490.00        | ---              | 40.94            | 54.00          | 13.06       | 500.00          | 100.0       | V   | 353.00        | 11           |
| 15753.75        | 48.99            | ---              | 74.00          | 25.01       | 500.00          | 200.0       | H   | 354.00        | 8            |
| 15766.25        | ---              | 38.37            | 54.00          | 15.63       | 500.00          | 100.0       | H   | 156.00        | 8            |

Radiates Emission from 8GHz to 18GHz

## 802.11ax HE80 CH103




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1282.63         | 43.08            | ---              | 68.20          | 25.12       | 500.00          | 100.0       | V   | 12.00         | -4           |
| 1408.63         | ---              | 32.40            | 54.00          | 21.60       | 500.00          | 200.0       | H   | 43.00         | -3           |
| 1542.50         | 43.00            | ---              | 74.00          | 31.00       | 500.00          | 200.0       | H   | 314.00        | -2           |
| 1701.75         | ---              | 32.83            | 54.00          | 21.17       | 500.00          | 200.0       | H   | 184.00        | -2           |
| 1995.75         | 45.36            | ---              | 68.20          | 22.84       | 500.00          | 100.0       | H   | 150.00        | 1            |
| 2351.00         | ---              | 34.75            | 54.00          | 19.25       | 500.00          | 200.0       | H   | 2.00          | 2            |
| 2633.63         | 47.89            | ---              | 68.20          | 20.31       | 500.00          | 100.0       | H   | 312.00        | 2            |
| 2778.00         | ---              | 36.93            | 54.00          | 17.07       | 500.00          | 200.0       | V   | 338.00        | 3            |
| 3341.50         | 49.58            | ---              | 68.20          | 18.62       | 500.00          | 200.0       | V   | 282.00        | 5            |
| 3952.25         | ---              | 39.23            | 54.00          | 14.77       | 500.00          | 100.0       | V   | 0.00          | 6            |
| 4478.13         | 52.19            | ---              | 68.20          | 16.01       | 500.00          | 100.0       | H   | 356.00        | 8            |
| 4849.13         | ---              | 44.10            | 54.00          | 9.90        | 500.00          | 200.0       | V   | 324.00        | 9            |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8182.50         | ---              | 37.84            | 54.00          | 16.16       | 500.00          | 200.0       | H   | 155.00        | 7            |
| 8685.00         | 49.33            | ---              | 68.20          | 18.87       | 500.00          | 200.0       | H   | 314.00        | 7            |
| 9300.00         | ---              | 38.06            | 54.00          | 15.94       | 500.00          | 100.0       | V   | 359.00        | 7            |
| 10558.75        | 50.28            | ---              | 68.20          | 17.92       | 500.00          | 100.0       | V   | 358.00        | 8            |
| 11251.25        | 49.20            | ---              | 74.00          | 24.80       | 500.00          | 200.0       | H   | 357.00        | 9            |
| 11348.75        | ---              | 39.71            | 54.00          | 14.29       | 500.00          | 100.0       | H   | 54.00         | 9            |
| 13336.25        | ---              | 39.95            | 54.00          | 14.05       | 500.00          | 100.0       | V   | 339.00        | 11           |
| 13722.50        | 52.01            | ---              | 68.20          | 16.19       | 500.00          | 100.0       | H   | 110.00        | 12           |
| 13868.75        | 53.25            | ---              | 68.20          | 14.95       | 500.00          | 100.0       | V   | 275.00        | 12           |
| 14500.00        | ---              | 39.82            | 54.00          | 14.18       | 500.00          | 100.0       | V   | 0.00          | 11           |
| 15781.25        | 49.05            | ---              | 74.00          | 24.95       | 500.00          | 100.0       | H   | 6.00          | 8            |
| 15795.00        | ---              | 37.41            | 54.00          | 16.59       | 500.00          | 200.0       | H   | 0.00          | 8            |

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH119




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1271.25         | 43.07            | ---              | 68.20          | 25.13       | 500.00          | 100.0       | H   | 73.00         | -4           |
| 1381.50         | ---              | 32.33            | 54.00          | 21.67       | 500.00          | 200.0       | H   | 230.00        | -3           |
| 1524.13         | 42.97            | ---              | 74.00          | 31.03       | 500.00          | 200.0       | H   | 330.00        | -2           |
| 1697.38         | ---              | 33.10            | 54.00          | 20.90       | 500.00          | 100.0       | H   | 355.00        | -2           |
| 1934.50         | 45.59            | ---              | 68.20          | 22.61       | 500.00          | 200.0       | V   | 117.00        | 0            |
| 2288.88         | ---              | 34.77            | 54.00          | 19.23       | 500.00          | 100.0       | H   | 299.00        | 2            |
| 2601.25         | 48.21            | ---              | 68.20          | 19.99       | 500.00          | 200.0       | V   | 355.00        | 3            |
| 2778.00         | ---              | 36.85            | 54.00          | 17.15       | 500.00          | 200.0       | H   | 6.00          | 3            |
| 3524.38         | 49.75            | ---              | 68.20          | 18.45       | 500.00          | 100.0       | V   | 57.00         | 5            |
| 3828.00         | ---              | 39.22            | 54.00          | 14.78       | 500.00          | 200.0       | H   | 18.00         | 5            |
| 4499.13         | 51.11            | ---              | 68.20          | 17.09       | 500.00          | 200.0       | V   | 350.00        | 8            |
| 4908.63         | ---              | 45.91            | 54.00          | 8.09        | 500.00          | 200.0       | V   | 317.00        | 9            |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8206.25         | ---              | 37.95            | 54.00          | 16.05       | 500.00          | 100.0       | V   | 0.00          | 7            |
| 8718.75         | 49.78            | ---              | 68.20          | 18.42       | 500.00          | 100.0       | V   | 305.00        | 7            |
| 9301.25         | ---              | 37.96            | 54.00          | 16.04       | 500.00          | 200.0       | H   | 231.00        | 7            |
| 10402.50        | 50.47            | ---              | 68.20          | 17.73       | 500.00          | 200.0       | V   | 311.00        | 8            |
| 10500.00        | 49.70            | ---              | 68.20          | 18.50       | 500.00          | 100.0       | H   | 127.00        | 8            |
| 11032.50        | ---              | 39.63            | 54.00          | 14.37       | 500.00          | 100.0       | V   | 353.00        | 9            |
| 13347.50        | ---              | 39.81            | 54.00          | 14.19       | 500.00          | 100.0       | V   | 316.00        | 11           |
| 13675.00        | 51.43            | ---              | 68.20          | 16.77       | 500.00          | 100.0       | H   | 218.00        | 12           |
| 13878.75        | 53.63            | ---              | 68.20          | 14.57       | 500.00          | 200.0       | H   | 324.00        | 12           |
| 14485.00        | ---              | 39.79            | 54.00          | 14.21       | 500.00          | 200.0       | H   | 345.00        | 11           |
| 15711.25        | 48.28            | ---              | 74.00          | 25.72       | 500.00          | 200.0       | H   | 200.00        | 8            |
| 15752.50        | ---              | 37.58            | 54.00          | 16.42       | 500.00          | 200.0       | H   | 359.00        | 8            |

Radiates Emission from 8GHz to 18GHz

## 802.11ax HE80 CH135




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1268.63         | 43.32            | ---              | 68.20          | 24.88       | 500.00          | 200.0       | H   | 7.00          | -4           |
| 1380.63         | ---              | 32.54            | 54.00          | 21.46       | 500.00          | 100.0       | H   | 244.00        | -3           |
| 1557.38         | 42.69            | ---              | 74.00          | 31.31       | 500.00          | 200.0       | H   | 1.00          | -2           |
| 1693.88         | ---              | 32.56            | 54.00          | 21.44       | 500.00          | 200.0       | V   | 298.00        | -2           |
| 1951.13         | 45.37            | ---              | 68.20          | 22.83       | 500.00          | 200.0       | V   | 72.00         | 0            |
| 2330.88         | ---              | 35.24            | 54.00          | 18.76       | 500.00          | 100.0       | H   | 327.00        | 2            |
| 2547.00         | 47.68            | ---              | 68.20          | 20.52       | 500.00          | 200.0       | H   | 142.00        | 3            |
| 2772.75         | ---              | 36.71            | 54.00          | 17.29       | 500.00          | 100.0       | H   | 355.00        | 3            |
| 3527.88         | 50.19            | ---              | 68.20          | 18.01       | 500.00          | 200.0       | V   | 341.00        | 5            |
| 3956.63         | ---              | 39.09            | 54.00          | 14.91       | 500.00          | 100.0       | V   | 62.00         | 6            |
| 4440.50         | 51.57            | ---              | 68.20          | 16.63       | 500.00          | 100.0       | H   | 274.00        | 8            |
| 5439.75         | ---              | 41.66            | 54.00          | 12.34       | 500.00          | 200.0       | H   | 114.00        | 10           |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8207.50         | ---              | 37.93            | 54.00          | 16.07       | 500.00          | 200.0       | H   | 96.00         | 7            |
| 8642.50         | 49.40            | ---              | 68.20          | 18.80       | 500.00          | 100.0       | V   | 341.00        | 7            |
| 9302.50         | ---              | 38.05            | 54.00          | 15.95       | 500.00          | 100.0       | H   | 0.00          | 7            |
| 9918.75         | 50.24            | ---              | 68.20          | 17.96       | 500.00          | 100.0       | V   | 69.00         | 7            |
| 10506.25        | 49.97            | ---              | 68.20          | 18.23       | 500.00          | 100.0       | H   | 0.00          | 8            |
| 11342.50        | ---              | 39.33            | 54.00          | 14.67       | 500.00          | 100.0       | H   | 324.00        | 9            |
| 13350.00        | ---              | 39.83            | 54.00          | 14.17       | 500.00          | 200.0       | V   | 9.00          | 11           |
| 13732.50        | 51.84            | ---              | 68.20          | 16.36       | 500.00          | 100.0       | H   | 248.00        | 12           |
| 13901.25        | 53.48            | ---              | 68.20          | 14.72       | 500.00          | 100.0       | H   | 110.00        | 12           |
| 14490.00        | ---              | 39.59            | 54.00          | 14.41       | 500.00          | 100.0       | H   | 43.00         | 11           |
| 15726.25        | ---              | 37.99            | 54.00          | 16.01       | 500.00          | 200.0       | H   | 358.00        | 8            |
| 15740.00        | 48.23            | ---              | 74.00          | 25.77       | 500.00          | 200.0       | H   | 0.00          | 8            |

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH151




Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1253.75         | 43.20            | ---              | 68.20          | 25.00       | 500.00          | 200.0       | V   | 0.00          | -4           |
| 1371.88         | ---              | 32.36            | 54.00          | 21.64       | 500.00          | 200.0       | H   | 14.00         | -3           |
| 1499.63         | 41.87            | ---              | 74.00          | 32.13       | 500.00          | 100.0       | H   | 327.00        | -2           |
| 1709.63         | ---              | 32.69            | 54.00          | 21.31       | 500.00          | 100.0       | H   | 60.00         | -2           |
| 1966.88         | 44.98            | ---              | 68.20          | 23.22       | 500.00          | 100.0       | H   | 286.00        | 0            |
| 2324.75         | ---              | 35.16            | 54.00          | 18.84       | 500.00          | 200.0       | H   | 86.00         | 2            |
| 2617.00         | 47.93            | ---              | 68.20          | 20.27       | 500.00          | 200.0       | H   | 3.00          | 2            |
| 2779.75         | ---              | 36.69            | 54.00          | 17.31       | 500.00          | 200.0       | V   | 199.00        | 3            |
| 3450.88         | 50.06            | ---              | 68.20          | 18.14       | 500.00          | 200.0       | H   | 184.00        | 5            |
| 3831.50         | ---              | 39.31            | 54.00          | 14.69       | 500.00          | 100.0       | H   | 353.00        | 6            |
| 4443.13         | 52.15            | ---              | 68.20          | 16.05       | 500.00          | 200.0       | H   | 141.00        | 8            |
| 5056.50         | ---              | 41.76            | 54.00          | 12.24       | 500.00          | 200.0       | V   | 317.00        | 10           |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8267.50         | ---              | 38.18            | 54.00          | 15.82       | 500.00          | 200.0       | V   | 28.00         | 6            |
| 8928.75         | 49.64            | ---              | 68.20          | 18.56       | 500.00          | 100.0       | H   | 2.00          | 6            |
| 9301.25         | ---              | 37.58            | 54.00          | 16.42       | 500.00          | 100.0       | V   | 202.00        | 7            |
| 9958.75         | 50.20            | ---              | 68.20          | 18.00       | 500.00          | 100.0       | V   | 350.00        | 7            |
| 10581.25        | 49.83            | ---              | 68.20          | 18.37       | 500.00          | 200.0       | H   | 346.00        | 8            |
| 11357.50        | ---              | 39.44            | 54.00          | 14.56       | 500.00          | 200.0       | H   | 334.00        | 9            |
| 13357.50        | ---              | 39.60            | 54.00          | 14.40       | 500.00          | 200.0       | V   | 5.00          | 11           |
| 13613.75        | 51.65            | ---              | 68.20          | 16.55       | 500.00          | 100.0       | V   | 357.00        | 12           |
| 13868.75        | 52.91            | ---              | 68.20          | 15.29       | 500.00          | 200.0       | V   | 247.00        | 12           |
| 14490.00        | ---              | 39.72            | 54.00          | 14.28       | 500.00          | 100.0       | V   | 232.00        | 11           |
| 15740.00        | 48.40            | ---              | 74.00          | 25.60       | 500.00          | 200.0       | H   | 127.00        | 8            |
| 15776.25        | ---              | 38.14            | 54.00          | 15.86       | 500.00          | 200.0       | H   | 95.00         | 8            |

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH167




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1289.63         | 42.79            | ---              | 68.20          | 25.41       | 500.00          | 200.0       | H   | 0.00          | -4           |
| 1384.13         | ---              | 32.48            | 54.00          | 21.52       | 500.00          | 200.0       | H   | 70.00         | -3           |
| 1533.75         | 42.93            | ---              | 74.00          | 31.07       | 500.00          | 100.0       | V   | 2.00          | -2           |
| 1694.75         | ---              | 32.78            | 54.00          | 21.22       | 500.00          | 200.0       | H   | 354.00        | -2           |
| 1920.50         | 45.29            | ---              | 68.20          | 22.91       | 500.00          | 100.0       | V   | 16.00         | 0            |
| 2344.00         | ---              | 35.25            | 54.00          | 18.75       | 500.00          | 100.0       | H   | 302.00        | 2            |
| 2582.88         | 47.92            | ---              | 68.20          | 20.28       | 500.00          | 100.0       | V   | 128.00        | 3            |
| 2779.75         | ---              | 36.79            | 54.00          | 17.21       | 500.00          | 200.0       | V   | 204.00        | 3            |
| 3433.38         | 49.43            | ---              | 68.20          | 18.77       | 500.00          | 100.0       | H   | 302.00        | 4            |
| 3879.63         | ---              | 39.03            | 54.00          | 14.97       | 500.00          | 200.0       | V   | 356.00        | 6            |
| 4411.63         | 51.46            | ---              | 68.20          | 16.74       | 500.00          | 200.0       | H   | 140.00        | 8            |
| 5437.13         | ---              | 42.11            | 54.00          | 11.89       | 500.00          | 200.0       | V   | 0.00          | 10           |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8218.75         | ---              | 37.81            | 54.00          | 16.19       | 500.00          | 100.0       | V   | 321.00        | 7            |
| 8663.75         | 49.80            | ---              | 68.20          | 18.40       | 500.00          | 200.0       | H   | 357.00        | 7            |
| 9358.75         | ---              | 37.66            | 54.00          | 16.34       | 500.00          | 200.0       | V   | 0.00          | 7            |
| 10018.75        | 51.02            | ---              | 68.20          | 17.18       | 500.00          | 100.0       | V   | 348.00        | 7            |
| 10538.75        | 50.08            | ---              | 68.20          | 18.12       | 500.00          | 100.0       | H   | 0.00          | 8            |
| 11100.00        | ---              | 39.44            | 54.00          | 14.56       | 500.00          | 100.0       | H   | 27.00         | 9            |
| 13357.50        | ---              | 39.50            | 54.00          | 14.50       | 500.00          | 200.0       | H   | 0.00          | 11           |
| 13691.25        | 51.91            | ---              | 68.20          | 16.29       | 500.00          | 200.0       | V   | 4.00          | 12           |
| 13918.75        | 53.41            | ---              | 68.20          | 14.79       | 500.00          | 100.0       | V   | 343.00        | 12           |
| 14487.50        | ---              | 39.75            | 54.00          | 14.25       | 500.00          | 100.0       | H   | 0.00          | 11           |
| 15726.25        | ---              | 38.29            | 54.00          | 15.71       | 500.00          | 200.0       | H   | 346.00        | 8            |
| 15777.50        | 49.20            | ---              | 74.00          | 24.80       | 500.00          | 100.0       | H   | 27.00         | 8            |

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH183




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1270.38         | 43.43            | ---              | 68.20          | 24.77       | 500.00          | 200.0       | H   | 58.00         | -4           |
| 1388.50         | ---              | 32.58            | 54.00          | 21.42       | 500.00          | 200.0       | H   | 0.00          | -3           |
| 1530.25         | 43.12            | ---              | 74.00          | 30.88       | 500.00          | 200.0       | V   | 273.00        | -2           |
| 1695.63         | ---              | 32.89            | 54.00          | 21.11       | 500.00          | 100.0       | H   | 354.00        | -2           |
| 1995.75         | 45.96            | ---              | 68.20          | 22.24       | 500.00          | 200.0       | H   | 1.00          | 1            |
| 2355.38         | ---              | 35.46            | 54.00          | 18.54       | 500.00          | 100.0       | V   | 315.00        | 2            |
| 2622.25         | 47.58            | ---              | 68.20          | 20.62       | 500.00          | 100.0       | H   | 0.00          | 2            |
| 2775.38         | ---              | 36.88            | 54.00          | 17.12       | 500.00          | 200.0       | H   | 1.00          | 3            |
| 3363.38         | 49.45            | ---              | 68.20          | 18.75       | 500.00          | 100.0       | V   | 13.00         | 5            |
| 3857.75         | ---              | 39.26            | 54.00          | 14.74       | 500.00          | 100.0       | H   | 331.00        | 6            |
| 4478.13         | 51.57            | ---              | 68.20          | 16.63       | 500.00          | 200.0       | H   | 4.00          | 8            |
| 5438.00         | ---              | 41.78            | 54.00          | 12.22       | 500.00          | 100.0       | H   | 289.00        | 10           |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8296.25         | ---              | 37.91            | 54.00          | 16.09       | 500.00          | 200.0       | V   | 278.00        | 6            |
| 8582.50         | 50.24            | ---              | 68.20          | 17.96       | 500.00          | 200.0       | V   | 2.00          | 6            |
| 9300.00         | ---              | 38.06            | 54.00          | 15.94       | 500.00          | 100.0       | V   | 359.00        | 7            |
| 9361.25         | 48.91            | ---              | 74.00          | 25.09       | 500.00          | 200.0       | V   | 66.00         | 7            |
| 10356.25        | 50.20            | ---              | 68.20          | 18.00       | 500.00          | 200.0       | H   | 6.00          | 8            |
| 10581.25        | 49.60            | ---              | 68.20          | 18.60       | 500.00          | 100.0       | H   | 311.00        | 8            |
| 11076.25        | ---              | 39.41            | 54.00          | 14.59       | 500.00          | 200.0       | H   | 0.00          | 9            |
| 12082.50        | ---              | 38.19            | 54.00          | 15.81       | 500.00          | 200.0       | H   | 356.00        | 9            |
| 13333.75        | ---              | 39.93            | 54.00          | 14.07       | 500.00          | 100.0       | V   | 290.00        | 11           |
| 13681.25        | 51.52            | ---              | 68.20          | 16.68       | 500.00          | 200.0       | H   | 0.00          | 12           |
| 13818.75        | 54.03            | ---              | 68.20          | 14.17       | 500.00          | 200.0       | V   | 66.00         | 12           |
| 14480.00        | ---              | 39.84            | 54.00          | 14.16       | 500.00          | 200.0       | V   | 6.00          | 11           |

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH199




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1266.88         | 42.76            | ---              | 68.20          | 25.44       | 500.00          | 200.0       | V   | 193.00        | -4           |
| 1404.25         | ---              | 32.43            | 54.00          | 21.57       | 500.00          | 100.0       | H   | 357.00        | -3           |
| 1580.13         | 43.06            | ---              | 74.00          | 30.94       | 500.00          | 100.0       | H   | 357.00        | -2           |
| 1707.00         | ---              | 32.84            | 54.00          | 21.16       | 500.00          | 200.0       | V   | 0.00          | -2           |
| 1995.75         | 46.14            | ---              | 68.20          | 22.06       | 500.00          | 200.0       | H   | 47.00         | 1            |
| 2257.38         | ---              | 34.92            | 54.00          | 19.08       | 500.00          | 100.0       | H   | 286.00        | 2            |
| 2598.63         | 48.35            | ---              | 68.20          | 19.85       | 500.00          | 100.0       | V   | 212.00        | 3            |
| 2780.63         | ---              | 36.77            | 54.00          | 17.23       | 500.00          | 100.0       | V   | 126.00        | 3            |
| 3340.63         | 49.58            | ---              | 68.20          | 18.62       | 500.00          | 200.0       | V   | 0.00          | 5            |
| 3849.00         | ---              | 39.13            | 54.00          | 14.87       | 500.00          | 200.0       | H   | 0.00          | 6            |
| 4459.75         | 51.11            | ---              | 68.20          | 17.09       | 500.00          | 100.0       | V   | 13.00         | 8            |
| 4630.38         | ---              | 41.83            | 54.00          | 12.17       | 500.00          | 200.0       | V   | 321.00        | 8            |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8150.00         | ---              | 37.90            | 54.00          | 16.10       | 500.00          | 100.0       | V   | 358.00        | 6            |
| 8668.75         | 49.34            | ---              | 68.20          | 18.86       | 500.00          | 200.0       | V   | 311.00        | 7            |
| 9305.00         | ---              | 37.93            | 54.00          | 16.07       | 500.00          | 200.0       | H   | 96.00         | 7            |
| 9391.25         | 47.97            | ---              | 74.00          | 26.03       | 500.00          | 100.0       | H   | 158.00        | 7            |
| 10003.75        | 51.21            | ---              | 68.20          | 16.99       | 500.00          | 100.0       | H   | 0.00          | 7            |
| 10497.50        | 49.89            | ---              | 68.20          | 18.31       | 500.00          | 100.0       | V   | 354.00        | 8            |
| 11052.50        | ---              | 39.61            | 54.00          | 14.39       | 500.00          | 200.0       | H   | 359.00        | 9            |
| 12021.25        | ---              | 37.71            | 54.00          | 16.29       | 500.00          | 200.0       | H   | 357.00        | 9            |
| 13336.25        | ---              | 39.76            | 54.00          | 14.24       | 500.00          | 100.0       | V   | 354.00        | 11           |
| 13702.50        | 51.41            | ---              | 68.20          | 16.79       | 500.00          | 100.0       | H   | 111.00        | 12           |
| 13796.25        | 54.61            | ---              | 68.20          | 13.59       | 500.00          | 100.0       | H   | 4.00          | 12           |
| 14486.25        | ---              | 40.27            | 54.00          | 13.73       | 500.00          | 100.0       | V   | 214.00        | 11           |

Radiates Emission from 8GHz to 18GHz

## 802.11ax HE80 CH215




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1294.00         | 42.69            | ---              | 68.20          | 25.51       | 500.00          | 100.0       | V   | 200.00        | -4           |
| 1409.50         | ---              | 32.29            | 54.00          | 21.71       | 500.00          | 100.0       | V   | 49.00         | -3           |
| 1597.63         | 42.81            | ---              | 74.00          | 31.19       | 500.00          | 200.0       | H   | 13.00         | -2           |
| 1681.63         | ---              | 32.62            | 54.00          | 21.38       | 500.00          | 200.0       | H   | 3.00          | -2           |
| 1977.38         | 45.30            | ---              | 68.20          | 22.90       | 500.00          | 200.0       | V   | 0.00          | 0            |
| 2328.25         | ---              | 34.81            | 54.00          | 19.19       | 500.00          | 100.0       | H   | 354.00        | 2            |
| 2571.50         | 48.39            | ---              | 68.20          | 19.81       | 500.00          | 200.0       | V   | 0.00          | 3            |
| 2771.00         | ---              | 36.80            | 54.00          | 17.20       | 500.00          | 100.0       | H   | 31.00         | 3            |
| 3450.00         | 50.00            | ---              | 68.20          | 18.20       | 500.00          | 200.0       | H   | 0.00          | 5            |
| 3957.50         | ---              | 39.08            | 54.00          | 14.92       | 500.00          | 200.0       | H   | 30.00         | 6            |
| 4401.13         | 51.69            | ---              | 68.20          | 16.51       | 500.00          | 100.0       | V   | 355.00        | 8            |
| 4683.75         | ---              | 41.82            | 54.00          | 12.18       | 500.00          | 200.0       | V   | 306.00        | 8            |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8150.00         | ---              | 37.93            | 54.00          | 16.07       | 500.00          | 200.0       | H   | 0.00          | 6            |
| 8748.75         | 49.50            | ---              | 68.20          | 18.70       | 500.00          | 100.0       | H   | 0.00          | 7            |
| 9301.25         | ---              | 38.10            | 54.00          | 15.90       | 500.00          | 100.0       | V   | 352.00        | 7            |
| 9976.25         | 50.64            | ---              | 68.20          | 17.56       | 500.00          | 100.0       | V   | 358.00        | 7            |
| 10566.25        | 50.01            | ---              | 68.20          | 18.19       | 500.00          | 100.0       | H   | 111.00        | 8            |
| 11093.75        | ---              | 39.64            | 54.00          | 14.36       | 500.00          | 200.0       | V   | 0.00          | 9            |
| 11767.50        | 48.39            | ---              | 74.00          | 25.61       | 500.00          | 200.0       | H   | 353.00        | 9            |
| 12141.25        | ---              | 38.00            | 54.00          | 16.00       | 500.00          | 100.0       | V   | 259.00        | 10           |
| 13335.00        | ---              | 40.09            | 54.00          | 13.91       | 500.00          | 100.0       | V   | 154.00        | 11           |
| 13698.75        | 52.26            | ---              | 68.20          | 15.94       | 500.00          | 200.0       | H   | 350.00        | 12           |
| 14098.75        | 53.39            | ---              | 68.20          | 14.81       | 500.00          | 100.0       | V   | 355.00        | 12           |
| 14493.75        | ---              | 40.52            | 54.00          | 13.48       | 500.00          | 100.0       | V   | 93.00         | 11           |

Radiates Emission from 8GHz to 18GHz


Configuration 3:

802.11ax HE40 CH227



Radiates Emission from 30MHz to 1GHz


| Frequency (MHz) | Quasi-Peak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Polarization | Azimuth (deg) |
|-----------------|---------------------|----------------|-------------|-------------|--------------|---------------|
| 31.33           | 24.24               | 40.00          | 15.76       | 100.0       | V            | 86.00         |
| 56.31           | 24.69               | 40.00          | 15.31       | 100.0       | V            | 227.00        |
| 99.96           | 25.48               | 43.50          | 18.02       | 100.0       | V            | 0.00          |
| 197.93          | 23.51               | 43.50          | 19.99       | 200.0       | V            | 0.00          |
| 549.56          | 31.10               | 46.00          | 14.90       | 200.0       | V            | 239.00        |
| 946.89          | 37.60               | 46.00          | 8.40        | 199.0       | V            | 68.00         |



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1275.625000     | 40.12            | ---              | 68.20          | 28.08       | 500.0           | 100.0       | H   | 233.0         | -8.4         |
| 1322.875000     | ---              | 29.15            | 54.00          | 24.85       | 500.0           | 100.0       | H   | 109.0         | -8.0         |
| 1720.125000     | ---              | 31.10            | 54.00          | 22.90       | 500.0           | 100.0       | H   | 66.0          | -5.9         |
| 1971.250000     | 43.31            | ---              | 68.20          | 24.89       | 500.0           | 200.0       | H   | 292.0         | -4.7         |
| 2255.625000     | ---              | 36.17            | 54.00          | 17.83       | 500.0           | 100.0       | V   | 181.0         | -3.0         |
| 2569.750000     | 46.32            | ---              | 68.20          | 21.88       | 500.0           | 200.0       | V   | 5.0           | -2.0         |
| 3499.875000     | 50.03            | ---              | 68.20          | 18.17       | 500.0           | 100.0       | H   | 109.0         | 1.8          |
| 3997.750000     | ---              | 39.04            | 54.00          | 14.96       | 500.0           | 200.0       | H   | 318.0         | 3.2          |
| 4059.875000     | ---              | 39.31            | 54.00          | 14.69       | 500.0           | 100.0       | H   | 169.0         | 3.4          |
| 4404.625000     | 50.21            | ---              | 68.20          | 17.99       | 500.0           | 200.0       | V   | 304.0         | 3.6          |
| 7437.375000     | ---              | 40.67            | 54.00          | 13.33       | 500.0           | 200.0       | V   | 67.0          | 7.1          |
| 7960.625000     | 52.40            | ---              | 68.20          | 15.80       | 500.0           | 100.0       | H   | 272.0         | 7.6          |




Radiates Emission from 8GHz to 18GHz

| Frequency (MHz) | MaxPeak (dB $\mu$ V/m) | Average (dB $\mu$ V/m) | Limit (dB $\mu$ V/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------------|------------------------|----------------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8891.250000     | 43.44                  | ---                    | 68.20                | 24.76       | 500.0           | 200.0       | V   | 0.0           | -1.4         |
| 9140.000000     | ---                    | 31.57                  | 54.00                | 22.43       | 500.0           | 100.0       | V   | 58.0          | -1.1         |
| 9458.750000     | ---                    | 33.22                  | 54.00                | 20.78       | 500.0           | 100.0       | V   | 287.0         | -0.2         |
| 9851.250000     | 44.10                  | ---                    | 68.20                | 24.10       | 500.0           | 100.0       | V   | 103.0         | -0.4         |
| 10533.750000    | 43.45                  | ---                    | 68.20                | 24.76       | 500.0           | 100.0       | V   | 39.0          | -1.0         |
| 10675.000000    | ---                    | 32.52                  | 54.00                | 21.48       | 500.0           | 200.0       | V   | 325.0         | -0.8         |
| 13245.000000    | 45.54                  | ---                    | 68.20                | 22.66       | 500.0           | 200.0       | V   | 9.0           | 2.0          |
| 13337.500000    | ---                    | 34.12                  | 54.00                | 19.88       | 500.0           | 200.0       | V   | 152.0         | 2.3          |
| 15010.000000    | 47.70                  | ---                    | 68.20                | 20.50       | 500.0           | 200.0       | V   | 0.0           | 5.2          |
| 15585.000000    | ---                    | 37.25                  | 54.00                | 16.75       | 500.0           | 100.0       | V   | 314.0         | 6.5          |
| 16925.000000    | 50.06                  | ---                    | 68.20                | 18.14       | 500.0           | 200.0       | V   | 317.0         | 8.8          |
| 17982.500000    | ---                    | 39.02                  | 54.00                | 14.98       | 500.0           | 200.0       | H   | 51.0          | 11.0         |


Configuration 4:

802.11ax HE40 CH227



Radiates Emission from 30MHz to 1GHz


| Frequency (MHz) | Quasi-Peak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Polarization | Azimuth (deg) |
|-----------------|---------------------|----------------|-------------|-------------|--------------|---------------|
| 30.97           | 23.03               | 40.00          | 16.97       | 103.0       | V            | 57.00         |
| 56.43           | 24.77               | 40.00          | 15.23       | 192.0       | V            | 340.00        |
| 99.84           | 25.51               | 43.50          | 17.99       | 100.0       | V            | 94.00         |
| 197.93          | 23.32               | 43.50          | 20.18       | 155.0       | V            | 179.00        |
| 549.31          | 31.03               | 46.00          | 14.97       | 100.0       | H            | 253.00        |
| 912.22          | 37.35               | 46.00          | 8.65        | 199.0       | V            | 105.00        |



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1252.88         | 45.49            | ---              | 68.20          | 22.71       | 500.00          | 100.0       | V   | 180.00        | -5           |
| 1349.13         | ---              | 35.70            | 54.00          | 18.30       | 500.00          | 200.0       | V   | 359.00        | -4           |
| 1504.00         | ---              | 35.45            | 54.00          | 18.55       | 500.00          | 200.0       | H   | 289.00        | -4           |
| 1998.38         | 53.29            | ---              | 68.20          | 14.91       | 500.00          | 200.0       | V   | 170.00        | -1           |
| 2436.75         | 50.29            | ---              | 68.20          | 17.91       | 500.00          | 100.0       | V   | 208.00        | 0            |
| 2775.38         | ---              | 38.39            | 54.00          | 15.61       | 500.00          | 100.0       | V   | 237.00        | 2            |
| 3322.25         | 51.03            | ---              | 68.20          | 17.17       | 500.00          | 200.0       | V   | 0.00          | 3            |
| 3977.63         | ---              | 40.83            | 54.00          | 13.17       | 500.00          | 200.0       | H   | 342.00        | 6            |
| 4429.13         | 52.33            | ---              | 68.20          | 15.87       | 500.00          | 200.0       | H   | 351.00        | 5            |
| 5057.38         | ---              | 42.15            | 54.00          | 11.85       | 500.00          | 200.0       | H   | 5.00          | 8            |
| 7726.13         | ---              | 47.42            | 54.00          | 6.58        | 500.00          | 100.0       | V   | 1.00          | 13           |
| 7752.38         | 58.45            | ---              | 68.20          | 9.75        | 500.00          | 200.0       | H   | 120.00        | 13           |



Radiates Emission from 8GHz to 18GHz


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8918.75         | 49.75            | ---              | 68.20          | 18.45       | 500.00          | 100.0       | H   | 7.00          | 5            |
| 9027.50         | ---              | 38.14            | 54.00          | 15.86       | 500.00          | 100.0       | H   | 7.00          | 5            |
| 9312.50         | ---              | 38.17            | 54.00          | 15.83       | 500.00          | 200.0       | V   | 7.00          | 6            |
| 9977.50         | 51.60            | ---              | 68.20          | 16.60       | 500.00          | 100.0       | V   | 261.00        | 5            |
| 10556.25        | 50.67            | ---              | 68.20          | 17.53       | 500.00          | 100.0       | V   | 352.00        | 6            |
| 11158.75        | ---              | 40.88            | 54.00          | 13.12       | 500.00          | 200.0       | V   | 44.00         | 7            |
| 13335.00        | ---              | 40.65            | 54.00          | 13.35       | 500.00          | 100.0       | V   | 140.00        | 8            |
| 13407.50        | 52.35            | ---              | 68.20          | 15.85       | 500.00          | 100.0       | H   | 250.00        | 8            |
| 14470.00        | ---              | 40.82            | 54.00          | 13.18       | 500.00          | 100.0       | V   | 140.00        | 8            |
| 15032.50        | 52.67            | ---              | 68.20          | 15.53       | 500.00          | 100.0       | V   | 246.00        | 8            |
| 15737.50        | ---              | 39.47            | 54.00          | 14.53       | 500.00          | 100.0       | V   | 349.00        | 6            |
| 17138.75        | 53.95            | ---              | 68.20          | 14.25       | 500.00          | 100.0       | V   | 0.00          | 10           |

## 2. Conducted Emission

### 2.1. Wi-Fi 6GHz

#### Configuration 3:


During the test, the Conducted Emission was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.



| Frequency [MHz] | QPK Level [dBμV] | QPK Limit [dBμV] | QPK Margin [dB] | AVG Level [dBμV] | AVG Limit [dBμV] | AVG Margin [dB] | Correction [dB] | Line | Meas. BW [kHz] | Meas. Time [s] |
|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|-----------------|------|----------------|----------------|
| 0.164           | 30.78            | 65.28            | 34.50           | 14.30            | 55.28            | 40.98           | 20.89           | L1   | 9.000          | 1.000          |
| 0.425           | 29.68            | 57.36            | 27.68           | 16.73            | 47.36            | 30.63           | 20.85           | L1   | 9.000          | 1.000          |
| 0.708           | 20.51            | 56.00            | 35.49           | 11.26            | 46.00            | 34.74           | 20.56           | L1   | 9.000          | 1.000          |
| 1.946           | 15.30            | 56.00            | 40.70           | 9.21             | 46.00            | 36.79           | 19.66           | L1   | 9.000          | 1.000          |
| 5.845           | 15.73            | 60.00            | 44.27           | 10.20            | 50.00            | 39.80           | 19.40           | L1   | 9.000          | 1.000          |
| 10.527          | 16.38            | 60.00            | 43.62           | 10.28            | 50.00            | 39.72           | 19.43           | L1   | 9.000          | 1.000          |

**Remark: Correct factor=cable loss + LISN factor**

L line Conducted Emission from 150 kHz to 30 MHz




| Frequency [MHz] | QPK Level [dBμV] | QPK Limit [dBμV] | QPK Margin [dB] | AVG Level [dBμV] | AVG Limit [dBμV] | AVG Margin [dB] | Correction [dB] | Line | Meas. BW [kHz] | Meas. Time [s] |
|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|-----------------|------|----------------|----------------|
| 0.209           | 28.11            | 63.26            | 35.15           | 13.54            | 53.26            | 39.72           | 21.02           | N    | 9.000          | 1.000          |
| 0.454           | 31.87            | 56.81            | 24.94           | 21.52            | 46.81            | 25.29           | 20.83           | N    | 9.000          | 1.000          |
| 0.677           | 18.26            | 56.00            | 37.74           | 11.37            | 46.00            | 34.63           | 20.60           | N    | 9.000          | 1.000          |
| 3.111           | 15.12            | 56.00            | 40.88           | 9.56             | 46.00            | 36.44           | 19.49           | N    | 9.000          | 1.000          |
| 8.320           | 16.80            | 60.00            | 43.20           | 10.10            | 50.00            | 39.90           | 19.42           | N    | 9.000          | 1.000          |
| 8.779           | 19.80            | 60.00            | 40.20           | 10.71            | 50.00            | 39.29           | 19.42           | N    | 9.000          | 1.000          |

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz

#### Configuration 4:


During the test, the Conducted Emission was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.



| Frequency [MHz] | QPK Level [dBμV] | QPK Limit [dBμV] | QPK Margin [dB] | AVG Level [dBμV] | AVG Limit [dBμV] | AVG Margin [dB] | Correction [dB] | Line | Meas. BW [kHz] | Meas. Time [s] |
|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|-----------------|------|----------------|----------------|
| 0.182           | 37.92            | 64.42            | 26.50           | 23.32            | 54.42            | 31.10           | 21.03           | L1   | 9.000          | 1.000          |
| 0.348           | 37.02            | 59.01            | 21.99           | 23.78            | 49.01            | 25.23           | 20.92           | L1   | 9.000          | 1.000          |
| 0.812           | 27.49            | 56.00            | 28.51           | 15.07            | 46.00            | 30.93           | 20.32           | L1   | 9.000          | 1.000          |
| 1.460           | 35.21            | 56.00            | 20.79           | 21.34            | 46.00            | 24.66           | 19.86           | L1   | 9.000          | 1.000          |
| 9.632           | 31.59            | 60.00            | 28.41           | 22.48            | 50.00            | 27.52           | 19.41           | L1   | 9.000          | 1.000          |
| 25.755          | 21.99            | 60.00            | 38.01           | 13.31            | 50.00            | 36.69           | 19.81           | L1   | 9.000          | 1.000          |

**Remark: Correct factor=cable loss + LISN factor**

L line Conducted Emission from 150 kHz to 30 MHz



| Frequency [MHz] | QPK Level [dBμV] | QPK Limit [dBμV] | QPK Margin [dB] | AVG Level [dBμV] | AVG Limit [dBμV] | AVG Margin [dB] | Correction [dB] | Line | Meas. BW [kHz] | Meas. Time [s] |
|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|-----------------|------|----------------|----------------|
| 0.164           | 36.43            | 65.28            | 28.86           | 19.44            | 55.28            | 35.84           | 20.90           | N    | 9.000          | 1.000          |
| 0.407           | 39.39            | 57.72            | 18.33           | 25.95            | 47.72            | 21.77           | 20.88           | N    | 9.000          | 1.000          |
| 0.555           | 36.94            | 56.00            | 19.06           | 23.94            | 46.00            | 22.06           | 20.73           | N    | 9.000          | 1.000          |
| 1.318           | 32.78            | 56.00            | 23.22           | 20.32            | 46.00            | 25.68           | 19.95           | N    | 9.000          | 1.000          |
| 2.947           | 24.29            | 56.00            | 31.71           | 14.35            | 46.00            | 31.65           | 19.50           | N    | 9.000          | 1.000          |
| 9.602           | 24.30            | 60.00            | 35.70           | 17.37            | 50.00            | 32.63           | 19.43           | N    | 9.000          | 1.000          |

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz