

ANNEX A: Test Result

1. Unwanted Emission

There is more than one Adapters, each one should be applied throughout the compliance test respectively, and however, only the worst case (Adapter 1) will be recorded in this report.

The radiated emission was measured in the following position: EUT stand-up position (Z axis), lie-down position (X, Y axis). The worst emission was found in the following table and the loop antenna is vertical, the others are vertical and horizontal. and the worst case was recorded.


Wi-Fi 6GHz	Y axis
------------	--------

1.1. Wi-Fi 6GHz


The following graphs display the maximum values of horizontal and vertical by software.
Blue trace uses the peak detection, Green trace uses the average detection.

A symbol ($\text{dB}\mu\text{V/m}$) in the test plot below means ($\text{dB}\mu\text{V/m}$)


The signal beyond the limit is carrier.





802.11ax HE20-Channel 233: Peak




802.11ax HE40-Channel 3: Peak




802.11ax HE40-Channel 91: Peak


802.11ax HE40-Channel 99:
Peak



802.11ax HE40-Channel 115: Peak




802.11ax HE40-Channel 123: Peak




802.11ax HE40-Channel 179: Peak




802.11ax HE40-Channel 187: Peak




802.11ax HE40-Channel 195: Peak




802.11ax HE80-Channel 87: Peak




802.11ax HE80-Channel 103: Peak




802.11ax HE80-Channel 119: Peak




802.11ax HE80-Channel 135: Peak




802.11ax HE80-Channel 167: Peak




802.11ax HE80-Channel 183: Peak



802.11ax HE80-Channel 199: Peak



802.11ax HE80-Channel 215: Peak



Result of RE

Test result

Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier. The Radiates Emission from 9kHz to 30MHz and 18GHz to 40GHz are more than 20dB below the limit are not reported.

Remark:

1. **Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)**
2. **Margin = Limit – Quasi-Peak/ MAX Peak/ Average**
3. **The following graphs display the maximum values of horizontal and vertical by software.**
4. **For below 1GHz**

 QP Level @Spectrum Overview H
  QP Level @Spectrum Overview V
  QP Level @Final Results
  QP Limit


For above 1GHz

 PK Level @Spectrum Overview H
  PK Level @Spectrum Overview V
  PK Level @Final Results
  PK Limit

 AVG Level @Spectrum Overview H
  AVG Level @Spectrum Overview V
  AVG Level @Final Results
  AVG Limit

Continuous TX mode:


During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.



Radiates Emission from 30MHz to 1GHz

Frequency (MHz)	Quasi-Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
40.67	31.00	40.00	9.00	100.0	V	82.00	19
54.13	16.54	40.00	23.46	184.0	V	262.00	20
135.49	14.48	43.50	29.02	175.0	V	200.00	15
304.27	35.45	46.00	10.55	101.0	H	205.00	21
377.26	38.15	46.00	7.85	100.0	H	108.00	23
499.00	35.19	46.00	10.81	111.0	V	58.00	25

802.11ax HE20 CH1




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1291.38	43.86	---	68.20	24.34	500.00	100.0	V	97.00	-4
1378.00	---	32.94	54.00	21.06	500.00	100.0	V	0.00	-3
1707.88	---	33.33	54.00	20.67	500.00	200.0	H	66.00	-2
1989.63	46.65	---	68.20	21.55	500.00	100.0	H	205.00	0
2505.88	48.60	---	68.20	19.60	500.00	100.0	V	276.00	2
2773.63	---	37.29	54.00	16.71	500.00	200.0	V	225.00	3
3389.63	51.20	---	68.20	17.00	500.00	100.0	V	170.00	4
3964.50	---	39.64	54.00	14.36	500.00	200.0	V	251.00	6
4466.75	51.99	---	68.20	16.21	500.00	100.0	V	81.00	8
4736.25	---	40.60	54.00	13.40	500.00	200.0	V	354.00	8
5050.38	52.21	---	74.00	21.79	500.00	100.0	H	283.00	10
5418.75	---	42.27	54.00	11.73	500.00	200.0	V	57.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8206.25	---	38.50	54.00	15.50	500.00	100.0	H	349.00	7
8696.25	50.26	---	68.20	17.94	500.00	100.0	H	183.00	7
9310.00	---	38.87	54.00	15.13	500.00	200.0	V	158.00	7
9988.75	51.50	---	68.20	16.70	500.00	200.0	H	0.00	7
10596.25	50.65	---	68.20	17.55	500.00	200.0	V	0.00	8
11282.50	---	40.83	54.00	13.17	500.00	100.0	V	2.00	9
12028.75	---	41.32	54.00	12.68	500.00	200.0	V	293.00	9
13331.25	---	40.61	54.00	13.39	500.00	100.0	V	32.00	11
13736.25	52.54	---	68.20	15.66	500.00	200.0	H	2.00	12
14001.25	55.41	---	68.20	12.79	500.00	100.0	H	214.00	12
15061.25	54.76	---	68.20	13.44	500.00	100.0	H	353.00	10
15842.50	---	38.92	54.00	15.08	500.00	100.0	V	52.00	7

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH49




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1258.13	43.63	---	68.20	24.57	500.00	100.0	H	171.00	-4
1388.50	---	32.96	54.00	21.04	500.00	200.0	H	48.00	-3
1526.75	42.93	---	74.00	31.07	500.00	200.0	V	292.00	-2
1663.25	---	33.15	54.00	20.85	500.00	100.0	V	63.00	-2
1982.63	46.40	---	68.20	21.80	500.00	100.0	V	1.00	0
2454.25	48.19	---	68.20	20.01	500.00	100.0	V	9.00	2
2740.38	---	37.32	54.00	16.68	500.00	100.0	V	0.00	3
3386.13	50.48	---	68.20	17.72	500.00	200.0	V	205.00	4
3888.38	---	39.73	54.00	14.27	500.00	100.0	V	129.00	6
4495.63	52.73	---	68.20	15.47	500.00	100.0	H	341.00	8
4646.13	---	42.24	54.00	11.76	500.00	200.0	V	2.00	8
5441.50	---	42.66	54.00	11.34	500.00	100.0	V	155.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8156.25	---	38.33	54.00	15.67	500.00	100.0	V	217.00	7
8891.25	50.02	---	68.20	18.18	500.00	200.0	V	7.00	6
9387.50	---	38.67	54.00	15.33	500.00	200.0	V	67.00	7
10285.00	51.62	---	68.20	16.58	500.00	200.0	V	44.00	8
10590.00	51.50	---	68.20	16.70	500.00	200.0	H	0.00	8
11298.75	---	41.24	54.00	12.76	500.00	100.0	H	5.00	9
12023.75	---	40.22	54.00	13.78	500.00	200.0	H	359.00	9
12690.00	---	40.97	54.00	13.03	500.00	200.0	V	20.00	10
13727.50	52.99	---	68.20	15.21	500.00	200.0	V	1.00	12
14016.25	55.43	---	68.20	12.77	500.00	200.0	H	338.00	12
15716.25	---	40.19	54.00	13.81	500.00	200.0	H	263.00	8
16656.25	51.11	---	68.20	17.09	500.00	200.0	V	347.00	9

Radiates Emission from 8GHz to 18GHz


802.11ax HE20 CH93



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1291.38	43.49	---	68.20	24.71	500.00	200.0	V	49.00	-4
1388.50	---	32.73	54.00	21.27	500.00	100.0	H	100.00	-3
1707.88	---	33.30	54.00	20.70	500.00	200.0	H	243.00	-2
1932.75	45.84	---	68.20	22.36	500.00	200.0	V	197.00	0
2455.13	48.58	---	68.20	19.62	500.00	200.0	V	356.00	2
2774.50	---	37.20	54.00	16.80	500.00	100.0	V	2.00	3
3524.38	49.82	---	68.20	18.38	500.00	200.0	V	137.00	5
3964.50	---	39.75	54.00	14.25	500.00	100.0	V	145.00	6
4446.63	53.71	---	68.20	14.49	500.00	100.0	H	258.00	8
4811.50	---	42.97	54.00	11.03	500.00	200.0	V	301.00	8
5413.50	52.10	---	74.00	21.90	500.00	100.0	H	0.00	10
5441.50	---	42.32	54.00	11.68	500.00	100.0	H	268.00	10

Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8350.00	---	38.38	54.00	15.62	500.00	200.0	H	0.00	7
8763.75	50.26	---	68.20	17.94	500.00	100.0	H	46.00	7
9303.75	---	38.62	54.00	15.38	500.00	200.0	H	315.00	7
10333.75	51.15	---	68.20	17.05	500.00	100.0	V	326.00	8
10488.75	50.49	---	68.20	17.71	500.00	100.0	H	0.00	8
11315.00	---	40.77	54.00	13.23	500.00	100.0	V	219.00	9
12692.50	---	40.77	54.00	13.23	500.00	200.0	V	187.00	10
13692.50	53.65	---	68.20	14.55	500.00	200.0	H	349.00	12
14471.25	---	42.58	54.00	11.42	500.00	200.0	H	332.00	11
14536.25	54.49	---	68.20	13.71	500.00	200.0	V	203.00	11
15742.50	---	40.10	54.00	13.90	500.00	100.0	V	355.00	8
16968.75	51.60	---	68.20	16.60	500.00	200.0	V	1.00	11

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH97




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1296.63	44.00	---	68.20	24.20	500.00	100.0	H	310.00	-4
1411.25	---	32.74	54.00	21.26	500.00	100.0	V	33.00	-3
1608.13	42.88	---	74.00	31.12	500.00	100.0	H	326.00	-2
1706.13	---	33.45	54.00	20.55	500.00	200.0	H	35.00	-2
1967.75	45.77	---	68.20	22.43	500.00	200.0	H	1.00	0
2567.13	48.41	---	68.20	19.79	500.00	100.0	H	355.00	3
2772.75	---	37.36	54.00	16.64	500.00	200.0	V	171.00	3
3482.38	50.19	---	68.20	18.01	500.00	200.0	V	198.00	4
3962.75	---	39.77	54.00	14.23	500.00	100.0	V	349.00	6
4263.75	---	40.40	54.00	13.60	500.00	100.0	H	355.00	7
4419.50	51.88	---	68.20	16.32	500.00	100.0	H	0.00	8
4826.38	---	46.98	54.00	7.02	500.00	200.0	V	320.00	8

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8730.00	50.72	---	68.20	17.48	500.00	200.0	V	203.00	7
9118.75	---	38.32	54.00	15.68	500.00	200.0	H	340.00	7
9300.00	---	38.72	54.00	15.28	500.00	100.0	H	337.00	7
10041.25	50.95	---	68.20	17.25	500.00	200.0	V	218.00	7
10577.50	50.71	---	68.20	17.49	500.00	100.0	V	199.00	8
11312.50	---	40.69	54.00	13.31	500.00	200.0	V	157.00	9
12692.50	---	40.59	54.00	13.41	500.00	100.0	H	324.00	10
13643.75	52.31	---	68.20	15.89	500.00	100.0	V	302.00	12
14080.00	55.44	---	68.20	12.76	500.00	100.0	H	186.00	12
14490.00	---	42.56	54.00	11.44	500.00	100.0	H	14.00	11
15720.00	---	40.46	54.00	13.54	500.00	200.0	V	0.00	8
16962.50	51.83	---	68.20	16.37	500.00	200.0	H	277.00	11

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH105




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1293.13	43.50	---	68.20	24.70	500.00	200.0	H	1.00	-4
1388.50	---	32.99	54.00	21.01	500.00	100.0	V	167.00	-3
1707.88	---	33.45	54.00	20.55	500.00	100.0	V	0.00	-2
1949.38	46.03	---	68.20	22.17	500.00	200.0	V	312.00	0
2470.00	48.83	---	68.20	19.37	500.00	100.0	H	263.00	3
2779.75	---	37.46	54.00	16.54	500.00	200.0	V	99.00	3
3450.88	50.39	---	68.20	17.81	500.00	100.0	V	202.00	5
3968.88	---	40.03	54.00	13.97	500.00	200.0	V	304.00	6
4446.63	51.96	---	68.20	16.24	500.00	100.0	H	281.00	8
4856.13	---	46.70	54.00	7.30	500.00	200.0	V	304.00	9
5410.00	---	41.80	54.00	12.20	500.00	100.0	H	168.00	10
5429.25	52.85	---	74.00	21.15	500.00	200.0	H	0.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8412.50	---	38.39	54.00	15.61	500.00	100.0	V	158.00	7
8690.00	50.10	---	68.20	18.10	500.00	100.0	V	326.00	7
9353.75	---	38.62	54.00	15.38	500.00	100.0	H	2.00	7
9888.75	51.77	---	68.20	16.43	500.00	200.0	H	276.00	7
10563.75	51.01	---	68.20	17.19	500.00	200.0	V	19.00	8
11335.00	---	40.54	54.00	13.46	500.00	100.0	V	127.00	9
12077.50	---	40.63	54.00	13.37	500.00	100.0	H	232.00	9
13735.00	52.48	---	68.20	15.72	500.00	100.0	V	234.00	12
14075.00	54.42	---	68.20	13.78	500.00	200.0	V	2.00	12
14482.50	---	42.31	54.00	11.69	500.00	100.0	V	359.00	11
15697.50	---	40.11	54.00	13.89	500.00	200.0	H	110.00	8
16691.25	51.11	---	68.20	17.09	500.00	200.0	H	359.00	10

Radiates Emission from 8GHz to 18GHz


802.11ax HE20 CH113



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1246.75	43.70	---	68.20	24.50	500.00	100.0	H	0.00	-4
1391.13	---	33.02	54.00	20.98	500.00	200.0	V	55.00	-3
1698.25	---	33.38	54.00	20.62	500.00	200.0	H	18.00	-2
1987.00	46.43	---	68.20	21.77	500.00	100.0	V	49.00	0
2249.50	46.12	---	74.00	27.88	500.00	200.0	V	350.00	2
2291.50	---	34.97	54.00	19.03	500.00	200.0	V	336.00	2
2626.63	48.35	---	68.20	19.85	500.00	100.0	V	154.00	2
2706.25	---	37.47	54.00	16.53	500.00	200.0	V	0.00	3
3447.38	51.00	---	68.20	17.20	500.00	100.0	V	2.00	5
3954.88	---	40.02	54.00	13.98	500.00	200.0	H	0.00	6
4485.13	52.13	---	68.20	16.07	500.00	100.0	H	358.00	8
4885.88	---	46.16	54.00	7.84	500.00	200.0	V	322.00	9

Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8156.25	---	38.24	54.00	15.76	500.00	200.0	V	3.00	7
8731.25	49.60	---	68.20	18.60	500.00	100.0	H	4.00	7
9302.50	---	38.72	54.00	15.28	500.00	200.0	V	113.00	7
9925.00	51.41	---	68.20	16.79	500.00	200.0	V	46.00	7
10488.75	50.55	---	68.20	17.65	500.00	200.0	H	286.00	8
11347.50	---	40.62	54.00	13.38	500.00	200.0	V	294.00	9
12696.25	---	40.78	54.00	13.22	500.00	100.0	V	276.00	10
13732.50	52.84	---	68.20	15.36	500.00	100.0	V	262.00	12
14088.75	54.90	---	68.20	13.30	500.00	100.0	H	42.00	12
14487.50	---	42.42	54.00	11.58	500.00	100.0	H	1.00	11
15767.50	---	40.58	54.00	13.42	500.00	200.0	H	342.00	8
16970.00	51.71	---	68.20	16.49	500.00	200.0	H	354.00	11

Radiates Emission from 8GHz to 18GHz


802.11ax HE20 CH117



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1278.25	44.00	---	68.20	24.20	500.00	100.0	V	330.00	-4
1390.25	---	32.93	54.00	21.07	500.00	100.0	V	11.00	-3
1700.00	---	33.25	54.00	20.75	500.00	200.0	V	222.00	-2
1875.00	46.06	---	68.20	22.14	500.00	200.0	H	233.00	-1
2268.75	46.47	---	74.00	27.53	500.00	100.0	H	55.00	2
2280.13	---	35.76	54.00	18.24	500.00	100.0	H	221.00	2
2599.50	48.64	---	68.20	19.56	500.00	200.0	V	125.00	3
2779.75	---	37.71	54.00	16.29	500.00	100.0	V	26.00	3
3586.50	50.59	---	68.20	17.61	500.00	100.0	H	0.00	4
3966.25	---	40.04	54.00	13.96	500.00	200.0	V	0.00	6
4419.50	52.30	---	68.20	15.90	500.00	100.0	H	212.00	8
4901.63	---	46.11	54.00	7.89	500.00	200.0	V	308.00	9

Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8182.50	---	38.24	54.00	15.76	500.00	200.0	V	295.00	7
8857.50	49.87	---	68.20	18.33	500.00	100.0	V	355.00	6
9305.00	---	38.63	54.00	15.37	500.00	200.0	V	97.00	7
9988.75	51.60	---	68.20	16.60	500.00	200.0	V	44.00	7
10553.75	51.62	---	68.20	16.58	500.00	200.0	V	35.00	8
11342.50	---	40.51	54.00	13.49	500.00	100.0	V	61.00	9
12696.25	---	40.65	54.00	13.35	500.00	100.0	H	0.00	10
13727.50	52.73	---	68.20	15.47	500.00	200.0	H	357.00	12
13903.75	54.40	---	68.20	13.80	500.00	100.0	V	77.00	12
14497.50	---	42.44	54.00	11.56	500.00	200.0	H	0.00	11
15736.25	---	40.11	54.00	13.89	500.00	100.0	H	11.00	8
16965.00	51.57	---	68.20	16.63	500.00	200.0	H	0.00	11

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH157




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1270.38	43.86	---	68.20	24.34	500.00	100.0	H	136.00	-4
1388.50	---	33.08	54.00	20.92	500.00	200.0	H	75.00	-3
1550.38	42.76	---	74.00	31.24	500.00	200.0	H	33.00	-2
1694.75	---	33.19	54.00	20.81	500.00	100.0	H	357.00	-2
1986.13	45.89	---	68.20	22.31	500.00	100.0	V	77.00	0
2293.25	---	35.13	54.00	18.87	500.00	200.0	V	279.00	2
2504.13	48.80	---	68.20	19.40	500.00	200.0	H	198.00	2
2773.63	---	37.36	54.00	16.64	500.00	200.0	V	254.00	3
3329.25	50.29	---	68.20	17.91	500.00	200.0	V	72.00	5
3852.50	---	40.22	54.00	13.78	500.00	100.0	V	43.00	6
4487.75	52.26	---	68.20	15.94	500.00	200.0	V	359.00	8
5415.25	---	42.26	54.00	11.74	500.00	200.0	H	161.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8382.50	---	38.43	54.00	15.57	500.00	200.0	H	355.00	7
8865.00	49.97	---	68.20	18.23	500.00	100.0	H	8.00	6
9403.75	---	38.93	54.00	15.07	500.00	200.0	H	186.00	7
9991.25	51.14	---	68.20	17.06	500.00	100.0	H	22.00	7
10537.50	50.87	---	68.20	17.33	500.00	100.0	H	47.00	8
11346.25	---	40.62	54.00	13.38	500.00	100.0	H	8.00	9
12027.50	---	40.81	54.00	13.19	500.00	200.0	V	27.00	9
13726.25	53.08	---	68.20	15.12	500.00	100.0	V	358.00	12
13905.00	55.03	---	68.20	13.17	500.00	200.0	V	202.00	12
14493.75	---	42.50	54.00	11.50	500.00	200.0	H	0.00	11
15735.00	---	40.33	54.00	13.67	500.00	200.0	V	347.00	20
17051.25	54.15	---	68.20	14.05	500.00	100.0	V	283.00	18

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH181




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1257.25	43.29	---	68.20	24.91	500.00	200.0	V	0.00	-4
1384.13	---	32.74	54.00	21.26	500.00	100.0	V	4.00	-3
1498.75	43.59	---	74.00	30.41	500.00	100.0	H	284.00	-2
1706.13	---	33.40	54.00	20.60	500.00	100.0	H	267.00	-2
1956.38	45.90	---	68.20	22.30	500.00	100.0	H	177.00	0
2257.38	---	35.98	54.00	18.02	500.00	100.0	H	82.00	2
2534.75	48.54	---	68.20	19.66	500.00	200.0	V	180.00	2
2780.63	---	37.39	54.00	16.61	500.00	200.0	H	243.00	3
3285.50	50.29	---	68.20	17.91	500.00	200.0	H	208.00	4
3802.63	---	39.72	54.00	14.28	500.00	100.0	H	194.00	5
4488.63	51.94	---	68.20	16.26	500.00	100.0	V	216.00	8
5440.63	---	42.44	54.00	11.56	500.00	200.0	H	27.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8437.50	---	38.35	54.00	15.65	500.00	100.0	H	251.00	6
8681.25	49.86	---	68.20	18.34	500.00	200.0	H	186.00	7
9300.00	---	38.66	54.00	15.34	500.00	200.0	V	22.00	7
9920.00	51.55	---	68.20	16.65	500.00	200.0	H	301.00	7
10551.25	50.90	---	68.20	17.30	500.00	100.0	V	170.00	8
11300.00	---	40.64	54.00	13.36	500.00	100.0	V	6.00	9
12691.25	---	40.78	54.00	13.22	500.00	200.0	V	326.00	10
13587.50	52.76	---	68.20	15.44	500.00	200.0	H	199.00	12
14090.00	54.80	---	68.20	13.40	500.00	200.0	V	11.00	12
14497.50	---	42.50	54.00	11.50	500.00	100.0	H	0.00	11
15743.75	---	40.49	54.00	13.51	500.00	100.0	V	263.00	8
16932.50	51.80	---	68.20	16.40	500.00	200.0	H	245.00	11

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH185




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1292.25	43.21	---	68.20	24.99	500.00	200.0	V	168.00	-4
1387.63	---	32.86	54.00	21.14	500.00	200.0	H	37.00	-3
1549.50	43.59	---	74.00	30.41	500.00	200.0	V	127.00	-2
1696.50	---	33.39	54.00	20.61	500.00	100.0	H	317.00	-2
1978.25	46.01	---	68.20	22.19	500.00	100.0	V	292.00	0
2268.75	---	35.76	54.00	18.24	500.00	100.0	V	31.00	2
2570.63	48.56	---	68.20	19.64	500.00	200.0	V	177.00	3
2778.00	---	37.32	54.00	16.68	500.00	200.0	V	152.00	3
3573.38	50.73	---	68.20	17.47	500.00	100.0	V	66.00	4
3872.63	---	39.74	54.00	14.26	500.00	200.0	V	74.00	6
4477.25	52.03	---	68.20	16.17	500.00	200.0	V	354.00	8
5417.88	---	42.57	54.00	11.43	500.00	100.0	H	249.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8151.25	---	38.60	54.00	15.40	500.00	100.0	V	332.00	6
8780.00	50.26	---	68.20	17.94	500.00	200.0	V	10.00	7
9402.50	---	38.68	54.00	15.32	500.00	200.0	V	0.00	7
9915.00	51.09	---	68.20	17.11	500.00	200.0	H	341.00	7
10592.50	50.92	---	68.20	17.28	500.00	200.0	H	259.00	8
11346.25	---	40.77	54.00	13.23	500.00	100.0	V	249.00	9
12686.25	---	40.77	54.00	13.23	500.00	200.0	V	190.00	10
13735.00	52.94	---	68.20	15.26	500.00	200.0	H	140.00	12
14021.25	55.29	---	68.20	12.91	500.00	200.0	V	2.00	12
14472.50	---	42.82	54.00	11.18	500.00	100.0	H	106.00	11
15718.75	---	40.30	54.00	13.70	500.00	100.0	H	0.00	8
16791.25	52.17	---	68.20	16.03	500.00	200.0	H	312.00	10

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH189




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1246.75	43.73	---	68.20	24.47	500.00	200.0	V	0.00	-4
1406.00	---	32.77	54.00	21.23	500.00	100.0	V	0.00	-3
1542.50	43.27	---	74.00	30.73	500.00	200.0	H	9.00	-2
1708.75	---	33.41	54.00	20.59	500.00	100.0	V	2.00	-2
1975.63	46.31	---	68.20	21.89	500.00	100.0	H	358.00	0
2209.25	---	35.36	54.00	18.64	500.00	100.0	H	354.00	1
2303.75	48.59	---	68.20	19.61	500.00	100.0	H	338.00	2
2771.88	---	37.33	54.00	16.67	500.00	100.0	V	320.00	3
3513.88	50.34	---	68.20	17.86	500.00	200.0	V	322.00	5
3968.88	---	39.97	54.00	14.03	500.00	100.0	V	10.00	6
4479.00	52.12	---	68.20	16.08	500.00	100.0	V	1.00	8
4596.25	---	42.68	54.00	11.32	500.00	200.0	V	330.00	8

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8372.50	---	38.50	54.00	15.50	500.00	100.0	V	244.00	7
8732.50	49.91	---	68.20	18.29	500.00	100.0	V	336.00	7
9358.75	---	38.70	54.00	15.30	500.00	100.0	V	273.00	7
9938.75	51.15	---	68.20	17.05	500.00	200.0	V	9.00	7
10487.50	50.62	---	68.20	17.58	500.00	100.0	V	78.00	8
11318.75	---	40.66	54.00	13.34	500.00	100.0	V	359.00	9
12065.00	---	40.72	54.00	13.28	500.00	100.0	H	0.00	9
13727.50	53.63	---	68.20	14.57	500.00	100.0	V	336.00	12
13960.00	54.77	---	68.20	13.43	500.00	100.0	V	349.00	12
14490.00	---	42.65	54.00	11.35	500.00	200.0	H	333.00	11
15721.25	---	40.15	54.00	13.85	500.00	100.0	H	311.00	8
16740.00	52.87	---	68.20	15.33	500.00	100.0	V	0.00	10

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH209




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1259.88	44.35	---	68.20	23.85	500.00	100.0	H	216.00	-4
1406.88	---	32.87	54.00	21.13	500.00	200.0	H	8.00	-3
1556.50	43.41	---	74.00	30.59	500.00	200.0	H	218.00	-2
1699.13	---	33.12	54.00	20.88	500.00	100.0	H	241.00	-2
1971.25	46.16	---	68.20	22.04	500.00	200.0	H	173.00	0
2296.75	---	35.04	54.00	18.96	500.00	100.0	H	241.00	2
2636.25	48.82	---	68.20	19.38	500.00	200.0	H	112.00	2
2827.00	---	37.95	54.00	16.05	500.00	200.0	H	148.00	3
3366.88	50.16	---	68.20	18.04	500.00	100.0	V	127.00	5
3905.00	---	39.86	54.00	14.14	500.00	100.0	H	357.00	6
4482.50	53.24	---	68.20	14.96	500.00	100.0	H	0.00	8
4663.63	---	42.70	54.00	11.30	500.00	200.0	V	321.00	8

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8345.00	---	38.25	54.00	15.75	500.00	200.0	H	139.00	6
8698.75	50.16	---	68.20	18.04	500.00	100.0	H	0.00	7
9306.25	---	38.89	54.00	15.11	500.00	200.0	H	322.00	7
9925.00	51.06	---	68.20	17.14	500.00	100.0	V	217.00	7
10571.25	50.58	---	68.20	17.62	500.00	100.0	V	0.00	8
11343.75	---	40.63	54.00	13.37	500.00	100.0	H	3.00	9
12690.00	---	40.63	54.00	13.37	500.00	100.0	H	5.00	10
13706.25	53.09	---	68.20	15.11	500.00	100.0	V	0.00	12
13942.50	54.62	---	68.20	13.58	500.00	200.0	V	81.00	12
14495.00	---	42.45	54.00	11.55	500.00	100.0	H	2.00	11
15717.50	---	40.32	54.00	13.68	500.00	200.0	H	344.00	8
16765.00	51.57	---	68.20	16.63	500.00	100.0	V	340.00	10

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH233




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1272.13	43.50	---	68.20	24.70	500.00	100.0	H	152.00	-4
1391.13	---	32.83	54.00	21.17	500.00	100.0	H	300.00	-3
1560.88	42.33	---	74.00	31.67	500.00	200.0	H	140.00	-2
1705.25	---	33.33	54.00	20.67	500.00	100.0	V	58.00	-2
1970.38	46.32	---	68.20	21.88	500.00	200.0	H	131.00	0
2321.25	---	35.21	54.00	18.79	500.00	200.0	H	45.00	2
2680.88	49.01	---	68.20	19.19	500.00	100.0	V	50.00	3
2787.63	---	37.49	54.00	16.51	500.00	100.0	V	42.00	3
3522.63	50.55	---	68.20	17.65	500.00	200.0	H	201.00	5
3952.25	---	39.78	54.00	14.22	500.00	200.0	V	0.00	6
4406.38	52.76	---	68.20	15.44	500.00	100.0	H	357.00	8
4743.25	---	44.02	54.00	9.98	500.00	200.0	V	311.00	8

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8815.00	49.51	---	68.20	18.69	500.00	100.0	V	39.00	6
9143.75	---	38.36	54.00	15.64	500.00	100.0	V	352.00	7
9183.75	---	38.72	54.00	15.28	500.00	200.0	H	214.00	7
9963.75	51.43	---	68.20	16.77	500.00	100.0	V	143.00	7
10575.00	51.01	---	68.20	17.19	500.00	200.0	V	235.00	8
11111.25	---	40.61	54.00	13.39	500.00	100.0	H	296.00	9
12652.50	---	40.66	54.00	13.34	500.00	100.0	H	282.00	10
13736.25	53.12	---	68.20	15.08	500.00	200.0	H	288.00	12
14110.00	55.30	---	68.20	12.90	500.00	200.0	H	359.00	12
14481.25	---	42.71	54.00	11.29	500.00	100.0	V	358.00	11
15728.75	---	40.30	54.00	13.70	500.00	100.0	H	144.00	8
16837.50	51.82	---	68.20	16.38	500.00	100.0	H	71.00	10

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH3




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1282.63	43.52	---	68.20	24.68	500.00	200.0	V	200.00	-4
1378.00	---	33.08	54.00	20.92	500.00	100.0	V	72.00	-3
1453.25	44.27	---	74.00	29.73	500.00	200.0	H	63.00	-2
1481.25	---	33.12	54.00	20.88	500.00	100.0	V	220.00	-2
1949.38	46.41	---	68.20	21.79	500.00	100.0	H	127.00	0
2330.88	---	35.87	54.00	18.13	500.00	100.0	V	202.00	2
2553.13	48.53	---	68.20	19.67	500.00	200.0	H	0.00	3
2794.63	---	37.44	54.00	16.56	500.00	200.0	H	63.00	3
3386.13	50.49	---	68.20	17.71	500.00	100.0	H	358.00	4
3889.25	---	39.83	54.00	14.17	500.00	200.0	H	55.00	6
4499.13	52.09	---	68.20	16.11	500.00	200.0	V	339.00	8
5043.38	---	42.34	54.00	11.66	500.00	200.0	V	91.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8352.50	---	38.35	54.00	15.65	500.00	100.0	V	359.00	7
8732.50	49.96	---	68.20	18.24	500.00	200.0	V	4.00	7
9186.25	---	38.64	54.00	15.36	500.00	100.0	V	0.00	7
10456.25	51.27	---	68.20	16.93	500.00	100.0	H	283.00	8
10595.00	50.62	---	68.20	17.58	500.00	100.0	V	331.00	8
11321.25	---	40.63	54.00	13.37	500.00	200.0	V	0.00	9
12036.25	---	40.64	54.00	13.36	500.00	100.0	H	30.00	9
13736.25	53.30	---	68.20	14.90	500.00	200.0	V	115.00	12
14407.50	55.91	---	68.20	12.29	500.00	200.0	H	343.00	11
14487.50	---	42.57	54.00	11.43	500.00	200.0	H	287.00	11
15738.75	---	40.06	54.00	13.94	500.00	100.0	V	122.00	8
16935.00	51.82	---	68.20	16.38	500.00	100.0	V	322.00	11

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH51




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1253.75	43.82	---	68.20	24.38	500.00	200.0	V	175.00	-4
1391.13	---	33.12	54.00	20.88	500.00	200.0	V	60.00	-3
1540.75	43.95	---	74.00	30.05	500.00	200.0	V	113.00	-2
1701.75	---	33.90	54.00	20.10	500.00	200.0	V	122.00	-2
1987.88	45.87	---	68.20	22.33	500.00	200.0	V	346.00	0
2316.00	---	35.78	54.00	18.22	500.00	100.0	H	251.00	2
2608.25	48.50	---	68.20	19.70	500.00	200.0	V	166.00	2
2827.00	---	37.33	54.00	16.67	500.00	200.0	V	191.00	3
3451.75	50.58	---	68.20	17.62	500.00	100.0	H	251.00	5
3954.00	---	39.70	54.00	14.30	500.00	200.0	V	0.00	6
4499.13	52.16	---	68.20	16.04	500.00	100.0	V	84.00	8
4654.00	---	44.40	54.00	9.60	500.00	200.0	V	309.00	8

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8217.50	---	38.46	54.00	15.54	500.00	100.0	V	330.00	7
8762.50	50.47	---	68.20	17.73	500.00	200.0	H	313.00	7
9372.50	---	38.58	54.00	15.42	500.00	200.0	H	0.00	7
9910.00	51.35	---	68.20	16.85	500.00	100.0	V	354.00	7
10567.50	50.65	---	68.20	17.55	500.00	200.0	H	352.00	8
11100.00	---	40.72	54.00	13.28	500.00	100.0	V	154.00	9
12690.00	---	40.80	54.00	13.20	500.00	100.0	H	0.00	10
13692.50	52.71	---	68.20	15.49	500.00	100.0	H	11.00	12
14360.00	54.92	---	68.20	13.28	500.00	200.0	V	1.00	11
14470.00	---	42.57	54.00	11.43	500.00	100.0	V	168.00	11
15703.75	---	39.99	54.00	14.01	500.00	100.0	H	252.00	8
16970.00	52.35	---	68.20	15.85	500.00	200.0	V	0.00	11

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH91




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1297.50	43.66	---	68.20	24.54	500.00	100.0	V	8.00	-4
1402.50	---	32.84	54.00	21.16	500.00	200.0	H	112.00	-3
1583.63	42.22	---	74.00	31.78	500.00	200.0	H	243.00	-2
1697.38	---	33.40	54.00	20.60	500.00	200.0	H	8.00	-2
1995.75	46.88	---	68.20	21.32	500.00	200.0	H	15.00	1
2233.75	---	34.69	54.00	19.31	500.00	200.0	H	200.00	1
2458.63	48.52	---	68.20	19.68	500.00	100.0	H	273.00	3
2784.13	---	37.46	54.00	16.54	500.00	100.0	H	144.00	3
3459.63	50.25	---	68.20	17.95	500.00	100.0	H	82.00	5
3890.13	---	39.80	54.00	14.20	500.00	200.0	V	323.00	6
4439.63	52.31	---	68.20	15.89	500.00	200.0	H	27.00	8
4803.63	---	45.96	54.00	8.04	500.00	200.0	V	330.00	8

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8467.50	---	38.48	54.00	15.52	500.00	100.0	H	145.00	6
8682.50	49.84	---	68.20	18.36	500.00	100.0	V	349.00	7
9300.00	---	38.61	54.00	15.39	500.00	100.0	H	93.00	7
10417.50	51.13	---	68.20	17.07	500.00	100.0	V	247.00	8
10591.25	50.77	---	68.20	17.43	500.00	200.0	H	358.00	8
11298.75	---	40.68	54.00	13.32	500.00	100.0	H	3.00	9
12688.75	---	40.56	54.00	13.44	500.00	100.0	H	265.00	10
13636.25	52.92	---	68.20	15.28	500.00	200.0	H	271.00	12
13910.00	54.32	---	68.20	13.88	500.00	100.0	V	357.00	12
14496.25	---	42.59	54.00	11.41	500.00	100.0	H	93.00	11
15753.75	---	40.22	54.00	13.78	500.00	200.0	V	74.00	8
16826.25	51.92	---	68.20	16.28	500.00	200.0	H	242.00	10

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH99




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1253.75	43.70	---	68.20	24.50	500.00	200.0	H	46.00	-4
1375.38	---	32.73	54.00	21.27	500.00	200.0	V	359.00	-3
1541.63	43.30	---	74.00	30.70	500.00	200.0	H	9.00	-2
1684.25	---	33.21	54.00	20.79	500.00	200.0	V	190.00	-2
1987.00	46.44	---	68.20	21.76	500.00	100.0	V	44.00	0
2344.00	---	35.77	54.00	18.23	500.00	100.0	H	266.00	2
2567.13	48.81	---	68.20	19.39	500.00	100.0	V	209.00	3
2766.63	---	37.36	54.00	16.64	500.00	100.0	H	196.00	3
3372.13	50.66	---	68.20	17.54	500.00	200.0	H	215.00	5
3966.25	---	39.94	54.00	14.06	500.00	100.0	H	357.00	6
4484.25	52.09	---	68.20	16.11	500.00	100.0	V	87.00	8
4833.38	---	44.85	54.00	9.15	500.00	200.0	V	327.00	9

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8185.00	---	38.25	54.00	15.75	500.00	200.0	H	344.00	7
8541.25	50.10	---	68.20	18.10	500.00	100.0	H	38.00	6
9303.75	---	38.73	54.00	15.27	500.00	100.0	H	1.00	7
10457.50	51.11	---	68.20	17.09	500.00	200.0	H	220.00	8
10553.75	50.88	---	68.20	17.32	500.00	100.0	H	38.00	8
11301.25	---	40.46	54.00	13.54	500.00	100.0	H	8.00	9
12688.75	---	40.95	54.00	13.05	500.00	200.0	V	0.00	10
13692.50	53.08	---	68.20	15.12	500.00	100.0	V	268.00	12
14016.25	54.31	---	68.20	13.89	500.00	200.0	H	264.00	12
14475.00	---	42.18	54.00	11.82	500.00	100.0	V	351.00	11
15721.25	---	39.91	54.00	14.09	500.00	200.0	H	220.00	8
16977.50	52.19	---	68.20	16.01	500.00	100.0	H	38.00	11

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH107




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1251.13	43.69	---	68.20	24.51	500.00	200.0	H	250.00	-4
1390.25	---	33.05	54.00	20.95	500.00	200.0	H	18.00	-3
1532.88	42.88	---	74.00	31.12	500.00	100.0	H	57.00	-2
1699.13	---	33.34	54.00	20.66	500.00	200.0	H	108.00	-2
1999.25	45.89	---	68.20	22.31	500.00	100.0	H	286.00	1
2356.25	---	35.45	54.00	18.55	500.00	200.0	H	48.00	2
2678.25	49.28	---	68.20	18.92	500.00	100.0	H	164.00	3
2779.75	---	37.46	54.00	16.54	500.00	200.0	V	349.00	3
3550.63	50.16	---	68.20	18.04	500.00	200.0	H	227.00	4
3959.25	---	39.93	54.00	14.07	500.00	200.0	V	317.00	6
4411.63	52.77	---	68.20	15.43	500.00	100.0	V	3.00	8
4864.00	---	46.70	54.00	7.30	500.00	200.0	V	333.00	9

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8156.25	---	38.18	54.00	15.82	500.00	200.0	V	266.00	7
8852.50	50.49	---	68.20	17.71	500.00	100.0	V	358.00	6
9303.75	---	38.68	54.00	15.32	500.00	200.0	H	345.00	7
9901.25	51.84	---	68.20	16.36	500.00	200.0	H	0.00	7
10580.00	50.98	---	68.20	17.22	500.00	100.0	H	42.00	8
11347.50	---	40.69	54.00	13.31	500.00	200.0	V	0.00	9
12013.75	---	40.67	54.00	13.33	500.00	100.0	V	358.00	9
13675.00	52.65	---	68.20	15.55	500.00	200.0	H	64.00	12
14420.00	54.80	---	68.20	13.40	500.00	200.0	V	100.00	11
14483.75	---	42.53	54.00	11.47	500.00	200.0	V	220.00	11
15690.00	52.34	---	74.00	21.66	500.00	200.0	V	1.00	8
15786.25	---	40.02	54.00	13.98	500.00	200.0	V	3.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH115




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1261.63	43.64	---	68.20	24.56	500.00	100.0	V	184.00	-4
1394.63	---	32.85	54.00	21.15	500.00	100.0	H	0.00	-3
1546.00	42.85	---	74.00	31.15	500.00	200.0	H	98.00	-2
1683.38	---	33.30	54.00	20.70	500.00	100.0	H	355.00	-2
1928.38	45.89	---	68.20	22.31	500.00	100.0	V	237.00	0
2370.25	---	36.03	54.00	17.97	500.00	100.0	H	299.00	2
2572.38	48.54	---	68.20	19.66	500.00	200.0	H	234.00	3
2794.63	---	37.38	54.00	16.62	500.00	200.0	H	4.00	3
3535.75	50.83	---	68.20	17.37	500.00	100.0	V	202.00	5
3967.13	---	39.98	54.00	14.02	500.00	200.0	H	6.00	6
4499.13	52.25	---	68.20	15.95	500.00	100.0	H	248.00	8
4893.75	---	47.52	54.00	6.48	500.00	200.0	V	341.00	9

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8187.50	---	38.43	54.00	15.57	500.00	100.0	V	276.00	7
8660.00	49.86	---	68.20	18.34	500.00	200.0	H	259.00	7
9302.50	---	38.55	54.00	15.45	500.00	100.0	V	332.00	7
9986.25	51.48	---	68.20	16.72	500.00	100.0	H	114.00	7
10571.25	50.56	---	68.20	17.64	500.00	200.0	V	3.00	8
11313.75	---	40.61	54.00	13.39	500.00	100.0	V	323.00	9
12023.75	---	40.87	54.00	13.13	500.00	200.0	H	242.00	9
13727.50	52.62	---	68.20	15.58	500.00	200.0	V	168.00	12
14386.25	56.22	---	68.20	11.98	500.00	200.0	H	348.00	11
14492.50	---	42.64	54.00	11.36	500.00	100.0	H	312.00	11
15721.25	51.07	---	74.00	22.93	500.00	100.0	H	176.00	8
15795.00	---	39.37	54.00	14.63	500.00	200.0	H	108.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH123



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1266.88	44.39	---	68.20	23.81	500.00	200.0	H	152.00	-4
1399.00	---	32.98	54.00	21.02	500.00	200.0	H	188.00	-3
1574.88	43.22	---	74.00	30.78	500.00	200.0	H	69.00	-2
1696.50	---	33.17	54.00	20.83	500.00	100.0	H	246.00	-2
1957.25	46.12	---	68.20	22.08	500.00	100.0	V	212.00	0
2344.00	---	35.82	54.00	18.18	500.00	200.0	H	43.00	2
2452.50	48.63	---	68.20	19.57	500.00	100.0	H	315.00	2
2777.13	---	37.50	54.00	16.50	500.00	100.0	H	306.00	3
3514.75	50.60	---	68.20	17.60	500.00	200.0	V	278.00	5
3877.88	---	40.05	54.00	13.95	500.00	200.0	V	337.00	6
4479.88	51.97	---	68.20	16.23	500.00	200.0	V	85.00	8
4923.50	---	47.73	54.00	6.27	500.00	200.0	V	314.00	9

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz