





Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8970.00	49.92	---	68.20	18.28	500.00	100.0	H	22.00	6
9153.75	---	38.45	54.00	15.55	500.00	100.0	H	115.00	7
9305.00	---	38.50	54.00	15.50	500.00	100.0	V	124.00	7
9937.50	51.44	---	68.20	16.76	500.00	100.0	H	100.00	7
10592.50	50.52	---	68.20	17.68	500.00	200.0	H	260.00	8
11345.00	---	40.60	54.00	13.40	500.00	200.0	V	6.00	9
12690.00	---	40.65	54.00	13.35	500.00	200.0	V	0.00	10
13732.50	52.74	---	68.20	15.46	500.00	100.0	H	72.00	12
14497.50	---	42.39	54.00	11.61	500.00	200.0	H	359.00	11
14578.75	54.66	---	68.20	13.54	500.00	200.0	H	215.00	11
15741.25	49.17	---	74.00	24.83	500.00	200.0	V	8.00	8
15771.25	---	39.95	54.00	14.05	500.00	100.0	V	242.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH155




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1280.00	44.00	---	68.20	24.20	500.00	200.0	H	24.00	-4
1391.13	---	32.95	54.00	21.05	500.00	100.0	V	330.00	-3
1573.13	44.90	---	74.00	29.10	500.00	200.0	H	294.00	-2
1692.13	---	33.25	54.00	20.75	500.00	100.0	V	0.00	-2
1982.63	46.12	---	68.20	22.08	500.00	100.0	V	10.00	0
2209.25	---	35.20	54.00	18.80	500.00	100.0	V	2.00	1
2547.88	48.43	---	68.20	19.77	500.00	200.0	V	283.00	3
2777.13	---	37.54	54.00	16.46	500.00	100.0	V	339.00	3
3315.25	50.88	---	68.20	17.32	500.00	100.0	H	178.00	4
3881.38	---	39.71	54.00	14.29	500.00	100.0	H	65.00	6
4499.13	51.95	---	68.20	16.25	500.00	200.0	V	187.00	8
5446.75	---	42.52	54.00	11.48	500.00	200.0	V	353.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8208.75	---	38.36	54.00	15.64	500.00	200.0	H	64.00	7
8871.25	49.62	---	68.20	18.58	500.00	200.0	H	278.00	6
9353.75	---	38.74	54.00	15.26	500.00	100.0	V	248.00	7
10375.00	51.53	---	68.20	16.67	500.00	200.0	H	0.00	8
10575.00	51.24	---	68.20	16.96	500.00	100.0	H	4.00	8
11298.75	---	40.56	54.00	13.44	500.00	100.0	V	338.00	9
12025.00	---	40.37	54.00	13.63	500.00	200.0	H	352.00	9
12750.00	52.89	---	68.20	15.31	500.00	200.0	H	35.00	10
14098.75	54.57	---	68.20	13.63	500.00	100.0	H	18.00	12
14471.25	---	42.56	54.00	11.44	500.00	100.0	V	354.00	11
15775.00	51.09	---	74.00	22.91	500.00	100.0	H	18.00	8
15780.00	---	39.30	54.00	14.70	500.00	200.0	H	355.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH179




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1264.25	43.56	---	68.20	24.64	500.00	100.0	V	259.00	-4
1390.25	---	33.03	54.00	20.97	500.00	200.0	V	283.00	-3
1553.88	43.66	---	74.00	30.34	500.00	200.0	H	4.00	-2
1704.38	---	33.37	54.00	20.63	500.00	100.0	V	5.00	-2
1981.75	46.05	---	68.20	22.15	500.00	100.0	H	339.00	0
2351.00	---	35.57	54.00	18.43	500.00	100.0	H	106.00	2
2581.13	48.62	---	68.20	19.58	500.00	200.0	V	66.00	3
2779.75	---	37.41	54.00	16.59	500.00	100.0	H	300.00	3
3177.00	50.61	---	68.20	17.59	500.00	100.0	H	194.00	4
3964.50	---	39.81	54.00	14.19	500.00	200.0	H	313.00	6
4437.88	51.91	---	68.20	16.29	500.00	200.0	V	346.00	8
5133.50	---	47.76	54.00	6.24	500.00	200.0	V	349.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8156.25	---	38.19	54.00	15.81	500.00	200.0	H	278.00	7
8698.75	50.23	---	68.20	17.97	500.00	100.0	H	30.00	7
9300.00	---	38.66	54.00	15.34	500.00	100.0	H	188.00	7
9930.00	51.24	---	68.20	16.96	500.00	100.0	H	234.00	7
10573.75	50.23	---	68.20	17.97	500.00	100.0	H	296.00	8
11298.75	---	40.56	54.00	13.44	500.00	100.0	V	204.00	9
12688.75	---	40.52	54.00	13.48	500.00	200.0	V	20.00	10
13731.25	52.83	---	68.20	15.37	500.00	100.0	H	0.00	12
13947.50	54.67	---	68.20	13.53	500.00	200.0	V	20.00	12
14485.00	---	42.46	54.00	11.54	500.00	100.0	V	84.00	11
15725.00	---	39.58	54.00	14.42	500.00	200.0	H	0.00	8
15743.75	50.94	---	74.00	23.06	500.00	100.0	H	84.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH187




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1298.38	43.68	---	68.20	24.52	500.00	200.0	H	0.00	-4
1406.00	---	33.05	54.00	20.95	500.00	100.0	V	5.00	-3
1558.25	43.12	---	74.00	30.88	500.00	200.0	H	4.00	-2
1698.25	---	33.19	54.00	20.81	500.00	200.0	V	345.00	-2
1997.50	46.08	---	68.20	22.12	500.00	100.0	V	126.00	1
2336.13	---	35.85	54.00	18.15	500.00	100.0	H	280.00	2
2688.75	48.38	---	68.20	19.82	500.00	200.0	H	311.00	3
2772.75	---	37.33	54.00	16.67	500.00	100.0	V	2.00	3
3322.25	50.64	---	68.20	17.56	500.00	200.0	V	0.00	5
3852.50	---	39.83	54.00	14.17	500.00	200.0	V	162.00	6
4402.00	52.52	---	68.20	15.68	500.00	100.0	V	240.00	8
5385.50	---	42.40	54.00	11.60	500.00	200.0	H	196.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8268.75	---	38.17	54.00	15.83	500.00	200.0	V	10.00	6
8516.25	49.81	---	68.20	18.39	500.00	100.0	V	323.00	6
9306.25	---	38.26	54.00	15.74	500.00	100.0	V	344.00	7
9998.75	50.75	---	68.20	17.45	500.00	200.0	H	291.00	7
10575.00	51.08	---	68.20	17.12	500.00	100.0	V	246.00	8
11316.25	---	40.42	54.00	13.58	500.00	100.0	V	0.00	9
13365.00	---	40.92	54.00	13.08	500.00	100.0	V	261.00	11
13606.25	53.29	---	68.20	14.91	500.00	200.0	V	97.00	12
13925.00	54.38	---	68.20	13.82	500.00	100.0	V	0.00	12
14488.75	---	42.43	54.00	11.57	500.00	200.0	V	296.00	11
15738.75	---	38.72	54.00	15.28	500.00	200.0	H	354.00	8
15756.25	50.03	---	74.00	23.97	500.00	200.0	H	277.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH195




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1260.75	43.43	---	68.20	24.77	500.00	200.0	H	11.00	-4
1394.63	---	32.50	54.00	21.50	500.00	200.0	H	293.00	-3
1582.75	43.78	---	74.00	30.22	500.00	200.0	H	155.00	-2
1696.50	---	33.03	54.00	20.97	500.00	100.0	H	0.00	-2
1999.25	45.39	---	68.20	22.81	500.00	100.0	V	4.00	1
2595.13	48.11	---	68.20	20.09	500.00	100.0	H	239.00	3
2776.25	---	37.31	54.00	16.69	500.00	200.0	V	258.00	3
3517.38	50.06	---	68.20	18.14	500.00	200.0	V	339.00	5
3957.50	---	39.71	54.00	14.29	500.00	200.0	H	95.00	6
4422.13	51.91	---	68.20	16.29	500.00	200.0	V	325.00	8
4875.38	---	40.34	54.00	13.66	500.00	200.0	H	2.00	9
5440.63	---	42.33	54.00	11.67	500.00	100.0	H	319.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8356.25	---	38.15	54.00	15.85	500.00	200.0	V	108.00	7
8887.50	50.22	---	68.20	17.98	500.00	100.0	V	124.00	6
9301.25	---	38.34	54.00	15.66	500.00	200.0	V	184.00	7
10378.75	51.15	---	68.20	17.05	500.00	200.0	V	324.00	8
10587.50	50.57	---	68.20	17.63	500.00	100.0	V	168.00	8
11356.25	---	39.91	54.00	14.09	500.00	200.0	V	3.00	9
13381.25	---	41.01	54.00	12.99	500.00	200.0	H	324.00	11
13725.00	53.63	---	68.20	14.57	500.00	100.0	V	140.00	12
14036.25	55.56	---	68.20	12.64	500.00	100.0	V	348.00	12
14475.00	---	41.85	54.00	12.15	500.00	200.0	V	54.00	11
15801.25	50.82	---	74.00	23.18	500.00	200.0	H	64.00	8
15807.50	---	38.85	54.00	15.15	500.00	100.0	H	14.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH211




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1270.38	44.04	---	68.20	24.16	500.00	100.0	V	9.00	-4
1391.13	---	32.82	54.00	21.18	500.00	200.0	V	338.00	-3
1559.13	42.09	---	74.00	31.91	500.00	100.0	H	244.00	-2
1698.25	---	33.01	54.00	20.99	500.00	200.0	H	91.00	-2
1945.88	45.37	---	68.20	22.83	500.00	100.0	V	217.00	0
2340.50	---	34.79	54.00	19.21	500.00	200.0	H	98.00	2
2568.88	48.36	---	68.20	19.84	500.00	100.0	V	2.00	3
2745.63	---	37.11	54.00	16.89	500.00	200.0	V	53.00	3
3492.00	50.16	---	68.20	18.04	500.00	200.0	H	1.00	4
3958.38	---	39.56	54.00	14.44	500.00	100.0	V	9.00	6
4478.13	52.01	---	68.20	16.19	500.00	200.0	V	46.00	8
4669.75	---	42.40	54.00	11.60	500.00	200.0	V	312.00	8

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8377.50	---	37.97	54.00	16.03	500.00	200.0	V	247.00	7
8696.25	49.82	---	68.20	18.38	500.00	100.0	H	3.00	7
9300.00	---	38.25	54.00	15.75	500.00	100.0	V	358.00	7
10360.00	51.29	---	68.20	16.91	500.00	100.0	H	20.00	8
10592.50	50.29	---	68.20	17.91	500.00	200.0	V	155.00	8
11300.00	---	40.09	54.00	13.91	500.00	200.0	H	358.00	9
13392.50	---	40.89	54.00	13.11	500.00	200.0	H	50.00	11
13736.25	53.13	---	68.20	15.07	500.00	100.0	V	357.00	12
14095.00	54.52	---	68.20	13.69	500.00	100.0	H	157.00	12
14487.50	---	41.56	54.00	12.44	500.00	200.0	H	359.00	11
15701.25	---	39.46	54.00	14.54	500.00	100.0	H	7.00	8
15702.50	51.39	---	74.00	22.61	500.00	100.0	H	233.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH227




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1253.75	43.56	---	68.20	24.64	500.00	200.0	V	313.00	-4
1407.75	---	33.08	54.00	20.92	500.00	100.0	H	236.00	-3
1575.75	41.52	---	74.00	32.48	500.00	200.0	V	220.00	-2
1696.50	---	32.94	54.00	21.06	500.00	200.0	H	52.00	-2
1963.38	45.70	---	68.20	22.50	500.00	200.0	H	65.00	0
2340.50	---	35.41	54.00	18.59	500.00	200.0	H	85.00	2
2677.38	48.44	---	68.20	19.76	500.00	100.0	V	246.00	3
2721.13	---	37.09	54.00	16.91	500.00	200.0	H	0.00	3
3543.63	50.37	---	68.20	17.83	500.00	200.0	V	313.00	4
3851.63	---	39.70	54.00	14.30	500.00	200.0	H	224.00	6
4441.38	51.87	---	68.20	16.33	500.00	200.0	V	226.00	8
5049.50	---	42.31	54.00	11.69	500.00	100.0	H	1.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8208.75	---	37.99	54.00	16.01	500.00	100.0	H	31.00	7
8807.50	49.66	---	68.20	18.54	500.00	100.0	H	0.00	6
9300.00	---	38.31	54.00	15.69	500.00	200.0	V	201.00	7
9967.50	50.38	---	68.20	17.82	500.00	200.0	V	9.00	7
10508.75	50.11	---	68.20	18.09	500.00	100.0	V	0.00	8
11300.00	---	40.16	54.00	13.84	500.00	100.0	V	0.00	9
13361.25	---	41.08	54.00	12.92	500.00	200.0	H	111.00	11
13727.50	53.04	---	68.20	15.16	500.00	100.0	V	0.00	12
14481.25	---	41.76	54.00	12.24	500.00	200.0	V	125.00	11
14563.75	54.49	---	68.20	13.71	500.00	200.0	V	325.00	11
15700.00	51.06	---	74.00	22.94	500.00	100.0	H	347.00	8
15772.50	---	39.29	54.00	14.71	500.00	200.0	H	296.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH7




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1254.63	43.28	---	68.20	24.92	500.00	200.0	V	301.00	-4
1376.25	---	32.77	54.00	21.23	500.00	100.0	H	341.00	-3
1528.50	43.49	---	74.00	30.51	500.00	200.0	H	0.00	-2
1697.38	---	32.98	54.00	21.02	500.00	100.0	V	233.00	-2
1961.63	46.49	---	68.20	21.71	500.00	200.0	H	6.00	0
2353.63	---	35.62	54.00	18.38	500.00	100.0	V	14.00	2
2670.38	48.27	---	68.20	19.93	500.00	100.0	V	4.00	3
2774.50	---	37.23	54.00	16.77	500.00	200.0	V	46.00	3
3453.50	50.15	---	68.20	18.05	500.00	100.0	H	341.00	5
3821.88	---	39.63	54.00	14.37	500.00	100.0	H	167.00	5
4479.88	51.83	---	68.20	16.37	500.00	100.0	V	226.00	8
5418.75	---	42.30	54.00	11.70	500.00	200.0	H	6.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8210.00	---	38.06	54.00	15.94	500.00	100.0	H	174.00	7
8933.75	49.61	---	68.20	18.59	500.00	200.0	V	312.00	6
9301.25	---	38.26	54.00	15.74	500.00	200.0	V	0.00	7
9967.50	51.04	---	68.20	17.16	500.00	200.0	H	335.00	7
10590.00	50.26	---	68.20	17.94	500.00	200.0	H	353.00	8
11346.25	---	39.89	54.00	14.11	500.00	200.0	V	0.00	9
13360.00	---	40.92	54.00	13.08	500.00	100.0	H	10.00	11
13627.50	53.05	---	68.20	15.15	500.00	100.0	H	0.00	12
14116.25	54.09	---	68.20	14.11	500.00	100.0	V	310.00	12
14488.75	---	41.33	54.00	12.67	500.00	200.0	H	81.00	11
15703.75	50.22	---	74.00	23.78	500.00	200.0	H	353.00	8
15768.75	---	38.62	54.00	15.38	500.00	100.0	H	204.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH55




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1261.63	43.41	---	68.20	24.79	500.00	100.0	H	202.00	-4
1392.00	---	32.84	54.00	21.16	500.00	100.0	H	334.00	-3
1551.25	43.13	---	74.00	30.87	500.00	200.0	H	28.00	-2
1708.75	---	32.96	54.00	21.04	500.00	200.0	H	34.00	-2
1980.88	45.69	---	68.20	22.51	500.00	200.0	H	109.00	0
2338.75	---	35.46	54.00	18.54	500.00	200.0	H	0.00	2
2472.63	48.30	---	68.20	19.90	500.00	200.0	H	251.00	3
2771.00	---	37.35	54.00	16.65	500.00	200.0	V	344.00	3
3439.50	50.07	---	68.20	18.13	500.00	200.0	V	0.00	4
3849.00	---	39.41	54.00	14.59	500.00	100.0	V	191.00	6
4465.88	51.92	---	68.20	16.28	500.00	200.0	H	61.00	8
4668.88	---	43.57	54.00	10.43	500.00	200.0	V	311.00	8

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8206.25	---	38.05	54.00	15.95	500.00	200.0	H	0.00	7
8881.25	49.38	---	68.20	18.82	500.00	200.0	V	104.00	6
9300.00	---	38.10	54.00	15.90	500.00	100.0	V	168.00	7
10023.75	50.83	---	68.20	17.37	500.00	200.0	H	0.00	7
10580.00	50.87	---	68.20	17.33	500.00	200.0	H	358.00	8
11085.00	---	39.85	54.00	14.15	500.00	100.0	H	0.00	9
11792.50	46.69	---	74.00	27.31	500.00	100.0	H	67.00	9
13361.25	---	40.59	54.00	13.41	500.00	200.0	V	6.00	11
13843.75	54.34	---	68.20	13.86	500.00	100.0	H	3.00	12
14486.25	---	41.17	54.00	12.83	500.00	100.0	V	228.00	11
15788.75	---	37.92	54.00	16.08	500.00	200.0	H	358.00	8
15826.25	48.47	---	74.00	25.53	500.00	200.0	H	65.00	7

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH87




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1281.75	43.38	---	68.20	24.82	500.00	200.0	H	132.00	-4
1387.63	---	32.40	54.00	21.60	500.00	200.0	H	45.00	-3
1552.13	42.85	---	74.00	31.15	500.00	100.0	V	50.00	-2
1709.63	---	32.79	54.00	21.21	500.00	100.0	V	84.00	-2
1930.13	45.35	---	68.20	22.85	500.00	200.0	V	189.00	0
2332.63	---	35.21	54.00	18.79	500.00	100.0	H	344.00	2
2472.63	48.47	---	68.20	19.73	500.00	100.0	V	143.00	3
2770.13	---	36.95	54.00	17.05	500.00	100.0	H	292.00	3
3365.13	50.44	---	68.20	17.76	500.00	100.0	H	135.00	5
3956.63	---	39.37	54.00	14.63	500.00	200.0	V	149.00	6
4437.88	52.12	---	68.20	16.08	500.00	200.0	H	58.00	8
4788.75	---	44.68	54.00	9.32	500.00	200.0	V	315.00	8

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8301.25	---	37.98	54.00	16.02	500.00	100.0	V	358.00	6
8736.25	49.30	---	68.20	18.90	500.00	100.0	H	3.00	7
9306.25	---	38.23	54.00	15.77	500.00	100.0	H	26.00	7
9938.75	51.54	---	68.20	16.66	500.00	100.0	H	4.00	7
10596.25	51.53	---	68.20	16.67	500.00	200.0	V	186.00	8
11342.50	---	39.79	54.00	14.21	500.00	100.0	H	173.00	9
13350.00	---	40.78	54.00	13.22	500.00	200.0	V	248.00	11
13711.25	52.67	---	68.20	15.53	500.00	100.0	V	0.00	12
13993.75	53.95	---	68.20	14.25	500.00	200.0	H	357.00	12
14490.00	---	40.94	54.00	13.06	500.00	100.0	V	353.00	11
15753.75	48.99	---	74.00	25.01	500.00	200.0	H	354.00	8
15766.25	---	38.37	54.00	15.63	500.00	100.0	H	156.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH103




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1282.63	43.08	---	68.20	25.12	500.00	100.0	V	12.00	-4
1408.63	---	32.40	54.00	21.60	500.00	200.0	H	43.00	-3
1542.50	43.00	---	74.00	31.00	500.00	200.0	H	314.00	-2
1701.75	---	32.83	54.00	21.17	500.00	200.0	H	184.00	-2
1995.75	45.36	---	68.20	22.84	500.00	100.0	H	150.00	1
2351.00	---	34.75	54.00	19.25	500.00	200.0	H	2.00	2
2633.63	47.89	---	68.20	20.31	500.00	100.0	H	312.00	2
2778.00	---	36.93	54.00	17.07	500.00	200.0	V	338.00	3
3341.50	49.58	---	68.20	18.62	500.00	200.0	V	282.00	5
3952.25	---	39.23	54.00	14.77	500.00	100.0	V	0.00	6
4478.13	52.19	---	68.20	16.01	500.00	100.0	H	356.00	8
4849.13	---	44.10	54.00	9.90	500.00	200.0	V	324.00	9

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8182.50	---	37.84	54.00	16.16	500.00	200.0	H	155.00	7
8685.00	49.33	---	68.20	18.87	500.00	200.0	H	314.00	7
9300.00	---	38.06	54.00	15.94	500.00	100.0	V	359.00	7
10558.75	50.28	---	68.20	17.92	500.00	100.0	V	358.00	8
11251.25	49.20	---	74.00	24.80	500.00	200.0	H	357.00	9
11348.75	---	39.71	54.00	14.29	500.00	100.0	H	54.00	9
13336.25	---	39.95	54.00	14.05	500.00	100.0	V	339.00	11
13722.50	52.01	---	68.20	16.19	500.00	100.0	H	110.00	12
13868.75	53.25	---	68.20	14.95	500.00	100.0	V	275.00	12
14500.00	---	39.82	54.00	14.18	500.00	100.0	V	0.00	11
15781.25	49.05	---	74.00	24.95	500.00	100.0	H	6.00	8
15795.00	---	37.41	54.00	16.59	500.00	200.0	H	0.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH119




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1271.25	43.07	---	68.20	25.13	500.00	100.0	H	73.00	-4
1381.50	---	32.33	54.00	21.67	500.00	200.0	H	230.00	-3
1524.13	42.97	---	74.00	31.03	500.00	200.0	H	330.00	-2
1697.38	---	33.10	54.00	20.90	500.00	100.0	H	355.00	-2
1934.50	45.59	---	68.20	22.61	500.00	200.0	V	117.00	0
2288.88	---	34.77	54.00	19.23	500.00	100.0	H	299.00	2
2601.25	48.21	---	68.20	19.99	500.00	200.0	V	355.00	3
2778.00	---	36.85	54.00	17.15	500.00	200.0	H	6.00	3
3524.38	49.75	---	68.20	18.45	500.00	100.0	V	57.00	5
3828.00	---	39.22	54.00	14.78	500.00	200.0	H	18.00	5
4499.13	51.11	---	68.20	17.09	500.00	200.0	V	350.00	8
4908.63	---	45.91	54.00	8.09	500.00	200.0	V	317.00	9

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8206.25	---	37.95	54.00	16.05	500.00	100.0	V	0.00	7
8718.75	49.78	---	68.20	18.42	500.00	100.0	V	305.00	7
9301.25	---	37.96	54.00	16.04	500.00	200.0	H	231.00	7
10402.50	50.47	---	68.20	17.73	500.00	200.0	V	311.00	8
10500.00	49.70	---	68.20	18.50	500.00	100.0	H	127.00	8
11032.50	---	39.63	54.00	14.37	500.00	100.0	V	353.00	9
13347.50	---	39.81	54.00	14.19	500.00	100.0	V	316.00	11
13675.00	51.43	---	68.20	16.77	500.00	100.0	H	218.00	12
13878.75	53.63	---	68.20	14.57	500.00	200.0	H	324.00	12
14485.00	---	39.79	54.00	14.21	500.00	200.0	H	345.00	11
15711.25	48.28	---	74.00	25.72	500.00	200.0	H	200.00	8
15752.50	---	37.58	54.00	16.42	500.00	200.0	H	359.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH135




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1268.63	43.32	---	68.20	24.88	500.00	200.0	H	7.00	-4
1380.63	---	32.54	54.00	21.46	500.00	100.0	H	244.00	-3
1557.38	42.69	---	74.00	31.31	500.00	200.0	H	1.00	-2
1693.88	---	32.56	54.00	21.44	500.00	200.0	V	298.00	-2
1951.13	45.37	---	68.20	22.83	500.00	200.0	V	72.00	0
2330.88	---	35.24	54.00	18.76	500.00	100.0	H	327.00	2
2547.00	47.68	---	68.20	20.52	500.00	200.0	H	142.00	3
2772.75	---	36.71	54.00	17.29	500.00	100.0	H	355.00	3
3527.88	50.19	---	68.20	18.01	500.00	200.0	V	341.00	5
3956.63	---	39.09	54.00	14.91	500.00	100.0	V	62.00	6
4440.50	51.57	---	68.20	16.63	500.00	100.0	H	274.00	8
5439.75	---	41.66	54.00	12.34	500.00	200.0	H	114.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8207.50	---	37.93	54.00	16.07	500.00	200.0	H	96.00	7
8642.50	49.40	---	68.20	18.80	500.00	100.0	V	341.00	7
9302.50	---	38.05	54.00	15.95	500.00	100.0	H	0.00	7
9918.75	50.24	---	68.20	17.96	500.00	100.0	V	69.00	7
10506.25	49.97	---	68.20	18.23	500.00	100.0	H	0.00	8
11342.50	---	39.33	54.00	14.67	500.00	100.0	H	324.00	9
13350.00	---	39.83	54.00	14.17	500.00	200.0	V	9.00	11
13732.50	51.84	---	68.20	16.36	500.00	100.0	H	248.00	12
13901.25	53.48	---	68.20	14.72	500.00	100.0	H	110.00	12
14490.00	---	39.59	54.00	14.41	500.00	100.0	H	43.00	11
15726.25	---	37.99	54.00	16.01	500.00	200.0	H	358.00	8
15740.00	48.23	---	74.00	25.77	500.00	200.0	H	0.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH151




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1253.75	43.20	---	68.20	25.00	500.00	200.0	V	0.00	-4
1371.88	---	32.36	54.00	21.64	500.00	200.0	H	14.00	-3
1499.63	41.87	---	74.00	32.13	500.00	100.0	H	327.00	-2
1709.63	---	32.69	54.00	21.31	500.00	100.0	H	60.00	-2
1966.88	44.98	---	68.20	23.22	500.00	100.0	H	286.00	0
2324.75	---	35.16	54.00	18.84	500.00	200.0	H	86.00	2
2617.00	47.93	---	68.20	20.27	500.00	200.0	H	3.00	2
2779.75	---	36.69	54.00	17.31	500.00	200.0	V	199.00	3
3450.88	50.06	---	68.20	18.14	500.00	200.0	H	184.00	5
3831.50	---	39.31	54.00	14.69	500.00	100.0	H	353.00	6
4443.13	52.15	---	68.20	16.05	500.00	200.0	H	141.00	8
5056.50	---	41.76	54.00	12.24	500.00	200.0	V	317.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8267.50	---	38.18	54.00	15.82	500.00	200.0	V	28.00	6
8928.75	49.64	---	68.20	18.56	500.00	100.0	H	2.00	6
9301.25	---	37.58	54.00	16.42	500.00	100.0	V	202.00	7
9958.75	50.20	---	68.20	18.00	500.00	100.0	V	350.00	7
10581.25	49.83	---	68.20	18.37	500.00	200.0	H	346.00	8
11357.50	---	39.44	54.00	14.56	500.00	200.0	H	334.00	9
13357.50	---	39.60	54.00	14.40	500.00	200.0	V	5.00	11
13613.75	51.65	---	68.20	16.55	500.00	100.0	V	357.00	12
13868.75	52.91	---	68.20	15.29	500.00	200.0	V	247.00	12
14490.00	---	39.72	54.00	14.28	500.00	100.0	V	232.00	11
15740.00	48.40	---	74.00	25.60	500.00	200.0	H	127.00	8
15776.25	---	38.14	54.00	15.86	500.00	200.0	H	95.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH167




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1289.63	42.79	---	68.20	25.41	500.00	200.0	H	0.00	-4
1384.13	---	32.48	54.00	21.52	500.00	200.0	H	70.00	-3
1533.75	42.93	---	74.00	31.07	500.00	100.0	V	2.00	-2
1694.75	---	32.78	54.00	21.22	500.00	200.0	H	354.00	-2
1920.50	45.29	---	68.20	22.91	500.00	100.0	V	16.00	0
2344.00	---	35.25	54.00	18.75	500.00	100.0	H	302.00	2
2582.88	47.92	---	68.20	20.28	500.00	100.0	V	128.00	3
2779.75	---	36.79	54.00	17.21	500.00	200.0	V	204.00	3
3433.38	49.43	---	68.20	18.77	500.00	100.0	H	302.00	4
3879.63	---	39.03	54.00	14.97	500.00	200.0	V	356.00	6
4411.63	51.46	---	68.20	16.74	500.00	200.0	H	140.00	8
5437.13	---	42.11	54.00	11.89	500.00	200.0	V	0.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8218.75	---	37.81	54.00	16.19	500.00	100.0	V	321.00	7
8663.75	49.80	---	68.20	18.40	500.00	200.0	H	357.00	7
9358.75	---	37.66	54.00	16.34	500.00	200.0	V	0.00	7
10018.75	51.02	---	68.20	17.18	500.00	100.0	V	348.00	7
10538.75	50.08	---	68.20	18.12	500.00	100.0	H	0.00	8
11100.00	---	39.44	54.00	14.56	500.00	100.0	H	27.00	9
13357.50	---	39.50	54.00	14.50	500.00	200.0	H	0.00	11
13691.25	51.91	---	68.20	16.29	500.00	200.0	V	4.00	12
13918.75	53.41	---	68.20	14.79	500.00	100.0	V	343.00	12
14487.50	---	39.75	54.00	14.25	500.00	100.0	H	0.00	11
15726.25	---	38.29	54.00	15.71	500.00	200.0	H	346.00	8
15777.50	49.20	---	74.00	24.80	500.00	100.0	H	27.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH183




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1270.38	43.43	---	68.20	24.77	500.00	200.0	H	58.00	-4
1388.50	---	32.58	54.00	21.42	500.00	200.0	H	0.00	-3
1530.25	43.12	---	74.00	30.88	500.00	200.0	V	273.00	-2
1695.63	---	32.89	54.00	21.11	500.00	100.0	H	354.00	-2
1995.75	45.96	---	68.20	22.24	500.00	200.0	H	1.00	1
2355.38	---	35.46	54.00	18.54	500.00	100.0	V	315.00	2
2622.25	47.58	---	68.20	20.62	500.00	100.0	H	0.00	2
2775.38	---	36.88	54.00	17.12	500.00	200.0	H	1.00	3
3363.38	49.45	---	68.20	18.75	500.00	100.0	V	13.00	5
3857.75	---	39.26	54.00	14.74	500.00	100.0	H	331.00	6
4478.13	51.57	---	68.20	16.63	500.00	200.0	H	4.00	8
5438.00	---	41.78	54.00	12.22	500.00	100.0	H	289.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8296.25	---	37.91	54.00	16.09	500.00	200.0	V	278.00	6
8582.50	50.24	---	68.20	17.96	500.00	200.0	V	2.00	6
9300.00	---	38.06	54.00	15.94	500.00	100.0	V	359.00	7
9361.25	48.91	---	74.00	25.09	500.00	200.0	V	66.00	7
10356.25	50.20	---	68.20	18.00	500.00	200.0	H	6.00	8
10581.25	49.60	---	68.20	18.60	500.00	100.0	H	311.00	8
11076.25	---	39.41	54.00	14.59	500.00	200.0	H	0.00	9
12082.50	---	38.19	54.00	15.81	500.00	200.0	H	356.00	9
13333.75	---	39.93	54.00	14.07	500.00	100.0	V	290.00	11
13681.25	51.52	---	68.20	16.68	500.00	200.0	H	0.00	12
13818.75	54.03	---	68.20	14.17	500.00	200.0	V	66.00	12
14480.00	---	39.84	54.00	14.16	500.00	200.0	V	6.00	11

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH199




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1266.88	42.76	---	68.20	25.44	500.00	200.0	V	193.00	-4
1404.25	---	32.43	54.00	21.57	500.00	100.0	H	357.00	-3
1580.13	43.06	---	74.00	30.94	500.00	100.0	H	357.00	-2
1707.00	---	32.84	54.00	21.16	500.00	200.0	V	0.00	-2
1995.75	46.14	---	68.20	22.06	500.00	200.0	H	47.00	1
2257.38	---	34.92	54.00	19.08	500.00	100.0	H	286.00	2
2598.63	48.35	---	68.20	19.85	500.00	100.0	V	212.00	3
2780.63	---	36.77	54.00	17.23	500.00	100.0	V	126.00	3
3340.63	49.58	---	68.20	18.62	500.00	200.0	V	0.00	5
3849.00	---	39.13	54.00	14.87	500.00	200.0	H	0.00	6
4459.75	51.11	---	68.20	17.09	500.00	100.0	V	13.00	8
4630.38	---	41.83	54.00	12.17	500.00	200.0	V	321.00	8

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8150.00	---	37.90	54.00	16.10	500.00	100.0	V	358.00	6
8668.75	49.34	---	68.20	18.86	500.00	200.0	V	311.00	7
9305.00	---	37.93	54.00	16.07	500.00	200.0	H	96.00	7
9391.25	47.97	---	74.00	26.03	500.00	100.0	H	158.00	7
10003.75	51.21	---	68.20	16.99	500.00	100.0	H	0.00	7
10497.50	49.89	---	68.20	18.31	500.00	100.0	V	354.00	8
11052.50	---	39.61	54.00	14.39	500.00	200.0	H	359.00	9
12021.25	---	37.71	54.00	16.29	500.00	200.0	H	357.00	9
13336.25	---	39.76	54.00	14.24	500.00	100.0	V	354.00	11
13702.50	51.41	---	68.20	16.79	500.00	100.0	H	111.00	12
13796.25	54.61	---	68.20	13.59	500.00	100.0	H	4.00	12
14486.25	---	40.27	54.00	13.73	500.00	100.0	V	214.00	11

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH215




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.00	42.69	---	68.20	25.51	500.00	100.0	V	200.00	-4
1409.50	---	32.29	54.00	21.71	500.00	100.0	V	49.00	-3
1597.63	42.81	---	74.00	31.19	500.00	200.0	H	13.00	-2
1681.63	---	32.62	54.00	21.38	500.00	200.0	H	3.00	-2
1977.38	45.30	---	68.20	22.90	500.00	200.0	V	0.00	0
2328.25	---	34.81	54.00	19.19	500.00	100.0	H	354.00	2
2571.50	48.39	---	68.20	19.81	500.00	200.0	V	0.00	3
2771.00	---	36.80	54.00	17.20	500.00	100.0	H	31.00	3
3450.00	50.00	---	68.20	18.20	500.00	200.0	H	0.00	5
3957.50	---	39.08	54.00	14.92	500.00	200.0	H	30.00	6
4401.13	51.69	---	68.20	16.51	500.00	100.0	V	355.00	8
4683.75	---	41.82	54.00	12.18	500.00	200.0	V	306.00	8

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8150.00	---	37.93	54.00	16.07	500.00	200.0	H	0.00	6
8748.75	49.50	---	68.20	18.70	500.00	100.0	H	0.00	7
9301.25	---	38.10	54.00	15.90	500.00	100.0	V	352.00	7
9976.25	50.64	---	68.20	17.56	500.00	100.0	V	358.00	7
10566.25	50.01	---	68.20	18.19	500.00	100.0	H	111.00	8
11093.75	---	39.64	54.00	14.36	500.00	200.0	V	0.00	9
11767.50	48.39	---	74.00	25.61	500.00	200.0	H	353.00	9
12141.25	---	38.00	54.00	16.00	500.00	100.0	V	259.00	10
13335.00	---	40.09	54.00	13.91	500.00	100.0	V	154.00	11
13698.75	52.26	---	68.20	15.94	500.00	200.0	H	350.00	12
14098.75	53.39	---	68.20	14.81	500.00	100.0	V	355.00	12
14493.75	---	40.52	54.00	13.48	500.00	100.0	V	93.00	11

Radiates Emission from 8GHz to 18GHz

2. Conducted Emission

2.1. Wi-Fi 6GHz


During the test, the Conducted Emission was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG: CAV Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.184	42.98	64.31	21.34	24.10	54.31	30.22	21.03	L1	9.000	1.000
0.452	41.74	56.85	15.11	21.36	46.85	25.49	20.82	L1	9.000	1.000
1.048	36.78	56.00	19.22	19.05	46.00	26.95	20.12	L1	9.000	1.000
2.324	34.61	56.00	21.39	19.69	46.00	26.31	19.57	L1	9.000	1.000
6.785	34.50	60.00	25.50	21.37	50.00	28.63	19.41	L1	9.000	1.000
25.645	25.04	60.00	34.96	15.25	50.00	34.75	19.81	L1	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

L line Conducted Emission from 150 kHz to 30 MHz



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG: CAV Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.179	48.07	64.52	16.45	30.84	54.52	23.68	21.04	N	9.000	1.000
0.447	41.05	56.93	15.88	21.49	46.93	25.44	20.84	N	9.000	1.000
1.428	38.37	56.00	17.63	20.69	46.00	25.31	19.89	N	9.000	1.000
3.962	33.79	56.00	22.21	20.36	46.00	25.64	19.44	N	9.000	1.000
9.299	37.36	60.00	22.64	26.69	50.00	23.31	19.43	N	9.000	1.000
24.626	29.29	60.00	30.71	18.45	50.00	31.55	19.86	N	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz