



U-NII-3


OBW 802.11a 5720MHz




OBW 802.11a 5745MHz




OBW 802.11a 5785MHz




OBW 802.11a 5825MHz




OBW 802.11ac(VHT20) 5720MHz




OBW 802.11ac(VHT20) 5745MHz




OBW 802.11ac(VHT20) 5785MHz




OBW 802.11ac(VHT20) 5825MHz




OBW 802.11ac(VHT40) 5710MHz




OBW 802.11ac(VHT40) 5755MHz




OBW 802.11ac(VHT40) 5795MHz




OBW 802.11ac(VHT80) 5690MHz




OBW 802.11ac(VHT80) 5775MHz




OBW 802.11n(HT20) 5720MHz




OBW 802.11n(HT20) 5745MHz



OBW 802.11n(HT20) 5785MHz




OBW 802.11n(HT20) 5825MHz




Minimum 6 dB bandwidth

U-NII-3


-6dB Bandwidth 802.11a 5720MHz




-6dB Bandwidth 802.11a 5745MHz




-6dB Bandwidth 802.11a 5785MHz




-6dB Bandwidth 802.11a 5825MHz




-6dB Bandwidth 802.11ac(VHT20) 5720MHz




-6dB Bandwidth 802.11ac(VHT20) 5745MHz




-6dB Bandwidth 802.11ac(VHT20) 5785MHz




-6dB Bandwidth 802.11ac(VHT20) 5825MHz




-6dB Bandwidth 802.11ac(VHT40) 5710MHz




-6dB Bandwidth 802.11ac(VHT40) 5755MHz




-6dB Bandwidth 802.11ac(VHT40) 5795MHz




-6dB Bandwidth 802.11ac(VHT80) 5690MHz




-6dB Bandwidth 802.11ac(VHT80) 5775MHz




-6dB Bandwidth 802.11n(HT20) 5720MHz




-6dB Bandwidth 802.11n(HT20) 5745MHz



-6dB Bandwidth 802.11n(HT20) 5785MHz



-6dB Bandwidth 802.11n(HT20) 5825MHz



6.2. Average Power Output

Mode	Duty cycle	Duty cycle correction Factor (dB)
802.11a	0.972	0.12
802.11n HT20	0.967	0.15
802.11ac VHT20	0.970	0.13
802.11ac VHT40	0.931	0.31
802.11ac VHT80	0.891	0.50
Note: when Duty cycle ≥ 0.98 , Duty cycle correction Factor not required.		

U-NII-1	Carrier frequency (MHz)	Power Index
802.11a	36/5180	16
	40/5200	16
	48/5240	16
802.11n HT20	36/5180	14.5
	40/5200	14.5
	48/5240	14.5
802.11ac VHT20	36/5180	13.5
	40/5200	13.5
	48/5240	13.5
802.11ac VHT40	38/5190	13.5
	46/5230	13.5
802.11ac VHT80	42/5210	13.5
U-NII-2A	Carrier frequency (MHz)	TP Set
802.11a	52/5260	16
	60/5300	16
	64/5320	16
802.11n T20	52/5260	14.5
	60/5300	14.5
	64/5320	14.5
802.11ac VHT20	52/5260	13.5
	60/5300	13.5
	64/5320	13.5
802.11ac VHT40	54/5270	13.5
	62/5310	13.5
802.11ac VHT80	58/5290	13.5
U-NII-2C	Carrier frequency (MHz)	TP Set
802.11a	100/5500	16
	120/5600	16
	140/5700	16
	144/5720	16
802.11n HT20	100/5500	14.5
	120/5600	14.5
	140/5700	14.5
	144/5720	14.5
802.11ac VHT20	100/5500	13.5
	120/5600	13.5
	140/5700	13.5

	144/5720	13.5
802.11ac VHT40	102/5510	13.5
	118/5590	13.5
	134/5670	13.5
	142/5710	13.5
802.11ac VHT80	106/5530	13.5
	122/5610	13.5
	138/5690	13.5
U-NII-3	Carrier frequency (MHz)	TP Set
802.11a	144/5720	16
	149/5745	16
	157/5785	16
	165/5825	16
802.11n HT20	144/5720	14.5
	149/5745	14.5
	157/5785	14.5
	165/5825	14.5
802.11ac VHT20	144/5720	13.5
	149/5745	13.5
	157/5785	13.5
	165/5825	13.5
802.11ac VHT40	142/5710	13.5
	151/5755	13.5
	159/5795	13.5
802.11ac VHT80	138/5690	13.5
	155/5775	13.5

Test Mode		Channel/ Frequency (MHz)	B=26 dB bandwidth (MHz)	Limit 11 dBm + 10 log B (dBm)	Final Limit (dBm)
U-NII-2A	802.11a	52/5260	19.77	23.96	23.96
		60/5300	19.81	23.97	23.97
		64/5320	20.07	24.03	24.00
	802.11n HT20	52/5260	20.40	24.10	24.00
		60/5300	20.37	24.09	24.00
		64/5320	20.51	24.12	24.00
	802.11ac VHT20	52/5260	20.23	24.06	24.00
		60/5300	20.40	24.10	24.00
		64/5320	20.30	24.08	24.00
	802.11ac VHT40	54/5270	40.84	27.11	24.00
		62/5310	40.97	27.13	24.00
	802.11ac VHT80	58/5290	80.80	30.07	24.00
U-NII-2C	802.11a	100/5500	20.01	24.01	24.00
		120/5600	19.97	24.00	24.00
		140/5700	19.97	24.00	24.00
		144/5720	19.98	24.01	24.00
	802.11n HT20	100/5500	24.57	24.90	24.00
		120/5600	20.19	24.05	24.00
		140/5700	20.38	24.09	24.00
		144/5720	20.22	24.06	24.00
	802.11ac VHT20	100/5500	22.70	24.56	24.00
		120/5600	20.38	24.09	24.00
		140/5700	20.20	24.05	24.00
		144/5720	20.32	24.08	24.00
	802.11ac VHT40	102/5510	40.78	27.10	24.00
		118/5590	40.76	27.10	24.00
		134/5670	40.75	27.10	24.00
		142/5710	40.53	27.08	24.00
	802.11ac VHT80	106/5530	81.07	30.09	24.00
		122/5610	81.49	30.11	24.00
		138/5690	81.18	30.09	24.00

Note: 250mW=24dBm

U-NII-1

Test Mode	Channel/ Frequency (MHz)	Average Power Measured (dBm)	Average Power with duty factor (dBm)	Limit (dBm)	Conclusion
802.11a	36/5180	15.19	15.31	24	PASS
	40/5200	15.13	15.25	24	PASS
	48/5240	15.07	15.19	24	PASS
802.11n HT20	36/5180	13.38	13.53	24	PASS
	40/5200	13.52	13.67	24	PASS
	48/5240	13.55	13.70	24	PASS
802.11ac VHT20	36/5180	12.54	12.67	24	PASS
	40/5200	12.63	12.76	24	PASS
	48/5240	12.55	12.68	24	PASS
802.11ac VHT40	38/5190	12.42	12.73	24	PASS
	46/5230	12.36	12.67	24	PASS
802.11ac VHT80	42/5210	12.16	12.66	24	PASS
Note: Average Power with duty factor = Average Power Measured +Duty cycle correction factor					

U-NII-2A

Test Mode	Channel/ Frequency (MHz)	Average Power Measured (dBm)	Average Power with duty factor (dBm)	Limit (dBm)	Conclusion
802.11a	52/5260	15.05	15.17	23.96	PASS
	60/5300	15.22	15.34	23.97	PASS
	64/5320	15.14	15.26	24.00	PASS
802.11n HT20	52/5260	13.60	13.75	24.00	PASS
	60/5300	13.52	13.67	24.00	PASS
	64/5320	13.74	13.89	24.00	PASS
802.11ac VHT20	52/5260	12.53	12.66	24.00	PASS
	60/5300	12.53	12.66	24.00	PASS
	64/5320	12.74	12.87	24.00	PASS
802.11ac VHT40	54/5270	12.55	12.86	24.00	PASS
	62/5310	12.49	12.80	24.00	PASS
802.11ac VHT80	58/5290	12.28	12.78	24.00	PASS

Note: Average Power with duty factor = Average Power Measured +Duty cycle correction factor

U-NII-2C

Test Mode	Channel/ Frequency (MHz)	Average Power Measured (dBm)	Average Power with duty factor (dBm)	Limit (dBm)	Conclusion
802.11a	100/5500	C	15.25	24.00	PASS
	120/5600	14.43	14.55	24.00	PASS
	140/5700	14.93	15.05	24.00	PASS
	144/5720	14.33	14.45	24.00	PASS
802.11n HT20	100/5500	13.03	13.18	24.00	PASS
	120/5600	12.67	12.82	24.00	PASS
	140/5700	13.26	13.41	24.00	PASS
	144/5720	12.62	12.77	24.00	PASS
802.11ac VHT20	100/5500	11.91	12.04	24.00	PASS
	120/5600	11.62	11.75	24.00	PASS
	140/5700	12.27	12.40	24.00	PASS
	144/5720	11.58	11.71	24.00	PASS
802.11ac VHT40	102/5510	11.95	12.26	24.00	PASS
	118/5590	11.69	12.00	24.00	PASS
	134/5670	12.07	12.38	24.00	PASS
	142/5710	12.06	12.37	24.00	PASS
802.11ac VHT80	106/5530	11.59	12.09	24.00	PASS
	122/5610	11.48	11.98	24.00	PASS
	138/5690	11.60	12.10	24.00	PASS

Note: Average Power with duty factor = Average Power Measured +Duty cycle correction factor

U-NII-3

Test Mode	Channel/ Frequency (MHz)	Average Power Measured (dBm)	Average Power with duty factor (dBm)	Limit (dBm)	Conclusion
802.11a	144/5720	6.89	7.01	30	PASS
	149/5745	15.11	15.23	30	PASS
	157/5785	14.99	15.11	30	PASS
	165/5825	15.13	15.25	30	PASS
802.11n HT20	144/5720	5.55	5.70	30	PASS
	149/5745	13.47	13.62	30	PASS
	157/5785	13.33	13.48	30	PASS
	165/5825	13.52	13.67	30	PASS
802.11ac VHT20	144/5720	4.43	4.56	30	PASS
	149/5745	12.27	12.40	30	PASS
	157/5785	12.37	12.50	30	PASS
	165/5825	12.50	12.63	30	PASS
802.11ac VHT40	142/5710	-0.09	0.22	30	PASS
	151/5755	12.25	12.56	30	PASS
	159/5795	12.29	12.60	30	PASS
802.11ac VHT80	138/5690	-3.41	-2.91	30	PASS
	155/5775	12.04	12.54	30	PASS
Note: Average Power with duty factor = Average Power Measured +Duty cycle correction factor					

6.3. Frequency Stability

Voltage (V)	Temperature (°C)	U-NII-1 Test Results			
		5200MHz			
		1min	2min	5min	10min
7.7	-30	5200.003931	5199.999997	5199.997785	5199.992947
7.7	-20	5200.009294	5199.995788	5199.994746	5199.990570
7.7	-10	5200.002422	5199.993685	5199.989709	5199.987785
7.7	0	5200.005394	5199.989331	5199.992108	5199.983054
7.7	10	5199.997798	5199.988055	5199.982286	5199.973703
7.7	20	5199.991970	5199.979174	5199.973868	5199.965184
7.7	30	5199.985655	5199.974695	5199.965558	5199.960210
7.7	40	5199.975911	5199.966890	5199.957013	5199.958933
7.7	50	5199.966560	5199.959481	5199.956398	5199.950953
6.6	20	5199.957141	5199.951735	5199.950602	5199.950414
8.9	20	5199.954396	5199.943661	5199.943220	5199.946142
Max. ΔMHz		-0.045604	-0.056339	-0.056780	-0.053858
PPM		-8.770000	-10.834423	-10.919231	-10.357308

Voltage (V)	Temperature (°C)	U-NII-2A Test Results			
		5300MHz			
		1min	2min	5min	10min
7.7	-30	5299.996626	5299.987091	5299.982144	5299.977728
7.7	-20	5299.993630	5299.985031	5299.977267	5299.969356
7.7	-10	5299.987975	5299.975621	5299.972476	5299.964232
7.7	0	5299.993015	5299.978985	5299.971424	5299.968578
7.7	10	5299.983130	5299.977905	5299.961507	5299.964116
7.7	20	5299.983043	5299.970763	5299.954850	5299.957017
7.7	30	5299.981898	5299.967629	5299.947957	5299.956759
7.7	40	5299.980813	5299.966066	5299.938933	5299.953530
7.7	50	5299.971797	5299.960505	5299.934392	5299.951216
6.6	20	5299.966571	5299.958243	5299.934078	5299.945124
8.9	20	5299.964040	5299.957905	5299.932040	5299.944152
Max. ΔMHz		-0.035960	-0.042095	-0.067960	-0.055848
PPM		-6.784906	-7.942453	-12.822642	-10.537358

Voltage (V)	Temperature (°C)	U-NII-2C Test Results			
		5580MHz			
		1min	2min	5min	10min
7.7	-30	5579.998100	5579.991417	5579.990503	5579.985734
7.7	-20	5579.993452	5579.990569	5579.983640	5579.983963
7.7	-10	5579.986253	5579.987493	5579.980547	5579.974039
7.7	0	5579.987922	5579.989864	5579.981518	5579.974393
7.7	10	5579.978645	5579.981808	5579.971616	5579.971298
7.7	20	5579.970944	5579.971841	5579.965702	5579.970556
7.7	30	5579.962962	5579.968984	5579.962576	5579.968781
7.7	40	5579.954229	5579.962396	5579.957575	5579.960136
7.7	50	5579.946453	5579.955600	5579.955726	5579.953672
6.6	20	5579.938235	5579.952361	5579.950033	5579.953257
8.9	20	5579.931574	5579.943278	5579.948764	5579.950069
Max. ΔMHz		-0.068426	-0.056722	-0.051236	-0.049931
PPM		-12.262724	-10.165233	-9.182079	-8.948208

Voltage (V)	Temperature (°C)	U-NII-3 Test Results			
		5785MHz			
		1min	2min	5min	10min
7.7	-30	5785.000803	5784.994923	5784.987294	5784.982117
7.7	-20	5784.994223	5784.985107	5784.982603	5784.974817
7.7	-10	5784.984587	5784.980260	5784.976001	5784.971210
7.7	0	5784.993140	5784.978055	5784.975284	5784.974799
7.7	10	5784.985299	5784.969631	5784.967945	5784.972449
7.7	20	5784.980479	5784.963727	5784.959921	5784.964842
7.7	30	5784.976419	5784.956446	5784.957546	5784.962378
7.7	40	5784.967192	5784.949130	5784.954986	5784.961936
7.7	50	5784.963082	5784.942760	5784.946263	5784.960613
6.6	20	5784.958429	5784.937101	5784.940480	5784.958659
8.9	20	5784.952428	5784.931923	5784.939809	5784.951069
Max. ΔMHz		-0.047572	-0.068077	-0.060191	-0.048931
PPM		-8.223336	-11.767848	-10.404667	-8.458254

6.4. Power Spectral Density

U-NII-1

Mode	Channel/ Frequency (MHz)	Read Value (dBm /MHz)	Power Spectral Density (dBm /MHz)	Limit (dBm /MHz)	Conclusion
802.11a	36/5180	5.45	5.57	11	PASS
	40/5200	5.79	5.91	11	PASS
	48/5240	5.61	5.73	11	PASS
802.11n HT20	36/5180	3.83	3.98	11	PASS
	40/5200	3.61	3.76	11	PASS
	48/5240	3.84	3.99	11	PASS
802.11ac VHT20	36/5180	2.66	2.79	11	PASS
	40/5200	3.10	3.23	11	PASS
	48/5240	2.48	2.61	11	PASS
802.11ac VHT40	38/5190	-0.28	0.03	11	PASS
	46/5230	-0.27	0.04	11	PASS
802.11ac VHT80	42/5210	-3.77	-3.27	11	PASS

Note: Power Spectral Density =Read Value+Duty cycle correction factor

U-NII-2A

Mode	Channel /Frequency (MHz)	Read Value (dBm /MHz)	Power Spectral Density (dBm /MHz)	Limit (dBm /MHz)	Conclusion
802.11a	52/5260	5.66	5.78	11	PASS
	60/5300	5.73	5.85	11	PASS
	64/5320	5.81	5.93	11	PASS
802.11n HT20	52/5260	4.02	4.17	11	PASS
	60/5300	3.55	3.70	11	PASS
	64/5320	4.19	4.34	11	PASS
802.11ac VHT20	52/5260	2.98	3.11	11	PASS
	60/5300	2.75	2.88	11	PASS
	64/5320	2.71	2.84	11	PASS
802.11ac VHT40	54/5270	0.04	0.35	11	PASS
	62/5310	0.02	0.33	11	PASS
802.11ac VHT80	58/5290	-3.47	-2.97	11	PASS

Note: Power Spectral Density =Read Value+Duty cycle correction factor

U-NII-2C


Mode	Channel /Frequency (MHz)	Read Value (dBm /MHz)	Power Spectral Density (dBm /MHz)	Limit (dBm /MHz)	Conclusion
802.11a	100/5500	5.54	5.66	11	PASS
	120/5600	4.93	5.05	11	PASS
	140/5700	5.30	5.42	11	PASS
	144/5720	5.48	5.60	11	PASS
802.11n HT20	100/5500	3.44	3.59	11	PASS
	120/5600	2.84	2.99	11	PASS
	140/5700	3.53	3.68	11	PASS
	144/5720	3.65	3.80	11	PASS
802.11ac VHT20	100/5500	2.26	2.39	11	PASS
	120/5600	2.36	2.49	11	PASS
	140/5700	2.52	2.65	11	PASS
	144/5720	2.47	2.60	11	PASS
802.11ac VHT40	102/5510	-0.76	-0.45	11	PASS
	118/5590	-1.03	-0.72	11	PASS
	134/5670	-0.35	-0.04	11	PASS
	142/5710	-0.43	-0.12	11	PASS
802.11ac VHT80	106/5530	-3.92	-3.42	11	PASS
	122/5610	-4.38	-3.88	11	PASS
	138/5690	-3.66	-3.16	11	PASS
Note: Power Spectral Density =Read Value+Duty cycle correction factor					

U-NII-3


Mode	Channel /Frequency (MHz)	Read Value (dBm/470kHz)	Power Spectral Density (dBm/500kHz)	Limit (dBm/500kHz)	Conclusion
802.11a	144/5720	0.18	0.57	30	PASS
	149/5745	2.19	2.58	30	PASS
	157/5785	2.26	2.65	30	PASS
	165/5825	2.39	2.78	30	PASS
802.11n HT20	144/5720	-1.69	-1.27	30	PASS
	149/5745	0.51	0.93	30	PASS
	157/5785	0.33	0.75	30	PASS
	165/5825	0.58	1.00	30	PASS
802.11ac VHT20	144/5720	-2.80	-2.40	30	PASS
	149/5745	-0.68	-0.28	30	PASS
	157/5785	-0.81	-0.41	30	PASS
	165/5825	-0.44	-0.04	30	PASS
802.11ac VHT40	142/5710	-7.15	-6.57	30	PASS
	151/5755	-3.80	-3.22	30	PASS
	159/5795	-3.59	-3.01	30	PASS
802.11ac VHT80	138/5690	-11.01	-10.24	30	PASS
	155/5775	-7.10	-6.33	30	PASS
Note: PSD=Read Value+Duty cycle correction factor +10*log(500/470)					

U-NII-1


PSD 802.11a 5180MHz




PSD 802.11a 5200MHz




PSD 802.11a 5240MHz




PSD 802.11ac(VHT20) 5180MHz




PSD 802.11ac(VHT20) 5200MHz




PSD 802.11ac(VHT20) 5240MHz




PSD 802.11ac(VHT40) 5190MHz




PSD 802.11ac(VHT40) 5230MHz




PSD 802.11ac(VHT80) 5210MHz




PSD 802.11n(HT20) 5180MHz



PSD 802.11n(HT20) 5200MHz




PSD 802.11n(HT20) 5240MHz




U-NII-2A


PSD 802.11a 5260MHz




PSD 802.11a 5300MHz




PSD 802.11a 5320MHz




PSD 802.11ac(VHT20) 5260MHz




PSD 802.11ac(VHT20) 5300MHz




PSD 802.11ac(VHT20) 5320MHz




PSD 802.11ac(VHT40) 5270MHz




PSD 802.11ac(VHT40) 5310MHz




PSD 802.11ac(VHT80) 5290MHz




PSD 802.11n(HT20) 5260MHz



PSD 802.11n(HT20) 5300MHz




PSD 802.11n(HT20) 5320MHz




U-NII-2C


PSD 802.11a 5500MHz




PSD 802.11a 5600MHz




PSD 802.11a 5700MHz




PSD 802.11a 5720MHz




PSD 802.11ac(VHT20) 5500MHz




PSD 802.11ac(VHT20) 5600MHz




PSD 802.11ac(VHT20) 5700MHz




PSD 802.11ac(VHT20) 5720MHz




PSD 802.11ac(VHT40) 5510MHz




PSD 802.11ac(VHT40) 5590MHz




PSD 802.11ac(VHT40) 5670MHz




PSD 802.11ac(VHT40) 5710MHz




PSD 802.11ac(VHT80) 5530MHz




PSD 802.11ac(VHT80) 5610MHz




PSD 802.11ac(VHT80) 5690MHz




PSD 802.11n(HT20) 5500MHz




PSD 802.11n(HT20) 5600MHz



PSD 802.11n(HT20) 5700MHz




PSD 802.11n(HT20) 5720MHz




U-NII-3


PSD 802.11a 5720MHz




PSD 802.11a 5745MHz




PSD 802.11a 5785MHz




PSD 802.11a 5825MHz




PSD 802.11ac(VHT20) 5720MHz




PSD 802.11ac(VHT20) 5745MHz




PSD 802.11ac(VHT20) 5785MHz




PSD 802.11ac(VHT20) 5825MHz




PSD 802.11ac(VHT40) 5710MHz




PSD 802.11ac(VHT40) 5755MHz




PSD 802.11ac(VHT40) 5795MHz




PSD 802.11ac(VHT80) 5690MHz




PSD 802.11ac(VHT80) 5775MHz




PSD 802.11n(HT20) 5720MHz




PSD 802.11n(HT20) 5745MHz



PSD 802.11n(HT20) 5785MHz



PSD 802.11n(HT20) 5825MHz



6.5. Unwanted Emission

The detailed test data see *EFTA25110176-IE-02-R4-ANNEX A* Test Result.

6.6. Conducted Emission

The detailed test data see *EFTA25110176-IE-02-R4-ANNEX A* Test Result.

7. Main Test Instruments

Name	Manufacturer	Type	Serial Number	Calibration Date	Expiration Date
Power sensor	R&S	NRP18S	101954	2025-05-06	2026-05-05
Spectrum Analyzer	KEYSIGHT	N9020A	MY51330870	2025-05-06	2026-05-05
DC Power Supply	UNI-T	UTP1306S+	2205D0517232	2025-05-06	2026-05-05
Climate Chamber	ESPEC	SU-242	93000506	2024-12-02	2025-12-01
Attenuator	HASCO	HA18A-10	0003	-	-
EMI Test Receiver	R&S	ESR	102389	2025-05-06	2026-05-05
Signal Analyzer	R&S	FSV40	101298	2025-05-07	2026-05-06
Loop Antenna	SCHWARZBECK	FMZB1519	1519-047	2023-04-16	2026-04-15
TRILOG Broadband Antenna	SCHWARZBECK	VULB 9163	1023	2023-07-14	2026-07-13
Horn Antenna	R&S	HF 907	102723	2023-11-24	2026-11-23
Amplifier	R&S	SCU18	10034	2025-05-06	2026-05-05
Horn Antenna	R&S	BBHA 9170	101301	2023-09-16	2026-09-15
Horn Antenna	ETS-Lindgren	3160-09	00102643	2024-09-24	2027-09-23
Horn Antenna	STEATITE	QSH-SL-26-40-K-15	16779	2023-01-17	2026-01-16
Amplifier	MicroWave	SCU40F1	100649	2025-12-01	2026-11-30
Software	R&S	EMC32	9.26.01	/	/

8. The EUT Appearance

Refer to *EUT Appearance*.

9. Test Setup Photos

Refer to *Part15E Test Setup*.

***** END OF REPORT *****