




-6dB Bandwidth 802.11ac(VHT80) 5690MHz




-6dB Bandwidth 802.11ac(VHT80) 5775MHz




-6dB Bandwidth 802.11n(HT20) 5720MHz




-6dB Bandwidth 802.11n(HT20) 5745MHz



-6dB Bandwidth 802.11n(HT20) 5785MHz



-6dB Bandwidth 802.11n(HT20) 5825MHz



6.2. Average Power Output

Mode	Duty cycle	Duty cycle correction Factor (dB)
802.11a	0.968	0.14
802.11n HT20	0.968	0.14
802.11ac VHT20	0.968	0.14
802.11ac VHT40	0.938	0.28
802.11ac VHT80	0.880	0.55
Note: when Duty cycle ≥ 0.98 , Duty cycle correction Factor not required.		

U-NII-1

Test Mode	Channel/ Frequency (MHz)	Power Index
802.11a	36/5180	16
	40/5200	16
	48/5240	16
802.11n HT20	36/5180	14.5
	40/5200	14.5
	48/5240	14.5
802.11ac VHT20	36/5180	13.5
	40/5200	13.5
	48/5240	13.5
802.11ac VHT40	38/5190	13.5
	46/5230	13.5
802.11ac VHT80	42/5210	13.5

U-NII-2A

Test Mode	Channel/ Frequency (MHz)	Power Index
802.11a	52/5260	16
	60/5300	16
	64/5320	16
802.11n HT20	52/5260	14.5
	60/5300	14.5
	64/5320	14.5
802.11ac VHT20	52/5260	13.5
	60/5300	13.5
	64/5320	13.5
802.11ac VHT40	54/5270	13.5
	62/5310	13.5
802.11ac VHT80	58/5290	13.5

U-NII-2C

Test Mode	Channel/ Frequency (MHz)	Power Index
802.11a	100/5500	16
	120/5600	16
	140/5700	16
	144/5720	16
802.11n HT20	100/5500	14.5
	120/5600	14.5
	140/5700	14.5
	144/5720	14.5
802.11ac VHT20	100/5500	13.5
	120/5600	13.5
	140/5700	13.5
	144/5720	13.5
802.11ac VHT40	102/5510	13.5
	118/5590	13.5
	134/5670	13.5
	142/5710	13.5
802.11ac VHT80	106/5530	13.5
	122/5610	13.5
	138/5690	13.5

U-NII-3

Test Mode	Channel/ Frequency (MHz)	Power Index
802.11a	144/5720	16
	149/5745	16
	157/5785	16
	165/5825	16
802.11n HT20	144/5720	14.5
	149/5745	14.5
	157/5785	14.5
	165/5825	14.5
802.11ac VHT20	144/5720	13.5
	149/5745	13.5
	157/5785	13.5
	165/5825	13.5
802.11ac VHT40	142/5710	13.5
	151/5755	13.5
	159/5795	13.5
802.11ac VHT80	138/5690	13.5
	155/5775	13.5

Test Mode		Channel/ Frequency (MHz)	B=26 dB bandwidth (MHz)	Limit 11 dBm + 10 log B (dBm)	Final Limit (dBm)
U-NII-2A	802.11a	52/5260	20.03	24.02	24.00
		60/5300	20.19	24.05	24.00
		64/5320	19.76	23.96	23.96
	802.11n HT20	52/5260	20.47	24.11	24.00
		60/5300	20.21	24.06	24.00
		64/5320	20.24	24.06	24.00
	802.11ac VHT20	52/5260	20.31	24.08	24.00
		60/5300	20.30	24.08	24.00
		64/5320	20.19	24.05	24.00
	802.11ac VHT40	54/5270	40.95	27.12	24.00
		62/5310	40.78	27.10	24.00
	802.11ac VHT80	58/5290	80.79	30.07	24.00
U-NII-2C	802.11a	100/5500	20.05	24.02	24.00
		120/5600	20.11	24.03	24.00
		140/5700	19.85	23.98	23.98
		144/5720	20.08	24.03	24.00
	802.11n HT20	100/5500	20.37	24.09	24.00
		120/5600	20.29	24.07	24.00
		140/5700	20.48	24.11	24.00
		144/5720	20.43	24.10	24.00
	802.11ac VHT20	100/5500	20.37	24.09	24.00
		120/5600	20.23	24.06	24.00
		140/5700	20.28	24.07	24.00
		144/5720	20.29	24.07	24.00
	802.11ac VHT40	102/5510	40.96	27.12	24.00
		118/5590	40.18	27.04	24.00
		134/5670	40.48	27.07	24.00
		142/5710	41.00	27.13	24.00
	802.11ac VHT80	106/5530	81.04	30.09	24.00
		122/5610	80.60	30.06	24.00
		138/5690	80.79	30.07	24.00

Note: 250mW=24dBm

U-NII-1

Test Mode	Channel/ Frequency (MHz)	Average Power Measured (dBm)	Average Power with duty factor (dBm)	Limit (dBm)	Conclusion
802.11a	36/5180	15.06	15.20	24.00	PASS
	40/5200	15.14	15.28	24.00	PASS
	48/5240	14.88	15.02	24.00	PASS
802.11n HT20	36/5180	13.37	13.51	24.00	PASS
	40/5200	13.42	13.56	24.00	PASS
	48/5240	13.10	13.24	24.00	PASS
802.11ac VHT20	36/5180	12.43	12.57	24.00	PASS
	40/5200	12.56	12.70	24.00	PASS
	48/5240	12.43	12.57	24.00	PASS
802.11ac VHT40	38/5190	12.27	12.55	24.00	PASS
	46/5230	12.26	12.54	24.00	PASS
802.11ac VHT80	42/5210	12.11	12.66	24.00	PASS
Note: Average Power with duty factor = Average Power Measured +Duty cycle correction factor					

U-NII-2A

Test Mode	Channel/ Frequency (MHz)	Average Power Measured (dBm)	Average Power with duty factor (dBm)	Limit (dBm)	Conclusion
802.11a	52/5260	15.05	15.19	24.00	PASS
	60/5300	15.03	15.17	24.00	PASS
	64/5320	15.00	15.14	23.96	PASS
802.11n HT20	52/5260	13.39	13.53	24.00	PASS
	60/5300	13.40	13.54	24.00	PASS
	64/5320	13.34	13.48	24.00	PASS
802.11ac VHT20	52/5260	12.56	12.70	24.00	PASS
	60/5300	12.36	12.50	24.00	PASS
	64/5320	12.45	12.59	24.00	PASS
802.11ac VHT40	54/5270	12.37	12.65	24.00	PASS
	62/5310	12.23	12.51	24.00	PASS
802.11ac VHT80	58/5290	12.16	12.71	24.00	PASS
Note: Average Power with duty factor = Average Power Measured +Duty cycle correction factor					

U-NII-2C

Test Mode	Channel/ Frequency (MHz)	Average Power Measured (dBm)	Average Power with duty factor (dBm)	Limit (dBm)	Conclusion
802.11a	100/5500	14.78	14.92	24.00	PASS
	120/5600	14.53	14.67	24.00	PASS
	140/5700	14.81	14.95	23.98	PASS
	144/5720	14.17	14.31	24.00	PASS
802.11n HT20	100/5500	13.21	13.35	24.00	PASS
	120/5600	12.80	12.94	24.00	PASS
	140/5700	13.10	13.24	24.00	PASS
	144/5720	12.44	12.58	24.00	PASS
802.11ac VHT20	100/5500	12.27	12.41	24.00	PASS
	120/5600	11.78	11.92	24.00	PASS
	140/5700	12.13	12.27	24.00	PASS
	144/5720	11.37	11.51	24.00	PASS
802.11ac VHT40	102/5510	12.03	12.31	24.00	PASS
	118/5590	11.64	11.92	24.00	PASS
	134/5670	11.49	11.77	24.00	PASS
	142/5710	11.84	12.12	24.00	PASS
802.11ac VHT80	106/5530	11.61	12.16	24.00	PASS
	122/5610	11.52	12.07	24.00	PASS
	138/5690	11.68	12.23	24.00	PASS
Note: Average Power with duty factor = Average Power Measured +Duty cycle correction factor					

U-NII-3

Test Mode	Channel/ Frequency (MHz)	Average Power Measured (dBm)	Average Power with duty factor (dBm)	Limit (dBm)	Conclusion
802.11a	144/5720	6.38	6.52	30.00	PASS
	149/5745	14.85	14.99	30.00	PASS
	157/5785	15.42	15.56	30.00	PASS
	165/5825	15.43	15.57	30.00	PASS
802.11n HT20	144/5720	5.16	5.30	30.00	PASS
	149/5745	13.17	13.31	30.00	PASS
	157/5785	13.70	13.84	30.00	PASS
	165/5825	13.79	13.93	30.00	PASS
802.11ac VHT20	144/5720	4.31	4.45	30.00	PASS
	149/5745	12.40	12.54	30.00	PASS
	157/5785	12.75	12.89	30.00	PASS
	165/5825	12.81	12.95	30.00	PASS
802.11ac VHT40	142/5710	-0.58	-0.30	30.00	PASS
	151/5755	12.20	12.48	30.00	PASS
	159/5795	12.73	13.01	30.00	PASS
802.11ac VHT80	138/5690	-3.79	-3.24	30.00	PASS
	155/5775	12.32	12.87	30.00	PASS
Note: Average Power with duty factor = Average Power Measured +Duty cycle correction factor					

6.3. Frequency Stability

Voltage (V)	Temperature (°C)	U-NII-1 Test Results			
		5200MHz			
		1min	2min	5min	10min
7.7	-30	5199.993166	5199.983527	5199.974209	5199.969709
7.7	-20	5199.984886	5199.974652	5199.973069	5199.959992
7.7	-10	5199.985094	5199.972721	5199.969822	5199.950440
7.7	0	5199.981206	5199.964691	5199.965625	5199.955470
7.7	10	5199.971712	5199.960583	5199.956480	5199.948262
7.7	20	5199.967830	5199.953607	5199.953247	5199.942537
7.7	30	5199.962002	5199.944627	5199.950129	5199.941477
7.7	40	5199.955980	5199.943120	5199.944687	5199.933970
7.7	50	5199.954284	5199.937870	5199.935443	5199.927876
6.6	20	5199.949645	5199.931415	5199.928911	5199.920278
8.9	20	5199.945985	5199.929944	5199.923708	5199.914550
Max. ΔMHz		-0.054015	-0.070056	-0.076292	-0.085450
PPM		-10.387500	-13.472308	-14.671538	-16.432692

Voltage (V)	Temperature (°C)	U-NII-2A Test Results			
		5300MHz			
		1min	2min	5min	10min
7.7	-30	5300.004076	5300.002426	5300.000878	5299.996314
7.7	-20	5299.998352	5299.999740	5299.999077	5299.987162
7.7	-10	5299.988801	5299.996176	5299.995362	5299.983841
7.7	0	5299.990326	5299.992528	5299.995866	5299.980512
7.7	10	5299.980752	5299.984670	5299.986221	5299.976321
7.7	20	5299.975611	5299.983039	5299.984660	5299.970984
7.7	30	5299.974166	5299.982571	5299.980446	5299.970608
7.7	40	5299.969796	5299.973200	5299.979295	5299.965313
7.7	50	5299.964586	5299.964087	5299.978329	5299.956225
6.6	20	5299.963105	5299.961078	5299.969289	5299.956133
8.9	20	5299.956734	5299.953714	5299.964345	5299.951369
Max. ΔMHz		-0.043266	-0.046286	-0.035655	-0.048631
PPM		-8.163396	-8.733208	-6.727358	-9.175660

Voltage (V)	Temperature (°C)	U-NII-2C Test Results			
		5580MHz			
		1min	2min	5min	10min
7.7	-30	5579.993700	5579.989618	5579.983879	5579.974918
7.7	-20	5579.993446	5579.984133	5579.982675	5579.970264
7.7	-10	5579.989362	5579.975291	5579.974631	5579.968194
7.7	0	5579.990419	5579.980531	5579.980211	5579.963864
7.7	10	5579.983123	5579.971780	5579.970992	5579.958630
7.7	20	5579.977547	5579.965332	5579.963608	5579.950051
7.7	30	5579.977265	5579.963975	5579.954145	5579.949727
7.7	40	5579.972520	5579.958473	5579.944431	5579.943168
7.7	50	5579.971166	5579.957604	5579.938916	5579.939850
6.6	20	5579.963398	5579.954541	5579.931216	5579.938037
8.9	20	5579.958313	5579.946180	5579.921436	5579.935935
Max. ΔMHz		-0.041687	-0.053820	-0.078564	-0.064065
PPM		-7.470789	-9.645161	-14.079570	-11.481183

Voltage (V)	Temperature (°C)	U-NII-3 Test Results			
		5785MHz			
		1min	2min	5min	10min
7.7	-30	5785.000620	5784.994045	5784.990860	5784.990197
7.7	-20	5784.996423	5784.986713	5784.984959	5784.982164
7.7	-10	5784.994580	5784.986271	5784.979862	5784.977083
7.7	0	5784.992555	5784.978760	5784.982068	5784.973959
7.7	10	5784.991614	5784.974296	5784.972381	5784.964620
7.7	20	5784.989624	5784.968561	5784.964632	5784.963990
7.7	30	5784.980433	5784.965774	5784.963617	5784.959047
7.7	40	5784.979779	5784.960836	5784.953728	5784.956010
7.7	50	5784.977748	5784.956281	5784.948592	5784.950675
6.6	20	5784.973279	5784.955272	5784.948308	5784.949594
8.9	20	5784.970039	5784.951477	5784.944222	5784.943975
Max. ΔMHz		-0.029961	-0.048523	-0.055778	-0.056025
PPM		-5.179084	-8.387727	-9.641832	-9.684529

6.4. Power Spectral Density

U-NII-1

Mode	Channel/ Frequency (MHz)	Read Value (dBm /MHz)	Power Spectral Density (dBm /MHz)	Limit (dBm /MHz)	Conclusion
802.11a	36/5180	5.61	5.75	11	PASS
	40/5200	5.42	5.56	11	PASS
	48/5240	5.51	5.65	11	PASS
802.11n HT20	36/5180	3.58	3.72	11	PASS
	40/5200	3.59	3.73	11	PASS
	48/5240	3.79	3.93	11	PASS
802.11ac VHT20	36/5180	2.68	2.82	11	PASS
	40/5200	2.77	2.91	11	PASS
	48/5240	2.60	2.74	11	PASS
802.11ac VHT40	38/5190	-0.44	-0.16	11	PASS
	46/5230	-0.46	-0.18	11	PASS
802.11ac VHT80	42/5210	-3.67	-3.12	11	PASS
Note: Power Spectral Density =Read Value+Duty cycle correction factor					

U-NII-2A

Mode	Channel /Frequency (MHz)	Read Value (dBm /MHz)	Power Spectral Density (dBm /MHz)	Limit (dBm /MHz)	Conclusion
802.11a	52/5260	5.34	5.48	11	PASS
	60/5300	5.33	5.47	11	PASS
	64/5320	5.42	5.56	11	PASS
802.11n HT20	52/5260	3.89	4.03	11	PASS
	60/5300	3.47	3.61	11	PASS
	64/5320	3.51	3.65	11	PASS
802.11ac VHT20	52/5260	2.63	2.77	11	PASS
	60/5300	2.40	2.54	11	PASS
	64/5320	2.55	2.69	11	PASS
802.11ac VHT40	54/5270	-0.05	0.23	11	PASS
	62/5310	-0.52	-0.24	11	PASS
802.11ac VHT80	58/5290	-3.58	-3.03	11	PASS
Note: Power Spectral Density =Read Value+Duty cycle correction factor					

U-NII-2C


Mode	Channel /Frequency (MHz)	Read Value (dBm /MHz)	Power Spectral Density (dBm /MHz)	Limit (dBm /MHz)	Conclusion
802.11a	100/5500	5.35	5.49	11	PASS
	120/5600	5.08	5.22	11	PASS
	140/5700	5.17	5.31	11	PASS
	144/5720	5.34	5.48	11	PASS
802.11n HT20	100/5500	3.67	3.81	11	PASS
	120/5600	3.15	3.29	11	PASS
	140/5700	3.39	3.53	11	PASS
	144/5720	3.40	3.54	11	PASS
802.11ac VHT20	100/5500	2.48	2.62	11	PASS
	120/5600	1.83	1.97	11	PASS
	140/5700	2.35	2.49	11	PASS
	144/5720	2.52	2.66	11	PASS
802.11ac VHT40	102/5510	-0.68	-0.40	11	PASS
	118/5590	-1.13	-0.85	11	PASS
	134/5670	-0.94	-0.66	11	PASS
	142/5710	-0.65	-0.37	11	PASS
802.11ac VHT80	106/5530	-4.30	-3.75	11	PASS
	122/5610	-4.33	-3.78	11	PASS
	138/5690	-4.01	-3.46	11	PASS
Note: Power Spectral Density =Read Value+Duty cycle correction factor					

U-NII-3


Mode	Channel /Frequency (MHz)	Read Value (dBm/510kHz)	Power Spectral Density (dBm/510kHz)	Limit (dBm/500kHz)	Conclusion
802.11a	144/5720	0.24	0.38	30	PASS
	149/5745	2.52	2.66	30	PASS
	157/5785	2.75	2.89	30	PASS
	165/5825	2.86	3.00	30	PASS
802.11n HT20	144/5720	-1.42	-1.28	30	PASS
	149/5745	0.78	0.92	30	PASS
	157/5785	1.14	1.28	30	PASS
	165/5825	0.97	1.11	30	PASS
802.11ac VHT20	144/5720	-2.67	-2.53	30	PASS
	149/5745	-0.31	-0.17	30	PASS
	157/5785	0.00	0.14	30	PASS
	165/5825	-0.01	0.13	30	PASS
802.11ac VHT40	142/5710	-7.13	-6.85	30	PASS
	151/5755	-3.36	-3.08	30	PASS
	159/5795	-2.83	-2.55	30	PASS
802.11ac VHT80	138/5690	-11.16	-10.61	30	PASS
	155/5775	-6.62	-6.07	30	PASS
Note: PSD=Read Value+Duty cycle correction factor					

U-NII-1


PSD 802.11a 5180MHz




PSD 802.11a 5200MHz




PSD 802.11a 5240MHz




PSD 802.11ac(VHT20) 5180MHz




PSD 802.11ac(VHT20) 5200MHz




PSD 802.11ac(VHT20) 5240MHz




PSD 802.11ac(VHT40) 5190MHz




PSD 802.11ac(VHT40) 5230MHz




PSD 802.11ac(VHT80) 5210MHz




PSD 802.11n(HT20) 5180MHz



PSD 802.11n(HT20) 5200MHz




PSD 802.11n(HT20) 5240MHz




U-NII-2A


PSD 802.11a 5260MHz




PSD 802.11a 5300MHz




PSD 802.11a 5320MHz




PSD 802.11ac(VHT20) 5260MHz




PSD 802.11ac(VHT20) 5300MHz




PSD 802.11ac(VHT20) 5320MHz




PSD 802.11ac(VHT40) 5270MHz




PSD 802.11ac(VHT40) 5310MHz




PSD 802.11ac(VHT80) 5290MHz




PSD 802.11n(HT20) 5260MHz




PSD 802.11n(HT20) 5300MHz




PSD 802.11n(HT20) 5320MHz




PSD 802.11a 5500MHz




PSD 802.11a 5600MHz




PSD 802.11a 5700MHz




PSD 802.11a 5720MHz




PSD 802.11ac(VHT20) 5500MHz




PSD 802.11ac(VHT20) 5600MHz




PSD 802.11ac(VHT20) 5700MHz




PSD 802.11ac(VHT20) 5720MHz




PSD 802.11ac(VHT40) 5510MHz




PSD 802.11ac(VHT40) 5590MHz




PSD 802.11ac(VHT40) 5670MHz




PSD 802.11ac(VHT40) 5710MHz




PSD 802.11ac(VHT80) 5530MHz




PSD 802.11ac(VHT80) 5610MHz




PSD 802.11ac(VHT80) 5690MHz




PSD 802.11n(HT20) 5500MHz




PSD 802.11n(HT20) 5600MHz




PSD 802.11n(HT20) 5700MHz




PSD 802.11n(HT20) 5720MHz




PSD 802.11a 5720MHz




PSD 802.11a 5745MHz




PSD 802.11a 5785MHz




PSD 802.11a 5825MHz




PSD 802.11ac(VHT20) 5720MHz




PSD 802.11ac(VHT20) 5745MHz




PSD 802.11ac(VHT20) 5785MHz




PSD 802.11ac(VHT20) 5825MHz




PSD 802.11ac(VHT40) 5710MHz




PSD 802.11ac(VHT40) 5755MHz




PSD 802.11ac(VHT40) 5795MHz




PSD 802.11ac(VHT80) 5690MHz




PSD 802.11ac(VHT80) 5775MHz




PSD 802.11n(HT20) 5720MHz




PSD 802.11n(HT20) 5745MHz



PSD 802.11n(HT20) 5785MHz



PSD 802.11n(HT20) 5825MHz



6.5. Unwanted Emission

The detailed test data see *EFTA26050035-IE-02-R4-ANNEX A* Test Result.

6.6. Conducted Emission

The detailed test data see *EFTA26050035-IE-02-R4-ANNEX A* Test Result.

7. Main Test Instruments

Name	Manufacturer	Type	Serial Number	Calibration Date	Expiration Date
Power sensor	R&S	NRP18S	101954	2026-04-21	2027-04-20
Spectrum Analyzer	KEYSIGHT	N9020A	MY51330870	2026-04-21	2027-04-20
DC Power Supply	UNI-T	UTP1306S+	2205D0517426	2025-11-24	2026-11-23
Climate Chamber	ESPEC	SU-242	93000506	2025-11-24	2026-11-23
Attenuator	HASCO	HA18A-10	0003	/	/
EMI Test Receiver	R&S	ESCI3	100948	2026-04-20	2027-04-19
Signal Analyzer	R&S	FSV40	101186	2026-04-21	2027-04-20
Loop Antenna	SCHWARZBECK	FMZB1519	1519-047	2026-04-12	2029-04-11
TRILOG Broadband Antenna	SCHWARZBECK	VULB 9163	1023	2023-07-14	2026-07-13
Horn Antenna	SCHWARZBECK	BBHA 9120D	430	2024-07-18	2027-07-17
Amplifier	R&S	SCU18F	101022	2026-04-20	2027-04-19
Horn Antenna	R&S	BBHA 9170	101301	2023-09-16	2026-09-15
Amplifier	MicroWave	SCU40F1	100649	2025-12-01	2026-11-30
Software	R&S	EMC32	9.26.01	/	/
Artificial main network	R&S	ENV216	102191	2025-11-24	2026-11-23
EMI Test Receiver	R&S	ESR	101667	2026-04-20	2027-04-19
Software	R&S	ELEKTRA	5.02.1	/	/

8. The EUT Appearance

Refer to *EUT Appearance*.

9. Test Setup Photos

Refer to *Part15E Test Setup*.

***** END OF REPORT *****