



Report No.: SUCR260800084009

Page: 1 of 6

Appendix B.1

1.1. Test Band = GSM850_ TM1

1.1.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1303.5556	50.17	-50.13	24.44	-70.78	-13.00	57.78	Horizontal
2	2214.2222	51.36	-49.44	26.69	-66.65	-13.00	53.65	Horizontal
3	3030.6667	51.95	-48.48	28.12	-63.67	-13.00	50.67	Horizontal
4	4839.5556	51.01	-48.08	30.85	-61.48	-13.00	48.48	Horizontal
5	6689.7778	51.61	-46.74	35.00	-55.39	-13.00	42.39	Horizontal
6	8809.3333	51.64	-44.04	37.19	-50.47	-13.00	37.47	Horizontal

1.2. Test Band = GSM850_ TM1

1.2.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1238.2222	50.91	-50.19	24.67	-69.88	-13.00	56.88	Vertical
2	2180.8889	51.58	-49.48	26.63	-66.54	-13.00	53.54	Vertical
3	3014.2222	51.60	-48.38	28.11	-63.93	-13.00	50.93	Vertical
4	4431.5556	51.30	-48.10	29.99	-62.07	-13.00	49.07	Vertical
5	5956	52.33	-47.34	32.78	-57.49	-13.00	44.49	Vertical
6	8398.6667	51.69	-43.98	36.74	-50.81	-13.00	37.81	Vertical



Report No.: SUCR260800084009

Page: 2 of 6

1.3. Test Band = GSM850_ TM1

1.3.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1201.3333	50.49	-50.23	24.80	-70.20	-13.00	57.20	Horizontal
2	2107.5556	50.85	-49.46	26.49	-67.38	-13.00	54.38	Horizontal
3	3032.4444	51.77	-48.49	28.13	-63.86	-13.00	50.86	Horizontal
4	4445.3333	50.86	-48.12	30.01	-62.51	-13.00	49.51	Horizontal
5	6414.2222	51.95	-47.23	34.37	-56.17	-13.00	43.17	Horizontal
6	8833.3333	52.28	-44.05	37.22	-49.82	-13.00	36.82	Horizontal

1.4. Test Band = GSM850_ TM1

1.4.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1162.6667	50.73	-50.13	24.82	-69.84	-13.00	56.84	Vertical
2	2079.1111	51.22	-49.50	26.44	-67.10	-13.00	54.10	Vertical
3	3049.7778	51.91	-48.60	28.14	-63.81	-13.00	50.81	Vertical
4	4784.4444	51.06	-48.03	30.73	-61.50	-13.00	48.50	Vertical
5	6249.3333	52.29	-47.43	33.75	-56.65	-13.00	43.65	Vertical
6	8368.8889	51.87	-44.23	36.71	-50.91	-13.00	37.91	Vertical



Report No.: SUCR260800084009

Page: 3 of 6

1.5. Test Band = GSM850_ TM1

1.5.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1244	50.24	-50.19	24.65	-70.56	-13.00	57.56	Horizontal
2	2056.8889	50.92	-49.55	26.40	-67.49	-13.00	54.49	Horizontal
3	3049.3333	51.87	-48.60	28.14	-63.85	-13.00	50.85	Horizontal
4	4736	50.44	-48.06	30.62	-62.26	-13.00	49.26	Horizontal
5	6257.3333	52.39	-47.42	33.78	-56.51	-13.00	43.51	Horizontal
6	8391.1111	51.75	-44.04	36.73	-50.82	-13.00	37.82	Horizontal

1.6. Test Band = GSM850_ TM1

1.6.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1116.8889	50.55	-50.00	24.84	-69.87	-13.00	56.87	Vertical
2	2035.1111	51.04	-49.60	26.36	-67.45	-13.00	54.45	Vertical
3	3406.2222	51.36	-48.67	28.42	-64.15	-13.00	51.15	Vertical
4	5042.2222	51.37	-47.94	31.32	-60.51	-13.00	47.51	Vertical
5	7100.4444	51.19	-45.98	35.68	-54.37	-13.00	41.37	Vertical
6	8835.1111	52.06	-44.05	37.22	-50.04	-13.00	37.04	Vertical



Report No.: SUCR260800084009

Page: 4 of 6

1.7. Test Band = GSM1900_ TM1

1.7.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3429	50.56	-48.38	28.44	-64.63	-13.00	51.63	Horizontal
2	4779.75	51.17	-48.00	30.72	-61.37	-13.00	48.37	Horizontal
3	6193.5	52.40	-47.54	33.54	-56.86	-13.00	43.86	Horizontal
4	8309.25	51.97	-44.51	36.64	-51.16	-13.00	38.16	Horizontal
5	10880.25	51.01	-40.15	39.42	-44.98	-13.00	31.98	Horizontal
6	14691	53.45	-36.79	40.23	-38.37	-13.00	25.37	Horizontal

1.8. Test Band = GSM1900_ TM1

1.8.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3320.25	50.83	-48.11	28.36	-64.18	-13.00	51.18	Vertical
2	3983.25	50.16	-48.20	29.27	-64.03	-13.00	51.03	Vertical
3	5519.25	51.92	-47.63	32.61	-58.36	-13.00	45.36	Vertical
4	7710	51.87	-45.18	36.36	-52.21	-13.00	39.21	Vertical
5	10677.75	51.34	-41.06	39.27	-45.71	-13.00	32.71	Vertical
6	14919.75	54.47	-37.49	40.21	-38.08	-13.00	25.08	Vertical



Report No.: SUCR260800084009

Page: 5 of 6

1.9. Test Band = GSM1900_ TM1

1.9.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3177	51.13	-48.23	28.24	-64.12	-13.00	51.12	Horizontal
2	4101.75	49.51	-48.07	29.46	-64.35	-13.00	51.35	Horizontal
3	5851.5	51.85	-47.39	32.74	-58.06	-13.00	45.06	Horizontal
4	8611.5	51.31	-43.99	36.97	-50.96	-13.00	37.96	Horizontal
5	11352	51.61	-40.26	39.46	-44.45	-13.00	31.45	Horizontal
6	17496	54.09	-36.85	41.78	-36.24	-13.00	23.24	Horizontal

1.10. Test Band = GSM1900_ TM1

1.10.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3565.5	50.66	-48.28	28.60	-64.28	-13.00	51.28	Vertical
2	4920.75	51.57	-48.03	31.03	-60.69	-13.00	47.69	Vertical
3	7193.25	51.74	-46.18	35.85	-53.85	-13.00	40.85	Vertical
4	9412.5	52.99	-42.97	37.98	-47.26	-13.00	34.26	Vertical
5	12675.75	52.86	-39.20	38.99	-42.61	-13.00	29.61	Vertical
6	17907.75	54.78	-38.21	44.25	-34.44	-13.00	21.44	Vertical



Report No.: SUCR260800084009

Page: 6 of 6

1.11. Test Band = GSM1900_ TM1

1.11.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3306.75	50.78	-48.06	28.35	-64.19	-13.00	51.19	Horizontal
2	4320	50.05	-47.85	29.81	-63.24	-13.00	50.24	Horizontal
3	6436.5	51.83	-46.95	34.46	-55.92	-13.00	42.92	Horizontal
4	8859	52.24	-44.01	37.24	-49.79	-13.00	36.79	Horizontal
5	12024	52.18	-39.47	39.39	-43.16	-13.00	30.16	Horizontal
6	17479.5	54.63	-36.92	41.68	-35.87	-13.00	22.87	Horizontal

1.12. Test Band = GSM1900_ TM1

1.12.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3669.75	52.88	-48.44	28.77	-62.05	-13.00	49.05	Vertical
2	5469	52.36	-47.64	32.51	-58.03	-13.00	45.03	Vertical
3	8769.75	52.27	-44.03	37.15	-49.87	-13.00	36.87	Vertical
4	11986.5	51.93	-39.50	39.40	-43.43	-13.00	30.43	Vertical
5	14895.75	54.82	-37.35	40.21	-37.58	-13.00	24.58	Vertical
6	17869.5	54.79	-38.16	44.02	-34.62	-13.00	21.62	Vertical

---End of Attachment---